

ENVIRONMENTAL RESOLUTIONS, INC.

STID
4104 ✓

January 18, 2002
ERI 2023QSR.L20

Mr. Steve Morse
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400
Oakland, California 94612

JAN 24 2002

Subject: Tosco Corporation, Quarterly Summary Reports, Fourth Quarter 2001.

Mr. Morse:

At the request of Tosco Corporation (Tosco), a subsidiary of Phillips Petroleum Company, Environmental Resolutions, Inc. (ERI) is submitting the attached fourth quarter 2001 summary reports for various Tosco facilities at which ERI is performing ongoing environmental work within the San Francisco Bay Region. Please call me at (415) 382-5994 with any questions.

Sincerely,
Environmental Resolutions, Inc.

Glenn L. Matteucci
Program Manager

Attachments: Fourth Quarter 2001 Quarterly Summary Reports

- cc: Mr. Dave DeWitt, Phillips 66 Company
Mr. Mamdouh Awwad, City and County of San Francisco Department of Public Health - Environmental Health Section
Mr. Ted Trenholm, Alameda County Water District
Ms. Eva Chu, Alameda County Health Care Services Agency
Mr. Amir Gholami, Alameda County Health Care Services Agency
Mr. Bill Mitchell, City of Berkeley Planning & Economic Development Department - Toxics Management Division
Mr. Geoffrey A. Fiedler, R.G., City of Berkeley Planning & Economic Development Department - Toxics Management Division
Mr. Bradley Mark, San Rafael Fire Department



GETTLER-RYAN INC.

JUN 05 2002

TRANSMITTAL

May 17, 2002
G-R #180022

1.5/10/02
AB
STP
4/10/04

TO: Mr. David B. De Witt
Phillips 66 Company
2000 Crow Canyon Place, Suite 400
San Ramon, California 94583

CC: Mr. Paul Blank
ERI, Inc.
73 Digital Drive, Suite 100
Novato, California 94949

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

RE: Tosco(Unocal) Service Station
#7176
7850 Amador Valley Boulevard
Dublin, California

DTW
13.72 to 15.87

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	May 14, 2002	Groundwater Monitoring and Sampling Report Second Quarter - Event of April 1, 2002

COMMENTS:

This report is being sent to you for your review/comment, prior to being distributed on your behalf. If no comments are received by **May 31, 2002**, this report will be distributed to the following:

cc: Mr. Amir K. Gholami, REHS, Alameda County Health Care Services, 1131 Harbor Bay Pkwy., Alameda, CA 94502

Enclosure

trans/7176-DBD



GETTLER - RYAN INC.

May 14, 2002
G-R Job #180022

Mr. David B. De Witt
Phillips 66 Company
2000 Crow Canyon Place, Suite 400
San Ramon, California 94583

RE: Second Quarter Event of April 1, 2002
Groundwater Monitoring & Sampling Report
Tosco (Unocal) Service Station #7176
7850 Amador Valley Boulevard
Dublin, California


Dear Mr. De Witt:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).

Static groundwater levels were measured and all wells were checked for the presence of separate-phase hydrocarbons. Separate-phase hydrocarbons were not present in the wells. Static water level data and groundwater elevations are summarized in Table 1. Dissolved Oxygen Concentrations are summarized in Table 3. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells as specified by G-R Standard Operating Procedure - Groundwater Sampling (attached). The field data sheets are also attached. The samples were analyzed by Sequoia Analytical. Analytical results are summarized in Tables 1 and 2. A Concentration Map is included as Figure 2. The chain of custody document and laboratory analytical reports are also attached.

Sincerely,


Deanna L. Harding
Project Coordinator



Hagop Kevork
P.E. No. C55734




Figure 1: Potentiometric Map
Figure 2: Concentration Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Table 3: Dissolved Oxygen Concentrations
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports



7176.qml

AMADOR VALLEY BOULEVARD

EXPLANATION



- ◆ Groundwater monitoring well
- ⊙ Conductor casing
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- 99.99--- Groundwater elevation contour, dashed where inferred
- NM Not Monitored



Source: Figure modified from drawing provided by MPDS Services, Inc.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

FIGURE
1



PROJECT NUMBER 180022	REVIEWED BY	DATE April 1, 2002	REVISED DATE
--------------------------	-------------	-----------------------	--------------

AMADOR VALLEY BOULEVARD

EXPLANATION

- ◆ Groundwater monitoring well
- ⊙ Conductor casing
- A/B/C/D Total Petroleum Hydrocarbons (TPH) as Diesel/TPH as Gasoline/Benzene/MTBE concentrations in ppb
- ~ w/silica gel cleanup
- + MTBE by EPA Method 8260
- NS Not Sampled

TPH + D TPH + G, B, MTBE



Source: Figure modified from drawing provided by MPDS Services, Inc.

GETTLER - RYAN INC.
 6747 Sierra Ct., Suite J
 Dublin, CA 94568 (925) 551-7555

CONCENTRATION MAP
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

FIGURE

2

PROJECT NUMBER
 180022

REVIEWED BY

DATE
 April 1, 2002

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	S.I. (ft.bgs)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
U-1											
355.62	07/08/95	12.59	10.0-30.0	343.03	³ 9,400/--	39,000	1,500	19	1,600	5,200	--
	10/12/95	15.38		340.24	⁵ 4,200/--	33,000	1,400	ND	1,400	3,100	-- ⁷
	01/11/96 ¹	16.33		339.29	⁵ 8,200/--	8,300	690	11	680	1,500	-- ⁸
	04/11/96 ²	12.20		343.42	⁵ 630/--	3,200	110	ND	180	290	790
	07/10/96	13.84		341.78	⁵ 2,200/--	2,600	81	4.4	210	230	510
	10/30/96	15.85		339.77	⁵ 560/--	2,200	67	19	140	150	360
	01/27/97	12.20		343.42	⁵ 2,300/--	4,600	98	ND	360	290	150
	04/08/97	13.46		342.16	⁵ 1,300/--	2,800	50	ND	220	140	ND
	07/17/97	15.30		340.32	⁶ 460/--	2,300	30	4.5	140	94	190
	10/17/97	16.33		339.29	⁶ 510/--	1,500	31	6.7	110	88	220
	01/19/98	14.34		341.28	¹⁰ 1,900/1,300 ¹⁰	3,100	46	3.4	310	200	170
355.59	NP 04/23/98	11.16		344.43	--/1,700 ¹¹	3,400	72	3.8	470	350	280
	NP 07/08/98	12.67		342.92	¹⁴ 2,000/--	4,500	51	ND ¹²	590	430	190
	10/05/98	14.57		341.02	--/2,500 ¹⁰	7,500 ¹⁶	53	ND ¹²	680	350	190/180 ¹⁷
	01/04/99	15.35		340.24	¹¹ 2,700/2,500 ¹¹	10,000 ¹⁹	ND ¹²	ND ¹²	1,200	540	ND ¹²
	04/05/99	13.64		341.95	¹⁰ 920/570 ¹⁰	4,900	34	ND ¹²	350	150	150/55 ¹⁷
	07/01/99	14.39		341.20	¹⁰ 2,700/3,600 ²⁶	10,000	45	ND ¹²	850	420	260/110 ¹⁷
	09/30/99	15.32		340.27	¹⁰ 2,360/1,680 ¹⁰	7,150 ²⁷	ND ¹²	ND ¹²	415	84.4	¹² ND/195 ¹⁷
	01/03/00	16.51		339.08	²⁶ 2,000/1,700 ²⁶	5,400 ²⁷	28	8.4	180	33	160/120 ¹⁷
	04/04/00	12.89		342.70	²⁶ 990/1,400 ²⁶	4,800 ²⁷	30	ND ¹²	210	93	170/160 ¹⁷
	07/14/00	14.56		341.03	²⁶ 2,800/1,200 ²⁶	6,200 ²⁷	41	16	170	32	170/120 ¹⁷
	10/27/00	15.96		339.63	²⁶ 1,400/1,300 ²⁶	3,830 ¹⁶	16.8	ND ¹²	68.6	7.99	55.2/38 ¹⁷
	01/08/01	15.72		339.87	--/873 ²⁹	2,410 ¹⁶	14.7	4.30	30.5	5.04	34.5/9.33 ¹⁷
	04/03/01	14.46		341.13	²⁶ 1,500/830 ²⁶	3,330 ¹⁶	15.8	5.96	74.8	7.06	¹² ND/13.3 ¹⁷
	07/06/01	15.65		339.94	¹⁰ 1,600/1,200 ^{10,30}	4,300 ¹⁶	23	6.4	57	6.8	58/36 ¹⁷
	10/05/01	16.45		339.14	¹⁰ 2,500/2,300 ¹⁰	3,800 ¹⁶ ↓	19	<5.0 ↓	19	<5.0	64/36 ¹⁷
	01/03/02	14.18		341.41	³¹ 2,200/2,200 ³¹	4,500 ¹⁶	25 ↑	<10 ↑	24	<10	<100/23 ¹⁷
	04/01/02	13.72		341.87	³¹ 1,800/1,200 ³¹	5,300 ¹⁶ ↑	36 ↑	6.7 ↑	48	12	93/59 ¹⁷

oscillation

Table 1
Groundwater Monitoring Data and Analytical Results
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

WELL ID/ TOC*(fl.)	DATE	DTW (ft.)	S.I. (ft.bgs)	GWE (msl)	TPH-D♦ (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
U-2											
356.59	07/08/95	12.68	10.0-30.0	343.91	³ 4,700/--	17,000	430	ND	2,200	590	--
	10/12/95	16.01		340.58	⁵ 3,600/--	24,000	310	60	1,900	190	-- ⁷
	01/11/96 ¹	17.06		339.53	⁵ 8,600/--	10,000	210	55	1,400	240	-- ⁸
	04/11/96 ²	12.75		343.84	⁵ 1,900/--	7,700	130	27	1,100	110	340
	07/10/96	14.42		342.17	⁵ 2,300/--	5,600	59	15	610	42	250
	10/30/96	16.82		339.77	⁵ 1,800/--	7,700	67	35	1,000	54	260
	01/27/97	12.91		343.68	⁵ 660/--	1,600	14	ND	130	7.0	100
	04/08/97	14.07		342.52	⁵ 2,000/--	4,300	35	ND	400	16	ND
	07/17/97	15.96		340.63	⁶ 1,300/--	6,200	17	22	410	ND	130
	10/17/97	17.03		339.56	⁶ 1,400/--	7,100	71	26	520	50	ND
	01/19/98	15.10		341.49	¹⁰ 2,100/1,500 ¹⁰	5,300	46	11	350	16	110
356.55	NP 04/23/98	11.74		344.81	--/1,200 ¹¹	3,200	23	11	210	38	160
	NP 07/08/98	13.27		343.28	¹⁴ 1,100/--	1,600	34	8.5	100	7.4	190
	10/05/98	14.90		341.65	--/1,300 ¹⁰	2,900 ¹⁸	37	8.4	110	7.3	78
	01/04/99	15.94		340.61	¹¹ 670/250 ²⁰	2,200 ²¹	35	ND ¹²	17	ND ¹²	86
	04/05/99	14.19		342.36	¹⁰ 660/490 ¹⁰	4,900	21	77	130	310	100/6.9 ¹⁷
	07/01/99	14.98		341.57	²⁴ 210/440 ²⁶	1,500 ²⁵	7.6	ND ¹²	ND ¹²	ND ¹²	¹² ND/35 ¹⁷
	09/30/99	16.00		340.55	¹⁰ 483/340 ¹⁰	256 ²⁷	1.85	ND ¹²	2.42	ND ¹²	26.3/29.8 ¹⁷
	01/03/00	17.20		339.35	²⁶ 2,400/1,900 ²⁶	3,400 ²⁷	23	13	ND ¹²	44	46/14 ¹⁷
	04/04/00	13.50		343.05	²⁶ 1,000/1,000 ²⁶	3,600 ²⁷	34	17	56	ND ¹²	59/25 ¹⁷
	07/14/00	15.23		341.32	²⁶ 1,000/350 ²⁶	3,100 ²⁷	16	13	15	10	100/19 ¹⁷
	10/27/00	16.74		339.81	²⁶ 2,000/1,900 ²⁶	4,180 ¹⁶	30.4	10.2	14.6	ND ¹²	55.5/15 ¹⁷
	01/08/01	16.68		339.87	--/624 ²⁹	3,300 ¹⁶	33.5	7.32	3.49	ND ¹²	66.7/7.49 ¹⁷
	04/03/01	15.12		341.43	²⁶ 1,500/830 ²⁶	4,290 ¹⁶	32.4	9.91	20.1	ND ¹²	66.6/18.1 ¹⁷
	07/06/01	16.32		340.23	¹⁰ 1,400/1,100 ^{10,30}	4,700 ¹⁶	35	11	12	5.3	62/19 ¹⁷
	10/05/01	17.15		339.40	¹⁰ 3,200/1,900 ¹⁰	3,600 ¹⁶	31	9.6	8.7	6.9	62/13 ¹⁷
	01/03/02	14.90		341.65	³¹ 2,300/2,100 ³¹	4,600 ¹⁶	34	11	15	5.8	62/7.5 ¹⁷
	04/01/02	14.38		342.17	³¹ 1,400/470 ³¹	3,500¹⁶	38	9.3	10	6.5	87/18¹⁷

Table 1
Groundwater Monitoring Data and Analytical Results
Tosco (Unocal) Service Station #7176
7850 Amador Valley Boulevard
Dublin, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	S.I. (ft.bgs)	GWE (msl)	TPH-D [◆] (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
U-3											
358.13	07/08/95	14.58	10.0-30.0	343.55	³ 710/--	1,100 ⁴	0.57	2.1	1.7	2.4	--
	10/12/95	17.60		340.53	⁶ 470/--	560	ND	0.87	0.7	1.1	--
	01/11/96 ¹	18.65		339.48	⁶ 260/--	230	0.62	0.91	0.97	1.9	--
	04/11/96	13.20		344.93	ND/--	68 ⁹	ND	ND	ND	ND	ND
	07/10/96	15.98		342.15	ND/--	ND	ND	ND	ND	ND	ND
	10/30/96	18.24		339.89	ND/--	70	ND	ND	ND	ND	ND
	01/27/97	14.41		343.72	ND/--	ND	ND	ND	ND	ND	ND
	04/08/97	15.73		342.40	ND/--	ND	ND	ND	ND	ND	ND
	07/17/97	17.54		340.59	ND/--	ND	ND	ND	ND	ND	ND
	10/17/97	18.64		339.49	⁶ 63/--	ND	ND	ND	ND	ND	ND
	01/19/98	16.67		341.46	¹⁰ 68/ND	ND	ND	ND	ND	ND	ND
358.09	NP 04/23/98	13.28		344.81	--/ND	ND	ND	ND	ND	ND	ND
	NP 07/08/98	14.90		343.19	¹⁵ 80/--	ND	ND	ND	ND	ND	ND
	10/05/98	16.50		341.59	--/ND	ND	ND	ND	ND	ND	ND
	01/04/99	17.70		340.39	ND/--	ND	ND	ND	ND	ND	ND
	04/05/99	15.67		342.42	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	07/01/99	16.79		341.30	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	09/30/99	17.60		340.49	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	01/03/00	18.86		339.23	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	04/04/00	15.10		342.99	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	07/14/00	16.85		341.24	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	10/27/00	18.35		339.74	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	01/08/01	18.31		339.78	--/ND	ND	ND	ND	ND	ND	ND/ND ¹⁷
	04/03/01	16.70		341.39	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	07/06/01	17.90		340.19	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	10/05/01	18.71		339.38	<50/--	<50	<0.50	<0.50	<0.50	<0.50	<5.0/<2.0 ¹⁷
	01/03/02	16.41		341.68	<52/--	<50	<0.50	<0.50	<0.50	<0.50	<5.0/<1.0 ¹⁷
	04/01/02	15.87		342.22	<50/--	<50	<0.50	1.1	<0.50	1.2	<5.0/<2.0 ¹⁷

Table 1
Groundwater Monitoring Data and Analytical Results
Tosco (Unocal) Service Station #7176
7850 Amador Valley Boulevard
Dublin, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	S.I. (ft.bgs)	GWE (msl)	TPH-D♦ (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-4											
356.41	04/23/98	12.11	10.0-25.0	344.30	--/1,400 ¹¹	2,500	5.9	6.4	16	31	ND ¹²
	07/08/98	13.70		342.71	¹¹ 1,400/--	1,000 ¹³	ND ¹²	ND ¹²	ND ¹²	ND ¹²	ND ¹²
	10/05/98	15.18		341.23	--/230 ¹⁰	890 ¹⁶	ND ¹²	ND ¹²	ND ¹²	14	ND ¹²
	01/04/99	16.39		340.02	¹⁰ 71/71 ¹⁰	230 ²²	0.56	1.3	1.4	1.8	10
	04/05/99	14.61		341.80	¹⁰ 340/210 ¹⁰	620 ²³	ND ¹²	1.8	2.1	ND ¹²	6.0/9.3 ¹⁷
	07/01/99	15.43		340.98	²⁴ 260/310 ²⁶	700 ¹⁹	2.1	ND ¹²	1.9	2.4	¹² ND/21 ¹⁷
	09/30/99	16.27		340.14	¹⁰ 420/220 ¹⁰	582 ²⁷	2.60	1.30	1.98	ND ¹²	23.1/22.5 ¹⁷
	01/03/00	17.50		338.91	²⁶ 250/260 ²⁶	800 ²⁷	4.2	4.6	3.3	11	31/17 ¹⁷
	04/04/00	13.91		342.50	^{10,15} 460/340 ²⁶	710 ²⁷	2.0	1.3	4.4	2.0	21/22 ¹⁷
	07/14/00	15.58		340.83	²⁶ 220/76 ²⁶	490 ²⁸	0.89	1.3	0.85	1.8	21/12 ¹⁷
	10/27/00	16.96		339.45	²⁶ 160/120 ²⁶	598 ²¹	ND	1.56	4.65	ND	15.4/14 ¹⁷
	01/08/01	16.64		339.77	--/202 ²⁹	522 ²⁷	4.09	1.69	2.53	1.26	17.2/14.3 ¹⁷
	04/03/01	15.46		340.95	²⁶ 180/ND	575 ²¹	ND ¹²	ND ¹²	ND ¹²	ND ¹²	14.0/11.6 ¹⁷
	07/06/01	16.63		339.78	¹⁰ 230/200 ^{10,30}	720 ¹⁶	4.7	1.5	2.5	0.74	10/7.1 ¹⁷
	10/05/01	17.38		339.03	¹⁰ 180/140 ¹⁰	650 ²⁷	4.3	1.2	1.1	1.8	5.9/5.4 ¹⁷
	01/03/02	15.10		341.31	³¹ 390/360 ³¹	340 ¹⁶	2.9	1.4	1.7	<1.0	<10/3.1 ¹⁷
	04/01/02	14.85		341.56	³¹ 160/100 ³¹	340²¹	<0.50	2.7	<0.50	0.66	<5.0/2.2¹⁷
MW-5											
355.03	04/23/98	11.15	10.0-25.0	343.88	--/100 ¹¹	120	0.53	0.90	1.0	3.8	13
	07/08/98	12.63		342.40	¹⁰ 170/--	ND	ND	ND	ND	ND	12
	10/05/98	14.00		341.03	--/100 ¹⁰	ND	ND	ND	ND	ND	12
	01/04/99	15.21		339.82	ND/--	ND	ND	ND	ND	ND	ND
	04/05/99	13.76		341.27	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	07/01/99	14.48		340.55	ND/--	ND	ND	ND	ND	ND	¹² ND/2.3 ¹⁷
	09/30/99	15.15		339.88	¹⁰ 60.4/ND	50.8 ²⁷	ND	ND	ND	ND	ND/ND ¹⁷
	01/03/00	16.34		338.69	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	04/04/00	12.90		342.13	¹⁵ 69/ND	ND	ND	ND	ND	ND	ND/ND ¹⁷
	07/14/00	14.48		340.55	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	10/27/00	15.75		339.28	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷

Table 1
Groundwater Monitoring Data and Analytical Results
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	S.I. (ft.bgs)	GWE (msl)	TPH-D (ppb)	TPH-G (ppb)	B (ppb)	T (ppb)	E (ppb)	X (ppb)	MTBE (ppb)
MW-5	01/08/01	15.25	10.0-25.0	339.78	--/ND	ND	ND	ND	ND	ND	ND/ND ¹⁷
(cont)	04/03/01	14.41		340.62	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	07/06/01	15.52		339.51	ND/--	ND	ND	ND	ND	ND	ND/ND ¹⁷
	10/05/01	16.28		338.75	<50/--	<50	<0.50	<0.50	<0.50	<0.50	<5.0/<2.0 ¹⁷
	01/03/02	14.01		341.02	<51/--	<50	<0.50	<0.50	<0.50	<0.50	<5.0/1.6 ¹⁷
	04/01/02	13.64		341.39	<50/--	<50	<0.50	<0.50	<0.50	<0.50	<5.0/3.5 ¹⁷
Trip Blank											
TB-LB	01/19/98	--	--	--	--	ND	ND	ND	ND	ND	ND
	04/23/98	--	--	--	--	ND	ND	ND	ND	ND	ND
	07/08/98	--	--	--	--	ND	ND	ND	ND	ND	ND
	10/05/98	--	--	--	--	ND	ND	0.70	ND	0.71	ND
	01/04/99	--	--	--	--	ND	ND	0.74	ND	0.92	ND
	04/05/99	--	--	--	--	ND	ND	ND	ND	ND	ND
	07/01/99	--	--	--	--	ND	ND	ND	ND	ND	ND
	09/30/99	--	--	--	--	ND	ND	ND	ND	ND	ND
	01/03/00	--	--	--	--	ND	ND	ND	ND	ND	ND
	04/04/00	--	--	--	--	ND	ND	ND	ND	ND	ND
	07/14/00	--	--	--	--	ND	ND	ND	ND	ND	ND
	10/27/00	--	--	--	--	ND	ND	ND	ND	ND	ND
	01/08/01	--	--	--	--	ND	ND	ND	ND	ND	ND
	04/03/01	--	--	--	--	ND	ND	ND	ND	ND	ND
	07/06/01	--	--	--	--	ND	ND	ND	ND	ND	ND
	10/05/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0
	01/03/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0
	04/01/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<5.0

Table 1
Groundwater Monitoring Data and Analytical Results
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

EXPLANATIONS:

Groundwater monitoring data and laboratory analytical results prior to January 19, 1998, were compiled from reports prepared by MPDS Services, Inc.

TOC = Top of Casing	TPH-D = Total Petroleum Hydrocarbons as Diesel	(ppb) = Parts per billion
DTW = Depth to Water	TPH-G = Total Petroleum Hydrocarbons as Gasoline	ND = Not Detected
(ft.) = Feet	B = Benzene	-- = Not Measured/Not Analyzed
S.I. = Screen Interval	T = Toluene	NP = No purge
(ft.bgs) = Feet Below Ground Surface	E = Ethylbenzene	
GWE = Groundwater Elevation	X = Xylenes	
(msl) = Mean sea level	MTBE = Methyl tertiary butyl ether	

* TOC elevations were surveyed relative to msl, per the Benchmark AM-STW1977 located at the easterly return at the most easterly corner of intersection at Amador Valley Boulevard and Starward Street, (Elevation = 344.17 feet, msl).

◆ Analytical results reported as follows: TPH-D/TPH-D with silica gel cleanup.

- 1 Polynuclear Aromatic Hydrocarbons (PNAs) compound naphthalene was detected in well U-1 at a concentration of 320 ppb and at a concentration of 310 ppb in well U-2. All other PNAs compounds were ND in both wells.
- 2 PNAs compounds were ND.
- 3 Laboratory report indicates unidentified hydrocarbons C9-C26.
- 4 Laboratory report indicates gasoline and unidentified hydrocarbons >C12.
- 5 Laboratory report indicates the hydrocarbons detected appeared to be a diesel and non-diesel mixture.
- 6 Laboratory report indicates the hydrocarbons detected did not appear to be diesel.
- 7 Laboratory has potentially identified the presence of MTBE at reportable levels in the groundwater sample collected from this well.
- 8 Laboratory has identified the presence of MTBE at a level above or equal to the taste and odor threshold of 40 ppb in the sample collected from this well.
- 9 Laboratory report indicates the hydrocarbons detected did not appear to be gasoline.
- 10 Laboratory report indicates unidentified hydrocarbons C9-C24.
- 11 Laboratory report indicates diesel and unidentified hydrocarbons <C14.
- 12 Detection limit raised. Refer to analytical reports.
- 13 Laboratory report indicates unidentified hydrocarbons >C8.
- 14 Laboratory report indicates unidentified hydrocarbons <C14.
- 15 Laboratory report indicates discrete peaks.
- 16 Laboratory report indicates weathered gasoline C6-C12.
- 17 MTBE by EPA Method 8260.
- 18 Laboratory report indicates unidentified hydrocarbons <C8.
- 19 Laboratory report indicates gasoline and unidentified hydrocarbons C6-C12.
- 20 Laboratory report indicates diesel and unidentified hydrocarbons <C16.

Table 1
Groundwater Monitoring Data and Analytical Results
Tosco (Unocal) Service Station #7176
7850 Amador Valley Boulevard
Dublin, California

EXPLANATIONS: (cont)

- 21 Laboratory report indicates unidentified hydrocarbons C6-C12.
- 22 Laboratory report indicates gasoline and unidentified hydrocarbons >C10.
- 23 Laboratory report indicates gasoline and unidentified hydrocarbons <C7.
- 24 Laboratory report indicates unidentified hydrocarbons C10-C24.
- 25 Laboratory report indicates gasoline and unidentified hydrocarbons <C6.
- 26 Laboratory report indicates unidentified hydrocarbons <C16.
- 27 Laboratory report indicates gasoline C6-C12.
- 28 Laboratory report indicates gasoline C6-C12 + unidentified hydrocarbons C6-C12.
- 29 Laboratory report indicates hydrocarbon pattern is present in the requested fuel quantitation range but does not resemble the pattern of the requested fuel.
- 30 Laboratory report indicates sample was generated out of hold time. The sample was originally run within hold time, but needed to be re-analyzed.
- 31 Laboratory report indicates unidentified hydrocarbons C10-C28.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
U-1	04/05/99	ND ¹	ND ¹	55	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	07/01/99	ND	ND	110	ND	ND	ND	ND	ND
	09/30/99	ND ¹	ND ¹	195	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	01/03/00	ND	ND	120	ND	ND	ND	ND	ND
	04/04/00	ND ¹	ND ¹	160	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	07/14/00	ND ¹	ND ¹	120	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	10/27/00	ND	ND	38	ND	ND	ND	ND	ND
	01/08/01	ND ¹	ND ¹	9.33	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	04/03/01	ND ¹	ND ¹	13.3	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	07/06/01	ND	ND	36	ND	ND	ND	ND	ND
	10/05/01	<1,000	<100	36	<2.0	<2.0	<2.0	<2.0	<2.0
	01/03/02	<2,500	<100	23	<5.0	<5.0	<5.0	<5.0	<5.0
04/01/02	<2,500	<500	59	<10	<10	<10	<10	<10	
U-2	04/05/99	ND ¹	ND ¹	6.9	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	07/01/99	ND	ND	35	ND	ND	ND	ND	ND
	09/30/99	ND	ND	29.8	ND	ND	ND	ND	ND
	01/03/00	ND	ND	14	ND	ND	ND	ND	ND
	04/04/00	ND ¹	ND ¹	25	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	07/14/00	ND	ND	19	ND	ND	ND	ND	ND
	10/27/00	ND	ND	15	ND	ND	ND	ND	ND
	01/08/01	ND ¹	ND ¹	7.49	ND ¹	ND ¹	ND ¹	ND ¹	ND ¹
	04/03/01	ND	ND	18.1	ND	ND	ND	ND	ND
	07/06/01	ND	ND	19	ND	ND	ND	ND	ND
	10/05/01	<1,000	<100	13	<2.0	<2.0	<2.0	<2.0	<2.0
	01/03/02	<2,500	<100	7.5	<5.0	<5.0	<5.0	<5.0	<5.0
04/01/02	<1,000	<200	18	<4.0	<4.0	<4.0	<4.0	<4.0	

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
U-3	04/05/99	ND	ND	ND	ND	ND	ND	ND	ND
	07/01/99	ND	ND	ND	ND	ND	ND	ND	ND
	09/30/99	ND	ND	ND	ND	ND	ND	ND	ND
	01/03/00	ND	ND	ND	ND	ND	ND	ND	ND
	04/04/00	ND	ND	ND	ND	ND	ND	ND	ND
	07/14/00	ND	ND	ND	ND	ND	ND	ND	ND
	10/27/00	ND	ND	ND	ND	ND	ND	ND	ND
	01/08/01	ND	ND	ND	ND	ND	ND	ND	ND
	04/03/01	ND	ND	ND	ND	ND	ND	ND	ND
	07/06/01	ND	ND	ND	ND	ND	ND	ND	ND
	10/05/01	<1,000	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	01/03/02	<500	<20	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	04/01/02	<500	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
MW-4	04/05/99	ND	ND	9.3	ND	ND	ND	ND	ND
	07/01/99	ND	ND	21	ND	ND	ND	ND	ND
	09/30/99	ND	ND	22.5	ND	ND	ND	ND	ND
	01/03/00	ND	ND	17	ND	ND	ND	ND	ND
	04/04/00	ND	ND	22	ND	ND	ND	ND	ND
	07/14/00	ND	ND	12	ND	ND	ND	ND	ND
	10/27/00	ND	ND	14	ND	ND	ND	ND	ND
	01/08/01	ND	ND	14.3	ND	ND	ND	ND	ND
	04/03/01	ND	ND	11.6	ND	ND	ND	ND	ND
	07/06/01	ND	ND	7.1	ND	ND	ND	ND	ND
	10/05/01	<1,000	<100	5.4	<2.0	<2.0	<2.0	<2.0	<2.0
	01/03/02	<500	<20	3.1	<1.0	<1.0	<1.0	<1.0	<1.0
	04/01/02	<500	<100	2.2	<2.0	<2.0	<2.0	<2.0	<2.0

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

WELL ID	DATE	ETHANOL (ppb)	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)
MW-5	04/05/99	ND	ND	ND	ND	ND	ND	ND	ND
	07/01/99	ND	ND	2.3	ND	ND	ND	ND	ND
	09/30/99	ND	ND	ND	ND	ND	ND	ND	ND
	01/03/00	ND	ND	ND	ND	ND	ND	ND	ND
	04/04/00	ND	ND	ND	ND	ND	ND	ND	ND
	07/14/00	ND	ND	ND	ND	ND	ND	ND	ND
	10/27/00	ND	ND	ND	ND	ND	ND	ND	ND
	01/08/01	ND	ND	ND	ND	ND	ND	ND	ND
	04/03/01	ND	ND	ND	ND	ND	ND	ND	ND
	07/06/01	ND	ND	ND	ND	ND	ND	ND	ND
	10/05/01	<1,000	<100	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0
	01/03/02	<500	<20	1.6	<1.0	<1.0	<1.0	<1.0	<1.0
	04/01/02	<500	<100	3.5	<2.0	<2.0	<2.0	<2.0	<2.0

*NEW LEAD?
 DETECTION LIMIT FOR
 ETHANOL*

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Tosco (Unocal) Service Station #7176
7850 Amador Valley Boulevard
Dublin, California

EXPLANATIONS:

TBA = Tertiary butyl alcohol
MTBE = Methyl tertiary butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tertiary butyl ether
TAME = Tertiary amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = 1,2-Dibromomethane
(ppb) = Parts per billion
ND = Not Detected

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

¹ Detection limit raised. Refer to analytical reports.

Table 3
Dissolved Oxygen Concentrations
 Tosco (Unocal) Service Station #7176
 7850 Amador Valley Boulevard
 Dublin, California

WELL ID	DATE	Before Purging (mg/L)	After Purging (mg/L)
U-1	01/11/96	--	3.41
	04/11/96	3.77	3.78
	07/10/96 ¹	1.22	--
	10/30/96 ¹	1.41	--
	01/27/97 ¹	1.34	--
	04/08/97 ¹	2.09	--
	07/17/97 ¹	2.00	--
	10/17/97 ¹	1.86	--
	01/19/98 ¹	2.91	--
	04/23/98 ¹	0.59	--
07/08/98 ¹	1.10	--	
U-2	01/11/96	--	3.99
	04/11/96	3.32	3.41
	07/10/96 ¹	1.01	--
	10/30/96 ¹	1.42	--
	01/27/97 ¹	1.29	--
	04/08/97 ¹	1.69	--
	07/17/97 ¹	2.08	--
	10/17/97 ¹	1.80	--
	01/19/98 ¹	2.95	--
	04/23/98 ¹	0.55	--
07/08/98 ¹	1.36	--	
U-3	01/11/96	--	5.05
	04/11/96	5.16	4.96
	07/10/96 ¹	3.44	--
	10/30/96 ¹	2.18	--
	01/27/97 ¹	2.61	--
	04/08/97 ¹	3.73	--
	07/17/97 ¹	2.65	--
	10/17/97 ¹	2.44	--
	01/19/98 ¹	6.51	--
	04/23/98 ¹	4.72	--
07/08/98 ¹	4.35	--	
CC-1	10/02/95	2.83	--

EXPLANATIONS:

Dissolved oxygen concentrations prior to January 19, 1998, were compiled from reports prepared by MPDS Services, Inc.

(mg/L) = Milligrams per liter

-- = Not Measured

CC-1 = Conductor casing in the underground storage tank backfill

¹ The wells were not purged on this date.

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, temperature, pH and electrical conductivity are measured. If purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. The measurements are taken a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Phillips 66 Company, the purge water and decontamination water generated during sampling activities is transported to Phillips 66 - San Francisco Refinery, located in Rodeo, California.

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/Facility# Tosco # 7176 Job#: 180022.85
 Address: 7850 Amador Valley Blvd. Date: 4/1/02
 City: Dublin, CA Sampler: Vastika

Well ID U-1 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Thickness: 0.00 (feet) Amount Bailed (product/water): 0 (Gallons)
 Total Depth 27.75 ft.
 Depth to Water 13.72 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

17.03 x VF 0.17 = 2.38 x 3 (case volume) = Estimated Purge Volume: 7.5 (gal.)

Purge Equipment: Disposable Bailer Bailer Stack Suction Grundfos Other: _____
 Sampling Equipment: Disposable Bailer Bailer Pressure Bailer Grab Sample Other: _____

Starting Time: 1450 Weather Conditions: clear
 Sampling Time: 1515 Water Color: _____ Odor: Y
 Purging Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? Yes If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1456</u>	<u>2.5</u>	<u>7.35</u>	<u>1148</u>	<u>69.5</u>			
<u>1502</u>	<u>5</u>	<u>7.18</u>	<u>1159</u>	<u>69.1</u>			
<u>1508</u>	<u>7.5</u>	<u>7.19</u>	<u>1163</u>	<u>68.9</u>			
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>U-1</u>	<u>5 X VOA VIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(GI)/btex/mtbe + 80x4³</u>
<u>~</u>	<u>1 Amber</u>	<u>~</u>	<u>NONE</u>	<u>~</u>	<u>TPH-D</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/
Facility # Tosco # 7176 Job#: 120022.85
Address: 7850 Amador Valley Blvd. Date: 4/1/02
City: Dublin, CA Sampler: Vetter

Well ID U-2 Well Condition: OK
Well Diameter 2 in. Hydrocarbon Amount Bailed
Thickness: 0.100 (feet) (product/water): 0.1 (Gallons)
Total Depth 26.45 ft.
Depth to Water 14.38 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

$12.07 \times VF 0.17 = 2.05 \times 3 \text{ (case volume)} = \text{Estimated Purge Volume: } 6.5 \text{ (gal.)}$

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1400 Weather Conditions: clear
Sampling Time: 1435 Water Color: grayish Odor: 4
Purging Flow Rate: _____ gpm. Sediment Description: S/H
Did well de-water? no If yes: Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm}$	Temperature $^{\circ}\text{F}$	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1415</u>	<u>2</u>	<u>7.40</u>	<u>1129</u>	<u>69.7</u>			
<u>1420</u>	<u>4</u>	<u>7.26</u>	<u>1142</u>	<u>69.4</u>			
<u>1428</u>	<u>6.5</u>	<u>7.22</u>	<u>1157</u>	<u>69.2</u>			
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#): CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>U-2</u>	<u>5 X VOA VIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(G)/btex/mtbs + 8045</u>
<u>~</u>	<u>1 Amber</u>	<u>~</u>	<u>NONE</u>	<u>~</u>	<u>TPH-D</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/Facility# Tosco # 7176 Job#: 120022.85
 Address: 7250 Amador Valley Blvd. Date: 4/1/02
 City: Dublin, CA Sampler: Vartley

Well ID U-3 Well Condition: OK
 Well Diameter 2 in. Hydrocarbon Amount Bailed
 Thickness: 0.00 (feet) (product/water): Ø (Gallons)
 Total Depth 28.35 ft.
 Depth to Water 15.87 ft.

Volume	2" = 0.17	3" = 0.38	4" = 0.66
Factor (VF)	6" = 1.50	12" = 5.80	

$12.48 \times VF \ 0.17 = 2.12 \times 3 \text{ (case volume)} = \text{Estimated Purge Volume: } 6.5 \text{ (gal.)}$

Purge Equipment: Disposable Bailer Bailer
 Stack
 Suction
 Grundfos
 Other: _____
 Sampling Equipment: Disposable Bailer Bailer
 Pressure Bailer
 Grab Sample
 Other: _____

Starting Time: 1255 Weather Conditions: clear
 Sampling Time: 1318 Water Color: brown Odor: no
 Purging Flow Rate: _____ gpm. Sediment Description: soft
 Did well de-water? no If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity $\mu\text{mhos/cm}$	Temperature $^{\circ}\text{F}$	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1300</u>	<u>2</u>	<u>7.70</u>	<u>933</u>	<u>68.1</u>			
<u>1305</u>	<u>4</u>	<u>7.55</u>	<u>921</u>	<u>68.5</u>			
<u>1312</u>	<u>6.5</u>	<u>7.52</u>	<u>919</u>	<u>68.9</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>U-3</u>	<u>5 X VOA VIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(G)/btex/mtbe + 8000</u>
<u>~</u>	<u>1 Amber</u>	<u>~</u>	<u>NONE</u>	<u>~</u>	<u>TPH-D</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/
Facility # Tosco # 7176 Job#: 180022,85
Address: 7850 Amador Valley Blvd. Date: 4/1/02
City: Dublin, CA Sampler: Vartha

Well ID MW-4 Well Condition: on
Well Diameter 2 in. Hydrocarbon Amount Bailed
Thickness: 0.00 (feet) (product/water): 2 (Gallons)
Total Depth 25.45 ft.
Depth to Water 14.85 ft.

Volume	2" = 0.17	3" = 0.38	4" = 0.66
Factor (VF)	6" = 1.50	12" = 5.80	

10.60 x VF 0.17 = 1.80 X 3 (case volume) = Estimated Purge Volume: 5.5 (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1335 Weather Conditions: clear
Sampling Time: 1355 Water Color: brn. Odor: mild
Purging Flow Rate: _____ gpm. Sediment Description: silt
Did well de-water? no If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1340</u>	<u>2</u>	<u>7.50</u>	<u>1057</u>	<u>68.7</u>			
<u>1345</u>	<u>4</u>	<u>7.41</u>	<u>1050</u>	<u>69.0</u>			
<u>1349</u>	<u>5.5</u>	<u>7.37</u>	<u>1043</u>	<u>69.3</u>			

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>5 X VOA VIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(G)/btex/mtbe + 80%²</u>
<u>"</u>	<u>1 Amber</u>	<u>~</u>	<u>NOSE</u>	<u>~</u>	<u>TPH-D</u>

COMMENTS: _____

**WELL MONITORING/SAMPLING
FIELD DATA SHEET.**

Client/
Facility # Tosco # 7176 Job#: 120022.85
Address: 7850 Amador Valley Blvd. Date: 4/1/02
City: Dublin, CA Sampler: Verter

Well ID mw-5 Well Condition: OK
Well Diameter 2 in. Hydrocarbon Amount Bailed
Thickness: 0.100 (feet) (product/water): 0 (Gallons)
Total Depth 24.80 ft.
Depth to Water 13.64 ft.

Volume Factor (VF)	2" = 0.17	3" = 0.38	4" = 0.66
	6" = 1.50	12" = 5.80	

11.16 x VF 0.17 = 1.89 x 3 (case volume) = Estimated Purge Volume: 6 (gal.)

Purge Equipment: Disposable Bailer
Bailer
Stack
Suction
Grundfos
Other: _____

Sampling Equipment: Disposable Bailer
Bailer
Pressure Bailer
Grab Sample
Other: _____

Starting Time: 1220 Weather Conditions: clear
Sampling Time: 1240 Water Color: brn. Odor: no
Purging Flow Rate: _____ gpm. Sediment Description: silt
Did well de-water? no If yes; Time: _____ Volume: _____ (gal.)

Time	Volume (gal.)	pH	Conductivity μ mhos/cm	Temperature $^{\circ}$ F	D.O. (mg/L)	ORP (mV)	Alkalinity (ppm)
<u>1225</u>	<u>2</u>	<u>7.66</u>	<u>896</u>	<u>68.4</u>			
<u>1230</u>	<u>4</u>	<u>7.50</u>	<u>884</u>	<u>68.9</u>			
<u>1235</u>	<u>6</u>	<u>7.48</u>	<u>879</u>	<u>69.2</u>			
_____	_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) - CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>5 X VOA VIAL</u>	<u>Y</u>	<u>HCL</u>	<u>SEQUOIA</u>	<u>TPH(GI)/btex/mtbe + 80X45</u>
<u>11</u>	<u>1 Amber</u>	<u>~</u>	<u>NONE</u>	<u>~</u>	<u>TPH-D</u>
_____	_____	_____	_____	_____	_____

COMMENTS: _____

Chain-of-Custody-Record



Tosco Marketing Company
2000 East Canyon Rd., Ste. 400
San Diego, California 92108

Facility Number UNOCAL SS#-7176
 Facility Address 7850 Amador Valley Blvd., Dublin, CA
 Consultant Project Number 180022.85
 Consultant Name Gattler-Ryan Inc. (G-R Inc.)
 Address 6747 SIERRA COURT, SUITE J, DUBLIN, CA 94568
 Project Contact (Name) Deanna L. Harding
 (Phone) (925) 551-7555 (Fax Number) 925-551-7899

Contact (Name) MR. Dave DeWitt
 (Phone) 925-277-2384
 Laboratory Name Sequoia Analytical
 Laboratory Release Number _____
 Samples Collected by (Name) Vartkes Tashjian
 Collection Date 4/1/02
 Signature Vartkes Tashjian

L204007

Sample Number	Lot Sample Number	Number of Containers	Matrix S = Soil W = Water G = Charcoal	Type G = Grab C = Composite D = Discrete	Time	Sample Preservation	Lead (Yr or Mo)	Analytes To Be Performed															
								TPH GC - BTX (0001)	TPH GC - BTX (0002)	TPH GC - BTX (0003)	TPH GC - BTX (0004)	TPH GC - BTX (0005)	TPH GC - BTX (0006)	TPH GC - BTX (0007)	TPH GC - BTX (0008)	TPH GC - BTX (0009)	TPH GC - BTX (0010)	TPH GC - BTX (0011)					
IB-LB	01	1	W	C		HCl	Y	X															
U-1	02	6	u	u	1515	u	u	X	X														
U-2	03	6	u	u	1435	u	u	X	X														
U-3	04	6	u	u	1318	u	u	X	X														
MW-4	05	6	u	u	1355	u	u	X	X														
MW-5	06	6	u	u	1240	u	u	X	X														

DO NOT BILL TB-LB ANALYSIS

8 Oxy's - MTBE, TDA, DHE, STBE, TAME, 1,2DCA, FDD, Ethanol

Run Silica-Gel Clean-up On Any Diesel Hts.

8 oxy's (0018)

Relinquished By (Signature) [Signature]
 Relinquished By (Signature) _____
 Relinquished By (Signature) _____

Organization G-R Inc.
 Date/Time 4/1/02 1:30
 Organization _____
 Date/Time _____
 Organization _____
 Date/Time _____

Received By (Signature) [Signature]
 Received By (Signature) _____
 Received By (Signature) _____

Organization S.C.
 Date/Time 4/1/02 1:30
 Organization _____
 Date/Time _____
 Organization _____
 Date/Time _____

Turn Around Time (Circle Choice)

24 Hrs.
 48 Hrs.
 6 Days



24 April, 2002

Deanna Harding
Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin, CA 94568

RE: Tosco(1)
Sequoia Report: L204007

Enclosed are the results of analyses for samples received by the laboratory on 04/01/02 15:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Wayne Stevenson
Project Manager

CA ELAP Certificate #2360

RECEIVED

APR 24 2002

GETTLER-RYAN

GENERAL CHEMISTRY



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TB-LB	L204007-01	Water	04/01/02 00:00	04/01/02 15:30
U-1	L204007-02	Water	04/01/02 15:15	04/01/02 15:30
U-2	L204007-03	Water	04/01/02 14:35	04/01/02 15:30
U-3	L204007-04	Water	04/01/02 13:18	04/01/02 15:30
MW-4	L204007-05	Water	04/01/02 13:55	04/01/02 15:30
MW-5	L204007-06	Water	04/01/02 12:40	04/01/02 15:30

Sequoia Analytical - San Carlos

Wayne Stevenson, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

 Project: Tosco(1)
 Project Number: Unocal SS#7176, Dublin
 Project Manager: Deanna Harding

Reported:
 04/24/02 13:38

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
TB-LB (L204007-01) Water Sampled: 04/01/02 00:00 Received: 04/01/02 15:30									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2040025	04/08/02	04/08/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		92.0 %	70-130		"	"	"	"	
U-1 (L204007-02) Water Sampled: 04/01/02 15:15 Received: 04/01/02 15:30									
Purgeable Hydrocarbons as Gasoline	5300	500	ug/l	10	2040026	04/08/02	04/08/02	EPA 8021B	P-02
Benzene	36	5.0	"	"	"	"	"	"	
Toluene	6.7	5.0	"	"	"	"	"	"	
Ethylbenzene	48	5.0	"	"	"	"	"	"	
Xylenes (total)	12	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	93	50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		121 %	70-130		"	"	"	"	
U-2 (L204007-03) Water Sampled: 04/01/02 14:35 Received: 04/01/02 15:30									
Purgeable Hydrocarbons as Gasoline	3500	500	ug/l	10	2040026	04/08/02	04/08/02	EPA 8021B	P-02
Benzene	38	5.0	"	"	"	"	"	"	
Toluene	9.3	5.0	"	"	"	"	"	"	
Ethylbenzene	10	5.0	"	"	"	"	"	"	
Xylenes (total)	6.5	5.0	"	"	"	"	"	"	
Methyl tert-butyl ether	87	50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		119 %	70-130		"	"	"	"	



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

**Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B
Sequoia Analytical - San Carlos**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
U-3 (L204007-04) Water Sampled: 04/01/02 13:18 Received: 04/01/02 15:30									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2040025	04/08/02	04/09/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	1.1	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	1.2	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>107 %</i>		<i>70-130</i>	"	"	"	"	
MW-4 (L204007-05) Water Sampled: 04/01/02 13:55 Received: 04/01/02 15:30									
Purgeable Hydrocarbons as Gasoline	340	50	ug/l	1	2040026	04/08/02	04/08/02	EPA 8021B	P-03
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	2.7	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	0.66	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>151 %</i>		<i>70-130</i>	"	"	"	"	S-04
MW-5 (L204007-06) Water Sampled: 04/01/02 12:40 Received: 04/01/02 15:30									
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l	1	2040037	04/09/02	04/10/02	EPA 8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	5.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>98.1 %</i>		<i>70-130</i>	"	"	"	"	



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

Volatile Organic 8 Oxygenated Compounds by EPA Method 8260B
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
U-1 (L204007-02) Water Sampled: 04/01/02 15:15 Received: 04/01/02 15:30									R-05
Ethanol	ND	2500	ug/l	5	2040012	04/03/02	04/03/02	EPA 8260B	
1,2-Dibromoethane	ND	10	"	"	"	"	"	"	
1,2-Dichloroethane	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	10	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	10	"	"	"	"	"	"	
Methyl tert-butyl ether	59	10	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	10	"	"	"	"	"	"	
Tert-butyl alcohol	ND	500	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %	70-130		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		94.0 %	70-130		"	"	"	"	
U-2 (L204007-03) Water Sampled: 04/01/02 14:35 Received: 04/01/02 15:30									R-05
Ethanol	ND	1000	ug/l	2	2040012	04/03/02	04/03/02	EPA 8260B	
1,2-Dibromoethane	ND	4.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	4.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	4.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	4.0	"	"	"	"	"	"	
Methyl tert-butyl ether	18	4.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	4.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	200	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		109 %	70-130		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		90.8 %	70-130		"	"	"	"	
U-3 (L204007-04) Water Sampled: 04/01/02 13:18 Received: 04/01/02 15:30									
Ethanol	ND	500	ug/l	1	2040012	04/03/02	04/03/02	EPA 8260B	
1,2-Dibromoethane	ND	2.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	100	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		107 %	70-130		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		93.8 %	70-130		"	"	"	"	



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

**Volatile Organic 8 Oxygenated Compounds by EPA Method 8260B
Sequoia Analytical - San Carlos**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
MW-4 (L204007-05) Water Sampled: 04/01/02 13:55 Received: 04/01/02 15:30									
Ethanol	ND	500	ug/l	1	2040012	04/03/02	04/03/02	EPA 8260B	
1,2-Dibromoethane	ND	2.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	2.2	2.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	100	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		104 %		70-130	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		90.8 %		70-130	"	"	"	"	
MW-5 (L204007-06) Water Sampled: 04/01/02 12:40 Received: 04/01/02 15:30									
Ethanol	ND	500	ug/l	1	2040012	04/03/02	04/03/02	EPA 8260B	
1,2-Dibromoethane	ND	2.0	"	"	"	"	"	"	
1,2-Dichloroethane	ND	2.0	"	"	"	"	"	"	
Di-isopropyl ether	ND	2.0	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	2.0	"	"	"	"	"	"	
Methyl tert-butyl ether	3.5	2.0	"	"	"	"	"	"	
Tert-amyl methyl ether	ND	2.0	"	"	"	"	"	"	
Tert-butyl alcohol	ND	100	"	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		102 %		70-130	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		96.4 %		70-130	"	"	"	"	



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

**Diesel Hydrocarbons by DHS LUFT
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
U-1 (L204007-02) Water Sampled: 04/01/02 15:15 Received: 04/01/02 15:30									
Diesel Range Organics (C10-C28)	1800	500	ug/l	10	2040086	04/05/02	04/24/02	DHS LUFT	HC-16
Surrogate: Octacosane		154 %	50-150		"	"	"	"	S-06
U-2 (L204007-03) Water Sampled: 04/01/02 14:35 Received: 04/01/02 15:30									
Diesel Range Organics (C10-C28)	1400	100	ug/l	2	2040086	04/05/02	04/24/02	DHS LUFT	HC-16
Surrogate: Octacosane		122 %	50-150		"	"	"	"	
U-3 (L204007-04) Water Sampled: 04/01/02 13:18 Received: 04/01/02 15:30									
Extractable Hydrocarbons (C10-24)	ND	50	ug/l	1	2040086	04/05/02	04/12/02	DHS LUFT	
Diesel Range Organics (C10-C28)	ND	50	"	"	"	"	04/24/02	"	
Surrogate: Octacosane		102 %	50-150		"	"	04/12/02	"	
MW-4 (L204007-05) Water Sampled: 04/01/02 13:55 Received: 04/01/02 15:30									
Diesel Range Organics (C10-C28)	160	50	ug/l	1	2040086	04/05/02	04/24/02	DHS LUFT	HC-16
Surrogate: Octacosane		99.5 %	50-150		"	"	"	"	
MW-5 (L204007-06) Water Sampled: 04/01/02 12:40 Received: 04/01/02 15:30									
Extractable Hydrocarbons (C10-24)	ND	50	ug/l	1	2040086	04/05/02	04/12/02	DHS LUFT	
Diesel Range Organics (C10-C28)	ND	50	"	"	"	"	04/24/02	"	
Surrogate: Octacosane		106 %	50-150		"	"	04/12/02	"	



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

**Diesel Hydrocarbons with Silica Gel Cleanup by DHS LUFT
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
U-1 (L204007-02) Water Sampled: 04/01/02 15:15 Received: 04/01/02 15:30									
Diesel Range Organics (C10-C28)	1200	500	ug/l	10	2040243	04/05/02	04/20/02	DHS LUFT	HC-16
Surrogate: Octacosane		126 %	50-150		"	"	"	"	
U-2 (L204007-03) Water Sampled: 04/01/02 14:35 Received: 04/01/02 15:30									
Diesel Range Organics (C10-C28)	470	100	ug/l	2	2040243	04/05/02	04/20/02	DHS LUFT	HC-16
Surrogate: Octacosane		48.0 %	50-150		"	"	"	"	S-LIM
MW-4 (L204007-05) Water Sampled: 04/01/02 13:55 Received: 04/01/02 15:30									
Diesel Range Organics (C10-C28)	100	50	ug/l	1	2040243	04/05/02	04/20/02	DHS LUFT	HC-16
Surrogate: Octacosane		76.0 %	50-150		"	"	04/19/02	"	

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

 Project: Tosco(1)
 Project Number: Unocal SS#7176, Dublin
 Project Manager: Deanna Harding

 Reported:
 04/24/02 13:38

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2040025 - EPA 5030B (P/T)										
Blank (2040025-BLK1) Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	5.0	"							
<i>Surrogate: a, a, a-Trifluorotoluene</i>	8.47		"	10.0		84.7	70-130			
LCS (2040025-BS1) Prepared & Analyzed: 04/08/02										
Benzene	9.32	0.50	ug/l	10.0		93.2	70-130			
Toluene	9.77	0.50	"	10.0		97.7	70-130			
Ethylbenzene	10.6	0.50	"	10.0		106	70-130			
Xylenes (total)	31.7	0.50	"	30.0		106	70-130			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	9.07		"	10.0		90.7	70-130			
LCS (2040025-BS2) Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	263	50	ug/l	250		105	70-130			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	10.3		"	10.0		103	70-130			
Matrix Spike (2040025-MS1) Source: L204003-06 Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	287	50	ug/l	250	ND	115	60-140			
<i>Surrogate: a, a, a-Trifluorotoluene</i>	8.86		"	10.0		88.6	70-130			
Matrix Spike Dup (2040025-MSD1) Source: L204003-06 Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	279	50	ug/l	250	ND	112	60-140	2.83	25	
<i>Surrogate: a, a, a-Trifluorotoluene</i>	9.59		"	10.0		95.9	70-130			

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

 Project: Tosco(1)
 Project Number: Unocal SS#7176, Dublin
 Project Manager: Deanna Harding

 Reported:
 04/24/02 13:38

**Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2040026 - EPA 5030B (P/T)										
Blank (2040026-BLK1)										
Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	5.0	"							
<i>Surrogate: a,a,a-Trifluorotoluene</i>	7.93		"	10.0		79.3	70-130			
LCS (2040026-BS1)										
Prepared & Analyzed: 04/08/02										
Benzene	8.76	0.50	ug/l	10.0		87.6	70-130			
Toluene	9.27	0.50	"	10.0		92.7	70-130			
Ethylbenzene	10.2	0.50	"	10.0		102	70-130			
Xylenes (total)	30.8	0.50	"	30.0		103	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.19		"	10.0		91.9	70-130			
LCS (2040026-BS2)										
Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	271	50	ug/l	250		108	70-130			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	9.65		"	10.0		96.5	70-130			
Matrix Spike (2040026-MS1)										
Source: L203133-07 Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	418	50	ug/l	250	160	103	60-140			
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.3		"	10.0		103	70-130			
Matrix Spike Dup (2040026-MSD1)										
Source: L203133-07 Prepared & Analyzed: 04/08/02										
Purgeable Hydrocarbons as Gasoline	411	50	ug/l	250	160	100	60-140	1.69	25	
<i>Surrogate: a,a,a-Trifluorotoluene</i>	10.2		"	10.0		102	70-130			



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

**Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2040037 - EPA 5030B (P/T)

Blank (2040037-BLK1)

Prepared & Analyzed: 04/09/02

Purgeable Hydrocarbons as Gasoline	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	5.0	"							
Surrogate: a,a,a-Trifluorotoluene	11.2		"	10.0		112	70-130			

Blank (2040037-BLK2)

Prepared & Analyzed: 04/10/02

Purgeable Hydrocarbons as Gasoline	ND	50	ug/l							
Benzene	ND	0.50	"							
Toluene	ND	0.50	"							
Ethylbenzene	ND	0.50	"							
Xylenes (total)	ND	0.50	"							
Methyl tert-butyl ether	ND	5.0	"							
Surrogate: a,a,a-Trifluorotoluene	10.1		"	10.0		101	70-130			

LCS (2040037-BS1)

Prepared & Analyzed: 04/09/02

Benzene	10.3	0.50	ug/l	10.0		103	70-130			
Toluene	9.18	0.50	"	10.0		91.8	70-130			
Ethylbenzene	8.85	0.50	"	10.0		88.5	70-130			
Xylenes (total)	26.0	0.50	"	30.0		86.7	70-130			
Surrogate: a,a,a-Trifluorotoluene	11.0		"	10.0		110	70-130			

LCS (2040037-BS2)

Prepared & Analyzed: 04/09/02

Purgeable Hydrocarbons as Gasoline	274	50	ug/l	250		110	70-130			
Surrogate: a,a,a-Trifluorotoluene	11.7		"	10.0		117	70-130			



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

Total Purgeable Hydrocarbon (C6-C12) by EPA 8015M and BTEX/MTBE by EPA 8021B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2040037 - EPA 5030B (P/T)

LCS (2040037-BS3)		Prepared & Analyzed: 04/10/02								
Benzene	10.2	0.50	ug/l	10.0		102	70-130			
Toluene	9.17	0.50	"	10.0		91.7	70-130			
Ethylbenzene	8.80	0.50	"	10.0		88.0	70-130			
Xylenes (total)	25.8	0.50	"	30.0		86.0	70-130			
Surrogate: a,a,a-Trifluorotoluene	10.8		"	10.0		108	70-130			

LCS (2040037-BS4)		Prepared & Analyzed: 04/10/02								
Purgeable Hydrocarbons as Gasoline	263	50	ug/l	250		105	70-130			
Surrogate: a,a,a-Trifluorotoluene	10.2		"	10.0		102	70-130			

Matrix Spike (2040037-MS1)		Source: L204016-04		Prepared & Analyzed: 04/10/02						
Benzene	10.0	0.50	ug/l	10.0	ND	100	60-140			
Toluene	8.89	0.50	"	10.0	ND	88.9	60-140			
Ethylbenzene	8.65	0.50	"	10.0	ND	86.5	60-140			
Xylenes (total)	25.2	0.50	"	30.0	ND	84.0	60-140			
Surrogate: a,a,a-Trifluorotoluene	9.88		"	10.0		98.8	70-130			

Matrix Spike Dup (2040037-MSD1)		Source: L204016-04		Prepared & Analyzed: 04/10/02						
Benzene	10.1	0.50	ug/l	10.0	ND	101	60-140	0.995	25	
Toluene	9.15	0.50	"	10.0	ND	91.5	60-140	2.88	25	
Ethylbenzene	8.71	0.50	"	10.0	ND	87.1	60-140	0.691	25	
Xylenes (total)	25.6	0.50	"	30.0	ND	85.3	60-140	1.57	25	
Surrogate: a,a,a-Trifluorotoluene	10.4		"	10.0		104	70-130			



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

**Volatile Organic 8 Oxygenated Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - San Carlos**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 2040012 - EPA 5030B [P/T]

Blank (2040012-BLK1)

Prepared & Analyzed: 04/03/02

Ethanol	ND	500	ug/l							
1,2-Dibromoethane	ND	2.0	"							
1,2-Dichloroethane	ND	2.0	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	2.0	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	100	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	49.6		"	50.0		99.2	70-130			
<i>Surrogate: Toluene-d8</i>	47.3		"	50.0		94.6	70-130			

Blank (2040012-BLK2)

Prepared & Analyzed: 04/04/02

Ethanol	ND	500	ug/l							
1,2-Dibromoethane	ND	2.0	"							
1,2-Dichloroethane	ND	2.0	"							
Di-isopropyl ether	ND	2.0	"							
Ethyl tert-butyl ether	ND	2.0	"							
Methyl tert-butyl ether	ND	2.0	"							
Tert-amyl methyl ether	ND	2.0	"							
Tert-butyl alcohol	ND	100	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	47.0		"	50.0		94.0	70-130			
<i>Surrogate: Toluene-d8</i>	48.9		"	50.0		97.8	70-130			

LCS (2040012-BS1)

Prepared & Analyzed: 04/03/02

Methyl tert-butyl ether	50.8	2.0	ug/l	50.0		102	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	49.1		"	50.0		98.2	70-130			
<i>Surrogate: Toluene-d8</i>	46.9		"	50.0		93.8	70-130			

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

 Project: Tosco(1)
 Project Number: Unocal SS#7176, Dublin
 Project Manager: Deanna Harding

 Reported:
 04/24/02 13:38

Volatile Organic 8 Oxygenated Compounds by EPA Method 8260B - Quality Control
Sequoia Analytical - San Carlos

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2040012 - EPA 5030B [P/T]										
LCS (2040012-BS2)				Prepared & Analyzed: 04/04/02						
Methyl tert-butyl ether	55.0	2.0	ug/l	50.0		110	70-130			
Surrogate: 1,2-Dichloroethane-d4	48.5		"	50.0		97.0	70-130			
Surrogate: Toluene-d8	47.5		"	50.0		95.0	70-130			
Matrix Spike (2040012-MS1)		Source: L204005-01		Prepared & Analyzed: 04/03/02						
Methyl tert-butyl ether	54.5	2.0	ug/l	50.0	ND	109	60-140			
Surrogate: 1,2-Dichloroethane-d4	51.2		"	50.0		102	70-130			
Surrogate: Toluene-d8	45.9		"	50.0		91.8	70-130			
Matrix Spike Dup (2040012-MSD1)		Source: L204005-01		Prepared & Analyzed: 04/03/02						
Methyl tert-butyl ether	56.3	2.0	ug/l	50.0	ND	113	60-140	3.25	25	
Surrogate: 1,2-Dichloroethane-d4	51.1		"	50.0		102	70-130			
Surrogate: Toluene-d8	46.3		"	50.0		92.6	70-130			

Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

**Diesel Hydrocarbons by DHS LUFT - Quality Control
Sequoia Analytical - Sacramento**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2040086 - EPA 3510C										
Blank (2040086-BLK1)										
					Prepared: 04/05/02 Analyzed: 04/11/02					
Extractable Hydrocarbons (C10-24)	ND	50	ug/l							
<i>Surrogate: Octacosane</i>	18.6		"	20.0		93.0	50-150			
LCS (2040086-BS1)										
					Prepared: 04/05/02 Analyzed: 04/11/02					
Extractable Hydrocarbons (C10-24)	218	50	ug/l	500		43.6	60-140			Q-21a
<i>Surrogate: Octacosane</i>	17.7		"	20.0		88.5	50-150			
LCS Dup (2040086-BSD1)										
					Prepared: 04/05/02 Analyzed: 04/11/02					
Extractable Hydrocarbons (C10-24)	231	50	ug/l	500		46.2	60-140	5.79	50	Q-21
<i>Surrogate: Octacosane</i>	17.3		"	20.0		86.5	50-150			

Gettler-Ryan/Geostrategies(1)
 6747 Sierra Court, Suite J
 Dublin CA, 94568

 Project: Tosco(1)
 Project Number: Unocal SS#7176, Dublin
 Project Manager: Deanna Harding

 Reported:
 04/24/02 13:38

Diesel Hydrocarbons with Silica Gel Cleanup by DHS LUFT - Quality Control
Sequoia Analytical - Sacramento

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2040243 - EPA 3510C										
Blank (2040243-BLK1) Prepared: 04/05/02 Analyzed: 04/20/02										
Diesel Range Organics (C10-C28)	ND	50	ug/l							
Surrogate: Octacosane	18.2		"	20.0		91.0	50-150			
LCS (2040243-BS1) Prepared: 04/05/02 Analyzed: 04/20/02										
Diesel Range Organics (C10-C28)	193	50	ug/l	500		38.6	60-140			Q-21b
Surrogate: Octacosane	16.8		"	20.0		84.0	50-150			
LCS Dup (2040243-BSD1) Prepared: 04/05/02 Analyzed: 04/20/02										
Diesel Range Organics (C10-C28)	191	50	ug/l	500		38.2	60-140	1.04	50	Q-21c
Surrogate: Octacosane	15.6		"	20.0		78.0	50-150			



Gettler-Ryan/Geostrategies(1)
6747 Sierra Court, Suite J
Dublin CA, 94568

Project: Tosco(1)
Project Number: Unocal SS#7176, Dublin
Project Manager: Deanna Harding

Reported:
04/24/02 13:38

Notes and Definitions

- HC-16 Chromatogram Pattern: Unidentified Hydrocarbons C10-C28.
- P-02 Chromatogram Pattern: Weathered Gasoline C6-C12
- P-03 Chromatogram Pattern: Unidentified Hydrocarbons C6-C12
- Q-21 The Laboratory Control Sample recovery was outside of the control limits by 14%. There was insufficient sample for re-extraction and re-analysis. This should be considered in evaluating the data for its intended purpose.
- Q-21a The Laboratory Control Sample recovery was outside of the control limits by 16%. There was insufficient sample for re-extraction and re-analysis. This should be considered in evaluating the data for its intended purpose.
- Q-21b The Laboratory Control Sample recovery was outside of the control limits by Enter [21.4%] text here.. There was insufficient sample for re-extraction and re-analysis. This should be considered in evaluating the data for its intended purpose.
- Q-21c The Laboratory Control Sample recovery was outside of the control limits by Enter [21.8%] text here.. There was insufficient sample for re-extraction and re-analysis. This should be considered in evaluating the data for its intended purpose.
- R-05 The reporting limit(s) for this sample have been raised due to high levels of non-target interferents.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- S-06 The recovery of this surrogate is outside control limits due to sample dilution which was required by high analyte concentration in the sample and/or matrix interference.
- S-LIM The surrogate recovery was outside control limits. The result may still be useful for its intended purpose.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference