



**CONESTOGA-ROVERS
& ASSOCIATES**

RECEIVED

1:56 pm, Apr 20, 2009

Alameda County
Environmental Health

5900 Hollis Street, Suite A, Emeryville, California 94608
Telephone: 510-420-0700 Facsimile: 510-420-9170
www.CRAworld.com

April 15, 2009

Reference No. 231116

Mr. Steven Plunkett
Alameda County Environmental Health Services
UST Local Oversight Program
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Dear Mr. Plunkett:

Re: Groundwater Monitoring Report - First Quarter 2009
Former ARCO Service Station
706 Harrison Street
Oakland, California
Agency Case No. RO0000484

On behalf of Mr. Bo K. Gin, Conestoga-Rovers & Associates (CRA) is submitting this *Groundwater Monitoring Report - First Quarter 2009* for the subject site. This report describes the First Quarter 2009 activities and results, as well as anticipated Second Quarter 2009 activities.

If you have any questions or comments regarding this report or the project, please contact Mark Jonas at (510) 420-3307.

Yours truly,
CONESTOGA-ROVERS & ASSOCIATES

Mark Jonas, P.G.

MW/aa/3

Encl. *Groundwater Monitoring Report - First Quarter 2009*

c.c.: Mr. Bo K. Gin
Mr. Robert Kitay
Ms. Shelby Lathrop

Equal
Employment
Opportunity Employer



GROUNDWATER MONITORING REPORT - FIRST QUARTER 2009

**FORMER ARCO SERVICE STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

AGENCY CASE NO. RO0484

APRIL 15, 2009

REF. NO. 231116 (3)

This report is printed on recycled paper.

**Prepared by:
Conestoga-Rovers
& Associates**

5900 Hollis Street, Suite A
Emeryville, California
U.S.A. 94608

Office: 510-420-0700
Fax: 510-420-9170

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| 1.0 INTRODUCTION | 1 |
| 1.1 SITE INFORMATION..... | 1 |
| 2.0 SITE ACTIVITIES AND RESULTS | 2 |
| 2.1 CURRENT QUARTER'S ACTIVITIES | 2 |
| 2.1.1 FIELD ACTIVITIES | 2 |
| 2.1.2 SAMPLE ANALYSES | 2 |
| 2.2 CURRENT QUARTER'S RESULTS | 3 |
| 2.2.1 GROUNDWATER FLOW DIRECTION AND GRADIENT..... | 3 |
| 2.2.2 HYDROCARBON DISTRIBUTION IN GROUNDWATER..... | 3 |
| 2.2.3 MTBE DISTRIBUTION IN GROUNDWATER | 4 |
| 3.0 PROPOSED ACTIVITIES FOR NEXT QUARTER | 5 |
| 3.1 MONITORING ACTIVITIES | 5 |
| 3.2 ONSITE CHARACTERIZATION & COMMINGLED PLUME PROGRAM..... | 5 |

LIST OF FIGURES
(Following Text)

| | |
|----------|---|
| FIGURE 1 | VICINITY MAP |
| FIGURE 2 | GROUNDWATER ELEVATION CONTOUR AND HYDROCARBON CONCENTRATION MAP |

LIST OF TABLES

| | |
|---------|---|
| TABLE 1 | WELL CONSTRUCTION DETAILS |
| TABLE 2 | GROUNDWATER ELEVATION AND ANALYTICAL DATA |

LIST OF APPENDICES

| | |
|------------|--|
| APPENDIX A | STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING |
| APPENDIX B | CERTIFIED ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION |
| APPENDIX C | FIELD DATA SHEETS |
| APPENDIX D | BENZENE AND MTBE CONCENTRATION GRAPHS |
| APPENDIX E | FORMER SHELL AND FORMER UNOCAL JOINT GROUNDWATER MONITORING AND ANALYTICAL RESULTS |

1.0 INTRODUCTION

On behalf of Mr. Bo K. Gin, Conestoga-Rovers & Associates (CRA) is submitting this *Groundwater Monitoring Report – First Quarter 2009* for the subject site. Presented are the first quarter 2009 groundwater monitoring activities with results and anticipated third quarter 2009 monitoring activities.

Figure 1 is a vicinity map. Figure 2 presents groundwater elevation contours and hydrocarbon concentrations. Table 1 lists well construction details. Table 2 provides recent and historic groundwater level measurements, elevations, and hydro-chemical data. Appendix A contains CRA's standard field procedures. Appendix B presents the recent laboratory analytical reports for this site. Appendix C contains field data sheets for the recent monitoring event. Appendix D includes time-series plots with benzene and methyl tertiary butyl ether (MTBE) concentrations, and groundwater elevations. Appendix E provides groundwater monitoring elevations and analytical data for the neighboring former Shell Station (Mr. Peter Yee's property) located at 726 Harrison Street, Oakland, CA, and the former Unocal/ConocoPhillips site located at 800 Harrison Street, Oakland, CA.

1.1 SITE INFORMATION

| | |
|---------------------------------------|---|
| Site Address | 706 Harrison Street, Oakland |
| Site Use | Vacant |
| Client and Contact | Bo K. Gin |
| Consultant and Contact Person | CRA, Mark Jonas, P.G. |
| Lead Agency and Contact Person | Alameda County Environmental Health (ACEH), Mr. Steven Plunkett |

2.0 SITE ACTIVITIES AND RESULTS

2.1 CURRENT QUARTER'S ACTIVITIES

2.1.1 FIELD ACTIVITIES

On January 26, 2009, Muskan Environmental Sampling (MES) conducted quarterly monitoring and sampling activities. MES measured well water levels and collected groundwater samples in all wells (MW-1 through MW-7). Groundwater depth measurements were submitted to the GeoTracker database.

Prior to groundwater sampling, groundwater levels were measured in all monitoring wells. MES purged at least three well-casing volumes of groundwater from monitor wells MW-1 through MW-7 prior to sampling. Field measurements of pH, conductivity, and temperature of purged groundwater were measured after the extraction of each successive casing volume. Well purging continued until consecutive pH, specific conductance, and temperature measurements appeared to stabilize. Field measurements, purge volumes, and sample collection data were recorded on field sampling data forms, provided in Appendix C.

Groundwater samples were collected using new disposable bailers, decanted into appropriate sampling containers supplied by the analytical laboratory. Samples were labeled, placed in protective foam sleeves, stored on crushed, water-based ice at or below 4 degrees Celsius and transported under a chain-of-custody (COC) to the laboratory. The COC used for this monitoring event is provided within the laboratory analytical report in Appendix B.

2.1.2 SAMPLE ANALYSES

Groundwater samples were analyzed by McCampbell Analytical, Inc. of Pittsburg, California, a California-certified laboratory (DHS License No. 1644). Groundwater samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg) by modified United States Environmental Protection Agency (EPA) Method SW8015C; benzene, toluene, ethylbenzene, and total xylenes (BTEX) and MTBE by EPA Method SW8021B; and MTBE by EPA Method SW8260B. The laboratory analytical report is included in Appendix B. Groundwater analytical results are provided on Table 2 and summarized on Figure 2. Groundwater analytical results have been submitted to the GeoTracker database.

2.2 CURRENT QUARTER'S RESULTS

| | |
|---|---------------------|
| Groundwater Flow Direction | Southwest |
| Hydraulic Gradient | 0.014 |
| Range of Measured Water Depth from Top of Casing in Monitoring Wells | 16.54 to 18.71 feet |
| Were Measureable Separate Phase Hydrocarbons Observed | No |

2.2.1 GROUNDWATER FLOW DIRECTION AND GRADIENT

Based on depth-to-water measurements collected during the monitoring event on January 26, 2009, groundwater appears to flow towards the southwest with an apparent gradient of 0.014 feet per foot in the vicinity of the former UST pit and fuel pump island (Figure 2). The gradient and flow direction are consistent with historical data. Depth-to-water and groundwater elevation data for the site are in Table 2. Joint groundwater monitoring data provided by Aqua Science Engineers on behalf of the Yee property (former Shell Station) is included on Figure 2.

2.2.2 HYDROCARBON DISTRIBUTION IN GROUNDWATER

Petroleum hydrocarbons were detected in down-gradient wells MW-1 and MW-2 (Figure 2 and Table 2). Concentrations were slightly lower in well MW-1 and slightly higher in well MW-2. The highest TPHg and BTEX concentrations were detected in monitoring well MW-2 at 90,000 micrograms per liter ($\mu\text{g/L}$), 2,800 $\mu\text{g/L}$, 14,000 $\mu\text{g/L}$, 1,800 $\mu\text{g/L}$, and 9,500 $\mu\text{g/L}$, respectively. TPHg and BTEX concentrations were detected in well MW-1 at 540 $\mu\text{g/L}$, 120 $\mu\text{g/L}$, 1.4 $\mu\text{g/L}$, 1.6 $\mu\text{g/L}$, and 3.0 $\mu\text{g/L}$, respectively.

Petroleum hydrocarbon concentrations in up-gradient well MW-4 were slightly lower than the previous quarter. TPHg and BTEX concentrations were detected in well MW-4 at 1,600 $\mu\text{g/L}$, 180 $\mu\text{g/L}$, 14 $\mu\text{g/L}$, 21 $\mu\text{g/L}$, and 33 $\mu\text{g/L}$, respectively. Analytical results are presented in Figure 2, Table 2, and Appendix B. BTEX concentrations detected in the adjacent property wells located up-gradient of the site are higher than the BTEX concentrations detected on site (Figure 2 and Appendix E).

2.2.3 MTBE DISTRIBUTION IN GROUNDWATER

MTBE was detected in the six of the seven wells sampled this quarter. The highest MTBE concentration was detected in well MW-3, at 3,800 µg/L. MTBE concentrations in wells MW-1, MW-2, MW-4, MW-5, and MW-7 were 79 µg/L, 1,600 µg/L, 1,200 µg/L, 3,700 µg/L, and 0.96 µg/L, respectively. No MTBE was detected in well MW-6. Significantly higher concentrations of MTBE were identified in the wells located up-gradient on the adjacent property. On the adjacent property (former Shell Service Station), the highest MTBE concentration was detected in monitoring well MW-5, at 18,000 µg/L (Figure 2).

3.0 PROPOSED ACTIVITIES FOR NEXT QUARTER

3.1 MONITORING ACTIVITIES

Per a discussion between Mr. Steven Plunkett (ACEH) and Ms. Diane Barclay (consultant for the adjacent ConocoPhillips site) on March 31, 2009, and communicated by email by Ms. Barclay on the same day, joint groundwater monitoring and sampling at 706 Harrison Street, 726 Harrison Street, and 800 Harrison Street in Oakland, CA, will be conducted and reported on a semi-annual basis during the first and third quarters. No monitoring or sampling will occur during the second and fourth quarters. Therefore, the next monitoring event will occur during the third quarter 2009 in July. During the third quarter 2009, CRA will measure water levels and collect groundwater samples from all site wells (MW-1 through MW-7). Groundwater samples will be analyzed for TPHg by EPA Method SW8015C, BTEX by EPA Method SW8021B, and MTBE by EPA Method SW8021B and by EPA Method SW8260B. CRA will prepare a groundwater monitoring report summarizing the monitoring activities and results.


3.2 ONSITE CHARACTERIZATION & COMMINGLED PLUME PROGRAM

On October 5, 2007 an *Onsite Characterization Work Plan* was submitted to ACEH. Currently, up-gradient sources at 726 Harrison (Mr. Peter Yee) and 800 Harrison (Unocal/ConocoPhillips) have joined with Mr. Bo Gin to attempt to agree on a commingled plume application. Currently ConocoPhillips is attempting to formulate a position that is acceptable to ConocoPhillips, and also Mr. Yee, and Mr. Gin. Mr. Plunkett has asked that implementation of the Work Plan be put on-hold pending resolving issues associated with the commingled plume. CRA and the consultants for the adjacent sites anticipate finalizing the commingled plume application prior to the third quarter 2009 sampling event.


All of Which is Respectfully Submitted,
CONESTOGA-ROVERS & ASSOCIATES



Michael Werner



Mark Jonas, P.G.



Conestoga-Rovers & Associates, Inc. (CRA) prepared this document for use by our client and appropriate regulatory agencies. It is based partially on information available to CRA from outside sources and/or in the public domain, and partially on information supplied by CRA and its subcontractors. CRA makes no warranty or guarantee, expressed or implied, included or intended in this document, with respect to the accuracy of information obtained from these outside sources or the public domain, or any conclusions or recommendations based on information that was not independently verified by CRA. This document represents the best professional judgment of CRA. None of the work performed hereunder constitutes or shall be represented as a legal opinion of any kind or nature.

FIGURES





FIGURE
1

H:\BO-GIN\FIGURES\VICINITY-MAP.A1

SOURCE: TOPOI MAPS



SCALE : 1" = 1/4 MILE

Former ARCO Station

706 Harrison Street
Oakland, California



**CONESTOGA-ROVERS
& ASSOCIATES**

Vicinity Map

EXPLANATION

- Monitoring well location
- ⊕ Dual SVE/Sparging well
- ⊖ SVE well location
- ⊙ Shell Monitoring well location (sampled on October 29, 2008)
- 9.00 Groundwater elevation contour, dashed where inferred
- 0.014 Groundwater flow direction and gradient (ft/ft)
- WELL ID Well identification
- ELEV Groundwater elevation, in feet above mean sea level (msl).
- TPHg } TPHg, Benzene and MTBE concentrations are in micrograms per liter (µg/L)
- BENZ }
- MTBE }
- NM Not Measured
- NS Not Sampled




Figure 2
GROUNDWATER ELEVATION CONTOUR AND
HYDROCARBON CONCENTRATION MAP
FORMER ARCO STATION
706 HARRISON STREET
Oakland, California
January 26, 2008



TABLES

**WELL CONSTRUCTION DETAILS
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

| <i>Well ID</i> | <i>Date Installed</i> | <i>Borehole Depth (ft)</i> | <i>Borehole Diameter (in)</i> | <i>Casing Diameter (in)</i> | <i>Screen Interval (ft bgs)</i> | <i>Screen Size (in)</i> | <i>Filter Pack (ft bgs)</i> | <i>Bentonite Seal (ft bgs)</i> | <i>Cement Seal (ft bgs)</i> | <i>TOC Elevation (ft msl)</i> |
|----------------|-----------------------|----------------------------|-------------------------------|-----------------------------|---------------------------------|-------------------------|-------------------------------|--------------------------------|-----------------------------|-------------------------------|
| MW-1 | July 22, 1993 | 28.0 | 8 | 2 | 18 - 28 | 0.020 | 16 - 28 | 15 - 16 | 0 - 15 | 26.17 |
| MW-2 | July 23, 1993 | 28.0 | 8 | 2 | 18 - 28 | 0.020 | 16 - 28 | 15 - 16 | 0 - 15 | 27.53 |
| MW-3 | July 22, 1993 | 28.0 | 8 | 2 | 18 - 28 | 0.020 | 16 - 28 | 15 - 16 | 0 - 15 | 26.79 |
| MW-4 | Nov. 28, 1994 | 31.5 | NA | 2 | 9.5 - 29.5 | 0.010 | 8.5 - 31.5 | 6.5 - 8.5 | 0 - 6.5 | 28.20 |
| MW-5 | Nov. 30, 1994 | 30.0 | NA | 2 | 14.5 - 29.0 | 0.010 | 13 - 30 | 11 - 13 | 0 - 11 | 25.07 |
| MW-6 | Dec. 1, 1994 | 27.5 | NA | 2 | 11.5 - 26.5 | 0.010 | 10.5 - 27.5 | 8.5 - 10.5 | 0 - 8.5 | 26.13 |
| MW-7 | Dec. 2, 1994 | 29.0 | NA | 2 | 13 - 28 | 0.010 | 12 - 29 | 10 - 12 | 0 - 10 | 26.70 |
| VW-1 | July 23, 1993 | 20.0 | 8 | 2 | 15 - 20 | 0.020 | 13 - 20 | 12 - 13 | 0 - 12 | NA |
| VW-2 | July 22, 1993 | 20.0 | 8 | 2 | 15 - 20 | 0.020 | 13 - 20 | 12 - 13 | 0 - 12 | NA |
| VW-3 (Dual) | Nov. 28, 1994 | 29.5 | NA | 2" / 1" | 2": 8 - 18 1": 27 - 28 | 0.010 | 2": 6 - 18 1": 25.5 - 29.5 | 5 - 6 23.5 - 25.5 | 0 - 5 | NA |
| VW-4 (Dual) | Nov. 29, 1994 | 29.5 | NA | 2" / 1" | 2": 8 - 18 1": 28.5 - 29.5 | 0.010 | 2": 7 - 18 1": 26.5 - 29.5 | 5 - 7 18 - 26.5 | 0 - 5 | NA |
| VW-5 (Dual) | Nov. 30, 1994 | 30.0 | NA | 2" / 1" | 2": 7 - 17 1": 28.5 - 29.5 | 0.010 | 2": 6 - 17 1": 26 - 30 | 5 - 6 17 - 26 | 0 - 5 | NA |

Abbreviations / Notes

ft = feet

in = inches

ft bgs = feet below grade surface

ft msl = feet above mean sea level

TOC = top of casing

NA = Not Available

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
 FORMER ARCO STATION
 706 HARRISON STREET
 OAKLAND, CALIFORNIA

| Well ID/ Sample ID TOC | Date Sampled | TOC Depth to Water (ft) | Groundwater Elevation (ft-msl) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE by 8021B (µg/L) | MTBE by 8260B (µg/L) | Notes |
|------------------------------|--------------|-------------------------------|--------------------------------------|----------------|-------------------|-------------------|------------------------|-------------------|----------------------------|----------------------------|--------------|
| MW-1 | 8/13/1993 | 17.40 | 11.75 | 20,000 | 8,500 | 640 | 280 | 440 | - | - | |
| 29.15 | 12/14/1993 | 17.27 | 11.88 | 17,000 | 9,200 | 1,200 | 4,400 | 540 | - | - | |
| | 4/15/1994 | 17.00 | 12.15 | 9,500 | 3,600 | 530 | 160 | 280 | - | - | |
| | 12/29/1994 | 16.40 | 12.75 | - | - | - | - | - | - | - | |
| | 7/19/1996 | 15.83 | 13.32 | 17,000 | 5,200 | 1,100 | 330 | 530 | - | - | sheen/odor |
| | 1/27/1997 | 13.58 | 15.57 | 30,000 | 9,800 | 1,300 | 790 | 880 | 400 | - | b,sheen/odor |
| | 6/18/1997 | 16.11 | 13.04 | 19,000 | 5,600 | 1,400 | 510 | 770 | 1,200 | 800 | a,b |
| | 9/18/1997 | 16.62 | 12.53 | 48,000 | 18,000 | 4,400 | 1,000 | 1,700 | ND<640 | - | b |
| | 12/10/1997 | 15.93 | 13.22 | 22,000 | 4,900 | 1,300 | 580 | 650 | 460 | 260 | a,b,odor |
| | 2/18/1998 | 11.56 | 17.59 | 16,000 | 5,000 | 750 | 400 | 780 | 1,800 | - | b |
| | 5/12/1998 | 13.53 | 15.62 | 19,000 | 4,600 | 810 | 450 | 770 | 5,500 | - | b,c |
| | 8/18/1998 | 15.19 | 13.96 | 12,000 | 3,600 | 1,300 | 300 | 570 | 5,100 | 3,700 | a,b |
| | 11/24/1998 | 15.67 | 13.48 | 13,000 | 3,600 | 890 | 330 | 380 | 6,100 | - | b |
| | 2/4/1999 | 15.31 | 13.84 | 20,000 | 5,900 | 830 | 450 | 500 | 4,900 | - | b |
| | 5/18/1999 | 14.95 | 14.20 | 23,000 | 7,000 | 1,600 | 520 | 830 | 6,100 | - | b |
| | 8/27/1999 | 15.84 | 13.31 | 19,000 | 5,800 | 1,700 | 410 | 710 | 1,800 | 2,100 | a,b |
| | 11/18/1999 | 16.39 | 12.76 | 20,000 | 4,900 | 630 | 410 | 580 | 4,900 | 3,600 | b |
| | 2/29/2000 | 13.43 | 15.72 | 12,000 | 2,800 | 24 | 290 | 170 | 3,100 | 3,400 | a |
| | 5/25/2000 | 15.08 | 14.07 | 12,000 | 2,200 | 120 | 330 | 260 | 9,100 | 12,000 | a,b |
| | 8/9/2000 | 16.09 | 13.06 | 13,000 | 2,500 | 44 | 310 | 140 | 16,000 | - | b |
| | 11/9/2000 | 15.90 | 13.25 | 11,000 | 2,500 | 140 | 380 | 150 | 11,000 | 12,000 | b |
| | 1/29/2001 | 16.05 | 13.10 | 9,600 | 3,100 | 100 | 77 | 200 | 2,600 | 2,400 | b |
| | 4/16/2001 | 16.90 | 12.25 | 3,300 | 1,200 | 4.4 | 2.7 | 28 | 900 | 940 | b |
| | 8/14/2001 | 17.13 | 12.02 | 2,000 | 500 | 3.4 | 24 | 7.8 | 68 | 53 | a |
| | 10/22/2001 | 16.11 | 13.04 | 220 | 83 | 0.63 | 2.8 | ND<0.5 | ND<10 | 5.7 | a |
| | 2/1/2002 | 16.93 | 12.22 | 640 | 220 | 1.7 | 4.7 | 0.57 | ND<10 | - | a |
| | 5/10/2002 | 15.09 | 14.06 | 230 | 26 | 0.97 | ND<0.5 | ND<0.5 | ND<5.0 | - | a |
| 7/8/2002 | 15.20 | 13.95 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | | |
| 10/2/2002 | 15.70 | 13.45 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | | |
| 1/23/2003 | 15.09 | 14.06 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | | |
| 4/29/2003 | 13.02 | 16.13 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | | |
| 26.17 | 7/18/2003 | 14.50 | 11.67 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/9/2003 | 13.81 | 12.36 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 1/28/2004 | 13.09 | 13.08 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/7/2004 | 14.97 | 11.20 | 180 | 60 | 0.56 | 1.9 | ND<0.5 | ND<5.0 | - | a |
| | 7/23/2004 | 14.15 | 12.02 | 130 | 36 | ND<0.5 | 0.65 | ND<0.5 | ND<5.0 | - | a |
| | 10/12/2004 | 16.30 | 9.87 | ND<50 | 2.5 | 1.5 | ND<0.5 | 0.86 | ND<5.0 | - | |
| | 2/14/2005 | 13.85 | 12.32 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/27/2005 | 13.35 | 12.82 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 7/19/2005 | 14.68 | 11.49 | 4,500 | 1,400 | 6.5 | 160 | 58 | 630 | - | a |
| | 10/18/2005 | 15.15 | 11.02 | 1,700 | 340 | ND<5.0 | 28 | ND<5.0 | 8,000 | 7,200 | a |
| | 1/23/2006 | 13.27 | 12.90 | 3,100 | 790 | 6.5 | 79 | 32 | 4,200 | 5,100 | a |
| | 4/12/2006 | 12.33 | 13.84 | 7,200 | 2,600 | 110 | 350 | 320 | 5,600 | 4,000 | a |
| | 7/10/2006 | 14.93 | 11.24 | 2,700 | 550 | 4.2 | 77 | 47 | 5,500 | 8,300 | a |
| 10/16/2006 | 16.51 | 9.66 | 2,000 | 470 | 6.4 | 38 | 13 | 6,300 | 6,400 | a | |
| 1/26/2007 | 16.87 | 9.30 | 3,300 | 600 | 36 | 34 | 27 | 6,200 | 5,900 | a | |
| 4/18/2007 | 16.77 | 9.40 | 5,400 | 1,400 | 170 | 210 | 350 | 3,600 | 4,700 | a,i | |

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
 FORMER ARCO STATION
 706 HARRISON STREET
 OAKLAND, CALIFORNIA

| Well ID/ Sample ID TOC | Date Sampled | TOC Depth to Water (ft) | Groundwater Elevation (ft-msl) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE by 8021B (µg/L) | MTBE by 8260B (µg/L) | Notes |
|------------------------------|------------------|-------------------------------|--------------------------------------|----------------|-------------------|-------------------|------------------------|-------------------|----------------------------|----------------------------|--------------------------------------|
| | 8/2/2007 | 17.21 | 8.96 | 6,100 | 1,200 | 130 | 140 | 240 | 5,300 | 5,400 | a |
| | 10/23/2007 | 17.67 | 8.50 | 2,600 | 740 | 53 | 60 | 110 | 5,800 | 6,900 | a,h,Sheen ^{Lab} |
| | 1/30/2008 | 16.66 | 9.51 | 1,900 | 380 | 2.6 | 15 | 20 | 2,400 | 2,800 | a |
| | 4/18/2008 | 17.14 | 9.03 | 1,500 | 320 | 4.5 | 13 | 25 | 2,900 | 2,900 | a |
| | 7/28/2008 | 17.70 | 8.47 | 1,100 | 240 | 3.6 | 6.9 | 15 | 1,600 | 1,800 | a |
| MW-1 | 12/5/2008 | 18.22 | 7.95 | 1,000 | 150 | 2.1 | 4.1 | 15 | 150 | 140 | a |
| (cont.) | 1/26/2009 | 17.84 | 8.33 | 540 | 120 | 1.4 | 1.6 | 3.0 | 82 | 79 | a |
| MW-2 | 8/13/1993 | 17.05 | 13.46 | 34,000 | 6,800 | 10,000 | 740 | 3,900 | - | - | |
| 30.51 | 12/14/1993 | 18.28 | 12.23 | 16,000 | 3,200 | 4,200 | 500 | 1,700 | - | - | |
| | 4/15/1994 | 18.10 | 12.41 | 23,000 | 2,500 | 4,200 | 470 | 1,800 | - | - | |
| | 12/29/1994 | 17.40 | 13.11 | - | - | - | - | - | - | - | |
| | 7/19/1996 | 16.72 | 13.79 | 90,000 | 7,300 | 14,000 | 1,600 | 7,300 | - | - | odor |
| | 1/27/1997 | 14.89 | 15.62 | 63,000 | 7,100 | 13,000 | 1,600 | 7,100 | 500 | - | b,odor |
| | 6/18/1997 | 17.12 | 13.39 | 52,000 | 5,100 | 10,000 | 1,400 | 6,000 | ND<200 | - | b |
| | 9/18/1997 | 17.63 | 12.88 | 110,000 | 9,400 | 23,000 | 2,600 | 13,000 | ND<890 | - | b, sheen/odor |
| | 12/10/1997 | 16.98 | 13.53 | 39,000 | 2,600 | 5,300 | 940 | 3,900 | 780 | 320 | b,odor |
| | 2/18/1998 | 12.61 | 17.90 | 85,000 | 9,000 | 19,000 | 2,300 | 11,000 | 2,400 | - | b |
| | 5/12/1998 | 14.45 | 16.06 | 110,000 | 9,500 | 21,000 | 2,500 | 12,000 | ND<1,200 | - | b |
| | 8/18/1998 | 16.14 | 14.37 | 64,000 | 6,000 | 13,000 | 1,700 | 7,800 | 2,000 | 1,300 | a, b |
| | 11/24/1998 | 16.70 | 13.81 | 78,000 | 5,300 | 14,000 | 2,300 | 11,000 | ND<2,000 | - | b,h,Sheen ^{Lab} |
| | 2/4/1999 | 18.39 | 12.12 | 66,000 | 5,800 | 16,000 | 2,600 | 12,000 | 3,000 | - | b,h,Sheen ^{Lab} |
| | 5/18/1999 | 15.90 | 14.61 | 78,000 | 6,700 | 17,000 | 2,400 | 10,000 | 4,300 | - | b |
| | 8/27/1999 | 16.79 | 13.72 | 91,000 | 7,400 | 17,000 | 2,300 | 11,000 | 1,200 | 1,000 | a,b |
| | 11/18/1999 | 17.32 | 13.19 | 180,000 | 7,000 | 20,000 | 3,300 | 16,000 | ND<6,000 | 1,700 | b,h,Sheen ^{Lab} |
| | 2/29/2000 | 14.37 | 16.14 | 86,000 | 5,500 | 13,000 | 2,000 | 9,500 | 3,500 | 4,700 | a |
| | 5/25/2000 | 16.01 | 14.50 | 110,000 | 6,300 | 14,000 | 2,400 | 10,000 | 7,500 | 6,500 | a,b,h,Sheen ^{Lab} |
| | 8/9/2000 | 17.02 | 13.49 | 77,000 | 5,000 | 13,000 | 2,000 | 8,600 | 5,900 | - | b |
| | 11/9/2000 | 17.00 | 13.51 | 70,000 | 4,800 | 12,000 | 1,900 | 8,000 | 9,400 | 8,300 | b |
| | 1/29/2001 | 18.31 | 12.20 | 110,000 | 8,200 | 21,000 | 2,800 | 13,000 | 2,500 | 1,900 | b,h,Sheen ^{Lab} |
| | 4/16/2001 | 18.59 | 11.92 | 97,000 | 7,400 | 15,000 | 2,500 | 12,000 | ND<3,000 | ND<50 | b,h,Sheen ^{Lab} |
| | 8/14/2001 | 18.74 | 11.77 | 97,000 | 6,200 | 14,000 | 2,400 | 13,000 | ND<250 | ND<50 | a,j |
| | 10/22/2001 | 18.27 | 12.24 | 71,000 | 5,900 | 15,000 | 2,400 | 12,000 | ND<1,400 | 150 | a |
| | 2/1/2002 | 18.05 | 12.46 | 1,400 | 11 | 88 | 44 | 210 | ND<5.0 | - | a |
| | 5/10/2002 | 17.15 | 13.36 | 97,000 | 4,500 | 15,000 | 2,500 | 12,000 | ND<3,000 | - | a,h,Sheen ^{Lab} |
| | 7/8/2002 | 15.30 | 15.21 | 42,000 | 2,100 | 6,500 | 2,200 | 8,800 | ND<1,000 | 65 | a |
| | 10/2/2002 | 15.89 | 14.62 | 70,000 | 1,700 | 5,700 | 1,900 | 8,300 | ND<1,700 | - | a |
| | 1/23/2003 | 17.51 | 13.00 | 40,000 | 1,900 | 7,800 | 1,200 | 5,600 | ND<1,000 | - | a |
| | 4/29/2003 | 15.31 | 15.20 | 82,000 | 2,500 | 11,000 | 2,200 | 9,400 | ND<2,000 | - | a |
| | 7/18/2003 | 16.84 | 10.69 | 57,000 | 2,100 | 8,700 | 2,200 | 10,000 | - | ND<50 | a |
| 27.53 | 10/9/2003 | 16.05 | 11.48 | 49,000 | 1,800 | 7,000 | 1,700 | 7,600 | ND<1,500 | 26 | a |
| | 1/28/2004 | 15.39 | 12.14 | 550 | 21 | 33 | 3.0 | 61 | ND<100 | - | a |
| | 4/7/2004 | 16.01 | 11.52 | 41,000 | 2,500 | 11,000 | 1,900 | 8,000 | ND<2,000 | - | a |
| | 7/23/2004 | 15.30 | 12.23 | 81,000 | 2,000 | 12,000 | 2,500 | 12,000 | ND<2,000 | - | a,h,Sheen ^{Field & Lab} |
| | 10/12/2004 | 17.87 | 9.66 | 75,000 | 2,600 | 13,000 | 2,300 | 11,000 | ND<1,300 | - | a |
| | 2/14/2005 | 14.80 | 12.73 | 75,000 | 2,600 | 12,000 | 2,400 | 10,000 | ND<1,800 | - | a,h,Sheen ^{Lab} |
| | 4/27/2005 | 14.63 | 12.90 | 61,000 | 2,800 | 11,000 | 1,600 | 7,000 | ND<2,700 | - | a |

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
 FORMER ARCO STATION
 706 HARRISON STREET
 OAKLAND, CALIFORNIA

| Well ID/ Sample ID TOC | Date Sampled | TOC Depth to Water (ft) | Groundwater Elevation (ft-msl) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE by 8021B (µg/L) | MTBE by 8260B (µg/L) | Notes |
|------------------------------|------------------|-------------------------------|--------------------------------------|----------------|-------------------|-------------------|------------------------|-------------------|----------------------------|----------------------------|--|
| MW-2 | 7/19/2005 | 15.60 | 11.93 | 90,000 | 3,700 | 14,000 | 2,600 | 10,000 | ND<7,000 | - | a |
| (cont.) | 10/18/2005 | 16.08 | 11.45 | 77,000 | 3,300 | 14,000 | 2,400 | 11,000 | 7,900 | 6,400 | a |
| | 1/23/2006 | 14.20 | 13.33 | 54,000 | 1,600 | 8,000 | 1,600 | 6,700 | 6,600 | 7,000 | a |
| | 4/12/2006 | 12.51 | 15.02 | 43,000 | 1,800 | 7,800 | 1,300 | 5,200 | 6,400 | 4,900 | a |
| | 7/10/2006 | 14.76 | 12.77 | 86,000 | 2,800 | 11,000 | 2,100 | 9,600 | ND<6,500 | 400 | a,h,Sheen ^{Lab} |
| | 10/16/2006 | 16.74 | 10.79 | 110,000 | 3,600 | 16,000 | 2,400 | 12,000 | ND<6,000 | 2,700 | a,h,Sheen ^{Lab} |
| | 1/26/2007 | 17.10 | 10.43 | 120,000 | 3,900 | 16,000 | 2,300 | 10,000 | ND<5,000 | 3,000 | a,h,i,Sheen ^{Lab} |
| | 4/18/2007 | 17.02 | 10.51 | 100,000 | 3,500 | 18,000 | 2,500 | 12,000 | 5,200 | 3,400 | a,h,i,Sheen ^{Lab} |
| | 8/2/2007 | 17.47 | 10.06 | 61,000 | 2,700 | 11,000 | 1,800 | 7,600 | 6,400 | 4,600 | a,h,Sheen ^{Lab} |
| | 10/23/2007 | 17.94 | 9.59 | 56,000 | 3,100 | 13,000 | 1,800 | 8,100 | 4,500 | 4,300 | a |
| | 1/30/2008 | 16.99 | 10.54 | 52,000 | 2,700 | 11,000 | 1,700 | 7,300 | 5,300 | 4,700 | a |
| | 4/18/2008 | 17.41 | 10.12 | 64,000 | 3,400 | 13,000 | 1,800 | 8,100 | ND<4,000 | 2,200 | a,h,i |
| | 7/28/2008 | 17.99 | 9.54 | 51,000 | 2,000 | 6,200 | 1,300 | 2,700 | ND<2,600 | 1,500 | a,i,Sheen ^{Field} |
| | 12/5/2008 | 18.56 | 8.97 | 74,000 | 2,200 | 12,000 | 1,700 | 7,500 | 2,500 | 1,900 | a,i,Sheen ^{Field} |
| | 1/26/2009 | 18.20 | 9.33 | 90,000 | 2,800 | 14,000 | 1,800 | 9,500 | <3,500 | 1,600 | a,h,i,Sheen^{Field & Lab} |
| MW-3 | 8/13/1993 | 17.05 | 12.72 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.5 | - | - | No SVOCs. |
| 29.77 | 12/14/1993 | 17.70 | 12.07 | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.5 | - | - | |
| | 4/15/1994 | 17.40 | 12.37 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | - | - | |
| | 12/29/1994 | 16.80 | 12.97 | - | - | - | - | - | - | - | |
| | 7/19/1996 | 16.28 | 13.49 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | - | - | |
| | 1/27/1997 | 13.83 | 15.94 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 6/18/1997 | 16.53 | 13.24 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 9/18/1997 | 17.07 | 12.70 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 12/10/1997 | 16.15 | 13.62 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 2/18/1998 | 11.80 | 17.97 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/12/1998 | 13.85 | 15.92 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 8/18/1998 | 15.57 | 14.20 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/24/1998 | 16.04 | 13.73 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 2/4/1999 | 17.80 | 11.97 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/18/1999 | 15.29 | 14.48 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 8/27/1999 | 16.15 | 13.62 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/18/1999 | 16.77 | 13.00 | - | - | - | - | - | - | - | |
| | 2/29/2000 | 13.71 | 16.06 | ND<50 | 2 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/25/2000 | 15.46 | 14.31 | - | - | - | - | - | - | - | |
| | 8/9/2000 | 16.46 | 13.31 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/9/2000 | 16.25 | 13.52 | - | - | - | - | - | - | - | |
| | 1/29/2001 | 16.52 | 13.25 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/16/2001 | 16.95 | 12.82 | - | - | - | - | - | - | - | |
| | 8/14/2001 | 17.11 | 12.66 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/22/2001 | 16.50 | 13.27 | - | - | - | - | - | - | - | |
| | 2/1/2002 | 16.90 | 12.87 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/10/2002 | 15.03 | 14.74 | - | - | - | - | - | - | - | |
| | 7/8/2002 | 14.45 | 15.32 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/2/2002 | 15.03 | 14.74 | - | - | - | - | - | - | - | |
| MW-3 | 1/23/2003 | 15.48 | 14.29 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| (cont.) | 4/29/2003 | 12.49 | 17.28 | - | - | - | - | - | - | - | |

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
 FORMER ARCO STATION
 706 HARRISON STREET
 OAKLAND, CALIFORNIA

| Well ID/ Sample ID TOC | Date Sampled | TOC Depth to Water (ft) | Groundwater Elevation (ft-msl) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE by 8021B (µg/L) | MTBE by 8260B (µg/L) | Notes |
|------------------------------|------------------|-------------------------------|--------------------------------------|-----------------|-------------------|-------------------|------------------------|-------------------|----------------------------|----------------------------|-------|
| 26.79 | 7/18/2003 | 14.80 | 11.99 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/9/2003 | 14.13 | 12.66 | - | - | - | - | - | - | - | |
| | 1/28/2004 | 13.47 | 13.32 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/7/2004 | 15.41 | 11.38 | - | - | - | - | - | - | - | |
| | 7/23/2004 | 14.54 | 12.25 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/12/2004 | 16.58 | 10.21 | - | - | - | - | - | - | - | |
| | 2/14/2005 | 14.19 | 12.60 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/27/2005 | 13.68 | 13.11 | - | - | - | - | - | - | - | |
| | 7/19/2005 | 15.15 | 11.64 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/18/2005 | 15.60 | 11.19 | - | - | - | - | - | - | - | |
| | 1/23/2006 | 13.65 | 13.14 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 270 | 260 | |
| | 4/12/2006 | 11.94 | 14.85 | - | - | - | - | - | - | - | |
| | 7/10/2006 | 14.48 | 12.31 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 1,100 | 1,600 | |
| | 10/16/2006 | 16.19 | 10.60 | - | - | - | - | - | - | - | |
| | 1/26/2007 | 16.56 | 10.23 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 2,500 | 3,400 | |
| | 4/18/2007 | 16.45 | 10.34 | - | - | - | - | - | - | - | |
| | 8/2/2007 | 16.92 | 9.87 | ND<100 | ND<1.0 | ND<1.0 | ND<1.0 | ND<1.0 | 3,300 | 3,500 | |
| | 10/23/2007 | 17.42 | 9.37 | - | - | - | - | - | - | - | |
| | 1/30/2008 | 16.45 | 10.34 | ND<250 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | 8,400 | 10,000 | 1 |
| | 4/18/2008 | 16.87 | 9.92 | - | - | - | - | - | - | - | |
| 7/28/2008 | 17.41 | 9.38 | ND<250 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | 6,400 | 6,900 | 1 | |
| 12/5/2008 | 17.89 | 8.90 | - | - | - | - | - | - | - | | |
| | 1/26/2009 | 17.50 | 9.29 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3,400 | 3,800 | |
| MW-4 31.18 | 12/16/1994 | 18.10 | 13.08 | 2,500 | 32 | 6.5 | 4.5 | 17 | - | - | |
| | 12/29/1994 | 17.95 | 13.23 | - | - | - | - | - | - | - | |
| | 7/19/1996 | 17.38 | 13.80 | 3,300 | 520 | 39 | 67 | 60 | - | - | |
| | 1/27/1997 | 15.25 | 15.93 | 4,500 | 860 | 55 | 100 | 91 | 1,100 | - | b |
| | 6/18/1997 | 17.61 | 13.57 | 2,700 | 700 | 52 | 81 | 76 | 2,200 | 2,300 | a,b |
| | 9/18/1997 | 18.01 | 13.17 | 3,900 | 760 | 38 | 56 | 64 | ND<170 | - | b |
| | 12/10/1997 | 17.45 | 13.73 | 12,000 | 1,800 | 120 | 210 | 210 | 2,900 | 2,600 | a,b |
| | 2/18/1998 | 13.09 | 18.09 | 1,700 | 210 | 8 | 6.7 | 16 | 200 | - | b |
| | 5/12/1998 | 14.78 | 16.40 | 2,100 | 300 | 15 | 36 | 34 | 920 | - | b,c |
| | 8/18/1998 | 16.59 | 14.59 | 4,700 | 1,000 | 130 | 110 | 150 | 5,200 | 4,900 | a,b |
| | 11/24/1998 | 17.18 | 14.00 | 3,000 | 810 | 44 | 76 | 94 | 4,800 | - | b |
| | 2/4/1999 | 18.90 | 12.28 | 2,800 | 770 | 50 | 69 | 69 | 3,100 | - | b |
| | 5/18/1999 | 16.30 | 14.88 | 4,000 | 780 | 57 | 7.7 | 79 | 4,800 | - | b |
| | 8/27/1999 | 17.21 | 13.97 | 4,100 | 870 | 51 | 74 | 99 | 3,300 | 4,100 | a,b |
| | 11/18/1999 | 17.77 | 13.41 | 3,000 | 760 | 43 | 67 | 65 | 5,100 | 5,400 | b |
| | 2/29/2000 | 14.85 | 16.33 | 4,600 | 1,000 | 64 | 94 | 170 | 4,100 | 4,600 | a |
| | 5/25/2000 | 16.45 | 14.73 | 2,600 | 540 | 39 | 59 | 41 | 3,500 | 5,300 | b |
| | 8/9/2000 | 17.47 | 13.71 | 4,400 | 930 | 66 | 98 | 79 | 9,400 | - | b |
| | 11/9/2000 | 17.45 | 13.73 | 4,200 | 630 | 34 | 54 | 44 | 7,800 | 9,400 | b |
| | 1/29/2001 | 18.90 | 12.28 | 3,100 | 710 | 34 | 66 | 51 | 9,400 | 8,000 | b |
| 4/16/2001 | 19.17 | 12.01 | 160 | 1.2 | 1.3 | ND<0.5 | 12 | 22 | 20 | b | |
| 8/14/2001 | 19.20 | 11.98 | 1,700 | 190 | 11 | 35 | 13 | 300 | 250 | b | |
| 10/22/2001 | 18.95 | 12.23 | 1,100 | 120 | 3.7 | 29 | 7.9 | ND<25 | 16 | a | |

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
 FORMER ARCO STATION
 706 HARRISON STREET
 OAKLAND, CALIFORNIA

| Well ID/ Sample ID TOC | Date Sampled | TOC Depth to Water (ft) | Groundwater Elevation (ft-msl) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE by 8021B (µg/L) | MTBE by 8260B (µg/L) | Notes |
|------------------------------|------------------|-------------------------------|--------------------------------------|----------------|-------------------|-------------------|------------------------|-------------------|----------------------------|----------------------------|--------------------------------|
| MW-4 | 2/1/2002 | 19.05 | 12.13 | 2,600 | 25 | 43 | 21 | 280 | ND<5.0 | - | a |
| (cont.) | 5/10/2002 | 17.69 | 13.49 | 490 | 3.5 | 2.0 | 2.1 | 2.2 | ND<5.0 | - | a |
| | 7/8/2002 | 15.75 | 15.43 | 170 | 0.51 | 0.62 | 1.6 | 1.2 | ND<5.0 | 2.0 | m |
| | 10/2/2002 | 16.30 | 14.88 | 240 | 1.7 | 2.0 | 2.2 | 0.88 | ND<5.0 | - | a |
| | 1/23/2003 | 17.74 | 13.44 | ND<50 | 0.52 | 4.1 | ND<0.5 | 1.9 | ND<5.0 | - | |
| | 4/29/2003 | 15.47 | 15.71 | 1,300 | 75 | 4.8 | 21 | 7.3 | 130 | 120 | a |
| 28.20 | 7/18/2003 | 17.08 | 11.12 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | - | 0.74 | a |
| | 10/9/2003 | 16.25 | 11.95 | 210 | 4.7 | 0.57 | 1.6 | 1.1 | ND<10 | 10 | a |
| | 1/28/2004 | 15.65 | 12.55 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | a |
| | 4/7/2004 | 16.49 | 11.71 | - | - | - | - | - | - | - | |
| | 4/12/2004 | - | - | 770 | 56 | 3.2 | 7.0 | 6.5 | 120 | 160 | a |
| | 7/23/2004 | 15.86 | 12.34 | 1,100 | 130 | 11 | 17 | 17 | 790 | 800 | a |
| | 10/12/2004 | 18.05 | 10.15 | 150 | 0.86 | ND<0.5 | ND<0.5 | 0.97 | ND<10 | - | a |
| | 2/14/2005 | 15.30 | 12.90 | 1,500 | 200 | 16 | 30 | 31 | 420 | 550 | a |
| | 4/27/2005 | 14.20 | 14.00 | 3,000 | 520 | 100 | 27 | 86 | 600 | 480 | a |
| | 7/19/2005 | 16.08 | 12.12 | 1,800 | 310 | 16 | 36 | 25 | 1,000 | 1,100 | a |
| | 10/18/2005 | 16.55 | 11.65 | 2,500 | 450 | 28 | 47 | 51 | 3,800 | 4,500 | a |
| | 1/23/2006 | 14.66 | 13.54 | 1,300 | 170 | 13 | 14 | 14 | 2,500 | 3,300 | a |
| | 4/12/2006 | 12.92 | 15.28 | 940 | 150 | 12 | 7.6 | 12 | 3,400 | 3,300 | a |
| | 7/10/2006 | 15.38 | 12.82 | 1,700 | 260 | 14 | 26 | 20 | 4,300 | 5,900 | a |
| | 10/16/2006 | 17.21 | 10.99 | 3,200 | 440 | 26 | 34 | 63 | 7,800 | 7,500 | a |
| | 1/26/2007 | 17.58 | 10.62 | 2,000 | 290 | 20 | 28 | 42 | 8,300 | 8,300 | a |
| | 4/18/2007 | 17.46 | 10.74 | 2,300 | 350 | 28 | 38 | 42 | 5,900 | 7,800 | a,i |
| | 8/2/2007 | 17.95 | 10.25 | 3,600 | 480 | 33 | 47 | 72 | 7,500 | 9,000 | a |
| | 10/23/2007 | 18.41 | 9.79 | 1,700 | 280 | 13 | 27 | 25 | 7,000 | 8,800 | a |
| | 1/30/2008 | 17.49 | 10.71 | 1,300 | 130 | 4.9 | 13 | 12 | 6,500 | 8,200 | a |
| | 4/18/2008 | 17.90 | 10.30 | 2,300 | 240 | 14 | 25 | 27 | 6,900 | 6,400 | a |
| | 7/28/2008 | 18.49 | 9.71 | 3,400 | 390 | 100 | 33 | 100 | 4,600 | 5,000 | a |
| | 12/5/2008 | 19.07 | 9.13 | 2,400 | 310 | 30 | 41 | 67 | 2,100 | 1,700 | a,i |
| | 1/26/2009 | 18.71 | 9.49 | 1,600 | 180 | 14 | 21 | 33 | 1,300 | 1,200 | a,Sheen^{Field} |
| MW-5 | 12/16/1994 | 16.07 | 11.97 | ND<50 | 1.1 | ND<0.5 | ND<0.5 | 2.4 | - | - | |
| 28.04 | 12/29/1994 | 16.10 | 11.94 | - | - | - | - | - | - | - | |
| | 7/19/1996 | 15.49 | 12.55 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | - | - | |
| | 1/27/1997 | 13.60 | 14.44 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 6/18/1997 | 15.55 | 12.49 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 9/18/1997 | 16.16 | 11.88 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 12/10/1997 | 15.41 | 12.63 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 2/18/1998 | 10.93 | 17.11 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/12/1998 | 13.25 | 14.79 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 8/18/1998 | 14.75 | 13.29 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/24/1998 | 15.15 | 12.89 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 2/4/1999 | 14.61 | 13.43 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/18/1999 | 14.15 | 13.89 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 8/27/1999 | 15.43 | 12.61 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/18/1999 | 15.97 | 12.07 | - | - | - | - | - | - | - | |
| | 2/29/2000 | 13.16 | 14.88 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

| <i>Well ID/ Sample ID TOC</i> | <i>Date Sampled</i> | <i>TOC Depth to Water (ft)</i> | <i>Groundwater Elevation (ft-msl)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE by 8021B (µg/L)</i> | <i>MTBE by 8260B (µg/L)</i> | <i>Notes</i> |
|---------------------------------------|---------------------|--|---|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|-------------------------------------|-------------------------------------|--------------|
| MW-5 | 5/25/2000 | 14.72 | 13.32 | - | - | - | - | - | - | - | |
| (cont.) | 8/9/2000 | 15.68 | 12.36 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/9/2000 | 15.39 | 12.65 | - | - | - | - | - | - | - | |
| | 1/29/2001 | 15.97 | 12.07 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/16/2001 | 16.24 | 11.80 | - | - | - | - | - | - | - | |
| | 8/14/2001 | 17.39 | 10.65 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/22/2001 | 15.90 | 12.14 | - | - | - | - | - | - | - | |
| | 2/1/2002 | 16.55 | 11.49 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/10/2002 | 15.12 | 12.92 | - | - | - | - | - | - | - | |
| | 7/8/2002 | 15.92 | 12.12 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/2/2002 | 16.42 | 11.62 | - | - | - | - | - | - | - | |
| | 1/23/2003 | 14.90 | 13.14 | ND<50 | 20 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/29/2003 | 12.05 | 15.99 | - | - | - | - | - | - | - | |
| 25.07 | 7/18/2003 | 14.28 | 10.79 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/9/2003 | 13.36 | 11.71 | - | - | - | - | - | - | - | |
| | 1/28/2004 | 12.68 | 12.39 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/7/2004 | 14.71 | 10.36 | - | - | - | - | - | - | - | |
| | 7/23/2004 | 13.49 | 11.58 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | i |
| | 10/12/2004 | 15.88 | 9.19 | - | - | - | - | - | - | - | |
| | 2/14/2005 | 13.22 | 11.85 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | i |
| | 4/27/2005 | 13.40 | 11.67 | - | - | - | - | - | - | - | |
| | 7/19/2005 | 14.21 | 10.86 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | i |
| | 10/18/2005 | 14.79 | 10.28 | - | - | - | - | - | - | - | |
| | 1/23/2006 | 13.12 | 11.95 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | i |
| | 4/12/2006 | 11.39 | 13.68 | - | - | - | - | - | - | - | |
| | 7/10/2006 | 14.40 | 10.67 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 25 | - | i |
| | 10/16/2006 | 15.44 | 9.63 | - | - | - | - | - | - | - | |
| | 1/26/2007 | 15.76 | 9.31 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 490 | - | |
| | 4/18/2007 | 15.61 | 9.46 | - | - | - | - | - | - | - | |
| | 8/2/2007 | 16.04 | 9.03 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 660 | 760 | |
| | 10/23/2007 | 16.89 | 8.18 | - | - | - | - | - | - | - | |
| | 1/30/2008 | 15.61 | 9.46 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 250 | 280 | |
| | 4/18/2008 | 15.99 | 9.08 | - | - | - | - | - | - | - | |
| | 7/28/2008 | 16.45 | 8.62 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 640 | 670 | |
| | 12/5/2008 | 16.94 | 8.13 | - | - | - | - | - | - | - | |
| | 1/26/2009 | 16.54 | 8.53 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 3,500 | 3,700 | |
| MW-6 | 12/16/1994 | 17.74 | 11.36 | - | - | - | - | - | - | - | |
| 29.10 | 12/29/1994 | 17.40 | 11.70 | - | - | - | - | - | - | - | |
| | 7/19/1996 | 16.60 | 12.50 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | - | - | |
| | 1/27/1997 | 14.88 | 14.22 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 6/18/1997 | 16.73 | 12.37 | 51 | 22 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | c |
| | 9/18/1997 | 17.24 | 11.86 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 12/10/1997 | 16.56 | 12.54 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 2/18/1998 | 12.93 | 16.17 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/12/1998 | 14.35 | 14.75 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 8/18/1998 | 15.94 | 13.16 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
 FORMER ARCO STATION
 706 HARRISON STREET
 OAKLAND, CALIFORNIA

| Well ID/ Sample ID TOC | Date Sampled | TOC Depth to Water (ft) | Groundwater Elevation (ft-msl) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE by 8021B (µg/L) | MTBE by 8260B (µg/L) | Notes |
|------------------------------|------------------|-------------------------------|--------------------------------------|-----------------|-------------------|-------------------|------------------------|-------------------|----------------------------|----------------------------|-------|
| MW-6 | 11/24/1998 | 16.46 | 12.64 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| (cont.) | 2/4/1999 | 18.25 | 10.85 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/18/1999 | 15.73 | 13.37 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 8/27/1999 | 15.64 | 13.46 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/18/1999 | 17.04 | 12.06 | - | - | - | - | - | - | - | |
| | 2/29/2000 | 14.55 | 14.55 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/25/2000 | 15.86 | 13.24 | - | - | - | - | - | - | - | |
| | 8/9/2000 | 16.80 | 12.30 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/9/2000 | 16.60 | 12.50 | - | - | - | - | - | - | - | |
| | 1/29/2001 | 17.00 | 12.10 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/16/2001 | 17.15 | 11.95 | - | - | - | - | - | - | - | |
| | 8/14/2001 | 17.30 | 11.80 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/22/2001 | 17.13 | 11.97 | - | - | - | - | - | - | - | |
| | 2/1/2002 | 16.57 | 12.53 | 70 | 37 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | a |
| | 5/10/2002 | 15.25 | 13.85 | - | - | - | - | - | - | - | |
| | 7/8/2002 | 15.79 | 13.31 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/2/2002 | 16.38 | 12.72 | - | - | - | - | - | - | - | |
| | 1/23/2003 | 16.03 | 13.07 | ND<50 | 21 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/29/2003 | 14.19 | 14.91 | - | - | - | - | - | - | - | |
| 26.13 | 7/18/2003 | 15.47 | 10.66 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/9/2003 | 14.73 | 11.40 | - | - | - | - | - | - | - | |
| | 1/28/2004 | 14.05 | 12.08 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/7/2004 | 14.41 | 11.72 | - | - | - | - | - | - | - | |
| | 7/23/2004 | 15.15 | 10.98 | 3,300 | 1,300 | ND<5.0 | 52 | 9.7 | ND<50 | - | a |
| | 10/12/2004 | 17.29 | 8.84 | - | - | - | - | - | - | - | |
| | 2/14/2005 | 14.60 | 11.53 | 350 | 160 | ND<0.5 | ND<0.5 | ND<0.5 | ND<25 | 2.0 | a,i |
| | 4/27/2005 | 14.10 | 12.03 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 7/19/2005 | 15.18 | 10.95 | 110 | 15 | ND<0.5 | 0.62 | ND<0.5 | ND<5.0 | 1.7 | a,i |
| | 10/18/2005 | 15.65 | 10.48 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 0.87 | i |
| | 1/23/2006 | 14.02 | 12.11 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 0.50 | i |
| | 4/12/2006 | 12.66 | 13.47 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 7/10/2006 | 14.64 | 11.49 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 10/16/2006 | 16.50 | 9.63 | - | - | - | - | - | - | - | |
| | 1/26/2007 | 16.83 | 9.30 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 4/18/2007 | 16.72 | 9.41 | - | - | - | - | - | - | - | |
| | 8/2/2007 | 17.13 | 9.00 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 10/23/2007 | 17.71 | 8.42 | - | - | - | - | - | - | - | |
| | 1/30/2008 | 16.54 | 9.59 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 4/18/2008 | 17.02 | 9.11 | - | - | - | - | - | - | - | |
| | 7/28/2008 | 17.50 | 8.63 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 12/5/2008 | 17.89 | 8.24 | - | - | - | - | - | - | - | |
| | 1/26/2009 | 17.61 | 8.52 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5 | ND<0.5 | |
| MW-7 | 12/16/1994 | 17.07 | 12.60 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| 29.67 | 12/29/1994 | 17.65 | 12.02 | - | - | - | - | - | - | - | |
| | 7/19/1996 | 16.44 | 13.23 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 1/27/1997 | 15.09 | 14.58 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |

TABLE 2

GROUNDWATER ELEVATION AND ANALYTICAL DATA
 FORMER ARCO STATION
 706 HARRISON STREET
 OAKLAND, CALIFORNIA

| Well ID/ Sample ID TOC | Date Sampled | TOC Depth to Water (ft) | Groundwater Elevation (ft-msl) | TPHg (µg/L) | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Xylenes (µg/L) | MTBE by 8021B (µg/L) | MTBE by 8260B (µg/L) | Notes |
|------------------------------|--------------|-------------------------------|--------------------------------------|----------------|-------------------|-------------------|------------------------|-------------------|----------------------------|----------------------------|-------|
| MW-7 | 6/18/1997 | 16.59 | 13.08 | 73 | ND<0.5 | 0.55 | ND<0.5 | ND<0.5 | ND<5.0 | - | d |
| (cont.) | 9/18/1997 | 17.06 | 12.61 | 94 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | b,f |
| | 12/10/1997 | 16.58 | 13.09 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 2/18/1998 | 12.60 | 17.07 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/12/1998 | 14.81 | 14.86 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 8/18/1998 | 15.67 | 14.00 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/24/1998 | 16.30 | 13.37 | 200 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | d |
| | 2/4/1999 | 15.99 | 13.68 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/18/1999 | 15.42 | 14.25 | 200 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | d |
| | 8/27/1999 | 16.35 | 13.32 | 140 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/18/1999 | 16.81 | 12.86 | -- | -- | -- | -- | -- | -- | - | |
| | 2/29/2000 | 14.16 | 15.51 | 100 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | f |
| | 5/25/2000 | 15.54 | 14.13 | -- | -- | -- | -- | -- | -- | - | |
| | 8/9/2000 | 16.56 | 13.11 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 11/9/2000 | 16.45 | 13.22 | - | - | - | - | - | - | - | |
| | 1/29/2001 | 16.92 | 12.75 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/16/2001 | 17.03 | 12.64 | - | - | - | - | - | - | - | |
| | 8/14/2001 | 17.27 | 12.40 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/22/2001 | 16.95 | 12.72 | - | - | - | - | - | - | - | |
| 26.70 | 2/1/2002 | 16.14 | 13.53 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 5/10/2002 | 15.30 | 14.37 | - | - | - | - | - | - | - | |
| | 7/8/2002 | 15.73 | 13.94 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/2/2002 | 16.24 | 13.43 | - | - | - | - | - | - | - | |
| | 1/23/2003 | 15.70 | 13.97 | ND<50 | 23 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/29/2003 | 12.68 | 16.99 | - | - | - | - | - | - | - | |
| | 7/18/2003 | 15.19 | 11.51 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 10/9/2003 | 14.45 | 12.25 | - | - | - | - | - | - | - | |
| | 1/28/2004 | 13.88 | 12.82 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 4/7/2004 | 15.71 | 10.99 | - | - | - | - | - | - | - | |
| | 7/23/2004 | 14.85 | 11.85 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 130 | 120 | |
| | 10/12/2004 | 16.90 | 9.80 | - | - | - | - | - | - | - | |
| | 2/14/2005 | 14.42 | 12.28 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 190 | 200 | |
| | 4/27/2005 | 13.75 | 12.95 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 1.3 | |
| | 7/19/2005 | 14.91 | 11.79 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 65 | 66 | |
| | 10/18/2005 | 15.40 | 11.30 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | 12 | 15 | |
| | 1/23/2006 | 13.99 | 12.71 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 2.2 | |
| | 4/12/2006 | 12.32 | 14.38 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 2.0 | |
| | 7/10/2006 | 14.31 | 12.39 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 1.5 | |
| | 10/16/2006 | 16.23 | 10.47 | - | - | - | - | - | - | - | |
| | 1/26/2007 | 16.61 | 10.09 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 4/18/2007 | 16.54 | 10.16 | - | - | - | - | - | - | - | |
| | 8/2/2007 | 16.93 | 9.77 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 2.2 | |
| | 10/23/2007 | 17.36 | 9.34 | - | - | - | - | - | - | - | |
| | 1/30/2008 | 16.36 | 10.34 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | ND<0.5 | |
| | 4/18/2008 | 16.85 | 9.85 | - | - | - | - | - | - | - | |
| | 7/28/2008 | 17.43 | 9.27 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | 1.1 | i |

TABLE 2

**GROUNDWATER ELEVATION AND ANALYTICAL DATA
FORMER ARCO STATION
706 HARRISON STREET
OAKLAND, CALIFORNIA**

| <i>Well ID/ Sample ID TOC</i> | <i>Date Sampled</i> | <i>TOC Depth to Water (ft)</i> | <i>Groundwater Elevation (ft-msl)</i> | <i>TPHg (µg/L)</i> | <i>Benzene (µg/L)</i> | <i>Toluene (µg/L)</i> | <i>Ethylbenzene (µg/L)</i> | <i>Xylenes (µg/L)</i> | <i>MTBE by 8021B (µg/L)</i> | <i>MTBE by 8260B (µg/L)</i> | <i>Notes</i> |
|---------------------------------------|---------------------|--|---|------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|-------------------------------------|-------------------------------------|--------------|
| MW-7 | 12/5/2008 | 17.91 | 8.79 | - | - | - | - | - | - | - | |
| (cont.) | 1/26/2009 | 17.65 | 9.05 | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5 | 0.96 | |
| VW-3 | 3/6/2003 | - | - | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | i |
| | 3/25/2003 | - | - | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | i |
| VW-4 | 3/6/2003 | - | - | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 3/25/2003 | - | - | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| Trip Blank | 11/9/2000 | - | - | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |
| | 2/14/2005 | - | - | ND<50 | ND<0.5 | ND<0.5 | ND<0.5 | ND<0.5 | ND<5.0 | - | |

Abbreviations and Analyses:

µg/L = Micrograms per liter

ND<0.5 = Not Detected (ND) above laboratory detection limit.

- = Not sampled; not analyzed; not applicable; or no SPH measured or observed.

TOC = Top of casing elevation, measured in feet, relative to mean sea level

ft = Measured in feet

ft-msl = Elevation in feet relative to mean sea level

TPHg = Total petroleum hydrocarbons as gasoline by modified EPA Method SW8015C

Benzene, ethylbenzene, toluene and xylenes by EPA Method SW8021B.

MTBE = Methyl tertiary butyl ether by EPA Method SW8021B and/or SW8260B.

SVOCs = Semi-Volatile Organic Compounds (EPA Method 8270)

Wells were re-surveyed on October 27, 2003 to City of Oakland Benchmark 25A.

TOC Depth to Water = Groundwater depth measured in feet below TOC.

Sheen = A sheen was observed on the water's surface.

Field = Observed in the field

Lab = Observed in analytical laboratory

Analytical Laboratory Notes:

a = "unmodified or weakly modified gasoline is significant"

b = "heavier gasoline range compounds are significant"

c = "lighter gasoline range compounds are significant"

d = "isolated peaks are present"

f = "hydrocarbons with no recognizable patterns are present"

h = "lighter than water immiscible sheen/product is present"

i = "sample contains greater than ~1 vol. % sediment"

j = "sample was diluted due to high organic content"

l = "reporting limit raised due to high MTBE content"

m = "no recognizable pattern"

APPENDIX A

STANDARD FIELD PROCEDURES FOR
GROUNDWATER MONITORING AND SAMPLING

Conestoga–Rovers & Associates

STANDARD FIELD PROCEDURES FOR GROUNDWATER MONITORING AND SAMPLING

This document presents standard field methods for groundwater monitoring, purging and sampling, and well development. These procedures are designed to comply with Federal, State and local regulatory guidelines. Cambria's specific field procedures are summarized below.

Groundwater Elevation Monitoring

Prior to performing monitoring activities, the historical monitoring and analytical data of each monitoring well shall be reviewed to determine if any of the wells are likely to contain non-aqueous phase liquid (NAPL) and to determine the order in which the wells will be monitored (i.e. cleanest to dirtiest). Groundwater monitoring should not be performed when the potential exists for surface water to enter the well (i.e. flooding during a rainstorm).

Prior to monitoring, each well shall be opened and the well cap removed to allow water levels to stabilize and equilibrate. The condition of the well box and well cap shall be observed and recommended repairs noted. Any surface water that may have entered and flooded the well box should be evacuated prior to removing the well cap. In wells with no history of NAPL, the static water level and total well depth shall be measured to the nearest 0.01 foot with an electronic water level meter. Wells with the highest contaminant concentrations shall be measured last. In wells with a history of NAPL, the NAPL level/thickness and static water level shall be measured to the nearest 0.01 foot using an electronic interface probe. The water level meter and/or interface probe shall be thoroughly cleaned and decontaminated at the beginning of the monitoring event and between each well. Monitoring equipment shall be washed using soapy water consisting of Liqui-nox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water.

Groundwater Purging and Sampling

Prior to groundwater purging and sampling, the historical analytical data of each monitoring well shall be reviewed to determine the order in which the wells should be purged and sampled (i.e. cleanest to dirtiest). No purging or groundwater sampling shall be performed on wells with a measurable thickness of NAPL or floating NAPL globules. If a sheen is observed, the well should be purged and a groundwater sample collected only if no NAPL is present. Wells shall be purged either by hand using a disposal or PVC bailer or by using an aboveground pump (e.g. peristaltic or Wattera™) or down-hole pump (e.g. Grundfos™ or DC Purger pump).

Groundwater wells shall be purged approximately three to ten well-casing volumes (depending on the regulatory agency requirements) or until groundwater parameters of temperature, pH, and conductivity have stabilized to within 10% for three consecutive readings. Temperature, pH, and conductivity shall be measured and recorded at least once per well casing volume removed. The total volume of groundwater removed shall be recorded along with any other notable physical characteristic such as color and odor. If required, field parameters such as turbidity, dissolved oxygen (DO), and oxidation-reduction potential (ORP) shall also be measured prior to collection of each groundwater sample.

Groundwater samples shall be collected after the well has been purged. If the well is slow to recharge, a sample shall be collected after the water column is allowed to recharge to 80% of the pre-purging static water level. If the well does not recover to 80% in 2 hours, a sample shall be collected once there is enough groundwater in the well. Groundwater samples shall be collected using clean disposable bailers or pumps (if an operating remediation system exists on site and the project manager approves of its use for sampling) and shall be decanted into clean containers supplied by the analytical laboratory. New latex gloves and disposable tubing or bailers shall be

Conestoga–Rovers & Associates

used for sampling each well. If a PVC bailer or down-hole pump is used for groundwater purging, it shall be decontaminated before purging each well by using soapy water consisting of Liqui-nox™ or Alconox™ followed by one rinse of clean tap water and then two rinses of distilled water. If a submersible pump with non-dedicated discharge tubing is used for groundwater purging, both the inside and outside of pump and discharge tubing shall be decontaminated as described above.

Sample Handling

Except for samples that will be tested in the field, or that require special handling or preservation, samples shall be stored in coolers chilled to 4° C for shipment to the analytical laboratory. Samples shall be labeled, placed in protective foam sleeves or bubble wrap as needed, stored on crushed ice at or below 4° C, and submitted under chain-of-custody (COC) to the laboratory. The laboratory shall be notified of the sample shipment schedule and arrival time. Samples shall be shipped to the laboratory within a time frame to allow for extraction and analysis to be performed within the standard sample holding times.

Sample labels shall be filled out using indelible ink and must contain the site name; field identification number; the date, time, and location of sample collection; notation of the type of sample; identification of preservatives used; remarks; and the signature of the sampler. Field identification must be sufficient to allow easy cross-reference with the field datasheet.

All samples submitted to the laboratory shall be accompanied by a COC record to ensure adequate documentation. A copy of the COC shall be retained in the project file. Information on the COC shall consist of the project name and number; project location; sample numbers; sampler/recorder's signature; date and time of collection of each sample; sample type; analyses requested; name of person receiving the sample; and date of receipt of sample.

Laboratory-supplied trip blanks shall accompany the samples and be analyzed to check for cross-contamination, if requested by the project manager.

Waste Handling and Disposal

Groundwater extracted during sampling shall be stored onsite in sealed U.S. DOT H17 55-gallon drums and shall be labeled with the contents, date of generation, generator identification, and consultant contact. Extracted groundwater may be disposed offsite by a licensed waste handler or may be treated and discharged via an operating onsite groundwater extraction/treatment system.

APPENDIX B

CERTIFIED ANALYTICAL REPORTS AND
CHAIN-OF-CUSTODY DOCUMENTATION



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

| | | |
|--|-----------------------------------|--------------------------|
| Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608 | Client Project ID: #231116; BoGin | Date Sampled: 01/26/09 |
| | | Date Received: 01/26/09 |
| | Client Contact: Mark Jonas | Date Reported: 01/30/09 |
| | Client P.O.: | Date Completed: 01/29/09 |

WorkOrder: 0901487

January 30, 2009

Dear Mark:

Enclosed within are:

- 1) The results of the **7** analyzed samples from your project: **#231116; BoGin,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.


If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McC Campbell Analytical, Inc.

McC Campbell Analytical, Inc.


 1534 Willow Pass Rd
 Pittsburg, CA 94565-1701
 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0901487

ClientCode: CETE

WriteOn
 EDF
 Excel
 Fax
 Email
 HardCopy
 ThirdParty
 J-flag

| | | | |
|---|---|--|--|
| Report to: Mark Jonas Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608 (510) 420-0700 FAX (510) 420-9170 | Email: mjonas@CRAworld.com cc: PO: ProjectNo: #231116; BoGin | Bill to: Accounts Payable Conestoga-Rovers & Associates 5900 Hollis St, Ste. A Emeryville, CA 94608 | Requested TAT: 5 days Date Received: 01/26/2009 Date Printed: 01/26/2009 |
|---|---|--|--|

| Lab ID | Client ID | Matrix | Collection Date | Hold | Requested Tests (See legend below) | | | | | | | | | | | | |
|-------------|-----------|--------|-----------------|--------------------------|------------------------------------|---|---|---|---|---|---|---|---|----|----|----|--|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 0901487-001 | MW-1 | Water | 1/26/2009 9:15 | <input type="checkbox"/> | A | B | A | | | | | | | | | | |
| 0901487-002 | MW-2 | Water | 1/26/2009 9:45 | <input type="checkbox"/> | A | B | | | | | | | | | | | |
| 0901487-003 | MW-3 | Water | 1/26/2009 6:40 | <input type="checkbox"/> | A | B | | | | | | | | | | | |
| 0901487-004 | MW-4 | Water | 1/26/2009 7:00 | <input type="checkbox"/> | A | B | | | | | | | | | | | |
| 0901487-005 | MW-5 | Water | 1/26/2009 8:50 | <input type="checkbox"/> | A | B | | | | | | | | | | | |
| 0901487-006 | MW-6 | Water | 1/26/2009 7:35 | <input type="checkbox"/> | A | B | | | | | | | | | | | |
| 0901487-007 | MW-7 | Water | 1/26/2009 8:00 | <input type="checkbox"/> | A | B | | | | | | | | | | | |

Test Legend:

| | | | | | | | | | |
|----|-----------|----|--------|---|--------------|---|--|----|--|
| 1 | G-MBTEX_W | 2 | MTBE_W | 3 | PREFD REPORT | 4 | | 5 | |
| 6 | | 7 | | 8 | | 9 | | 10 | |
| 11 | | 12 | | | | | | | |

Prepared by: Maria Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
 Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **Conestoga-Rovers & Associates**

Date and Time Received: **01/26/09 12:58:32 PM**

Project Name: **#231116; BoGin**

Checklist completed and reviewed by: **Maria Venegas**

WorkOrder N°: **0901487** Matrix Water

Carrier: Client Drop-In

Chain of Custody (COC) Information

- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Sample IDs noted by Client on COC? Yes No
- Date and Time of collection noted by Client on COC? Yes No
- Sampler's name noted on COC? Yes No

Sample Receipt Information

- Custody seals intact on shipping container/cooler? Yes No NA
- Shipping container/cooler in good condition? Yes No
- Samples in proper containers/bottles? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

- All samples received within holding time? Yes No
 - Container/Temp Blank temperature Cooler Temp: 7°C NA
 - Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
 - Sample labels checked for correct preservation? Yes No
 - TTLC Metal - pH acceptable upon receipt (pH<2)? Yes No NA
 - Samples Received on Ice? Yes No
- (Ice Type: WET ICE)

* NOTE: If the "No" box is checked, see comments below.

Client contacted:

Date contacted:

Contacted by:

Comments:



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

| | | |
|--|-----------------------------------|-----------------------------------|
| Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608 | Client Project ID: #231116; BoGin | Date Sampled: 01/26/09 |
| | | Date Received: 01/26/09 |
| | Client Contact: Mark Jonas | Date Extracted: 01/27/09-01/28/09 |
| | Client P.O.: | Date Analyzed 01/27/09-01/28/09 |

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline with BTEX and MTBE*

Extraction method SW5030B

Analytical methods SW8021B/8015Bm

Work Order: 0901487

| Lab ID | Client ID | Matrix | TPH(g) | MTBE | Benzene | Toluene | Ethylbenzene | Xylenes | DF | % SS |
|--------|-----------|--------|-----------------|---------|---------|---------|--------------|---------|-----|------|
| 001A | MW-1 | W | 540,d1 | 82 | 120 | 1.4 | 1.6 | 3.0 | 1 | 113 |
| 002A | MW-2 | W | 90,000,d1,b6,b1 | ND<3500 | 2800 | 14,000 | 1800 | 9500 | 100 | 101 |
| 003A | MW-3 | W | ND | 3400 | ND | ND | ND | ND | 1 | 93 |
| 004A | MW-4 | W | 1600,d1 | 1300 | 180 | 14 | 21 | 33 | 1 | 112 |
| 005A | MW-5 | W | ND | 3500 | ND | ND | ND | ND | 1 | 94 |
| 006A | MW-6 | W | ND | ND | ND | ND | ND | ND | 1 | 93 |
| 007A | MW-7 | W | ND | ND | ND | ND | ND | ND | 1 | 105 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | | | | | | |
|--|---|-----|------|-------|-------|-------|-------|-------|
| Reporting Limit for DF =1; ND means not detected at or above the reporting limit | W | 50 | 5 | 0.5 | 0.5 | 0.5 | 0.5 | µg/L |
| | S | 1.0 | 0.05 | 0.005 | 0.005 | 0.005 | 0.005 | mg/Kg |

* water and vapor samples and all TCLP & SPLP extracts are reported in ug/L, soil/sludge/solid samples in mg/kg, wipe samples in µg/wipe, product/oil/non-aqueous liquid samples in mg/L.

cluttered chromatogram; sample peak coelutes with surrogate peak.

+The following descriptions of the TPH chromatogram are cursory in nature and McC Campbell Analytical is not responsible for their interpretation:

b1) aqueous sample that contains greater than ~1 vol. % sediment
b6) lighter than water immiscible sheen/product is present
d1) weakly modified or unmodified gasoline is significant



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

| | | |
|--|-----------------------------------|--------------------------|
| Conestoga-Rovers & Associates 5900 Hollis St, Suite A Emeryville, CA 94608 | Client Project ID: #231116; BoGin | Date Sampled: 01/26/09 |
| | | Date Received: 01/26/09 |
| | Client Contact: Mark Jonas | Date Extracted: 01/28/09 |
| | Client P.O.: | Date Analyzed 01/28/09 |

Methyl tert-Butyl Ether*

Extraction method SW5030B

Analytical methods SW8260B

Work Order: 0901487

| Lab ID | Client ID | Matrix | Methyl-t-butyl ether (MTBE) | DF | % SS |
|--------|-----------|--------|-----------------------------|-----|------|
| 001B | MW-1 | W | 79 | 2 | 96 |
| 002B | MW-2 | W | 1600,b6,b1 | 100 | 94 |
| 003B | MW-3 | W | 3800 | 200 | 98 |
| 004B | MW-4 | W | 1200 | 33 | 97 |
| 005B | MW-5 | W | 3700 | 100 | 96 |
| 006B | MW-6 | W | ND | 1 | 97 |
| 007B | MW-7 | W | 0.96 | 1 | 95 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | |
|--|---|-----|------|
| Reporting Limit for DF =1; ND means not detected at or above the reporting limit | W | 0.5 | µg/L |
| | S | NA | NA |

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

b1) aqueous sample that contains greater than ~1 vol. % sediment
b6) lighter than water immiscible sheen/product is present



QC SUMMARY REPORT FOR SW8021B/8015Cm

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 41001

WorkOrder: 0901487

| Analyte | EPA Method SW8021B/8015Bm | | Extraction SW5030B | | | | | | Spiked Sample ID: 0901475-001A | | | |
|------------------------|---------------------------|--------|--------------------|--------|--------|--------|--------|----------|--------------------------------|-----|----------|-----|
| | Sample | Spiked | MS | MSD | MS-MSD | LCS | LCSD | LCS-LCSD | Acceptance Criteria (%) | | | |
| | µg/L | µg/L | % Rec. | % Rec. | % RPD | % Rec. | % Rec. | % RPD | MS / MSD | RPD | LCS/LCSD | RPD |
| TPH(btex) ^f | ND | 60 | 93.9 | 92.3 | 1.74 | 98.9 | 95 | 3.94 | 70 - 130 | 20 | 70 - 130 | 20 |
| MTBE | ND | 10 | 100 | 97.9 | 2.24 | 102 | 97.5 | 4.16 | 70 - 130 | 20 | 70 - 130 | 20 |
| Benzene | ND | 10 | 96.9 | 94.9 | 2.07 | 97.5 | 100 | 2.94 | 70 - 130 | 20 | 70 - 130 | 20 |
| Toluene | ND | 10 | 97.3 | 94.4 | 2.98 | 90.6 | 91.9 | 1.41 | 70 - 130 | 20 | 70 - 130 | 20 |
| Ethylbenzene | ND | 10 | 98.1 | 95.2 | 2.86 | 98.9 | 99.8 | 0.839 | 70 - 130 | 20 | 70 - 130 | 20 |
| Xylenes | ND | 30 | 111 | 109 | 2.08 | 95.3 | 96.5 | 1.25 | 70 - 130 | 20 | 70 - 130 | 20 |
| %SS: | 97 | 10 | 95 | 92 | 3.61 | 100 | 99 | 0.682 | 70 - 130 | 20 | 70 - 130 | 20 |

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 41001 SUMMARY

| Lab ID | Date Sampled | Date Extracted | Date Analyzed | Lab ID | Date Sampled | Date Extracted | Date Analyzed |
|--------------|------------------|----------------|-------------------|--------------|------------------|----------------|------------------|
| 0901487-001A | 01/26/09 9:15 AM | 01/27/09 | 01/27/09 4:03 PM | 0901487-002A | 01/26/09 9:45 AM | 01/27/09 | 01/27/09 4:33 PM |
| 0901487-003A | 01/26/09 6:40 AM | 01/27/09 | 01/27/09 4:37 PM | 0901487-003A | 01/26/09 6:40 AM | 01/28/09 | 01/28/09 6:10 PM |
| 0901487-004A | 01/26/09 7:00 AM | 01/28/09 | 01/28/09 12:04 AM | 0901487-004A | 01/26/09 7:00 AM | 01/28/09 | 01/28/09 5:11 PM |
| 0901487-005A | 01/26/09 8:50 AM | 01/27/09 | 01/27/09 5:11 PM | 0901487-005A | 01/26/09 8:50 AM | 01/28/09 | 01/28/09 6:43 PM |
| 0901487-006A | 01/26/09 7:35 AM | 01/28/09 | 01/28/09 7:50 PM | 0901487-007A | 01/26/09 8:00 AM | 01/27/09 | 01/27/09 6:18 PM |

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

£ TPH(btex) = sum of BTEX areas from the FID.

cluttered chromatogram; sample peak coelutes with surrogate peak.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = matrix interference and/or analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content, or inconsistency in sample containers.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 41010

WorkOrder 0901487

| Analyte | Extraction SW5030B | | | Spiked Sample ID: 0901484-001B | | | | | | | | |
|-----------------------------|--------------------|----------------|--------------|--------------------------------|-----------------|---------------|----------------|-------------------|-------------------------|----|----------|----|
| | Sample µg/L | Spiked µg/L | MS % Rec. | MSD % Rec. | MS-MSD % RPD | LCS % Rec. | LCSD % Rec. | LCS-LCSD % RPD | Acceptance Criteria (%) | | | |
| Methyl-t-butyl ether (MTBE) | ND | 10 | 94.4 | 96 | 1.68 | 92 | 99.3 | 7.56 | 70 - 130 | 30 | 70 - 130 | 30 |
| %SS1: | 91 | 25 | 88 | 87 | 0.481 | 94 | 95 | 1.29 | 70 - 130 | 30 | 70 - 130 | 30 |

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 41010 SUMMARY

| Lab ID | Date Sampled | Date Extracted | Date Analyzed | Lab ID | Date Sampled | Date Extracted | Date Analyzed |
|--------------|------------------|----------------|------------------|--------------|------------------|----------------|------------------|
| 0901487-001B | 01/26/09 9:15 AM | 01/28/09 | 01/28/09 3:55 AM | 0901487-002B | 01/26/09 9:45 AM | 01/28/09 | 01/28/09 4:38 AM |
| 0901487-003B | 01/26/09 6:40 AM | 01/28/09 | 01/28/09 5:23 AM | 0901487-004B | 01/26/09 7:00 AM | 01/28/09 | 01/28/09 1:45 PM |
| 0901487-005B | 01/26/09 8:50 AM | 01/28/09 | 01/28/09 3:41 AM | 0901487-006B | 01/26/09 7:35 AM | 01/28/09 | 01/28/09 4:19 AM |
| 0901487-007B | 01/26/09 8:00 AM | 01/28/09 | 01/28/09 4:59 AM | | | | |

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.


Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.

APPENDIX C

FIELD DATA SHEETS



WELL GAUGING SHEET

| Client: Conestoga-Rovers and Associates | | | | | | |
|---|------|--------------|--|---------------|-----------------|----------------------------------|
| Site Address: 706 Harrison Street, Oakland, CA | | | | | | |
| Date: 1/26/2009 | | | Signature:  | | | |
| Well ID | Time | Depth to SPH | Depth to Water | SPH Thickness | Depth to Bottom | Comments |
| MW-1 | 6:05 | | 17.84 | | 24.40 | Well MW-2 very silty soft bottom |
| MW-2 | 6:15 | | 18.20 | | 25.09 | |
| MW-3 | 6:00 | | 17.50 | | 27.70 | |
| MW-4 | 6:10 | | 18.71 | | 25.60 | |
| MW-5 | 8:33 | | 16.54 | | 27.88 | |
| MW-6 | 7:23 | | 17.61 | | 25.90 | |
| MW-7 | 7:47 | | 17.65 | | 27.76 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



WELL SAMPLING FORM

| | | | | | | |
|--------------------------------|----------------------------|----------------------------------|--|---------------------|----------------------|-------------------|
| Date: | | 1/26/2009 | | | | |
| Client: | | Conestoga-Rovers and Associates | | | | |
| Site Address: | | 706 Harrison Street, Oakland, CA | | | | |
| Well ID: | | MW-1 | | | | |
| Well Diameter: | | 2" | | | | |
| Purging Device: | | Disposable Bailer | | | | |
| Sampling Method: | | Disposable Bailer | | | | |
| Total Well Depth: | | 24.40 | Fe= mg/L | | | |
| Depth to Water: | | 17.84 | ORP= mV | | | |
| Water Column Height: | | 6.56 | DO= mg/L | | | |
| Gallons/ft: | | 0.16 | | | | |
| 1 Casing Volume (gal): | | 1.05 | COMMENTS: very turbid, silty | | | |
| 3 Casing Volumes (gal): | | 3.15 | | | | |
| TIME: | CASING VOLUME (gal) | TEMP (Celsius) | | | pH | COND. (µS) |
| 9:05 | 1.0 | 17.7 | | | 6.73 | 662 |
| 9:07 | 2.1 | 17.4 | 6.75 | 659 | | |
| 9:10 | 3.1 | 17.9 | 6.72 | 634 | | |
| | | | | | | |
| | | | | | | |
| Sample ID: | Sample Date: | Sample Time: | Container Type | Preservative | Analytes | Method |
| MW-1 | 1/26/2009 | 9:15 | 40 ml VOA | HCl, ICE | TPHg BTEX MTBE | 8015, 8021, 8260 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Signature: | | | | | | |



WELL SAMPLING FORM

| Date: 1/26/2009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--------------------------|----------------------------------|-------------------------------|---------------------------------------|---------------------------------|------|-----|------|------|-----|------|-----|------|------|-----|------|-----|------|------|-----|--|--|--|--|--|--|--|--|--|--|
| Client: Conestoga-Rovers and Associates | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Address: 706 Harrison Street, Oakland, CA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Well ID: MW-3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Well Diameter: 2" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Purging Device: Disposable Bailer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sampling Method: Disposable Bailer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total Well Depth: 27.70 | Fe= mg/L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Depth to Water: 17.50 | ORP= mV | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Column Height: 10.20 | DO= mg/L | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallons/ft: 0.16 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 Casing Volume (gal): 1.63 | COMMENTS: very turbid, very silty | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 Casing Volumes (gal): 4.90 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>TIME:</th> <th>CASING VOLUME (gal)</th> <th>TEMP (Celsius)</th> <th>pH</th> <th>COND. (µS)</th> </tr> </thead> <tbody> <tr> <td>6:30</td> <td>1.6</td> <td>18.9</td> <td>6.46</td> <td>495</td> </tr> <tr> <td>6:32</td> <td>3.3</td> <td>18.7</td> <td>6.49</td> <td>510</td> </tr> <tr> <td>6:35</td> <td>4.9</td> <td>18.7</td> <td>6.42</td> <td>496</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> | | TIME: | CASING VOLUME (gal) | TEMP (Celsius) | pH | COND. (µS) | 6:30 | 1.6 | 18.9 | 6.46 | 495 | 6:32 | 3.3 | 18.7 | 6.49 | 510 | 6:35 | 4.9 | 18.7 | 6.42 | 496 | | | | | | | | | | |
| TIME: | | CASING VOLUME (gal) | TEMP (Celsius) | pH | COND. (µS) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6:30 | 1.6 | 18.9 | 6.46 | 495 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6:32 | 3.3 | 18.7 | 6.49 | 510 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6:35 | 4.9 | 18.7 | 6.42 | 496 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample ID: MW-3 | Sample Date: 1/26/2009 | Sample Time: 6:40 | Container Type: 40 ml VOA | Preservative: HCl, ICE | Analytes: TPHg BTEX MTBE | Method: 8015, 8021, 8260 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Signature: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



WELL SAMPLING FORM

| | | | | | | | |
|--------------------------------|----------------------------|----------------------------------|---|---------------------|----------------------|------------------|-------------------|
| Date: | | 1/26/2009 | | | | | |
| Client: | | Conestoga-Rovers and Associates | | | | | |
| Site Address: | | 706 Harrison Street, Oakland, CA | | | | | |
| Well ID: | | MW-4 | | | | | |
| Well Diameter: | | 2" | | | | | |
| Purging Device: | | Disposable Bailer | | | | | |
| Sampling Method: | | Disposable Bailer | | | | | |
| Total Well Depth: | | 25.60 | Fe= | | mg/L | | |
| Depth to Water: | | 18.71 | ORP= | | mV | | |
| Water Column Height: | | 6.89 | DO= | | mg/L | | |
| Gallons/ft: | | 0.16 | | | | | |
| 1 Casing Volume (gal): | | 1.10 | COMMENTS: very turbid, silty, light sheen | | | | |
| 3 Casing Volumes (gal): | | 3.31 | | | | | |
| TIME: | CASING VOLUME (gal) | TEMP (Celsius) | | | | pH | COND. (µS) |
| 6:50 | 1.1 | 18.5 | | | | 6.93 | 770 |
| 6:52 | 2.2 | 18.1 | | | | 6.99 | 764 |
| 6:53 | 3.3 | 18.2 | 6.95 | 791 | | | |
| | | | | | | | |
| | | | | | | | |
| Sample ID: | Sample Date: | Sample Time: | Container Type | Preservative | Analytes | Method | |
| MW-4 | 1/26/2009 | 7:00 | 40 ml VOA | HCl, ICE | TPHg BTEX MTBE | 8015, 8021, 8260 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | Signature: | | | |




WELL SAMPLING FORM

| | | | | | | |
|--------------------------------|----------------------------|----------------------------------|----------------------------|---------------------|----------------------|-------------------|
| Date: | | 1/26/2009 | | | | |
| Client: | | Conestoga-Rovers and Associates | | | | |
| Site Address: | | 706 Harrison Street, Oakland, CA | | | | |
| Well ID: | | MW-6 | | | | |
| Well Diameter: | | 2" | | | | |
| Purging Device: | | Disposable Bailer | | | | |
| Sampling Method: | | Disposable Bailer | | | | |
| Total Well Depth: | | 25.90 | Fe= mg/L | | | |
| Depth to Water: | | 17.61 | ORP= mV | | | |
| Water Column Height: | | 8.29 | DO= mg/L | | | |
| Gallons/ft: | | 0.16 | | | | |
| 1 Casing Volume (gal): | | 1.33 | COMMENTS: turbid | | | |
| 3 Casing Volumes (gal): | | 3.98 | | | | |
| TIME: | CASING VOLUME (gal) | TEMP (Celsius) | | | pH | COND. (µS) |
| 7:25 | 1.3 | 17.9 | | | 6.98 | 651 |
| 7:27 | 2.7 | 18.6 | | | 6.87 | 609 |
| 7:30 | 4.0 | 18.9 | 6.91 | 626 | | |
| | | | | | | |
| | | | | | | |
| Sample ID: | Sample Date: | Sample Time: | Container Type | Preservative | Analytes | Method |
| MW-6 | 1/26/2009 | 7:35 | 40 ml VOA | HCl, ICE | TPHg BTEX MTBE | 8015, 8021, 8260 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Signature: | | | | | | |



WELL SAMPLING FORM

| | | | | | | |
|--------------------------------|----------------------------|----------------------------------|-----------------------|---------------------------------|---|------------------|
| Date: | | 1/26/2009 | | | | |
| Client: | | Conestoga-Rovers and Associates | | | | |
| Site Address: | | 706 Harrison Street, Oakland, CA | | | | |
| Well ID: | | MW-7 | | | | |
| Well Diameter: | | 2" | | | | |
| Purging Device: | | Disposable Bailer | | | | |
| Sampling Method: | | Disposable Bailer | | | | |
| Total Well Depth: | | 27.76 | | Fe= mg/L | | |
| Depth to Water: | | 17.65 | | ORP= mV | | |
| Water Column Height: | | 10.11 | | DO= mg/L | | |
| Gallons/ft: | | 0.16 | | | | |
| 1 Casing Volume (gal): | | 1.62 | | COMMENTS: very turbid | | |
| 3 Casing Volumes (gal): | | 4.85 | | | | |
| TIME: | CASING VOLUME (gal) | TEMP (Celsius) | pH | | COND. (µS) | |
| 7:50 | 1.6 | 17.5 | 6.95 | 726 | | |
| 7:52 | 3.2 | 17.9 | 6.85 | 701 | | |
| 7:55 | 4.9 | 18.1 | 6.90 | 720 | | |
| | | | | | | |
| | | | | | | |
| Sample ID: | Sample Date: | Sample Time: | Container Type | Preservative | Analytes | Method |
| MW-7 | 1/26/2009 | 8:00 | 40 ml VOA | HCl, ICE | TPHg BTEX MTBE | 8015, 8021, 8260 |
| | | | | | | |
| | | | | | | |
| | | | | Signature: |  | |


APPENDIX D

BENZENE AND MTBE CONCENTRATION GRAPHS

Monitoring Well MW-1


Benzene and MTBE Concentration Trends

Former ARCO Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-2 Benzene and MTBE Concentration Trends

Former ARCO Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-3 Benzene and MTBE Concentration Trends Former ARCO Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-4 Benzene and MTBE Concentration Trends

Former ARCO Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-5 Benzene and MTBE Concentration Trends

Former ARCO Station, 706 Harrison Street, Oakland, CA




Monitoring Well MW-6 Benzene and MTBE Concentration Trends

Former ARCO Station, 706 Harrison Street, Oakland, CA



Monitoring Well MW-7 Benzene and MTBE Concentration Trends

Former ARCO Station, 706 Harrison Street, Oakland, CA



APPENDIX E

FORMER SHELL AND FORMER UNOCAL
JOINT GROUNDWATER MONITORING AND ANALYTICAL RESULTS

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

| Well ID | Date of Measurement | Top of Casing Elevation (Relative to Mean Sea Level) | Depth to Water (feet) | Groundwater Elevation (project data) |
|----------------|---------------------|---|--------------------------|---|
| MW-1 | 12/15/98 | 31.95* | 17.32 | 14.63 |
| | 3/4/99 | | 15.52 | 16.43 |
| | 6/17/99 | | 16.9 | 15.05 |
| | 8/27/99 | | 17.39 | 14.56 |
| | 12/9/99 | | 18.03 | 13.92 |
| | 3/7/00 | | 15.11 | 16.84 |
| | 6/7/00 | | 16.66 | 15.29 |
| | 10/11/00 | | 18.08 | 13.87 |
| | 1/18/01 | | 17.96 | 13.99 |
| | 4/5/01 | | 16.35 | 15.60 |
| | 7/17/01 | | 16.94 | 15.01 |
| | 10/5/01 | 28.98 | 17.35 | 11.63 |
| | 1/18/02 | | 15.40 | 13.58 |
| | 4/11/02 | | 15.76 | 13.22 |
| | 7/18/02 | | 16.17 | 12.81 |
| | 10/9/02 | | 16.72 | 12.26 |
| | 1/29/03 | | 16.26 | 12.72 |
| | 4/11/03 | | 16.56 | 12.42 |
| | 7/18/03 | | 16.42 | 12.56 |
| | 10/9/03 | | 16.88 | 12.10 |
| | 1/28/04 | | 16.10 | 12.88 |
| | 4/7/04 | | 15.43 | 13.55 |
| | 7/23/04 | | 16.41 | 12.57 |
| | 10/12/04 | | 17.73 | 11.25 |
| | 1/29/05 | | 15.02 | 13.96 |
| | 4/28/05 | | 14.99 | 13.99 |
| | 7/19/05 | | 16.36 | 12.62 |
| | 10/18/05 | | 17.82 | 11.16 |
| | 1/23/06 | | 15.80 | 13.18 |
| | 4/12/06 | | 13.24 | 15.74 |
| | 7/10/06 | | 15.64 | 13.34 |
| | 10/16/06 | | 17.51 | 11.47 |
| | 1/26/07 | | 18.36 | 10.62 |
| 4/18/07 | | 17.79 | 11.19 | |
| 8/2/07 | | 18.20 | 10.78 | |
| 10/23/07 | | 18.75 | 10.23 | |
| 1/30/08 | | 17.90 | 11.08 | |
| 4/18/08 | | 18.21 | 10.77 | |
| 7/28/08 | | 18.85 | 10.13 | |
| 10/29/08 | | 19.24 | 9.74 | |
| 1/26/09 | | | 19.17 | 9.81 |

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

| Well ID | Date of Measurement | Top of Casing Elevation (Relative to Mean Sea Level) | Depth to Water (feet) | Groundwater Elevation (project data) | |
|----------------|---------------------|---|--------------------------|---|-------|
| MW-2 | 12/15/98 | 32.40* | 18.03 | 14.37 | |
| | 3/4/99 | | 16.11 | 16.29 | |
| | 6/17/99 | | 17.72 | 14.68 | |
| | 8/27/99 | | Inaccessible | | |
| | 12/9/99 | | Inaccessible | | |
| | 3/7/00 | | Inaccessible | | |
| | 6/7/00 | | 17.67 | 14.73 | |
| | 10/11/00 | | 18.91 | 13.49 | |
| | 1/18/01 | | 18.66 | 13.74 | |
| | 4/5/01 | | 16.97 | 15.43 | |
| | 7/17/01 | | 17.54 | 14.86 | |
| | 10/5/01 | | 29.44 | 17.98 | 11.46 |
| | 1/18/02 | | | 15.87 | 13.57 |
| | 4/11/02 | | | 16.36 | 13.08 |
| | 7/18/02 | | | 16.72 | 12.72 |
| | 10/9/02 | | | 17.33 | 12.11 |
| | 1/29/03 | | | 16.82 | 12.62 |
| | 4/11/03 | | | 17.15 | 12.29 |
| | 7/18/03 | 17.05 | | 12.39 | |
| | 10/9/03 | 17.52 | | 11.92 | |
| | 1/28/04 | 16.70 | | 12.74 | |
| | 4/7/04 | 16.02 | | 13.42 | |
| | 7/23/04 | Inaccessible | | | |
| | 10/12/04 | 17.31 | 12.13 | | |
| | 1/29/05 | 15.46 | 13.98 | | |
| | 4/28/05 | 15.79 | 13.65 | | |
| | 7/19/05 | 17.25 | 12.19 | | |
| | 10/18/05 | 17.72 | 11.72 | | |
| | 1/23/05 | 15.65 | 13.79 | | |
| | 4/12/06 | 12.33 | 17.11 | | |
| | 7/10/06 | 16.58 | 12.86 | | |
| | 10/16/06 | 18.33 | 11.11 | | |
| | 1/26/07 | 19.21 | 10.23 | | |
| | 4/18/07 | 18.58 | 10.86 | | |
| | 8/2/07 | 19.02 | 10.42 | | |
| | 10/23/07 | Inaccessible | | | |
| | 1/30/08 | 18.63 | 10.81 | | |
| | 4/18/08 | 19.04 | 10.40 | | |
| | 7/28/08 | Inaccessible | | | |
| | 10/29/08 | 20.01 | 9.43 | | |
| 1/26/09 | | 19.84 | 9.60 | | |

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

| Well ID | Date of Measurement | Top of Casing Elevation (Relative to Mean Sea Level) | Depth to Water (feet) | Groundwater Elevation (project data) | |
|----------------|---------------------|---|--------------------------|---|-------|
| MW-3 | 12/15/98 | 31.61* | 17.26 | 14.35 | |
| | 3/4/99 | | 15.47 | 16.14 | |
| | 6/17/99 | | 16.92 | 14.69 | |
| | 8/27/99 | | 17.40 | 14.21 | |
| | 12/9/99 | | 18.01 | 13.60 | |
| | 3/7/00 | | 16.15 | 15.46 | |
| | 6/7/00 | | 16.85 | 14.76 | |
| | 10/11/00 | | 18.07 | 13.54 | |
| | 1/18/01 | | 17.89 | 13.72 | |
| | 4/5/01 | | 16.21 | 15.40 | |
| | 7/17/01 | | 16.90 | 14.71 | |
| | 10/5/01 | | 28.64 | 17.32 | 11.32 |
| | 1/18/02 | | | 15.35 | 13.29 |
| | 4/11/02 | | | 15.82 | 12.82 |
| | 7/18/02 | | | 16.15 | 12.49 |
| | 10/9/02 | 16.67 | | 11.97 | |
| | 1/29/03 | 16.19 | | 12.45 | |
| | 4/11/03 | 16.49 | | 12.15 | |
| | 7/18/03 | 16.42 | | 12.22 | |
| | 10/9/03 | 16.80 | | 11.84 | |
| | 1/28/03 | 15.94 | | 12.70 | |
| | 4/7/04 | 15.28 | | 13.36 | |
| | 7/23/04 | 16.15 | | 12.49 | |
| | 10/12/04 | 16.63 | | 12.01 | |
| | 1/29/05 | 16.15 | | 12.49 | |
| | 4/28/05 | 14.94 | | 13.70 | |
| | 7/19/05 | 16.25 | | 12.39 | |
| | 10/18/05 | 16.76 | | 11.88 | |
| | 1/23/06 | 15.81 | | 12.83 | |
| | 4/12/06 | 13.22 | 15.42 | | |
| | 7/10/06 | 15.49 | 13.15 | | |
| | 10/16/06 | 17.46 | 11.18 | | |
| | 1/26/07 | 18.02 | 10.62 | | |
| 4/18/07 | 17.75 | 10.89 | | | |
| 8/2/07 | 18.38 | 10.26 | | | |
| 10/23/07 | 19.61 | 9.03 | | | |
| 1/30/08 | 17.65 | 10.99 | | | |
| 4/18/08 | 18.08 | 10.56 | | | |
| 7/28/08 | 18.77 | 9.87 | | | |
| 10/29/08 | 19.14 | 9.50 | | | |
| 1/26/09 | | 19.06 | 9.58 | | |

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

| Well ID | Date of Measurement | Top of Casing Elevation (Relative to Mean Sea Level) | Depth to Water (feet) | Groundwater Elevation (project data) |
|----------------|---------------------|---|--------------------------|---|
| MW-4 | 12/15/98 | 32.53* | 17.59 | 14.94 |
| | 3/4/99 | | 15.88 | 16.65 |
| | 6/17/99 | | 17.14 | 15.39 |
| | 8/27/99 | | 17.65 | 14.88 |
| | 12/9/99 | | 18.28 | 14.25 |
| | 3/7/00 | | 15.41 | 17.12 |
| | 6/7/00 | | 17.09 | 15.44 |
| | 10/11/00 | | 18.33 | 14.20 |
| | 1/18/01 | | 18.23 | 14.30 |
| | 4/5/01 | | 16.69 | 15.84 |
| | 7/17/01 | 17.32 | 15.21 | |
| | 10/5/01 | 29.58 | 17.71 | 11.87 |
| | 1/18/02 | | 15.85 | 13.73 |
| | 4/11/02 | | 16.14 | 13.44 |
| | 7/18/02 | | 16.56 | 13.02 |
| | 10/9/02 | | 17.09 | 12.49 |
| | 1/29/03 | | 16.65 | 12.93 |
| | 4/11/03 | | 16.93 | 12.65 |
| | 7/18/03 | | 16.78 | 12.80 |
| | 10/9/03 | | 17.26 | 12.32 |
| | 1/28/04 | | 16.38 | 13.20 |
| | 4/7/04 | 15.64 | 13.94 | |
| | 7/23/04 | 16.58 | 13.00 | |
| | 10/12/04 | | Inaccessible | |
| | 1/29/05 | | 14.90 | 14.68 |
| | 4/28/05 | | 15.18 | 14.40 |
| | 7/19/05 | | 16.48 | 13.10 |
| | 10/18/05 | | 16.99 | 12.59 |
| | 1/23/06 | | 15.09 | 14.49 |
| | 4/12/06 | | 13.49 | 16.09 |
| | 7/10/06 | | 14.99 | 14.59 |
| | 10/16/06 | | 17.29 | 12.29 |
| | 1/26/07 | | 18.17 | 11.41 |
| | 4/18/07 | | 18.06 | 11.52 |
| | 8/2/07 | | 18.45 | 11.13 |
| | 10/23/07 | | 18.99 | 10.59 |
| | 1/30/08 | | 18.14 | 11.44 |
| | 4/18/08 | | 18.49 | 11.09 |
| | 7/28/08 | | 19.15 | 10.43 |
| | 10/29/08 | | 19.53 | 10.05 |
| 1/26/09 | | 19.52 | 10.06 | |

TABLE ONE
Groundwater Elevation Data
Yee Property
726 Harrison St., Oakland, CA

| Well ID | Date of Measurement | Top of Casing Elevation (Relative to Mean Sea Level) | Depth to Water (feet) | Groundwater Elevation (project data) |
|-------------|---------------------|---|--------------------------|---|
| MW-5 | 8/29/01 | 29.06 | 17.42 | 11.64 |
| | 1/18/02 | | 15.68 | 13.38 |
| | 4/11/02 | | 16.17 | 12.89 |
| | 7/8/02 | | 16.51 | 12.55 |
| | 10/9/02 | | 17.10 | 11.96 |
| | 1/29/03 | | 16.58 | 12.48 |
| | 4/11/03 | | 16.87 | 12.19 |
| | 7/18/03 | | 16.77 | 12.29 |
| | 10/9/03 | | 17.21 | 11.85 |
| | 1/28/04 | | 16.34 | 12.72 |
| | 4/7/04 | | 15.38 | 13.68 |
| | 7/23/04 | | 16.55 | 12.51 |
| | 10/12/04 | | 17.02 | 12.04 |
| | 1/29/05 | | 15.23 | 13.83 |
| | 4/28/05 | | 15.41 | 13.65 |
| | 7/19/05 | | 16.79 | 12.27 |
| | 10/18/05 | | 17.28 | 11.78 |
| | 1/23/06 | | 15.28 | 13.78 |
| | 4/12/06 | | 13.66 | 15.40 |
| | 7/10/06 | | 16.14 | 12.92 |
| | 10/16/06 | | 19.33 | 9.73 |
| | 1/26/07 | | 18.94 | 10.12 |
| | 4/18/07 | | 18.21 | 10.85 |
| | 8/2/07 | | 19.00 | 10.06 |
| | 10/23/07 | | 19.15 | 9.91 |
| | 1/30/08 | | 18.21 | 10.85 |
| 4/18/08 | | 18.61 | 10.45 | |
| 7/28/08 | | 19.23 | 9.83 | |
| 10/29/08 | | 19.62 | 9.44 | |
| 1/26/09 | | | 19.51 | 9.55 |

* Top of casing elevation relative to arbitrary project datum

TABLE THREE
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

| Well ID & Dates Sampled | TPH-G | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE |
|-------------------------------|-----------|---------|---------|-------------------|------------------|--------------------|
| MW-1 | | | | | | |
| 7/3/97 | 18,000 | 2,700 | 350 | 450 | 900 | 7,400 |
| 12/5/98 | 18,000 | 1,500 | 270 | 260 | 560 | 14,000 |
| 3/4/99 | 44,000 | 2,800 | 400 | 440 | 960 | 43,000 |
| 6/17/99 | 33,000 | 2,200 | 250 | 460 | 660 | 25,000 |
| 8/27/99 | 6,000 | 1,000 | 97 | 190 | 230 | 14,000/ 16,000* |
| 12/9/99 | 15,000 | 1,500 | 160 | 220 | 420 | 17,000 |
| 3/7/00 | 9,300 | 1,500 | 210 | 66 | 530 | 12,000 |
| 6/7/00 | 26,000** | 1,700 | < 250 | 360 | 580 | 30,000 |
| 10/11/00 | 13,000** | 1,600 | < 100 | 140 | 160 | 19,000 |
| 1/18/01 | 14,000** | 450 | < 100 | 110 | 230 | 9,600 |
| 4/5/01 | 38,000 | 2,200 | 180 | 290 | 590 | 35,000 |
| 7/17/01 | 35,000** | 1,800 | < 100 | 300 | 170 | 35,000 |
| 10/5/01 | 17,000 | 1,500 | 210 | 420 | 790 | 27,000 |
| 1/18/02 | 18,000 | 1,500 | 120 | 160 | 220 | 22,000 |
| 4/11/02 | 41,000 | 2,700 | 210 | 340 | 380 | 30,000 |
| 7/8/02 | 36,000 | 2,800 | 140 | 360 | 300 | 31,000 |
| 10/9/02 | 30,000 | 1,700 | 310 | < 100 | < 100 | 19,000 |
| 1/29/03 | 26,000 | 2,400 | < 100 | 310 | 520 | 20,000 |
| 4/11/03 | 22,000 | 1,700 | < 100 | 270 | 580 | 16,000 |
| 7/18/03 | 40,000 | 3,200 | 290 | 480 | 830 | 39,000 |
| 10/9/03 | 54,000** | 3,300 | < 130 | 350 | 310 | 49,000 |
| 1/28/04 | 26,000*** | 3,000 | 310 | 420 | 800 | 31,000 |
| 4/7/04 | 33,000*** | 2,800 | 130 | 310 | 310 | 39,000 |
| 7/23/04 | 56,000*** | 4,500 | < 250 | 390 | < 500 | 53,000 |
| 10/12/04 | 25,000*** | 1,400 | < 250 | < 250 | < 500 | 25,000 |
| 1/29/05 | 24,000 | 1,600 | < 100 | 160 | < 200 | 19,000 |
| 4/28/05 | < 10,000 | 2,000 | < 100 | 160 | 100 | 34,000 |
| 7/19/05 | 37,000 | 2,100 | 83 | 210 | 230 | 28,000 |
| 10/18/05 | 37,000 | 1,300 | < 250 | < 250 | < 250 | 23,000 |
| 1/24/06 | 23,000 | 780 | < 100 | 160 | 260 | 11,000 |
| 4/12/06 | 11,000 | 1,500 | 87 | 360 | 670 | 17,000 |
| 7/10/06 | 72,000 | 4,700 | < 250 | 350 | < 500 | 66,000 |
| 10/16/06 | 26,000 | 1,600 | < 250 | 330 | < 500 | 22,000 |
| 1/26/07 | 7,200 | 1,500 | < 70 | 140 | 96 | 34,000 |
| 4/18/07 | 5,400 | 1,100 | < 50 | 200 | 120 | 21,000 |
| 8/2/07 | 6,600 | 1,500 | 64 | 240 | 190 | 32,000 |
| 10/23/07 | 5,900 | 1,300 | 52 | 200 | 180 | 28,000 |
| 1/30/08 | 2,700 | 300 | 21 | 64 | 90 | 5,200 |
| 4/18/08 | 3,800 | 930 | 41 | 110 | 130 | 15,000 |
| 7/28/08 | 6,000 | 900 | 52 | 140 | 160 | 10,000 |
| 10/29/08 | 7,300 | 1,700 | 74 | 140 | 220 | 17,000 |
| 1/26/09 | 4,900 | 720 | 48 | 140 | 180 | 6,300 |

TABLE THREE
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

| Well ID & Dates Sampled | TPH-G | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE |
|-------------------------------|--|------------------|------------------|-------------------|------------------|------------|
| MW-2 | | | | | | |
| 12/5/98 | < 50 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 5.0 |
| 3/4/99 | Inaccessible due to car parked over well | | | | | |
| 6/17/99 | < 50 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 5.0 |
| 8/27/99 | Inaccessible due to car parked over well | | | | | |
| 12/9/99 | Inaccessible due to car parked over well | | | | | |
| 3/7/00 | Inaccessible due to car parked over well | | | | | |
| 6/7/00 | < 50 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 5.0 |
| 10/11/00 | < 50 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 5.0 |
| 1/18/01 | < 50 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 5.0 |
| 4/5/01 | < 50 | < 0.5 | < 0.5 | < 0.5 | < 0.5 | < 5.0 |
| 7/17/01 | No longer sampled | | | | | |
| 7/10/06 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 1.0 | 4.5 |
| 10/16/07 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 1.0 | < 0.5 |
| 1/26/07 | < 50 | 0.55 | 1.0 | < 0.50 | 1.4 | 0.97 |
| 4/18/07 | < 50 | 1.5 | 2.6 | 0.93 | 3.2 | 0.64 |
| 8/2/07 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 2.2 |
| 10/23/07 | Inaccessible due to car parked over well | | | | | |
| 1/30/08 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 300 |
| 4/18/08 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 40 |
| 7/28/08 | Inaccessible due to car parked over well | | | | | |
| 10/29/08 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 300 |
| 1/26/09 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 120 |

TABLE THREE
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

| Well ID & Dates Sampled | TPH-G | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE |
|-------------------------------|----------|---------|---------|-------------------|------------------|------------------|
| MW-3 | | | | | | |
| 12/5/98 | 6,500 | < 50 | 50 | 60 | 502 | 3,900 |
| 3/4/99 | 2,800 | < 25 | < 25 | < 25 | < 25 | 1,600 |
| 6/17/99 | 1,000 | < 10 | < 10 | < 10 | < 10 | 1,400 |
| 8/27/99 | 230 | < 0.5 | 0.51 | 0.5 | 1 | 1,500/ 1,600* |
| 12/9/99 | 870** | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 2,100 |
| 3/7/00 | 150** | 4 | < 0.5 | < 0.5 | < 0.5 | 830 |
| 6/7/00 | 140** | < 0.5 | < 0.5 | < 0.5 | < 0.5 | 1,100 |
| 10/11/00 | 620** | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 1,500 |
| 1/18/01 | 1,200** | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 1,000 |
| 4/5/01 | 1,700** | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 1,900 |
| 7/17/01 | 1,400** | < 10 | < 10 | < 10 | < 10 | 1,700 |
| 10/5/01 | < 1,000 | < 10 | < 10 | < 10 | < 10 | 1,700 |
| 1/18/02 | 1,600 | 26 | 20 | 16 | 54 | 2,100 |
| 4/11/02 | 2,600 | 21 | 16 | < 10 | 21 | 2,300 |
| 7/8/02 | 2,800 | < 10 | < 10 | < 10 | < 10 | 3,800 |
| 10/9/02 | 6,000 | < 50 | < 50 | < 50 | < 50 | 4,900 |
| 1/29/03 | 1,800 | < 10 | < 10 | < 10 | < 10 | 2,300 |
| 4/11/03 | 2,900 | < 25 | < 25 | < 25 | < 25 | 3,100 |
| 7/18/03 | 3,400 | < 10 | < 10 | < 10 | < 10 | 3,200 |
| 10/9/03 | 2,300 | < 10 | < 10 | < 10 | < 10 | 2,700 |
| 1/28/03 | 1,700** | < 10 | < 10 | < 10 | < 10 | 2,900 |
| 4/7/04 | 2,700** | < 10 | < 10 | < 10 | < 20 | 3,600 |
| 7/23/04 | 4,200** | < 25 | < 25 | < 25 | < 50 | 4,900 |
| 10/12/04 | 5,000** | < 50 | < 50 | < 50 | < 100 | 5,900 |
| 1/29/05 | < 1,000 | < 10 | < 10 | < 10 | < 20 | 3,100 |
| 4/28/05 | < 200 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 1,300 |
| 7/19/05 | 4,400 | < 20 | < 20 | < 20 | < 40 | 3,000 |
| 10/18/05 | 18,000 | < 50 | < 50 | < 50 | < 50 | 6,800 |
| 1/24/06 | 17,000 | < 100 | < 100 | < 100 | < 200 | 7,000 |
| 4/12/06 | < 200 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 7,800 |
| 7/10/06 | 11,000 | < 100 | < 100 | < 100 | < 200 | 12,000 |
| 10/16/06 | < 10,000 | < 100 | < 100 | < 100 | < 100 | 17,000 |
| 1/26/07 | < 200 | < 2.0 | < 2.0 | < 2.0 | < 2.0 | 4,000 |
| 4/18/07 | < 900 | < 9.0 | < 9.0 | < 9.0 | < 9.0 | 11,000 |
| 8/2/07 | 110 | < 0.80 | < 0.80 | < 0.80 | 2.0 | 410 |
| 10/23/07 | < 80 | < 0.80 | < 0.80 | < 0.80 | < 0.80 | 480 |
| 1/30/08 | < 80 | < 0.80 | < 0.80 | < 0.80 | < 0.80 | 430 |
| 4/18/08 | < 50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 350 |
| 7/28/08 | 61 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 140 |
| 10/29/08 | 120 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | 640 |
| 1/26/09 | 210 | 1.9 | < 1.5 | < 1.5 | < 1.5 | 1,300 |

TABLE THREE
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

| Well ID & Dates Sampled | TPH-G | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE |
|-------------------------------|--|---------|---------|-------------------|------------------|------------------|
| MW-4 | | | | | | |
| 12/5/98 | 880 | 3 | < 0.5 | < 0.5 | < 0.5 | 950 |
| 3/4/99 | 3,800 | < 25 | < 25 | < 25 | < 25 | 3,700 |
| 6/17/99 | 2,700 | < 25 | < 25 | < 25 | < 25 | 2,700 |
| 8/27/99 | 440 | 4.7 | 1.1 | 0.58 | 1.3 | 1,600/ 1,700* |
| 12/9/99 | 1,100** | < 2.5 | < 2.5 | < 2.5 | < 2.5 | 1,700 |
| 3/7/00 | < 250 | < 2.5 | < 2.5 | < 2.5 | < 2.5 | 1,700 |
| 6/7/00 | 530** | 8.8 | < 2.5 | < 2.5 | < 2.5 | 440 |
| 10/11/00 | 700** | 3.9 | < 2.5 | < 2.5 | < 2.5 | 680 |
| 1/18/01 | 2,000** | < 2.5 | < 2.5 | < 2.5 | < 2.5 | 780 |
| 4/5/01 | 810** | < 2.5 | < 2.5 | < 2.5 | < 2.5 | 620 |
| 7/17/01 | 880** | < 2.5 | < 2.5 | < 2.5 | < 2.5 | 570 |
| 10/5/01 | 550** | < 2.5 | < 2.5 | < 2.5 | < 2.5 | 710 |
| 1/18/02 | 960** | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 1,300 |
| 4/11/02 | 1,100** | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 550 |
| 7/8/02 | 1,200** | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 890 |
| 10/9/02 | 1,300** | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 880 |
| 1/29/03 | 530** | < 1.0 | < 1.0 | < 1.0 | < 1.0 | 190 |
| 4/11/03 | 690** | < 2.5 | < 2.5 | < 2.5 | < 2.5 | 310 |
| 7/18/03 | 1,600** | < 10 | < 10 | < 10 | < 10 | 1,300 |
| 10/9/03 | 1500** | < 10 | < 10 | < 10 | < 10 | 1,400 |
| 1/28/04 | 1,200** | < 10 | < 10 | < 10 | < 10 | 1,900 |
| 4/7/04 | 1,900** | < 10 | < 10 | < 10 | < 20 | 2,200 |
| 7/23/04 | 1,800** | < 10 | < 10 | < 10 | < 20 | 1,600 |
| 10/12/04 | Inaccessible due to car parked over well | | | | | |
| 1/29/05 | < 1,300 | < 13 | < 13 | < 13 | < 25 | 3,900 |
| 4/28/05 | 510 | < 1.5 | < 1.5 | < 1.5 | < 1.5 | 510 |
| 7/19/05 | 5,400 | < 50 | < 50 | < 50 | < 100 | 2,700 |
| 10/18/05 | 10,000 | < 50 | < 50 | < 50 | < 50 | 9,000 |
| 1/24/06 | 10,000 | < 100 | < 100 | < 100 | < 200 | 8,300 |
| 4/12/06 | 1,900 | < 10 | < 10 | < 10 | < 20 | 2,200 |
| 7/10/06 | 750 | 5.4 | < 5.0 | < 5.0 | < 10 | 790 |
| 10/16/06 | 2,400 | < 10 | < 10 | < 10 | < 10 | 2,200 |
| 1/26/07 | 250 | < 1.5 | < 1.5 | < 1.5 | < 1.5 | 7,000 |
| 4/18/07 | < 400 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | 2,300 |
| 8/2/07 | 400 | < 4.0 | < 4.0 | < 4.0 | < 4.0 | 4,500 |
| 10/23/07 | < 500 | < 5.0 | < 5.0 | < 5.0 | < 5.0 | 3,400 |
| 1/30/08 | 580 | 89 | 1.5 | < 0.90 | 2.5 | 500 |
| 4/18/08 | 660 | 13 | 0.58 | 0.51 | 0.94 | 180 |
| 7/28/08 | 520 | 19 | 0.97 | 1.4 | 2.6 | 71 |
| 10/29/08 | 480 | 38 | 1.8 | 4.5 | 4.3 | 420 |
| 1/26/09 | 470 | 51 | 2.2 | 4.2 | 5.2 | 180 |

TABLE THREE
Summary of Analytical Results for GROUNDWATER Samples
Yee Property
726 Harrison St., Oakland, CA
All results are in parts per billion (ppb)

| Well ID & Dates Sampled | TPH-G | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE |
|-------------------------------|---------------|--------------|-------------------|-------------------|------------------|---------------|
| MW-5 | | | | | | |
| 8/29/01 | 14,000 | 1,300 | 470 | 230 | 800 | 14,000 |
| 1/18/02 | 24,000 | 3,200 | 1,300 | 390 | 1,500 | 5,700 |
| 4/11/02 | 23,000 | 2,700 | 980 | 38 | 950 | 4,300 |
| 7/8/02 | 19,000 | 3,300 | 25 | 360 | 1,100 | 2,100 |
| 10/9/02 | 24,000 | 2,800 | 990 | 360 | 820 | 2,400 |
| 1/29/03 | 17,000 | 2,100 | 1,400 | 380 | 1,400 | < 250 |
| 4/11/03 | 26,000 | 2,900 | 2,200 | 590 | 2,200 | 630 |
| 7/18/03 | 26,000 | 3,500 | 1,700 | 480 | 1,300 | 1,300 |
| 10/9/03 | 27,000 | 3,800 | 1,900 | 510 | 1,700 | 1,200 |
| 1/28/04 | 29,000 | 4,800 | 2,900 | 770 | 2,300 | 3,300 |
| 4/7/04 | 23,000 | 4,400 | 2,700 | 720 | 2,200 | 1,700 |
| 7/23/04 | 29,000 | 5,200 | 2,200 | 810 | 1,400 | 2,200 |
| 10/12/04 | 26,000 | 4,300 | 2,000 | 670 | 1,300 | 2,200 |
| 7/18/03 | 8,200 | 650 | 77 | 99 | 140 | 4,300 |
| 10/9/03 | 5,700** | 500 | 28 | 53 | 35 | 3,600 |
| 1/28/04 | 17,000*** | 1,600 | 90 | 250 | 280 | 9,700 |
| 4/7/04 | | | No longer sampled | | | |
| 1/24/06 | 21,000 | 1,800 | 1,200 | 270 | 820 | 13,000 |
| 7/10/06 | 45,000 | 3,700 | 2,600 | 650 | 1,800 | 23,000 |
| 10/16/06 | 66,000 | 4,200 | 3,300 | 800 | 2,100 | 35,000 |
| 1/26/07 | 30,000 | 3,200 | 2,600 | 610 | 2,400 | 38,000 |
| 4/18/07 | 30,000 | 4,300 | 3,300 | 800 | 2,600 | 27,000 |
| 8/2/07 | 26,000 | 3,700 | 2,800 | 690 | 1,900 | 32,000 |
| 10/23/07 | 34,000 | 4,400 | 3,700 | 860 | 3,200 | 34,000 |
| 1/30/08 | 28,000 | 3,900 | 2,800 | 750 | 2,300 | 26,000 |
| 4/18/08 | 30,000 | 4,300 | 3,200 | 810 | 2,000 | 32,000 |
| 7/28/08 | 34,000 | 3,700 | 3,000 | 740 | 2,900 | 28,000 |
| 10/29/08 | 29,000 | 3,300 | 2,900 | 680 | 2,800 | 27,000 |
| 1/26/09 | 19,000 | 2,100 | 1,500 | 410 | 1,500 | 18,000 |
| ESL | 100 | 1 | 40 | 30 | 20 | 5 |

Notes:

* EPA Method 8020/EPA Method 8260 (MTBE confirmation)

** Hydrocarbon reported in the gasoline range does not match the laboratory gasoline standard

*** Sample contains a discrete peak in addition to gasoline

ESL = Environmental screening levels presented in the "Screening For Environmental Concerns at Sites With Contaminated Soil and Groundwater (May 2007)" document prepared by the California Regional Water Quality Control Board, San Francisco Bay Region.

Most current data is in **Bold**

Non-detectable concentrations noted by the less than sign (<) followed by the laboratory reporting limit.

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
January 26, 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl- benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|----------------------------|----------------------------|-------------------|-------------------|-----------------------------|----------------------------|---------------------------|---------------------------|----------|
| MW-1 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 13.5-33.5) | | | | | | | | | | | | | | |
| 01/26/09 | 34.69 | 20.74 | 0.00 | 13.95 | -0.59 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 5.2 | |
| MW-2 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 15-33) | | | | | | | | | | | | | | |
| 01/26/09 | 34.72 | 20.50 | 0.00 | 14.22 | -0.60 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-3 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 15-33) | | | | | | | | | | | | | | |
| 01/26/09 | 33.14 | 19.54 | 0.00 | 13.60 | -0.54 | -- | 8800 | 27 | ND<12 | ND<12 | ND<25 | -- | 13000 | |
| MW-4 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 15-33) | | | | | | | | | | | | | | |
| 01/26/09 | 32.71 | 18.80 | 0.00 | 13.91 | -0.46 | -- | 500 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 830 | |
| MW-5 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 15-32) | | | | | | | | | | | | | | |
| 01/26/09 | 32.95 | 19.25 | 0.00 | 13.70 | -0.55 | -- | 1400 | 7.4 | 3.3 | 2.5 | 11 | -- | 3.3 | |
| MW-6 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 15-32) | | | | | | | | | | | | | | |
| 01/26/09 | 32.16 | 18.46 | 0.00 | 13.70 | 0.04 | -- | 570 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 500 | |
| MW-7 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 13-33) | | | | | | | | | | | | | | |
| 01/26/09 | 32.20 | 18.90 | 0.00 | 13.30 | -0.40 | -- | 80 | 7.9 | 0.58 | ND<0.50 | ND<1.0 | -- | 10 | |
| MW-8 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 11-29) | | | | | | | | | | | | | | |
| 01/26/09 | 32.00 | 18.65 | 0.00 | 13.35 | -0.15 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 22 | |

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | Ethanol (8260B) (µg/l) |
|-------------------------|------------------------------|
| MW-1 01/26/09 | ND<250 |
| MW-2 01/26/09 | ND<250 |
| MW-3 01/26/09 | ND<6200 |
| MW-4 01/26/09 | ND<250 |
| MW-5 01/26/09 | ND<250 |
| MW-6 01/26/09 | ND<250 |
| MW-7 01/26/09 | ND<250 |
| MW-8 01/26/09 | ND<250 |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-1 (Screen Interval in feet: 13.5-33.5) | | | | | | | | | | | | | | |
| 06/05/91 | 34.94 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/30/91 | 34.94 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/30/91 | 34.94 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 04/02/92 | 34.94 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/30/92 | 34.94 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/15/92 | 34.94 | -- | -- | -- | -- | 76 | -- | 1.0 | ND | ND | ND | -- | -- | |
| 12/21/92 | 34.94 | 21.17 | 0.00 | 13.77 | -- | 95 | -- | 0.69 | ND | ND | 1.0 | -- | -- | |
| 04/28/93 | 34.94 | -- | -- | -- | -- | 920 | -- | 3.1 | 2.3 | 1.2 | 9.7 | -- | -- | |
| 07/23/93 | 34.94 | 20.13 | 0.00 | 14.81 | -- | ND | -- | 0.5 | 0.66 | ND | ND | -- | -- | |
| 10/05/93 | 34.69 | 20.30 | 0.00 | 14.39 | -0.42 | 92 | -- | 1.5 | ND | ND | 0.72 | -- | -- | |
| 01/03/94 | 34.69 | 20.52 | 0.00 | 14.17 | -0.22 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 04/02/94 | 34.69 | 20.16 | 0.00 | 14.53 | 0.36 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 07/05/94 | 34.69 | 19.27 | 0.00 | 15.42 | 0.89 | 250 | -- | 4.8 | 13 | 1.2 | 7.3 | -- | -- | |
| 10/06/94 | 34.69 | 20.87 | 0.00 | 13.82 | -1.60 | 540 | -- | 1.4 | ND | 0.66 | 11 | -- | -- | |
| 01/02/95 | 34.69 | 19.67 | 0.00 | 15.02 | 1.20 | 140 | -- | ND | ND | ND | ND | -- | -- | |
| 04/03/95 | 34.69 | 17.61 | 0.00 | 17.08 | 2.06 | 580 | -- | 3.6 | 0.8 | ND | 4.0 | -- | -- | |
| 07/14/95 | 34.69 | 18.58 | 0.00 | 16.11 | -0.97 | 260 | -- | 2.1 | ND | ND | 1.2 | -- | -- | |
| 10/10/95 | 34.69 | 19.60 | 0.00 | 15.09 | -1.02 | 220 | -- | 2.0 | ND | 25 | 5.6 | 29 | -- | |
| 01/03/96 | 34.69 | 19.69 | 0.00 | 15.00 | -0.09 | 190 | -- | 2.4 | ND | 0.71 | 1.2 | -- | -- | |
| 04/10/96 | 34.69 | 17.65 | 0.00 | 17.04 | 2.04 | 540 | -- | 8.9 | 1.7 | 1.5 | 7.4 | 50 | -- | |
| 07/09/96 | 34.69 | 18.52 | 0.00 | 16.17 | -0.87 | 490 | -- | 3.0 | 1.4 | 1.3 | 2.5 | 150 | -- | |
| 01/24/97 | 34.69 | 17.72 | 0.00 | 16.97 | 0.80 | 760 | -- | 27 | 0.89 | 5.2 | 10 | 510 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-1 continued | | | | | | | | | | | | | | |
| 07/23/97 | 34.69 | 19.42 | 0.00 | 15.27 | -1.70 | ND | -- | ND | ND | ND | ND | 550 | -- | |
| 01/26/98 | 34.69 | 17.46 | 0.00 | 17.23 | 1.96 | 1800 | -- | ND | ND | ND | ND | 4800 | -- | |
| 07/03/98 | 34.69 | 18.61 | 0.00 | 16.08 | -1.15 | ND | -- | ND | ND | ND | ND | 1800 | -- | |
| 01/14/99 | 34.69 | 18.92 | 0.00 | 15.77 | -0.31 | 83 | -- | ND | ND | ND | ND | 230 | -- | |
| 07/15/99 | 34.69 | 17.84 | 0.00 | 16.85 | 1.08 | 110 | -- | ND | ND | ND | 1.0 | 290 | -- | |
| 01/07/00 | 34.69 | 19.13 | 0.00 | 15.56 | -1.29 | ND | -- | ND | ND | ND | ND | 260 | -- | |
| 07/19/00 | 34.69 | 20.27 | 0.00 | 14.42 | -1.14 | ND | -- | ND | ND | ND | ND | 648 | -- | |
| 01/02/01 | 34.69 | 20.04 | 0.00 | 14.65 | 0.23 | ND | -- | ND | ND | ND | ND | 119 | -- | |
| 05/23/01 | 34.69 | 18.27 | 0.00 | 16.42 | 1.77 | 84 | -- | ND | ND | ND | ND | 760 | -- | |
| 07/30/01 | 34.69 | 18.56 | 0.00 | 16.13 | -0.29 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 350 | -- | |
| 10/15/01 | 34.69 | 18.72 | 0.00 | 15.97 | -0.16 | 96 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 160 | -- | |
| 01/14/02 | 34.69 | 16.78 | 0.00 | 17.91 | 1.94 | 450 | -- | ND<2.5 | ND<2.5 | ND<2.5 | 3.3 | 4100 | -- | |
| 04/15/02 | 34.69 | 17.35 | 0.00 | 17.34 | -0.57 | ND<1000 | -- | ND<10 | ND<10 | ND<10 | ND<10 | 10000 | -- | |
| 07/15/02 | 34.69 | 17.63 | 0.00 | 17.06 | -0.28 | 2100 | -- | ND<10 | ND<10 | ND<10 | ND<20 | -- | 2100 | |
| 01/18/03 | 34.69 | 17.04 | 0.00 | 17.65 | 0.59 | ND<25000 | -- | ND<250 | ND<250 | ND<250 | ND<500 | -- | 29000 | |
| 07/11/03 | 34.69 | 17.91 | 0.00 | 16.78 | -0.87 | 4000 | -- | ND<25 | ND<25 | ND<25 | ND<50 | -- | 6300 | |
| 02/04/04 | 34.69 | 17.98 | 0.00 | 16.71 | -0.07 | -- | 8000 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 8500 | |
| 08/11/04 | 34.69 | 17.84 | 0.00 | 16.85 | 0.14 | -- | 1100 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 1500 | |
| 03/31/05 | 34.69 | 15.71 | 0.00 | 18.98 | 2.13 | -- | ND<2000 | ND<0.50 | ND<0.50 | 0.54 | 2.2 | -- | 4900 | |
| 09/30/05 | 34.69 | 17.65 | 0.00 | 17.04 | -1.94 | -- | 190 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 160 | |
| 03/27/06 | 34.69 | 15.03 | 0.00 | 19.66 | 2.62 | -- | 760 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1000 | |
| 09/27/06 | 34.69 | 18.45 | 0.00 | 16.24 | -3.42 | -- | 170 | ND<0.50 | ND<0.50 | ND<0.50 | 0.61 | -- | 73 | |
| 03/27/07 | 34.69 | 18.84 | 0.00 | 15.85 | -0.39 | -- | 120 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 99 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-1 continued | | | | | | | | | | | | | | |
| 09/28/07 | 34.69 | 19.73 | 0.00 | 14.96 | -0.89 | -- | 68 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 15 | |
| 03/26/08 | 34.69 | 19.32 | 0.00 | 15.37 | 0.41 | -- | 200 | ND<0.50 | ND<0.50 | ND<0.50 | 1.0 | -- | 47 | |
| 07/28/08 | 34.69 | 20.15 | 0.00 | 14.54 | -0.83 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 8.7 | |
| 01/26/09 | 34.69 | 20.74 | 0.00 | 13.95 | -0.59 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 5.2 | |
| MW-2 (Screen Interval in feet: 15-33) | | | | | | | | | | | | | | |
| 06/05/91 | 34.97 | -- | -- | -- | -- | 49 | -- | ND | ND | ND | ND | -- | -- | |
| 09/30/91 | 34.97 | -- | -- | -- | -- | 130 | -- | 18 | 0.53 | 14 | 9.6 | -- | -- | |
| 12/30/91 | 34.97 | -- | -- | -- | -- | 91 | -- | 16 | 0.89 | 11 | 1.9 | -- | -- | |
| 04/02/92 | 34.97 | -- | -- | -- | -- | 88 | -- | 12 | 0.32 | 6.3 | 7.2 | -- | -- | |
| 06/30/92 | 34.97 | -- | -- | -- | -- | 76 | -- | 9.3 | 0.76 | 4.8 | 6.9 | -- | -- | |
| 09/15/92 | 34.97 | -- | -- | -- | -- | 1300 | -- | 91 | 5.7 | 80 | 110 | -- | -- | |
| 12/21/92 | 34.97 | 20.85 | 0.00 | 14.12 | -- | 960 | -- | 97 | 3.2 | 74 | 96 | -- | -- | |
| 04/28/93 | 34.97 | -- | -- | -- | -- | 1300 | -- | 76 | 1.9 | 130 | 87 | -- | -- | |
| 07/23/93 | 34.97 | 19.81 | 0.00 | 15.16 | -- | 66 | -- | 1.8 | ND | 2.5 | 2.0 | -- | -- | |
| 10/05/93 | 34.72 | 19.95 | 0.00 | 14.77 | -0.39 | 120 | -- | 12 | ND | 2.1 | 12 | -- | -- | |
| 01/03/94 | 34.72 | 20.21 | 0.00 | 14.51 | -0.26 | 260 | -- | 25 | ND | 5.5 | 26 | -- | -- | |
| 04/02/94 | 34.72 | 19.88 | 0.00 | 14.84 | 0.33 | ND | -- | 0.65 | ND | ND | 0.99 | -- | -- | |
| 07/05/94 | 34.72 | 19.07 | 0.00 | 15.65 | 0.81 | 160 | -- | 16 | ND | 0.73 | 10 | -- | -- | |
| 10/06/94 | 34.72 | 20.55 | 0.00 | 14.17 | -1.48 | 170 | -- | 15 | ND | 1.4 | 11 | -- | -- | |
| 01/02/95 | 34.72 | 19.25 | 0.00 | 15.47 | 1.30 | 190 | -- | 27 | ND | 0.95 | 11 | -- | -- | |
| 04/03/95 | 34.72 | 17.49 | 0.00 | 17.23 | 1.76 | 2400 | -- | 65 | 6.6 | 19 | 63 | -- | -- | |
| 07/14/95 | 34.72 | 18.30 | 0.00 | 16.42 | -0.81 | 750 | -- | 270 | ND | ND | 13 | -- | -- | |
| 10/10/95 | 34.72 | 19.25 | 0.00 | 15.47 | -0.95 | 50 | -- | 1.6 | ND | ND | ND | 200 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground- water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl- benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------------|-----------------------------|----------------------------|---|-------------------------------------|----------------------------|----------------------------|-------------------|-------------------|-----------------------------|----------------------------|---------------------------|---------------------------|----------|
| MW-2 continued | | | | | | | | | | | | | | |
| 01/03/96 | 34.72 | 19.40 | 0.00 | 15.32 | -0.15 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 04/10/96 | 34.72 | 17.35 | 0.00 | 17.37 | 2.05 | 300 | -- | 42 | ND | 2.4 | 9 | 620 | -- | |
| 07/09/96 | 34.72 | 18.22 | 0.00 | 16.50 | -0.87 | 760 | -- | 230 | ND | 1.3 | 2.4 | 1500 | -- | |
| 01/24/97 | 34.72 | 17.59 | 0.00 | 17.13 | 0.63 | 2900 | -- | 400 | 350 | 190 | 720 | 1300 | -- | |
| 07/23/97 | 34.72 | 19.13 | 0.00 | 15.59 | -1.54 | ND | -- | ND | ND | ND | ND | 65 | -- | |
| 01/26/98 | 34.72 | 17.12 | 0.00 | 17.60 | 2.01 | ND | -- | ND | ND | ND | 0.58 | 13 | -- | |
| 07/03/98 | 34.72 | 18.20 | 0.00 | 16.52 | -1.08 | 140 | -- | 26 | ND | 0.95 | 5.0 | 330 | -- | |
| 01/14/99 | 34.72 | 18.56 | 0.00 | 16.16 | -0.36 | ND | -- | 0.54 | ND | ND | ND | 350 | -- | |
| 07/15/99 | 34.72 | 17.39 | 0.00 | 17.33 | 1.17 | ND | -- | 0.88 | ND | ND | ND | 39 | -- | |
| 01/07/00 | 34.72 | 18.78 | 0.00 | 15.94 | -1.39 | ND | -- | ND | ND | ND | ND | 24 | -- | |
| 07/19/00 | 34.72 | 19.68 | 0.00 | 15.04 | -0.90 | ND | -- | 1.45 | ND | ND | ND | 117 | -- | |
| 01/02/01 | 34.72 | 19.73 | 0.00 | 14.99 | -0.05 | ND | -- | ND | ND | ND | ND | 11.4 | -- | |
| 05/23/01 | 34.72 | 18.16 | 0.00 | 16.56 | 1.57 | ND | -- | ND | ND | ND | ND | 33 | -- | |
| 07/30/01 | 34.72 | 18.34 | 0.00 | 16.38 | -0.18 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 67 | -- | |
| 10/15/01 | 34.72 | 18.52 | 0.00 | 16.20 | -0.18 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 31 | -- | |
| 01/14/02 | 34.72 | 16.72 | 0.00 | 18.00 | 1.80 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 0.56 | 11 | -- | |
| 04/15/02 | 34.72 | 17.26 | 0.00 | 17.46 | -0.54 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 110 | -- | |
| 07/15/02 | 34.72 | 17.46 | 0.00 | 17.26 | -0.20 | 270 | -- | 21 | ND<0.50 | 3.8 | 4.0 | -- | 73 | |
| 01/18/03 | 34.72 | 16.93 | 0.00 | 17.79 | 0.53 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 22 | |
| 07/11/03 | 34.72 | 17.68 | 0.00 | 17.04 | -0.75 | 130 | -- | 3.0 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 89 | |
| 02/04/04 | 34.72 | 17.36 | 0.00 | 17.36 | 0.32 | -- | 61 | 2.9 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 22 | |
| 08/11/04 | 34.72 | 17.61 | 0.00 | 17.11 | -0.25 | -- | 140 | ND<0.50 | 0.60 | ND<0.50 | ND<1.0 | -- | 94 | |
| 03/31/05 | 34.72 | 15.56 | 0.00 | 19.16 | 2.05 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 14 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-2 continued | | | | | | | | | | | | | | |
| 09/30/05 | 34.72 | 17.31 | 0.00 | 17.41 | -1.75 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 9.1 | |
| 03/27/06 | 34.72 | 14.91 | 0.00 | 19.81 | 2.40 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.7 | |
| 09/27/06 | 34.72 | 18.15 | 0.00 | 16.57 | -3.24 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 7.7 | |
| 03/27/07 | 34.72 | 18.57 | 0.00 | 16.15 | -0.42 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 1.4 | |
| 09/28/07 | 34.72 | 18.38 | 0.00 | 16.34 | 0.19 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 03/26/08 | 34.72 | 19.06 | 0.00 | 15.66 | -0.68 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 07/28/08 | 34.72 | 19.90 | 0.00 | 14.82 | -0.84 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 01/26/09 | 34.72 | 20.50 | 0.00 | 14.22 | -0.60 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-3 (Screen Interval in feet: 15-33) | | | | | | | | | | | | | | |
| 06/05/91 | 33.39 | -- | -- | -- | -- | 5800 | -- | 1200 | 40 | 140 | 97 | -- | -- | |
| 09/30/91 | 33.39 | -- | -- | -- | -- | 6800 | -- | 1400 | 130 | 290 | 240 | -- | -- | |
| 12/30/91 | 33.39 | -- | -- | -- | -- | 7200 | -- | 2100 | 690 | 410 | 550 | -- | -- | |
| 04/02/92 | 33.39 | -- | -- | -- | -- | 8000 | -- | 1400 | 200 | 300 | 310 | -- | -- | |
| 06/30/92 | 33.39 | -- | -- | -- | -- | 8900 | -- | 1900 | 210 | 430 | 550 | -- | -- | |
| 09/15/92 | 33.39 | -- | -- | -- | -- | 10000 | -- | 1900 | 330 | 400 | 580 | -- | -- | |
| 12/21/92 | 33.39 | 20.02 | 0.00 | 13.37 | -- | 8500 | -- | 1500 | 150 | 310 | 330 | -- | -- | |
| 04/28/93 | 33.39 | -- | -- | -- | -- | 2600 | -- | 220 | 7.6 | 41 | 27 | -- | -- | |
| 07/23/93 | 33.39 | 19.00 | 0.00 | 14.39 | -- | 4400 | -- | 660 | 26 | 160 | 82 | -- | -- | |
| 10/05/93 | 33.14 | 19.20 | 0.00 | 13.94 | -0.45 | 9200 | -- | 720 | 88 | 140 | 140 | -- | -- | |
| 01/03/94 | 33.14 | 19.40 | 0.00 | 13.74 | -0.20 | 4900 | -- | 830 | 100 | 170 | 150 | -- | -- | |
| 04/02/94 | 33.14 | 19.01 | 0.00 | 14.13 | 0.39 | 6000 | -- | 800 | 30 | 140 | 110 | -- | -- | |
| 07/05/94 | 33.14 | 18.14 | 0.00 | 15.00 | 0.87 | 25000 | -- | ND | ND | ND | ND | -- | -- | |
| 10/06/94 | 33.14 | 19.73 | 0.00 | 13.41 | -1.59 | 49000 | -- | 1300 | 200 | 280 | 300 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-3 continued | | | | | | | | | | | | | | |
| 01/02/95 | 33.14 | 18.36 | 0.00 | 14.78 | 1.37 | 480 | -- | 1.6 | ND | 1.4 | ND | -- | -- | |
| 04/03/95 | 33.14 | 16.38 | 0.00 | 16.76 | 1.98 | 8100 | -- | 65 | ND | ND | ND | -- | -- | |
| 07/14/95 | 33.14 | 17.49 | 0.00 | 15.65 | -1.11 | ND | -- | 1300 | ND | ND | ND | -- | -- | |
| 10/10/95 | 33.14 | 18.50 | 0.00 | 14.64 | -1.01 | 3100 | -- | 1400 | 36 | 50 | 53 | 190000 | -- | |
| 01/03/96 | 33.14 | 18.54 | 0.00 | 14.60 | -0.04 | ND | -- | 2300 | 110 | 150 | 140 | -- | -- | |
| 07/09/96 | 33.14 | 17.43 | 0.00 | 15.71 | 1.11 | ND | -- | 2000 | ND | 150 | 160 | 140000 | -- | |
| 01/24/97 | 33.14 | 16.57 | 0.00 | 16.57 | 0.86 | 540 | -- | 8.0 | ND | 11 | 9.9 | 45 | -- | |
| 07/23/97 | 33.14 | 18.38 | 0.00 | 14.76 | -1.81 | 7400 | -- | 1900 | 180 | 140 | 340 | 45000 | -- | |
| 01/26/98 | 33.14 | 16.22 | 0.00 | 16.92 | 2.16 | 250 | -- | 2.2 | 1.9 | 0.87 | 1.9 | 4.0 | -- | |
| 07/03/98 | 33.14 | 17.46 | -- | 15.68 | -1.24 | 230 | -- | 1.8 | 2.5 | 1.5 | 3.4 | 6.3 | -- | |
| 01/14/99 | 33.14 | 17.73 | -- | 15.41 | -0.27 | 400 | -- | 8.2 | 2.7 | 0.90 | 5.9 | 140 | -- | |
| 07/15/99 | 33.14 | 16.58 | -- | 16.56 | 1.15 | 290 | -- | 3.3 | 3.6 | 1.7 | 2.5 | 13 | -- | |
| 01/07/00 | 33.14 | 17.84 | -- | 15.30 | -1.26 | ND | -- | 890 | 91 | 100 | 480 | 20000 | -- | |
| 07/19/00 | 33.14 | 18.92 | -- | 14.22 | -1.08 | 354 | -- | 3.87 | 2.61 | 0.646 | ND | 13.7 | -- | |
| 01/02/01 | 33.14 | 19.07 | -- | 14.07 | -0.15 | 464 | -- | ND | 3.69 | 3.91 | ND | 21.1 | -- | |
| 05/23/01 | 33.14 | 17.12 | -- | 16.02 | 1.95 | 420 | -- | 7.6 | 3.1 | 3.0 | 5.1 | 1900 | -- | |
| 07/30/01 | 33.14 | 17.38 | -- | 15.76 | -0.26 | 290 | -- | 4.6 | 4.1 | ND<0.50 | 3.4 | 23 | -- | |
| 10/15/01 | 33.14 | 17.61 | -- | 15.53 | -0.23 | 400 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 13 | -- | |
| 01/14/02 | 33.14 | 15.53 | -- | 17.61 | 2.08 | 130 | -- | 0.50 | 0.61 | 1.1 | ND<0.50 | 9.9 | -- | |
| 04/15/02 | 33.14 | 16.12 | -- | 17.02 | -0.59 | 280 | -- | 9.9 | 1.6 | 3.3 | 6.8 | 1400 | -- | |
| 07/15/02 | 33.14 | 16.48 | -- | 16.66 | -0.36 | 64 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | 33 | -- | |
| 01/18/03 | 33.14 | 15.81 | -- | 17.33 | 0.67 | 420 | -- | 0.54 | ND<0.50 | ND<0.50 | ND<1.0 | 130 | -- | |
| 07/11/03 | 33.14 | 16.74 | -- | 16.40 | -0.93 | -- | 300 | 2.3 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 31 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-3 continued | | | | | | | | | | | | | | |
| 02/04/04 | 33.14 | 16.15 | 0.00 | 16.99 | 0.59 | -- | 130 | 7.9 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 63 | |
| 08/11/04 | 33.14 | 16.64 | 0.00 | 16.50 | -0.49 | -- | ND<20000 | ND<200 | ND<200 | ND<200 | ND<400 | -- | 20000 | |
| 03/31/05 | 33.14 | 14.53 | 0.00 | 18.61 | 2.11 | -- | ND<20000 | 330 | ND<200 | ND<200 | ND<400 | -- | 78000 | |
| 09/30/05 | 33.14 | 16.55 | 0.00 | 16.59 | -2.02 | -- | 12000 | 360 | 40 | ND<25 | 50 | -- | 20000 | |
| 03/27/06 | 33.14 | 13.66 | 0.00 | 19.48 | 2.89 | -- | 10000 | 150 | ND<25 | 53 | 99 | -- | 15000 | |
| 09/27/06 | 33.14 | 17.40 | 0.00 | 15.74 | -3.74 | -- | ND<12000 | ND<120 | ND<120 | ND<120 | ND<120 | -- | 12000 | |
| 03/27/07 | 33.14 | 17.55 | 0.00 | 15.59 | -0.15 | -- | 8700 | 180 | ND<12 | 60 | 57 | -- | 8900 | |
| 09/28/07 | 33.14 | 18.59 | 0.00 | 14.55 | -1.04 | -- | 9000 | 55 | ND<50 | ND<50 | ND<50 | -- | 11000 | |
| 03/26/08 | 33.14 | 18.19 | 0.00 | 14.95 | 0.40 | -- | 450 | 13 | 1.3 | 0.84 | 1.4 | -- | 7200 | |
| 07/28/08 | 33.14 | 19.00 | 0.00 | 14.14 | -0.81 | -- | 8300 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 13000 | |
| 01/26/09 | 33.14 | 19.54 | 0.00 | 13.60 | -0.54 | -- | 8800 | 27 | ND<12 | ND<12 | ND<25 | -- | 13000 | |
| MW-4 (Screen Interval in feet: 15-33) | | | | | | | | | | | | | | |
| 10/19/92 | -- | -- | -- | -- | -- | 480 | -- | 0.51 | 2.1 | 2.8 | 6.8 | -- | -- | |
| 12/21/92 | 33.12 | 19.73 | -- | 13.39 | -- | 220 | -- | ND | ND | 0.97 | 0.74 | -- | -- | |
| 04/28/93 | 33.12 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 07/23/93 | 33.12 | 18.72 | -- | 14.40 | -- | 85 | -- | ND | ND | ND | ND | -- | -- | |
| 10/05/93 | 32.71 | 18.74 | -- | 13.97 | -0.43 | 130 | -- | ND | ND | ND | ND | -- | -- | |
| 01/03/94 | 32.71 | 18.93 | -- | 13.78 | -0.19 | 210 | -- | ND | ND | 0.76 | 1.6 | -- | -- | |
| 04/02/94 | 32.71 | 18.53 | -- | 14.18 | 0.40 | 89 | -- | ND | ND | ND | ND | -- | -- | |
| 07/05/94 | 32.71 | 17.67 | -- | 15.04 | 0.86 | 190 | -- | ND | ND | ND | ND | -- | -- | |
| 10/06/94 | 32.71 | 19.25 | -- | 13.46 | -1.58 | 170 | -- | 0.85 | ND | ND | 0.74 | -- | -- | |
| 01/02/95 | 32.71 | 17.75 | -- | 14.96 | 1.50 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 04/03/95 | 32.71 | 15.87 | -- | 16.84 | 1.88 | 98 | -- | ND | ND | ND | ND | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-4 continued | | | | | | | | | | | | | | |
| 07/14/95 | 32.71 | 17.01 | -- | 15.70 | -1.14 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/10/95 | 32.71 | 18.03 | -- | 14.68 | -1.02 | ND | -- | ND | ND | ND | ND | 120 | -- | |
| 01/03/96 | 32.71 | 18.05 | -- | 14.66 | -0.02 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 04/10/96 | 32.71 | 16.00 | -- | 16.71 | 2.05 | ND | -- | ND | ND | ND | ND | 240 | -- | |
| 07/09/96 | 32.71 | 16.96 | -- | 15.75 | -0.96 | ND | -- | ND | ND | ND | ND | 480 | -- | |
| 01/24/97 | 32.71 | 16.04 | 0.00 | 16.67 | 0.92 | ND | -- | ND | ND | ND | ND | 270 | -- | |
| 07/23/97 | 32.71 | 17.87 | 0.00 | 14.84 | -1.83 | ND | -- | ND | ND | ND | ND | 460 | -- | |
| 01/26/98 | 32.71 | 16.05 | -- | 16.66 | 1.82 | ND | -- | ND | ND | ND | ND | 17 | -- | |
| 07/03/98 | 32.71 | 16.95 | -- | 15.76 | -0.90 | ND | -- | ND | ND | ND | ND | 3.8 | -- | |
| 01/14/99 | 32.71 | 17.34 | -- | 15.37 | -0.39 | ND | -- | ND | ND | ND | ND | 4600 | -- | |
| 07/15/99 | 32.71 | 16.36 | -- | 16.35 | 0.98 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 01/07/00 | 32.71 | 17.81 | -- | 14.90 | -1.45 | ND | -- | ND | ND | ND | ND | 450 | -- | |
| 07/19/00 | 32.71 | 18.94 | -- | 13.77 | -1.13 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 01/02/01 | 32.71 | 18.85 | -- | 13.86 | 0.09 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 05/23/01 | 32.71 | 16.82 | -- | 15.89 | 2.03 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 07/30/01 | 32.71 | 16.88 | -- | 15.83 | -0.06 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 4.9 | -- | |
| 10/15/01 | 32.71 | 17.08 | -- | 15.63 | -0.20 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 01/14/02 | 32.71 | 14.97 | -- | 17.74 | 2.11 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 30 | -- | |
| 04/15/02 | 32.71 | 15.48 | -- | 17.23 | -0.51 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 180 | -- | |
| 07/15/02 | 32.71 | 15.90 | -- | 16.81 | -0.42 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | 50 | -- | |
| 01/18/03 | 32.71 | 15.39 | -- | 17.32 | 0.51 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<2.0 | -- | |
| 07/11/03 | 32.71 | 16.17 | -- | 16.54 | -0.78 | -- | 200 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 52 | |
| 02/04/04 | 32.71 | 16.12 | 0.00 | 16.59 | 0.05 | -- | 1300 | ND<10 | ND<10 | ND<10 | ND<20 | -- | 1700 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-4 continued | | | | | | | | | | | | | | |
| 08/11/04 | 32.71 | 16.16 | 0.00 | 16.55 | -0.04 | -- | ND<5000 | ND<50 | ND<50 | ND<50 | ND<100 | -- | 6400 | |
| 03/31/05 | 32.71 | 14.15 | 0.00 | 18.56 | 2.01 | -- | ND<1300 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1600 | |
| 09/30/05 | 32.71 | 16.91 | 0.00 | 15.80 | -2.76 | -- | 900 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 3800 | |
| 03/27/06 | 32.71 | 13.94 | 0.00 | 18.77 | 2.97 | -- | 870 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2000 | |
| 09/27/06 | 32.71 | 16.91 | 0.00 | 15.80 | -2.97 | -- | ND<1000 | ND<10 | ND<10 | ND<10 | ND<10 | -- | 1600 | |
| 03/27/07 | 32.71 | 17.15 | 0.00 | 15.56 | -0.24 | -- | 1500 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | 1700 | |
| 09/28/07 | 32.71 | 18.13 | 0.00 | 14.58 | -0.98 | -- | 590 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 1400 | |
| 03/26/08 | 32.71 | 17.66 | 0.00 | 15.05 | 0.47 | -- | 390 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1400 | |
| 07/28/08 | 32.71 | 18.34 | 0.00 | 14.37 | -0.68 | -- | 480 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 950 | |
| 01/26/09 | 32.71 | 18.80 | 0.00 | 13.91 | -0.46 | -- | 500 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 830 | |
| MW-5 (Screen Interval in feet: 15-32) | | | | | | | | | | | | | | |
| 10/19/92 | -- | -- | -- | -- | -- | 2700 | -- | 61 | 5.0 | 100 | 61 | -- | -- | |
| 12/21/92 | 33.25 | 19.75 | -- | 13.50 | -- | 1700 | -- | 51 | 4.7 | 83 | 34 | -- | -- | |
| 04/28/93 | 33.25 | -- | -- | -- | -- | 6700 | -- | 200 | 190 | 250 | 430 | -- | -- | |
| 07/23/93 | 33.25 | 18.74 | -- | 14.51 | -- | 2000 | -- | 122 | 8.0 | 68 | 47 | -- | -- | |
| 10/05/93 | 32.95 | 18.83 | -- | 14.12 | -0.39 | 1700 | -- | 70 | 6.2 | 54 | 40 | -- | -- | |
| 01/03/94 | 32.95 | 19.05 | -- | 13.90 | -0.22 | 1500 | -- | 44 | ND | 42 | 46 | -- | -- | |
| 04/02/94 | 32.95 | 18.68 | -- | 14.27 | 0.37 | 1800 | -- | 46 | 5.1 | 38 | 35 | -- | -- | |
| 07/05/94 | 32.95 | 17.90 | -- | 15.05 | 0.78 | 2200 | -- | 97 | 8.4 | 37 | 36 | -- | -- | |
| 10/06/94 | 32.95 | 19.37 | -- | 13.58 | -1.47 | 1600 | -- | 79 | 5.7 | 28 | 22 | -- | -- | |
| 01/02/95 | 32.95 | 17.92 | -- | 15.03 | 1.45 | 1700 | -- | 50 | 8.6 | 30 | 28 | -- | -- | |
| 04/03/95 | 32.95 | 16.15 | -- | 16.80 | 1.77 | 5400 | -- | 190 | 240 | 170 | 420 | -- | -- | |
| 07/14/95 | 32.95 | 17.18 | -- | 15.77 | -1.03 | 3800 | -- | 210 | 100 | 130 | 190 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-5 continued | | | | | | | | | | | | | | |
| 10/10/95 | 32.95 | 18.15 | -- | 14.80 | -0.97 | 1300 | -- | 92 | 14 | 15 | 39 | 1100 | -- | |
| 01/03/96 | 32.95 | 18.20 | -- | 14.75 | -0.05 | 630 | -- | 53 | 4.4 | 8.3 | 13 | -- | -- | |
| 04/10/96 | 32.95 | 16.05 | -- | 16.90 | 2.15 | 500 | -- | 25 | 18 | 7.0 | 20 | 640 | -- | |
| 07/09/96 | 32.95 | 17.11 | -- | 15.84 | -1.06 | 1000 | -- | 44 | 20 | 10 | 34 | 150 | -- | |
| 01/24/97 | 32.95 | 16.36 | 0.00 | 16.59 | 0.75 | 4000 | -- | 190 | 400 | 160 | 430 | 600 | -- | |
| 07/23/97 | 32.95 | 18.08 | 0.00 | 14.87 | -1.72 | 1700 | -- | 200 | 23 | 18 | 45 | 2500 | -- | |
| 01/26/98 | 32.95 | 16.27 | -- | 16.68 | 1.81 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 07/03/98 | 32.95 | 17.27 | -- | 15.68 | -1.00 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 01/14/99 | 32.95 | 17.55 | -- | 15.40 | -0.28 | 330 | -- | 61 | 4.1 | 2.2 | 2.9 | 560 | -- | |
| 07/15/99 | 32.95 | 16.41 | -- | 16.54 | 1.14 | 1100 | -- | 170 | ND | ND | 27 | 660 | -- | |
| 01/07/00 | 32.95 | 17.85 | -- | 15.10 | -1.44 | 1000 | -- | 180 | 6.3 | ND | 14 | 430 | -- | |
| 07/19/00 | 32.95 | 18.87 | -- | 14.08 | -1.02 | 2980 | -- | 289 | 57.3 | 65.3 | 43.4 | 976 | -- | |
| 01/02/01 | 32.95 | 18.47 | -- | 14.48 | 0.40 | 1150 | -- | 87.2 | 17.8 | 7.97 | 9.32 | 368 | -- | |
| 05/23/01 | 32.95 | 17.38 | -- | 15.57 | 1.09 | 840 | -- | 42 | 10 | 13 | 7.1 | 130 | -- | |
| 07/30/01 | 32.95 | 17.12 | -- | 15.83 | 0.26 | 1900 | -- | 82 | 24 | 6.9 | 13 | 370 | -- | |
| 10/15/01 | 32.95 | 17.33 | -- | 15.62 | -0.21 | 26000 | -- | 390 | 230 | 58 | 1300 | ND<500 | -- | |
| 01/14/02 | 32.95 | 15.33 | -- | 17.62 | 2.00 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 04/15/02 | 32.95 | 15.89 | -- | 17.06 | -0.56 | 310 | -- | 20 | 6.7 | 11 | 7.7 | 77 | -- | |
| 07/15/02 | 32.95 | 16.21 | -- | 16.74 | -0.32 | 1500 | -- | 40 | 22 | 60 | 28 | 170 | -- | |
| 01/18/03 | 32.95 | 15.68 | -- | 17.27 | 0.53 | ND<50 | -- | 0.75 | ND<0.50 | ND<0.50 | ND<1.0 | 81 | -- | |
| 07/11/03 | 32.95 | 16.29 | -- | 16.66 | -0.61 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 3.6 | |
| 02/04/04 | 32.95 | 16.08 | 0.00 | 16.87 | 0.21 | -- | 82 | 16 | 1.6 | 0.65 | ND<1.0 | -- | 16 | |
| 08/11/04 | 32.95 | 16.38 | 0.00 | 16.57 | -0.30 | -- | 900 | 81 | 14 | 2.8 | 11 | -- | 120 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-5 continued | | | | | | | | | | | | | | |
| 03/31/05 | 32.95 | 14.30 | 0.00 | 18.65 | 2.08 | -- | 5000 | 160 | 84 | 65 | 72 | -- | 140 | |
| 09/30/05 | 32.95 | 16.19 | 0.00 | 16.76 | -1.89 | -- | 1200 | 26 | 5.8 | 2.4 | 9.2 | -- | 38 | |
| 03/27/06 | 32.95 | 13.90 | 0.00 | 19.05 | 2.29 | -- | 1100 | 13 | 12 | 4.7 | 16 | -- | 8.8 | |
| 09/27/06 | 32.95 | 17.06 | 0.00 | 15.89 | -3.16 | -- | 1300 | 20 | 11 | 2.3 | 15 | -- | 21 | |
| 03/27/07 | 32.95 | 17.43 | 0.00 | 15.52 | -0.37 | -- | 960 | 15 | 7.8 | 2.2 | 11 | -- | 14 | |
| 09/28/07 | 32.95 | 18.25 | 0.00 | 14.70 | -0.82 | -- | 1300 | 13 | 6.0 | 2.3 | 15 | -- | 8.4 | |
| 03/26/08 | 32.95 | 17.82 | 0.00 | 15.13 | 0.43 | -- | 1200 | 7.6 | 3.3 | 1.8 | 11 | -- | 2.7 | |
| 07/28/08 | 32.95 | 18.70 | 0.00 | 14.25 | -0.88 | -- | 2000 | 12 | 4.9 | 3.2 | 17 | -- | ND<0.50 | |
| 01/26/09 | 32.95 | 19.25 | 0.00 | 13.70 | -0.55 | -- | 1400 | 7.4 | 3.3 | 2.5 | 11 | -- | 3.3 | |
| MW-6 (Screen Interval in feet: 15-32) | | | | | | | | | | | | | | |
| 10/19/92 | -- | -- | -- | -- | -- | 3900 | -- | 420 | 12 | 60 | 28 | -- | -- | |
| 12/21/92 | 32.42 | 19.17 | -- | 13.25 | -- | 2300 | -- | 370 | 11 | 39 | 15 | -- | -- | |
| 04/28/93 | 32.42 | -- | -- | -- | -- | 1200 | -- | 54 | 1.5 | 11 | 5.3 | -- | -- | |
| 07/23/93 | 32.42 | 18.17 | -- | 14.25 | -- | 580 | -- | 19 | 0.99 | 3.4 | 2.7 | -- | -- | |
| 10/05/93 | 32.16 | 18.35 | -- | 13.81 | -0.44 | 1400 | -- | 34 | ND | 5.3 | 7.3 | -- | -- | |
| 01/03/94 | 32.16 | 18.54 | -- | 13.62 | -0.19 | 1400 | -- | 57 | ND | 8.5 | 11 | -- | -- | |
| 04/02/94 | 32.16 | 18.15 | -- | 14.01 | 0.39 | 5300 | -- | ND | ND | ND | ND | -- | -- | |
| 07/05/94 | 32.16 | 17.25 | -- | 14.91 | 0.90 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/06/94 | 32.16 | 18.85 | -- | 13.31 | -1.60 | 11000 | -- | ND | ND | ND | ND | -- | -- | |
| 01/02/95 | 32.16 | 17.51 | -- | 14.65 | 1.34 | 550 | -- | 18 | 0.92 | 2.0 | 1.8 | -- | -- | |
| 04/03/95 | 32.16 | 15.48 | -- | 16.68 | 2.03 | 6600 | -- | ND | ND | ND | ND | -- | -- | |
| 07/14/95 | 32.16 | 16.63 | -- | 15.53 | -1.15 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/10/95 | 32.16 | 17.68 | -- | 14.48 | -1.05 | ND | -- | 81 | ND | ND | ND | 75000 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-6 continued | | | | | | | | | | | | | | |
| 01/03/96 | 32.16 | 17.66 | -- | 14.50 | 0.02 | 70 | -- | 9.9 | 0.58 | ND | 0.81 | -- | -- | |
| 04/10/96 | 32.16 | 15.56 | -- | 16.60 | 2.10 | 300 | -- | 258 | 4.7 | 0.94 | 2.7 | 53000 | -- | |
| 07/09/96 | 32.16 | 16.59 | -- | 15.57 | -1.03 | 1800 | -- | 410 | ND | 12 | ND | 76000 | -- | |
| 01/24/97 | 32.16 | 15.69 | 0.00 | 16.47 | 0.90 | ND | -- | 0.80 | ND | ND | ND | 390 | -- | |
| 07/23/97 | 32.16 | 17.53 | 0.00 | 14.63 | -1.84 | 5700 | -- | 1100 | 240 | 240 | 700 | 16000 | -- | |
| 01/26/98 | 32.16 | 15.44 | -- | 16.72 | 2.09 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 07/03/98 | 32.16 | 16.58 | -- | 15.58 | -1.14 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 01/14/99 | 32.16 | 17.02 | -- | 15.14 | -0.44 | ND | -- | ND | ND | ND | ND | 14 | -- | |
| 07/15/99 | 32.16 | 15.95 | -- | 16.21 | 1.07 | ND | -- | ND | ND | ND | ND | 2.8 | -- | |
| 01/07/00 | 32.16 | 16.96 | -- | 15.20 | -1.01 | 78 | -- | 24 | ND | 0.66 | 17 | 280 | -- | |
| 07/19/00 | 32.16 | 18.04 | -- | 14.12 | -1.08 | ND | -- | ND | 1.32 | ND | 0.974 | ND | -- | |
| 01/02/01 | 32.16 | 18.10 | -- | 14.06 | -0.06 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 05/23/01 | 32.16 | 16.42 | -- | 15.74 | 1.68 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 07/30/01 | 32.16 | 16.49 | -- | 15.67 | -0.07 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 10/15/01 | 32.16 | 16.67 | -- | 15.49 | -0.18 | ND<50 | -- | ND<0.50 | 0.62 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 01/14/02 | 32.16 | 14.60 | -- | 17.56 | 2.07 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 04/15/02 | 32.16 | 15.07 | -- | 17.09 | -0.47 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 0.73 | ND<5.0 | -- | |
| 07/15/02 | 32.16 | 15.56 | -- | 16.60 | -0.49 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | -- | |
| 01/18/03 | 32.16 | 15.80 | -- | 16.36 | -0.24 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<2.0 | -- | |
| 07/11/03 | 32.16 | 15.74 | -- | 16.42 | 0.06 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 02/04/04 | 32.16 | 15.49 | 0.00 | 16.67 | 0.25 | -- | ND<50 | 2.6 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.4 | |
| 08/11/04 | 32.16 | 15.81 | 0.00 | 16.35 | -0.32 | -- | 7900 | 95 | ND<50 | ND<50 | ND<100 | -- | 9100 | |
| 03/31/05 | 32.16 | 13.70 | 0.00 | 18.46 | 2.11 | -- | ND<5000 | 2.5 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 7600 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-6 continued | | | | | | | | | | | | | | |
| 09/30/05 | 32.16 | 15.48 | 0.00 | 16.68 | -1.78 | -- | 4300 | 140 | 37 | 28 | 41 | -- | 5800 | |
| 03/27/06 | 32.16 | 13.02 | 0.00 | 19.14 | 2.46 | -- | 7200 | 34 | 0.66 | 0.96 | 18 | -- | 9900 | |
| 09/27/06 | 32.16 | 16.56 | 0.00 | 15.60 | -3.54 | -- | 1800 | ND<12 | ND<12 | ND<12 | ND<12 | -- | 3300 | |
| 03/27/07 | 32.16 | 16.73 | 0.00 | 15.43 | -0.17 | -- | 1600 | 2.8 | ND<2.5 | ND<2.5 | ND<2.5 | -- | 1800 | |
| 09/28/07 | 32.16 | 17.75 | 0.00 | 14.41 | -1.02 | -- | 830 | ND<5.0 | ND<5.0 | ND<5.0 | ND<5.0 | -- | 1600 | |
| 03/26/08 | 32.16 | 17.31 | 0.00 | 14.85 | 0.44 | -- | 940 | 45 | 5.9 | 2.0 | 5.3 | -- | 1300 | |
| 07/28/08 | 32.16 | 18.50 | 0.00 | 13.66 | -1.19 | -- | 500 | ND<1.0 | ND<1.0 | ND<1.0 | ND<2.0 | -- | 750 | |
| 01/26/09 | 32.16 | 18.46 | 0.00 | 13.70 | 0.04 | -- | 570 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 500 | |
| MW-7 (Screen Interval in feet: 13-33) | | | | | | | | | | | | | | |
| 10/19/92 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 04/28/93 | 32.49 | -- | -- | -- | -- | 110 | -- | 2.8 | 1.3 | 1.4 | 1.7 | -- | -- | |
| 07/23/93 | 32.49 | 18.60 | -- | 13.89 | -- | 790 | -- | 23 | 3.3 | 28 | 5.4 | -- | -- | |
| 10/05/93 | 32.20 | 18.76 | -- | 13.44 | -0.45 | 360 | -- | 10 | 1.2 | 0.91 | 0.99 | -- | -- | |
| 01/03/94 | 32.20 | 18.91 | -- | 13.29 | -0.15 | ND | -- | 0.93 | ND | 0.75 | 1.9 | -- | -- | |
| 04/02/94 | 32.20 | 18.50 | -- | 13.70 | 0.41 | 360 | -- | 2.0 | ND | ND | 0.8 | -- | -- | |
| 07/05/94 | 32.20 | 17.52 | -- | 14.68 | 0.98 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/06/94 | 32.20 | 19.25 | -- | 12.95 | -1.73 | 340 | -- | 5.6 | 0.85 | ND | 1.2 | -- | -- | |
| 01/02/95 | 32.20 | 17.67 | -- | 14.53 | 1.58 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 04/03/95 | 32.20 | 15.81 | -- | 16.39 | 1.86 | 570 | -- | 24 | ND | 3.4 | 5.8 | -- | -- | |
| 07/14/95 | 32.20 | 17.05 | -- | 15.15 | -1.24 | ND | -- | 14 | ND | ND | ND | -- | -- | |
| 10/10/95 | 32.20 | 18.08 | -- | 14.12 | -1.03 | 740 | -- | 170 | ND | ND | ND | 13000 | -- | |
| 01/03/96 | 32.20 | 18.02 | -- | 14.18 | 0.06 | 360 | -- | 16 | 1.3 | 2.7 | 1.4 | -- | -- | |
| 04/10/96 | 32.20 | 15.81 | -- | 16.39 | 2.21 | 120 | -- | 4.1 | 1.5 | ND | 0.88 | 3200 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|-------------------------|
| MW-7 continued | | | | | | | | | | | | | | |
| 07/09/96 | 32.20 | 16.99 | -- | 15.21 | -1.18 | ND | -- | ND | ND | ND | ND | 3400 | -- | |
| 01/24/97 | 32.20 | 16.08 | 0.00 | 16.12 | 0.91 | ND | -- | 16 | ND | ND | ND | 6600 | -- | |
| 07/23/97 | 32.20 | 17.99 | 0.00 | 14.21 | -1.91 | ND | -- | 16 | ND | ND | 0.62 | 10000 | -- | |
| 01/26/98 | 32.20 | 15.56 | -- | 16.64 | 2.43 | ND | -- | ND | ND | ND | 0.56 | ND | -- | |
| 07/03/98 | 32.20 | 17.04 | -- | 15.16 | -1.48 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 01/14/99 | 32.20 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | inaccessible-parked car |
| 07/15/99 | 32.20 | 15.72 | -- | 16.48 | -- | ND | -- | ND | ND | ND | ND | 290 | -- | |
| 01/07/00 | 32.20 | 16.80 | -- | 15.40 | -1.08 | ND | -- | 7.7 | ND | ND | 4.4 | 98 | -- | |
| 07/19/00 | 32.20 | 17.88 | -- | 14.32 | -1.08 | ND | -- | ND | 1.27 | ND | 0.979 | ND | -- | |
| 01/02/01 | 32.20 | 17.97 | -- | 14.23 | -0.09 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 05/23/01 | 32.20 | 16.81 | -- | 15.39 | 1.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 07/30/01 | 32.20 | 16.79 | -- | 15.41 | 0.02 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 10/15/01 | 32.20 | 16.98 | -- | 15.22 | -0.19 | ND<50 | -- | ND<0.50 | 0.58 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 01/14/02 | 32.20 | 14.85 | -- | 17.35 | 2.13 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 04/15/02 | 32.20 | 15.29 | -- | 16.91 | -0.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | 0.70 | ND<5.0 | -- | |
| 07/15/02 | 32.20 | 15.92 | -- | 16.28 | -0.63 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<0.50 | -- | |
| 01/18/03 | 32.20 | 15.11 | -- | 17.09 | 0.81 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<2.0 | -- | |
| 07/11/03 | 32.20 | 15.89 | -- | 16.31 | -0.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 19 | |
| 02/04/04 | 32.20 | 15.90 | 0.00 | 16.30 | -0.01 | -- | ND<50 | 3.6 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 3.2 | |
| 08/11/04 | 32.20 | 16.12 | 0.00 | 16.08 | -0.22 | -- | ND<5000 | 120 | ND<50 | ND<50 | ND<100 | -- | 5100 | |
| 03/31/05 | 32.20 | 13.99 | 0.00 | 18.21 | 2.13 | -- | ND<5000 | 190 | ND<50 | ND<50 | ND<100 | -- | 8400 | |
| 09/30/05 | 32.20 | 15.93 | 0.00 | 16.27 | -1.94 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 32.20 | 13.40 | 0.00 | 18.80 | 2.53 | -- | 2500 | 160 | 10 | 11 | 26 | -- | 5600 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-7 continued | | | | | | | | | | | | | | |
| 09/27/06 | 32.20 | 16.96 | 0.00 | 15.24 | -3.56 | -- | 2800 | 180 | ND<12 | 15 | 44 | -- | 4200 | |
| 03/27/07 | 32.20 | 17.30 | 0.00 | 14.90 | -0.34 | -- | 920 | 66 | 2.9 | 3.4 | 4.5 | -- | 970 | |
| 09/28/07 | 32.20 | 18.10 | 0.00 | 14.10 | -0.80 | -- | 4000 | 440 | 15 | 17 | 59 | -- | 3300 | |
| 03/26/08 | 32.20 | 17.64 | 0.00 | 14.56 | 0.46 | -- | 390 | 39 | 3.3 | 0.85 | 7.5 | -- | 96 | |
| 07/28/08 | 32.20 | 18.50 | 0.00 | 13.70 | -0.86 | -- | 64 | 3.3 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 8.7 | |
| 01/26/09 | 32.20 | 18.90 | 0.00 | 13.30 | -0.40 | -- | 80 | 7.9 | 0.58 | ND<0.50 | ND<1.0 | -- | 10 | |
| MW-8 (Screen Interval in feet: 11-29) | | | | | | | | | | | | | | |
| 04/28/93 | 32.33 | -- | -- | -- | -- | 450 | -- | 18 | 1.8 | 1.8 | 1.4 | -- | -- | |
| 07/23/93 | 32.33 | 18.45 | -- | 13.88 | -- | 260 | -- | 5.1 | ND | 0.6 | ND | -- | -- | |
| 10/05/93 | 32.00 | 18.57 | -- | 13.43 | -0.45 | 120 | -- | 1.7 | ND | ND | ND | -- | -- | |
| 01/03/94 | 32.00 | 18.73 | -- | 13.27 | -0.16 | ND | -- | ND | ND | ND | ND | 51 | -- | |
| 04/02/94 | 32.00 | 18.30 | -- | 13.70 | 0.43 | 150 | -- | 1.2 | ND | ND | ND | -- | -- | |
| 07/05/94 | 32.00 | 17.41 | -- | 14.59 | 0.89 | 730 | -- | 17 | ND | 1.6 | ND | -- | -- | |
| 10/06/94 | 32.00 | 18.98 | -- | 13.02 | -1.57 | 140 | -- | ND | ND | ND | ND | -- | -- | |
| 01/02/95 | 32.00 | 17.58 | -- | 14.42 | 1.40 | 440 | -- | 18 | 0.72 | 2.0 | 1.8 | -- | -- | |
| 04/03/95 | 32.00 | 15.54 | -- | 16.46 | 2.04 | 960 | -- | 11 | ND | ND | ND | -- | -- | |
| 07/14/95 | 32.00 | 16.81 | -- | 15.19 | -1.27 | 280 | -- | 4.2 | 2.6 | 1.1 | 3.3 | -- | -- | |
| 10/10/95 | 32.00 | 17.85 | -- | 14.15 | -1.04 | 110 | -- | 1.3 | 0.62 | 0.67 | ND | 170 | -- | |
| 01/03/96 | 32.00 | 17.82 | -- | 14.18 | 0.03 | 63 | -- | ND | 0.51 | ND | 1.8 | -- | -- | |
| 04/10/96 | 32.00 | 15.70 | -- | 16.30 | 2.12 | ND | -- | 1.1 | 0.61 | ND | ND | 60 | -- | |
| 07/09/96 | 32.00 | 16.78 | -- | 15.22 | -1.08 | 72 | -- | 1.0 | ND | ND | ND | 140 | -- | |
| 01/24/97 | 32.00 | 15.79 | 0.00 | 16.21 | 0.99 | ND | -- | ND | ND | ND | ND | 76 | -- | |
| 07/23/97 | 32.00 | 17.69 | 0.00 | 14.31 | -1.90 | ND | -- | ND | ND | ND | ND | 270 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-8 continued | | | | | | | | | | | | | | |
| 01/26/98 | 32.00 | 15.50 | -- | 16.50 | 2.19 | ND | -- | ND | ND | ND | 0.76 | 2.9 | -- | |
| 07/03/98 | 32.00 | 16.80 | -- | 15.20 | -1.30 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 01/14/99 | 32.00 | 17.13 | -- | 14.87 | -0.33 | ND | -- | ND | ND | ND | ND | 11 | -- | |
| 07/15/99 | 32.00 | 15.85 | -- | 16.15 | 1.28 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 01/07/00 | 32.00 | 16.94 | -- | 15.06 | -1.09 | ND | -- | ND | ND | ND | ND | 11 | -- | |
| 07/19/00 | 32.00 | 18.06 | -- | 13.94 | -1.12 | ND | -- | ND | 2.99 | 0.521 | ND | ND | -- | |
| 01/02/01 | 32.00 | 18.12 | -- | 13.88 | -0.06 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 05/23/01 | 32.00 | 16.96 | -- | 15.04 | 1.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 07/30/01 | 32.00 | 16.52 | -- | 15.48 | 0.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | 2.7 | -- | |
| 10/15/01 | 32.00 | 16.72 | -- | 15.28 | -0.20 | ND<50 | -- | ND<0.50 | 0.65 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 01/14/02 | 32.00 | 14.53 | -- | 17.47 | 2.19 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 04/15/02 | 32.00 | 14.96 | -- | 17.04 | -0.43 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<5.0 | -- | |
| 07/15/02 | 32.00 | 15.60 | -- | 16.40 | -0.64 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | 11 | -- | |
| 01/18/03 | 32.00 | 14.78 | -- | 17.22 | 0.82 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | ND<2.0 | -- | |
| 02/04/04 | 32.00 | 15.65 | 0.00 | 16.35 | -0.87 | -- | 52 | 2.3 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2.4 | |
| 08/11/04 | 32.00 | 15.86 | 0.00 | 16.14 | -0.21 | -- | 350 | ND<2.5 | ND<2.5 | ND<2.5 | ND<5.0 | -- | 310 | |
| 03/31/05 | 32.00 | 13.73 | 0.00 | 18.27 | 2.13 | -- | ND<2000 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 2100 | |
| 09/30/05 | 32.00 | 15.94 | 0.00 | 16.06 | -2.21 | -- | 1200 | ND<0.50 | 0.50 | ND<0.50 | ND<1.0 | -- | 6900 | |
| 03/27/06 | 32.00 | 13.13 | 0.00 | 18.87 | 2.81 | -- | 460 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 820 | |
| 09/27/06 | 32.00 | 16.75 | 0.00 | 15.25 | -3.62 | -- | 520 | ND<5.0 | ND<5.0 | ND<5.0 | 8.2 | -- | 870 | |
| 03/27/07 | 32.00 | 16.87 | 0.00 | 15.13 | -0.12 | -- | 1400 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | 3600 | |
| 09/28/07 | 32.00 | 17.91 | 0.00 | 14.09 | -1.04 | -- | 280 | ND<2.5 | ND<2.5 | ND<2.5 | ND<2.5 | -- | 670 | |
| 03/26/08 | 32.00 | 17.45 | 0.00 | 14.55 | 0.46 | -- | 110 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 210 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
June 1991 Through January 2009
76 Station 0752

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-8 continued | | | | | | | | | | | | | | |
| 07/28/08 | 32.00 | 18.50 | 0.00 | 13.50 | -1.05 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 11 | |
| 01/26/09 | 32.00 | 18.65 | 0.00 | 13.35 | -0.15 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 22 | |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Total Oil and Grease (mg/l) | Chloroform (µg/l) | Tetrachloro- ethene (PCE) (µg/l) | Trichloro- ethene (TCE) (µg/l) |
|--------------|-----------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-----------------------------------|----------------------|---|---|
| MW-1 | | | | | | | | | | | | |
| 06/05/91 | 47 | -- | -- | -- | -- | -- | -- | -- | -- | 7.8 | 2.9 | 1.3 |
| 09/30/91 | ND | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 12/30/91 | ND | -- | -- | -- | -- | -- | -- | -- | ND | 6.4 | 2.1 | 0.9 |
| 04/02/92 | 94 | -- | -- | -- | -- | -- | -- | -- | ND | 7.1 | 2.6 | 1.4 |
| 06/30/92 | 120 | -- | -- | -- | -- | -- | -- | -- | ND | 9.5 | 2.2 | 1.3 |
| 09/15/92 | ND | -- | -- | -- | -- | -- | -- | -- | -- | 12 | 2.2 | 1.3 |
| 12/21/92 | ND | -- | -- | -- | -- | -- | -- | -- | -- | 12 | 1.4 | 0.83 |
| 04/28/93 | 470 | -- | -- | -- | 1.1 | -- | -- | -- | -- | 12 | 0.89 | 0.85 |
| 07/23/93 | ND | -- | -- | -- | -- | -- | -- | -- | -- | 16 | 1.3 | 0.91 |
| 10/05/93 | 57 | -- | -- | -- | -- | -- | -- | -- | -- | 13 | 1.3 | 0.66 |
| 01/03/94 | ND | -- | -- | -- | -- | -- | -- | -- | -- | 18 | 1.4 | 0.93 |
| 04/02/94 | ND | -- | -- | -- | -- | -- | -- | -- | -- | 15 | 1.1 | 0.68 |
| 07/15/02 | -- | ND<5.0 | ND<25 | ND<0.5 | ND<0.5 | ND<1.0 | ND<0.5 | ND<0.5 | -- | -- | -- | -- |
| 01/18/03 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/11/03 | -- | -- | ND<25000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/04/04 | -- | ND<10000 | ND<50000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<1000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<2000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | i,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Total Oil and Grease (mg/l) | Chloroform (µg/l) | Tetrachloro- ethene (PCE) (µg/l) | Trichloro- ethene (TCE) (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-----------------------------------|----------------------|---|---|
| MW-1 continued | | | | | | | | | | | | |
| 01/26/09 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-2 | | | | | | | | | | | | |
| 07/11/03 | -- | -- | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 02/04/04 | -- | ND<100 | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/26/09 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-3 | | | | | | | | | | | | |
| 02/04/04 | -- | ND<100 | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<20000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<20000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<12000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<12000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<62000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<6200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<25000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<25000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Total Oil and Grease (mg/l) | Chloroform (µg/l) | Tetrachloro- ethene (PCE) (µg/l) | Trichloro- ethene (TCE) (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-----------------------------------|----------------------|---|---|
| MW-3 continued | | | | | | | | | | | | |
| 01/26/09 | -- | -- | ND<6200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-4 | | | | | | | | | | | | |
| 01/03/94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 9.0 | 1.0 | ND |
| 02/04/04 | -- | ND<2000 | ND<10000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<5000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<1300 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<5000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<1200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<2500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/26/09 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-5 | | | | | | | | | | | | |
| 02/04/04 | -- | ND<100 | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<50 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Total Oil and Grease (mg/l) | Chloroform (µg/l) | Tetrachloro- ethene (PCE) (µg/l) | Trichloro- ethene (TCE) (µg/l) |
|-----------------------|-----------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-----------------------------------|----------------------|---|---|
| MW-5 continued | | | | | | | | | | | | |
| 01/26/09 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-6 | | | | | | | | | | | | |
| 02/04/04 | -- | ND<100 | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<5000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<5000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<6200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<1200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<2500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/26/09 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MW-7 | | | | | | | | | | | | |
| 02/04/04 | -- | ND<100 | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<5000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<5000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<6200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<5000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/26/09 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | TPH-D (µg/l) | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | Total Oil and Grease (mg/l) | Chloroform (µg/l) | Tetrachloro- ethene (PCE) (µg/l) | Trichloro- ethene (TCE) (µg/l) |
|--------------|-----------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|-----------------------------------|----------------------|---|---|
| MW-8 | | | | | | | | | | | | |
| 01/03/94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1.5 | 1.2 | ND |
| 02/04/04 | -- | ND<100 | ND<500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 08/11/04 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/31/05 | -- | -- | ND<2000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/30/05 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/06 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/27/06 | -- | -- | ND<2500 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/27/07 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 09/28/07 | -- | -- | ND<1200 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 03/26/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 07/28/08 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 01/26/09 | -- | -- | ND<250 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 2 b
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | Cadmium (dissolved) (mg/l) | Calcium (mg/l) | Chromium (total) (mg/l) | Iron (total) (mg/l) | Lead (total) (mg/l) | Manganese (dissolved) (mg/l) | Nickel (total) (mg/l) | Zinc (dissolved) (mg/l) | Nitrate (mg/l) | Sulfate (mg/l) | Alkalinity (bicarb.) (mg/l) | BOD (mg/l) |
|--------------|----------------------------|----------------|-------------------------|---------------------|---------------------|------------------------------|-----------------------|-------------------------|----------------|----------------|------------------------------|------------|
| MW-1 | | | | | | | | | | | | |
| 12/30/91 | ND | -- | 0.0078 | -- | 0.0057 | -- | ND | 0.046 | -- | -- | -- | -- |
| 04/02/92 | ND | -- | 0.015 | -- | 0.016 | -- | ND | 0.02 | -- | -- | -- | -- |
| 06/30/92 | ND | -- | 0.079 | -- | 0.009 | -- | 0.1 | 0.087 | -- | -- | -- | -- |
| 04/10/96 | -- | 21 | -- | 15 | -- | 2.6 | -- | -- | -- | -- | 160 | -- |
| MW-2 | | | | | | | | | | | | |
| 01/03/96 | -- | 27 | -- | 77 | -- | 3.0 | -- | -- | 0.22 | 97 | 130 | 2.2 |
| 04/10/96 | -- | 58 | -- | 60 | -- | 7.0 | -- | -- | -- | -- | 460 | -- |
| MW-3 | | | | | | | | | | | | |
| 01/03/96 | -- | 43 | -- | -- | -- | -- | -- | -- | -- | 16 | -- | -- |

Table 2 c
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 0752

| Date Sampled | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|-----------------|---|--|
| MW-1 | | |
| 04/10/96 | 3.04 | -- |
| 07/09/96 | 3.13 | -- |
| 01/24/97 | 2.56 | -- |
| 07/23/97 | 2.81 | 2.26 |
| 01/26/98 | -- | 3.97 |
| 07/03/98 | -- | 3.58 |
| MW-2 | | |
| 01/03/96 | 1.80 | -- |
| 04/10/96 | 5.88 | -- |
| 07/09/96 | 0.71 | -- |
| 01/24/97 | 2.37 | -- |
| 07/23/97 | 0.97 | 1.40 |
| 01/26/98 | -- | 4.12 |
| 07/03/98 | -- | 3.99 |
| MW-3 | | |
| 01/03/96 | 1.50 | -- |