



#3769
BC

September 25, 1997

Juliet Shin
Alameda Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Third Quarter 1997 Monitoring Report**
Shell Service Station
4255 MacArthur Boulevard
Oakland, California 94619
WIC #204-5510-0600
Cambria Project #24-314-397

Dear Ms. Shin:

On behalf of Shell Oil Products Company, Cambria Environmental Technology, Inc. (Cambria) is submitting this monitoring report to satisfy the quarterly reporting requirements prescribed by California Administrative Code Title 23, Waters Division 3, Chapter 16, Article 5, Section 2652.d.

THIRD QUARTER 1997 ACTIVITIES

Ground Water Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California, measured ground water depths, checked for separate phase hydrocarbons (SPH) and collected ground water samples from the site wells (Figure 1). The Blaine report describing these activities and the analytic report for the ground water samples are included as Attachment A. Blaine removed SPH from passive skimmer devices in well MW-2 (Table 1). The quantities removed are presented in the table below.

CAMBRIA
ENVIRONMENTAL
TECHNOLOGY, INC.
1144 65TH STREET,
SUITE B
OAKLAND,
CA 94608
PH: (510) 420-0700
FAX: (510) 420-9170

Separate-Phase Hydrocarbon Removal Summary	
This Quarter (lbs)	Cumulative Removal (lbs)
0.97	18.25

Cambria calculated ground water elevations (Table 2), compiled the analytic data (Table 3 and Table 4), and prepared a ground water elevation contour map (Figure 1).

97 OCT 16 AM 9:44
ENVIRONMENTAL
PROTECTION

Juliet Shin
September 25, 1997

CAMBRIA

Soil Vapor Extraction (SVE) Pilot Test: A SVE pilot test was conducted on September 25, 1997. The results of the SVE test will be presented in a separate report during the fourth quarter 1997.

ANTICIPATED FOURTH QUARTER 1997 ACTIVITIES


Ground Water Monitoring: Blaine will gauge water levels, check for SPH and collect ground water samples from selected site wells. Cadmium, chromium, copper, and lead were not detected in the samples collected. Per your June 12, 1997 letter, metals analysis will be removed from the sampling program. Cambria will submit a report presenting a summary of activities for the upcoming quarter.

Additional Investigation: In response to an Alameda County Department of Environmental Health request, Cambria prepared an *Additional Offsite Subsurface Investigation Work Plan*, which proposed sampling two soil borings at the trailer park property adjacent to the site. We will implement the offsite investigation work plan after receiving written approval from your office.


CLOSING

We appreciate the opportunity to work with you on this project. Please call if you have any questions.

Sincerely,
Cambria Environmental Technology, Inc.




Khaled B. Rahman, R.G., C.H.G.
Senior Geologist



Attachments: A - Blaine Quarterly Ground Water Monitoring Report

cc: A. E. (Alex) Perez, Shell Oil Products Company, P.O. Box 8080, Martinez, California 94553

F:\PROJECT\SHELL\OAK4255\QM3Q97QM.WPD



EXPLANATION

- ⊙ **MW-1** Monitoring well
- SPH** Separate-Phase Hydrocarbons in monitoring well
- XXX- Ground water elevation contour, feet above msl, approximately located, dashed where inferred
- ← Inferred ground water flow direction

MW-1	1. Ground water elevation, ft above mean sea level
ELEV.	2. Benzene and MTBE concentrations are in parts per billion (ppb)
Benz. - Date	3. Date is most recent sampling unless otherwise indicated
MTBE - Date	

Figure 1. Ground Water Elevation Contours - July 8, 1997 - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Boulevard, Oakland, California

CAMBRIA

Table 1. Separate-Phase Hydrocarbon Removal - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Blvd., Oakland, California

Well ID	Date	Separate-Phase Hydrocarbon Thickness (ft)	Separate-Phase Hydrocarbons Removed (lbs)	Cumulative Hydrocarbons Removed (lbs)
MW-2	11/17/93	0.0	0.0	0.0
	01/20/94	0.0	0.0	0.0
	04/25/94	0.0	0.0	0.0
	07/07/94	0.0	0.0	0.0
	01/13/95	0.0	0.0	0.0
	04/12/95	0.0	0.0	0.0
	08/10/95	0.52	5.98 ^a	5.98
	10/18/95	0.13	0.0	5.98
	01/17/96	0.17	1.74	7.72
	04/25/96	0.03	0.65	8.37
	07/17/96	0.48	2.11	10.48
	10/01/96	0.28	0.81	11.29
	01/22/97	0.11	0.48	11.77
	04/08/97	0.20	0.97	12.74
	07/08/97	0.15	0.97	13.71
MW-3	11/17/93	0.0	0.0	0.0
	01/20/94	0.0	0.0	0.0
	04/25/94	0.0	0.0	0.0
	07/07/94	0.0	0.0	0.0
	01/13/95	---	0.02	0.02
	04/12/95	---	0.02	0.04
	08/10/95	0.06	0.69 ^a	0.73
	10/18/95	0.05	0.0	0.73
	01/17/96	0.24	2.62	3.35
	04/25/96	0.02	0.33	3.68
	07/17/96	0.03	0.70	4.38
	04/08/97	0.03	0.16	4.54
	07/08/97	0.0	0.0	4.54
TOTAL HYDROCARBONS REMOVED				18.25

Notes and Abbreviations:

--- = not measured

Weight of separate-phase hydrocarbons (SPH) converted from volume to weight using the relation 1 liter gasoline = 1.61 pounds

a = SPH in 10" boring and 4" well estimated by following factor: 1 ft of SPH = 11.5 lbs of SPH.

CAMBRIA

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Blvd., Oakland, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft below TOC)	Separate-phase Hydrocarbons (ft)	Ground Water Elevation ^a (ft above msl)
MW-1	11/17/93	175.79	8.59	---	167.20
	01/20/94		8.22	---	167.57
	04/25/94		7.63	---	168.16
	07/07/94		8.31	---	167.48
	10/27/94		8.84	---	166.95
	11/17/94		7.60	---	168.19
	11/28/94		7.56	---	168.23
	01/13/95		7.11	---	168.68
	04/12/95		7.08	---	168.71
	07/25/95		7.73	---	168.06
	10/18/95		8.42	---	167.37
	01/17/96		7.83	---	167.96
	04/25/96		7.35	---	168.44
	07/17/96		7.70	---	168.09
	10/01/96		8.07	---	167.72
	01/22/97		7.21	---	168.58
	04/08/97		7.75	---	168.04
	07/08/97		8.01	---	167.78
MW-2	11/17/93	170.91	12.31	---	158.60
	01/20/94		11.48	---	159.43
	04/25/94		10.84	---	160.07
	07/07/94		11.89	---	159.02
	10/27/94		12.89	---	158.02
	11/17/94		9.11	---	161.80
	11/28/94		9.22	---	161.69
	01/13/95		8.10	---	162.81
	04/12/95		10.12	---	160.79
	07/25/95		11.53	0.52	159.80
	10/18/95		14.02	0.13	156.99
	01/17/96		10.27	0.17	160.78
	04/25/96		11.68	0.03	159.25
	07/17/96		12.78	0.48	158.81
	10/01/96		14.21	0.28	156.70
	01/22/97		10.92	0.11	160.08
	04/08/97		14.12	0.20	156.95
	07/08/97		14.98	0.19	156.08
MW-3	11/17/93	174.61	15.40	---	159.21
	01/20/94		14.61	---	160.00
	04/25/94		13.12	---	161.49
	07/07/94		14.54	0.02	160.07
	10/27/94		15.62	0.05	159.03

CAMBRIA

Table 2. Ground Water Elevations - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Blvd., Oakland, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft below TOC)	Separate-phase Hydrocarbons (ft)	Ground Water Elevation ^a (ft above msl)
	11/17/94		13.83	---	160.78
	11/28/94		14.02	---	160.59
	01/13/95		12.13	---	162.48
	04/12/95		12.96	---	161.65
	07/25/95		14.28	0.06	160.38
	10/18/95		15.88	0.05	158.77
	01/17/96		13.86	0.24	160.94
	04/25/96		13.82	0.02	160.81
	07/17/96		16.11	0.03	158.52
	10/01/96		16.56	---	158.05
	01/22/97		13.07	---	161.54
	04/08/97		17.09	0.03	157.54
	07/08/97		15.85	---	158.76
MW-4	11/17/94	164.06	6.62	---	157.44
	11/28/94		6.11	---	157.95
	01/13/95		6.05	---	158.01
	04/12/95		6.31	---	157.75
	07/25/95		7.36	---	156.70
	10/18/95		8.54	---	155.52
	01/17/96		8.48	---	155.58
	04/25/96		7.40	---	156.66
	07/17/96		7.75	---	156.31
	10/01/96		8.82	---	155.24
	01/22/97		7.51	---	156.55
	04/08/97		7.18	---	156.88
	07/08/97		9.00	---	155.06

Notes and Abbreviations:

A = When separate-phase hydrocarbons are present, ground water elevation is corrected using the relation: Corrected ground water elevation equals top of casing elevation minus depth to water plus (0.8 x separate phase hydrocarbon thickness).

--- = Data not available

msl = Mean sea level

TOC = Top of Casing

Table 3. Ground Water Analytic Results for Petroleum Hydrocarbons - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Boulevard, Oakland, California

Well ID	Date Sampled	Depth to Water (ft)	TPH-G		MTBE	B		T	E		X
			←			parts per billion (µg/L)			→		
MW-1	11/17/93	8.59	410		---	21		11	7.9		47
	01/20/94	8.22	1,200		---	180		19	48		47
	04/25/94	7.63	3,100		---	610		<10	130		27
	07/07/94	8.31	2,400		---	1,000		10	250		20
	10/27/94	8.84	2,200		---	500		3.1	72		1.8
	01/13/95	7.11	570		---	75		2.5	6.7		11
	04/12/95	7.08	1,800		---	480		<5.0	79		<5.0
	07/25/95	7.73	120		---	15		1.1	2.1		2.9
	07/25/95 ^{dup}	7.73	300		---	88		2.4	11		6.5
	10/18/95	8.42	130		---	9.5		0.8	1.3		1.7
	10/18/95 ^{dup}	8.42	120		---	11		0.8	1.4		1.8
	01/17/96	7.83	250		---	22		0.9	1.6		2.3
	04/25/96	7.35	<50		500 ^b	4.6		<0.5	<0.5		0.60
	07/17/96	7.70	<250		540	15		<2.5	<2.5		<2.5
	10/01/96	8.07	1,200		1,900	500		12	57		82
	01/22/97	7.21	640		1,200	170		4.3	33		33
	04/08/97	7.75	<200		950	34		<2.0	3.3		4.3
	04/08/97 ^{dup}	7.75	<200		740	66		<2.0	6.4		8.0
	07/08/97	8.01	190		560	49		1.2	5.8		8.6
	MW-2	11/17/93	12.31	31,000		---	9,400		4,600	1,000	
01/20/94		11.48	40,000		---	6,900		5,600	780		4,100
01/20/94 ^{dup}		11.48	41,000		---	7,200		6,200	900		4,800
04/25/94		10.84	60,000		---	9,300		6,100	1,400		6,200
07/07/94		11.89	280,000 ^a		---	40,000		26,000	8,100		32,000
07/07/94 ^{dup}		11.89	53,000		---	13,000		6,600	2,000		8,400
10/27/94		12.89	130,000		---	14,000		12,000	2,400		13,000
10/27/94 ^{dup}		12.89	390,000		---	8,800		7,000	1,700		11,000
01/13/95		8.10	75,000		---	5,900		12,000	3,100		17,000
04/12/95		10.12	100,000		---	8,500		11,000	2,400		12,000
04/12/95 ^{dup}		10.12	80,000		---	4,200		9,300	2,500		12,000
08/10/95 ^{SPH}		11.53	---		---	---		---	---		---
10/18/95 ^{SPH}	14.02	---		---	---		---	---		---	

CAMBRIA

Table 3. Ground Water Analytic Results for Petroleum Hydrocarbons - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Boulevard, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	parts per billion (µg/L)					
			TPH-G	MTBE	B	T	E	X
	01/17/96 ^{SPH}	10.27	---	---	---	---	---	---
	04/25/96 ^{SPH}	11.68	---	---	---	---	---	---
	07/17/96 ^{SPH}	12.78	---	---	---	---	---	---
	10/01/96 ^{SPH}	14.21	---	---	---	---	---	---
	01/22/97 ^{SPH}	10.92	---	---	---	---	---	---
	04/08/97 ^{SPH}	14.12	---	---	---	---	---	---
	07/08/97^{SPH}	14.98	---	---	---	---	---	---
MW-3	11/17/93	15.40	18,000	---	5,400	660	720	2,200
	01/20/94	14.61	55,000	---	13,000	2,600	2,200	6,500
	04/25/94	13.12	96,000	---	11,000	1,600	3,100	9,900
	04/25/94 ^{dup}	13.12	78,000	---	12,000	1,900	2,600	7,300
	07/07/94 ^{SPH}	14.54	---	---	---	---	---	---
	10/27/94 ^{SPH}	15.62	---	---	---	---	---	---
	01/13/95	12.13	180,000	---	3,200	2,700	1,700	5,200
	01/13/95 ^{dup}	12.13	23,000	---	4,000	690	960	3,000
	04/12/95	12.96	56,000	---	8,700	1,500	2,100	6,300
	08/10/95 ^{SPH}	14.28	---	---	---	---	---	---
	10/18/95 ^{SPH}	15.88	---	---	---	---	---	---
	01/17/96 ^{SPH}	13.86	---	---	---	---	---	---
	04/25/96 ^{SPH}	13.82	---	---	---	---	---	---
	07/17/96 ^{SPH}	16.11	---	---	---	---	---	---
	10/01/96	16.56	46,000	3,200	7,300	530	1,700	3,900
	10/01/96 ^{dup}	16.56	47,000	2,900	7,100	530	1,700	4,000
	01/22/97	13.07	82,000	1,100	5,200	1,300	2,800	8,900
	01/22/97 ^{dup}	13.07	61,000	2,700	8,400	1,100	2,300	7,000
	04/08/97 ^{SPH}	17.09	---	---	---	---	---	---
	07/08/97	15.85	56,000	2,800	8,800	580	2,000	4,900
MW-4	11/28/94	6.11	2,900	---	200	17	76	260
	01/13/95	6.05	1,900	---	130	5.6	13	40
	04/14/95	6.31	680	---	150	<2.0	10	13
	07/25/95	7.36	340	---	100	0.8	8.8	3.0

Table 3. Ground Water Analytic Results for Petroleum Hydrocarbons - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Boulevard, Oakland, California (continued)

Well ID	Date Sampled	Depth to Water (ft)	parts per billion (µg/L)						
			TPH-G	MTBE	B	T	E	X	
	10/18/95	8.54	150	---	31	<0.5	3.5	0.8	
	01/17/96	8.48	290	---	14	<0.5	1.8	0.8	
	04/25/96	7.40	<500	1,700	65	<5	<5	<5	
	04/25/96 ^{dup}	7.40	<500	1,500	66	<5	8.7	<5	
	07/17/96	7.75	<500	1,500	84	<5.0	6.5	<5.0	
	07/17/96 ^{dup}	7.75	<500	1,700 (2,100)	54	<5.0	<5.0	<5.0	
	10/01/96	8.82	<500	3,000	1.9	<5.0	<5.0	<5.0	
	01/22/97	7.51	580	1,200	130	<2.5	18	5.2	
	04/08/97	7.18	770	1,500	200	7.0	26	55	
	07/08/97	9.00	570	1,200	78	<5.0	14	11	
	07/08/97 ^{dup}	9.00	640	1,600	81	<5.0	16	19	
Trip	01/20/94		<50	---	<0.5	<0.5	<0.5	<0.5	
Blank	04/25/94		<50	---	<0.5	<0.5	<0.5	<0.5	
	07/07/94		<50	---	<0.5	<0.5	<0.5	<0.5	
	10/27/94		<50	---	<0.5	<0.5	<0.5	<0.5	
	01/13/95		<50	---	<0.5	<0.5	<0.5	<0.5	
	04/12/95		<50	---	<0.5	<0.5	<0.5	0.89	
	07/25/95		<50	---	<0.5	<0.5	<0.5	<0.5	
	10/18/95		<50	---	<0.5	<0.5	<0.5	<0.5	
MCLs			NE	NE	1	150	700	1,750	

Table 3. Ground Water Analytic Results for Petroleum Hydrocarbons - Shell Service Station WIC #204-5510-0600, 4255 MacArthur Boulevard, Oakland, California

Abbreviations:

TPH-G = Total petroleum hydrocarbons as gasoline by Modified EPA Method 8015
MTBE = Methyl-tert-butyl-ether by EPA Method 8020. Result in parentheses indicates MTBE by EPA Method 8260

B = Benzene by EPA Method 8020

E = Ethylbenzene by EPA Method 8020

T = Toluene by EPA Method 8020

X = Xylenes by EPA Method 8020

SPH = Separate-phase hydrocarbons present, well not sampled

NE = Not established

MCLs = California primary maximum contaminant levels for drinking water
(22 CCR 64444)

-- = Not analyzed

<n = Not detected at detection limits of n µg/L

dup = Duplicate sample

µg/L = Micrograms per liter

Notes:

a = Ground water surface had a sheen when sampled.

b = MTBE value is estimated by Sequoia Analytical of Redwood City, California

CAMBRIA

**Table 4. Ground Water Analytic Results for Metals - Shell Service Station WIC #204-5510-0600
4255 MacArthur Boulevard, Oakland, California**

Well ID	Date	(mg/L)			
		Cadmium	Chromium	Copper	Lead
MW-1	01/22/97	<0.010	<0.010	<0.010	<0.10
	04/08/97	<0.010	0.02	0.017	<0.10
	04/08/97 ^{dup}	<0.010	<0.010	<0.010	<0.10
	07/08/97	<0.010	<0.010	<0.010	<0.10
MW-2	01/22/97 ^{SPH}	--	--	--	--
	07/08/97 ^{SPH}	--	--	--	--
MW-3	01/22/97	<0.010	0.025	0.034	<0.10
	07/08/97	<0.010	<0.010	<0.010	<0.10
MW-4	01/22/97	<0.010	0.19	0.14	<0.10
	04/08/97	<0.010	0.065	0.052	<0.10
	07/08/97	<0.010	<0.010	<0.010	<0.10
	07/08/97 ^{dup}	<0.010	<0.010	<0.010	<0.10
MCLs		0.005	0.050	NE	NE

Abbreviations:

SPH = Well not sampled due to presence of separate-phase hydrocarbons.

mg/L = Milligrams per liter

dup = Duplicate sample

MCL = California Primary maximum contaminant levels for drinking water (22 CCR 64431)

NE = Not established.

CAMBRIA

ATTACHMENT A

Blaine Quarterly Ground Water Monitoring Report

BLAINE
TECH SERVICES INC.



1680 ROGERS AVENUE
SAN JOSE, CALIFORNIA 95112
(408) 573-7771 FAX
(408) 573-0555 PHONE

July 30, 1997

Shell Oil Company
P.O. Box 5278
Concord, CA 94520-9998

Attn: Alex Perez

Shell WIC #204-5510-0600
4255 MacArthur Blvd.
Oakland, California

3rd Quarter 1997

Quarterly Groundwater Monitoring Report 970708-T-1

Blaine Tech Services, Inc. performs environmental sampling and documentation as an independent third party. Copies of our Sampling Report along with the laboratory's Certified Analytical Report are forwarded to the consultant overseeing work at this site. Submission of the assembled documents to interested regulatory agencies will be made by the designated consultant.

Groundwater monitoring at this site was performed in accordance with Standard Operating Procedures provided to the interested regulatory agencies. If you have any questions about the work performed at this site please call me at (408) 573-0555 ext. 201.

Yours truly,

Francis Thie

attachments: Table of Well Gauging Data
Chain of Custody
Field Data Sheets
Certified Analytical Report

cc: Cambria Environmental Technology, Inc.
1144 65th Street, Suite C
Oakland, CA 94608
Attn: Josh Bergstrom

(Any professional evaluations or recommendations will be made by the consultant under separate cover.)

TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	07/08/97	TOC	—	NONE	—	—	8.01	23.25
MW-2	07/08/97	FREE PRODUCT	ODOR	14.79	0.19	600	14.98	—
MW-3	07/08/97	TOC	ODOR	NONE	—	—	15.85	21.85
MW-4 *	07/08/97	TOC	ODOR	NONE	—	—	9.00	30.20

* Sample DUP was a duplicate sample taken from well MW-4.



SHELL OIL COMPANY
RETAIL ENVIRONMENTAL ENGINEERING - WEST

CHAIN OF CUSTODY RECORD

Serial No: 970708-T1

Date: _____
Page of _____

Site Address: 4255 MacArthur Blvd., Oakland

WIC#: 204-5510-0600

Shell Engineer: Alex Perez
Phone No.: (510) 675-6168
Fax #: 675-6172

Consultant Name & Address: Blaine Tech Services
1680 Rogers Ave.
San Jose, CA 95112

Consultant Contact: Fran Thie
Phone No.: (408) 573-0555
Fax #: 573-7771

Comments:

Sampled by: Frank

Printed Name: Miketail

Analysis Required

TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020, MTBE	Cadmium, Chromium, Copper, Lead	Asbestos	Container Size	Preparation Used	Composite Y/N
-------------------------	----------------------------	---------------------	------------------------------	-------------------	--	---------------------------------	----------	----------------	------------------	---------------

LAB: SEQUOIA

CHECK ONE (1) BOX ONLY	CT/DT	TURN AROUND TIME
Quarterly Monitoring <input checked="" type="checkbox"/> 6441		24 hours <input type="checkbox"/>
Site Investigation <input type="checkbox"/> 6441		48 hours <input type="checkbox"/>
Soil Cleanup/Disposal <input type="checkbox"/> 6442		15 days <input checked="" type="checkbox"/> (Normal)
Water Cleanup/Disposal <input type="checkbox"/> 6443		Other <input type="checkbox"/>
Soil/Air Rem. of Sys. O & M <input type="checkbox"/> 6462		
Water Rem. of Sys. O & M <input type="checkbox"/> 6463		
Other <input type="checkbox"/>		

NOTE: Notify Lab as soon as possible of 24/48 hr. TAT.

JUL 9 11 26

Sample ID	Date	Sludge	Soil	Water	Air	No. of conds.	TPH (EPA 8015 Mod. Gas)	TPH (EPA 8015 Mod. Diesel)	BTEX (EPA 8020/602)	Volatile Organics (EPA 8240)	Test for Disposal	Combination TPH 8015 & BTEX 8020, MTBE	Cadmium, Chromium, Copper, Lead	Asbestos	Container Size	Preparation Used	Composite Y/N	MATERIAL DESCRIPTION	SAMPLE CONDITION/ COMMENTS
1 MW1	7/8			X		4						X	X						9707519
2 MW3	7/8			X		4						X	X						
3 MW4	7/8			X		4						X	X						
4 DUP	7/8			X		4						X	X						
5 EB	7/8			X		4						X	X						

Relinquished By (signature): <u>[Signature]</u>	Printed Name: <u>Miketail</u>	Date: <u>7/9</u>	Received (signature): <u>[Signature]</u>	Printed Name: <u>USATE PENAFOR</u>	Date: <u>7/9</u>
Relinquished By (signature): <u>[Signature]</u>	Printed Name: <u>PENAFOR</u>	Date: <u>7/9</u>	Received (signature): <u>[Signature]</u>	Printed Name: _____	Date: _____
Relinquished By (signature): <u>[Signature]</u>	Printed Name: _____	Date: _____	Received (signature): <u>[Signature]</u>	Printed Name: <u>UCARDENOS</u>	Date: <u>7/9/97</u>

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS



Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Project: Shell Oakland/970708-T1

Enclosed are the results from samples received at Sequoia Analytical on July 9, 1997.
The requested analyses are listed below:

<u>SAMPLE #</u>	<u>SAMPLE DESCRIPTION</u>	<u>DATE COLLECTED</u>	<u>TEST METHOD</u>
9707519 -01	LIQUID, MW1	07/08/97	Cadmium
9707519 -01	LIQUID, MW1	07/08/97	Chromium
9707519 -01	LIQUID, MW1	07/08/97	Copper
9707519 -01	LIQUID, MW1	07/08/97	Lead
9707519 -01	LIQUID, MW1	07/08/97	TPGBMW Purgeable TPH/BTEX
9707519 -02	LIQUID, MW3	07/08/97	Cadmium
9707519 -02	LIQUID, MW3	07/08/97	Chromium
9707519 -02	LIQUID, MW3	07/08/97	Copper
9707519 -02	LIQUID, MW3	07/08/97	Lead
9707519 -02	LIQUID, MW3	07/08/97	TPGBMW Purgeable TPH/BTEX
9707519 -03	LIQUID, MW4	07/08/97	Cadmium
9707519 -03	LIQUID, MW4	07/08/97	Chromium
9707519 -03	LIQUID, MW4	07/08/97	Copper
9707519 -03	LIQUID, MW4	07/08/97	Lead
9707519 -03	LIQUID, MW4	07/08/97	TPGBMW Purgeable TPH/BTEX
9707519 -04	LIQUID, Dup	07/08/97	Cadmium
9707519 -04	LIQUID, Dup	07/08/97	Chromium
9707519 -04	LIQUID, Dup	07/08/97	Copper
9707519 -04	LIQUID, Dup	07/08/97	Lead
9707519 -04	LIQUID, Dup	07/08/97	TPGBMW Purgeable TPH/BTEX
9707519 -05	LIQUID, EB	07/08/97	Cadmium

SEQUOIA ANALYTICAL





Sequoia Analytical

680 Chesapeake Drive
404 N. Wiget Lane
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Walnut Creek, CA 94598
Sacramento, CA 95834

(415) 364-9600
(510) 988-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 988-9673
FAX (916) 921-0100

<u>SAMPLE #</u>	<u>SAMPLE DESCRIPTION</u>	<u>DATE COLLECTED</u>	<u>TEST METHOD</u>
9707519 -05	LIQUID, EB	07/08/97	Chromium
9707519 -05	LIQUID, EB	07/08/97	Copper
9707519 -05	LIQUID, EB	07/08/97	Lead
9707519 -05	LIQUID, EB	07/08/97	TPGBMW Purgeable TPH/BTEX

Please contact me if you have any questions. In the meantime, thank you for the opportunity to work with you on this project.

Very truly yours,

SEQUOIA ANALYTICAL


Peggy Penner
Project Manager






Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/970708-T1 Lab Proj. ID: 9707519	Sampled: 07/08/97 Received: 07/09/97 Analyzed: see below Reported: 07/21/97
Attention: Fran Thie		

LABORATORY ANALYSIS

Analyte	Units	Date Analyzed	Detection Limit	Sample Results
Lab No: 9707519-01 Sample Desc : LIQUID,MW1				
Cadmium	mg/L	07/16/97	0.010	N.D.
Chromium	mg/L	07/16/97	0.010	N.D.
Copper	mg/L	07/16/97	0.010	N.D.
Lead	mg/L	07/16/97	0.10	N.D.
Lab No: 9707519-02 Sample Desc : LIQUID,MW3				
Cadmium	mg/L	07/16/97	0.010	N.D.
Chromium	mg/L	07/16/97	0.010	N.D.
Copper	mg/L	07/16/97	0.010	N.D.
Lead	mg/L	07/16/97	0.10	N.D.
Lab No: 9707519-03 Sample Desc : LIQUID,MW4				
Cadmium	mg/L	07/16/97	0.010	N.D.
Chromium	mg/L	07/16/97	0.010	N.D.
Copper	mg/L	07/16/97	0.010	N.D.
Lead	mg/L	07/16/97	0.10	N.D.
Lab No: 9707519-04 Sample Desc : LIQUID,Dup				
Cadmium	mg/L	07/16/97	0.010	N.D.
Chromium	mg/L	07/16/97	0.010	N.D.
Copper	mg/L	07/16/97	0.010	N.D.
Lead	mg/L	07/16/97	0.10	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager






Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/970708-T1 Lab Proj. ID: 9707519	Sampled: 07/08/97 Received: 07/09/97 Analyzed: see below Reported: 07/21/97
Attention: Fran Thie		

LABORATORY ANALYSIS

Analyte	Units	Date Analyzed	Detection Limit	Sample Results
Lab No: 9707519-05 Sample Desc: LIQUID,EB				
Cadmium	mg/L	07/16/97	0.010	N.D.
Chromium	mg/L	07/16/97	0.010	N.D.
Copper	mg/L	07/16/97	0.010	N.D.
Lead	mg/L	07/16/97	0.10	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Peggy Penner
Project Manager





Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112

Client Proj. ID: Shell Oakland/970708-T1
Sample Descript: MW1
Matrix: LIQUID
Analysis Method: 8015Mod/8020
Lab Number: 9707519-01

Sampled: 07/08/97
Received: 07/09/97
Analyzed: 07/16/97
Reported: 07/21/97

Attention: Fran Thie

QC Batch Number: GC071697BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	100	190
Methyl t-Butyl Ether	5.0	560
Benzene	1.0	49
Toluene	1.0	1.2
Ethyl Benzene	1.0	5.8
Xylenes (Total)	1.0	8.6
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	100

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/970708-T1 Sample Descript: MW3 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9707519-02	Sampled: 07/08/97 Received: 07/09/97 Analyzed: 07/15/97 Reported: 07/21/97
Attention: Fran Thie		

QC Batch Number: GC071597BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	10000	56000
Methyl t-Butyl Ether	500	2800
Benzene	100	8800
Toluene	100	580
Ethyl Benzene	100	2000
Xylenes (Total)	100	4900
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	92

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/970708-T1 Sample Descript: MW4 Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9707519-03	Sampled: 07/08/97 Received: 07/09/97 Analyzed: 07/15/97 Reported: 07/21/97
--	---	---


QC Batch Number: GC071597BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	570
Methyl t-Butyl Ether	25	1200
Benzene	5.0	78
Toluene	5.0	N.D.
Ethyl Benzene	5.0	14
Xylenes (Total)	5.0	11
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	85

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/970708-T1 Sample Descript: Dup Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9707519-04	Sampled: 07/08/97 Received: 07/09/97 Analyzed: 07/16/97 Reported: 07/21/97
Attention: Fran Thie		

QC Batch Number: GC071697BTEX18A
Instrument ID: GCHP18

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	500	640
Methyl t-Butyl Ether	25	1600
Benzene	5.0	81
Toluene	5.0	N.D.
Ethyl Benzene	5.0	16
Xylenes (Total)	5.0	19
Chromatogram Pattern:		C6-C12
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	102

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112	Client Proj. ID: Shell Oakland/970708-T1 Sample Descript: EB Matrix: LIQUID Analysis Method: 8015Mod/8020 Lab Number: 9707519-05	Sampled: 07/08/97 Received: 07/09/97 Analyzed: 07/15/97 Reported: 07/21/97
--	--	---

QC Batch Number: GC071597BTEX06A
Instrument ID: GCHP06

Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

Analyte	Detection Limit ug/L	Sample Results ug/L
TPPH as Gas	50	N.D.
Methyl t-Butyl Ether	2.5	N.D.
Benzene	0.50	N.D.
Toluene	0.50	N.D.
Ethyl Benzene	0.50	N.D.
Xylenes (Total)	0.50	N.D.
Chromatogram Pattern:		
Surrogates	Control Limits %	% Recovery
Trifluorotoluene	70 130	97

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210


Peggy Penner
Project Manager





Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Shell Oakland / 970708-T1
Matrix: Liquid

Work Order #: 9707519 -01-05

Reported: Jul 25, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Beryllium	Cadmium	Chromium	Nickel
QC Batch#:	ME0716976010MDA	ME0716976010MDA	ME0716976010MDA	ME0716976010MDA
Analy. Method:	EPA 6010	EPA 6010	EPA 6010	EPA 6010
Prep. Method:	EPA 3010	EPA 3010	EPA 3010	EPA 3010

Analyst:	R. Butler	R. Butler	R. Butler	R. Butler
MS/MSD #:	970743101	970743101	970743101	970743101
Sample Conc.:	N.D.	N.D.	0.44	N.D.
Prepared Date:	7/16/97	7/16/97	7/16/97	7/16/97
Analyzed Date:	7/16/97	7/16/97	7/16/97	7/16/97
Instrument I.D.#:	MTJA2	MTJA2	MTJA2	MTJA2
Conc. Spiked:	1.0 mg/L	1.0 mg/L	1.0 mg/L	1.0 mg/L
Result:	1.0	1.0	1.4	1.0
MS % Recovery:	100	100	100	100
Dup. Result:	0.98	1.0	1.4	1.0
MSD % Recov.:	98	100	100	100
RPD:	2.0	0.0	0.0	0.0
RPD Limit:	0-20	0-20	0-20	0-20

LCS #:	BLK071697	BLK071697	BLK071697	BLK071697
Prepared Date:	7/16/97	7/16/97	7/16/97	7/16/97
Analyzed Date:	7/16/97	7/16/97	7/16/97	7/16/97
Instrument I.D.#:	MTJA2	MTJA2	MTJA2	MTJA2
Conc. Spiked:	1.0 mg/L	1.0 mg/L	1.0 mg/L	1.0 mg/L
LCS Result:	0.98	0.98	1.0	1.0
LCS % Recov.:	98	98	100	100

MS/MSD	80-120	80-120	80-120	80-120
LCS	80-120	80-120	80-120	80-120
Control Limits				

Please Note:
The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS= Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9707519.BLA <1>

SEQUOIA ANALYTICAL

Reggy Penner
Project Manager





Blaine Tech Services, Inc.
1680 Rogers Avenue
San Jose, CA 95112
Attention: Fran Thie

Client Project ID: Shell Oakland / 970708-T1
Matrix: Liquid

Work Order #: 9707519-01, 04

Reported: Jul 25, 1997

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC071697BTEX18A	GC071697BTEX18A	GC071697BTEX18A	GC071697BTEX18A	GC071697BTEX18A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	970753608	970753608	970753608	970753608	970753608
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	7/16/97	7/16/97	7/16/97	7/16/97	7/16/97
Analyzed Date:	7/16/97	7/16/97	7/16/97	7/16/97	7/16/97
Instrument I.D.#:	GCHP18	GCHP18	GCHP18	GCHP18	GCHP18
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	8.4	8.4	8.2	27	52
MS % Recovery:	84	84	82	90	87
Dup. Result:	8.9	8.8	8.6	28	53
MSD % Recov.:	89	88	86	93	88
RPD:	5.8	4.7	4.8	3.6	1.9
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK071697	BLK071697	BLK071697	BLK071697	BLK071697
Prepared Date:	7/16/97	7/16/97	7/16/97	7/16/97	7/16/97
Analyzed Date:	7/16/97	7/16/97	7/16/97	7/16/97	7/16/97
Instrument I.D.#:	GCHP18	GCHP18	GCHP18	GCHP18	GCHP18
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	8.8	8.9	8.6	28	60
LCS % Recov.:	88	89	86	93	100

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9707519.BLA <2>

SEQUOIA ANALYTICAL

Paggy Penner
Project Manager





Blaine Tech Services, Inc. 1680 Rogers Avenue San Jose, CA 95112 Attention: Fran Thie	Client Project ID: Shell Oakland / 970708-T1 Matrix: Liquid Work Order #: 9707519-02-03, 05	Reported: Jul 25, 1997
---	--	-------------------------------

QUALITY CONTROL DATA REPORT

Analyte:	Benzene	Toluene	Ethyl Benzene	Xylenes	Gas
QC Batch#:	GC071597BTEX06A	GC071597BTEX06A	GC071597BTEX06A	GC071597BTEX06A	GC071597BTEX06A
Analy. Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015M
Prep. Method:	EPA 5030	EPA 5030	EPA 5030	EPA 5030	EPA 5030

Analyst:	A. Porter	A. Porter	A. Porter	A. Porter	A. Porter
MS/MSD #:	970719608	970719608	970719608	970719608	970719608
Sample Conc.:	N.D.	N.D.	N.D.	N.D.	N.D.
Prepared Date:	7/15/97	7/15/97	7/15/97	7/15/97	7/15/97
Analyzed Date:	7/15/97	7/15/97	7/15/97	7/15/97	7/15/97
Instrument I.D.#:	GCHP6	GCHP6	GCHP6	GCHP6	GCHP6
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
Result:	7.3	7.0	6.9	20	50
MS % Recovery:	73	70	69	67	83
Dup. Result:	8.6	8.2	8.1	24	59
MSD % Recov.:	86	82	81	80	98
RPD:	16	16	16	18	17
RPD Limit:	0-25	0-25	0-25	0-25	0-25

LCS #:	BLK071597	BLK071597	BLK071597	BLK071597	BLK071597
Prepared Date:	7/15/97	7/15/97	7/15/97	7/15/97	7/15/97
Analyzed Date:	7/15/97	7/15/97	7/15/97	7/15/97	7/15/97
Instrument I.D.#:	GCHP6	GCHP6	GCHP6	GCHP6	GCHP6
Conc. Spiked:	10 µg/L	10 µg/L	10 µg/L	30 µg/L	60 µg/L
LCS Result:	8.6	8.1	8.1	24	58
LCS % Recov.:	86	81	81	80	97

MS/MSD	60-140	60-140	60-140	60-140	60-140
LCS	70-130	70-130	70-130	70-130	70-130
Control Limits					

SEQUOIA ANALYTICAL

Peggy Penner
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

** MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9707519.BLA <3>






Blaine Tech Services 1680 Rogers Avenue San Jose, CA 95112 Attention: Fran Thie	Client Proj. ID: Shell Oakland/970708-T1 Lab Proj. ID: 9707519	Received: 07/09/97 Reported: 07/21/97
--	---	--

LABORATORY NARRATIVE

In order to properly interpret this report, it must be reproduced in its entirety. This report contains a total of 15 pages including the laboratory narrative, sample results, quality control, and related documents as required (cover page, COC, raw data, etc.).

SEQUOIA ANALYTICAL



Peggy Penner
Project Manager

07:16 AM 9/13/97
ENVIRONMENTAL
PROTECTION

