

**EXXON** COMPANY, U.S.A.

ENVIRONMENTAL  
PROTECTION

96 DEC 24 PM 12:46

MARKETING DEPARTMENT•ENVIRONMENTAL ENGINEERING

MARLA D. GUENSLER  
SENIOR ENGINEER

(510) 246-8776  
(510) 246-8798 FAX

#136

December 5, 1996

Mr. Barney Chan  
Hazardous Materials Specialist  
Alameda County Department of Environmental Health  
1131 Harbor Bay Parkway, #250  
Alameda, California 94502-6577

**RE:** Former Exxon RAS #7-3006/720 High Street, Oakland, Ca

Dear Mr. Chan:

Attached for your review and comment is a report entitled *Quarterly Groundwater Monitoring and Remediation Status Report, Third Quarter 1996* for the above referenced site. The report was prepared by Environmental Resolutions, Inc., (ERI) of Novato, California, and details the results of the third quarter 1996 monitoring and sampling event and remediation activities.

If you have any questions or comments, please contact me at (510) 246-8776.

Sincerely,

By: *M. Guensler*


Marla D. Guensler  
Senior Engineer

MDG/tm

Attachment: ERI Quarterly Groundwater Monitoring and Remediation Status Report, Third Quarter 1996,  
dated December 3, 1996.

cc: w/attachment  
Mr. Scott Owen - Bay Area Air Quality Management District  
Mr. Kevin Graves - California Regional Water Quality Control Board  
Ms. Sue Jenne' - East Bay Municipal Utility District

w/o attachment  
Marc A. Briggs - ERI



## ENVIRONMENTAL RESOLUTIONS, INC.

December 3, 1996  
ERI 201013.R07

Ms. Marla Guensler  
Exxon Company, U.S.A.  
2300 Clayton Road, Suite 640  
Concord, California 94524-2032

Subject: Quarterly Groundwater Monitoring and Remediation Status Report, Third Quarter  
1996, Former Exxon Service Station 7-3006, 720 High Street, Oakland, California.

Ms. Guensler:

At the request of Exxon Company, U.S.A. (Exxon), Environmental Resolutions, Inc. (ERI) performed remedial activities and groundwater monitoring for the third quarter 1996 at the subject site (Plate 1). The purpose of ongoing remedial activities at the site is to remove residual hydrocarbons from soil and dissolved hydrocarbons from groundwater. The purpose of quarterly monitoring is to evaluate fluctuations in hydrocarbon concentrations in groundwater, to evaluate the capture zone caused by groundwater pumping, and to evaluate the effectiveness of remedial actions.

### GROUNDWATER MONITORING AND SAMPLING

On September 24, 1996, ERI measured the depth to water (DTW) in monitoring wells MW1 through MW4, and MW6 through MW15 and subjectively analyzed water in these wells for the presence of liquid phase hydrocarbons. Monitoring well MW5 was previously destroyed. No measurable liquid phase hydrocarbons or sheen were observed on groundwater from wells MW1, MW7, MW9 through MW11, and MW14. Monitoring wells MW2 through MW4, MW6, MW8, MW12, MW13, and MW15 had a sheen and therefore were not purged or sampled. ERI's groundwater sampling protocol is attached (Attachment A).

The groundwater appears to flow southwest beneath the site with an approximate gradient ranging from 0.028 to 0.034 (Plate 2). Monitoring and sampling data for 1994 through 1996 are summarized in Table 1.

### Laboratory Analyses and Results

Groundwater samples were submitted to Sequoia Analytical (California State Certification Number 1210) in Redwood City, California, under chain of custody protocol. The samples were analyzed for total petroleum hydrocarbons as gasoline (TPHg), benzene, toluene, ethylbenzene, total xylenes (BTEX), methyl tert-butyl ether (MTBE), total extractable petroleum hydrocarbons as diesel (TEPHd), extractable hydrocarbons as stoddard solvent (EHCss) and purgeable halocarbons. The specific methods of analysis are listed in the notes in Table 1. The results of analysis are listed in Table 1 and are shown on Plate 2. The laboratory analysis reports and chain of custody records are attached (Attachment B).

## SOIL AND GROUNDWATER REMEDIATION

### Air-Sparging/Soil Vapor-Extraction

During the second and third quarters 1996, ERI changed the remedial system from carbon abatement to a Thermtech VAC-25 thermal/catalytic oxidizer. ERI initiated operation of the air-sparging/soil vapor-extraction system (AS/VES) in August 1996 utilizing the thermal/catalytic oxidizer. Vapor samples were collected on August 15, 1996. ERI submitted a Source Test Report (dated September 11, 1996) to the Bay Area Air Quality Management District (BAAQMD). Cumulative operational and performance data are presented in Table 2.

The AS/VES currently consists of six air-sparging wells for air injection and vadose wells for vapor extraction within an on-site interceptor trench, a water knock-out tank, a Thermtech VAC-25 thermal/oxidizer, and a propane tank for supplemental fuel. The AS/VES is operated in a continuous mode.

### Groundwater Extraction And Treatment

The groundwater remediation system (GRS) is designed to treat separate-phase and dissolved petroleum hydrocarbons in groundwater extracted from the interceptor trench beneath the site. Pneumatic pumps are installed in extraction wells RW2 and RW5 to recover groundwater from the interceptor trench. Subsurface and above-ground collection piping are used to transfer extracted groundwater to a holding tank. A transfer pump and poly-vinyl chloride (PVC) piping are used to direct the water stream from the holding tank through water filters, an airstripper, and subsequently through liquid-phase granular activated carbon (GAC) canisters connected in series. The treated groundwater is discharged to the sanitary sewer regulated by East Bay Municipal Utilities District (EBMUD). The remedial system was shut down to change the vapor abatement from carbon to a Thermtech VAC-25 thermal/catalytic oxidizer.

Between July 22, 1996 and September 24, 1996, the system recovered 42,620 gallons of groundwater from beneath the site. System flow rates, total volume extracted, and influent, intermediate, and effluent sample concentrations are presented in Table 3. Copies of the Reports of Laboratory Analysis and Chain of Custody Records for water treatment system samples collected during third quarter 1996 are attached (Attachment B). Hydrocarbon concentrations above laboratory detection limits were not discharged to the sanitary sewer.

## SUMMARY AND STATUS OF INVESTIGATION


Based on data collected to date, it appears the system is effectively removing residual hydrocarbons in soil and dissolved hydrocarbons in groundwater. ERI estimates approximately 37 pounds of hydrocarbons were removed by the AS/SVE system during the third quarter 1996 (Attachment C and Table 2), and 2,627 pounds total since start-up. ERI estimates the groundwater extraction system removed approximately 0.51 pounds of hydrocarbons during the third quarter 1996 (Table 3) and approximately 3.6 pounds to date. ERI will continue to operate the remedial systems and monitor groundwater at the site during the fourth quarter 1996.

**LIMITATIONS**


This report was prepared in accordance with generally accepted standards of environmental geological practice in California at the time this investigation was performed. This report has been prepared for Exxon Company, U.S.A. and any reliance on this report by third parties shall be at such party's sole risk.

If you have any questions or comments regarding this report, please call (415) 382-5991.

Sincerely,  
Environmental Resolutions, Inc.



Marc A. Briggs  
Project Manager

  
*Steve M. Zigan*

Steve M. Zigan  
R.G. 4333  
H.G. 133

- Enclosures:
- Table 1: Cumulative Groundwater Monitoring and Sampling Data
  - Table 2: Cumulative Hydrocarbon Removal and Emissions for Soil Vapor Extraction System
  - Table 3: Operation and Performance Data for Groundwater Remediation System
  
  - Plate 1: Site Vicinity Map
  - Plate 2: Generalized Site Plan

Attachment A: Groundwater Sampling Protocol  
Attachment B: Laboratory Analysis Reports and Chain of Custody Records  
Attachment C: ERI SOP-25 "Hydrocarbons Removed from a Vadose Well"

**TABLE 1**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
**Former Exxon Service Station 7-3006**  
**720 High Street**  
**Oakland, California**  
**(Page 1 of 6)**

**TABLE 1**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 7-3006  
720 High Street  
Oakland, California  
(Page 2 of 6)

| Well ID #<br>(TOC) | Sampling<br>Date | SUBJ                      | DTW<br><<br>feet | Elev.<br>><br>feet | TPHg<br>< | B   | T   | E   | X   | MTBE | TEPHd | VOCs<br>> |
|--------------------|------------------|---------------------------|------------------|--------------------|-----------|-----|-----|-----|-----|------|-------|-----------|
| <b>MW4</b>         |                  |                           |                  |                    |           |     |     |     |     |      |       |           |
| (12.77)            | 1/20/94          | NM [NR]                   | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 02/02-03/94      | NM [1 c.]                 | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 3/10/94          | [8 c.]                    | 7.12             | 5.65               |           |     |     |     |     |      |       |           |
|                    | 4/22/94          | [10 c.]                   | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 05/10-11/94      | [5 c.]                    | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 6/27/94          | 0.01 [NR]                 | 6.50             | 6.27               |           |     |     |     |     |      |       |           |
|                    | 8/31/94          | 0.02 [NR]                 | 7.84             | 4.93               |           |     |     |     |     |      |       |           |
|                    | 9/29/94          | 0.03 [NR]                 | 8.43             | 4.34               |           |     |     |     |     |      |       |           |
|                    | 10/25/94         | Sheen                     | 9.24             | 3.53               |           |     |     |     |     |      |       |           |
|                    | 11/30/94         | NM                        | 6.77             | 6.00               |           |     |     |     |     |      |       |           |
|                    | 12/27/94         | Sheen                     | 6.14             | 6.63               |           |     |     |     |     |      |       |           |
|                    | 2/6/95           | Sheen                     | 4.87             | 7.90               |           |     |     |     |     |      |       |           |
|                    | 6/7/95           | Sheen                     | 6.91             | 5.86               |           |     |     |     |     |      |       |           |
|                    | 9/18/95          | Sheen                     | 9.59             | 3.18               |           |     |     |     |     |      |       |           |
|                    | 11/1/95          | Sheen                     | 11.52            | 1.25               |           |     |     |     |     |      |       |           |
|                    | 2/14/96          | Sheen                     | 8.56             | 4.21               |           |     |     |     |     |      |       |           |
|                    | 6/19/96          | Sheen                     | 6.09             | 6.68               |           |     |     |     |     |      |       |           |
|                    | 9/24/96          | Sheen                     | 10.20            | 2.57               |           |     |     |     |     |      |       |           |
| <b>MW5</b>         | 7/18/89          | Well Destroyed            |                  |                    |           |     |     |     |     |      |       |           |
| <b>MW6</b>         |                  |                           |                  |                    |           |     |     |     |     |      |       |           |
| (14.27)            | 1/20/94          | NM [NR]                   | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 02/02-03/94      | NM [NR]                   | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 3/10/94          | [¼ c.]                    | 7.82             | 6.45               |           |     |     |     |     |      |       |           |
|                    | 4/22/94          | [10 c.]                   | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 05/10-11/94      | [3 c.]                    | NM               | ---                |           |     |     |     |     |      |       |           |
|                    | 6/27/94          | Sheen                     | 7.77             | 6.50               |           |     |     |     |     |      |       |           |
|                    | 8/31/94          | Sheen                     | 9.02             | 5.25               |           |     |     |     |     |      |       |           |
|                    | 9/29/94          | Sheen                     | 9.51             | 4.76               |           |     |     |     |     |      |       |           |
|                    | 10/25/94         | Sheen                     | 9.93             | 4.34               |           |     |     |     |     |      |       |           |
|                    | 11/30/94         | NM                        | 8.05             | 6.22               |           |     |     |     |     |      |       |           |
|                    | 12/27/94         | NM                        | 7.54             | 6.73               |           |     |     |     |     |      |       |           |
|                    | 2/6/95           | Sheen                     | 5.86             | 8.41               |           |     |     |     |     |      |       |           |
|                    | 6/7/95           | Sheen                     | 8.07             | 6.20               |           |     |     |     |     |      |       |           |
|                    | 9/18/95          | Sheen                     | 10.54            | 3.73               |           |     |     |     |     |      |       |           |
|                    | 11/1/95          | Sheen                     | 11.41            | 2.86               |           |     |     |     |     |      |       |           |
|                    | 2/14/96          | Sheen                     | 9.17             | 5.10               |           |     |     |     |     |      |       |           |
|                    | 6/19/96          | Sheen                     | 7.13             | 7.14               |           |     |     |     |     |      |       |           |
|                    | 9/24/96          | Sheen                     | 11.24            | 3.03               |           |     |     |     |     |      |       |           |
| <b>MW7</b>         | 1/20/94          | NLPH                      | 8.67             | 6.17               |           |     |     |     |     |      |       |           |
| (14.84)            | 02/02-03/94      | NLPH                      | 8.47             | 6.37               | 2,900     | 79  | 5   | 8.2 | 21  | NA   | 1,300 | NA        |
|                    |                  | Additional Analysis TOG:  |                  |                    | 4,701     |     |     |     |     |      |       |           |
|                    | 3/10/94          | NLPH                      | 8.24             | 6.60               |           |     |     |     |     |      |       |           |
|                    | 4/22/94          | NLPH                      | 7.95             | 6.89               |           |     |     |     |     |      |       |           |
|                    | 05/10-11/94      | NLPH                      | 7.53             | 7.31               | 2,400     | 88  | 5.6 | 5.2 | 15  | NA   | 1,300 | NA        |
|                    |                  | Additional Analysis TOG:  |                  |                    | 1,400     |     |     |     |     |      |       |           |
|                    | 6/27/94          | NLPH                      | 8.01             | 6.83               |           |     |     |     |     |      |       |           |
|                    | 8/31/94          | NLPH                      | 9.19             | 5.65               |           |     |     |     |     |      |       |           |
|                    | 9/29/94          | NLPH                      | 9.65             | 5.19               | 1,900     | 71  | 3.1 | 3.5 | 7.8 | NA   | 56    | NA        |
|                    | 10/25/94         | NLPH                      | 9.96             | 4.88               | 1,400     | 51  | 1.5 | 24  | 6.8 | NA   | 89    | NA        |
|                    | 11/30/94         | NM                        | 7.78             | 7.06               |           |     |     |     |     |      |       |           |
|                    | 12/27/94         | NM                        | 7.51             | 7.33               |           |     |     |     |     |      |       |           |
|                    | 2/6/95           | NLPH                      | 5.79             | 9.05               | 2,500     | 130 | <10 | <10 | <10 | NA   | 1,300 | ND        |
|                    |                  | Additional Analysis EHCss |                  |                    | 1,100     |     |     |     |     |      |       |           |
|                    | 6/7/95           | NLPH                      | 7.73             | 7.11               | 2,400     | 91  | 5   | 7.6 | 14  | 39   | 1,200 | NA        |
|                    |                  | Additional Analysis EHCss |                  |                    | 1,000     |     |     |     |     |      |       |           |

**TABLE 1**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
 Former Exxon Service Station 7-3006  
 720 High Street  
 Oakland, California  
 (Page 3 of 6)

| Well ID #<br>(TOC)   | Sampling<br>Date | SUBJ  | DTW<br><                  | Elev.<br>feet | TPHg<br>> < | B    | T    | E    | X    | MTBE | TEPHd | VOCs<br>> |
|----------------------|------------------|-------|---------------------------|---------------|-------------|------|------|------|------|------|-------|-----------|
| MW7 cont.<br>(14.84) | 9/18/95          | NLPH  | 9.81                      | 5.03          | 1,800       | 17   | <5.0 | <5.0 | <5.0 | <25  | 1,100 | NA        |
|                      |                  |       | Additional Analysis EHCss |               | 870         |      |      |      |      |      |       |           |
|                      | 11/1/95          | NLPH  | 10.56                     | 4.28          | 3,000       | 2.7  | 11   | 25   | <2.5 | <13  | 1,700 | NA        |
|                      |                  |       | Additional Analysis EHCss |               | 1,400       |      |      |      |      |      |       |           |
|                      | 2/14/96          | NLPH  | 8.04                      | 6.80          | 1,900       | 59   | <5.0 | <5.0 | <5.0 | <25  | 1,200 | NA        |
|                      |                  |       | Additional Analysis EHCss |               | 940         |      |      |      |      |      |       |           |
|                      | 6/19/96          | NLPH  | 7.33                      | 7.51          | 2,000       | 96   | <5.0 | <5.0 | 5.6  | <25  | 1,400 | ND        |
|                      |                  |       | Additional Analysis EHCss |               | 1,000       |      |      |      |      |      |       |           |
|                      | 9/24/96          | NLPH  | 10.10                     | 4.74          | 950         | 6.8  | <5.0 | <5.0 | <5.0 | <25  | 1,100 | ND        |
|                      |                  |       | Additional Analysis EHCss |               | 910         |      |      |      |      |      |       |           |
| MW8<br>(13.45)       | 1/20/94          | Sheen | 8.90                      | 4.55          |             |      |      |      |      |      |       |           |
|                      | 02/02-03/94      | Sheen | 8.58                      | 4.87          |             |      |      |      |      |      |       |           |
|                      | 3/10/94          | Sheen | 7.16                      | 6.29          |             |      |      |      |      |      |       |           |
|                      | 4/22/94          | Sheen | 7.34                      | 6.11          |             |      |      |      |      |      |       |           |
|                      | 05/10-11/94      | Sheen | 7.04                      | 6.41          |             |      |      |      |      |      |       |           |
|                      | 6/27/94          | Sheen | 6.01                      | 7.44          |             |      |      |      |      |      |       |           |
|                      | 8/31/94          | Sheen | 9.26                      | 4.19          |             |      |      |      |      |      |       |           |
|                      | 9/29/94          | Sheen | 9.76                      | 3.69          |             |      |      |      |      |      |       |           |
|                      | 10/25/94         | Sheen | 10.05                     | 3.40          |             |      |      |      |      |      |       |           |
|                      | 11/30/94         | NM    | 7.68                      | 5.77          |             |      |      |      |      |      |       |           |
|                      | 12/27/94         | Sheen | 7.11                      | 6.34          |             |      |      |      |      |      |       |           |
|                      | 2/6/95           | Sheen | 5.39                      | 8.06          |             |      |      |      |      |      |       |           |
|                      | 6/7/95           | Sheen | 7.53                      | 5.92          |             |      |      |      |      |      |       |           |
|                      | 9/18/95          | Sheen | 9.84                      | 3.61          |             |      |      |      |      |      |       |           |
|                      | 11/1/95          | Sheen | 10.47                     | 2.98          |             |      |      |      |      |      |       |           |
|                      | 2/14/96          | Sheen | 8.27                      | 5.18          |             |      |      |      |      |      |       |           |
|                      | 6/19/96          | Sheen | 6.88                      | 6.57          |             |      |      |      |      |      |       |           |
|                      | 9/24/96          | Sheen | 10.13                     | 3.32          |             |      |      |      |      |      |       |           |
| MW9<br>(14.64)       | 1/20/94          | NM    | NM                        | ---           |             |      |      |      |      |      |       |           |
|                      | 02/02-03/94      | NM    | NM                        | ---           |             |      |      |      |      |      |       |           |
|                      | 3/10/94          | NLPH  | 6.90                      | 7.74          |             |      |      |      |      |      |       |           |
|                      | 4/22/94          | NLPH  | 7.38                      | 7.26          |             |      |      |      |      |      |       |           |
|                      | 05/10-11/94      | NLPH  | 6.96                      | 7.68          |             |      |      |      |      |      |       |           |
|                      | 6/27/94          | NLPH  | 7.65                      | 6.99          |             |      |      |      |      |      |       |           |
|                      | 8/31/94          | NLPH  | 8.87                      | 5.77          |             |      |      |      |      |      |       |           |
|                      | 9/29/94          | NLPH  | 9.19                      | 5.45          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | NA   | <50   | NA        |
|                      | 10/25/94         | NLPH  | 9.66                      | 4.98          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | NA   | <50   | NA        |
|                      | 11/30/94         | NM    | 8.38                      | 6.26          |             |      |      |      |      |      |       |           |
|                      | 12/27/94         | NLPH  | 7.29                      | 7.35          |             |      |      |      |      |      |       |           |
|                      | 2/6/95           | NLPH  | 5.74                      | 8.90          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | NA   | 56    | NA        |
|                      | 6/7/95           | NLPH  | 8.33                      | 6.31          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | 72    | NA        |
|                      | 9/18/95          | NLPH  | 9.28                      | 5.36          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | 60    | NA        |
|                      | 11/1/95          | NLPH  | 10.09                     | 4.55          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | 61    | NA        |
|                      | 2/14/96          | NLPH  | 6.26                      | 8.38          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | 83    | NA        |
|                      | 6/19/96          | NLPH  | 6.68                      | 7.96          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | 68    | NA        |
|                      |                  |       | Additional Analysis EHCss |               | <50         |      |      |      |      |      |       |           |
|                      | 9/24/96          | NLPH  | 9.72                      | 4.92          | <50         | <0.5 | <0.5 | <0.5 | <0.5 | <2.5 | <50   | NA        |

**TABLE 1**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 7-3006  
720 High Street  
Oakland, California  
(Page 4 of 6)

| Well ID #<br>(TOC) | Sampling<br>Date          | SUBJ  | DTW<br>feet | Elev.<br>< > | TPHg<br>< > | B      | T     | E     | X     | MTBE | TEPHd  | VOCs<br>> |
|--------------------|---------------------------|-------|-------------|--------------|-------------|--------|-------|-------|-------|------|--------|-----------|
|                    |                           |       |             |              |             |        |       |       |       |      |        |           |
| MW10<br>(14.05)    | 1/20/94                   | NLPH  | 8.40        | 5.65         |             |        |       |       |       |      |        |           |
|                    | 02/02-03/94               | NLPH  | 8.00        | 6.05         | <50         | <0.5   | 1     | <0.5  | 1.8   | NA   | <50    | NA        |
|                    | 3/10/94                   | NLPH  | 7.56        | 6.49         |             |        |       |       |       |      |        |           |
|                    | 4/22/94                   | NLPH  | 7.35        | 6.70         |             |        |       |       |       |      |        |           |
|                    | 05/10-11/94               | NLPH  | 7.06        | 6.99         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | NA   | <50    | NA        |
|                    | 6/27/94                   | NLPH  | 7.59        | 6.46         |             |        |       |       |       |      |        |           |
|                    | 8/31/94                   | NLPH  | 8.73        | 5.32         |             |        |       |       |       |      |        |           |
|                    | 9/29/94                   | NLPH  | 9.07        | 4.98         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | NA   | <50    | NA        |
|                    | 10/25/94                  | NLPH  | 9.41        | 4.64         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | NA   | <50    | NA        |
|                    | 11/30/94                  | NM    | 7.62        | 6.43         |             |        |       |       |       |      |        |           |
|                    | 12/27/94                  | NLPH  | 7.01        | 7.04         |             |        |       |       |       |      |        |           |
|                    | 2/6/95                    | NLPH  | 5.60        | 8.45         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | <50  | NA     | NA        |
|                    | 6/7/95                    | NLPH  | 7.12        | 6.93         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | <2.5 | <50    | NA        |
|                    | 9/18/95                   | NLPH  | 8.54        | 5.51         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | <2.5 | <50    | NA        |
|                    | 11/1/95                   | NLPH  | 9.44        | 4.61         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | <2.5 | <50    | NA        |
|                    | 2/14/96                   | NLPH  | 9.36        | 4.69         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | <2.5 | 64     | NA        |
|                    | 6/19/96                   | NLPH  | 7.32        | 6.73         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | <2.5 | <50    | NA        |
| MW11<br>(13.55)    | Additional Analysis EHCss |       |             |              | <50         |        |       |       |       |      |        |           |
|                    | 9/24/96                   | NLPH  | 9.07        | 4.98         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | <2.5 | <50    | NA        |
|                    | 1/20/94                   | NLPH  | 9.61        | 3.94         |             |        |       |       |       |      |        |           |
|                    | 02/02-03/94               | NLPH  | 9.56        | 3.99         | <50         | <0.5   | 1     | <0.5  | 0.9   | NA   | 160    | NA        |
|                    | 3/10/94                   | NLPH  | 8.59        | 4.96         |             |        |       |       |       |      |        |           |
|                    | 4/22/94                   | NLPH  | 8.47        | 5.08         |             |        |       |       |       |      |        |           |
|                    | 05/10-11/94               | NLPH  | 8.12        | 5.43         | <50         | <0.53  | <0.5  | <0.5  | 3.2   | NA   | 1002   | NA        |
|                    | 6/27/94                   | NLPH  | 8.65        | 4.90         |             |        |       |       |       |      |        |           |
|                    | 8/31/94                   | NLPH  | 9.80        | 3.75         |             |        |       |       |       |      |        |           |
|                    | 9/29/94                   | NLPH  | 10.16       | 3.39         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | NA   | <50    | NA        |
|                    | 10/25/94                  | NLPH  | 10.48       | 3.07         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | NA   | <50    | NA        |
|                    | 11/30/94                  | NM    | 8.55        | 5.00         |             |        |       |       |       |      |        |           |
|                    | 12/27/94                  | NLPH  | 7.98        | 5.57         |             |        |       |       |       |      |        |           |
|                    | 2/6/95                    | NLPH  | 6.49        | 7.06         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | NA   | 160    | NA        |
|                    | 6/7/95                    | NLPH  | 7.98        | 5.57         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | 42   | 50     | NA        |
|                    | 9/18/95                   | NLPH  | 10.12       | 3.43         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | 32   | 56     | NA        |
|                    | 11/1/95                   | NLPH  | 10.75       | 2.80         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | 35   | 170    | NA        |
|                    | 2/14/96                   | NLPH  | 8.03        | 5.52         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | 37   | 76     | NA        |
|                    | 6/19/96                   | NLPH  | 7.85        | 5.70         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | 33   | 92     | NA        |
| MW12<br>(12.61)    | Additional Analysis EHCss |       |             |              | <50         |        |       |       |       |      |        |           |
|                    | 9/24/96                   | NLPH  | 10.45       | 3.10         | <50         | <0.5   | <0.5  | <0.5  | <0.5  | 40   | 58     | NA        |
|                    | 1/20/94                   | NLPH  | 7.81        | 4.80         |             |        |       |       |       |      |        |           |
|                    | 02/02-03/94               | NLPH  | 7.22        | 5.39         | 48,000      | 4,000  | 2,700 | 2,900 | 9,900 | NA   | 18,000 | NA        |
|                    | 3/10/94                   | NLPH  | 6.16        | 6.45         |             |        |       |       |       |      |        |           |
|                    | 4/22/94                   | NLPH  | 6.31        | 6.30         |             |        |       |       |       |      |        |           |
|                    | 05/10-11/94               | NLPH  | 6.16        | 6.45         | 46,000      | 30,003 | 1,600 | 2,900 | 9,100 | NA   | 8,200  | NA        |
|                    | 6/27/94                   | NLPH  | 6.55        | 6.06         |             |        |       |       |       |      |        |           |
|                    | 8/31/94                   | NLPH  | 7.97        | 4.64         |             |        |       |       |       |      |        |           |
|                    | 9/29/94                   | Sheen | 8.52        | 4.09         |             |        |       |       |       |      |        |           |
|                    | 10/25/94                  | Sheen | 8.74        | 3.87         |             |        |       |       |       |      |        |           |
|                    | 11/30/94                  | NM    | 8.73        | 3.88         |             |        |       |       |       |      |        |           |
|                    | 12/30/94                  | NLPH  | 6.17        | 6.44         |             |        |       |       |       |      |        |           |
|                    | 2/6/95                    | Sheen | 4.44        | 8.17         |             |        |       |       |       |      |        |           |
|                    | 6/7/95                    | Sheen | 6.59        | 6.02         |             |        |       |       |       |      |        |           |
|                    | 9/18/95                   | Sheen | 8.96        | 3.65         |             |        |       |       |       |      |        |           |
|                    | 11/1/95                   | Sheen | 10.75       | 1.86         |             |        |       |       |       |      |        |           |
|                    | 2/14/96                   | Sheen | 7.73        | 4.88         |             |        |       |       |       |      |        |           |
|                    | 6/19/96                   | Sheen | 5.80        | 6.81         |             |        |       |       |       |      |        |           |
|                    | 9/24/96                   | Sheen | 9.14        | 3.47         |             |        |       |       |       |      |        |           |

**TABLE 1**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**

Former Exxon Service Station 7-3006  
 720 High Street  
 Oakland, California  
 (Page 5 of 6)

**TABLE 1**  
**CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA**  
Former Exxon Service Station 7-3006  
720 High Street  
Oakland, California  
(Page 6 of 6)

| Well ID #<br>(TOC) | Sampling<br>Date | SUBJ  | DTW<br>feet | Elev.<br>> | TPHg<br>< | B  | T    | E   | X   | MTBE | TEPHd | VOCs<br>> |
|--------------------|------------------|-------|-------------|------------|-----------|----|------|-----|-----|------|-------|-----------|
|                    |                  |       |             |            |           |    |      |     |     |      |       |           |
| MW15<br>(13.73)    | 1/20/94          | NLPH  | 7.48        | 6.25       |           |    |      |     |     |      |       |           |
|                    | 02/02-03/94      | NLPH  | 7.30        | 6.43       | 4,300     | 24 | 6.7  | 170 | 26  | NA   | 1,200 | NA        |
|                    | 3/10/94          | NLPH  | 7.32        | 6.41       |           |    |      |     |     |      |       |           |
|                    | 4/22/94          | NLPH  | 6.67        | 7.06       |           |    |      |     |     |      |       |           |
|                    | 05/10-11/94      | NLPH  | 5.81        | 7.92       | 3,900     | 16 | <0.5 | 150 | 13  | NA   | 1,400 | NA        |
|                    | 6/27/94          | NLPH  | 6.14        | 7.59       |           |    |      |     |     |      |       |           |
|                    | 8/31/94          | NLPH  | 7.20        | 6.53       |           |    |      |     |     |      |       |           |
|                    | 9/29/94          | NLPH  | 7.76        | 5.97       | 2,500     | 51 | 15   | 48  | 3.6 | NA   | 420   | NA        |
|                    | 10/25/94         | Sheen | 8.19        | 5.54       |           |    |      |     |     |      |       |           |
|                    | 11/30/94         | NM    | 8.57        | 5.16       |           |    |      |     |     |      |       |           |
|                    | 12/27/94         | NLPH  | 6.49        | 7.24       |           |    |      |     |     |      |       |           |
|                    | 2/6/95           | Sheen | 4.97        | 8.16       |           |    |      |     |     |      |       |           |
|                    | 6/7/95           | Sheen | 7.14        | 6.59       |           |    |      |     |     |      |       |           |
|                    | 9/18/95          | Sheen | 9.00        | 4.73       |           |    |      |     |     |      |       |           |
|                    | 11/1/95          | Sheen | 10.67       | 3.06       |           |    |      |     |     |      |       |           |
|                    | 2/14/96          | Sheen | 7.27        | 6.46       |           |    |      |     |     |      |       |           |
|                    | 6/19/96          | Sheen | 6.65        | 7.08       |           |    |      |     |     |      |       |           |
|                    | 9/24/96          | Sheen | 9.45        | 4.28       |           |    |      |     |     |      |       |           |

Notes:

|       |   |  |
|-------|---|--|
| SUBJ  | = | Results of subjective evaluation, liquid-phase hydrocarbon thickness (HT) in feet                                  |
| NLPH  | = | No liquid phase hydrocarbons present in well   |
| TOC   | = | Elevation of top of well casing; relative to mean sea level  |
| DTW   | = | Depth to water   |
| Elev. | = | Elevation of groundwater. If liquid-phase hydrocarbons present, elevation adjusted using TOC - [DTW - (PT x 0.8)]. |
| [ ]   | = | amount recovered   |
| gal.  | = | gallons  |
| c.    | = | cups   |
| TPHg  | = | Total petroleum hydrocarbons as gasoline analyzed using modified EPA method 5030/8015.                             |
| BTEX  | = | Benzene, Toluene, Ethylbenzene, and total Xylenes analyzed using EPA method 5030/8020.                             |
| TEPHd | = | Total extractable petroleum hydrocarbons as diesel analyzed using modified EPA method 3510/8015.                   |
| MTBE  | = | Methyl tert-butyl ether analyzed using modified EPA method 5030/8020.  |
| VOCs  | = | Volatile organic compounds/purgeable halocarbons analyzed using EPA method 601.                                    |
| TOG   | = | Total oil and grease analyzed using Standard Method 5520.  |
| EHCss | = | Extractable Hydrocarbons as Stoddard Solvent analyzed using EPA method 8015.                                       |
| NR    | = | No liquid-phase hydrocarbons removed from well   |
| NM    | = | Not Measured   |
| ND    | = | Not Detected at or above the laboratory method detection limits  |
| NA    | = | Not Analyzed   |
| ---   | = | Not Applicable   |
| <     | = | Less than the indicated detection limit shown by the laboratory  |
| 1     | = | A peak eluting earlier than benzene and suspected to be methyl tert-butyl ether was present                        |

**TABLE 2**  
**CUMULATIVE HYDROCARBON REMOVAL AND EMISSIONS FOR**  
**SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 7-3006  
720 High Street  
Oakland, California  
Page 1 of 5

2010DATA.XLS

Revision: 11/18/96

| DATE    | SAMPLE ID | TEMP deg F | PRESS in H2O | AIR FLOW cu ft/min | HC Inf ppmv | HC Eff ppmv | HC Inf Conc* mg/cu M | LB HC for Period | LB HC Cumulative | Benzene Inf Conc* mg/cu M | LB Benzene per Period | LB Benzene Cumulative | LB Benzene Emitted per Day |
|---------|-----------|------------|--------------|--------------------|-------------|-------------|----------------------|------------------|------------------|---------------------------|-----------------------|-----------------------|----------------------------|
| 1/9/95  | A-INF     | 70         |              | 160                |             |             | 210                  |                  |                  | 39                        |                       |                       |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
| 1/10/95 | A-INF     | 70         |              | 160                |             |             | 110                  | 2.30             | 2.3              | 22                        | 0.44                  | 0.4                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/11/95 | A-INF     | 70         |              | 160                |             |             | 70                   | 1.29             | 3.6              | 12                        | 0.24                  | 0.7                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/12/95 | A-INF     | 70         |              | 160                |             |             | < 10                 | 0.57             | 4.2              | < 0.1                     | 0.09                  | 0.8                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/13/95 | A-INF     | 70         |              | 160                |             |             | < 10                 | 0.14             | 4.3              | < 0.1                     | 0.00                  | 0.8                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/14/95 | A-INF     | 70         |              | 160                |             |             | < 10                 | 0.14             | 4.5              | < 0.1                     | 0.00                  | 0.8                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/15/95 | A-INF     | 70         |              | 158                |             |             | < 10                 | 0.14             | 4.6              | < 0.1                     | 0.00                  | 0.8                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/16/95 | A-INF     | 70         |              | 151                |             |             | < 10                 | 0.14             | 4.7              | < 0.1                     | 0.00                  | 0.8                   |                            |
|         | A-INT     |            |              |                    |             |             | 10                   |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/17/95 | A-INF     | 70         |              | 155                |             |             | < 10                 | 0.14             | 4.9              | 0.13                      | 0.00                  | 0.8                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/18/95 | A-INF     | 70         |              | 155                |             |             | 100                  | 0.77             | 5.6              | 12                        | 0.08                  | 0.9                   |                            |
|         | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0014                   |
| 1/19/95 |           | 70         |              | 155                | 15          | 0           | 68                   | 1.17             | 6.8              |                           |                       |                       |                            |
| 1/20/95 |           | 70         |              | 155                | 14.4        | 0           | 66                   | 0.93             | 7.7              |                           |                       |                       |                            |

**TABLE 2**  
**CUMULATIVE HYDROCARBON REMOVAL AND EMISSIONS FOR**  
**SOIL VAPOR EXTRACTION SYSTEM**  
**Former Exxon Service Station 7-3006**  
**720 High Street**  
**Oakland, California**  
**Page 2 of 5**

**TABLE 2**  
**CUMULATIVE HYDROCARBON REMOVAL AND EMISSIONS FOR**  
**SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 7-3006  
720 High Street  
Oakland, California  
Page 3 of 5

| DATE    | SAMPLE ID   | TEMP deg F | PRESS in H2O | AIR FLOW cu ft/min | HC Inf ppmv | HC Eff ppmv | HC Inf Conc* mg/cu M | LB HC for Period | LB HC Cumulative | Benzene Inf Conc* mg/cu M | LB Benzene per Period | LB Benzene Cumulative | LB Benzene Emitted per Day |
|---------|---|------------|--------------|--------------------|-------------|-------------|----------------------|------------------|------------------|---------------------------|-----------------------|-----------------------|----------------------------|
| 6/27/95 | A-INF   | 70         |              | 164                |             |             | 440                  | 76.72            | 329.0            | 4.9                       | 0.83                  | 8.9                   |                            |
|         | A-INT   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       | < 0.0015                   |
|         | A-EFF   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       |                            |
| 7/3/95  | A-EFF   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       |                            |
| 7/10/95 | Replaced one 500 lb carbon canister   |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 7/10/95 | A-INF   | 70         |              | 168                |             |             | 230                  | 64.89            | 393.9            | 2.8                       | 0.75                  | 9.7                   |                            |
|         | A-INT   |            |              |                    |             |             | 120                  |                  |                  | 2.8                       |                       |                       | < 0.0015                   |
|         | A-EFF   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       |                            |
| 7/19/95 | Replaced 2 ea x 500 lb canisters = 1000 lbs of Carbon                                   |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 7/25/95 | Collect samples and shut system down pending results                                    |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 7/25/95 | A-INF   | 70         |              | 205                |             |             | 67                   | 37.29            | 431.2            | < 0.5                     | 0.41                  | 10.1                  |                            |
|         | A-INT   |            |              |                    | < 100       |             |                      |                  |                  | < 1                       |                       |                       | < 0.0018                   |
|         | A-EFF   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       |                            |
| 7/28/95 | System down - could not restart   |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 7/31/95 | Restart system  |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 7/31/95 | A-INF   | 70         |              | 164                |             |             | 500                  | 28.17            | 459.4            | 14                        | 0.72                  | 10.8                  |                            |
|         | A-INT   |            |              |                    |             |             | 12                   |                  |                  | < 0.1                     |                       |                       | < 0.0015                   |
|         | A-EFF   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       |                            |
| 8/9/95  | Replaced one 500 lb carbon canister   |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 8/15/95 | System down - Remove hydrocarbon vapor detector and send to manufacture for calibration |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 9/11/95 | Replaced hydrocarbon vapor detector - Restarted system                                  |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 9/13/95 | System Down - hydrocarbon vapor detector shut down                                      |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 9/18/95 | Replaced 2 ea x 500 lb canisters = 1000 lbs of carbon                                   |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 9/18/95 | A-INF   | 70         |              | 164                |             |             | 980                  | 196.08           | 655.5            | 13                        | 3.58                  | 14.4                  |                            |
|         | A-INT   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       | < 0.0015                   |
|         | A-EFF   |            |              |                    | < 10        |             |                      |                  |                  | < 0.1                     |                       |                       |                            |
| 9/20/95 | System Down - hydrocarbon vapor detector shut down                                      |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 9/25/95 | Restarted system  |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 9/25/95 | A-INF   | 70         |              | 164                |             |             | NA                   |                  |                  | 2.4                       |                       |                       |                            |
|         | A-INT   |            |              |                    |             |             | NA                   |                  |                  | < 0.1                     |                       |                       |                            |
|         | A-EFF   |            |              |                    |             |             | NA                   |                  |                  | < 0.1                     |                       |                       |                            |

**TABLE 2**  
**CUMULATIVE HYDROCARBON REMOVAL AND EMISSIONS FOR**  
**SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 7-3006  
720 High Street  
Oakland, California  
Page 4 of 5

| DATE     | SAMPLE ID | TEMP deg F | PRESS in H2O | AIR FLOW cu ft/min | HC Inf ppmv | HC Eff ppmv | HC Inf Conc* mg/cu M | LB HC for Period | LB HC Cumulative | Benzene Inf Conc* mg/cu M | LB Benzene per Period | LB Benzene Cumulative | LB Benzene Emitted per Day |
|----------|-----------|------------|--------------|--------------------|-------------|-------------|----------------------|------------------|------------------|---------------------------|-----------------------|-----------------------|----------------------------|
| 10/13/95 |           |            |              |                    |             |             | 2000                 | 444.04           | 1,099.5          | 100                       | 16.84                 | 31.2                  |                            |
| 10/13/95 | A-INF     | 70         |              | 168                |             |             | < 10                 |                  |                  | < 0.05                    |                       |                       |                            |
|          | A-INT     |            |              |                    |             |             | < 10                 |                  |                  | < 0.05                    |                       |                       | < 0.0008                   |
|          | A-EFF     |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 10/26/95 |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 10/26/95 |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 11/6/95  |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 11/20/95 |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 11/20/95 |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 11/26/95 |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 12/4/95  |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 12/18/95 |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 1/2/96   |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 1/3/96   |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 1/8/96   |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 1/8/96   |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 1/16/96  |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
|          | A-INF     | 70         |              | 151                | 151.2       | 105.4       | 0                    | 480              | 28.72            | 2,541.0                   |                       |                       |                            |
|          | A-EFF     |            |              |                    | 142.8       | 62.3        | 0                    | 180              | 7.50             | 2,548.5                   | < 0.1                 | 0.00                  | 42.4                       |
|          |           |            |              |                    |             |             |                      |                  |                  | < 0.1                     |                       |                       | < 0.0013                   |
|          |           |            |              |                    |             |             |                      |                  |                  | < 0.1                     |                       |                       |                            |
| 1/30/96  |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 2/14/96  |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
|          | A-INF     | 72         |              | 147                | 39.7        | 0           | < 10                 | 0.49             | 2,586.3          | 0.16                      | 0.05                  | 42.4                  | < 0.0013                   |
|          | A-EFF     |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |
| 2/27/96  |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 3/12/96  |           |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
|          | A-INF     | 70         |              | 136.5              | 1           | 0           | 5                    | 1.20             | 2,587.5          |                           |                       |                       |                            |
|          | A-EFF     |            |              | 136.5              | 2.2         | 0           | < 10                 | 1.25             | 2,588.8          | < 0.1                     | 0.04                  | 42.5                  | < 0.0012                   |
|          |           |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       |                            |

**TABLE 2**  
**CUMULATIVE HYDROCARBON REMOVAL AND EMISSIONS FOR**  
**SOIL VAPOR EXTRACTION SYSTEM**  
Former Exxon Service Station 7-3006  
720 High Street  
Oakland, California  
Page 5 of 5

| DATE    | SAMPLE ID  | TEMP deg F | PRESS in H2O | AIR FLOW cu ft/min | HC Inf ppmv | HC Eff ppmv | HC Inf Conc* mg/cu M | LB HC for Period | LB HC Cumulative | Benzene Inf Conc* mg/cu M | LB Benzene per Period | LB Benzene Cumulative | LB Benzene Emitted per Day |
|---------|--|------------|--------------|--------------------|-------------|-------------|----------------------|------------------|------------------|---------------------------|-----------------------|-----------------------|----------------------------|
| 3/25/96 | A-INF  | 70         |              | 147                | 2.4         | 0           | < 10                 | 1.65             | 2,590.4          | < 0.1                     | 0.02                  | 42.5                  |                            |
|         | A-EFF  |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0013                   |
| 3/25/96 | System shutdown to install Thermtech VAC-25 thermal/catalytic oxidizer |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 8/5/96  | Start-up system utilizing Thermtech VAC-25 thermal/catalytic oxidizer  |            |              |                    |             |             |                      |                  |                  |                           |                       |                       |                            |
| 8/15/96 | A-INF  |            |              | 110                |             |             | 410                  |                  |                  | 4.7                       |                       |                       |                            |
|         | A-EFF  |            |              |                    |             |             | < 10                 |                  |                  | < 0.05                    |                       |                       | < 0.0005                   |
| 8/29/96 |  |            |              | 42                 | 45.8        | 1.1         | 209                  | 34.03            | 2,624.4          |                           |                       |                       |                            |
| 9/6/96  | A-INF  |            |              | 42                 |             |             | 150                  | 3.11             | 2,627.6          | < 0.1                     | 0.16                  | 42.6                  |                            |
|         | A-EFF  |            |              |                    |             |             | < 10                 |                  |                  | < 0.1                     |                       |                       | < 0.0004                   |

Notes:

|            |                               |        |                                |        |   |
|------------|-------------------------------|--------|--------------------------------|--------|---|
| A-INF      | = Air Influent                | A-INF1 | = Air Influent before stripper | HC     | = Hydrocarbon                                     |
| A-INT      | = Air Intermediate            | A-INT2 | = Air Influent after stripper  | ug/l   | = micrograms per liter                            |
| A-EFF      | = Air Effluent                |        |                                | mg/cuM | = milligrams per cubic meter                      |
| NA         | = Not Analyzed                |        |                                | lb     | = pounds  |
| cu. ft/min | = cubic feet per minute       |        |                                | acfmin | = actual cubic feet per minute                    |
| ppmv       | = parts per million by volume |        |                                | <      | = less than the laboratory method detection limit |

\*If value is below laboratory detection limit, detection limit value is used.

\*Values calculated using ERI SOP-25 "Hydrocarbons Removed from a Vadose Well" (Attachment C)

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR**  
**GROUNDWATER REMEDIATION SYSTEM**

Former Exxon Service Station, 7-3006

720 High Street

Oakland, California

Page 1 of 5

Revised 12/2/96

| Date   | Total Flow [gal] | Average Flowrate [gpd] | Sample ID   | Analytical Data |          |          |          |          |                | TPHg Removed    |                 | Benzene Removed |                 |
|--|------------------|------------------------|---|-----------------|----------|----------|----------|----------|----------------|-----------------|-----------------|-----------------|-----------------|
|  |                  |                        |   | TPHg [ug/l]     | B [ug/l] | T [ug/l] | E [ug/l] | X [ug/l] | Arsenic [mg/l] | Per Period [lb] | Cumulative [lb] | Per Period [lb] | Cumulative [lb] |
| 1/9/95   | 0                |                        | W-INF   | 3400            | 630      | 190      | 100      | 460      | NA             |                 |                 |                 |                 |
|  | --               | --                     | W-INT   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |
|  | --               | --                     | W-EFF   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | 0.0076         |                 |                 |                 |                 |
| 1/10/95  | --               | --                     | --  |                 |          |          |          |          |                |                 |                 |                 |                 |
| 1/11/95  | 795              | 398                    | --  | --              | --       | --       | --       | --       | --             |                 |                 |                 |                 |
| 1/13/95  | 1065             | 135                    | System shut down pending EBMUD arsenic revision (discharge limit of 0.0012 ppm) |                 |          |          |          |          |                |                 |                 |                 |                 |
| 1/23/95  | 1065             | 0                      | --  | --              | --       | --       | --       | --       | --             |                 |                 |                 |                 |
| 2/13/95  | 1065             | 0                      | --  | --              | --       | --       | --       | --       | --             |                 |                 |                 |                 |
| 2/14/95  | 1065             | 0                      | --  | --              | --       | --       | --       | --       | --             |                 |                 |                 |                 |
| 2/17/95  | 1065             | 0                      | --  | --              | --       | --       | --       | --       | --             |                 |                 |                 |                 |
| 2/27/95  | 1065             | 0                      | --  | --              | --       | --       | --       | --       | --             |                 |                 |                 |                 |
| 3/7/95   | 1065             | 0                      | EBMUD arsenic revision (discharge limit of 0.05 ppm)                            |                 |          |          |          |          |                |                 |                 |                 |                 |
| 3/13/95  | 10800            | 1623                   | W-INF   | 110             | 7.4      | 0.5      | 0.53     | 6        | NA             | 0.1581          | 0.1581          | 0.0287          | 0.0287          |
|  |                  |                        | W-INT   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |
|  |                  |                        | W-EFF   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | <0.005         |                 |                 |                 |                 |
| 3/21/95  | 11660            | 108                    | W-INF   | <50             | 4.5      | <0.5     | <0.5     | 5.5      | NA             | 0.0006          | 0.1587          | 0.0000          | 0.0288          |
|  |                  |                        | W-INT   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |
|  |                  |                        | W-EFF   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | 0.0059         |                 |                 |                 |                 |
| System shut down - 55-gallon liquid phase carbon canister (leak) |                  |                        |   |                 |          |          |          |          |                |                 |                 |                 |                 |
| 3/30/95  | 11760            | 11                     | Replaced one 55-gallon liquid phase carbon canister (leak)                      |                 |          |          |          |          |                |                 |                 |                 |                 |
| 4/4/95   | 11760            |                        | Replaced one 55-gallon liquid phase carbon canister (leak) - Started system     |                 |          |          |          |          |                |                 |                 |                 |                 |
| 4/4/95   | 12660            | 180                    | W-INF   | 220             | 66       | 11       | 4.8      | 16       | NA             | 0.0011          | 0.1598          | 0.0003          | 0.0291          |
|  |                  |                        | W-INT   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |
|  |                  |                        | W-EFF   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | 0.0096         |                 |                 |                 |                 |

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR**  
**GROUNDWATER REMEDIATION SYSTEM**  
Former Exxon Service Station, 7-3006  
720 High Street  
Oakland, California  
Page 2 of 5

| Date    | Total Flow [gal]  | Average Flowrate [gpd] | Sample ID  | Analytical Data |          |          |          |          |                |                 | TPHg Removed    |                 | Benzene Removed |  |  |
|---------|---|------------------------|--|-----------------|----------|----------|----------|----------|----------------|-----------------|-----------------|-----------------|-----------------|--|--|
|         |   |                        |  | TPHg [ug/l]     | B [ug/l] | T [ug/l] | E [ug/l] | X [ug/l] | Arsenic [mg/l] | Per Period [lb] | Cumulative [lb] | Per Period [lb] | Cumulative [lb] |  |  |
| 4/12/95 | 53200   | 5068                   | W-INF  | 770             | 110      | 19       | <5.0     | 160      | NA             | 0.1674          | 0.3273          | 0.0298          | 0.0588          |  |  |
|         |   |                        | W-INT  | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF  | <50             | <0.5     | <0.5     | <0.5     | <0.5     | <0.005         |                 |                 |                 |                 |  |  |
| 4/19/95 | 73710   | 2930                   | W-INF  | 400             | 47       | 5.4      | <0.5     | 40       | NA             | 0.1001          | 0.4274          | 0.0134          | 0.0723          |  |  |
|         |   |                        | W-INT  | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF  | <50             | <0.5     | <0.5     | <0.5     | <0.5     | 0.0055         |                 |                 |                 |                 |  |  |
| 4/26/95 | 82820   | 1301                   | W-INF  | 1500            | 190      | 44       | 12       | 150      | NA             | 0.0722          | 0.4996          | 0.0090          | 0.0813          |  |  |
|         |   |                        | W-INT  | 200             | 31       | 3.2      | <0.5     | 15       | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF  | <50             | <0.5     | <0.5     | <0.5     | <0.5     | 0.008          |                 |                 |                 |                 |  |  |
| 5/9/95  | 83750   | 72                     | Replaced two 55-gallon liquid phase carbon canisters (leaks) |                 |          |          |          |          |                |                 |                 |                 |                 |  |  |
| 5/26/95 | 97840   | 829                    | W-INF  | 680             | 210      | 16       | 5.8      | 28       | NA             | 0.1366          | 0.6362          | 0.0251          | 0.1063          |  |  |
|         |   |                        | W-INT  | <50             | 0.94     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF  | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
| 6/6/95  | Added two 55-gallon liquid phase carbon canisters in series |                        |  |                 |          |          |          |          |                |                 |                 |                 |                 |  |  |
| 6/6/95  | Replaced one 55-gallon liquid phase carbon canister (leak)  |                        |  |                 |          |          |          |          |                |                 |                 |                 |                 |  |  |
| 6/8/95  | 125010  | 849                    | W-INF  | 2800            | 660      | 300      | 54       | 340      | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-INT1   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-INT2   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF1   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF2   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
| 6/27/95 | 125010  | 849                    | W-INF1   | 4500            | 1700     | 99       | 35       | 220      | NA             | 0.5871          | 1.2233          | 0.2165          | 0.3228          |  |  |
|         |   |                        | W-INF2   | 810             | 420      | 20       | 7.9      | 58       | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-INT1   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-INT2   | <50             | 0.53     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF  | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
|         |   |                        | W-EFF2   | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |                 |                 |                 |  |  |
| 7/10/95 | 131370  | 489                    | Replaced two 55-gallon liquid phase carbon canisters         |                 |          |          |          |          |                |                 |                 |                 |                 |  |  |

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR**  
**GROUNDWATER REMEDIATION SYSTEM**  
 Former Exxon Service Station, 7-3006  
 720 High Street  
 Oakland, California  
 Page 3 of 5

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR**  
**GROUNDWATER REMEDIATION SYSTEM**

Former Exxon Service Station, 7-3006

720 High Street

Oakland, California

Page 4 of 5

| Date     | Total Flow [gal]         | Average Flowrate [gpd] | Sample ID | Analytical Data |          |          |          |          |                |        | TPHg Removed Per Period [lb] | Cumulative Benzene Removed Per Period [lb] | Cumulative Benzene Removed [lb] |
|----------|--------------------------|------------------------|-----------|-----------------|----------|----------|----------|----------|----------------|--------|------------------------------|--|---------------------------------|
|          |                          |                        |           | TPHg [ug/l]     | B [ug/l] | T [ug/l] | E [ug/l] | X [ug/l] | Arsenic [mg/l] |        |                              |  |                                 |
| 12/4/95  | 161442                   | 216                    |           |                 |          |          |          |          |                |        |                              |  |                                 |
| 12/18/95 | 168304                   | 490                    | W-INF1    | 8900            | 1100     | 240      | 130      | 2200     | NA             | 0.3435 | 2.2543                       | 0.0447                                     | 0.5851                          |
|          |                          |                        | W-INF2    | 3900            | 380      | 85       | 60       | 890      | NA             |        |                              |  |                                 |
|          |                          |                        | W-INT     | <50             | 1.3      | <0.5     | <0.5     | 5.1      | NA             |        |                              |  |                                 |
|          |                          |                        | W-EFF     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |        |                              |  |                                 |
| 1/2/96   | 171770                   | 231                    |           |                 |          |          |          |          |                |        |                              |  |                                 |
| 1/8/96   | 173707                   | 323                    |           |                 |          |          |          |          |                |        |                              |  |                                 |
| 1/16/96  | 178573                   | 608                    | W-INF     | 490             | 53       | 1.8      | 3.9      | 35       | NA             | 0.4023 | 2.6566                       | 0.0038                                     | 0.5889                          |
|          |                          |                        | W-INF2    | 150             | 8.1      | <0.5     | 0.61     | 6.8      | NA             |        |                              |  |                                 |
|          |                          |                        | W-INT     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |        |                              |  |                                 |
|          |                          |                        | W-EFF     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |        |                              |  |                                 |
| 1/30/96  | 190030                   | 818                    |           |                 |          |          |          |          |                |        |                              |  |                                 |
| 2/14/96  | 202610                   | 839                    | W-INF1    |                 |          |          |          |          |                |        |                              |  |                                 |
|          |                          |                        | W-INF2    |                 |          |          |          |          |                |        |                              |  |                                 |
|          |                          |                        | W-INT     |                 |          |          |          |          |                |        |                              |  |                                 |
|          |                          |                        | W-EFF     |                 |          |          |          |          |                |        |                              |  |                                 |
| 2/27/96  | 216100                   | 1038                   |           |                 |          |          |          |          |                |        |                              |  |                                 |
| 3/12/96  | SYSTEM DOWN UPON ARRIVAL |                        |           |                 |          |          |          |          |                |        |                              |  |                                 |
| 3/12/96  | 216590                   | 35                     | W-INF1    | 1700            | 410      | 110      | 26       | 130      | NA             | 0.3473 | 3.0039                       | 0.0734                                     | 0.6624                          |
|          |                          |                        | W-INF2    | 420             | 94       | 24       | 5.9      | 33       | NA             |        |                              |  |                                 |
|          |                          |                        | W-INT     | <50             | 0.53     | <0.5     | <0.5     | <0.5     | NA             |        |                              |  |                                 |
|          |                          |                        | W-EFF     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |        |                              |  |                                 |

**TABLE 3**  
**OPERATION AND PERFORMANCE DATA FOR**  
**GROUNDWATER REMEDIATION SYSTEM**


Former Exxon Service Station, 7-3006

720 High Street  
 Oakland, California

Page 5 of 5


| Date    | Total Flow [gal]  | Average Flowrate [gpd] | Sample ID | Analytical Data |          |          |          |          |                |                 |        | TPHg Removed Per Period [lb] | Benzene Removed Per Period [lb] | Benzene Removed Cumulative [lb] |  |  |  |  |
|---------|---|------------------------|-----------|-----------------|----------|----------|----------|----------|----------------|-----------------|--------|------------------------------|---------------------------------|---------------------------------|--|--|--|--|
|         |   |                        |           | TPHg [ug/l]     | B [ug/l] | T [ug/l] | E [ug/l] | X [ug/l] | Arsenic [mg/l] | Cumulative [lb] |        |                              |                                 |                                 |  |  |  |  |
| 3/25/96 | 217460  | 67                     | W-INF1    | 100             | 6.6      | <0.5     | <0.5     | 7        | NA             | 0.0065          | 3.0104 | 0.0015                       | 0.6639                          |                                 |  |  |  |  |
|         |   |                        | W-INF2    | <50             | 3.9      | <0.5     | <0.5     | 1.5      | NA             |                 |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        | W-INT     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        | W-EFF     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |        |                              |                                 |                                 |  |  |  |  |
| 3/25/96 | System shutdown, removal of blower/carbon to thermal oxidizer                 |                        |           |                 |          |          |          |          |                |                 |        |                              |                                 |                                 |  |  |  |  |
| 7/22/96 | Start-up remediation system   |                        |           |                 |          |          |          |          |                |                 |        |                              |                                 |                                 |  |  |  |  |
| 7/22/96 | 219802  | 20                     | W-INF1    | 3100            | 330      | 53       | 180      | 630      | NA             | 0.0313          | 3.0417 | 0.0033                       | 0.6672                          |                                 |  |  |  |  |
|         |   |                        | W-INF2    | 2500            | 330      | 41       | 140      | 480      | NA             |                 |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        | W-INT     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        | W-EFF     | <50             | <0.5     | <0.5     | <0.5     | <0.5     | NA             |                 |        |                              |                                 |                                 |  |  |  |  |
| 8/1/96  | System down, unable to obtain emission flow rate and samples. Notified BAAQMD |                        |           |                 |          |          |          |          |                |                 |        |                              |                                 |                                 |  |  |  |  |
| 8/1/96  | 247305  | 2750                   |           | W-INF1          | 1500     | 550      | 6.0      | 12       | 69             | NA              |        |                              |                                 |                                 |  |  |  |  |
| 8/9/96  |   |                        |           | W-INF2          | 240      | 71       | 0.91     | 1.3      | 9.2            | NA              |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        |           | W-INT           | <50      | <0.5     | <0.5     | <0.5     | <0.5           | NA              |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        |           | W-EFF           | <50      | <0.5     | <0.5     | <0.5     | <0.5           | NA              |        |                              |                                 |                                 |  |  |  |  |
| 8/15/96 | 252600  | 378                    |           |                 |          |          |          |          |                |                 |        |                              |                                 |                                 |  |  |  |  |
| 8/29/96 | 256508  | 279                    |           | W-INF1          | <50      | <0.5     | <0.5     | <0.5     | <0.5           | NA              |        |                              |                                 |                                 |  |  |  |  |
| 9/6/96  | 258828  | 290                    |           | W-INF2          | <50      | <0.5     | <0.5     | <0.5     | <0.5           | NA              |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        |           | W-INT           | <50      | <0.5     | <0.5     | <0.5     | <0.5           | NA              |        |                              |                                 |                                 |  |  |  |  |
|         |   |                        |           | W-EFF           | <50      | <0.5     | <0.5     | <0.5     | <0.5           | NA              |        |                              |                                 |                                 |  |  |  |  |
| 9/20/96 | 260063  | 88                     |           |                 |          |          |          |          |                |                 |        |                              |                                 |                                 |  |  |  |  |
| 9/24/96 | 262422  | 590                    |           |                 |          |          |          |          |                |                 |        |                              |                                 |                                 |  |  |  |  |

|        |               |  |   |   |    |                  |                             |
|--------|---------------|--|---|---|----|------------------|-----------------------------|
| W-INF  | W-INF1        | = water influent before stripper           | B | = Benzene   | NA | = Not applicable | ug/L = micrograms per liter |
| W-INF2 |               | = water influent after stripper            | T | = Toluene   | NS | = Not sampled    | mg/L = milligrams per Liter |
| W-INT  | W-INT1 W-INT2 | = water intermediate                       | E | = Ethylbenzene                                    | ND | = Not detected   | gpd = gallons per day       |
| W-EFF  | W-EFF1 W-EFF2 | = water effluent                           | X | = Total Xylenes                                   |    |                  | gal = gallons               |
| TPHg   |               | = Total petroleum hydrocarbons as gasoline | < | = less than the laboratory method detection limit |    |                  |                             |



20100001

APPROXIMATE SCALE



Source: U.S.G.S. 7.5 minute  
topographic quadrangle map  
Oakland/San Leandro, California  
Photorevised 1980



ENVIRONMENTAL  
RESOLUTIONS, INC.

PROJECT


ERI 2010

SITE VICINITY MAP

FORMER EXXON SERVICE STATION 7-3006  
720 High Street  
Oakland, California

PLATE

1



FN 20100002

### EXPLANATION

- MW15 • Groundwater Monitoring Well  
4.28 Groundwater elevation in feet above mean sea level
- MW5 • Groundwater Monitoring Well (Destroyed)
- VW3 ▲ Vapor Well
- RW7 • Recovery Monitoring Well
- Interceptor Trench
- AS6 • Air-Sparging/Vapor-Extraction Well

$i$  = Interpreted gradient magnitude



### GENERALIZED SITE PLAN

FORMER EXXON SERVICE STATION 7-3006  
720 High Street  
Oakland, California

PROJECT NO.

2010

PLATE

2

DATE: 10/16/96

**ATTACHMENT A**

**GROUNDWATER SAMPLING PROTOCOL**

## GROUNDWATER SAMPLING PROTOCOL

The static water level and separate phase product level, if present, in each well that contained water and/or separate phase product are measured with a ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from wellhead elevations.

Water samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon<sup>\*</sup> bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples were checked for measurable separate phase hydrocarbon product or sheen. Any separate phase product is removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until stabilization of the temperature, pH, and conductivity are obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples". The quantity of water purged from each well is calculated as follows:

$$1 \text{ well casing volume} = \pi r^2 h(7.48) \text{ where:}$$

r = radius of the well casing in feet.

h = column of water in the well in feet (depth to bottom - depth to water)

7.48 = conversion constant from cubic feet to gallons

gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well was allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover to at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples". Water samples were collected with a new, disposable Teflon bailer, and were carefully poured into 40-milliliter (ml) glass vials, which are filled so as to produce a positive meniscus. Each vial is preserved with hydrochloric acid, sealed with a cap containing a Teflon<sup>\*</sup> septum, and subsequently examined for air bubbles to avoid headspace which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain of Custody Record, to a California-certified laboratory.

**ATTACHMENT B**

**LABORATORY ANALYSIS REPORTS  
AND CHAIN OF CUSTODY RECORDS**



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600 FAX (415) 364-9233  
(510) 988-9600 FAX (510) 988-9673  
(916) 921-9600 FAX (916) 921-9100

OCT 11 1996  
RECEIVED  
RECORDED

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP4A

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-11-MW10  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-01

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/03/96  
Reported: 10/08/96

### Total Extractable Petroleum Hydrocarbons (TEPH)

| Analyte                                 | Detection Limit<br>ug/L    | Sample Results<br>ug/L |
|---|----------------------------|------------------------|
| TEPH as Diesel<br>Chromatogram Pattern: | 50                         | N.D.                   |
| Surrogates<br>n-Pentacosane (C25)       | Control Limits %<br>50 150 | % Recovery<br>97       |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-11-MW10  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609G72-01

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/01/96  
Reported: 10/08/96

C Batch Number: GC100196BTEX20A  
Instrument ID: GCHP20

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Methyl t-Butyl Ether  | 2.5                     | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| Surrogates            | Control Limits %        | % Recovery             |
| Trifluorotoluene      | 70      130             | 95                     |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager





**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-11-MW9  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-02

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/04/96  
Reported: 10/08/96

GC Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP4A

### Total Extractable Petroleum Hydrocarbons (TEPH)

| Analyte                                 | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|---|-------------------------|------------------------|
| TEPH as Diesel<br>Chromatogram Pattern: | 50                      | N.D.                   |
| Surrogates<br>n-Pentacosane (C25)       | Control Limits %<br>50  | % Recovery<br>103      |

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

Batch Number: GC100196BTEX20A  
Instrument ID: GCHP20

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-11-MW9  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609G72-02

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/01/96  
Reported: 10/08/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Methyl t-Butyl Ether  | 2.5                     | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| Surrogates            | Control Limits %        | % Recovery             |
| Trifluorotoluene      | 70      130             | 93                     |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-10-MW11  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-03

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/04/96  
Reported: 10/08/96

C Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP5B

### Total Extractable Petroleum Hydrocarbons (TEPH)

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TEPH as Diesel        | .....                   | 58                     |
| Chromatogram Pattern: |                         |                        |
| Unidentified HC       | .....                   | C15-C24                |
| Surrogates            | Control Limits %        | % Recovery             |
| n-Pentacosane (C25)   | 50 150                  | 101                    |

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC100196BTEX20A  
Instrument ID: GCHP20

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-10-MW11  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609G72-03

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/01/96  
Reported: 10/08/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Methyl t-Butyl Ether  | 2.5                     | 40                     |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| Surrogates            | Control Limits %        | % Recovery             |
| Trifluorotoluene      | 70 130                  | 93                     |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP5B

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-10-MW1  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-04

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/04/96  
Reported: 10/08/96

### Total Extractable Petroleum Hydrocarbons (TEPH)

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TEPH as Diesel        | .....                   | 50                     |
| Chromatogram Pattern: |                         | .....                  |
| Unidentified HC       | .....                   | .....                  |
| Surrogates            | Control Limits %        | % Recovery             |
| n-Pentacosane (C25)   | 50 150                  | 101                    |

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite B

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC100196BTEX20A  
Instrument ID: GCHP20

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-10-MW1  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609G72-04

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/01/96  
Reported: 10/08/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Methyl t-Butyl Ether  | 2.5                     | 9.5                    |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |

| Surrogates       | Control Limits % | % Recovery |
|------------------|------------------|------------|
| Trifluorotoluene | 70 130           | 96         |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-13-MW14  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-05

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/04/96  
Reported: 10/08/96

QC Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP5B

### Total Extractable Petroleum Hydrocarbons (TEPH)

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TEPH as Diesel        | .....                   | 250                    |
| Chromatogram Pattern: |                         | .....                  |
| Unidentified HC       | .....                   | C9-C24                 |
| Surrogates            | Control Limits %        | % Recovery             |
| n-Pentacosane (C25)   | 50 150                  | 170 Q                  |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

GC Batch Number: GC100196BTEX20A  
Instrument ID: GCHP20

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-13-MW14  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609G72-05

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/01/96  
Reported: 10/08/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 500                     | 1000                   |
| Methyl t-Butyl Ether  | 25                      | N.D.                   |
| Benzene               | 5.0                     | N.D.                   |
| Toluene               | 5.0                     | N.D.                   |
| Ethyl Benzene         | 5.0                     | N.D.                   |
| Xylenes (Total)       | 5.0                     | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| Unidentified HC       |                         | C7-C12                 |
| Surrogates            | Control Limits %        | % Recovery             |
| Trifluorotoluene      | 70 130                  | 102                    |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

GC Batch Number: GC100296060108A  
Instrument ID: GCHP08

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-13-MW14  
Matrix: LIQUID  
Analysis Method: EPA 601  
Lab Number: 9609G72-05

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/03/96  
Reported: 10/08/96

### Purgeable Halocarbons (EPA 601)

| Analyte                   | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|---------------------------|-------------------------|------------------------|
| Bromodichloromethane      | 0.50                    | N.D.                   |
| Bromoform                 | 0.50                    | N.D.                   |
| Bromomethane              | 1.0                     | N.D.                   |
| Carbon Tetrachloride      | 0.50                    | N.D.                   |
| Chlorobenzene             | 0.50                    | N.D.                   |
| Chloroethane              | 1.0                     | N.D.                   |
| 2-Chloroethylvinyl ether  | 1.0                     | N.D.                   |
| Chloroform                | 0.50                    | N.D.                   |
| Chloromethane             | 1.0                     | N.D.                   |
| Dibromochloromethane      | 0.50                    | N.D.                   |
| 1,2-Dichlorobenzene       | 0.50                    | N.D.                   |
| 1,3-Dichlorobenzene       | 0.50                    | N.D.                   |
| 1,4-Dichlorobenzene       | 0.50                    | N.D.                   |
| 1,1-Dichloroethane        | 0.50                    | N.D.                   |
| 1,2-Dichloroethane        | 0.50                    | N.D.                   |
| 1,1-Dichloroethene        | 0.50                    | N.D.                   |
| cis-1,2-Dichloroethene    | 0.50                    | N.D.                   |
| trans-1,2-Dichloroethene  | 0.50                    | N.D.                   |
| 1,2-Dichloropropane       | 0.50                    | N.D.                   |
| cis-1,3-Dichloropropene   | 0.50                    | N.D.                   |
| trans-1,3-Dichloropropene | 0.50                    | N.D.                   |
| Methylene chloride        | 5.0                     | N.D.                   |
| 1,1,2,2-Tetrachloroethane | 0.50                    | N.D.                   |
| Tetrachloroethene         | 0.50                    | N.D.                   |
| 1,1,1-Trichloroethane     | 0.50                    | N.D.                   |
| 1,1,2-Trichloroethane     | 0.50                    | N.D.                   |
| Trichloroethene           | 0.50                    | N.D.                   |
| Trichlorofluoromethane    | 0.50                    | N.D.                   |
| Vinyl chloride            | 1.0                     | N.D.                   |
| Surrogates                |                         |                        |
| 1-Chloro-2-fluorobenzene  | Control Limits %<br>70  | % Recovery<br>130 96   |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-13-MW14  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-05

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/04/96  
Reported: 10/08/96

Attention: Marc Briggs

QC Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP5B

### Fuel Fingerprint : Stoddard Solvent

| Analyte                                      | Detection Limit<br>ug/L    | Sample Results<br>ug/L  |
|--|----------------------------|-------------------------|
| Extract HC as Stoddard Solvent               | .....                      | 250                     |
| Chromatogram Pattern:                        |                            | .....                   |
| Weathered Stoddard Solvent                   | .....                      | .....                   |
| <br><b>Surrogates</b><br>n-Pentacosane (C25) | <br>Control Limits %<br>50 | <br>% Recovery<br>170 Q |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager

Page:

12



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP4A

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-12-MW7  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-06

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/04/96  
Reported: 10/08/96

### Total Extractable Petroleum Hydrocarbons (TEPH)

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TEPH as Diesel        | 50                      | 1100                   |
| Chromatogram Pattern: |                         |                        |
| Unidentified HC       |                         | C9-C24                 |
| Surrogates            | Control Limits %        | % Recovery             |
| n-Pentacosane (C25)   | 50 150                  | 101                    |

Analyses reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

Kevin Follett  
Project Manager

Page:

13



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

QC Batch Number: GC100196BTEX20A  
Instrument ID: GCHP20

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-12-MW7  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609G72-06

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/01/96  
Reported: 10/08/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX and MTBE

| Analyte                                  | Detection Limit<br>ug/L                     | Sample Results<br>ug/L |
|--|---|------------------------|
| TPPH as Gas                              | 500   | 950                    |
| Methyl t-Butyl Ether                     | 25  | N.D.                   |
| Benzene                                  | 5.0   | 6.8                    |
| Toluene                                  | 5.0   | N.D.                   |
| Ethyl Benzene                            | 5.0   | N.D.                   |
| Xylenes (Total)                          | 5.0   | N.D.                   |
| Chromatogram Pattern:<br>Unidentified HC | .....                                       | C6-C12                 |
| Surrogates                               |   |                        |
| Trifluorotoluene                         | Control Limits %<br>70                  130 | % Recovery<br>102      |

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

QC Batch Number: GC100296060108A  
Instrument ID: GCHP08

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-12-MW7  
Matrix: LIQUID  
Analysis Method: EPA 601  
Lab Number: 9609G72-06

Sampled: 09/24/96  
Received: 09/27/96  
Analyzed: 10/03/96  
Reported: 10/08/96

### Purgeable Halocarbons (EPA 601)

| Analyte                   | Detection Limit<br>ug/L         | Sample Results<br>ug/L |
|---------------------------|---------------------------------|------------------------|
| Bromodichloromethane      | 0.50                            | N.D.                   |
| Bromoform                 | 0.50                            | N.D.                   |
| Bromomethane              | 1.0                             | N.D.                   |
| Carbon Tetrachloride      | 0.50                            | N.D.                   |
| Chlorobenzene             | 0.50                            | N.D.                   |
| Chloroethane              | 1.0                             | N.D.                   |
| 2-Chloroethylvinyl ether  | 1.0                             | N.D.                   |
| Chloroform                | 0.50                            | N.D.                   |
| Chloromethane             | 1.0                             | N.D.                   |
| Dibromochloromethane      | 0.50                            | N.D.                   |
| 1,2-Dichlorobenzene       | 0.50                            | N.D.                   |
| 1,3-Dichlorobenzene       | 0.50                            | N.D.                   |
| 1,4-Dichlorobenzene       | 0.50                            | N.D.                   |
| 1,1-Dichloroethane        | 0.50                            | N.D.                   |
| 1,2-Dichloroethane        | 0.50                            | N.D.                   |
| 1,1-Dichloroethene        | 0.50                            | N.D.                   |
| cis-1,2-Dichloroethene    | 0.50                            | N.D.                   |
| trans-1,2-Dichloroethene  | 0.50                            | N.D.                   |
| 1,2-Dichloropropane       | 0.50                            | N.D.                   |
| cis-1,3-Dichloropropene   | 0.50                            | N.D.                   |
| trans-1,3-Dichloropropene | 0.50                            | N.D.                   |
| Methylene chloride        | 5.0                             | N.D.                   |
| 1,1,2,2-Tetrachloroethane | 0.50                            | N.D.                   |
| Tetrachloroethene         | 0.50                            | N.D.                   |
| 1,1,1-Trichloroethane     | 0.50                            | N.D.                   |
| 1,1,2-Trichloroethane     | 0.50                            | N.D.                   |
| Trichloroethene           | 0.50                            | N.D.                   |
| Trichlorofluoromethane    | 0.50                            | N.D.                   |
| Vinyl chloride            | 1.0                             | N.D.                   |
| Surrogates                |                                 |                        |
| 1-Chloro-2-fluorobenzene  | Control Limits %<br>70      130 | % Recovery<br>88       |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager

Page:

15



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
8119 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

GC Batch Number: GC1002960HBPEXB  
Instrument ID: GCHP4A

Client Proj. ID: Exxon 7-3006, 201013X  
Sample Descript: W-12-MW7  
Matrix: LIQUID  
Analysis Method: EPA 8015 Mod  
Lab Number: 9609G72-06

Sampled: 09/24/96  
Received: 09/27/96  
Extracted: 10/02/96  
Analyzed: 10/04/96  
Reported: 10/08/96

### Fuel Fingerprint : Stoddard Solvent

| Analyte                        | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|--------------------------------|-------------------------|------------------------|
| Extract HC as Stoddard Solvent | .....                   | 910                    |
| Chromatogram Pattern:          |                         |                        |
| Weathered Stoddard Solvent     | .....                   | C9-C13                 |
| Surrogates                     |                         | % Recovery             |
| n-Pentacosane (C25)            | 50                      | 101                    |
|                                | Control Limits %        |                        |
|                                | 50                      | 150                    |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager

Page:

16





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
8119 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 7-3006, 201013X  
Matrix: Liquid

Work Order #: 9609G72 01-06

Reported: Oct 10, 1996

## QUALITY CONTROL DATA REPORT

Analyte: Diesel

QC Batch#: GC1002960HBPEXB  
Analy. Method: EPA 8015M  
Prep. Method: EPA 3510

Analyst: N. Herrera  
MS/MSD #: 9609D9501  
Sample Conc.: 52  
Prepared Date: 10/2/96  
Analyzed Date: 10/4/96  
Instrument I.D.#: GCHP5B  
Conc. Spiked: 1000 µg/L

Result: 1200  
MS % Recovery: 115

Dup. Result: 940  
MSD % Recov.: 89

RPD: 24  
RPD Limit: 0-50

LCS #: BLK100296

Prepared Date: 10/2/96  
Analyzed Date: 10/3/96  
Instrument I.D.#: GCHP4B  
Conc. Spiked: 1000 µg/L


LCS Result: 1100  
LCS % Recov.: 110

|                |        |
|----------------|--------|
| MS/MSD         | 50-150 |
| LCS            | 60-140 |
| Control Limits |        |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

  
Kevin Follett  
Project Manager



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 7-3006, 201013X  
Matrix: Liquid

Work Order #: 9609G72 01-06

Reported: Oct 10, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         |
|----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC100196BTEX20A | GC100196BTEX20A | GC100196BTEX20A | GC100196BTEX20A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030        | EPA 5030        |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| Analyst:           | G. Fish   | G. Fish   | G. Fish   | G. Fish   |
| MS/MSD #:          | 960996901 | 960996901 | 960996901 | 960996901 |
| Sample Conc.:      | N.D.      | N.D.      | N.D.      | N.D.      |
| Prepared Date:     | 10/1/96   | 10/1/96   | 10/1/96   | 10/1/96   |
| Analyzed Date:     | 10/1/96   | 10/1/96   | 10/1/96   | 10/1/96   |
| Instrument I.D. #: | GCHP20    | GCHP20    | GCHP20    | GCHP20    |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| Result:            | 11        | 9.3       | 8.6       | 27        |
| MS % Recovery:     | 110       | 93        | 86        | 90        |
| <br>               |           |           |           |           |
| Dup. Result:       | 12        | 9.7       | 9.1       | 28        |
| MSD % Recov.:      | 120       | 97        | 91        | 93        |
| <br>               |           |           |           |           |
| RPD:               | 8.7       | 4.2       | 5.6       | 3.6       |
| RPD Limit:         | 0-25      | 0-25      | 0-25      | 0-25      |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| LCS #:             | BLK100196 | BLK100196 | BLK100196 | BLK100196 |
| Prepared Date:     | 10/1/96   | 10/1/96   | 10/1/96   | 10/1/96   |
| Analyzed Date:     | 10/1/96   | 10/1/96   | 10/1/96   | 10/1/96   |
| Instrument I.D. #: | GCHP20    | GCHP20    | GCHP20    | GCHP20    |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| LCS Result:        | 10        | 8.2       | 7.7       | 24        |
| LCS % Recov.:      | 100       | 82        | 77        | 80        |

|                |        |        |        |        |
|----------------|--------|--------|--------|--------|
| MS/MSD         | 60-140 | 60-140 | 60-140 | 60-140 |
| LCS            | 70-130 | 70-130 | 70-130 | 70-130 |
| Control Limits |        |        |        |        |

SEQUOIA ANALYTICAL

Kevin Follett  
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 7-3006, 201013X  
Matrix: Liquid  
Work Order #: 9609G72 05, 06

Reported: Oct 10, 1996

## QUALITY CONTROL DATA REPORT

|                       |                     |                  |                 |
|-----------------------|---------------------|------------------|-----------------|
| <b>Analyte:</b>       | 1,1-Dichloro-ethene | Trichloro-ethene | Chloro-Benzene  |
| <b>QC Batch#:</b>     | GC100296060108A     | GC100296060108A  | GC100296060108A |
| <b>Analy. Method:</b> | EPA 601             | EPA 601          | EPA 601         |
| <b>Prep. Method:</b>  | EPA 5030            | EPA 5030         | EPA 5030        |

|                           |           |           |           |
|---------------------------|-----------|-----------|-----------|
| <b>Analyst:</b>           | B. Ali    | B. Ali    | B. Ali    |
| <b>MS/MSD #:</b>          | 9609B9604 | 9609B9604 | 9609B9604 |
| <b>Sample Conc.:</b>      | N.D.      | N.D.      | N.D.      |
| <b>Prepared Date:</b>     | 10/2/96   | 10/2/96   | 10/2/96   |
| <b>Analyzed Date:</b>     | 10/2/96   | 10/2/96   | 10/2/96   |
| <b>Instrument I.D. #:</b> | GCHP8     | GCHP8     | GCHP8     |
| <b>Conc. Spiked:</b>      | 25 µg/L   | 25 µg/L   | 25 µg/L   |
| <b>Dilution Factor:</b>   | 1         | 1         | 1         |
| <b>Result:</b>            | 26        | 26        | 23        |
| <b>MS % Recovery:</b>     | 104       | 104       | 92        |
| <b>Dup. Result:</b>       | 25        | 25        | 23        |
| <b>MSD % Recov.:</b>      | 100       | 100       | 92        |
| <b>RPD:</b>               | 3.9       | 3.9       | 0.0       |
| <b>RPD Limit:</b>         | 0-25      | 0-25      | 0-25      |

|                           |           |           |           |
|---------------------------|-----------|-----------|-----------|
| <b>LCS #:</b>             | BLK100296 | BLK100296 | BLK100296 |
| <b>Prepared Date:</b>     | 10/2/96   | 10/2/96   | 10/2/96   |
| <b>Analyzed Date:</b>     | 10/2/96   | 10/2/96   | 10/2/96   |
| <b>Instrument I.D. #:</b> | GCHP8     | GCHP8     | GCHP8     |
| <b>Conc. Spiked:</b>      | 25 µg/L   | 25 µg/L   | 25 µg/L   |
| <b>LCS Result:</b>        | 25        | 27        | 25        |
| <b>LCS % Recov.:</b>      | 100       | 108       | 100       |

|               |        |        |        |
|---------------|--------|--------|--------|
| <b>MS/MSD</b> | 60-140 | 60-140 | 60-140 |
| <b>LCS</b>    | 65-135 | 70-130 | 70-130 |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

**SEQUOIA ANALYTICAL**

Kevin Follett  
Project Manager



Sequoia Analytical  
680 Chesapeake Dr.  
Redwood City, CA 94063  
(415) 364-9600 • FAX (415) 364-9233

# EXXON COMPANY, U.S.A.

P.O. Box 2180, Houston, TX 77002-7426

## CHAIN OF CUSTODY

Page 1 of 2

Consultant's Name: Environmental Resolutions Inc

Address: 74 Digital Dr Suite 6 Novato Ca 94949

Project #: 7-3006

Consultant Project #: 201013X

Project Contact: Marc Briggs

Phone #: 415 382 9105

EXXON Contact: Marla Gedenkr

Phone #: 510 246 8776

Sampled by (print): Scott Graham

Sampler's Signature: Scott Graham

Shipment Method:

Air Bill #:

Site Location: 720 High Street

Consultant Work Release #: 19432503

Laboratory Work Release #:

EXXON RAS #: 7-3006

Oakland, Ca

TAT:  24 hr  48 hr  72 hr  96 hr  Standard (10 day)

### ANALYSIS REQUIRED

9609G72

| Sample Description | Collection Date | Collection Time | Matrix Soil/Water/Air | Prsv    | # of Cont. | Sequoia's Sample # | TPH/Gas BTEX/ 8015/ 8020 | TPH/ Diesel EPA 8015 | MTBE | Stockard Solvent 3510/ 8015 | purgeable Halocarbons 601 | Temperature: _____ |
|--------------------|-----------------|-----------------|-----------------------|---------|------------|--------------------|--------------------------|----------------------|------|-----------------------------|---------------------------|--------------------|
| W-11-MW10          | 9/24/96         | 15:50           | Water                 | HCl ICP | 3          | 1                  | X                        |                      |      | X                           |                           |                    |
| W-11-MW9           |                 | 16:05           |                       |         | 1          | 2                  | X                        |                      |      | X                           |                           |                    |
| W-10-MW11          |                 | 16:20           |                       |         |            | 3                  | X                        |                      |      | X                           |                           |                    |
| W-10-MW11          |                 | 16:35           |                       |         |            | 4                  | X                        |                      |      | X                           |                           |                    |
| W-13-MW14          |                 | 16:50           |                       |         | 1          | 5                  | X                        |                      |      | X                           |                           |                    |
| W-12-MW7           |                 | 17:05           |                       |         | 1          | 6                  | X                        |                      |      | X                           |                           |                    |
| W-11-MW10          |                 | 15:55           |                       | ICE     | 2          | 1                  |                          | X                    |      |                             |                           |                    |
| W-11-MW9           |                 | 16:10           |                       | ICE     | 2          | 2                  |                          | X                    |      |                             |                           |                    |
| W-10-MW11          |                 | 16:25           |                       | ICE     | 1          | 3                  |                          | X                    |      |                             |                           |                    |

| RELINQUISHED BY / AFFILIATION | Date    | Time | ACCEPTED / AFFILIATION | Date    | Time | Additional Comments |
|-------------------------------|---------|------|------------------------|---------|------|---------------------|
| Scott Graham<br>John Janer    | 9.27.96 | 1005 | John Gedenkr / Sequoia | 9.27.96 | 1005 |                     |
|                               | 9.27.96 | 1216 | John Gedenkr / Sequoia | 9.27.96 | 1216 |                     |

Pink - Client

Yellow - Sequoia

White - Sequoia





# Sequoia Analytical

680 Chesapeake Drive      Redwood City, CA 94063      (415) 364-9600      FAX (415) 364-9233  
 404 N. Wiget Lane      Walnut Creek, CA 94598      (510) 988-9600      FAX (510) 988-9673  
 819 Striker Avenue, Suite 8      Sacramento, CA 95834      (916) 921-9600      FAX (916) 921-0100

Environmental Resolutions  
 74 Digital Drive, Suite 6  
 Novato, CA 94949  
 Attention: Marc Briggs

Client Project ID: Exxon #7-3006 / 201011X  
 Sample Matrix: Air  
 Analysis Method: EPA 5030/8015 Mod./8020  
 First Sample #: 608-1131

Sampled: Aug 15, 1996  
 Received: Aug 16, 1996  
 Reported: Aug 22, 1996

QC Batch Number: GC081696      GC081696

802002B      802002B

## TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

| Analyte                | Reporting Limit<br>µg/L | Sample I.D.<br>608-1131<br>A-INF | Sample I.D.<br>608-1132<br>A-EFF |
|------------------------|-------------------------|----------------------------------|----------------------------------|
| Purgeable Hydrocarbons | 10                      | 410                              | N.D.                             |
| Benzene                | 0.050                   | 4.7                              | N.D.                             |
| Toluene                | 0.050                   | 2.4                              | N.D.                             |
| Ethyl Benzene          | 0.050                   | 1.6                              | N.D.                             |
| Total Xylenes          | 0.050                   | 4.3                              | N.D.                             |


Chromatogram Pattern: Gasoline & Unidentified Hydrocarbons  
 >C8

### Quality Control Data

|   |         |         |
|---|---------|---------|
| Report Limit Multiplication Factor:             | 2.0     | 1.0     |
| Date Analyzed:                                  | 8/16/96 | 8/16/96 |
| Instrument Identification:                      | HP-2    | HP-2    |
| Surrogate Recovery, %:<br>(QC Limits = 70-130%) | 157     | 93      |

Purgeable Hydrocarbons are quantitated against a fresh gasoline standard.  
 Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

  
 Jim Bava  
 Project Manager

6081131.ENR <1>





**Sequoia  
Analytical**

|  |  |  |  |
|--|--|--|--|
| 680 Chesapeake Drive<br>404 N. Wiget Lane<br>819 Striker Avenue, Suite 8 | Redwood City, CA 94063<br>Walnut Creek, CA 94598<br>Sacramento, CA 95834 | (415) 364-9600<br>(510) 988-9600<br>(916) 921-9600 | FAX (415) 364-9233<br>FAX (510) 988-9673<br>FAX (916) 921-0100 |
|--|--|--|--|

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon #7-3006 / 201011X  
Sample Matrix: Air  
Analysis Method: EPA 5030/8015 Mod./8020  
First Sample #: 608-1131

Sampled: Aug 15, 1996  
Received: Aug 16, 1996  
Reported: Aug 22, 1996

QC Batch Number: GC081696 GC081696

802002B 802002B

**TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION**

| Analyte                | Reporting Limit<br>ppmv | Sample I.D.<br>608-1131<br>A-INF            | Sample I.D.<br>608-1132<br>A-EFF |
|------------------------|-------------------------|---|----------------------------------|
| Purgeable Hydrocarbons | 2.4                     | 100   | N.D.                             |
| Benzene                | 0.016                   | 1.5   | N.D.                             |
| Toluene                | 0.013                   | 0.64  | N.D.                             |
| Ethyl Benzene          | 0.012                   | 0.37  | N.D.                             |
| Total Xylenes          | 0.012                   | 0.99  | N.D.                             |
| Chromatogram Pattern:  |                         | Gasoline & Unidentified Hydrocarbons<br>>C8 | --                               |

**Quality Control Data**

|   |         |         |
|---|---------|---------|
| Report Limit Multiplication Factor:             | 2.0     | 1.0     |
| Date Analyzed:                                  | 8/16/96 | 8/16/96 |
| Instrument Identification:                      | HP-2    | HP-2    |
| Surrogate Recovery, %:<br>(QC Limits = 70-130%) | 157     | 93      |

Purgeable Hydrocarbons are quantitated against a fresh gasoline standard.  
Analytes reported as N.D. were not detected above the stated reporting limit.

**SEQUOIA ANALYTICAL, #1271**

  
Jim Bava  
Project Manager

6081131.ENR <2>





**Sequoia  
Analytical**

680 Chesapeake Drive Redwood City, CA 94063 (415) 364-9600 FAX (415) 364-9233  
404 N. Wiget Lane Walnut Creek, CA 94598 (510) 988-9600 FAX (510) 988-9673  
819 Striker Avenue, Suite 8 Sacramento, CA 95834 (916) 921-9600 FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon #7-3006 / 201011X  
Matrix: Vapor

QC Sample Group: 6081131-132

Reported: Aug 22, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:           | Benzene   | Toluene   | Ethyl Benzene | Xylenes   |
|--------------------|-----------|-----------|---------------|-----------|
| QC Batch#:         | GC081696  | GC081696  | GC081696      | GC081696  |
|                    | 802002B   | 802002B   | 802002B       | 802002B   |
| Analy. Method:     | EPA 8020  | EPA 8020  | EPA 8020      | EPA 8020  |
| Prep. Method:      | EPA 5030  | EPA 5030  | EPA 5030      | EPA 5030  |
| Analyst:           | M. Brewer | M. Brewer | M. Brewer     | M. Brewer |
| MS/MSD #:          | BLK081696 | BLK081696 | BLK081696     | BLK081696 |
| Sample Conc.:      | N.D.      | N.D.      | N.D.          | N.D.      |
| Prepared Date:     | 8/16/96   | 8/16/96   | 8/16/96       | 8/16/96   |
| Analyzed Date:     | 8/16/96   | 8/16/96   | 8/16/96       | 8/16/96   |
| Instrument I.D. #: | HP-2      | HP-2      | HP-2          | HP-2      |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L       | 30 µg/L   |
| Result:            | 9.3       | 9.0       | 9.4           | 28        |
| MS % Recovery:     | 93        | 90        | 94            | 93        |
| Dup. Result:       | 9.3       | 9.0       | 9.3           | 28        |
| MSD % Recov.:      | 93        | 90        | 93            | 93        |
| RPD:               | 0.0       | 0.0       | 1.1           | 0.0       |
| RPD Limit:         | 0-25      | 0-25      | 0-25          | 0-25      |

| LCS #:             | 2LCS081696 | 2LCS081696 | 2LCS081696 | 2LCS081696 |
|--------------------|------------|------------|------------|------------|
| Prepared Date:     | 8/16/96    | 8/16/96    | 8/16/96    | 8/16/96    |
| Analyzed Date:     | 8/16/96    | 8/16/96    | 8/16/96    | 8/16/96    |
| Instrument I.D. #: | HP-2       | HP-2       | HP-2       | HP-2       |
| Conc. Spiked:      | 20 µg/L    | 20 µg/L    | 20 µg/L    | 60 µg/L    |
| LCS Result:        | 21         | 20         | 21         | 63         |
| LCS % Recov.:      | 105        | 100        | 105        | 105        |

|                    |        |        |        |        |
|--------------------|--------|--------|--------|--------|
| MS/MSD             | 70-130 | 70-130 | 70-130 | 70-130 |
| LCS Control Limits |        |        |        |        |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

SEQUOIA ANALYTICAL, #1271

  
Jim Bava  
Project Manager



Sequoia Valley PCTI  
680 Chesapeake Dr.  
Redwood City, CA 94063  
(415) 364-9600 • FAX (415) 364-9233

**EXXON COMPANY, U.S.A.**

P.O. Box 2180, Houston, TX 77002-7426

## **CHAIN OF CUSTODY**

9608361

Consultant's Name: Environmental Resolution

Page \_\_\_\_\_ of \_\_\_\_\_

|                                   |                              |                                     |
|-----------------------------------|------------------------------|-------------------------------------|
| Address: 74 Digital Drive Suite 6 |                              | Site Location:                      |
| Project #: 20101X                 | Consultant Project #: 20101X | Consultant Work Release #: 19432503 |
| Project Contact: Marc Bragg       | Phone #: 415 382 9105        | Laboratory Work Release #:          |
| EXXON Contact: Meena Gruender     | Phone #: 510 246 8768        | EXXON RAS #: 73006                  |
| Sampled by (print): Robert Rudo   | Sampler's Signature:         |                                     |
| Shipment Method:                  | Air Bill #:                  |                                     |

TAT:  24 hr  48 hr  72 hr  96 hr  Standard (10 day)

**ANALYSIS REQUIRED**

820

~~RELIQUISHED BY AFFILIATION~~

Date

Time

**ACCEPTED AFFILIATION**

Da

## Time

### *Additional Comments*

8/16/94 1350

White - Sequoia

Pink - Client

Yellow - Sequoia



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

QC Batch Number: GC091096BTEX17A  
Instrument ID: GCHP17

Client Proj. ID: Exxon 73006 / 2010  
Sample Descript: A-Eff  
Matrix: AIR  
Analysis Method: 8015Mod/8020  
Lab Number: 9609324-01


Sampled: 09/06/96  
Received: 09/09/96  
Analyzed: 09/10/96  
Reported: 09/16/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L                       | Sample Results<br>ug/L |
|-----------------------|---|------------------------|
| TPPH as Gas           | 10  | N.D.                   |
| Benzene               | 0.10  | N.D.                   |
| Toluene               | 0.10  | N.D.                   |
| Ethyl Benzene         | 0.10  | N.D.                   |
| Xylenes (Total)       | 0.10  | N.D.                   |
| Chromatogram Pattern: |   |                        |
| <b>Surrogates</b>     |   |                        |
| Trifluorotoluene      | Control Limits %<br>70                    130 | % Recovery<br>120      |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

  
Kevin Follett  
Project Manager

RECORDED  
SEP 18 1996  
INVESTIGATED



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

QC Batch Number: GC091296BTEX17A  
Instrument ID: GCHP17

Client Proj. ID: Exxon 73006 / 2010  
Sample Descript: A-Inf  
Matrix: AIR  
Analysis Method: 8015Mod/8020  
Lab Number: 9609324-02

Sampled: 09/06/96  
Received: 09/09/96  
Analyzed: 09/12/96  
Reported: 09/16/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte  | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|--|-------------------------|------------------------|
| TPPH as Gas                                    | .....                   | 150                    |
| Benzene  | 0.10                    | N.D.                   |
| Toluene  | 0.10                    | N.D.                   |
| Ethyl Benzene                                  | 0.10                    | 0.36                   |
| Xylenes (Total)                                | 0.10                    | 0.21                   |
| Chromatogram Pattern:<br>Gas & Unidentified HC | .....                   | < C8                   |
| Surrogates                                     |                         | Control Limits %       |
| Trifluorotoluene                               |                         | 70 130                 |
|  |                         | % Recovery             |
|  |                         | 557 Q                  |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL ELAP #1210

Kevin Follett  
Project Manager



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 73006 / 2010  
Matrix: Liquid

Work Order #: 9609324 01

Reported: Sep 17, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         |
|----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC091096BTEX17A | GC091096BTEX17A | GC091096BTEX17A | GC091096BTEX17A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030        | EPA 5030        |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| Analyst:           | R. Burton | R. Burton | R. Burton | R. Burton |
| MS/MSD #:          | 960811704 | 960811704 | 960811704 | 960811704 |
| Sample Conc.:      | N.D.      | N.D.      | N.D.      | N.D.      |
| Prepared Date:     | 9/10/96   | 9/10/96   | 9/10/96   | 9/10/96   |
| Analyzed Date:     | 9/10/96   | 9/10/96   | 9/10/96   | 9/10/96   |
| Instrument I.D. #: | GCHP17    | GCHP17    | GCHP17    | GCHP17    |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| Result:            | 11        | 11        | 10        | 30        |
| MS % Recovery:     | 110       | 110       | 100       | 100       |
| <br>               |           |           |           |           |
| Dup. Result:       | 12        | 11        | 11        | 33        |
| MSD % Recov.:      | 120       | 110       | 110       | 110       |
| <br>               |           |           |           |           |
| RPD:               | 8.7       | 0.0       | 9.5       | 9.5       |
| RPD Limit:         | 0-25      | 0-25      | 0-25      | 0-25      |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| LCS #:             | BLK090996 | BLK090996 | BLK090996 | BLK090996 |
| Prepared Date:     | 9/10/96   | 9/10/96   | 9/10/96   | 9/10/96   |
| Analyzed Date:     | 9/10/96   | 9/10/96   | 9/10/96   | 9/10/96   |
| Instrument I.D. #: | GCHP17    | GCHP17    | GCHP17    | GCHP17    |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| LCS Result:        | 10        | 9.8       | 9.3       | 28        |
| LCS % Recov.:      | 100       | 98        | 93        | 93        |
| <br>               |           |           |           |           |
| MS/MSD             | 60-140    | 60-140    | 60-140    | 60-140    |
| LCS                | 70-130    | 70-130    | 70-130    | 70-130    |
| Control Limits     |           |           |           |           |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Kevin Follett  
Project Manager

\*\* MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9609324.EEE <1>





**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 73006 / 2010  
Matrix: Liquid

Work Order #: 9609324 02

Reported: Sep 17, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl<br>Benzene | Xylenes         |
|----------------|-----------------|-----------------|------------------|-----------------|
| QC Batch#:     | GC091296BTEX17A | GC091296BTEX17A | GC091296BTEX17A  | GC091296BTEX17A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020         | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030         | EPA 5030        |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| Analyst:           | D. Jirsa  | D. Jirsa  | D. Jirsa  | D. Jirsa  |
| MS/MSD #:          | 960842603 | 960842603 | 960842603 | 960842603 |
| Sample Conc.:      | N.D.      | N.D.      | N.D.      | N.D.      |
| Prepared Date:     | 9/12/96   | 9/12/96   | 9/12/96   | 9/12/96   |
| Analyzed Date:     | 9/12/96   | 9/12/96   | 9/12/96   | 9/12/96   |
| Instrument I.D. #: | GCHP17    | GCHP17    | GCHP17    | GCHP17    |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| Result:            | 12        | 11        | 11        | 33        |
| MS % Recovery:     | 120       | 110       | 110       | 110       |
| <br>               |           |           |           |           |
| Dup. Result:       | 12        | 12        | 11        | 34        |
| MSD % Recov.:      | 120       | 120       | 110       | 113       |
| <br>               |           |           |           |           |
| RPD:               | 0.0       | 8.7       | 0.0       | 3.0       |
| RPD Limit:         | 0-25      | 0-25      | 0-25      | 0-25      |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| LCS #:             | BLK091296 | BLK091296 | BLK091296 | BLK091296 |
| Prepared Date:     | 9/12/96   | 9/12/96   | 9/12/96   | 9/12/96   |
| Analyzed Date:     | 9/12/96   | 9/12/96   | 9/12/96   | 9/12/96   |
| Instrument I.D. #: | GCHP17    | GCHP17    | GCHP17    | GCHP17    |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| LCS Result:        | 11        | 10        | 10        | 30        |
| LCS % Recov.:      | 110       | 100       | 100       | 100       |

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| MS/MSD | 60-140 | 60-140 | 60-140 | 60-140 |
| LCS    | 70-130 | 70-130 | 70-130 | 70-130 |

SEQUOIA ANALYTICAL

Kevin Follett  
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9609324.EEE <2>





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

Client Proj. ID: Exxon 7- 3006 / 201011X  
Sample Descript: W-INF1  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9607E87-01

Sampled: 07/22/96  
Received: 07/24/96  
Analyzed: 07/26/96  
Reported: 08/01/96

QC Batch Number: GC072696BTEX17B  
Instrument ID: GCHP17

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 1000                    | 3100                   |
| Benzene               | 10                      | 330                    |
| Toluene               | 10                      | 53                     |
| Ethyl Benzene         | 10                      | 180                    |
| Xylenes (Total)       | 10                      | 630                    |
| Chromatogram Pattern: |                         | Gas                    |
| Surrogates            |                         |                        |
| Trifluorotoluene      | Control Limits %<br>70  | % Recovery<br>130      |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager

RECORDED  
AUG 06 1996  
HAROLD L. LEE



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

Client Proj. ID: Exxon 7- 3006 / 201011X  
Sample Descript: W-INF2  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9607E87-02

Sampled: 07/22/96  
Received: 07/24/96  
Analyzed: 07/26/96  
Reported: 08/01/96

C Batch Number: GC072696BTEX17B  
Instrument ID: GCHP17

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 500                     | 2500                   |
| Benzene               | 5.0                     | 330                    |
| Toluene               | 5.0                     | 41                     |
| Ethyl Benzene         | 5.0                     | 140                    |
| Xylenes (Total)       | 5.0                     | 480                    |
| Chromatogram Pattern: |                         | Gas                    |
| Surrogates            |                         | Control Limits %       |
| Trifluorotoluene      |                         | 70 130                 |
|                       |                         | % Recovery             |
|                       |                         | 90                     |

Analytes reported as N.D. were not present above the stated limit of detection.

**SEQUOIA ANALYTICAL - ELAP #1210**

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC072696BTEX17B  
Instrument ID: GCHP17

Client Proj. ID: Exxon 7- 3006 / 201011X  
Sample Descript: W-INT  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9607E87-03

Sampled: 07/22/96  
Received: 07/24/96  
Analyzed: 07/26/96  
Reported: 08/01/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |

| Surrogates       | Control Limits % | % Recovery |
|------------------|------------------|------------|
| Trifluorotoluene | 70 130           | 100        |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-9000

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949

Attention: Marc Briggs

RC Batch Number: GC072996BTEX02A  
Instrument ID: GCHP02

Client Proj. ID: Exxon 7-3006 / 201011X  
Sample Descript: W-EFF  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9607E87-04

Sampled: 07/22/96  
Received: 07/24/96  
Analyzed: 07/29/96  
Reported: 08/01/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |

| Surrogates       | Control Limits % | % Recovery |
|------------------|------------------|------------|
| Trifluorotoluene | 70 130           | 86         |

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



**Sequoia  
Analytical**

680 Chesapeake Drive      Redwood City, CA 94063      (415) 364-9600      FAX (415) 364-9233  
 404 N. Wiget Lane      Walnut Creek, CA 94598      (510) 988-9600      FAX (510) 988-9673  
 819 Striker Avenue, Suite 8      Sacramento, CA 95834      (916) 921-9600      FAX (916) 921-0100

Environmental Resolutions  
 74 Digital Drive, Ste. 6  
 Novato, CA 94949  
 Attention: Marc Briggs

Client Project ID: Exxon 7-3006/201011X  
 Matrix: Liquid

Work Order #: 9607E87 -01 - 03

Reported: Aug 2, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         |
|----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC072696BTEX17B | GC072696BTEX17B | GC072696BTEX17B | GC072696BTEX17B |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030        | EPA 5030        |

|                    |              |              |              |              |
|--------------------|--------------|--------------|--------------|--------------|
| Analyst:           | B. Sullivan  | B. Sullivan  | B. Sullivan  | B. Sullivan  |
| MS/MSD #:          | G9607A75-08B | G9607A75-08B | G9607A75-08B | G9607A75-08B |
| Sample Conc.:      | N.D.         | N.D.         | N.D.         | N.D.         |
| Prepared Date:     | 7/26/96      | 7/26/96      | 7/26/96      | 7/26/96      |
| Analyzed Date:     | 7/26/96      | 7/26/96      | 7/26/96      | 7/26/96      |
| Instrument I.D. #: | GCHP17       | GCHP17       | GCHP17       | GCHP17       |
| Conc. Spiked:      | 10 ug/L      | 10 ug/L      | 10 ug/L      | 30 ug/L      |
| <br>               | <br>         | <br>         | <br>         | <br>         |
| Result:            | 10           | 10           | 10           | 31           |
| MS % Recovery:     | 100          | 100          | 100          | 103          |
| <br>               | <br>         | <br>         | <br>         | <br>         |
| Dup. Result:       | 9.7          | 9.8          | 9.7          | 29           |
| MSD % Recov.:      | 97           | 98           | 97           | 97           |
| <br>               | <br>         | <br>         | <br>         | <br>         |
| RPD:               | 3.0          | 2.0          | 3.0          | 3.4          |
| RPD Limit:         | 0-25         | 0-25         | 0-25         | 0-25         |

| LCS #:             | GBLK072696B | GBLK072696B | GBLK072696B | GBLK072696B |
|--------------------|-------------|-------------|-------------|-------------|
| Prepared Date:     | 7/26/96     | 7/26/96     | 7/26/96     | 7/26/96     |
| Analyzed Date:     | 7/26/96     | 7/26/96     | 7/26/96     | 7/26/96     |
| Instrument I.D. #: | GCHP17      | GCHP17      | GCHP17      | GCHP17      |
| Conc. Spiked:      | 10 ug/L     | 10 ug/L     | 10 ug/L     | 30 ug/L     |
| <br>               | <br>        | <br>        | <br>        | <br>        |
| LCS Result:        | 11          | 11          | 11          | 32          |
| LCS % Recov.:      | 110         | 110         | 110         | 107         |
| <br>               | <br>        | <br>        | <br>        | <br>        |
| MS/MSD             | 60-140      | 60-140      | 60-140      | 60-140      |
| LCS                | 70-130      | 70-130      | 70-130      | 70-130      |
| Control Limits     |             |             |             |             |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL

Kevin Follett  
 Project Manager

\*\* MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9607E87.EEE <1>



**Sequoia  
Analytical**

680 Chesapeake Drive      Redwood City, CA 94063      (415) 364-9600      FAX (415) 364-9233  
 404 N. Wiget Lane      Walnut Creek, CA 94598      (510) 988-9600      FAX (510) 988-9673  
 819 Striker Avenue, Suite 8      Sacramento, CA 95834      (916) 921-9600      FAX (916) 921-0100

Environmental Resolutions  
 74 Digital Drive, Ste. 6  
 Novato, CA 94949  
 Attention: Marc Briggs

Client Project ID: Exxon 7-3006/201011X  
 Matrix: Liquid

Work Order #: 9607E87 -04

Reported: Aug 2, 1996

### QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         |
|----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC072996BTEX02A | GC072996BTEX02A | GC072996BTEX02A | GC072996BTEX02A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030        | EPA 5030        |

|                    |               |               |              |               |
|--------------------|---------------|---------------|--------------|---------------|
| Analyst:           | B. Sullivan   | B. Sullivan   | B. Sullivan  | B. Sullivan   |
| MS/MSD #:          | GW9607A88-02E | GW9607A88-02E | W9607A88-02E | GW9607A88-02E |
| Sample Conc.:      | N.D.          | N.D.          | N.D.         | N.D.          |
| Prepared Date:     | 7/29/96       | 7/29/96       | 7/29/96      | 7/29/96       |
| Analyzed Date:     | 7/29/96       | 7/29/96       | 7/29/96      | 7/29/96       |
| Instrument I.D. #: | GCHP2         | GCHP2         | GCHP2        | GCHP2         |
| Conc. Spiked:      | 10 ug/L       | 10 ug/L       | 10 ug/L      | 30 ug/L       |
| Result:            | 10            | 10            | 10           | 30            |
| MS % Recovery:     | 100           | 100           | 100          | 100           |
| Dup. Result:       | 10            | 10            | 10           | 30            |
| MSD % Recov.:      | 100           | 100           | 100          | 100           |
| RPD:               | 0.0           | 0.0           | 0.0          | 0.0           |
| RPD Limit:         | 0-25          | 0-25          | 0-25         | 0-25          |

|                    |             |             |             |             |
|--------------------|-------------|-------------|-------------|-------------|
| LCS #:             | GBLK072996A | GBLK072996A | GBLK072996A | GBLK072996A |
| Prepared Date:     | 7/29/96     | 7/29/96     | 7/29/96     | 7/29/96     |
| Analyzed Date:     | 7/29/96     | 7/29/96     | 7/29/96     | 7/29/96     |
| Instrument I.D. #: | GCHP2       | GCHP2       | GCHP2       | GCHP2       |
| Conc. Spiked:      | 10 ug/L     | 10 ug/L     | 10 ug/L     | 30 ug/L     |
| LCS Result:        | 9.3         | 9.9         | 9.9         | 29          |
| LCS % Recov.:      | 93          | 99          | 99          | 97          |
| MS/MSD             | 60-140      | 60-140      | 60-140      | 60-140      |
| LCS                | 70-130      | 70-130      | 70-130      | 70-130      |
| Control Limits     |             |             |             |             |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

**SEQUOIA ANALYTICAL**

Kevin Follett  
 Project Manager

\*\* MS=Matrix Spike, MSD=MS Duplicate, RPD=Relative % Difference

9607E87.EEE <2>



Sequoia Analytical  
680 Chesapeake Dr.  
Redwood City, CA 94063  
(415) 364-9600 • FAX (415) 364-9233

**EXXON COMPANY, U.S.A.**

P.O. Box 2180, Houston, TX 77002-7426

## **CHAIN OF CUSTODY**

Page 1 of 1

Consultant's Name: ENVIRONMENTAL RESOLUTIONS INC

Address: 74 Pictor Drive, SUITE C, NAPATA

Project #: 701011X

Project Contact: Marc Bnsqs

EXXON Contact: MARIA GALLAGHER

Sampled by (print): *Karen Peijc*

**Shipment Method:**

**Consultant Project #:** 201011X

Phone #: 415 387-9105

Phone #: 510-745-8766

Sampler's Signature: 

Air Bill #: *W51*

standard (10 day)

Site Location: 770 HIGH ST OAKLAND

Consultant Work Release #: 19432503

Laboratory Work Release #:

EXXON RAS #: 73006

TAT:  24 hr  48 hr  72 hr  96 hr  Standard (10 day)

**ANALYSIS REQUIRED**

9607E87

| RELINQUISHED BY / AFFILIATION | Date    | Time  | ACCEPTED / AFFILIATION | Date    | Time  | Additional Comments |
|-------------------------------|---------|-------|------------------------|---------|-------|---------------------|
| <i>W. B. Miller</i>           | 7/24/96 | 10:10 | <i>F. Miller</i>       | 7/24/96 | 10:10 |                     |
| <i>W. B. Miller</i>           | 7/24/96 |       | <i>S. D. Cardenas</i>  | 7/24/96 | 11:57 |                     |



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949

Attention: Marc Briggs

QC Batch Number: GC081996BTEX03A  
Instrument ID: GCHP03

Client Proj. ID: Exxon 7-3006, 201011X  
Sample Descript: W-Inf1  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9608731-01

Sampled: 08/09/96  
Received: 08/13/96  
Analyzed: 08/19/96  
Reported: 08/21/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 500                     | 1500                   |
| Benzene               | 5.0                     | 550                    |
| Toluene               | 5.0                     | 6.0                    |
| Ethyl Benzene         | 5.0                     | 12                     |
| Xylenes (Total)       | 5.0                     | 69                     |
| Chromatogram Pattern: |                         | Gas                    |
| Surrogates            |                         | Control Limits %       |
| Trifluorotoluene      | 70                      | 130                    |
|                       |                         | % Recovery             |
|                       |                         | 78                     |


REPORT

AUG 29 1996

ANALYST

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210



Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949

Attention: Marc Briggs

QC Batch Number: GC081696BTEX03A  
Instrument ID: GCHP03

Client Proj. ID: Exxon 7-3006, 201011X  
Sample Descript: W-Inf2  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9608731-02

Sampled: 08/09/96  
Received: 08/13/96  
Analyzed: 08/16/96  
Reported: 08/21/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L         | Sample Results<br>ug/L |
|-----------------------|---------------------------------|------------------------|
| TPPH as Gas           | 50                              | 240                    |
| Benzene               | 0.50                            | 71                     |
| Toluene               | 0.50                            | 0.91                   |
| Ethyl Benzene         | 0.50                            | 1.3                    |
| Xylenes (Total)       | 0.50                            | 9.2                    |
| Chromatogram Pattern: |                                 | Gas                    |
| Surrogates            |                                 |                        |
| Trifluorotoluene      | Control Limits %<br>70      130 | % Recovery<br>93       |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC081696BTEX03A  
Instrument ID: GCHP03

Client Proj. ID: Exxon 7-3006, 201011X  
Sample Descript: W-Int  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9608731-03

Sampled: 08/09/96  
Received: 08/13/96  
Analyzed: 08/16/96  
Reported: 08/21/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |

| Surrogates       | Control Limits % | % Recovery |
|------------------|------------------|------------|
| Trifluorotoluene | 70 130           | 87         |

Analyses reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949

Attention: Marc Briggs

C Batch Number: GC081696BTEX03A  
Instrument ID: GCHP03

Client Proj. ID: Exxon 7-3006, 201011X  
Sample Descript: W-Eff  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9608731-04

Sampled: 08/09/96  
Received: 08/13/96

Analyzed: 08/16/96  
Reported: 08/21/96

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte         | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------|-------------------------|------------------------|
| TPPH as Gas     | 50                      | N.D.                   |
| Benzene         | 0.50                    | N.D.                   |
| Toluene         | 0.50                    | N.D.                   |
| Ethyl Benzene   | 0.50                    | N.D.                   |
| Xylenes (Total) | 0.50                    | N.D.                   |

Chromatogram Pattern:

| Surrogates       | Control Limits % | % Recovery |
|------------------|------------------|------------|
| Trifluorotoluene | 70 130           | 75         |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager





**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 7-3006, 201011X  
Matrix: Liquid

Work Order #: 9608731 01

Reported: Aug 26, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         |
|----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC081996BTEX03A | GC081996BTEX03A | GC081996BTEX03A | GC081996BTEX03A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030        | EPA 5030        |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| Analyst:           | D. Jirsa  | D. Jirsa  | D. Jirsa  | D. Jirsa  |
| MS/MSD #:          | 960858303 | 960858303 | 960858303 | 960858303 |
| Sample Conc.:      | N.D.      | N.D.      | N.D.      | N.D.      |
| Prepared Date:     | 8/19/96   | 8/19/96   | 8/19/96   | 8/19/96   |
| Analyzed Date:     | 8/19/96   | 8/19/96   | 8/19/96   | 8/19/96   |
| Instrument I.D. #: | GCHP3     | GCHP3     | GCHP3     | GCHP3     |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| Result:            | 9.0       | 9.2       | 9.1       | 27        |
| MS % Recovery:     | 90        | 92        | 91        | 90        |
| Dup. Result:       | 8.8       | 9.0       | 8.9       | 26        |
| MSD % Recov.:      | 68        | 90        | 89        | 87        |
| RPD:               | 2.2       | 2.2       | 2.2       | 3.8       |
| RPD Limit:         | 0-25      | 0-25      | 0-25      | 0-25      |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| LCS #:             | BLK081996 | BLK081996 | BLK081996 | BLK081996 |
| Prepared Date:     | 8/19/96   | 8/19/96   | 8/19/96   | 8/19/96   |
| Analyzed Date:     | 8/19/96   | 8/19/96   | 8/19/96   | 8/19/96   |
| Instrument I.D. #: | GCHP3     | GCHP3     | GCHP3     | GCHP3     |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| LCS Result:        | 9.2       | 9.0       | 9.1       | 27        |
| LCS % Recov.:      | 92        | 90.       | 91        | 90        |
| MS/MSD             | 60-140    | 60-140    | 60-140    | 60-140    |
| LCS                | 70-130    | 70-130    | 70-130    | 70-130    |
| Control Limits     |           |           |           |           |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

**SEQUOIA ANALYTICAL**

Kevin Follett  
Project Manager

\*\* MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9608731.EEE <1>



**Sequoia  
Analytical**

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 7-3006, 201011X  
Matrix: Liquid

Work Order #: 9608731 02-04

Reported: Aug 26, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         |
|----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC081696BTEX03A | GC081696BTEX03A | GC081696BTEX03A | GC081696BTEX03A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030        | EPA 5030        |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| Analyst:           | D. Jirsa  | D. Jirsa  | D. Jirsa  | D. Jirsa  |
| MS/MSD #:          | 960824302 | 960824302 | 960824302 | 960824302 |
| Sample Conc.:      | N.D.      | N.D.      | N.D.      | N.D.      |
| Prepared Date:     | 8/16/96   | 8/16/96   | 8/16/96   | 8/16/96   |
| Analyzed Date:     | 8/16/96   | 8/16/96   | 8/16/96   | 8/16/96   |
| Instrument I.D. #: | GCHP3     | GCHP3     | GCHP3     | GCHP3     |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| Result:            | 8.8       | 8.8       | 8.7       | 26        |
| MS % Recovery:     | 88        | 88        | 87        | 87        |
| Dup. Result:       | 10        | 10        | 11        | 31        |
| MSD % Recov.:      | 100       | 100       | 110       | 103       |
| RPD:               | 13        | 13        | 23        | 18        |
| RPD Limit:         | 0-25      | 0-25      | 0-25      | 0-25      |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| LCS #:             | BLK081696 | BLK081696 | BLK081696 | BLK081696 |
| Prepared Date:     | 8/16/96   | 8/16/96   | 8/16/96   | 8/16/96   |
| Analyzed Date:     | 8/16/96   | 8/16/96   | 8/16/96   | 8/16/96   |
| Instrument I.D. #: | GCHP3     | GCHP3     | GCHP3     | GCHP3     |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| LCS Result:        | 8.7       | 0.60      | 8.9       | 26        |
| LCS % Recov.:      | 87        | 60        | 89        | 87        |

|                |        |        |        |        |
|----------------|--------|--------|--------|--------|
| MS/MSD         | 60-140 | 60-140 | 60-140 | 60-140 |
| LCS            | 70-130 | 70-130 | 70-130 | 70-130 |
| Control Limits |        |        |        |        |

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

\*\* MS = Matrix Spike, MSD = MS Duplicate, RPD = Relative % Difference

9608731.EEE <2>

SEQUOIA ANALYTICAL

Kevin Follett  
Project Manager





Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949

Attention: Mark Briggs

Client Proj. ID: Exxon 2010, 19432503  
Sample Descript: W-INF1  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609382-01

Sampled: 09/06/96  
Received: 09/09/96  
Analyzed: 09/13/96  
Reported: 09/20/96

QC Batch Number: GC091396BTEX01A  
Instrument ID: GCHP01

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L | Sample Results<br>ug/L |
|-----------------------|-------------------------|------------------------|
| TPPH as Gas           | 50                      | N.D.                   |
| Benzene               | 0.50                    | N.D.                   |
| Toluene               | 0.50                    | N.D.                   |
| Ethyl Benzene         | 0.50                    | N.D.                   |
| Xylenes (Total)       | 0.50                    | N.D.                   |
| Chromatogram Pattern: |                         |                        |
| <b>Surrogates</b>     |                         |                        |
| Trifluorotoluene      | 70                  130 | % Recovery<br>109      |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL ELAP #1210

Kevin Follett  
Project Manager

RECEIVED  
SEP 24 1996  
SACRAMENTO



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive, Suite 6  
Novato, CA 94949

Attention: Mark Briggs

Client Proj. ID: Exxon 2010, 19432503  
Sample Descript: W-INF2  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609382-02

Sampled: 09/06/96  
Received: 09/09/96  
Analyzed: 09/16/96  
Reported: 09/20/96

QC Batch Number: GC09169606BTEXA  
Instrument ID: gchp06

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L                     | Sample Results<br>ug/L |
|-----------------------|---|------------------------|
| TPPH as Gas           | 50  | N.D.                   |
| Benzene               | 0.50  | N.D.                   |
| Toluene               | 0.50  | N.D.                   |
| Ethyl Benzene         | 0.50  | N.D.                   |
| Xylenes (Total)       | 0.50  | N.D.                   |
| Chromatogram Pattern: |   |                        |
| <b>Surrogates</b>     |   |                        |
| Trifluorotoluene      | Control Limits %<br>70                  130 | % Recovery<br>75       |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL - ELAP #1210

Kevin Follett  
Project Manager



Sequoia  
Analytical

680 Chesapeake Drive  
404 N. Wiget Lane  
819 Striker Avenue, Suite 8

Redwood City, CA 94063  
Walnut Creek, CA 94598  
Sacramento, CA 95834

(415) 364-9600  
(510) 988-9600  
(916) 921-9600

FAX (415) 364-9233  
FAX (510) 988-9673  
FAX (916) 921-0100

Environmental Resolutions  
74 Digital Drive , Suite 6  
Novato, CA 94949  
  
Attention: Mark Briggs

Client Proj. ID: Exxon 2010, 19432503  
Sample Descript: W-EFF  
Matrix: LIQUID  
Analysis Method: 8015Mod/8020  
Lab Number: 9609382-04

Sampled: 09/06/96  
Received: 09/09/96  
  
Analyzed: 09/13/96  
Reported: 09/20/96

QC Batch Number: GC091396BTEX01A  
Instrument ID: GCHP01

### Total Purgeable Petroleum Hydrocarbons (TPPH) with BTEX

| Analyte               | Detection Limit<br>ug/L                       | Sample Results<br>ug/L |
|-----------------------|---|------------------------|
| TPPH as Gas           | 50  | N.D.                   |
| Benzene               | 0.50  | N.D.                   |
| Toluene               | 0.50  | N.D.                   |
| Ethyl Benzene         | 0.50  | N.D.                   |
| Xylenes (Total)       | 0.50  | N.D.                   |
| Chromatogram Pattern: |   |                        |
| <b>Surrogates</b>     |   |                        |
| Trifluorotoluene      | Control Limits %<br>70                    130 | % Recovery<br>103      |

Analytes reported as N.D. were not present above the stated limit of detection.

SEQUOIA ANALYTICAL ELAP #1210

Kevin Follett  
Project Manager



**Sequoia  
Analytical**

|  |  |  |  |
|--|--|--|--|
| 680 Chesapeake Drive<br>404 N. Wiget Lane<br>819 Striker Avenue, Suite 8 | Redwood City, CA 94063<br>Walnut Creek, CA 94598<br>Sacramento, CA 95834 | (415) 364-9600<br>(510) 988-9600<br>(916) 921-9600 | FAX (415) 364-9233<br>FAX (510) 988-9673<br>FAX (916) 921-0100 |
|--|--|--|--|

Environmental Resolutions  
74 Digital Drive, Ste. 6  
Novato, CA 94949  
Attention: Marc Briggs

Client Project ID: Exxon 2010, 19432503  
Matrix: Liquid

Work Order #: 9609382 02

Reported: Sep 23, 1996

## QUALITY CONTROL DATA REPORT

| Analyte:       | Benzene         | Toluene         | Ethyl Benzene   | Xylenes         |
|----------------|-----------------|-----------------|-----------------|-----------------|
| QC Batch#:     | GC091696BTEX06A | GC091696BTEX06A | GC091696BTEX06A | GC091696BTEX06A |
| Analy. Method: | EPA 8020        | EPA 8020        | EPA 8020        | EPA 8020        |
| Prep. Method:  | EPA 5030        | EPA 5030        | EPA 5030        | EPA 5030        |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| Analyst:           | Porter    | Porter    | Porter    | Porter    |
| MS/MSD #:          | 960928701 | 960928701 | 960928701 | 960928701 |
| Sample Conc.:      | N.D.      | N.D.      | N.D.      | N.D.      |
| Prepared Date:     | 9/16/96   | 9/16/96   | 9/16/96   | 9/16/96   |
| Analyzed Date:     | 9/16/96   | 9/16/96   | 9/16/96   | 9/16/96   |
| Instrument I.D. #: | GCHP6     | GCHP6     | GCHP6     | GCHP6     |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| Result:            | 12        | 11        | 10        | 31        |
| MS % Recovery:     | 120       | 110       | 100       | 103       |
| <br>               |           |           |           |           |
| Dup. Result:       | 14        | 12        | 11        | 35        |
| MSD % Recov.:      | 140       | 120       | 110       | 117       |
| <br>               |           |           |           |           |
| RPD:               | 15        | 8.7       | 9.5       | 12        |
| RPD Limit:         | 0-25      | 0-25      | 0-25      | 0-25      |

|                    |           |           |           |           |
|--------------------|-----------|-----------|-----------|-----------|
| LCS #:             | BLK091696 | BLK091696 | BLK091696 | BLK091696 |
| Prepared Date:     | 9/16/96   | 9/16/96   | 9/16/96   | 9/16/96   |
| Analyzed Date:     | 9/16/96   | 9/16/96   | 9/16/96   | 9/16/96   |
| Instrument I.D. #: | GCHP17    | GCHP17    | GCHP17    | GCHP17    |
| Conc. Spiked:      | 10 µg/L   | 10 µg/L   | 10 µg/L   | 30 µg/L   |
| <br>               |           |           |           |           |
| LCS Result:        | 12        | 10        | 9.8       | 30        |
| LCS % Recov.:      | 120       | 100       | 98        | 100       |
| <br>               |           |           |           |           |
| MS/MSD             | 60-140    | 60-140    | 60-140    | 60-140    |
| LCS                | 70-130    | 70-130    | 70-130    | 70-130    |
| Control Limits     |           |           |           |           |

SEQUOIA ANALYTICAL  
  
Kevin Follett  
Project Manager

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

**ATTACHMENT C**

**ERI SOP-25 "HYDROCARBONS REMOVED  
FROM A VADOSE WELL"**

**HYDROCARBON REMOVED  
FROM A VADOSE WELL  
SOP-25**

Rev. JO'C

POUNDS OF HYDROCARBON IN AN AIR STREAM

**INPUT DATA:**

- 1) Air flow rate acfm (usually by Pitot tube)
- 2) Air pressure at the flow measuring device (in inches of H<sub>2</sub>O) (use {-} for vacuum)
- 3) Air temperature at the flow measuring device.
- 4) Hydrocarbon content of air (usually in mg/M<sup>3</sup>) for ppmv you need molecular weight.
- 5) Length of time (usually hours) over which flow rate occurred

From periodic measurements, a calculation of total pounds of hydrocarbons removed from a well or from a system are calculated. The input data listed above are measured at a point in time. To calculate quantities removed, some assumptions must be made about what was happening between measurements. The following assumptions will be used for the sake of consistency:

**ASSUMPTIONS:**

- 1) Air flow for the period equals the average of the initial and final reading for the period.
- 2) Pressure and temperature for the entire period will be the final reading.
- 3) Hydrocarbon concentration for the period equals the average of the initial and final reading.
- 4) The hours of operation can be taken from an hour meter, an electric meter or will be assumed to be equal to the time between measurements.
- 5) If the unit is found down - try to determine how many hours it did operate and use the data taken for the previous period to make the calculations. Restart the unit and then take data to start the next period.

**SAMPLE DATA AND CALCULATIONS**

| Date   | Time  | Temp<br>deg F | Press<br>in H <sub>2</sub> O | HC conc<br>mg/M <sup>3</sup> | Air flow<br>acf m | Calc.<br>lb. rem. |
|--------|-------|---------------|------------------------------|------------------------------|-------------------|-------------------|
| 1/6/95 | 11:00 | 70            | -46                          | 2000                         | 120               |                   |
| 1/7/95 | 13:00 | 55            | -50                          | 1350                         | 90                |                   |
| 1/8/95 | 10:00 | 80            | -13                          | 750                          | 100               | 7.4               |

Calculate the pounds of hydrocarbon removed from the system during the basis period from 13:00 (1:00 pm) on the 7th to 10 am on the 8th. Pressure and temperature of the measurements (at the flow meter) must be corrected to the P and T used to report the HC concentration (which are P = 1 atm and T = 70 deg F). 1 atm = 14.7 psia, 760 mm Hg, or 407 in H<sub>2</sub>O. T<sub>abs</sub> = 460 + T deg F

Hours of operation = 21, T = 80, P = -13, HC = (1350+750)/2 = 1050 mg/M<sup>3</sup>. Flow = 95

$$\begin{array}{ccccccccc}
 & & (460+70) & & (407-13) & & 28.3 & & 1 \\
 21 & x & 60 & x & 95 & x & \frac{(460+70)}{(460+80)} & x & \frac{(407-13)}{407} \\
 & & & & & & x & \frac{28.3}{1000} & x \frac{1050}{1000} x \frac{1}{454} = 7.4 \text{ lb}
 \end{array}$$
  

|    |       |       |                   |                   |                |                |    |       |
|----|-------|-------|-------------------|-------------------|----------------|----------------|----|-------|
| hr | min   | cu ft | T <sub>corr</sub> | P <sub>corr</sub> | M <sup>3</sup> | g              | lb | lb    |
| x  | ----- | x     | x                 | x                 | x              | x              | =  | basis |
| hr | min   |       |                   |                   | cu ft          | M <sup>3</sup> | g  |       |

$$\begin{array}{ccccccccc}
 21 & x & 60 & x & 95 & x & 0.98 & x & 0.97 x 0.0283 x 1.050 x 1/454 = 7.4 \text{ lb.}
 \end{array}$$

cumulative lbs. (the running total) = the sum of all the previous periods.

Note: If results are given in ppm, an assumption about the molecular weight of the hydrocarbon must be made to get mg/M<sup>3</sup>. ppmv x molecular wt. /22.4 = mg/M<sup>3</sup>. (Use 102 for gasoline)