

ExxonMobil
Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611
510.547.8196
510.547.8706 Fax
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek
Project Manager

ExxonMobil

RECEIVED

2:19 pm, Jun 25, 2008

Alameda County
Environmental Health

June 12, 2008

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

RE: Former Exxon RAS #73006/720 High Street, Oakland, California.

Dear Ms. Jakub:

Attached for your review and comment is a copy of the letter report entitled *Groundwater Monitoring Report, Second Quarter 2008*, dated June 12, 2008, for the above-referenced site. The report was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and details groundwater monitoring and sampling activities for the subject site.

I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge.

If you have any questions or comments, please contact me at 510.547.8196.

Sincerely,



Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Groundwater Monitoring Report, Second Quarter 2007, dated June 12, 2008

cc: w/ attachment
Mr. Mansour Sepehr, Ph.D., P.E., SOMA Environmental Engineering, Incorporated

w/o attachment
Ms. Paula Sime, Environmental Resolutions, Inc.



*Southern California
Northern California
Pacific Northwest
Southwest
Texas
Montana*

June 12, 2008
ERI 201013.Q082

Ms. Jennifer C. Sedlachek
ExxonMobil Environmental Services Company
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Groundwater Monitoring Report, Second Quarter 2008
Former Exxon Service Station 73006
720 High Street, Oakland, California

INTRODUCTION

At the request of ExxonMobil Environmental Services Company, on behalf of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) performed second quarter 2008 groundwater monitoring and sampling activities at the subject site. Relevant plates, tables, and appendices are included at the end of this report. Currently, the site operates as a service station.

GROUNDWATER MONITORING AND SAMPLING SUMMARY

Gauging and sampling date:	04/03/08
Wells gauged and sampled:	MW2, MW3, MW6, and MW14
Presence of NAPL:	Not observed
Laboratory:	TestAmerica Analytical Testing Corporation Morgan Hill, California
Analyses performed:	EPA 8015B TPHd, TPHg EPA 8021B BTEX EPA 8260B MTBE, ETBE, TAME, TBA, EDB, 1,2-DCA, DIPE EPA 8260B Ethanol (select samples)
Waste disposal:	181 gallons of purge and decon water delivered to Instrat, Inc., of Rio Vista, California, on 04/04/08

Environmental Resolutions, Inc.

601 North McDowell Blvd., Petaluma, CA 94954-2312 | Tel: 707.766.2000 | Fax: 707.789.0414 | Contractor # A/C10-611383

REMEDIAL SYSTEM SUMMARY

Exxon Mobil's remedial efforts at the site have included excavation, product bailing, groundwater extraction, vapor extraction, air sparging, and biosparging.

In 1989, approximately 27 gallons of NAPL was removed from on-site wells. In 1993, petrotraps were installed in wells MW2, MW4, and MW6; and 6.3 gallons of NAPL was removed. A groundwater extraction and treatment system (GET) system operated from January 1995 to December 1998, an AS/SVE system operated from August 1996 to July 1999, and a bio-sparge system operated from July 2001 to June 2003.

Groundwater Extraction and Treatment System

The GET system was designed to treat separate-phase and dissolved-phase petroleum hydrocarbons in groundwater extracted from the interceptor trench beneath the site. Pneumatic pumps were installed in extraction wells RW2 and RW5 to recover groundwater from the interceptor trench. Subsurface and aboveground collection piping were used to transfer extracted groundwater to a holding tank. A transfer pump and PVC piping were used to direct the water stream from the holding tank through water filters, an air stripper, and subsequently through liquid-phase GAC canisters connected in series. The treated groundwater was discharged to the sanitary sewer regulated by East Bay Municipal Utilities District. The GET system operated from January 1995 to December 1998 and removed approximately 10 pounds of TPHg and 3 pounds of benzene. The GET system was shut down when influent concentrations decreased.

Air Sparge/ Soil Vapor Extraction System

The AS/SVE system consisted of six AS wells (AS1 through AS6) for air injection and three vadose wells (VW1 through VW3) for vapor extraction within an on-site interceptor trench, a water knock-out tank, a Thermtech VAC-25 thermal/oxidizer, a Gast air compressor, and a propane tank for supplemental fuel. The AS/SVE system operated from August 1996 to July 1999 and removed approximately 5,144 pounds of TPHg and 61 pounds of benzene. The AS/SVE system was shut down when influent TPHg concentrations decreased to near the laboratory reporting limits and TPHg removal rates reached asymptotic conditions.

The bio-sparge system operated from July 2001 to June 2003 and used an air compressor to inject air into the on-site groundwater interceptor trench to enhance biodegradation. The bio-sparge system was discontinued when it was deemed ineffective.

CONCLUSIONS

Groundwater elevation and groundwater flow direction are not consistent with the historical data for the site. The groundwater flow during the second quarter 2008 was towards the north, northeast and towards the south, southwest (radial outward flow). Dissolved-phase petroleum hydrocarbon concentrations are consistent with the historical data for the site.

DOCUMENT DISTRIBUTION

ERI recommends forwarding copies of this report to:

Ms. Barbara Jakub, P.G.
Alameda County Health Care Services Agency
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Mr. Mansour Sepehr, Ph.D., P.E.
SOMA Environmental Engineering, Incorporated
6620 Owens Drive, Suite A
Pleasanton, California 94588

LIMITATIONS

For any reports cited that were not generated by ERI, the data taken from those reports is used "as is" and is assumed to be accurate. ERI does not guarantee the accuracy of this data and makes no warranties for the referenced work performed nor the inferences or conclusions stated in these reports.

This report was prepared in accordance with generally accepted standards of environmental, geological and engineering practices in California at the time of investigation. No soil engineering or geotechnical references are implied or should be inferred. The evaluation of the geologic conditions at the site for this investigation is made from a limited number of data points. Subsurface conditions may vary away from these data points.

Please call Ms. Paula Sime, ERI's project manager for this site, at (707) 766-2000 with any questions regarding this report.



Sincerely,
Environmental Resolutions, Inc.

Christina H. Capwell
SCANNED IMAGE

Jennifer L. Lacy
Senior Staff Scientist

Heidi Dieffenbach-Carle
SCANNED IMAGE
Heidi Dieffenbach-Carle
P.G. 6793


Enclosures:

Acronym List

Plate 1	Site Vicinity Map
Plate 2	Select Analytical Results
Plate 3	Groundwater Elevation Map
Table 1A	Cumulative Groundwater Monitoring and Sampling Data
Table 1B	Additional Cumulative Groundwater Monitoring and Sampling Data
Table 2	Well Construction Details
Appendix A	Groundwater Sampling Protocol
Appendix B	Historical Cumulative Groundwater Monitoring and Sampling Data
Appendix C	Field Notes, Laboratory Analytical Report, and Chain of Custody Record
Appendix D	Waste Disposal Documentation

ACRONYM LIST

µg/L	Micrograms per liter	NEPA	National Environmental Policy Act
µs	Microsiemens	NGVD	National Geodetic Vertical Datum
1,2-DCA	1,2-dichloroethane	NPDES	National Pollutant Discharge Elimination System
acfm	Actual cubic feet per minute	O&M	Operations and Maintenance
AS	Air sparge	ORP	Oxidation-reduction potential
bgs	Below ground surface	OSHA	Occupational Safety and Health Administration
BTEX	Benzene, toluene, ethylbenzene, and total xylenes	OVA	Organic vapor analyzer
CEQA	California Environmental Quality Act	P&ID	Process & Instrumentation Diagram
cfm	Cubic feet per minute	PAH	Polynuclear aromatic hydrocarbon
COC	Chain of Custody	PCB	Polychlorinated biphenyl
CPT	Cone Penetration (Penetrometer) Test	PCE	Tetrachloroethene or perchloroethylene
DIPE	Di-isopropyl ether	PID	Photo-ionization detector
DO	Dissolved oxygen	PLC	Programmable logic control
DOT	Department of Transportation	POTW	Publicly owned treatment works
DPE	Dual-phase extraction	ppmv	Parts per million by volume
DTW	Depth to water	PQL	Practical quantitation limit
EDB	1,2-dibromoethane	psi	Pounds per square inch
EPA	Environmental Protection Agency	PVC	Polyvinyl chloride
ESL	Environmental screening level	QA/QC	Quality assurance/quality control
ETBE	Ethyl tertiary butyl ether	RBSL	Risk-based screening levels
FID	Flame-ionization detector	RCRA	Resource Conservation and Recovery Act
fpm	Feet per minute	RL	Reporting limit
GAC	Granular activated carbon	scfm	Standard cubic feet per minute
gpd	Gallons per day	SSTL	Site-specific target level
gpm	Gallons per minute	STLC	Soluble threshold limit concentration
GWPTS	Groundwater pump and treat system	SVE	Soil vapor extraction
HVOC	Halogenated volatile organic compound	SVOC	Semivolatile organic compound
J	Estimated value between MDL and PQL	TAME	Tertiary amyl methyl ether
LEL	Lower explosive limit	TBA	Tertiary butyl alcohol
LPC	Liquid-phase carbon	TCE	Trichloroethene
LRP	Liquid-ring pump	TOC	Top of well casing elevation; datum is msl
LUFT	Leaking underground fuel tank	TOG	Total oil and grease
LUST	Leaking underground storage tank	TPHd	Total petroleum hydrocarbons as diesel
MCL	Maximum contaminant level	TPHg	Total petroleum hydrocarbons as gasoline
MDL	Method detection limit	TPHmo	Total petroleum hydrocarbons as motor oil
mg/kg	Milligrams per kilogram	TPHs	Total petroleum hydrocarbons as stoddard solvent
mg/L	Milligrams per liter	TRPH	Total recoverable petroleum hydrocarbons
mg/m ³	Milligrams per cubic meter	UCL	Upper confidence level
MPE	Multi-phase extraction	USCS	Unified Soil Classification System
MRL	Method reporting limit	USGS	United States Geologic Survey
msl	Mean sea level	UST	Underground storage tank
MTBE	Methyl tertiary butyl ether	VCP	Voluntary Cleanup Program
MTCA	Model Toxics Control Act	VOC	Volatile organic compound
NAI	Natural attenuation indicators	VPC	Vapor-phase carbon
NAPL	Non-aqueous phase liquid		




3-D TopoQuads Copyright © 1999 DeLorme Ypsilanti, MI 48096 Source Data: USGS 550 Ft Scale: 1:19,200 Detail: 13-0 Datum: WGS84

FN 2010

J:\2010\2010topo.dwg, mkjones


EXPLANATION



1/2-mile radius circle



APPROXIMATE SCALE



SOURCE:
Modified from a map
provided by
DeLorme 3-D TopoQuads



SITE VICINITY MAP

FORMER EXXON SERVICE STATION 73006
720 High Street
Oakland, California

PROJECT NO.


2010

PLATE


1

Analyte Concentrations in ug/L
 Sampled April 3, 2008

- 460 Total Petroleum Hydrocarbons as gasoline
- 13 Benzene
- <0.50 Methyl Tertiary Butyl Ether (EPA Method 8260B)
- < Less Than the Stated Laboratory Reporting Limit
- ug/L Micrograms per Liter
- h Well inaccessible.



APPROXIMATE SCALE



J:\2010\QM\2008\08 2QTR QM.dwg, mkjones
 FN 2010 08 2QTR_QM

SOURCE:
 Modified from a map provided by Morrow Surveying

**SELECT ANALYTICAL RESULTS
 APRIL 3, 2008**

FORMER
 EXXON SERVICE STATION 73006
 720 High Street
 Oakland, California

EXPLANATION


- MW14 Groundwater Monitoring Well
- RW4 Recovery Well
- AS6 Air Sparge Well

- VW3 Destroyed Soil Vapor Extraction Well
- RW7 Destroyed Recovery Well
- MW15 Destroyed Groundwater Monitoring Well



PROJECT NO.
 2010

PLATE
 2





GROUNDWATER FLOW DIRECTION ROSE DIAGRAM
 March 11, 2003, through April 3, 2008



J:\2010\QM\2008\08 2QTR QM.dwg, mkjones
 FN 2010 08 2QTR_QM

h Well inaccessible.
 8.5-----Line of Equal Groundwater Elevation;
 datum is mean sea level

SOURCE:
 Modified from a map
 provided by
 Morrow Surveying

GROUNDWATER ELEVATION MAP
April 3, 2008
 FORMER
 EXXON SERVICE STATION 73006
 720 High Street
 Oakland, California

EXPLANATION

- MW14 Groundwater Monitoring Well
- 6.39 Groundwater elevation in feet;
datum is mean sea level
- RW4 Recovery Well
- AS6 Air Sparge Well

- VW3 Destroyed Soil Vapor Extraction Well
- RW7 Destroyed Recovery Well
- MW15 Destroyed Groundwater Monitoring Well

PROJECT NO.
 2010
PLATE
 3



TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 1 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	01/20/94	12.87	9.25	3.62	No	---	---	---	---	---	---	---	---
MW1	02/02/94	12.87	8.60	4.27	No	70	<50	---	---	<0.5	<0.5	<0.5	0.7
MW1	03/10/94	12.87	8.31	4.56	No	---	---	---	---	---	---	---	---
MW1	04/22/94	12.87	7.95	4.92	No	---	---	---	---	---	---	---	---
MW1	05/10/94	12.87	7.48	5.39	No	100	<50	---	---	<0.5	<0.5	<0.5	1.6
MW1	06/27/94	12.87	7.65	5.22	No	---	---	---	---	---	---	---	---
MW1	08/31/94	12.87	9.39	3.48	No	---	---	---	---	---	---	---	---
MW1	09/29/94	12.87	9.83	3.04	No	<50	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW1	10/25/94	12.87	10.19	2.68	No	---	<50	<50	---	<0.5	<0.5	<0.5	<0.5
MW1	11/30/94	12.87	8.97	3.90	No	---	---	---	---	---	---	---	---
MW1	12/27/94	12.87	7.44	5.43	No	---	---	---	---	---	---	---	---
MW1	02/06/95	12.87	5.71	7.16	No	---	<50	100	---	0.52	<0.5	<0.5	<0.5
MW1	06/07/95	12.87	7.62	5.25	No	81	<50	3.5	---	<0.5	<0.5	<0.5	<0.5
MW1	09/18/95	12.87	10.02	2.85	No	82	<50	6	---	<0.5	<0.5	<0.5	<0.5
MW1	11/01/95	12.87	10.74	2.13	No	160	<50	8.9	---	<0.5	<0.5	<0.5	<0.5
MW1	02/14/96	12.87	7.81	5.06	No	100	<50	7.8	---	<0.5	<0.5	<0.5	<0.5
MW1	06/19/96	12.87	7.47	5.40	No	93	<50	7.1	---	<0.5	<0.5	<0.5	<0.5
MW1	09/24/96	12.87	10.42	2.45	No	83	<50	9.5	---	<0.5	<0.5	<0.5	<0.5
MW1	12/11/96	12.87	8.50	4.37	No	81	<50	7.2	---	<0.5	<0.5	<0.5	<0.5
MW1	03/19/97	12.87	9.14	3.73	No	78	<50	6.4	---	<0.5	<0.5	<0.5	<0.5
MW1	06/04/97	12.87	9.82	3.05	No	58	<50	6.0	---	<0.5	<0.5	<0.5	<0.5
MW1	09/02/97	12.87	10.26	2.61	No	150	<50	5.4	---	<0.5	<0.5	<0.5	<0.5
MW1	12/02/97	12.87	9.32	3.55	No	88	<50	5.1	---	<0.5	<0.5	<0.5	<0.5
MW1	03/24/98	12.87	6.44	6.43	No	58	<50	5.6	---	<0.5	<0.5	<0.5	<0.5
MW1	06/23/98	12.87	9.23	3.64	No	84	<50	3.8	---	<0.5	<0.5	<0.5	<0.5
MW1	09/29/98	12.87	9.91	2.96	No	61	<50	2.6	---	<0.5	<0.5	<0.5	<0.5
MW1	12/30/98	12.87	9.21	3.66	No	80	<50	4.1	---	<0.5	<0.5	<0.5	<0.5
MW1	03/24/99	12.87	5.53	7.34	No	64.3	<50	4.95	---	<0.5	<0.5	<0.5	<0.5
MW1	06/22/99	12.87	7.39	5.48	No	83.5	<50	3.70	---	<0.5	<0.5	<0.5	<0.5
MW1	09/29/99	12.87	8.90	3.97	No	52.9	<50	4.81	---	<0.5	<0.5	<0.5	<0.5
MW1	12/21/99	12.87	8.94	3.93	No	60	<50	10	---	<0.5	<0.5	<0.5	<0.5
MW1	03/21/00	12.87	5.34	7.53	No	---	<50	4.5	---	<0.5	<0.5	<0.5	<0.5
MW1	03/30/01	12.87	5.29	7.58	No	79	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW1	11/01/01	12.79	Well surveyed in compliance with AB 2886 requirements.										
MW1	03/11/02 k	12.79	5.39	7.40	No	<50.0	116	110	160	1.10	<0.50	<0.50	<0.50
MW1	03/11/03	12.79	6.63	6.16	No	<50	153	188	179	<0.5	<0.5	<0.5	<0.5
MW1	03/26/04	12.79	6.18	6.61	No	74g	<50.0	---	171	<0.50	0.5	<0.5	<0.5
MW1	11/02/04	12.79	6.44	6.35	No	75g	145	---	137	0.50	<0.5	<0.5	<0.5
MW1	02/04/05	12.79	5.01	7.78	No	158g	132	---	120	<0.50	<0.5	<0.5	<0.5
MW1	05/02/05	12.79	4.66	8.13	No	386g	131	---	138	<0.50	<0.5	<0.5	<0.5
MW1	08/01/05	12.79	5.51	7.28	No	129g	89.8	---	98.4	0.70	<0.5	<0.5	<0.5
MW1	10/25/05	12.79	5.54	7.25	No	<50.0	67.2	---	84.1	<0.50	<0.50	<0.50	<0.50

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 2 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW1	01/24/06	12.79	4.07	8.72	No	<50	71	---	91	<0.50	<0.50	<0.50	<0.50
MW1	04/28/06	12.79	4.01	8.78	No	<47	80 l	---	92n	<0.50n	<0.50	<0.50	<0.50
MW1	08/04/06	12.79	4.78	8.01	No	159	70.9	---	71.0	<0.50	<0.50	<0.50	<0.50
MW1	10/06/06	12.79	7.02	5.77	No	<47	70 l	---	98	<0.50	<0.50	<0.50	<0.50
MW1	01/12/07 h	12.79	---	---	---	---	---	---	---	---	---	---	---
MW1	03/26/07	Well destroyed.											
MW2	01/20/94	12.98	---	---	---	---	---	---	---	---	---	---	---
MW2	02/02/94	12.98	---	---	---	---	---	---	---	---	---	---	---
MW2	03/10/94	12.98	6.96	6.02	[8 c.]	---	---	---	---	---	---	---	---
MW2	04/22/94	12.98	---	---	[10 c.]	---	---	---	---	---	---	---	---
MW2	05/10/94	12.98	---	---	[5 c.]	---	---	---	---	---	---	---	---
MW2	06/27/94	12.98	7.10	5.88	Sheen	---	---	---	---	---	---	---	---
MW2	08/31/94	12.98	8.58	4.40	Sheen	---	---	---	---	---	---	---	---
MW2	09/29/94	12.98	9.11	3.87	Sheen	---	---	---	---	---	---	---	---
MW2	10/25/94	12.98	7.76	5.22	Sheen	---	---	---	---	---	---	---	---
MW2	11/30/94	12.98	7.33	5.65	---	---	---	---	---	---	---	---	---
MW2	12/27/94	12.98	6.77	6.21	Sheen	---	---	---	---	---	---	---	---
MW2	02/06/95	12.98	5.00	7.98	Sheen	---	---	---	---	---	---	---	---
MW2	06/07/95	12.98	7.14	5.84	Sheen	---	---	---	---	---	---	---	---
MW2	09/18/95	12.98	10.82	2.16	Sheen	---	---	---	---	---	---	---	---
MW2	11/01/95	12.98	11.65	1.33	Sheen	---	---	---	---	---	---	---	---
MW2	02/14/96	12.98	8.39	4.59	Sheen	---	---	---	---	---	---	---	---
MW2	06/19/96	12.98	6.55	6.43	Sheen	---	---	---	---	---	---	---	---
MW2	09/24/96	12.98	11.56	1.42	Sheen	---	---	---	---	---	---	---	---
MW2	12/11/96	12.98	8.02	4.96	Sheen	---	---	---	---	---	---	---	---
MW2	03/19/97	12.98	8.63	4.35	Sheen	---	---	---	---	---	---	---	---
MW2	06/04/97	12.98	10.57	2.41	Sheen	---	---	---	---	---	---	---	---
MW2	09/02/97	12.98	11.51	1.47	Sheen	---	---	---	---	---	---	---	---
MW2	12/02/97	12.98	11.24	1.74	No	820	1,400	57	---	15	2.8	8.6	<2.5
MW2	03/27/98	12.98	6.06	6.92	No	2,000	7,400	<50	---	1,400	350	490	1,500
MW2	06/23/98	12.98	11.06	1.92	Sheen	2,900	180	9.5	---	3.2	0.55	0.92	1.3
MW2	09/29/98	12.98	10.51	2.47	No	180	290	9.3	---	<0.50	0.65	1.5	1.5
MW2	12/30/98	12.98	9.83	3.15	No	700	520	16	---	17	0.96	2.6	3.5
MW2	03/24/99	12.98	4.47	8.51	No	1,440	14,000	<40	---	1,300	336	786	3,420
MW2	06/22/99	12.98	6.42	6.56	No	2,310	1,080	25.2	---	54.3	14.9	38.8	107
MW2	09/29/99	12.98	8.00	4.98	No	2,720e	517	15.4	---	37.5	7.48	12.9	15.2
MW2	12/21/99	12.98	8.10	4.88	No	6,300	3,200	<2	---	360	5.5	120	106
MW2	03/21/00 h	12.98	---	---	---	---	---	---	---	---	---	---	---
MW2	03/30/01	12.98	3.09	9.89	No	510	200	---	110	7.2	<0.5	2.4	2.1
MW2	11/01/01	13.06	Well surveyed in compliance with AB 2886 requirements.										
MW2	03/11/02 k	13.06	3.78	9.28	No	293	<1,000	62.0	30	<10.0	<10.0	<10.0	<10.0
MW2	03/11/03	13.06	5.49	7.57	No	422	1,490	325	428	279	3.0	9.8	18.9
MW2	03/27/04	13.06	4.65	8.41	No	184g	254	---	131	6.80	0.5	<0.5	1.2

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 3 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW2	11/02/04	13.06	4.43	8.63	No	96	52.0	---	8.00	1.40	<0.5	<0.5	<0.5
MW2	02/04/05	13.06	3.32	9.74	No	372g	66.0	---	8.30	<0.50	<0.5	<0.5	<0.5
MW2	05/02/05	13.06	2.74	10.32	No	195g	84.2	---	5.30	<0.50	<0.5	<0.5	<0.5
MW2	08/01/05	13.06	2.99	10.07	No	344g	<50.0	---	1.70	0.60	<0.5	<0.5	<0.5
MW2	10/25/05	13.06	2.08	10.98	No	55.3g	<50.0	---	1.22	<0.50	<0.50	<0.50	<0.50
MW2	01/24/06	13.06	2.77	10.29	No	170g	<50	---	1.6	<0.50	<0.50	<0.50	<0.50
MW2	04/28/06	13.06	1.46	11.60	No	6,900m	<50	---	1.4n	0.99n	<0.50	<0.50	<0.50
MW2	08/04/06	13.06	1.52	11.54	No	145	<50.0	---	0.820	<0.50	<0.50	<0.50	<0.50
MW2	10/06/06	13.06	5.55	7.51	No	90g	<50	---	2.1	0.78	<0.50	<0.50	<0.50
MW2	01/12/07	13.06	5.50	7.56	No	180g	95	---	7.0	7.6	<0.50	<0.50	<0.50
MW2	04/09/07	13.06	5.68	7.38	No	230g	115	---	8.99	1.36j	<0.50	<0.50	0.62
MW2	08/06/07	13.06	6.15	6.91	No	160g	83	---	7.4	0.65	<0.50	<0.50	<0.50
MW2	11/15/07	13.06	6.71	6.35	No	120g	140	---	13	22	<0.50	<0.50	<0.50
MW2	01/02/08	13.06	6.20	6.86	No	430j	890	---	25	330	<5.0	<5.0	6.6
MW2	04/03/08	13.06	5.10	7.96	No	230g	170	---	13	<0.50	1.0	<0.50	1.9
MW3	01/20/94	12.92	8.24	4.68	Sheen	---	---	---	---	---	---	---	---
MW3	02/02/94	12.92	7.68	5.24	Sheen	---	---	---	---	---	---	---	---
MW3	03/10/94	12.92	7.24	5.68	Sheen	---	---	---	---	---	---	---	---
MW3	04/22/94	12.92	6.79	6.13	Sheen	---	---	---	---	---	---	---	---
MW3	05/10/94	12.92	6.43	6.49	Sheen	---	---	---	---	---	---	---	---
MW3	06/27/94	12.92	6.97	5.95	0.01	---	---	---	---	---	---	---	---
MW3	08/31/94	12.92	8.41	4.51	Sheen	---	---	---	---	---	---	---	---
MW3	09/29/94	12.92	8.97	3.95	Sheen	---	---	---	---	---	---	---	---
MW3	10/25/94	12.92	9.43	3.49	Sheen	---	---	---	---	---	---	---	---
MW3	11/28/94	12.92	7.19	5.73	---	---	---	---	---	---	---	---	---
MW3	12/27/94	12.92	6.64	6.28	Sheen	---	---	---	---	---	---	---	---
MW3	02/06/95	12.92	4.87	8.05	Sheen	---	---	---	---	---	---	---	---
MW3	06/07/95	12.92	7.05	5.87	Sheen	---	---	---	---	---	---	---	---
MW3	09/18/95	12.92	10.61	2.31	Sheen	---	---	---	---	---	---	---	---
MW3	11/01/95	12.92	11.58	1.34	Sheen	---	---	---	---	---	---	---	---
MW3	02/14/96	12.92	8.34	4.58	Sheen	---	---	---	---	---	---	---	---
MW3	06/19/96	12.92	6.35	6.57	Sheen	---	---	---	---	---	---	---	---
MW3	09/24/96	12.92	11.45	1.47	Sheen	---	---	---	---	---	---	---	---
MW3	12/11/96	12.92	7.89	5.03	No	17,000	4,800	30	---	340	<5.0	8.2	20
MW3	03/19/97	12.92	9.83	3.09	No	3,000	1,900	80	---	160	11	5.6	10
MW3	06/04/97	12.92	10.43	2.49	No	8,000	920	11	---	15	2.8	2.4	<2.0
MW3	09/02/97	12.92	12.45	0.47	Sheen	---	---	---	---	---	---	---	---
MW3	12/02/97	12.92	11.21	1.71	No	6,700	920	21	---	10	2.1	<1.0	2.7
MW3	03/24/98	12.92	5.93	6.99	No	4,600	1,500	25	---	5,500	<5.0	<5.0	<5.0
MW3	06/23/98	12.92	11.13	1.79	No	39,000	1,300	9.4	---	53	<1.0	<1.0	<1.0
MW3	09/29/98	12.92	10.46	2.46	Sheen	2,600	540	<5.0	---	6.8	1.9	1.4	2.3
MW3	12/30/98	12.92	9.72	3.20	No	11,000	4,000	<50	---	74	<10	<10	<10
MW3	03/24/99	12.92	4.36	8.56	Sheen	3,850	2,330	<20	---	<5.0	<5.0	<5.0	<5.0
MW3	06/22/99	12.92	6.22	6.70	No	6,860	1,470	<10	---	492	<2.5	<2.5	<2.5

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 5 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW4	06/04/97	12.77	9.31	3.46	Sheen	---	---	---	---	---	---	---	---
MW4	09/02/97	12.77	10.00	2.77	Sheen	---	---	---	---	---	---	---	---
MW4	12/02/97	12.77	8.72	4.05	No	15,000	1,500	50	---	<2.5	9.7	3.0	10
MW4	03/24/98	12.77	5.79	6.98	No	6,400	540	38	---	<0.5	4.4	1.6	5.4
MW4	06/23/98	12.77	8.50	4.27	Sheen	7,500	1,000	25	---	3.3	<2.0	<2.0	<2.0
MW4	09/29/98	12.77	9.77	3.00	Sheen	65,000	7,300	<50	---	<10	<10	<10	<10
MW4	12/30/98	12.77	8.54	4.23	Sheen	12,000	1,000	170	---	3.8	5.1	<2.5	4.1
MW4	03/24/99	12.77	4.41	8.36	Sheen	20,500	1,300	4.40	---	2.64	<1.0	<1.0	<1.0
MW4	06/22/99	12.77	5.71	7.06	No	9,760	1,470	<10	---	404	<2.5	<2.5	<2.5
MW4	09/29/99	12.77	7.32	5.45	No	2,470f	589c	8.12	---	12.6	<1.0	<1.0	<1.0
MW4	12/21/99	12.77	7.58	5.19	No	230,000	2,000	<2	---	<0.5	0.56	1.9	18.6
MW4	01/26/00	12.77	5.85	6.92	No	3,200g	---	---	---	---	---	---	---
MW4	03/21/00	12.77	3.58	9.19	No	5,900	270	13	---	6.8	0.83	<0.5	3.6
MW4	03/30/01 - Present: Well covered by asphalt.												
MW5	07/18/89	Well destroyed.											
MW6	01/20/94	14.27	---	---	---	---	---	---	---	---	---	---	---
MW6	02/02/94	14.27	---	---	---	---	---	---	---	---	---	---	---
MW6	03/10/94	14.27	7.82	6.45	[¼ c.]	---	---	---	---	---	---	---	---
MW6	04/22/94	14.27	---	---	[10 c.]	---	---	---	---	---	---	---	---
MW6	05/10/94	14.27	---	---	[3 c.]	---	---	---	---	---	---	---	---
MW6	06/27/94	14.27	7.77	6.50	Sheen	---	---	---	---	---	---	---	---
MW6	08/31/94	14.27	9.02	5.25	Sheen	---	---	---	---	---	---	---	---
MW6	09/29/94	14.27	9.51	4.76	Sheen	---	---	---	---	---	---	---	---
MW6	10/25/94	14.27	9.93	4.34	Sheen	---	---	---	---	---	---	---	---
MW6	11/30/94	14.27	8.05	6.22	---	---	---	---	---	---	---	---	---
MW6	12/27/94	14.27	7.54	6.73	---	---	---	---	---	---	---	---	---
MW6	02/06/95	14.27	5.86	8.41	Sheen	---	---	---	---	---	---	---	---
MW6	06/07/95	14.27	8.07	6.20	Sheen	---	---	---	---	---	---	---	---
MW6	09/18/95	14.27	10.54	3.73	Sheen	---	---	---	---	---	---	---	---
MW6	11/01/95	14.27	11.41	2.86	Sheen	---	---	---	---	---	---	---	---
MW6	02/14/96	14.27	9.17	5.10	Sheen	---	---	---	---	---	---	---	---
MW6	06/19/96	14.27	7.13	7.14	Sheen	---	---	---	---	---	---	---	---
MW6	09/24/96	14.27	11.24	3.03	Sheen	---	---	---	---	---	---	---	---
MW6	12/11/96	14.27	9.20	5.07	No	2,900	9,100	<100	---	2,100	22	160	260
MW6	03/19/97	14.27	10.14	4.13	No	3,800	24,000	250	---	5,800	91	1,300	1,900
MW6	06/04/97	14.27	10.58	3.69	No	3,300	20,000	270	---	4,400	<50	540	480
MW6	09/02/97	14.27	11.02	3.25	No	2,100	8,100	<25	---	1,800	<25	140	170
MW6	12/02/97	14.27	10.45	3.82	No	2,300	6,800	<100	---	1,100	<20	77	74
MW6	03/24/98	14.27	7.09	7.18	No	3,800	20,000	<250	---	4,300	<50	2,200	1,500
MW6	06/23/98	14.27	9.79	4.48	Sheen	4,100	19,000	<500	---	3,400	<100	1,800	1,100
MW6	09/29/98	14.27	10.56	3.71	No	2,300	8,600	<100	---	2,100	25	300	260
MW6	12/30/98	14.27	9.97	4.30	No	2,700	6,800	<125	---	1,600	<25	84	200

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 6 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW6	03/24/99	14.27	5.02	9.25	Sheen	2,670	12,600	<20	---	3,380	16.5	221	190
MW6	06/22/99	14.27	6.91	7.36	No	5,670	6,720	<40	---	2,400	<10	767	14.4
MW6	09/29/99	14.27	8.66	5.61	No	1,370f	6,310d	<250	---	<25	<25	133	<25
MW6	12/21/99	14.27	8.57	5.70	No	2,300	3,800	12	---	890	3.3	94	95
MW6	03/21/00 h	14.27	---	---	---	---	---	---	---	---	---	---	---
MW6	03/30/01	14.27	3.66	10.61	No	2,000	9,200	---	<5	3,100	9.1	130	31
MW6	11/01/01	14.23	Well surveyed in compliance with AB 2886 requirements.										
MW6	03/11/02 k	14.23	4.55	9.68	No	1,460	7,660	45.0	<5.0	2,200	25.0 j	410	285
MW6	03/11/03	14.23	5.79	8.44	No	1,100	5,120	15.7	1.80	920	3.2	36	19.4
MW6	03/26/04	14.23	5.22	9.01	No	596g	5,090	---	0.70	1,130	14.7	164	62.9
MW6	11/02/04	14.23	4.84	9.39	No	1,000g	4,320	---	<0.50	793	3.6	178	53.0
MW6	02/04/05	14.23	3.83	10.40	No	1,410g	3,950	---	<0.50	1,210	9.4	110	22.6
MW6	05/02/05	14.23	3.18	11.05	No	852g	4,900	---	<0.50	755	6.6	189	20.9
MW6	08/01/05	14.23	3.92	10.31	No	1,290g	3,320	---	1.20	597	5.1	64.7	47.5
MW6	10/25/05	14.23	3.93	10.30	No	861g	2,870	---	1.48	496	4.24	63.5	35.9
MW6	01/24/06	14.23	2.81	11.42	No	570g	4,000	---	<5.0	590	<25	51	<25
MW6	04/28/06	14.23	2.68	11.55	No	400g	3,600	---	2.3n	600n	<12	60	<12
MW6	08/04/06	14.23	3.07	11.16	No	899	4,070	---	0.920	294	4.42	74.1	19.9
MW6	10/06/06	14.23	5.64	8.59	No	430g,j	1,900	---	<0.50	140	<12	24	<12
MW6	01/12/07	14.23	5.82	8.41	No	300g	1,700	---	<0.50	98	<5.0	16	<5.0
MW6	04/09/07	14.23	6.03	8.20	No	230g	2,150	---	<0.500	116j	1.66	12.3	6.39
MW6	08/06/07	14.23	6.40	7.83	No	190g	<500	---	<0.50	85	<5.0	<5.0	<5.0
MW6	11/15/07	14.23	6.93	7.30	No	390g	410	---	<0.50	57	<2.5	<2.5	<2.5
MW6	01/02/08	14.23	6.40	7.83	No	170g,j	670	---	<0.50	63	<2.5	<2.5	<2.5
MW6	04/03/08	14.23	5.47	8.76	No	340g	460	---	<0.50	13	1.9	2.3	2.9
MW7	01/20/94	14.84	8.67	6.17	No	---	---	---	---	---	---	---	---
MW7	02/02/94	14.84	8.47	6.37	No	---	---	---	---	---	---	---	---
MW7	02/03/94	14.84	---	---	---	1,300	2,900	---	---	79	5	8.2	21
MW7	03/10/94	14.84	8.24	6.60	No	---	---	---	---	---	---	---	---
MW7	04/22/94	14.84	7.95	6.89	No	---	---	---	---	---	---	---	---
MW7	05/10/94	14.84	7.53	7.31	No	---	---	---	---	---	---	---	---
MW7	05/11/94	14.84	---	---	---	1,300	2,400	---	---	88	5.6	5.2	15
MW7	06/27/94	14.84	8.01	6.83	No	---	---	---	---	---	---	---	---
MW7	08/31/94	14.84	9.19	5.65	No	---	---	---	---	---	---	---	---
MW7	09/29/94	14.84	9.65	5.19	No	56	1,900	---	---	71	3.1	3.5	7.8
MW7	10/25/94	14.84	9.96	4.88	No	89	1,400	---	---	51	1.5	24	6.8
MW7	11/30/94	14.84	7.78	7.06	---	---	---	---	---	---	---	---	---
MW7	12/27/94	14.84	7.51	7.33	---	---	---	---	---	---	---	---	---
MW7	02/06/95	14.84	5.79	9.05	No	1,300	2,500	---	---	130	<10	<10	<10
MW7	06/07/95	14.84	7.73	7.11	No	1,200	2,400	39	---	91	5	7.6	14
MW7	09/18/95	14.84	9.81	5.03	No	1,100	1,800	<25	---	17	<5.0	<5.0	<5.0
MW7	11/01/95	14.84	10.56	4.28	No	1,700	3,000	<13	---	2.7	11	25	<2.5
MW7	02/14/96	14.84	8.04	6.80	No	1,200	1,900	<25	---	59	<5.0	<5.0	<5.0
MW7	06/19/96	14.84	7.33	7.51	No	1,400	2,000	<25	---	96	<5.0	<5.0	5.6

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 7 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW7	09/24/96	14.84	10.10	4.74	No	1,100	950	<25	---	6.8	<5.0	<5.0	<5.0
MW7	12/11/96	14.84	8.50	6.34	No	1,600	2,500	<10	---	50	<2.0	6.4	30
MW7	03/19/97	14.84	8.88	5.96	No	840	2,700	<25	---	61	8.0	21	68
MW7	06/04/97	14.84	9.38	5.46	No	1,000	1,900	<2.5	---	45	<2.0	5.3	13
MW7	09/02/97	14.84	9.69	5.15	No	790	1,700	<2.5	---	28	2.2	<2.0	5.9
MW7	12/02/97	14.84	8.65	6.19	No	1,100	2,000	14	---	33	2.2	2.0	5.8
MW7	03/24/98	14.84	6.40	8.44	No	950	2,300	<25	---	73	<5.0	<5.0	22
MW7	06/23/98	14.84	8.34	6.50	No	1,600	4,700	140	---	50	<5.0	12	20
MW7	09/29/98	14.84	9.76	5.08	No	630	700	<5.0	---	2.7	1.3	2.4	5.3
MW7	12/30/98	14.84	8.86	5.98	No	1,700	1,400	<5.0	---	17	7.7	2.8	16
MW7	03/24/99	14.84	5.48	9.36	Sheen	860	1,740	6.73	---	59.2	2.76	4.33	15.1
MW7	06/22/99	14.84	6.54	8.30	No	5,330	3,250	<4.0	---	59.5	3.96	2.89	6.38
MW7	09/29/99	14.84	8.45	6.39	No	1,750f	1,360c,d	<25	---	3.07	<2.5	5.02	6.32
MW7	12/21/99	14.84	8.39	6.45	No	4,600	2,900	<2	---	47	2	1.7	8.53
MW7	03/21/00	14.84	4.72	10.12	No	1,500	760	<2	---	43	2	2.2	10.8
MW7	12/21/00	Well destroyed.											
MW8	01/20/94	13.45	8.90	4.55	Sheen	---	---	---	---	---	---	---	---
MW8	02/02/94	13.45	8.58	4.87	Sheen	---	---	---	---	---	---	---	---
MW8	03/10/94	13.45	7.16	6.29	Sheen	---	---	---	---	---	---	---	---
MW8	04/22/94	13.45	7.34	6.11	Sheen	---	---	---	---	---	---	---	---
MW8	05/10/94	13.45	7.04	6.41	Sheen	---	---	---	---	---	---	---	---
MW8	06/27/94	13.45	6.01	7.44	Sheen	---	---	---	---	---	---	---	---
MW8	08/31/94	13.45	9.26	4.19	Sheen	---	---	---	---	---	---	---	---
MW8	09/29/94	13.45	9.76	3.69	Sheen	---	---	---	---	---	---	---	---
MW8	10/25/94	13.45	10.05	3.40	Sheen	---	---	---	---	---	---	---	---
MW8	11/30/94	13.45	7.68	5.77	---	---	---	---	---	---	---	---	---
MW8	12/27/94	13.45	7.11	6.34	Sheen	---	---	---	---	---	---	---	---
MW8	02/06/95	13.45	5.39	8.06	Sheen	---	---	---	---	---	---	---	---
MW8	06/07/95	13.45	7.53	5.92	Sheen	---	---	---	---	---	---	---	---
MW8	09/18/95	13.45	9.84	3.61	Sheen	---	---	---	---	---	---	---	---
MW8	11/01/95	13.45	10.47	2.98	Sheen	---	---	---	---	---	---	---	---
MW8	02/14/96	13.45	8.27	5.18	Sheen	---	---	---	---	---	---	---	---
MW8	06/19/96	13.45	6.88	6.57	Sheen	---	---	---	---	---	---	---	---
MW8	09/24/96	13.45	10.13	3.32	Sheen	---	---	---	---	---	---	---	---
MW8	12/11/96	13.45	8.53	4.92	Sheen	---	---	---	---	---	---	---	---
MW8	03/19/97	13.45	9.09	4.36	Sheen	---	---	---	---	---	---	---	---
MW8	06/04/97	13.45	9.52	3.93	Sheen	---	---	---	---	---	---	---	---
MW8	09/02/97	13.45	9.72	3.73	No	8,000	20,000	<50	---	57	<50	850	660
MW8	12/02/97	13.45	8.83	4.62	No	2,700	6,900	130	---	83	<10	<10	100
MW8	03/24/98	13.45	6.52	6.93	No	2,900	10,000	<125	---	190	<25	470	330
MW8	06/23/98	13.45	9.02	4.43	No	3,700	10,000	<50	---	140	<10	460	260
MW8	09/29/98	13.45	9.72	3.73	No	3,600	12,000	130	---	46	<10	340	190
MW8	12/30/98	13.45	9.06	4.39	No	3,000	11,000	140	---	170	<25	230	160

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 8 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW8	03/24/99	13.45	5.21	8.24	Sheen	2,250	13,000	22.6	---	336	53.2	415	326
MW8	06/22/99	13.45	6.51	6.94	Sheen	4,010	13,000	64.9	---	174	<5.0	186	13.1
MW8	09/29/99	13.45	8.22	5.23	No	2,170f	5,420	<25	---	20.4	<5.0	<5.0	38.5
MW8	12/21/99	13.45	8.41	5.04	No	2,100	4,700	<2	---	190	15	160	68.2
MW8	03/21/00	13.45	4.47	8.98	No	---	6,300	270	---	380	12	260	86
MW8	12/21/00	Well destroyed.											
MW9	01/20/94	14.64	---	---	---	---	---	---	---	---	---	---	---
MW9	02/02/94	14.64	---	---	---	---	---	---	---	---	---	---	---
MW9	03/10/94	14.64	6.90	7.74	No	---	---	---	---	---	---	---	---
MW9	04/22/94	14.64	7.38	7.26	No	---	---	---	---	---	---	---	---
MW9	05/10/94	14.64	6.96	7.68	No	---	---	---	---	---	---	---	---
MW9	06/27/94	14.64	7.65	6.99	No	---	---	---	---	---	---	---	---
MW9	08/31/94	14.64	8.87	5.77	No	---	---	---	---	---	---	---	---
MW9	09/29/94	14.64	9.19	5.45	No	<50	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	10/25/94	14.64	9.66	4.98	No	<50	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	11/30/94	14.64	8.38	6.26	---	---	---	---	---	---	---	---	---
MW9	12/27/94	14.64	7.29	7.35	No	---	---	---	---	---	---	---	---
MW9	02/06/95	14.64	5.74	8.90	No	56	<50	---	---	<0.5	<0.5	<0.5	<0.5
MW9	06/07/95	14.64	8.33	6.31	No	72	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	09/18/95	14.64	9.28	5.36	No	60	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	11/01/95	14.64	10.09	4.55	No	61	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	02/14/96	14.64	6.26	8.38	No	83	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	06/19/96	14.64	6.68	7.96	No	68	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	09/24/96	14.64	9.72	4.92	No	<50	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	12/11/96	14.64	8.11	6.53	No	91	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	03/19/97	14.64	7.72	6.92	No	140	<50	<2.5	---	0.83	<0.5	<0.5	<0.5
MW9	06/04/97	14.64	8.87	5.77	No	<50	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	09/02/97	14.64	9.44	5.20	No	140	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	12/02/97	14.64	8.43	6.21	No	71	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	03/24/98	14.64	5.84	8.80	No	62	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	06/23/98	14.64	7.81	6.83	No	69	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	09/29/98	14.64	9.26	5.38	No	52	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	12/30/98	14.64	8.28	6.36	No	74	<50	<2.5	---	<0.5	<0.5	<0.5	<0.5
MW9	03/24/99	14.64	4.74	9.90	No	71.1	b	b	---	b	b	b	b
MW9	06/22/99	14.64	---	---	---	---	---	---	---	---	---	---	---
MW9	09/29/99	14.64	8.41	6.23	No	---	---	---	---	---	---	---	---
MW9	12/21/99	14.64	8.20	6.44	No	---	---	---	---	---	---	---	---
MW9	03/21/00	14.64	4.59	10.05	No	---	---	---	---	---	---	---	---
MW9	12/21/00	Well destroyed.											
MW10	01/20/94	14.05	8.40	5.65	No	---	---	---	---	---	---	---	---
MW10	02/02/94	14.05	8.00	6.05	No	---	---	---	---	---	---	---	---
MW10	02/03/94	14.05	---	---	---	<50	<50	---	---	<0.5	1	<0.5	1.8

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 11 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW12	06/04/97	12.61	8.81	3.80	Sheen	---	---	---	---	---	---	---	---
MW12	09/02/97	12.61	8.93	3.68	Sheen	---	---	---	---	---	---	---	---
MW12	12/02/97	12.61	8.41	4.20	No	3,900	45,000	<250	---	1,800	560	3,100	8,700
MW12	03/24/98	12.61	5.37	7.24	No	8,800	42,000	<250	---	820	280	2,800	6,800
MW12	06/23/98	12.61	8.43	4.18	Sheen	7,800	39,000	560	---	1,000	200	2,300	4,900
MW12	09/29/98	12.61	8.94	3.67	Sheen	21,000	40,000	<500	---	1,100	150	2,200	3,100
MW12	12/30/98	12.61	8.47	4.14	Sheen	49,000	79,000	<500	---	1,400	400	3,300	8,500
MW12	03/24/99	12.61	3.71	8.90	Sheen	5,070	40,600	<20	---	328	182	1,690	3,930
MW12	06/22/99	12.61	4.91	7.70	Sheen	15,000	54,800	109	---	203	244	1,530	3,790
MW12	09/29/99	12.61	7.41	5.20	No	6,830f	22,900	194	---	422	72.6	1,790	2,270
MW12	12/21/99	12.61	7.46	5.15	No	10,000	25,000	<40	---	580	26	1,400	1,360
MW12	03/21/00	12.61	3.57	9.04	No	4,400	23,000	860	---	690	33	1,600	3,290
MW12	03/30/01	- Present: Well covered by asphalt.											
MW13	01/20/94	14.20	9.08	5.12	No	---	---	---	---	---	---	---	---
MW13	02/02/94	14.20	8.75	5.45	No	---	---	---	---	---	---	---	---
MW13	02/03/94	14.20	---	---	---	8,100	41,000	---	---	3,800	1,500	2,700	9,500
MW13	03/10/94	14.20	7.46	6.74	Sheen	---	---	---	---	---	---	---	---
MW13	04/22/94	14.20	7.78	6.42	Sheen	---	---	---	---	---	---	---	---
MW13	05/10/94	14.20	7.61	6.59	No	---	---	---	---	---	---	---	---
MW13	05/11/94	14.20	---	---	---	15,000	39,000	---	---	3,400	930	2,400	8,900
MW13	06/27/94	14.20	7.97	6.23	No	---	---	---	---	---	---	---	---
MW13	08/31/94	14.20	9.21	4.99	No	---	---	---	---	---	---	---	---
MW13	09/29/94	14.20	9.61	4.59	No	320	57,000	---	---	2,100	470	2,600	8,100
MW13	10/25/94	14.20	9.93	4.27	Sheen	---	---	---	---	---	---	---	---
MW13	11/30/94	14.20	8.16	6.04	---	---	---	---	---	---	---	---	---
MW13	12/27/94	14.20	7.61	6.59	---	---	---	---	---	---	---	---	---
MW13	02/06/95	14.20	5.89	8.31	Sheen	---	---	---	---	---	---	---	---
MW13	06/07/95	14.20	8.05	6.15	Sheen	---	---	---	---	---	---	---	---
MW13	09/18/95	14.20	9.94	4.26	Sheen	---	---	---	---	---	---	---	---
MW13	11/01/95	14.20	10.48	3.72	Sheen	---	---	---	---	---	---	---	---
MW13	02/14/96	14.20	8.88	5.32	Sheen	---	---	---	---	---	---	---	---
MW13	06/19/96	14.20	7.22	6.98	Sheen	---	---	---	---	---	---	---	---
MW13	09/24/96	14.20	10.27	3.93	Sheen	---	---	---	---	---	---	---	---
MW13	12/11/96	14.20	8.77	5.43	Sheen	---	---	---	---	---	---	---	---
MW13	03/19/97	14.20	9.46	4.74	Sheen	---	---	---	---	---	---	---	---
MW13	06/04/97	14.20	9.59	4.61	Sheen	---	---	---	---	---	---	---	---
MW13	09/02/97	14.20	9.68	4.52	Sheen	---	---	---	---	---	---	---	---
MW13	12/02/97	14.20	9.16	5.04	No	16,000	14,000	<250	---	210	<50	920	1,000
MW13	03/24/98	14.20	6.71	7.49	No	1,700	5,600	55	---	110	6.0	420	330
MW13	06/23/98	14.20	8.87	5.33	No	3,800	12,000	200	---	120	<20	300	300
MW13	09/29/98	14.20	9.79	4.41	No	2,400	4,900	130	---	130	12.0	410	200
MW13	12/30/98	14.20	9.03	5.17	No	2,000	6,700	520	---	100	11	400	250
MW13	03/24/99	14.20	4.91	9.29	Sheen	688	3,730	15.5	---	35.9	1.58	150	112

TABLE 1A
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 73006
 720 High Street
 Oakland, California
 (Page 12 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW13	06/22/99	14.20	5.66	8.54	Sheen	4,090	7,220	56.4	---	29.0	<5.0	496	318
MW13	09/29/99	14.20	8.62	5.58	No	1,060f	5,200	103	---	83.0	5.90	322	126
MW13	12/21/99	14.20	8.59	5.61	No	1,800	4,400	<2	---	52	1.9	340	115
MW13	03/21/00 h	14.20	---	---	---	---	---	---	---	---	---	---	---
MW13	12/21/00	Well destroyed.											
MW14	01/20/94	15.18	---	---	---	---	---	---	---	---	---	---	---
MW14	02/02/94 h	15.18	---	---	---	---	---	---	---	---	---	---	---
MW14	03/10/94	15.18	7.84	7.34	No	---	---	---	---	---	---	---	---
MW14	04/22/94	15.18	8.00	7.18	No	---	---	---	---	---	---	---	---
MW14	05/10/94	15.18	7.93	7.25	No	---	---	---	---	---	---	---	---
MW14	05/11/94	15.18	---	---	---	11,002	300	---	---	2.7	7.9	2	27
MW14	06/27/94	15.18	8.19	6.99	No	---	---	---	---	---	---	---	---
MW14	08/31/94	15.18	9.44	5.74	No	---	---	---	---	---	---	---	---
MW14	09/29/94	15.18	9.82	5.36	No	---	300	1,600	---	<0.5	<0.5	0.9	1.3
MW14	10/25/94	15.18	9.99	5.19	No	---	200	210	---	<0.5	<0.5	0.8	<0.5
MW14	11/30/94	15.18	8.16	7.02	---	---	---	---	---	---	---	---	---
MW14	12/27/94	15.18	8.15	7.03	Sheen	---	---	---	---	---	---	---	---
MW14	02/06/95	15.18	7.18	8.00	No	1,200	360	---	---	<1.0	<1.0	<1.0	<1.0
MW14	06/07/95	15.18	7.70	7.48	No	1,100	670	<2.5	---	<0.5	<0.5	3.6	<0.5
MW14	09/18/95	15.18	9.88	5.30	No	1,900	1,300	<10	---	<2.0	<2.0	<2.0	3
MW14	11/01/95	15.18	10.56	4.62	No	2,700	1,100	<13	---	<2.5	<2.5	3.2	3.1
MW14	02/14/96	15.18	9.08	6.10	No	1,500	470	<2.5	---	<0.5	<0.5	1.3	<0.5
MW14	06/19/96	15.18	8.50	6.68	No	2,000	610	<12	---	<2.5	<2.5	<2.5	<2.5
MW14	09/24/96	15.18	10.23	4.95	No	5,100	1,000	<25	---	<5.0	<5.0	<5.0	<5.0
MW14	12/11/96	15.18	9.09	6.09	No	2,100 i	1,100	<10	---	<2.0	<2.0	<2.0	3.3
MW14	03/19/97	15.18	7.99	7.19	No	1,400	690	<2.5	---	0.65	1.7	2.5	8.3
MW14	06/04/97	15.18	9.30	5.88	No	1,500	730	<2.5	---	<1.2	<1.2	3.5	5.3
MW14	09/02/97	15.18	9.92	5.26	No	1,900	910	<5.0	---	<5.0	<5.0	<5.0	5.9
MW14	12/02/97	15.18	9.13	6.05	No	1,200	570	<2.5	---	0.85	<0.5	<0.5	1.7
MW14	03/24/98	15.18	8.52	6.66	No	1,300	650	5.7	---	1.7	<1.0	<1.0	2.3
MW14	06/23/98	15.18	8.69	6.49	No	1,100	470	<2.5	---	<0.5	1.5	1.1	3.0
MW14	09/29/98	15.18	9.41	5.77	No	930	570	<2.5	---	<0.50	<0.50	2.5	3.5
MW14	12/30/98	15.18	9.31	5.87	No	2,000	420	<2.5	---	<0.5	<0.5	<0.5	2.8
MW14	03/24/99	15.18	4.23	10.95	No	936	456	<2.0	---	<0.5	<0.5	0.685	<0.5
MW14	06/22/99	15.18	7.24	7.94	No	1,720	403	<2.0	---	<0.5	<0.5	<0.5	<0.5
MW14	09/29/99	15.18	9.41	5.77	No	927f	388	<2.5	---	1.31	<0.5	0.864	2.07
MW14	12/21/99	15.18	8.93	6.25	No	1,400	420	<2	---	0.61	<0.5	<0.5	6.3
MW14	03/21/00	15.18	5.76	9.42	No	---	390	<2	---	1.4	<0.5	0.82	4.5
MW14	03/30/01	15.18	4.21	10.97	No	980	330	---	<5	<0.5	<0.5	1.3	3.03
MW14	11/01/01	15.14	Well surveyed in compliance with AB 2886 requirements.										
MW14	03/11/02 k	15.14	4.87	10.27	No	954	146	1.40	0.6	<0.50	<0.50	0.90	5.70
MW14	03/11/03	15.14	6.99	8.15	No	1,020	331	<0.5	---	<0.50	<0.5	<0.5	<0.5
MW14	03/26/04	15.14	7.82	7.32	No	586g	235	---	<0.50	1.20	0.8	0.6	1.4

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 13 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW14	11/02/04	15.14	7.06	8.08	No	1,110g	282	---	<0.50	0.90	<0.5	1.6	7.2
MW14	02/04/05	15.14	6.15	8.99	No	2,880g	327	---	<0.50	0.60	<0.5	0.8	1.8
MW14	05/02/05	15.14	4.97	10.17	No	2,590g	363	---	<0.50	1.20	0.5	1.4	2.5
MW14	08/01/05	15.14	5.31	9.83	No	2,690g	280	---	<0.50	0.90	<0.5	0.9	1.8
MW14	10/25/05	15.14	5.16	9.98	No	5,410g	342	---	<0.500	0.82	<0.50	<0.50	1.98
MW14	01/24/06	15.14	5.40	9.74	No	440g	290	---	<0.50	1.4	<0.50	1.9	<0.50
MW14	04/28/06	15.14	4.06	11.08	No	190g	370	---	<0.50n	1.9n	<0.50	4.2	<0.50
MW14	08/04/06	15.14	4.77	10.37	No	1,290	347	---	<0.500	1.14	<0.50	<0.50	0.61
MW14	10/06/06	15.14	6.97	8.17	No	160g,j	290	---	<0.50	1.3	1.4	3.7	3.0
MW14	01/12/07	15.14	6.86	8.28	No	160g	250	---	<0.50	1.2	<0.50	2.0	<0.50
MW14	04/09/07	15.14	8.31	6.83	No	330g	309	---	<0.500	1.01	0.55	0.97	1.17
MW14	08/06/07	15.14	7.41	7.73	No	200g	290	---	<0.50	<0.50	<0.50	1.0	<0.50
MW14	11/15/07	15.14	7.97	7.17	No	210g	260	---	<0.50	0.66	<0.50	<0.50	1.5
MW14	01/02/08	15.14	8.36	6.78	No	250g,j	380	---	<0.50	0.78	<0.50	1.4	3.4
MW14	04/03/08	15.14	8.75	6.39	No	970g	400	---	<0.50	2.0	2.8	3.9	2.4
MW15	01/20/94	13.73	7.48	6.25	No	---	---	---	---	---	---	---	---
MW15	02/02/94	13.73	7.30	6.43	No	---	---	---	---	---	---	---	---
MW15	02/03/94	13.73	---	---	---	1,200	4,300	---	---	24	6.7	170	26
MW15	03/10/94	13.73	7.32	6.41	No	---	---	---	---	---	---	---	---
MW15	04/22/94	13.73	6.67	7.06	No	---	---	---	---	---	---	---	---
MW15	05/10/94	13.73	5.81	7.92	No	---	---	---	---	---	---	---	---
MW15	05/11/94	13.73	---	---	---	1,400	3,900	---	---	16	<0.5	150	13
MW15	06/27/94	13.73	6.14	7.59	No	---	---	---	---	---	---	---	---
MW15	08/31/94	13.73	7.20	6.53	No	---	---	---	---	---	---	---	---
MW15	09/29/94	13.73	7.76	5.97	No	420	2,500	---	---	51	15	48	3.6
MW15	10/25/94	13.73	8.19	5.54	Sheen	---	---	---	---	---	---	---	---
MW15	11/30/94	13.73	8.57	5.16	---	---	---	---	---	---	---	---	---
MW15	12/27/94	13.73	6.49	7.24	No	---	---	---	---	---	---	---	---
MW15	02/06/95	13.73	4.97	8.76	Sheen	---	---	---	---	---	---	---	---
MW15	06/07/95	13.73	7.14	6.59	Sheen	---	---	---	---	---	---	---	---
MW15	09/18/95	13.73	9.00	4.73	Sheen	---	---	---	---	---	---	---	---
MW15	11/01/95	13.73	10.67	3.06	Sheen	---	---	---	---	---	---	---	---
MW15	02/14/96	13.73	7.27	6.46	Sheen	---	---	---	---	---	---	---	---
MW15	06/19/96	13.73	6.65	7.08	Sheen	---	---	---	---	---	---	---	---
MW15	09/24/96	13.73	9.45	4.28	Sheen	---	---	---	---	---	---	---	---
MW15	12/11/96	13.73	7.77	5.96	Sheen	---	---	---	---	---	---	---	---
MW15	03/19/97	13.73	8.15	5.58	Sheen	---	---	---	---	---	---	---	---
MW15	06/04/97	13.73	8.62	5.11	Sheen	---	---	---	---	---	---	---	---
MW15	09/02/97	13.73	9.04	4.69	No	480	1,100	23	---	19	<2.0	11	4.9
MW15	12/02/97	13.73	8.43	5.30	No	600	1,700	58	---	20	<5.0	11	<5.0
MW15	03/24/98	13.73	6.35	7.38	No	450	2,100	<100	---	570	<20	<20	<20
MW15	06/23/98	13.73	7.79	5.94	No	570	2,300	<25	---	440	<5.0	30	<5.0
MW15	09/29/98 h	13.73	---	---	---	---	---	---	---	---	---	---	---
MW15	12/30/98	13.73	8.42	5.31	No	510	900	14	---	6.2	1.5	5.8	3.4

TABLE 1A
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 14 of 14)

Well ID	Sampling Date	TOC (feet)	DTW (feet)	GW Elev. (feet)	NAPL (feet)	TPHd (µg/L)	TPHg (µg/L)	MTBE 8021B (µg/L)	MTBE 8260B (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW15	03/24/99	13.73	4.69	9.04	No	346	1,480	12.7	---	181	1.15	29.8	<1.0
MW15	06/22/99	13.73	5.42	8.31	No	558	864	6.49	---	12.7	<0.5	3.28	1.38
MW15	09/29/99	13.73	7.08	6.65	No	306f	316	<5.0	---	1.44	7.51	1.60	3.21
MW15	12/21/99	13.73	7.51	6.22	No	300	1,500	21	---	21	1.6	0.67	5.9
MW15	03/21/00	13.73	3.61	10.12	No	220	680	<2	---	10	<0.5	<0.5	4.5
MW15	12/21/00	Well destroyed.											

- Notes:
- TOC = Top of well casing elevation; datum is mean sea level.
 - DTW = Depth to water.
 - GW Elev. = Groundwater elevation; datum is mean sea level. If liquid-phase hydrocarbons present, elevation adjusted using TOC - [DTW - (PT x 0.8)].
 - NAPL = Non-aqueous phase liquid.
 - [] = Amount recovered in cups.
 - TPHd = Total petroleum hydrocarbons as diesel analyzed using EPA Method 3510/8015 (modified).
 - TPHg = Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
 - MTBE 8021B = Methyl tertiary butyl ether analyzed using EPA Method 8021B.
 - MTBE 8260B = Methyl tertiary butyl ether analyzed using EPA Method 8260B.
 - BTEX = Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
 - TOG = Total oil and grease analyzed using Standard Method 5520.
 - EHCss = Extractable hydrocarbons as Stoddard Solvent analyzed using EPA Method 8015.
 - EDB = 1,2-dibromoethane analyzed using EPA Method 8260B.
 - 1,2-DCA = 1,2-dichloroethane analyzed using EPA Method 8260B.
 - TAME = Tertiary amyl methyl ether analyzed using EPA Method 8260B.
 - TBA = Tertiary butyl alcohol analyzed using EPA Method 8260B.
 - ETBE = Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
 - DIPE = Di-isopropyl ether analyzed using EPA Method 8260B.
 - Ethanol = Ethanol analyzed using EPA Method 8260B.
 - µg/L = Micrograms per liter.
 - = Not measured/Not sampled/Not analyzed.
 - < = Less than the indicated reporting limit shown by the laboratory.
 - a = A peak eluting earlier than benzene, suspected to be MTBE, was present.
 - b = Sample containers broken in transit.
 - c = Chromatogram pattern: unidentified hydrocarbons C6 - C12.
 - d = Chromatogram pattern: weathered gasoline C6 - C12.
 - e = Chromatogram pattern: weathered diesel C9 - C24 and unidentified hydrocarbons C9 - C36.
 - f = Chromatogram pattern: unidentified hydrocarbons C9 - C24.
 - g = TPHd result is not consistent with diesel fuel.
 - h = Well inaccessible.
 - i = TPHd note: Analyst notes samples resemble paint thinner more than Stoddard Solvent.
 - j = Analyte detected in trip blank, method blank, and/or bailer blank; result is suspect.
 - k = Higher reported TPH concentrations in groundwater may be due to different laboratory quantitation procedures.
 - l = Elevated result due to single analyte peak in quantitation range.
 - m = Surrogate recovery above control limits; this may result in a high bias.
 - n = Laboratory QA/QC issue(s); ERI considers the result to be usable. Please refer to laboratory report for details.

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 1 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	EHCss (µg/L)	TOG (µg/L)
MW1	01/20/94 - 06/19/96:	Not analyzed for these analytes.								
MW1	06/19/96	---	---	---	---	---	---	---	<50	---
MW1	06/19/96 - 03/11/03:	Not analyzed for these analytes.								
MW1	03/26/04	<0.50	<0.50	<10.0	<0.50	1.60	<0.50	---	---	---
MW1	11/02/04	<0.50	<0.50	<10.0	<0.50	1.80	<0.50	---	---	---
MW1	02/04/05	<0.50	<0.50	<10.0	<0.50	1.90	<0.50	---	---	---
MW1	05/02/05	<0.50	<0.50	<10.0	<0.50	2.10	<0.50	<100	---	---
MW1	08/01/05	<0.50	<0.50	<10.0	<0.50	2.00	<0.50	<100	---	---
MW1	10/25/05	<0.500	<0.500	22.6	<0.500	1.61	<0.500	---	---	---
MW1	01/24/06	<2.5	<2.5	<100	<2.5	<2.5	<2.5	<500	---	---
MW1	04/28/06	<0.50	<0.50	5.0n	<0.50	1.6	<0.50	---	---	---
MW1	08/04/06	<0.500	<0.500	<10.0	<0.500	1.63	<0.500	---	---	---
MW1	10/06/06	<0.50	<0.50	<5.0	<0.50	2.3	<0.50	---	---	---
MW1	01/12/07 h	---	---	---	---	---	---	---	---	---
MW1	03/26/07	Well destroyed.								
MW2	01/20/94 - 03/27/04:	Not analyzed for these analytes.								
MW2	03/27/04	<0.50	2.90	<10.0	<0.50	<0.50	<0.50	---	---	---
MW2	11/02/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---	---	---
MW2	02/04/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---	---	---
MW2	05/02/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100	---	---
MW2	08/01/05	<0.50	<0.50	<10.0	<0.50	2.00	<0.50	<100	---	---
MW2	10/25/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---	---	---
MW2	01/24/06	<0.50	<0.50	20	<0.50	<0.50	<0.50	<100	---	---
MW2	04/28/06	<0.50	<0.50	<5.0n	<0.50	<0.50	<0.50	<100	---	---
MW2	08/04/06	<0.500	<0.500	<10.0	<0.500	1.34	<0.500	<50.0	---	---
MW2	10/06/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	<100	---	---
MW2	01/12/07	<0.50	<0.50	23	<0.50	<0.50	<0.50	<100	---	---
MW2	04/09/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0	---	---
MW2	08/06/07	<0.50	<0.50	14	<0.50	<0.50	1.3	<100	---	---
MW2	11/15/07	<0.50	<0.50	17	<0.50	<0.50	1.1	<100	---	---
MW2	01/02/08	<0.50	0.85	36	<0.50	<0.50	<0.50	<100	---	---
MW2	04/03/08	<0.50	<0.50	24	<0.50	<0.50	<0.50	<100	---	---
MW3	01/20/94 - 03/26/04:	Not analyzed for these analytes.								
MW3	03/26/04	<0.50	2.60	<10.0	<0.50	<0.50	0.60	---	---	---
MW3	11/02/04	<0.50	<0.50	<10.0	<0.50	<0.50	1.60	---	---	---
MW3	02/04/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---	---	---
MW3	05/02/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100	---	---
MW3	08/01/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100	---	---
MW3	10/25/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---	---	---
MW3	01/24/06	<1.0	<1.0	<40	<1.0	<1.0	<1.0	<200	---	---
MW3	04/28/06	<0.50	<0.50	7.8n	<0.50	<0.50	<0.50	---	---	---
MW3	08/04/06	<0.500	<0.500	<10.0	<0.500	1.45	<0.500	---	---	---
MW3	10/06/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	---	---	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 2 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	EHCss (µg/L)	TOG (µg/L)
MW3	01/12/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---	---	---
MW3	04/09/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---	---	---
MW3	08/06/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW3	11/15/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---	---	---
MW3	01/02/08	<0.50	<0.50	12	<0.50	<0.50	<0.50	---	---	---
MW3	04/03/08	<0.50	<0.50	23	<0.50	<0.50	<0.50	---	---	---
MW4	01/20/94 - 03/26/04: Not analyzed for these analytes.									
MW4	03/30/01 - Present: Well covered by asphalt.									
MW5	07/18/89	Well destroyed.								
MW6	01/20/94 - 03/26/04: Not analyzed for these analytes.									
MW6	03/26/04	<0.50	<0.50	11.7	<0.50	34.0	<0.50	---	---	---
MW6	11/02/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---	---	---
MW6	02/04/05	<0.50	<0.50	54.3	<0.50	<0.50	<0.50	---	---	---
MW6	05/02/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100	---	---
MW6	08/01/05	<0.50	<0.50	29.2	<0.50	15.3	<0.50	<100	---	---
MW6	10/25/05	<0.500	<0.500	20.6	<0.500	<0.500	<0.500	---	---	---
MW6	01/24/06	<5.0	<5.0	<200	<5.0	<5.0	<5.0	<1,000	---	---
MW6	04/28/06	<0.50	12	41n	<0.50	<0.50	<0.50	<100	---	---
MW6	08/04/06	<0.500	<0.500	<10.0	0.940	8.28	<0.500	<50.0	---	---
MW6	10/06/06	<0.50	<0.50	14	<0.50	<0.50	<0.50	<100	---	---
MW6	01/12/07	<0.50	<0.50	11	<0.50	<0.50	<0.50	<100	---	---
MW6	04/09/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0	---	---
MW6	08/06/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW6	11/15/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW6	01/02/08	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW6	04/03/08	<0.50	<0.50	11	<0.50	<0.50	<0.50	<100	---	---
MW7	01/20/94	---	---	---	---	---	---	---	---	---
MW7	02/03/94	---	---	---	---	---	---	---	---	470
MW7	03/10/94	---	---	---	---	---	---	---	---	---
MW7	04/22/94	---	---	---	---	---	---	---	---	---
MW7	05/10-11/94	---	---	---	---	---	---	---	---	1,400
MW7	11/94 - 02/06/95: Not analyzed for these analytes.									
MW7	02/06/95	---	---	---	---	---	---	---	1,100	---
MW7	06/07/95	---	---	---	---	---	---	---	1,000	---
MW7	09/18/95	---	---	---	---	---	---	---	870	---
MW7	11/01/95	---	---	---	---	---	---	---	1,400	---
MW7	02/14/96	---	---	---	---	---	---	---	940	---
MW7	06/19/96	---	---	---	---	---	---	---	1,000	---
MW7	09/24/96	---	---	---	---	---	---	---	910	---
MW7	12/11/96	---	---	---	---	---	---	---	1,100	---
MW7	03/19/97	---	---	---	---	---	---	---	580	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 3 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	EHCss (µg/L)	TOG (µg/L)
MW7	06/04/97	---	---	---	---	---	---	---	780	---
MW7	09/02/97	---	---	---	---	---	---	---	740	---
MW7	12/21/00	Well destroyed.								
MW8	01/20/94 - 03/21/00	Not analyzed for these analytes.								
MW8	12/21/00	Well destroyed.								
MW9	01/20/94 - 06/19/96	Not analyzed for these analytes.								
MW9	06/19/96	---	---	---	---	---	---	---	<50	---
MW9	06/19/96 - 12/21/00	Not analyzed for these analytes.								
MW9	12/21/00	Well destroyed.								
MW10	01/20/94 - 06/19/96	Not analyzed for these analytes.								
MW10	06/19/96	---	---	---	---	---	---	---	<50	---
MW10	06/19/96 - 12/21/00	Not analyzed for these analytes.								
MW10	12/21/00	Well destroyed.								
MW11	01/20/94 - 06/19/96	Not analyzed for these analytes.								
MW11	06/19/96	---	---	---	---	---	---	---	<50	---
MW11	06/19/96 - 12/21/00	Not analyzed for these analytes.								
MW11	12/21/00	Well destroyed.								
MW12	01/20/94 - 11/02/04	Not analyzed for these analytes.								
MW12	03/30/01 - Present	Well covered by asphalt.								
MW13	01/20/94 - 12/21/00	Not analyzed for these analytes.								
MW13	12/21/00	Well destroyed.								
MW14	01/20/94 - 02/06/95	Not analyzed for these analytes.								
MW14	02/06/95	---	---	---	---	---	---	---	---	400
MW14	06/07/95	---	---	---	---	---	---	---	450	---
MW14	09/18/95	---	---	---	---	---	---	---	1,200	---
MW14	11/01/95	---	---	---	---	---	---	---	1,600	---
MW14	02/14/96	---	---	---	---	---	---	---	680	---
MW14	06/19/96	---	---	---	---	---	---	---	670	---
MW14	09/24/96	---	---	---	---	---	---	---	4,500	---
MW14	12/11/96	---	---	---	---	---	---	---	750	---
MW14	03/19/97	---	---	---	---	---	---	---	470	---
MW14	06/04/97	---	---	---	---	---	---	---	590	---
MW14	09/02/97	---	---	---	---	---	---	---	1,300	---
MW14	09/02/97 - 03/26/04	Not analyzed for these analytes.								
MW14	03/26/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---	---	---
MW14	11/02/04	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---	---	---
MW14	02/04/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---	---	---

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 4 of 5)

Well ID	Sampling Date	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)	EHCss (µg/L)	TOG (µg/L)
MW14	05/02/05	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<100	---	---
MW14	08/01/05	<0.50	<0.50	<10.0	<0.50	1.90	<0.50	<100	---	---
MW14	10/25/05	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	---	---	---
MW14	01/24/06	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100	---	---
MW14	04/28/06	<0.50	<0.50	<20n	<0.50	<0.50	<0.50	<100	---	---
MW14	08/04/06	<0.500	<0.500	<10.0	<0.500	1.39	<0.500	<50.0	---	---
MW14	10/06/06	<0.50	<0.50	<5.0	<0.50	<0.50	<0.50	<100	---	---
MW14	01/12/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW14	04/09/07	<0.500	<0.500	<10.0	<0.500	<0.500	<0.500	<50.0	---	---
MW14	08/06/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW14	11/15/07	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW14	01/02/08	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW14	04/03/08	<0.50	<0.50	<10	<0.50	<0.50	<0.50	<100	---	---
MW15	01/20/94 - 12/21/00: Not analyzed for these analytes.									
MW15	12/21/00 Well destroyed.									

TABLE 1B
ADDITIONAL CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 73006

720 High Street

Oakland, California

(Page 5 of 5)

Notes:	=	
TOC	=	Top of well casing elevation; datum is mean sea level.
DTW	=	Depth to water.
GW Elev.	=	Groundwater elevation; datum is mean sea level. If liquid-phase hydrocarbons present, elevation adjusted using TOC - [DTW - (PT x 0.8)].
NAPL	=	Non-aqueous phase liquid.
[]	=	Amount recovered in cups.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 3510/8015 (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 5030/8015 (modified).
MTBE 8021B	=	Methyl tertiary butyl ether analyzed using EPA Method 8021B.
MTBE 8260B	=	Methyl tertiary butyl ether analyzed using EPA Method 8260B.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 8021B.
TOG	=	Total oil and grease analyzed using Standard Method 5520.
EHCss	=	Extractable hydrocarbons as Stoddard Solvent analyzed using EPA Method 8015.
EDB	=	1,2-dibromoethane analyzed using EPA Method 8260B.
1,2-DCA	=	1,2-dichloroethane analyzed using EPA Method 8260B.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 8260B.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 8260B.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 8260B.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 8260B.
Ethanol	=	Ethanol analyzed using EPA Method 8260B.
µg/L	=	Micrograms per liter.
---	=	Not measured/Not sampled/Not analyzed.
<	=	Less than the indicated reporting limit shown by the laboratory.
a	=	A peak eluting earlier than benzene, suspected to be MTBE, was present.
b	=	Sample containers broken in transit.
c	=	Chromatogram pattern: unidentified hydrocarbons C6 - C12.
d	=	Chromatogram pattern: weathered gasoline C6 - C12.
e	=	Chromatogram pattern: weathered diesel C9 - C24 and unidentified hydrocarbons C9 - C36.
f	=	Chromatogram pattern: unidentified hydrocarbons C9 - C24.
g	=	TPHd result is not consistent with diesel fuel.
h	=	Well inaccessible.
i	=	TPHd note: Analyst notes samples resemble paint thinner more than Stoddard Solvent.
j	=	Analyte detected in trip blank, method blank, and/or bailer blank; result is suspect.
k	=	Higher reported TPH concentrations in groundwater may be due to different laboratory quantitation procedures.
l	=	Elevated result due to single analyte peak in quantitation range.
m	=	Surrogate recovery above control limits; this may result in a high bias.
n	=	Laboratory QA/QC issue(s); ERI considers the result to be usable. Please refer to laboratory report for details.

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 1 of 2)

Well ID	Date Well Installed	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Well Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
MW1	Well destroyed on 3/26/07.										
MW2	09/10/87	13.06	NS	36.0	35.0	4	NS	10.0-35.0	NS	8-36	NS
MW3	09/10/87	13.71	NS	36.0	35.0	4	NS	10.0-35.0	NS	8-36	NS
MW4	09/10/87	12.77	NS	36.0	35.0	4	NS	10.0-35.0	NS	8-36	NS
MW5	Well destroyed on 07/18/89.										
MW6	09/10/87	14.23	NS	36.0	35.0	4	NS	10.0-35.0	NS	8-36	NS
MW7	Well destroyed on 12/21/00.										
MW8	Well destroyed on 12/21/00.										
MW9	Well destroyed on 12/21/00.										
MW10	Well destroyed on 12/21/00.										
MW11	Well destroyed on 12/21/00.										
MW12	11/27/89	12.61	10	15.5	15.5	4	PVC	5.0-15.0	0.010	4-15.5	NS
MW13	Well destroyed on 12/21/00.										
MW14	10/31/90	15.14	10	18.5	17.0	4	PVC	7.0-17.0	0.010	5.5-17	NS
MW15	Well destroyed on 12/21/00.										
VW1	Well destroyed.										
VW2	Well destroyed.										
VW3	Well destroyed.										

TABLE 2
WELL CONSTRUCTION DETAILS
Former Exxon Service Station 73006
720 High Street
Oakland, California
(Page 2 of 2)

Well ID	Date Well Installed	TOC Elevation (feet)	Borehole Diameter (inches)	Total Depth of Boring (feet bgs)	Well Depth (feet bgs)	Well Casing Diameter (inches)	Well Casing Material	Screened Interval (feet bgs)	Slot Size (inches)	Filter Pack Interval (feet bgs)	Filter Pack Material
AS1	Information not available.										
AS2	Information not available.										
AS3	Information not available.										
AS4	Information not available.										
AS5	Information not available.										
AS6	Information not available.										
RW1	April 1994	NS	NS	16.88	NS	6	NS	---	NS	NS	NS
RW2	April 1994	NS	NS	16.82	NS	6	NS	---	NS	NS	NS
RW3	April 1994	NS	NS	16.72	NS	6	NS	---	NS	NS	NS
RW4	April 1994	NS	NS	17.18	NS	6	NS	---	NS	NS	NS
RW5	Well destroyed.										
RW6	Well destroyed.										
RW7	Well destroyed.										

Notes:

- TOC = Top of well casing elevation; datum is mean sea level.
- feet bgs = Feet below ground surface.
- NS = Not specified.
- PVC = Polyvinyl chloride.

APPENDIX A
GROUNDWATER SAMPLING PROTOCOL

GROUNDWATER SAMPLING PROTOCOL

The static water level and separate-phase product level, if present, in each well that contained water and/or separate-phase product are measured with an ORS Interface Probe, which is accurate to the nearest 0.01 foot. To calculate groundwater elevations and evaluate groundwater gradient, depth to water (DTW) levels are subtracted from top of casing elevations.

Groundwater samples collected for subjective evaluation are collected by gently lowering approximately half the length of a clean Teflon® or polypropylene bailer past the air-water interface (if possible) and collecting a sample from near the surface of the water in the well. The samples are checked for measurable free-phase hydrocarbons or sheen. If appropriate, free-phase hydrocarbons are removed from the well.

Before water samples are collected from the groundwater monitoring wells, the wells are purged until a minimum of three well casing volumes is purged and stabilization of the temperature, pH, and conductivity is obtained. Water samples from the wells that do not obtain stability of the temperature, pH, and conductivity are considered to be "grab samples." The quantity of water purged from each well is calculated as follows:

1 well casing volume = $\pi r^2 h (7.48)$ where:

r	=	radius of the well casing in feet
h	=	column of water in the well in feet (depth to bottom - depth to water)
7.48	=	conversion constant from cubic feet to gallons
π	=	ratio of the circumference of a circle to its diameter

Gallons of water purged/gallons in 1 well casing volume = well casing volumes removed.

After purging, each well is allowed to recharge to at least 80% of the initial water level. Water samples from wells that do not recover at least 80% (due to slow recharging of the well) between purging and sampling are considered to be "grab samples." Water samples are collected with a new, disposable Teflon® or polypropylene bailer. The groundwater is carefully poured into selected sample containers (40-milliliter [ml] glass vials, 1,000-ml glass amber bottles, etc.), which are filled so as to produce a positive meniscus.

Depending on the required analysis, each sample container is preserved with hydrochloric acid, nitric acid, etc., or it is preservative free. The type of preservative used for each sample is specified on the Chain of Custody record.

Each vial and glass amber bottle is sealed with a cap containing a Teflon® septum, and subsequently examined for air bubbles to avoid headspace, which would allow volatilization to occur. The samples are promptly transported in iced storage in a thermally-insulated ice chest, accompanied by a Chain of Custody record, to a California state-certified laboratory.

APPENDIX B

**HISTORICAL CUMULATIVE GROUNDWATER
MONITORING AND SAMPLING DATA**

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 1 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs	TOG >
MW1 (12.87)	05/88	NM	NM	—	240	90	5	15	25	NA	ND	NA
	04/25/89	NLPH	7.55	5.32#								
	04/27/89	Sheen	10.16	2.71#								
	09/06/89	Sheen	10.88	1.99#								
	09/22/89	NLPH	11.06	1.81#								
	11/01/89	NLPH	10.82	2.05#								
	11/15/89	NLPH	11.07	1.80#								
	12/06/89	NLPH	10.33	2.54	630	12	5.6	3.7	25	240	NA	NA
	02/20/90	NLPH	8.81	4.06#								
	04/19/90	NLPH	9.33	3.54	<20	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	07/03/90	NLPH	8.44	4.43	130	6	<0.5	<0.5	<0.5	160	NA	NA
	07/26/90	NLPH	8.99	3.88#								
	08/20/90	NLPH	9.50	3.37#								
	09/19/90	NLPH	9.99	2.88#								
	11/27/90	NLPH	10.62	2.25	<50	0.7	<0.5	<0.5	<0.5	<100	NA	NA
	01/17/91	NLPH	10.31	2.56#								
	03/26/91	NLPH	7.79	5.08	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	05/02/91	NLPH	8.88	3.99#								
	06/20/91	NLPH	9.62	3.25	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	08/07/91	NLPH	10.20	2.67#								
	09/17/91	NLPH	10.40	2.47	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA
	11/13/91	NLPH	10.20	2.67#								
	12/10/91	NLPH	10.23	2.64	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	01/21/92	NLPH	9.32	3.55#								
	03/25/92	NLPH	9.30	3.57	<50	1.5	<0.5	<0.5	<0.5	<50	NA	NA

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 2 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. >	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG	
								parts per billion					
MW1 cont. (12.87)	06/22/92	NLPH	8.46	4.41	110	4.9	7.9	3.7	21	75	NA	NA	
	09/24/92	NLPH	9.61	3.26	<50	<0.5	0.6	<0.5	<0.5	<50	NA	NA	
	10/14/92	NLPH	9.85	3.02#									
	11/16/92	NLPH	9.65	3.22#									
	12/08/92	NLPH	9.30	3.57	170	10	<0.5	<0.5	0.6	51	NA	NA	
	01/27/93	NLPH	6.13	6.74#									
	02/18/93	NLPH	6.07	6.80#									
	03/10/93	NLPH	6.12	6.75	<50	<0.5	<0.5	<0.5	<0.5	140	NA	NA	
	04/06/93	NLPH	5.84	7.03#									
	05/28/93	NLPH	7.27	5.60#									
	06/10/93	NLPH	7.40	5.47	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA	
	07/17/93	NLPH	8.08	4.79#									
	08/11/93	NLPH	8.54	4.33	<50	<0.5	<0.5	<0.5	<0.5	NA	ND	NA	
						NA	<5*	<5*	<5*	<5*	<50*	ND	NA
	09/01/93	NLPH	8.80	4.07#									
	10/26/93	NLPH	9.41	3.46	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA	
	11/12/93	NLPH	9.48	3.39#									
	12/27/93	NLPH	8.62	4.25#									
	01/20/94	NLPH	9.25	3.62#									
	02/02-03/94	NLPH	8.60	4.27	<50	<0.5	<0.5	<0.5	0.7	70	NA	NA	
	03/10/94	NLPH	8.31	4.56#									
	04/22/94	NLPH	7.95	4.92#									
	05/10-11/94	NLPH	7.48	5.39	<50	<0.5	<0.5	<0.5	1.6	100	NA	NA	
06/27/94	NLPH	7.65	5.22#										
08/31/94	NLPH	9.39	3.48#										
09/29/94	NLPH	9.83	3.04	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA		

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 3 of 31)

Well ID # (TOC)	Sampling Date	SUBI <	DTW feet	Elev. >	parts per billion					TEPHd	VOCs	TOG >
					TPHg <	B	T	E	X			
MW1 cont. (12.87)	10/25/94	NLPH	10.19	2.68	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	11/30/94	NLPH	8.97	3.90#								
	12/27/94	NLPH	7.44	5.43#								
	02/06/95	NLPH	5.71	7.16	<50	0.52	<0.5	<0.5	<0.5	100	NA	NA
MW2 (12.98)	09/87	NM	NM	—	1,445	233	810	56	209	NA	NA	NA
	05/88	LPH	NM	—								
	04/25/89	2.16[NR]	9.27	5.44#								
	07/19/89	1.56[NR]	10.81	3.42#								
	07/27/89	0.13[NR]	10.18	2.90#								
	09/05/89	0.09[NR]	10.89	2.16#								
	09/22/89	0.56[NR]	11.56	1.87#								
	11/01/89	0.09[NR]	10.85	2.20#								
	11/15/89	0.07[NR]	11.05	1.99#								
	12/06/89	0.13[NR]	10.23	2.85#								
	02/20/90	0.29 [NR]	8.86	4.35#								
	04/19/90	0.10 [NR]	9.09	3.97#								
	07/03/90	0.05 [NR]	8.75	4.27#								
	07/26/90	0.10 [NR]	8.71	4.35#								
	08/20/90	0.02 [NR]	9.25	3.75#								
	09/19/90	0.02 [NR]	9.79	3.21#								
	11/27/90	0.07 [NR]	10.40	2.64#								
	01/17/91	0.05 [NR]	10.03	2.99#								
	03/26/91	0.08 [NR]	8.98	4.06#								
	05/02/91	0.02 [NR]	8.73	4.27#								
	06/20/91	0.02 [NR]	9.11	3.89#								
08/07/91	0.04 [NR]	10.00	3.01#									

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 7-3006
 720 High Street, Oakland, California

(Page 4 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG >
					parts per billion							
MW2 cont. (12.98)	09/17/91	0.02 [NR]	10.11	2.89#								
	11/13/91	0.02 [NR]	9.88	3.12#								
	12/10/91	0.03 [NR]	9.02	3.98#								
	01/21/92	0.03 [NR]	9.08	3.92#								
	03/25/92	0.03 [NR]	6.00	7.00#								
	06/22/92	0.01 [½ c.]	8.46	4.53#								
	09/24/92	Sheen [NR]	9.08	3.90#								
	10/14/92	0.02 [¼ c.]	9.34	3.66#								
	11/16/92	0.02 [¼ c.]	9.16	3.84#								
	12/08/92	0.02 [½ c.]	8.93	4.07#								
	01/27/93	Sheen	5.76	7.22#								
	02/18/93	0.01 [NR]	4.21	8.78#								
	03/10/93	Sheen	6.75	6.23#								
	04/06/93	Sheen	5.37	7.61#								
	05/28/93	NM [2 c.]	NM	---								
	06/10/93	NM [½ c.]	NM	---								
	07/17/93	NM [2 c.]	NM	---								
	08/11/93	NM [½ c.]	NM	---								
	09/01/93	NM [½ c.]	NM	---								
	10/26/93	Sheen	NM	---								
	11/12/93	NM [NR]	NM	---								
	12/27/93	NM [NR]	NM	---								
	01/20/94	NM [NR]	NM	---								
	02/02-03/94	NM [NR]	NM	---								
	03/10/94	[8 c.]	6.96	6.29#								
	04/22/94	[10 c.]	NM	---								
	05/10-11/94	[5 c.]	NM	---								
	06/27/94	Sheen	7.10	5.88#								

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 5 of 31)

Well ID # (TOC)	Sampling Date	SUBI < >	DTW feet >	Elev. >	parts per billion							TOG >
					TPHg <	B	T	E	X	TEPHd	VOCs	
MW2 cont. (12.98)	08/31/94	Sheen	8.58	4.40#								
	09/29/94	Sheen	9.11	3.87#								
	10/25/94	Sheen	7.96	5.22#								
	11/30/94	NM	7.33	5.65#								
	12/27/94	Sheen	6.77	6.21#								
	02/06/95	Sheen	5.00	7.98								
MW3 (12.92)	09/87	NM [NR]	NM	---	2,101	360	1,062	68	298	660	NA	NA
	05/88	NM [NR]	NM	---	8,700	3,980	280	240	600	NA	NA	NA
	04/25/89	0.08 [NR]	7.57	5.43#								
	07/19/89	0.66 [NR]	10.33	3.14#								
	07/27/89	Not Accessible										
	09/06/89	0.07 [NR]	11.22	1.78#								
	09/22/89	0.28 [NR]	11.38	1.78#								
	11/01/89	0.01 [NR]	10.90	2.05#								
	11/15/89	0.11 [NR]	11.18	1.85#								
	12/05/89	Sheen	10.29	2.65#								
	02/20/90	0.04 [NR]	8.73	4.24#								
	04/19/90	0.09 [NR]	9.20	3.81#								
	07/03/90	0.03 [NR]	8.50	4.46#								
	07/25/90	0.04 [NR]	8.58	4.39#								
	08/20/90	0.01 [NR]	9.21	3.74#								
	09/19/90	0.35 [NR]	10.02	3.20#								
	11/27/90	0.42 [NR]	10.72	2.56#								
	01/17/91	0.10 [NR]	10.05	2.97#								
03/26/91	0.10 [NR]	7.65	5.37#									
05/02/91	0.03 [NR]	8.54	4.42#									

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 6 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG	
						parts per billion							
MW3 cont. (12.92)	06/20/91	0.03 [NR]	8.89	4.07#									
	08/07/91	0.03 [NR]	9.99	2.97#									
	09/17/91	0.22 [NR]	10.32	2.80#									
	11/13/91	0.24 [NR]	10.14	2.99#									
	12/10/91	0.11 [NR]	10.10	2.93#									
	01/21/92	0.06 [NR]	9.07	3.92#									
	03/25/92	0.04 [NR]	5.96	7.01#									
	06/22/92	0.02 [1/4 c.]	8.07	4.89#									
	09/24/92	Sheen	9.29	3.65#									
	10/14/92	0.02 [1/4 c.]	9.49	3.47#									
	11/16/92	0.02 [1/4 c.]	9.29	3.67#									
	12/08/92	0.02 [1/4 c.]	9.08	3.88#									
	01/27/93	Sheen	5.65	7.29#									
	02/18/93	Sheen	4.63	8.31#									
	03/10/93	Sheen	5.53	7.41#									
	04/06/93	Sheen	5.10	7.84#									
	05/28/93	Sheen	6.50	6.44#									
	06/10/93	Sheen	6.65	6.29#									
	07/17/93	Sheen	7.03	5.91#									
	08/11/93	Sheen	7.56	5.38		5,100	1,300	12	87	47	3,200	ND	NA
							2,000'	<2.5'	160'	60'	140'		
	09/01/93	0.01 [NR]	8.20	4.75#									
	10/26/93	Sheen	8.88	4.06#									
	11/12/93	Sheen	8.96	3.98#									
	12/27/93	Sheen	9.03	3.91#									
	01/20/94	Sheen	8.24	4.70#									
	02/02-03/94	Sheen	7.68	5.26#									
03/10/94	Sheen	7.24	5.68#										

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3005
 720 High Street, Oakland, California
 (Page 7 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. >	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs .	TOG >
MW3 cont (12.92)	04/22/94	Sheen	6.79	6.13#								
	05/10-11/94	Sheen	6.43	6.49#								
	06/27/94	0.01 [NR]	6.97	5.95#								
	08/31/94	Sheen	8.41	4.51#								
	09/29/94	Sheen	8.97	3.95#								
	10/25/94	Sheen	9.43	3.49#								
	11/28/94	NM	7.19	5.73#								
	12/27/94	Sheen	6.64	6.28#								
	02/06/95	Sheen	4.87	8.05								
MW4 (12.77)	09/87	NM [NR]	NM	—	92,500	70	7	10	16	740	NA	NA
	05/88	LPH	NM	—								
	04/25/89	0.16 [NR]	7.26	5.64#								
	07/19/89	0.72 [NR]	10.32	3.03#								
	07/27/89	Not Accessible										
	09/06/89	0.07 [NR]	11.40	1.43#								
	09/22/89	0.19 [NR]	11.64	1.28#								
	11/01/89	Sheen	11.00	1.77#								
	11/15/89	0.10 [NR]	11.18	1.67#								
	12/06/89	Sheen	10.25	2.52#								
	02/20/90	NLPH	8.40	4.37#								
	04/19/90	0.03 [NR]	9.04	3.75#								
	07/03/90	Sheen	8.00	4.77#								
	07/26/90	0.04 [NR]	8.57	4.23#								
	08/20/90	0.01 [NR]	9.08	3.70#								
	09/19/90	0.03 [NR]	9.76	3.03#								
	11/27/90	0.09 [NR]	10.83	2.01#								

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 8 of 31)

Well ID # (TOC)	Sampling Date	SUBI < >	DTW Feet	Elev. >	TPHg					TEPHd	VOCs	TOG >
					B	T	E	X	parts per billion			
MW4 cont. (12.77)	01/17/91	0.20 [NR]	9.96	2.97#								
	03/26/91	0.09 [NR]	6.20	6.64#								
	05/02/91	0.04 [NR]	7.50	5.30#								
	06/20/91	0.04 [NR]	7.79	5.01#								
	08/07/91	0.05 [NR]	9.81	3.00#								
	09/17/91	0.10 [NR]	10.02	2.83#								
	11/13/91	0.12 [NR]	9.90	2.97#								
	12/10/91	0.10 [NR]	9.92	2.93#								
	01/21/92	0.08 [NR]	9.50	3.33#								
	03/25/92	0.03 [NR]	5.01	7.78#								
	06/22/92	0.02 [½ c.]	7.34	5.45#								
	09/24/92	Sheen	9.03	3.74#								
	10/14/92	0.02 [½ c.]	9.27	3.52#								
	11/16/92	0.02 [½ c.]	9.09	3.70#								
	12/08/92	0.02 [½ c.]	10.24	2.55#								
	01/27/93	0.04 [NR]	4.95	7.85#								
	02/18/93	0.01 [NR]	4.89	7.89#								
	03/10/93	Sheen	6.40	6.37#								
	04/06/93	Sheen	4.36	8.41#								
	05/28/93	NM [2 c.]	NM	---								
	06/10/93	NM [2 c.]	NM	---								
	07/17/93	NM [2/5 gal.]	NM	---								
	08/11/93	NM [¼ gal.]	NM	---								
	09/01/93	NM [¼ gal.]	NM	---								
	10/26/93	NM [NR]	NM	---								
	11/12/93	NM [NR]	NM	---								
	12/27/93	NM [NR]	NM	---								
01/20/94	NM [NR]	NM	---									

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 7-3006
 720 High Street, Oakland, California

(Page 9 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. >	TPHg <	B	T	E	X	TEPHd	VOCs	TOG >
MW4 cont. (12.77)	02/02-03/94	NM [1 c.]	NM	---								
	03/10/94	[8 c.]	7.12	5.65#								
	04/22/94	[10 c.]	NM	---								
	05/10-11/94	[5 c.]	NM	---								
	06/27/94	0.01 [NR]	6.50	6.27#								
	08/31/94	0.02 [NR]	7.84	4.93#								
	09/29/94	0.03 [NR]	8.43	4.37#								
	10/25/94	Sheen	9.24	3.53#								
	11/30/94	NM	6.77	6.00#								
	12/27/94	Sheen	6.14	6.63#								
	02/06/95	Sheen	4.87	7.90								
MW5 (8.38)	09/87	NM	NM	---	26,660	560	1,710	1,580	7,150	37,220	NA	NA
	05/88	LPH	NM	---								
	04/25/89	NLPH	8.06	0.32#								
	07/18/89	Well Destroyed										
MW6 (14.27)	05/88	NM	NM	---	29,300	12,820	550	1,440	5,500	NA	NA	NA
	04/25/89	NLPH	8.02	6.25#								
	09/06/89	0.08 [NR]	13.64	0.69#								
	09/22/89	0.07 [NR]	13.79	0.54#								
	11/01/89	Sheen	12.78	1.49#								
	11/15/89	Sheen	12.91	1.36#								
	12/06/89	NLPH	11.84	2.43	9,000	370	13	2.6	430	4,800	NA	NA
	02/20/90	NLPH	9.08	5.19#								
	04/19/90	NLPH	9.72	4.55	27,000	3,000	120	490	2,100	26,000	NA	NA

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 10 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs	TOG >	
MW6 cont. (14.27)	07/03/90	NLPH	8.00	6.27	30,000	5,500	1,400	1,200	3,100	13,000	NA	NA	
	07/26/90	NLPH	8.70	5.57#									
	08/20/90	NLPH	9.62	4.65#									
	09/19/90	Sheen	10.25	4.02#									
	11/27/90	Sheen	10.82	3.45	15,000	4,400	120	800	2,300	7,600	NA	NA	
	01/17/91	NLPH	9.93	4.34#									
	03/26/91	NLPH	8.45	5.82	55,000	10,000	380	1,600	6,900	<100	NA	NA	
	05/02/91	NLPH	8.90	5.37#									
	06/20/91	Sheen	9.47	4.80#									
	08/07/91	Sheen	10.10	4.17#									
	09/17/91	Sheen	10.21	4.06	17,000	4,500	160	890	3,100	NA	NA	NA	
	11/13/91	Sheen	9.62	4.65#									
	12/10/91	Sheen	9.59	4.68	32,000	6,000	290	1,400	4,700	1,200	NA	NA	
	01/21/92	Sheen	9.25	5.02#									
	03/25/92	NLPH	6.88	7.39	21,000	8,000	250	1,700	5,000	2,700	NA	NA	
	06/22/92	NLPH	7.38	6.89	43,000	11,000	150	2,100	5,000	1,700	NA	NA	
	09/24/92	NLPH	8.70	5.57	45,000	9,800	270	1,700	3,600	2,000	NA	NA	
	10/14/92	Sheen	8.91	5.36#									
	11/16/92	NLPH	8.75	5.52#									
	12/03/92	Sheen	8.51	5.76#									
	01/27/93	NLPH		5.69	8.58#								
	02/18/93	0.10 [¼ c.]		4.90	9.45#								
	03/10/93	0.05 [¼ c.]		6.07	8.24#								
	04/06/93	Sheen		4.98	9.29#								
	05/28/93	NM [3 c.]		NM	---								
	06/10/93	NM [3 c.]		NM	---	130,000	9,800	650	5,100	12,000	38,000	NA	23,000
	07/17/93	NM [NR]		NM	---								
08/11/93	NM [NR]		NM	---									

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 11 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs parts per billion	TOG >
MW6 cont (14.27)	09/01/93	NM [½ c.]	NM	---								
	10/26/93	NM [NR]	NM	---								
	11/12/93	NM [NR]	NM	---								
	12/27/93	NM [NR]	NM	---								
	01/20/94	NM [NR]	NM	---								
	02/02-03/94	NM [NR]	NM	---								
	03/10/94	[¼ c.]	7.82	6.45#								
	04/22/94	[10 c.]	NM	---								
	05/10-11/94	[3 c.]	NM	---								
	06/27/94	Sheen	7.77	6.50#								
	08/31/94	Sheen	9.02	5.25#								
	09/29/94	Sheen	9.51	4.76#								
	10/25/94	Sheen	9.93	4.34#								
	11/30/94	NM	8.05	6.22#								
	12/27/94	NM	7.54	6.73#								
02/06/95	Sheen	5.86	8.41									
MW7 (14.84)	09/87	NM	NM	---	1,531	258	2	<2	42	2,790	ND	NA
	03/88	NM	NM	---	NA	300*	<10*	<10*	<10*	19	ND	NA
	04/25/89	NLPH	8.66	6.18#								
	09/06/89	Sheen	11.72	3.12#								
	09/22/89	NLPH	11.89	2.95#								
	12/06/89	NLPH	10.46	4.38	1,700	220	5.3	5	8.6	2,500	ND	<5,000
	02/20/90	NLPH	8.44	6.40#								
	04/19/90	NLPH	9.54	5.30	2,700	220	8.6	7	20	3,500	ND	NA
	07/03/90	NLPH	7.45	7.39	2,500	380	13	16	35	910	ND	NA
	07/26/90	NLPH	8.08	6.76#								

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-3006
720 High Street, Oakland, California
(Page 12 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG > <
								parts per billion				
MW7 cont. (14.84)	08/20/90	NLPH	8.82	6.02#								
	09/19/90	NLPH	9.01	5.83#								
	11/27/90	NLPH	9.54	5.30	2,300	630	16	32	29	1,300	2.4'	NA
	01/17/91	NLPH	8.50	6.34#								
	03/26/91	NLPH	5.92	8.92	3,500	420	18	17	27	<100	ND	NA
	05/02/91	NLPH	7.72	7.12#								
	06/20/91	NLPH	8.19	6.65	3,100	270	8.8	33	19	<100	NA	NA
	08/07/91	NLPH	8.70	6.14#								
	09/17/91	NLPH	8.77	6.07	2,400	390	10	15	18	NA	NA	NA
	11/13/91	NLPH	8.51	6.33#								
	12/10/91	NLPH	8.58	6.26	1,700	290	5.3	7.1	<0.5	530	NA	NA
	01/21/92	NLPH	8.32	6.52#								
	03/25/92	NLPH	9.27	5.57	1,500	320	7.2	16	19	760	NA	NA
	05/22/92	NLPH	6.97	7.87	3,100	260	5.8	21	27	830	NA	NA
	09/24/92	NLPH	8.00	6.84	3,900	160	4.6	3.7	13	660	NA	NA
	10/14/92	NLPH	8.15	6.69#								
	11/16/92	NLPH	7.92	6.92#								
	12/08/92	NLPH	7.75	7.09	17,000	1,100	35	77	46	540	NA	NA
	01/27/93	NLPH	5.09	9.75#								
	02/18/93	NLPH	4.51	10.33#								
	03/10/93	NLPH	4.78	10.06	3,500	160	6.2	22	19	640	**	<5000
	04/06/93	NLPH	4.48	10.36#								
	05/28/93	NLPH	5.44	9.40#								
06/10/93	NLPH	5.60	9.24	1,600	140	6.5	22	61	570	NA	NA	
07/17/93	NLPH	6.33	8.51#									
08/11/93	NLPH	6.87	7.97	2,700	130	1.3	13	12	370	ND	NA	
					140 ^a	5 ^a	12 ^a	10 ^a	2,000 ^a			
	09/01/93	NLPH	7.12	7.72#								

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-3006
720 High Street, Oakland, California
(Page 13 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs	TOG >
MW7 cont. (14.84)	10/26/93	NLPH	7.67	7.17	2,500	90	4.7	6.6	15	1,000	NA	NA
	11/12/93	NLPH	7.69	7.15#								
	12/27/93	NLPH	7.42	7.42#								
	01/20/94	NLPH	8.67	6.17#								
	02/02-03/94	NLPH	8.47	6.37	2,900	79	5.0	8.2	21	1300	NA	NA 470 ²
	03/10/94	NLPH	8.24	6.60#								
	04/22/94	NLPH	7.95	6.89#								
	05/10-11/94	NLPH	7.53	7.31#	2,400	88	5.6	5.2	15	1,300	NA	NA 1,400 ²
	06/27/94	NLPH	8.01	6.83#								
	08/31/94	NLPH	9.19	5.65#								
	09/29/94	NLPH	9.65	5.19	1,900	71	3.1	3.5	7.8	56	NA	NA
	10/25/94	NLPH	9.96	4.88	1,400	51	1.5	24	6.8	89 ²	NA	NA
	11/30/94	NM	7.78	7.06#								
	12/27/94	NM	7.51	7.33#								
	02/06/95	NLPH	5.79	9.05	2,500	130	<10	<10	<10	1,300	ND	1,100 ²
MW8 (13.45)	09/87	NM	NM	---	1,325	81	74	42	182	NA	NA	NA
	05/88	LPH	NM	---								
	04/25/89	0.66 [NR]	8.31	5.67#								
	07/19/89	1.25 [NR]	10.97	3.48#								
	07/27/89	0.08 [NR]	10.34	3.17#								
	09/06/89	0.17 [NR]	11.09	2.50#								
	09/22/89	0.36 [NR]	11.58	2.16#								
	11/01/89	NLPH	11.03	2.42#								
	11/15/89	0.01 [NR]	11.25	2.21#								

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 14 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. >	IPHg					TEPHd	VOCs	TOG
					B	T	E	X	parts per billion			
MW8 cont. (13.45)	12/06/89	Sheen	10.30	3.15	42,000	2,600	630	210	3,700	34,000	NA	NA
	02/20/90	0.01 [NR]	8.00	5.46#								
	04/19/90	NLPH	8.50	4.95	49,000	2,100	820	1,100	4,800	53,000	NA	NA
	07/03/90	NLPH	7.55	5.90	44,000	4,000	1,500	2,000	6,300	32,000	NA	NA
	07/26/90	NLPH	7.86	5.59#								
	08/20/90	NLPH	8.92	4.53#								
	09/19/90	NLPH	9.55	3.90#								
	11/27/90	0.01 [NR]	10.29	3.17#								
	01/17/91	Sheen	9.97	3.48#								
	03/26/91	Sheen	8.45	5.00#								
	05/02/91	Sheen	8.85	4.60#								
	06/20/91	Sheen	9.45	4.00#								
	08/07/91	Sheen	10.00	3.45#								
	09/17/91	Sheen	10.11	3.34	57,000	14,000	7,800	3,100	12,000	NA	NA	NA
	11/13/91	Sheen	9.63	3.82#								
	12/10/91	Sheen	9.66	3.79	66,000	9,500	5,000	3,100	12,000	1,400	NA	NA
	01/21/92	Sheen	9.35	4.10#								
	03/25/92	Sheen	8.02	5.43#								
	06/22/92	Sheen	7.01	6.44#								
	09/24/92	Sheen	8.33	5.12#								
	10/14/92	Sheen	8.65	4.80#								
	11/16/92	Sheen	8.27	5.18#								
	12/08/92	Sheen	8.25	5.20#								
	01/27/93	Sheen	5.22	8.23#								
	02/18/93	Sheen	4.27	9.18#								
	03/10/93	Sheen	5.30	8.15#								
	04/06/93	Sheen	4.56	8.89#								
05/28/93	Sheen	5.62	7.83#									

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-3006
720 High Street, Oakland, California
(Page 15 of 31)

Well ID # (TOC)	Sampling Date	SUBJ <	DTW feet	Elev. >	TPHg						TEPHd	VOCs	TOG
					B	T	E	X	parts per billion				
MW8 cont. (13.45)	06/10/93	Sheen	5.75	7.70#									
	07/17/93	Sheen	6.43	7.02#									
	08/11/93	Sheen	6.99	6.46	53,000	4,200	1,300	2,600	7,200	2,600	ND	NA	
	09/01/93	Sheen	7.33	6.12#		4,900'	1,600'	3,300'	8,200'	370'			
	10/26/93	Sheen	7.98	5.47#									
	11/12/93	Sheen	8.07	5.38#									
	12/27/93	NM	NM	---									
	01/20/94	Sheen	8.90	4.55#									
	02/02-03/94	Sheen	8.58	4.87#									
	03/10/94	NLPH	7.16	6.29#									
	04/22/94	Sheen	7.34	6.11#									
	05/10-11/94	Sheen	7.04	6.41#									
	06/27/94	Sheen	6.01	7.44#									
	08/31/94	Sheen	9.26	4.19#									
	09/29/94	Sheen	9.76	3.72#									
	10/25/94	Sheen	10.05	3.40									
	11/30/94	NM	7.68	5.77#									
	12/27/94	Sheen	7.11	6.34#									
	02/06/95	Sheen	5.39	8.06									
	MW9 (14.64)	05/88	NM	NM	---	< 50	< 0.5	1	< 1	< 1	NA	ND	NA
04/25/89		NLPH	8.25	6.39#									
09/06/89		Not Accessible											
09/22/89		Not Accessible											
12/06/89		NLPH	10.12	4.52	100	1.8	3.7	1.4	8.8	110	ND	< 5000	
02/20/90		NLPH	9.38	5.26#									

See Notes on page 31 of 31

TABLE I
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 7-3006
 720 High Street, Oakland, California

(Page 16 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG
MW9 cont. (14.64)	04/19/90	NLPH	9.40	5.25	<20	<0.5	<0.5	<0.5	<0.5	<100	ND	NA
	07/03/90	NLPH	8.79	5.85	<20	<0.5	<0.5	<0.5	<0.5	<100	ND	NA
	07/26/90	NLPH	8.70	5.94#								
	08/20/90	NLPH	9.09	5.55#								
	09/19/90	NLPH	9.52	5.12#								
	11/27/90	NLPH	9.89	4.75	<50	<0.5	<0.5	<0.5	<0.5	<100	ND	NA
	01/17/91	Not Accessible										
	03/26/91	Not Accessible										
	05/02/91	NLPH	9.10	5.54#								
	06/20/91	NLPH	8.76	5.88	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	08/07/91	NLPH	9.37	5.27#								
	09/17/91	NLPH	9.57	5.07	<50	<0.5	<0.5	<0.5	<0.5	NA	NA	NA
	11/13/91	NLPH	9.46	5.18#								
	12/10/91	NLPH	9.30	5.34	<50	<0.5	<0.5	<0.5	<0.5	52	NA	NA
	01/21/92	NLPH	9.68	4.96#								
	03/25/92	NLPH	8.93	5.71	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	06/22/92	NLPH	7.45	7.19	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	09/24/92	NLPH	8.69	5.95	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	10/14/92	NLPH	8.83	5.81#								
	11/16/92	NLPH	8.80	5.84#								
	12/08/92	NLPH	8.70	5.94	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	01/27/93	NM	NM	---								
	02/18/93	NLPH	9.22	5.42#								
03/10/93	NLPH	5.25	9.39	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA	
04/06/93	NLPH	5.07	9.57#									
05/28/93	NLPH	6.08	8.56#									
06/10/93	NLPH	6.27	8.37	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA	
07/17/93	NLPH	7.09	7.55#									

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 17 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs .	TOG >
MW9 cont. (14.64)	08/11/93	NLPH	7.60	7.04	<50	<0.5 <5'	<0.5 <5'	<0.5 <5'	<0.5 <5'	<50 <50 ²	ND	NA
	09/01/93	NLPH	7.95	6.69#								
	10/26/93	NLPH	8.44	6.20	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	11/12/93	NLPH	8.44	5.20#								
	12/27/93	NLPH	8.37	5.27#								
	01/20/94	NM	NM	--								
	02/02-03/94	NM	NM	---								
	03/10/94	NLPH	6.90	7.74#								
	04/22/94	NLPH	7.38	7.26#								
	05/10-11/94	NLPH	6.96	7.68#								
	06/27/94	NLPH	7.65	6.99#								
	08/31/94	NLPH	8.87	5.77#								
	09/29/94	NLPH	9.19	5.45	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	10/25/94	NLPH	9.66	4.98	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	11/30/94	NM	8.38	6.26#								
	12/27/94	NLPH	7.29	7.35#								
02/06/95	NLPH	5.74	8.90	<50	<0.5	<0.5	<0.5	<0.5	56	NA	NA	
MW10 (14.05)	12/06/89	NLPH	10.46	3.59	320	3.7	14	5.6	32	<100	NA	NA
	02/20/90	NLPH	8.12	5.93#								
	04/19/90	NLPH	8.54	5.51	<20	<0.5	<0.5	<0.5	<0.5	<100	ND	NA
	07/03/90	NLPH	7.88	6.17	<20	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	07/26/90	NLPH	8.19	5.86#								
	08/20/90	NLPH	10.33	3.72#								
	09/19/90	NLPH	9.49	4.56#								
	11/27/90	NLPH	9.89	4.16	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 18 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs parts per billion	TOG parts per billion
MW10 cont. (14.05)	01/17/91	NLPH	9.19	4.86#								
	03/26/91	NLPH	7.48	6.57	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	05/02/91	NLPH	8.16	5.89#								
	06/20/91	NLPH	8.75	5.30	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	08/07/91	NLPH	9.53	4.52#								
	09/17/91	NLPH	9.72	4.33	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
	11/13/91	NLPH	10.02	4.03#								
	12/10/91	NLPH	9.12	4.93	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	01/21/92	NLPH	8.31	5.74#								
	03/25/92	NLPH	5.70	8.35	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	06/22/92	NLPH	7.50	6.55	<50	<0.5	0.6	<0.5	0.8	<50	NA	NA
	09/24/92	NLPH	8.68	5.37	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	10/14/92	NLPH	8.88	5.17#								
	11/16/92	NLPH	8.70	5.35#								
	12/08/92	NLPH	8.31	5.74	<50	<0.5	<0.5	<0.5	0.9	<50	NA	NA
	01/27/93	NLPH	5.49	8.56#								
	02/18/93	NLPH	4.26	9.79#								
	03/10/93	NLPH	5.40	8.65	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	04/06/93	NLPH	5.28	8.77#								
	05/28/93	NLPH	6.22	7.83#								
	06/10/93	NLPH	6.49	7.56	<50	<0.5	0.6	0.7	1.2	<50	NA	NA
	07/17/93	NLPH	6.79	7.26#								
	08/11/93	NLPH	7.20	6.85	<50	<0.5	<0.5	0.5	1.4	<50	ND	NA
						<5'	<5'	<5'	<5'	<50'		
	09/01/93	NLPH	8.03	6.02#								
	10/26/93	NLPH	8.38	5.67	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	11/12/93	NLPH	8.49	5.56#								
	12/27/93	NLPH	8.22	5.83#								

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-3006
720 High Street, Oakland, California
(Page 19 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG > <
										parts per billion		
MW10 cont. (14.05)	01/20/94	NLPH	8.40	5.65#								
	02/02-03/94	NLPH	8.00	6.05	<50	<0.5	1.0	<0.5	1.8	<50	NA	NA
	03/10/94	NLPH	7.56	6.49#								
	04/22/94	NLPH	7.35	6.70#								
	05/10-11/94	NLPH	7.06	6.99	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	06/27/94	NLPH	7.59	6.46#								
	08/31/94	NLPH	8.73	5.32#								
	09/29/94	NLPH	9.07	4.98	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	10/25/94	NLPH	9.41	4.64	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	11/30/94	NM	7.62	6.43#								
	12/27/94	NLPH	7.01	7.04#								
	02/06/95	NLPH	5.60	8.45	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	MW11 (13.55)	12/06/89	NLPH	10.62	2.93	78	5.9	6.3	<0.5	48,000	<100	NA
02/20/90		NLPH	9.20	4.35#								
04/19/90		NLPH	9.80	3.75	<20	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
07/03/90		NLPH	8.90	4.63	<20	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
07/26/90		NLPH	9.36	4.19#								
08/20/90		NLPH	9.90	3.65#								
09/19/90		NLPH	10.39	3.16#								
11/27/90		NLPH	10.97	2.58	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
01/17/91		NLPH	10.76	2.79#								
03/26/91		NLPH	8.80	4.75	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
05/02/91		NLPH	9.38	4.17#								
06/20/91		NLPH	10.16	3.39	<50	<0.5	<0.5	<0.5	<0.5	<100	NA	NA
08/07/91		NLPH	10.69	2.86#								
09/17/91		NLPH	10.80	2.75	<50	<0.5	0.7	<0.5	<0.5	NA	NA	NA

See Notes on page 31 of 31

TABLE I
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA

Former Exxon Service Station 7-3006
 720 High Street, Oakland, California

(Page 20 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG >
						parts per billion						
MW11 cont. (13.55)	11/13/91	NLPH	10.44	3.11#								
	12/10/91	NLPH	10.48	3.07	<50	0.7	<0.5	<0.5	<0.5	<50	NA	NA
	01/21/92	NLPH	10.10	3.45#								
	03/25/92	NLPH	7.30	6.25	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	06/22/92	NLPH	9.02	4.53	84	1.5	3.1	1.4	9.6	57	NA	NA
	09/24/92	NLPH	9.91	3.64	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	10/14/92	NLPH	10.11	3.44#								
	11/16/92	NLPH	9.79	3.76#								
	12/08/92	NLPH	9.77	3.78	<50	<0.5	<0.5	<0.5	<0.5	310	NA	NA
	01/27/93	NLPH	5.67	7.88#								
	02/18/93	NLPH	5.06	8.49#								
	03/10/93	NLPH	6.40	7.15	<50	<0.5	<0.5	<0.5	<0.5	240	NA	NA
	04/06/93	NLPH	6.42	7.13#								
	05/28/93	NLPH	7.65	5.90#								
	06/10/93	NLPH	7.80	5.75	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	07/17/93	NLPH	8.42	5.13#								
	08/11/93	NLPH	8.87	4.68	<50	0.5	0.7	1.2	2.7	<50	ND	NA
						<5*	<5*	<5*	<5*	<50*		
	09/01/93	NLPH	9.09	4.46#								
	10/26/93	NLPH	9.70	3.85	<50	<0.5	<0.5	<0.5	<0.5	80	NA	NA
	11/12/93	NLPH	9.72	3.83#								
	12/27/93	NLPH	9.56	3.99#								
	01/20/94	NLPH	9.61	3.94#								
	02/02-03/94	NLPH	9.56	3.99	<50	<0.5	1.0	<0.5	0.9	160	NA	NA
	03/10/94	NLPH	8.59	4.96#								
	04/22/94	NLPH	8.47	5.08#								
	05/10-11/94	NLPH	8.12	5.43	<50	<0.5*	<0.5	<0.5	3.2	100*	NA	NA
	06/27/94	NLPH	8.65	4.90#								

See Notes on page 31 of 31

TABLE I
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 21 of 31)

Well ID # (TOC)	Sampling Date	SUBI < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs .	TOG >
MW11 cont (13.55)	08/31/94	NLPH	9.80	3.75#								
	09/29/94	NLPH	10.16	3.39	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	10/25/94	NLPH	10.48	3.07	<50	<0.5	<0.5	<0.5	<0.5	<50	NA	NA
	11/30/94	NM	8.55	5.00#								
	12/27/94	NLPH	7.98	5.57#								
	02/06/95	NLPH	6.49	7.06	<50	<0.5	<0.5	<0.5	<0.5	160	NA	NA
MW12 (12.61)	12/06/89	NLPH	8.00	4.61	85,000	6,700	6,300	1,800	7,800	4,000	NA	NA
	02/20/90	NLPH	6.33	6.28#								
	04/19/90	NLPH	7.18	5.43	110,000	6,600	7,400	1,800	11,000	97,000	NA	NA
	07/03/90	NLPH	7.41	5.20	92,000	11,000	11,000	3,100	13,000	50,000	NA	NA
	07/26/90	NLPH	6.54	6.07#								
	08/20/90	NLPH	7.23	5.38#								
	09/19/90	NLPH	7.77	4.84#								
	11/27/90	NLPH	8.15	4.46	69,000	11,000	10,000	3,100	12,000	NA	NA	
	01/17/91	NLPH	8.06	4.55#								
	03/26/91	NLPH	7.21	5.40	100,000	15,000	16,000	2,400	11,000	<100	NA	NA
	05/02/91	Sheen	7.60	5.01#								
	06/20/91	Sheen	8.02	4.59#								
	08/07/91	Sheen	8.25	4.36#								
	09/17/91	Sheen	8.20	4.41	82,000	22,000	18,000	3,900	16,000	NA	NA	NA
	11/13/91	Sheen	7.77	4.84#								
	12/10/91	Sheen	7.75	4.86	99,000	18,000	16,000	3,000	11,000	1,700	NA	NA
	01/21/92	Sheen	7.08	5.53#								
	03/25/92	Sheen	4.93	7.68#								
	06/22/92	Sheen	6.04	6.57#								
	09/24/92	NLPH	6.94	5.67	570,000	62,000	46,000	15,000	57,000	3,100	NA	NA

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 22 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	parts per billion							
					TPHg < >	B	T	E	X	IEPHd	VOCs	TOG >
MW12 cont. (12.61)	10/14/92	Sheen	7.21	5.40#								
	11/16/92	Sheen	7.00	5.61#								
	12/08/92	Sheen	6.70	5.91#								
	01/27/93	Sheen	4.16	8.45#								
	02/18/93	Sheen	4.01	8.60#								
	03/10/93	Sheen	3.94	8.67#								
	04/06/93	Sheen	3.69	8.92#								
	05/28/93	Sheen	4.66	7.95#								
	06/10/93	Sheen	4.78	7.83#								
	07/17/93	Sheen	5.42	7.19#								
	08/11/93	Sheen	5.83	6.78	94,000	10,000	8,300	2,800	13,000	2,400	ND	NA
	09/01/93	Sheen	6.22	6.39#		13,000*	11,000*	4,000*	15,000*	190*		
	10/26/93	NLPH	6.82	5.79	68,000	11,000	8,500	3,400	13,000	17,000	NA	NA
	11/12/93	NLPH	6.88	5.73#								
	12/27/93	NLPH	8.04	4.57#								
	01/20/94	NLPH	7.81	4.80#								
	02/02-03/94	NLPH	7.22	5.39	48,000	4,000	2,700	2,900	9,900	18,000	NA	NA
	03/10/94	NLPH	6.16	6.45#								
	04/22/94	NLPH	6.31	6.30#								
	05/10-11/94	NLPH	6.16	6.45	46,000	3,000*	1,600	2,900	9,100	8,200	NA	NA
	06/27/94	NLPH	6.55	6.06#								
	08/31/94	NLPH	7.97	4.64#								
	09/29/94	Sheen	8.52	4.09#								
	10/25/94	Sheen	8.74	3.87#								
	11/30/94	NM	8.73	3.88#								
	12/30/94	NLPH	6.17	6.44#								
02/06/95	Sheen	4.44	8.17									

See Notes on page 31 of 31

TABLE I
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 23 of 31)

Well ID # (TOC)	Sampling Date	SUB/ < feet >	DTW feet	Elev. >	TPHg					TEPHd	VOCs	TOG >
					B	T	E	X	parts per billion			
MW13 (14.20)	12/06/89	NLPH	9.35	4.85	52,000	2,100	2,000	1,400	6,100	31,000	NA	NA
	02/20/90	NLPH	7.73	6.47#								
	04/19/90	NLPH	8.68	5.52	59,000	1,800	1,500	1,400	7,200	54,000	NA	NA
	07/03/90	NLPH	8.00	6.20	53,000	4,500	3,100	2,200	7,800	26,000	NA	NA
	07/26/90	NLPH	7.95	6.25#								
	08/20/90	NLPH	8.66	5.54#								
	09/19/90	NLPH	9.13	5.07#								
	11/27/90	NLPH	9.49	4.71	20,000	4,500	1,100	880	3,300	1,600	NA	NA
	01/17/91	NLPH	9.61	4.59#								
	03/26/91	NLPH	9.25	4.95	72,000	10,000	8,300	1,700	6,900	<100	NA	NA
	05/02/91	NLPH	9.31	4.89#								
	06/20/91	NLPH	9.73	4.47	44,000	5,600	3,100	750	2,600	<100	NA	NA
	08/07/91				Not Accessible							
	09/17/91	NLPH	9.72	4.48	40,000	11,000	6,500	2,400	8,100	NA	NA	NA
	11/13/91	NLPH	9.06	5.14#								
	12/10/91	NLPH	9.04	5.16	72,000	11,000	7,400	2,500	9,400	3,700	NA	NA
	01/21/92	NLPH	8.41	5.79#								
	03/25/92	Sheen	5.72	8.48#								
	06/22/92	Sheen	7.31	6.89#								
	09/24/92	NLPH	8.30	5.90	86,000	9,500	6,100	2,400	10,000	2,900	NA	NA
	10/14/92	Sheen	8.36	5.64#								
	11/16/92	Sheen	8.36	5.84#								
	12/08/92	Sheen	8.10	6.10#								
	01/27/93	NM	NM	—								
	02/18/93	Sheen	4.89	9.31#								
	03/10/93	Sheen	5.32	8.88#								
04/06/93	Sheen	5.10	9.10#									

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-3006
720 High Street, Oakland, California
(Page 24 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	parts per billion				TEPHd	VOCs	TOG >
						B	T	E	X			
MW13 cont (14.20)	05/28/93	Sheen	6.00	8.20#								
	06/10/93	Sheen	6.15	8.05#								
	07/17/93	Sheen	6.82	7.38#								
	08/11/93	Sheen	7.31	6.89	62,000	5,600	2,700	2,300	11,000	2,500	NA	ND
						7,700*	3,700*	3,500*	14,000*	360*		
	09/01/93	Sheen	7.62	6.58#								
	10/26/93	NLPH	8.22	5.98	46,000	5,200	3,200	2,500	11,000	15,000	NA	NA
	11/12/93	NLPH	8.29	5.91#								
	12/27/93	NM	NM	--								
	01/20/94	NLPH	9.08	5.12#								
	02/02-03/94	NLPH	8.75	5.45	41,000	3,800	1,500	2,700	9,500	8,100	NA	NA
	03/10/94	Sheen	7.46	6.74#								
	04/22/94	Sheen	7.78	6.42#								
	05/10-11/94	NLPH	7.61	6.59	39,000	3,400	930	2,400	8,900	15,000	NA	NA
	06/27/94	NLPH	7.97	6.23								
	08/31/94	NLPH	9.21	4.99								
	09/29/94	NLPH	9.61	4.59	57,000	2,100	470	2,600	8,100	320	NA	NA
	10/25/94	Sheen	9.93	4.27								
11/30/94	NM	8.16	6.04#									
12/27/94	NM	7.61	6.59#									
02/06/95	Sheen	5.89	8.31									
MW14 (15.18)	11/27/90	NLPH	9.88	5.30	390	<0.5	<0.5	3.6	3.7	120	NA	NA
	01/17/91	NLPH	9.13	6.05#								
	03/26/91	NLPH	8.51	6.67	200	<0.5	1.5	0.8	3.6	<100	NA	NA
	05/02/91	NLPH	8.45	6.73#								
	06/20/91	NLPH	8.38	6.80	110	<0.5	<0.5	<0.5	<0.5	<100	NA	NA

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 25 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E parts per billion	X parts per billion	TEPHd	VOCs	TOG >
MW14 cont. (15.18)	09/17/91	NLPH	9.14	6.04	450	<0.5	<0.5	3.2	2.3	NA	NA	NA
	11/13/91	NLPH	8.83	6.35#								
	12/10/91	NLPH	8.90	6.28	71	0.5	<0.5	<0.5	<0.5	280	NA	NA
	01/21/92	NLPH	8.58	6.60#								
	03/25/92	NLPH	6.15	9.03	61	<0.5	<0.5	1.1	<0.5	640	NA	NA
	06/22/92	NLPH	7.70	7.48	140	<0.5	<0.5	0.6	2	350	NA	NA
	09/24/92	NLPH	9.34	5.84	75	<0.5	<0.5	<0.5	<0.5	300	NA	NA
	10/14/92	NLPH	9.40	5.78#								
	11/16/92	NLPH	9.17	6.01#								
	12/08/92	NLPH	8.89	6.29	350	2.5	1.0	1.5	8.1	220	NA	NA
	01/27/93	NLPH	8.54	6.64#								
	02/18/93	NM	NM	—								
	03/10/93	NLPH	5.55	9.63	410	<0.5	<0.5	0.9	1.6	<250 ^a	NA	NA
	04/06/93	NLPH	5.34	9.84#								
	05/28/93	NLPH	6.07	9.11#								
	06/10/93	NLPH	6.30	8.88	180	<0.5	<0.5	0.8	1.9	180	NA	NA
									<500 ^b			
	07/17/93	NLPH	7.77	7.41#								
	08/11/93	NLPH	7.62	7.56	180	0.6	<0.5	1.6	3.7	180	ND	NA
						<5'	<5'	<5'	<5'	140 ^c		
	09/01/93	NLPH	8.09	7.09#								
	10/26/93	NLPH	8.18	7.00	260	<0.5	<0.5	<0.5	3.6	200	NA	NA
	11/12/93	NLPH	8.16	7.02#								
	12/27/93	NLPH	7.95	7.23#								
	01/20/94	NM	NM	—								
	02/02-03/94					Not Accessible						
03/10/94	NLPH	7.84	7.34#									
04/22/94	NLPH	8.00	7.18#									

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
Former Exxon Service Station 7-3006
720 High Street, Oakland, California
(Page 26 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. > <	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG >	
						parts per billion							
MW14 cont. (15.18)	05/10-11/94	NLPH	7.93	7.25	300	2.7	7.9	2.0	27	1,100 ^g	NA	NA 210 ^g	
	06/27/94	NLPH	8.19	6.99#									
	08/31/94	NLPH	9.44	5.74#									
	09/29/94	NLPH	9.82	5.36	300	<0.5	<0.5	0.9	1.3	1,600 ^g	NA	NA	
	10/25/94	NLPH	9.99	5.19	200	<0.5	<0.5	0.8	<0.5	210 ^g	NA	NA	
	11/30/94	NM	8.16	6.61#									
	12/27/94	Sheen	8.15	7.03#									
	02/06/95	NLPH	7.18	8.00	360	<1.0	<1.0	<1.0	<1.0	1,200	ND	400 ^g	
MW15 (13.73)	11/27/90	NLPH	8.67	5.06	2,700	210	5.5	600	250	340	NA	NA	
	01/17/91	NLPH	8.03	5.70#									
	03/26/91				Not Accessible								
	05/02/91	NLPH	7.09	6.64#									
	06/20/91	NLPH	7.06	6.67	380	<0.5	<0.5	<0.5	1.3	<100	NA	NA	
	08/07/91	NLPH	7.59	6.14#									
	09/17/91	NLPH	7.89	5.84	490	2.9	1.7	33	1.3	NA	NA	NA	
	11/13/91	NLPH	9.07	4.66#									
	12/10/91	NLPH	8.60	5.13	1,600	14	1.1	66	9.8	300	NA	NA	
	01/21/92	NLPH	9.15	4.58#									
	03/25/92	NLPH	8.10	5.63	3,400	150	13	650	250	1,400	NA	NA	
	06/22/92	NLPH	5.80	7.93	6,600	99	<0.5	670	180	860	NA	NA	
	09/24/92	NLPH	7.21	6.52	3,600	120	7	480	47	740	NA	NA	
	10/14/92	NLPH	7.40	6.33#									
	11/16/92	NLPH	7.55	6.18#									
	12/08/92	NLPH	7.42	6.31	1,600	43	1.6	170	23	430	NA	NA	
	01/27/93	NLPH	4.37	9.36#									

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 27 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. >	TPHg							TEPHd	VOCs	TOG >
					B	T	E	X	parts per billion					
MW15 cont. (13.73)	02/18/93	Sheen	4.14	9.59#										
	03/10/93	Not Accessible												
	04/06/93	Sheen	3.16	10.57#										
	05/28/93	NLPH	4.47	9.26#										
	06/10/93	Sheen	4.59	9.14#										
	07/17/93	NLPH	5.51	8.22#										
	08/11/93	Sheen	6.13	7.60	4,800	49	<2.5	410	34	710	ND	NA		
						70'	<5"	640'	26'	300'				
	09/01/93	Sheen	6.45	7.28#										
	10/26/93	NLPH	7.16	6.57	3,400	79	<2.5	115	32	970	NA	NA		
	11/12/93	NLPH	7.82	5.91#										
	12/27/93	NLPH	7.50	6.23#										
	01/20/94	NLPH	7.48	6.25#										
	02/02-03/94	NLPH	7.30	6.43	4,300	24	6.7	170	26	1,200	NA	NA		
	03/10/94	NLPH	7.32	6.41#										
	04/22/94	NLPH	6.67	7.06#										
	05/10-11/94	NLPH	5.81	7.92	3,900	16	<0.5	150	13	1,400	NA	NA		
	06/27/94	NLPH	6.14	7.59#										
	08/31/94	NLPH	7.20	6.53#										
	09/29/94	NLPH	7.76	5.97	2,500	51	15	48	3.6	420	NA	NA		
10/25/94	Sheen	8.19	5.54#											
11/30/94	NM	8.57	5.16#											
12/27/94	NLPH	6.49	7.24#											
02/06/95	Sheen	4.97	8.76											

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 28 of 31)

Well ID # (TOC)	Sampling Date	SUBJ <	DTW feet	Elev. >	TPHg <	B	T	E	X	TEPHd parts per billion	VOCs	TOG >
VW1 (14.01)	02/18/93	NLPH	4.52	9.49#								
	03/10/93	NLPH	5.25	8.76#								
	04/06/93	NLPH	5.06	8.95#								
	05/28/93	NLPH	5.52	8.49#								
	06/10/93	NLPH	5.62	8.39#								
	07/17/93	NLPH	6.23	7.78#								
	08/11/93	Dry										
	09/01/93	Dry										
	10/26/93	Dry										
	11/12/93	Dry										
	12/27/93	NM	NM	---								
	01/20/94	Dry										
	02/02-03/94	NLPH	5.58	8.43#								
	03/10/94	NLPH	6.19	7.82#								
	04/22/94	NLPH	5.96	8.05#								
	05/10-11/94	NLPH	5.66	8.35#								
	06/27/94	NLPH	5.99	8.02#								
	08/31/94	NLPH	3.92	10.09#								
	09/29/94	NM	NM	---								
	10/25/94	Sheet	5.80	8.21								
11/30/94	NM	6.21	7.80									
12/27/94	NM	NM	---									
02/06/95	NM	NM	---									

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 29 of 31)

Well ID # (TOC)	Sampling Date	SUBI < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X	TEPHd parts per billion	VOCs	TOG >
VW2 (14.09)	02/18/93	NLPH	4.41	9.68#								
	03/10/93	NLPH	5.17	8.92#								
	04/06/93	NLPH	5.04	9.05#								
	05/28/93	NLPH	5.46	8.63#								
	06/10/93	NLPH	5.60	8.49#								
	07/17/93	NLPH	6.38	7.71#								
	08/11/93	NLPH	7.90	6.19#								
	09/01/93	0.01	7.31	6.79#								
	10/26/93	Dry										
	11/12/93	Dry										
	12/27/93	Dry										
	01/20/94	NLPH	7.75	6.34#								
	02/02-03/94	Dry										
	03/10/94	NLPH	6.85	7.24#								
	04/22/94	NLPH	7.30	6.79#								
	05/10-11/94	NLPH	7.20	6.89#								
	06/27/94	NLPH	7.29	6.80#								
	08/31/94	NLPH	7.75	6.34#								
	09/29/94	NM	NM	—								
	10/25/94	NLPH	7.76	6.33								
	11/30/94	NM	7.77	6.32								
12/27/94	NM	NM	—									
02/06/95	NM	NM	—									

See Notes on page 31 of 31

TABLE 1
 CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 30 of 31)

Well ID # (TOC)	Sampling Date	SUBJ < >	DTW feet	Elev. < >	TPHg < >	B	T	E	X	TEPHd	VOCs	TOG >
					parts per billion							
VW3 (13.37)	02/18/93	NLPH	4.62	8.69#								
	03/10/93	NLPH	4.41	8.90#								
	04/06/93	NLPH	4.10	9.21#								
	05/28/93	NLPH	4.98	8.33#								
	06/10/93	NLPH	4.98	8.33#								
	07/17/93	NLPH	5.57	7.74#								
	08/11/93	NLPH	7.69	5.62#								
	09/01/93	0.01	6.78	6.54#								
	10/26/93	Dry										
	11/12/93	Dry										
	12/27/93	NLPH	7.24	6.13#								
	01/20/93	NLPH	7.49	5.88#								
	02/02-03/94	NLPH	7.15	6.22#								
	03/10/94	NLPH	6.21	7.16#								
	04/22/94	NLPH	6.34	7.03#								
	05/10-11/94	NLPH	5.92	7.45#								
	06/27/94	NLPH	6.66	6.71#								
	08/31/94	NLPH	7.55	5.82#								
	09/29/94	NM	NM	--								
	10/25/94	NLPH	7.57	5.80								
	11/30/94	NM	6.97	6.40								
	12/27/94	NM	NM	--								
	02/06/95	NM	NM									

See Notes on page 31 of 31

TABLE 1
CUMULATIVE GROUNDWATER MONITORING AND SAMPLING DATA
 Former Exxon Service Station 7-3006
 720 High Street, Oakland, California
 (Page 31 of 31)

<p>Notes:</p> <p>SUBJ = Results of subjective evaluation, liquid-phase hydrocarbon thickness (HT) in feet</p> <p>LPH = Liquid-phase hydrocarbons present, thickness not measured</p> <p>NLPH = No liquid phase hydrocarbons present in well</p> <p>TOC = Elevation of top of well casing; relative to mean sea level</p> <p>DTW = Depth to water</p> <p>Elev. = Elevation of groundwater. If liquid-phase hydrocarbons present, elevation adjusted using TOC - (DTW - (PT x 0.8)).</p> <p>[] = amount recovered</p> <p>gal. = gallons</p> <p>c. = cups</p> <p>TPHg = Total petroleum hydrocarbons as gasoline analyzed using modified EPA method 5030/8015.</p> <p>BTEX = Benzene, Toluene, Ethylbenzene, and total Xylenes analyzed using modified EPA method 5030/8020.</p> <p>TEPHd = Total extractable petroleum hydrocarbons as diesel analyzed using EPA method 3510/8015.</p> <p>VOCs = Volatile organic compounds analyzed using EPA method 601.</p> <p>TOG = Total oil and grease analyzed using Standard Method 5520.</p> <p>* = Analyzed using EPA method 624 (volatile organic compounds).</p> <p>NR = No liquid-phase hydrocarbons removed from well</p> <p>NM = Not Measured</p> <p>ND = Not Detectable</p>	<p>NA</p> <p>---</p> <p><</p> <p>#</p> <p>1</p> <p>2</p> <p>3</p> <p>*</p> <p>1</p> <p>4</p> <p>1</p> <p>DHS</p> <p>7</p> <p>1</p>	<p>= Not Analyzed</p> <p>= Not Applicable</p> <p>= Less than the indicated detection limit shown by the laboratory</p> <p>= Well monitored but not sampled</p> <p>= Chloroform</p> <p>= Analyzed for Stoddard Solvent using EPA method 5030/8015.</p> <p>= Additional Analysis on MWI - Fecal Coliform Most Probable Number (MPN)/100 ml.</p> <p>= VOCs Detected using EPA Method 624 - 16,000 ppb Benzene, 480 ppb Toluene, 4,500 ppb Ethylbenzene, 9,900 ppb total Xylenes.</p> <p>= VOCs Detected using EPA Method 625 - 1,800 ppb Naphthalene, 600 ppb 2-Methylnaphthalene, Bis(2-ethylhexyl) phthalate</p> <p>= Stoddard Solution detected in the sample at approximately 320 ppb</p> <p>= Analyzed for Stoddard Solvent using modified EPA method 5030/8015. Sample chromatogram was not representative of a Stoddard Solvent pattern. Pattern was representative of the heavier hydrocarbons found in a gasoline pattern.</p> <p>= Department of Health Services, State of California, October 1990</p> <p>= Not diesel standard pattern/Discrete peaks/Non-diesel mix</p> <p>= A peak eluting earlier than benzene and suspected to be methyl tert-butyl ether was present</p>
--	---	--

APPENDIX C

FIELD NOTES, LABORATORY ANALYTICAL REPORT, AND CHAIN OF CUSTODY RECORD



**GROUNDWATER MONITORING AND SAMPLING
FIELD WORK REQUEST**

Site #: 7-3006
 Address: 720 High Street
 City: Oakland

ERI Project # : 201013X
 Date: 4/3/2008
 Project Manager: Paula

WORK REQUESTED

Perform quarterly groundwater monitoring and sampling at the above-referenced site in accordance with ERI and ExxonMobil procedures. The applicable wells for this event, the sampling order, and the necessary container types are listed below. Collect a bailer blank and hold analyses. Purge all wells prior to sampling. Sample wells even if there appears to be product or sheen. The gate on the south side of the station is generally unlocked. Enter the enclosure behind the building here. It is usually best to park the trailer on the south side of the building in a parking stall.

*Wells MW4 and MW12 are inaccessible for sampling (covered in asphalt).

*4/6 1.0
T 2.5
on 5.0*

Sampling Order:

Well	DTW	Sample	Containers
MW14	Y	Y	(6) 40ml VOAs w/HCl, (2) 1-liter ambers unpreserved
MW6	Y	Y	(6) 40ml VOAs w/HCl, (2) 1-liter ambers unpreserved
MW3	Y	Y	(6) 40ml VOAs w/HCl, (2) 1-liter ambers unpreserved
MW2	Y	Y	(6) 40ml VOAs w/HCl, (2) 1-liter ambers unpreserved

BILLING INFORMATION

See Electronic FWR



DAILY FIELD REPORT

Environmental Resolutions, Inc.

PROJECT: 7-3006 JOB # + ACTIVITY: 2010 13X
SUBJECT: Q082 QM MS DATE: 4-3-08
EQUIPMENT USED: _____ SHEET: 1 OF 1
NAME: Shawn Baker PROJECT MNGR: _____

onsite 0730

Hard hat not required

check in

Traffic moderate

safety meeting

Weather Warm Clear

open inspect

DTW 4wells

Purge 4wells

Sample 4wells

Transfer water

offsite 1230

Purge 166gal

Decon 15gal

181 gal into T47 trailer

WATER SAMPLING SITE STATUS

Date: 4-3-08

Inspected by: SMB

ERI Job Number: 2010 Station No.: 7-3006

Site Address: 720 High ST Oakland

Well ID	Well Head Screws	Rubber Gasket	Well Cap Locking	Lock on Well Cap	Concrete Well Seal	Well Head PVC	Water in Well Vault	Well Cover	Fence/Gate Condition	# Drums	Drum Contents	Building Condition	Site Appearance	Comments / Well Covers
	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	N/R/ok	Y/N	N/R/ok	N/R/ok	N/R/ok	s/w/e	g/v/o	N/R/ok	
mw14	N	N	ok	ok	ok	ok	N	N						Tabbs broke off
mw6	N	N	ok	ok	ok	ok	N	N						screws blk in tabs
mw2	N	N	ok	ok	ok	ok	N	N						screws blk in tabs
mw3	ok	ok	ok	ok	ok	ok	N	ok						

N = Not repairable in time available-see comments.
 R = Repaired-see comments
 ok = No action needed.

Y = Yes.
 N = No.

s = Soil.
 w = Water.
 e = Empty.

g = Graffiti on walls.
 v = Vagrants (or evidence of).
 o = Open (not secured).

Depth to Water Data		QRT	2nd	YEAR	2008		Calc Case Volume
ERI #	2010						2" WELL x 0.16
Site #	2010	Address:					4" WELL x 0.65
PM:	7-3006						6" WELL x 1.46
Date:	4/3/2008						r (squared) x 0.
Tech: SMB				Recharge formula			
DTW Time				Step 1 ▶	Calc 80% in feet▶		TD - PreDTW x
Start:				Step 2 ▶	Calc PostDTW (ft)▶		TD - PostDTW (
Finish:				Take ratio of result from Step 2 and Step 1 to find % re			
						Rechrg	Sample
WELL ID	TD	PreDTW	CASE D	CASE V	PostDTW	80%	Time
MW 1	28.67		4	18.6928			
MW 2	34.50	5.1	4	19.1688	6	Y	11:35
MW 3	34.73	5.96	4	18.758	6.73	Y	11:55
MW 4				COVERED BY ASPHALT			
MW 6	34.67	5.47	4	19.0384	7.93	N	11:15
MW 12				COVERED BY ASPHALT			
MW 14	17.08	8.75	4	5.43116	10.07	N	10:50

GROUNDWATER MONITORING - FIELD LOG					
ERI #	2010		QRT	2nd	2008
Client:	ExxonMobil		DATE:	4/3/08	
Site ID:	7-3006		TECH	SMB	
ADDRESS: 720 High St.			PM:	Paula	
Oakland, CA			Total Purge Volume		
		PRG			
WELL #	TIME	VOL	TEMP	COND	pH
BB					
COMMENTS:					
		PRG			
MW14	TIME	VOL	TEMP	COND	pH
	8:24	6	C	US	
	8:28	6	18.60	689.00	6.90
	8:31	12	19.00	698.00	6.87
TOTAL PURGE	DRY@12				
COMMENTS:					
		PRG			
MW6	TIME	VOL	TEMP	COND	pH
	8:45	20	C	US	
	8:56	20	20.90	1129.00	7.01
TOTAL PURGE	DRY@37				
COMMENTS:					
		PRG			
MW2	TIME	VOL	TEMP	COND	pH
	9:15	20	C	US	
	9:26	20	19.80	887.00	7.09
	9:36	40	19.50	899.00	7.01
	9:46	60	20.10	909.00	7.01
TOTAL PURGE	60GAL				
COMMENTS:					

GROUNDWATER MONITORING - FIELD LOG					
ERI #	2010		QRT	2nd	2008
Client:	ExxonMobil		DATE:	4/3/08	
Site ID:	7-3006		TECH	SMB	
ADDRESS: 720 High St.			PM:	Paula	
Oakland, CA			Total Purge Volume		
		PRG			
MW3	TIME	VOL	TEMP	COND	pH
	10:02	19	C	US	
	10:12	19	18.40	1036.00	7.19
	10:23	38	19.60	1094.00	7.09
	10:33	57	20.20	1148.00	7.07
TOTAL PURGE	57GAL				
COMMENTS:					

18 April, 2008

Paula Sime
Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma, CA 94954

RECEIVED
APR 18 2008

BY:.....

RE: Exxon 7-3006
Work Order: MRD0292

Enclosed are the results of analyses for samples received by the laboratory on 04/04/08 15:05. The samples arrived at a temperature of 2° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa Race
Senior Project Manager

CA ELAP Certificate #1210

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW2	MRD0292-01	Water	04/03/08 11:35	04/04/08 15:05
MW3	MRD0292-02	Water	04/03/08 11:55	04/04/08 15:05
MW6	MRD0292-03	Water	04/03/08 11:15	04/04/08 15:05
MW14	MRD0292-04	Water	04/03/08 10:50	04/04/08 15:05

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

MW2 (MRD0292-01) Water Sampled: 04/03/08 11:35 Received: 04/04/08 15:05

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	170	50	ug/l	1	8D11001	04/11/08	04/11/08	EPA 8015B/8021B	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	1.0	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	1.9	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		96 %	85-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		100 %	75-125	"	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Diesel Range Organics (C10-C28)	230	47	ug/l	1	8D07024	04/07/08	04/08/08	EPA 8015B-SVOA	Q1
<i>Surrogate: n-Octacosane</i>		65 %	40-120	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	8D09008	04/09/08	04/10/08	EPA 8260B	
tert-Butyl alcohol	24	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	13	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		100 %	75-130	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		108 %	60-150	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		103 %	75-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		97 %	55-130	"	"	"	"	"	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-3006 Project Number: 7-3006 Project Manager: Paula Sime	MRD0292 Reported: 04/18/08 07:36
---	--	--

MW3 (MRD0292-02) Water Sampled: 04/03/08 11:55 Received: 04/04/08 15:05

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	330	50	ug/l	1	8D11001	04/11/08	04/11/08	EPA 8015B/8021B	
Benzene	4.7	0.50	"	"	"	"	"	"	
Toluene	2.5	0.50	"	"	"	"	"	"	RI
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	2.9	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		99 %	85-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		106 %	75-125	"	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Diesel Range Organics (C10-C28)	1200	47	ug/l	1	8D07024	04/07/08	04/08/08	EPA 8015B-SVOA	Q2
<i>Surrogate: n-Octacosane</i>		69 %	40-120	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	8D08005	04/08/08	04/08/08	EPA 8260B	
tert-Butyl alcohol	23	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	10	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		99 %	75-130	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		107 %	60-150	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		104 %	75-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		107 %	55-130	"	"	"	"	"	

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-3006 Project Number: 7-3006 Project Manager: Paula Sime	MRD0292 Reported: 04/18/08 07:36
---	--	--

MW6 (MRD0292-03) Water Sampled: 04/03/08 11:15 Received: 04/04/08 15:05

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	460	100	ug/l	2	8D11001	04/11/08	04/11/08	EPA 8015B/8021B	
Benzene	13	1.0	"	"	"	"	"	"	
Toluene	1.9	1.0	"	"	"	"	"	"	
Ethylbenzene	2.3	1.0	"	"	"	"	"	"	R1
Xylenes (total)	2.9	1.0	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		98 %	85-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		103 %	75-125	"	"	"	"	"	

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Diesel Range Organics (C10-C28)	340	47	ug/l	1	8D07024	04/07/08	04/08/08	EPA 8015B-SVOA	Q1
<i>Surrogate: n-Octacosane</i>		71 %	40-120	"	"	"	"	"	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	8D09008	04/09/08	04/10/08	EPA 8260B	
tert-Butyl alcohol	11	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		99 %	75-130	"	"	"	"	"	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		104 %	60-150	"	"	"	"	"	
<i>Surrogate: Toluene-d8</i>		106 %	75-120	"	"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		108 %	55-130	"	"	"	"	"	

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

MW14 (MRD0292-04) Water Sampled: 04/03/08 10:50 Received: 04/04/08 15:05

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Gasoline Range Organics (C4-C12)	400	50	ug/l	1	8D11001	04/11/08	04/11/08	EPA 8015B/8021B	
Benzene	2.0	0.50	"	"	"	"	"	"	
Toluene	2.8	0.50	"	"	"	"	"	"	R1
Ethylbenzene	3.9	0.50	"	"	"	"	"	"	R1
Xylenes (total)	2.4	0.50	"	"	"	"	"	"	
<i>Surrogate: a,a,a-Trifluorotoluene</i>		<i>94 %</i>	<i>85-120</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>126 %</i>	<i>75-125</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	ZX

Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Diesel Range Organics (C10-C28)	970	47	ug/l	1	8D07024	04/07/08	04/08/08	EPA 8015B-SVOA	Q1
<i>Surrogate: n-Octacosane</i>		<i>95 %</i>	<i>40-120</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

Volatile Organic Compounds by EPA Method 8260B

TestAmerica Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
tert-Amyl methyl ether	ND	0.50	ug/l	1	8D09008	04/09/08	04/10/08	EPA 8260B	
tert-Butyl alcohol	ND	10	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
Ethanol	ND	100	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
<i>Surrogate: Dibromofluoromethane</i>		<i>98 %</i>	<i>75-130</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: 1,2-Dichloroethane-d4</i>		<i>105 %</i>	<i>60-150</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: Toluene-d8</i>		<i>104 %</i>	<i>75-120</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	
<i>Surrogate: 4-Bromofluorobenzene</i>		<i>127 %</i>	<i>55-130</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-3006 Project Number: 7-3006 Project Manager: Paula Sime	MRD0292 Reported: 04/18/08 07:36
---	--	---

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control
TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 8D10003 - EPA 5030B [P/T]

Blank (8D10003-BLK1)

Prepared & Analyzed: 04/10/08

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.28	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.37	"							
Surrogate: a,a,a-Trifluorotoluene	89.5		"	80.0		112	85-120			
Surrogate: 4-Bromofluorobenzene	84.9		"	80.0		106	75-125			

Batch 8D11001 - EPA 5030B [P/T]

Blank (8D11001-BLK1)

Prepared & Analyzed: 04/11/08

Gasoline Range Organics (C4-C12)	ND	25	ug/l							
Benzene	ND	0.28	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.37	"							
Surrogate: a,a,a-Trifluorotoluene	78.0		"	80.0		98	85-120			
Surrogate: 4-Bromofluorobenzene	77.8		"	80.0		97	75-125			

LCS (8D11001-BS1)

Prepared & Analyzed: 04/11/08

Benzene	9.51	0.50	ug/l	10.0		95	70-130			
Toluene	9.57	0.50	"	10.0		96	70-130			
Ethylbenzene	9.40	0.50	"	10.0		94	70-130			
Xylenes (total)	28.8	0.50	"	30.0		96	70-130			
Surrogate: a,a,a-Trifluorotoluene	79.7		"	80.0		100	85-120			

LCS (8D11001-BS2)

Prepared & Analyzed: 04/11/08

Gasoline Range Organics (C4-C12)	208	50	ug/l	250		83	70-130			
Surrogate: 4-Bromofluorobenzene	79.0		"	80.0		99	75-125			

Environmental Resolutions (Exxon) 601 North McDowell Blvd. Petaluma CA, 94954	Project: Exxon 7-3006 Project Number: 7-3006 Project Manager: Paula Sime	MRD0292 Reported: 04/18/08 07:36
---	--	---

Purgeable Hydrocarbons and BTEX by EPA 8015B/8021B - Quality Control

TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 8D11001 - EPA 5030B [P/T]

LCS Dup (8D11001-BSD2)

Prepared & Analyzed: 04/11/08

Gasoline Range Organics (C4-C12)	201	50	ug/l	250		80	70-130	3	25	
----------------------------------	-----	----	------	-----	--	----	--------	---	----	--

Surrogate: 4-Bromofluorobenzene	78.9		"	80.0		99	75-125			
---------------------------------	------	--	---	------	--	----	--------	--	--	--

Matrix Spike (8D11001-MS1)

Source: MRD0246-11

Prepared & Analyzed: 04/11/08

Gasoline Range Organics (C4-C12)	109	50	ug/l	91.0	28.9	88	70-130			
----------------------------------	-----	----	------	------	------	----	--------	--	--	--

Benzene	14.3	0.50	"	10.0	5.59	87	70-130			
---------	------	------	---	------	------	----	--------	--	--	--

Toluene	11.8	0.50	"	10.0	2.37	94	70-130			
---------	------	------	---	------	------	----	--------	--	--	--

Ethylbenzene	10.4	0.50	"	10.0	0.799	96	70-130			
--------------	------	------	---	------	-------	----	--------	--	--	--

Xylenes (total)	32.1	0.50	"	30.0	2.84	97	70-130			
-----------------	------	------	---	------	------	----	--------	--	--	--

Surrogate: a,a,a-Trifluorotoluene	81.9		"	80.0		102	85-120			
-----------------------------------	------	--	---	------	--	-----	--------	--	--	--

Surrogate: 4-Bromofluorobenzene	78.7		"	80.0		98	75-125			
---------------------------------	------	--	---	------	--	----	--------	--	--	--

Matrix Spike Dup (8D11001-MSD1)

Source: MRD0246-11

Prepared & Analyzed: 04/11/08

Gasoline Range Organics (C4-C12)	112	50	ug/l	91.0	28.9	91	70-130	2	25	
----------------------------------	-----	----	------	------	------	----	--------	---	----	--

Benzene	14.0	0.50	"	10.0	5.59	84	70-130	3	25	
---------	------	------	---	------	------	----	--------	---	----	--

Toluene	11.5	0.50	"	10.0	2.37	91	70-130	3	25	
---------	------	------	---	------	------	----	--------	---	----	--

Ethylbenzene	10.2	0.50	"	10.0	0.799	94	70-130	2	25	
--------------	------	------	---	------	-------	----	--------	---	----	--

Xylenes (total)	31.3	0.50	"	30.0	2.84	95	70-130	2	25	
-----------------	------	------	---	------	------	----	--------	---	----	--

Surrogate: a,a,a-Trifluorotoluene	81.0		"	80.0		101	85-120			
-----------------------------------	------	--	---	------	--	-----	--------	--	--	--

Surrogate: 4-Bromofluorobenzene	78.8		"	80.0		98	75-125			
---------------------------------	------	--	---	------	--	----	--------	--	--	--

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

**Extractable Hydrocarbons with Silica Gel cleanup by EPA 8015B - Quality Control
TestAmerica Morgan Hill**

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Batch 8D07024 - EPA 3510C									
Blank (8D07024-BLK1)					Prepared: 04/07/08 Analyzed: 04/09/08				
Diesel Range Organics (C10-C28)	ND	25	ug/l						
Surrogate: n-Octacosane	34.7		"	50.0		69 40-120			
LCS (8D07024-BS1)					Prepared: 04/07/08 Analyzed: 04/08/08				
Diesel Range Organics (C10-C28)	320	50	ug/l	500		64 20-120			
Surrogate: n-Octacosane	25.8		"	50.0		52 40-120			
LCS Dup (8D07024-BSD1)					Prepared: 04/07/08 Analyzed: 04/08/08				
Diesel Range Organics (C10-C28)	344	50	ug/l	500		69 20-120	7	25	MNR1
Surrogate: n-Octacosane	26.4		"	50.0		53 40-120			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC %REC	Limit Limits	RPD	RPD Limit	Notes
Batch 8D08005 - EPA 5030B P/T										
Blank (8D08005-BLK1)										
Prepared & Analyzed: 04/08/08										
tert-Amyl methyl ether	ND	0.25	ug/l							
tert-Butyl alcohol	ND	5	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethyl tert-butyl ether	ND	0.40	"							
Methyl tert-butyl ether	ND	0.25	"							
<i>Surrogate: Dibromofluoromethane</i>	2.38		"	2.50		95	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.43		"	2.50		97	60-150			
<i>Surrogate: Toluene-d8</i>	2.32		"	2.50		93	75-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.03		"	2.50		81	55-130			
LCS (8D08005-BS1)										
Prepared & Analyzed: 04/08/08										
tert-Amyl methyl ether	11.1	0.50	ug/l	10.0		111	70-130			
tert-Butyl alcohol	196	10	"	200		98	70-130			
Di-isopropyl ether	11.0	0.50	"	10.0		110	70-130			
1,2-Dibromoethane (EDB)	10.5	0.50	"	10.0		105	70-130			
1,2-Dichloroethane	9.83	0.50	"	10.0		98	70-130			
Ethyl tert-butyl ether	10.9	0.50	"	10.0		109	70-130			
Methyl tert-butyl ether	12.5	0.50	"	10.0		125	70-130			
<i>Surrogate: Dibromofluoromethane</i>	2.55		"	2.50		102	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.44		"	2.50		98	60-150			
<i>Surrogate: Toluene-d8</i>	2.56		"	2.50		102	75-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.56		"	2.50		102	55-130			
Matrix Spike (8D08005-MS1)										
Source: MRD0292-02 Prepared & Analyzed: 04/08/08										
tert-Amyl methyl ether	11.6	0.50	ug/l	10.0	ND	116	70-130			
tert-Butyl alcohol	222	10	"	200	22.9	100	70-130			
Di-isopropyl ether	11.7	0.50	"	10.0	0.350	113	70-130			
1,2-Dibromoethane (EDB)	11.4	0.50	"	10.0	ND	114	70-130			
1,2-Dichloroethane	10.5	0.50	"	10.0	ND	105	70-130			
Ethyl tert-butyl ether	11.5	0.50	"	10.0	ND	115	70-130			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control

TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 8D08005 - EPA 5030B P/T

Matrix Spike (8D08005-MS1)

Source: MRD0292-02

Prepared & Analyzed: 04/08/08

Methyl tert-butyl ether	22.6	0.50	ug/l	10.0	10.2	124	70-130			
<i>Surrogate: Dibromofluoromethane</i>	2.59		"	2.50		104	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.58		"	2.50		103	60-150			
<i>Surrogate: Toluene-d8</i>	2.66		"	2.50		106	75-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.68		"	2.50		107	55-130			

Matrix Spike Dup (8D08005-MSD1)

Source: MRD0292-02

Prepared & Analyzed: 04/08/08

tert-Amyl methyl ether	11.9	0.50	ug/l	10.0	ND	119	70-130	3	25	
tert-Butyl alcohol	224	10	"	200	22.9	100	70-130	0.8	25	
Di-isopropyl ether	12.1	0.50	"	10.0	0.350	117	70-130	4	25	
1,2-Dibromoethane (EDB)	12.0	0.50	"	10.0	ND	120	70-130	4	25	
1,2-Dichloroethane	10.9	0.50	"	10.0	ND	109	70-130	4	25	
Ethyl tert-butyl ether	12.0	0.50	"	10.0	ND	120	70-130	5	25	
Methyl tert-butyl ether	23.0	0.50	"	10.0	10.2	128	70-130	2	25	
<i>Surrogate: Dibromofluoromethane</i>	2.52		"	2.50		101	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.58		"	2.50		103	60-150			
<i>Surrogate: Toluene-d8</i>	2.65		"	2.50		106	75-120			
<i>Surrogate: 4-Bromofluorobenzene</i>	2.68		"	2.50		107	55-130			

Batch 8D09008 - EPA 5030B P/T

Blank (8D09008-BLK1)

Prepared & Analyzed: 04/09/08

tert-Amyl methyl ether	ND	0.25	ug/l							
tert-Butyl alcohol	ND	5	"							
Di-isopropyl ether	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
Ethanol	ND	50	"							
Ethyl tert-butyl ether	ND	0.40	"							
Methyl tert-butyl ether	ND	0.25	"							
<i>Surrogate: Dibromofluoromethane</i>	2.39		"	2.50		96	75-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	2.53		"	2.50		101	60-150			
<i>Surrogate: Toluene-d8</i>	2.29		"	2.50		92	75-120			

TestAmerica Morgan Hill

The results in this report apply to the samples analyzed in accordance with the chain of custody document. Unless otherwise stated, results are reported on a wet weight basis. This analytical report must be reproduced in its entirety.

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 8D09008 - EPA 5030B P/T

Blank (8D09008-BLK1)

Prepared & Analyzed: 04/09/08

Surrogate: 4-Bromofluorobenzene 2.00 ug/l 2.50 80 55-130

LCS (8D09008-BS1)

Prepared & Analyzed: 04/09/08

tert-Amyl methyl ether 10.9 0.50 ug/l 10.0 109 70-130

tert-Butyl alcohol 196 10 " 200 98 70-130

Di-isopropyl ether 11.1 0.50 " 10.0 111 70-130

1,2-Dibromoethane (EDB) 11.0 0.50 " 10.0 110 70-130

1,2-Dichloroethane 10.2 0.50 " 10.0 102 70-130

Ethanol 171 100 " 200 86 70-130

Ethyl tert-butyl ether 11.1 0.50 " 10.0 111 70-130

Methyl tert-butyl ether 11.7 0.50 " 10.0 117 70-130

Surrogate: Dibromofluoromethane 2.51 " 2.50 100 75-130

Surrogate: 1,2-Dichloroethane-d4 2.46 " 2.50 98 60-150

Surrogate: Toluene-d8 2.50 " 2.50 100 75-120

Surrogate: 4-Bromofluorobenzene 2.53 " 2.50 101 55-130

Matrix Spike (8D09008-MS1)

Source: MRD0246-01

Prepared & Analyzed: 04/09/08

tert-Amyl methyl ether 11.7 0.50 ug/l 10.0 ND 117 70-130

tert-Butyl alcohol 205 10 " 200 ND 102 70-130

Di-isopropyl ether 11.9 0.50 " 10.0 ND 119 70-130

1,2-Dibromoethane (EDB) 11.7 0.50 " 10.0 ND 117 70-130

1,2-Dichloroethane 11.0 0.50 " 10.0 ND 110 70-130

Ethanol 191 100 " 200 ND 96 70-130

Ethyl tert-butyl ether 12.0 0.50 " 10.0 ND 120 70-130

Methyl tert-butyl ether 12.5 0.50 " 10.0 ND 125 70-130

Surrogate: Dibromofluoromethane 2.58 " 2.50 103 75-130

Surrogate: 1,2-Dichloroethane-d4 2.60 " 2.50 104 60-150

Surrogate: Toluene-d8 2.56 " 2.50 102 75-120

Surrogate: 4-Bromofluorobenzene 2.56 " 2.50 102 55-130

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control TestAmerica Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	---------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 8D09008 - EPA 5030B P/T

Matrix Spike Dup (8D09008-MSD1)

Source: MRD0246-01

Prepared & Analyzed: 04/09/08

tert-Amyl methyl ether	11.8	0.50	ug/l	10.0	ND	118	70-130	0.7	25	
tert-Butyl alcohol	208	10	"	200	ND	104	70-130	1	25	
Di-isopropyl ether	12.1	0.50	"	10.0	ND	121	70-130	1	25	
1,2-Dibromoethane (EDB)	11.6	0.50	"	10.0	ND	116	70-130	0.2	25	
1,2-Dichloroethane	11.2	0.50	"	10.0	ND	112	70-130	1	25	
Ethanol	183	100	"	200	ND	91	70-130	5	25	
Ethyl tert-butyl ether	12.1	0.50	"	10.0	ND	121	70-130	0.9	25	
Methyl tert-butyl ether	12.7	0.50	"	10.0	ND	127	70-130	2	25	
Surrogate: Dibromofluoromethane	2.62		"	2.50		105	75-130			
Surrogate: 1,2-Dichloroethane-d4	2.61		"	2.50		104	60-150			
Surrogate: Toluene-d8	2.55		"	2.50		102	75-120			
Surrogate: 4-Bromofluorobenzene	2.62		"	2.50		105	55-130			

Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma CA, 94954

Project: Exxon 7-3006
Project Number: 7-3006
Project Manager: Paula Sime

MRD0292
Reported:
04/18/08 07:36

Notes and Definitions

ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

R1 The RPD between the primary and confirmatory analysis exceeded 40%. Per method 8000B, the higher value was reported.

Q2 Typical pattern for diesel

Q1 Does not match typical pattern

MNR1 There was no MS/MSD analyzed with this batch due to insufficient sample volume. See Blank Spike/Blank Spike Duplicate.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

CHAIN OF CUSTODY RECORD

MRDOZ932



408-776-9600
Morgan Hill Division
885 Jarvis Drive
Morgan Hill, CA 95037



Consultant Name: Environmental Resolutions, Inc.

Address: 601 North McDowell Blvd.

City/State/Zip: Petaluma, California 94954

Project Manager: Paula Sime

Telephone Number: (707) 766-2000

ERI Job Number: 201013X

Sampler Name: (Print) *Shawn Baker*

Sampler Signature: *[Signature]*

ExxonMobil Engineer: Jennifer Sedlachek

Telephone Number: (510) 547-8196

Account #: 3876

PO #: 4508214718

Facility ID #: 7-3006

Global ID#: T0600100552

Site Address: 720 High Street

City, State Zip: Oakland, California 94601

TAT <input type="checkbox"/> 24 hour <input type="checkbox"/> 48 hour <input checked="" type="checkbox"/> 8 day <input type="checkbox"/> 72 hour <input type="checkbox"/> 96 hour	PROVIDE: EDF Report	Special Instructions: 7 CA Oxys = TBA, ETBE, TAME, EDB, 1,2-DCA, DIPE, MTBE. TBA detection limit < 12ug/L Use silica gel cleanup on all TPHd analyses.						Matrix			Analyze For:									
		Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV (VOA/liter)	NUMBER (VOA/liter)	Water	Soil	Vapor	TPHd 8015B	TPHg 8015B	BTEX 8021B	7 CA Oxys 8260	Ethanol 8260B				
			4-3-08	1135			HCl/none	6/2	X			X	X	X	X	X				
			I	1155			HCl/none	6/2	X			X	X	X	X					
			I	1115			HCl/none	6/2	X			X	X	X	X	X				
			I	1050			HCl/none	6/2	X			X	X	X	X	X				

01
02
03
04

Relinquished by: *[Signature]* Date 4-3-08 Time 1330 Received by: *[Signature]* Time 1206
Relinquished by: *[Signature]* Date 4-4-08 Time 1505 Received by TestAmerica: *[Signature]* Time 1505

Laboratory Comments:
Temperature Upon Receipt: 1.6 °C
Sample Containers Intact? Y
VOAs Free of Headspace? Y

[Handwritten notes and signatures]
D. Velazquez

TEST AMERICA SAMPLE RECEIPT LOG

CLIENT NAME: <u>F.R.I. 73006</u> REC. BY (PRINT): <u>D.V.</u> WORKORDER: <u>MRDOZ932</u> JN	DATE REC'D AT LAB: <u>4/4/08</u> TIME REC'D AT LAB: <u>1525</u> DATE LOGGED IN: <u>4/7/08</u>	For Regulatory Purposes? <input type="checkbox"/> DRINKING WATER <input type="checkbox"/> WASTE WATER <input checked="" type="checkbox"/> OTHER
--	--	---

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / Absent Intact / Broken*								4/4/08 D.V.
2. Chain-of-Custody Present / Absent *								
3. Traffic Reports or Packing List: Present / Absent								
4. Airbill: Airbill / Sticker Present / Absent								
5. Airbill #:								
6. Sample Labels: Present / Absent								
7. Sample IDs: Listed / Not Listed on Chain-of-Custody								
8. Sample Condition: Intact / Broken* / Leaking*								
9. Does information on chain-of-custody, traffic reports and sample labels agree? Yes / No*								
10. Sample received within hold time? Yes / No*								
11. Adequate sample volume received? Yes / No*								
12. Proper preservatives used? Yes / No*								
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / No *								
14. Read Temp: <u>2.6°</u> Correction Factor: <u>-1.0°</u> Corrected Temp: <u>1.6°</u> Is corrected temp. 0-6°C? Yes / No**								
**Exception (if any): Metals / Perchlorate DFF on Ice or Problem COC								

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

APPENDIX D
WASTE DISPOSAL DOCUMENTATION

NON-HAZARDOUS WASTE MANIFEST

Q082

Please print or type (Form designed for use on elite (12 pitch) typewriter)

NON-HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No. # EM 7-3006	2. Page 1 of 1
3. Generator's Name and Mailing Address # Exxon Mobil # 7-3006 720 High St. Oakland CA		4. Generator's Phone		ERI # 2010	
5. Transporter 1 Company Name ERI		6. US EPA ID Number		A. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		B. Transporter 1 Phone (415) 766-2024	
9. Designated Facility Name and Site Address Instrat Inc 1105 C Airport Rd Rio Vista CA		10. US EPA ID Number 1CAR600150599		C. State Transporter's ID	
11. WASTE DESCRIPTION		12. Containers		D. Transporter 2 Phone	
		No. Type		E. State Facility's ID	
a. NON-HAZARDOUS MONITORING WELL WATER		1 20LY		F. Facility's Phone (707) 374-3834	
b.					
c.					
d.					
G. Additional Descriptions for Materials Listed Above		H. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information					
16. GENERATOR'S CERTIFICATION: I hereby certify that the contents of this shipment are fully and accurately described and are in all respects in proper condition for transport. The materials described on this manifest are not subject to federal hazardous waste regulations.					
Printed/Typed Name		Signature		Date	
				Month Day Year	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name L/NIX ADAMAH		Signature		Date	
				Month Day Year 4 14 08	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Date	
				Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator; Certification of receipt of the waste materials covered by this manifest, except as noted in item 19.					
Printed/Typed Name P. McLaughlin		Signature		Date	
				Month Day Year 4 14 08	

NON-HAZARDOUS WASTE GENERATOR

TRANSPORTER FACILITY

