

R0493



Denis L. Brown

November 1, 2005

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Shell Oil Products US
HSE – Environmental Services
20945 S. Wilmington Ave.
Carson, CA 90810-1039
Tel (707) 865 0251
Fax (707) 865 2542
Email denis.l.brown@shell.com

Re: Third Quarter 2005 Monitoring Report
Shell-branded Service Station
610 Market Street
Oakland, California
SAP Code 135692
Incident No. 98995750

Alameda County
NOV 04 2005
Environmental Health

Dear Mr. Wickham:

Attached for your review and comment is a copy of the *Third Quarter 2005 Monitoring Report* for the above referenced site. Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached document is true and correct.

If you have any questions or concerns, please call me at (707) 865-0251.

Sincerely,

Denis L. Brown
Sr. Environmental Engineer

November 1, 2005

Jerry Wickham
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: **Third Quarter 2005 Monitoring Report**
Shell-branded Service Station
610 Market Street
Oakland, California
Incident #99895750
Cambria Project #247-0594-002
ACHCSA Case # RO-0493

Alameda County
NOV 04 2005
Environmental Health



Dear Mr. Wickham:

On behalf of Equilon Enterprises LLC dba Shell Oil Products US, Cambria Environmental Technology, Inc. (Cambria) is submitting this groundwater monitoring report in accordance with the reporting requirements of 23 CCR 2652d. The site is located on Market Street between Sixth and Seventh Streets in Oakland, California (Figures 1 and 2).

REMEDIATION SUMMARY

Mobile Dual-Phase Vacuum Extraction (DVE) Treatment: From March to October 2000, Cambria coordinated mobile DVE from wells MW-2 and MW-3. Mobile DVE utilized a vacuum truck for extraction and off-hauling of groundwater. Carbon absorption vessels were used to abate extracted vapors. DVE was discontinued in October 2000 due to low groundwater extraction volumes.

DVE and Soil Vapor Extraction (SVE) Pilot Test: On March 22, 2001, Cambria performed a short-term (1-day) DVE test on well MW-3 and a short-term (1-day) SVE test on tank backfill well T-1. The tests were conducted using an internal combustion engine as the extraction and abatement device.

SVE Pilot Test: Between October 8 and 12, 2001, Cambria conducted a long-term (5-day) SVE pilot test on tank backfill well T-1. The test was conducted using an internal combustion engine as the extraction and abatement device.

**Cambria
Environmental
Technology, Inc.**

5900 Hollis Street
Suite A
Emeryville, CA 94608
Tel (510) 420-0700
Fax (510) 420-9170

Mobile Groundwater Extraction (GWE): As recommended in the August 29, 2001 *Site Conceptual Model and Pilot Test Report*, Cambria began coordinating weekly GWE from well MW-3 using a vacuum truck in August 2001. Beginning in January 2002, well MW-2 was added to the weekly GWE schedule at the site. Mobile GWE was discontinued on January 8, 2003 in anticipation of starting the GWE system.


GWE System: As recommended in the August 19, 2002 *Interim Remedial Action Plan*, a GWE system was installed to address the elevated methyl tertiary butyl ether (MTBE) concentrations detected in groundwater beneath the site. The GWE system was started on February 18, 2003.



The following table summarizes the estimated total petroleum hydrocarbon as gasoline (TPHg), benzene, and MTBE mass removed by application of the remedial methods discussed:

Table A - Mass Removal Summary

Method	Period	TPHg (pounds)		Benzene (pounds)		MTBE (pounds)	
		Vapor-phase	Dissolved-phase	Vapor-phase	Dissolved-phase	Vapor-phase	Dissolved-phase
Mobile DVE	03/15/00 – 10/27/00	35.1	0.537	1.49	0.024	5.03	10.6
DVE/SVE Test	03/22/01	1.96	0.032	0.009	0	2.08	1.25
SVE Test	10/08/01 – 10/12/01	15.8	NA	1.33	NA	35.9	NA
Mobile GWE	03/22/01 – 01/28/03	NA	2.84	NA	0.063	NA	60.0
GWE System	02/18/03 – 9/30/05	NA	47.4	NA	0.380	NA	136.6
Subtotal (per phase)		52.9	50.8	2.83	0.467	43.0	208.5
Total Mass Removed		104 pounds		3.30 pounds		251 pounds	

THIRD QUARTER 2005 ACTIVITIES

Groundwater Monitoring: Blaine Tech Services, Inc. (Blaine) of San Jose, California gauged and sampled the site wells in September 2005, calculated groundwater elevations, and compiled the analytical data. In addition, at Shell's request, Blaine gauged and sampled well MW-5 in July 2005. Also at Shell's request, Blaine gauged the site wells and sampled wells MW-3, MW-5 and MW-6 in August 2005. Cambria prepared a vicinity map which includes previously submitted well survey information (Figure 1) and groundwater elevation contour maps for the August and September 2005 data (Figures 2 and 3, respectively). Blaine's report, presenting the laboratory reports and supporting field documents, is included as Attachment A.

Oxygenate Analysis: At Shell's request, samples collected from all wells in September 2005 were also analyzed for oxygenates di-isopropyl ether (DIPE), ethyl tert-butyl ether (ETBE), tert-amyl methyl ether (TAME), and tert-butyl alcohol (TBA). No DIPE, ETBE or TAME was detected in any sample. TBA was detected in samples from all wells except for MW-9 at concentrations ranging from 130 parts per billion (ppb) in MW-8 to 21,000 ppb in MW-6. The laboratory noted that the reported TBA concentration in MW-6 is an estimated value because the concentration exceeded the calibration range of the analysis.

Remedial Activities: Cambria began operating the fixed GWE system on February 18, 2003. Wells MW-2, MW-3, MW-6, MW-7, and MW-8 are equipped with pumps to be used as extraction points. As of July 22, 2005, the system is pumping only from well MW-3. Table 1 summarizes system analytical data. Groundwater level measurements and flow meter readings have been recorded at various times of operation to assess system production. Table 2 summarizes the field data and system operation, and calculates mass removal. Based on the field data, the GWE system has operated at an average flow rate of approximately 1.86 gallons per minute since startup.

As of September 30, 2005, a total of 2,104,144 gallons of groundwater had been extracted. A total of 47.4 pounds of TPHg, 0.380 pounds of benzene, and 137 pounds of MTBE has been recovered.

ANTICIPATED FOURTH QUARTER 2005 ACTIVITIES

Groundwater Monitoring: Blaine will gauge and sample all monitoring wells in December 2005 and tabulate the data. In addition, Blaine will gauge all monitoring wells and sample MW-3, MW-5, and MW-6 in October and November 2005. Cambria will prepare a monitoring report.

Oxygenate Analysis: Due to repeated detection of TBA in wells MW-3, MW-4, MW-5, MW-6, MW-7 and MW-8, Shell recommends adding TBA to the analytical suite for future quarterly samples collected from these wells.

Remedial Activities: GWE system operation is expected to continue throughout the fourth quarter 2005. Per Cambria's standard operating procedures and East Bay Municipal Utilities District treatment-system monitoring requirements, Cambria will perform routine operation and maintenance of the GWE system. Cambria will monitor concentration trends and GWE system effectiveness.



CLOSING

We appreciate the opportunity to work with you on this project. Please call Cynthia Vasko at (510) 420-3344 if you have any questions or comments.

Sincerely,
Cambria Environmental Technology, Inc


Cynthia Vasko
Project Engineer

Matthew W. Derby, P.E.
Senior Project Engineer




- Figures: 1 - Vicinity/Area Well Survey Map
 2 - Groundwater Elevation Contour Map – August 16, 2005
 3 - Groundwater Elevation Contour Map – September 15, 2005
- Tables: 1 - Groundwater Extraction – System Analytical Data
 2 - Groundwater Extraction – Operation and Mass Removal Data
- Attachment: A - Blaine Groundwater Monitoring Report and Field Notes

cc: Denis Brown, Shell Oil Products US, 20945 S. Wilmington Ave., Carson, CA 90810
 Virginia R. Rawson, Tr., 1860 Tice Creek Drive #1353, Walnut Creek, CA 94595
 Roger Schmidt, 1224 Contra Costa Dr., El Cerrito, CA 94530



G:\OAKLAND 810 MARKET\FIGURES\VIC-WELL-SURVEY.A1

SOURCE: TOPOI MAPS



Shell-branded Service Station
 610 Market Street
 Oakland, California
 Incident #98995750



**Vicinity / Area Well
 Survey Map**
 1/2 Mile Radius




FIGURE 2

© CARLAND BLD MARKET POLYRESOURCES AUGUST 2005

EXPLANATION

- MW-1 ● Monitoring well location
- MW-2 ● Monitoring well used for groundwater extraction
- T1 ▲ Tank observation well location
- SB-E ● Soil boring location (4/17/02)
- SB-A ● Geoprobe boring location (3/31/98)
- Electrical line (E)
- Storm drain line (SD)
- Sanitary sewer line (SS)
- Water line (W)
- Gas line (G)
- Telecommunication line (T)

- Groundwater flow direction
- xx.xx Groundwater elevation contour, in feet above mean sea level (msl), approximately located dashed where inferred

Well	ELEV
●	Groundwater elevation, in feet above msl
■	Benzene and MTBE concentrations are in parts per billion and are analyzed by EPA Method 8260.

- ▲ Flow direction
- FL-xx Flow line elevation, in feet above mean sea level (msl)
- Manhole
- GWE system extraction system piping
- INF ● GWE system sampling location




FIGURE 3



Table 1: Groundwater Extraction - System Analytical Data - Shell-branded Service Station, Incident #98995750, 610 Market St, Oakland, California

Sample Date (mm/dd/yy)	Influent			Midfluent 1			Midfluent 2			Effluent		
	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)
02/18/2003	<20,000	270	93,000	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
02/25/2003	<20,000	<200	74,000	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
03/11/2003	<10,000	<100	47,000	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
03/25/2003	<10,000	<100	38,000	<250	<2.5	<25	<50	<0.50	<5.0	<50	<0.50	<5.0
04/07/2003	30,000	<250	33,000	<50	<0.50	<5.0	<50	<0.50	<5.0	<50	<0.50	<5.0
04/22/2003	<25,000	<250	26,000	<50	<0.50	2.6	<50	<0.50	<0.50	<50	<0.50	<0.50
05/01/2003	<10,000	<100	25,000	<50	<0.50	<5.0	<50	<0.50	<5.0	<50	<0.50	<5.0
05/20/2003	<10,000	<100	17,000	<500	<5.0	610	640	<0.50	<0.5	<50	<0.50	<0.5
06/03/2003	<10,000	<100	15,000	<5,000	<50	4000	<50	<0.50	<0.5	<50	<0.50	<0.5
06/17/2003	<10,000	<100	17,000	<25,000	<250	16,000	<50	<0.50	<5.0	<50	<0.50	<5.0
07/28/2003	<5,000	<50	7,100	<250	<2.5	420	<50	<0.50	<0.50	<50	<0.50	<0.50
08/11/2003	<2,500	<25	4,900	<250	<2.5	280	<50	<0.50	<0.50	<50	<0.50	<0.50
08/28/2003	<2,500	<25	7,700	<100	<1.0	260	<50	<0.50	<0.50	<50	<0.50	<0.50
09/08/2003	<2,500	<25	6,600	<50	<0.50	140	<50	<0.50	<0.50	<50	<0.50	<0.50
09/22/2003	<5,000	<50	5,700	<250	<2.5	230	<50	<0.50	<0.50	<50	<0.50	<0.50
10/08/2003	<2,500	<25	3,100	<50	<0.50	140	<50	<0.50	<0.50	<50	<0.50	<0.50
10/21/2003	<5,000	<50	3,800	<250	<2.5	180	<50	<0.50	<0.50	<50	<0.50	<0.50
11/06/2003	<1,000	<10	3,500	<50	<0.50	150	<50	<0.50	<0.50	<50	<0.50	<0.50
12/05/2003	<2,000	<20	3,400	<50	<0.50	130	<50	<0.50	<0.50	<50	<0.50	<0.50
01/09/2004	<2,000	<20	2,700	<50	<0.50	210	<50	<0.50	<0.50	<50	<0.50	<0.50
02/09/2004	<250	7.8	250	<50	<0.50	180	<50	<0.50	<0.50	<50	<0.50	<0.50
03/09/2004	<250	8.6	700	<100	<1.0	270	<50	<0.50	<0.50	<50	<0.50	<0.50
04/13/2004	<1,000	<10	1,900	<250	<2.5	570	<50	<0.50	<0.50	<50	<0.50	<0.50
05/10/2004	<1,000	<10	1,600	<250	<2.5	660	<50	<0.50	<0.50	<50	<0.50	<0.50

Table 1: Groundwater Extraction - System Analytical Data - Shell-branded Service Station, Incident #98995750, 610 Market St, Oakland, California

Sample Date (mm/dd/yy)	Influent			Midfluent 1			Midfluent 2			Effluent		
	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)	TPHg Conc. (ppb)	Benzene Conc. (ppb)	MTBE Conc. (ppb)
05/28/2004	3,400	170	1,200	<50	<0.5	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
06/09/2004	<1,000	<10	1,100	<250	<2.5	920	<50	<0.50	<0.50	<50	<0.50	<0.50
07/07/2004	<1,000	<10	1,100	<500	<5.0	1,100	<50	<0.50	<0.50	<50	<0.50	<0.50
08/03/2004	<1,000	<10	850	<500	<5.0	680	<50	<0.50	<0.50	<50	<0.50	<0.50
09/16/2004	<250	<2.5	480	<500	<5.0	920	<50	<0.50	<0.50	<50	<0.50	<0.50
10/12/2004	<50	<0.50	320	<150	<1.5	820	<50	<0.50	<0.50	<50	<0.50	<0.50
11/08/2004	<200	<2.0	400	<250	<2.5	700	<50	<0.50	<0.50	<50	<0.50	<0.50
12/02/2004	<250	<2.5	530	<500	<5.0	860	<50	<0.50	<0.50	<50	<0.50	<0.50
01/10/2005	<250	<2.5	350	<500	<5.0	880	<50	<0.50	<0.50	<50	<0.50	<0.50
02/08/2005	<250	<2.5	460	<500	<5.0	830	<50	<0.50	<0.50	<50	<0.50	<0.50
03/07/2005	310	8.9	120	<500	<5.0	850	<50	<0.50	<0.50	<50	<0.50	<0.50
04/13/2005	<250	<2.5	350	<500	<5.0	550	<50	<0.50	1.2	<50	<0.50	<0.50
07/29/2005	<200	3.2	540	<50	<0.50	1.0	<50	<0.50	<0.50	<50	<0.50	1.0
08/04/2005	86 a	1.8	140	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50
09/16/2005	77 a	1.1	55	<50	<0.50	<0.50	<50	<0.50	<0.50	<50	<0.50	<0.50

Abbreviations & Notes:

TPHg = Total purgeable hydrocarbons as gasoline

MTBE = Methyl tert-butyl ether

Conc. = Concentration

ppb = parts per billion, equivalent to µg/l

TPHg, benzene, and MTBE analyzed by EPA Method 8260B

a - Quantity of unknown hydrocarbon(s) in sample based on gasoline

Table 2: Groundwater Extraction - Operation and Mass Removal Data, Shell-branded Service Station, Incident #98995750, 610 Market Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter (hours)	Flow Meter Reading (gal)	Period Volume (gal)	Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE		
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)
02/18/03	0.0	100	0	0.00	0	<20,000	0.00000	0.00000	270	0.00000	0.00000	93,000	0.00000	0.00000
02/18/03	3.5	1,024	924	4.40	924		0.07710	0.07710		0.00208	0.00208		0.71705	0.71705
02/25/03	140.2	30,312	29,288	3.57	30,212	<20,000	2.44390	2.52100	<200	0.02444	0.02652	74,000	18.08482	18.80187
03/11/03	475.8	84,666	54,354	2.70	84,566	<10,000	2.26775	4.78874	<100	0.02268	0.04920	47,000	21.31681	40.11868
03/13/03	524.0	92,030	7,364	2.55	91,930		0.30724	5.09598		0.00307	0.05227		2.88805	43.00673
03/25/03	527.0	92,840	810	4.50	92,740	<10,000	0.03379	5.12978	<100	0.00034	0.05261	38,000	0.25684	43.26357
04/07/03	838.6	142,754	49,914	2.67	142,654	30,000	12.49501	17.62478	<250	0.05206	0.10467	33,000	13.74451	57.00807
04/14/03	985.4	165,205	22,451	2.55	165,105		5.62017	23.24496		0.02342	0.12809		6.18219	63.19027
04/22/03	1,184.1	197,360	32,155	2.70	197,260	<25,000	3.35391	26.59887	<250	0.03354	0.16163	26,000	6.97613	70.16640
04/29/03	1,305.4	216,450	19,090	2.62	216,350		1.99117	28.59004		0.01991	0.18154		4.14164	74.30804
05/01/03	1,351.3	223,850	7,400	2.69	223,750	<10,000	0.30874	28.89878	<100	0.00309	0.18463	25,000	1.54371	75.85174
05/20/03	1,783.0	291,620	67,770	2.62	291,520	<10,000	2.82749	31.72626	<100	0.02827	0.21290	17,000	9.61345	85.46519
06/03/03	2,122.1	341,643	50,023	2.46	341,543	<10,000	2.08705	33.81331	<100	0.02087	0.23377	15,000	6.26115	91.72634
06/17/03	2,456.1	388,001	46,358	2.31	387,901	<10,000	1.93414	35.74745	<100	0.01934	0.25311	17,000	6.57607	98.30241
06/30/03	2,766.0	429,880	41,879	2.25	429,780		1.74727	37.49472		0.01747	0.27059		5.94071	104.24311
07/14/03	3,095.9	473,549	43,669	2.21	473,449		1.82195	39.31667		0.01822	0.28881		6.19462	110.43774
07/28/03	3,423.7	514,826	41,277	2.10	514,726	<5,000	0.86107	40.17774	<50	0.00861	0.29742	7,100	2.44545	112.88319
08/11/03	3,761.9	545,750	30,924	1.52	545,650	<2,500	0.32255	40.50029	<25	0.00323	0.30064	4,900	1.26440	114.14759
08/28/03	4,171.0	595,525	49,775	2.03	595,425	<2,500	0.51918	41.01947	<25	0.00519	0.30583	7,700	3.19812	117.34571
09/08/03	4,435.4	626,720	31,195	1.97	626,620	<2,500	0.32538	41.34485	<25	0.00325	0.30909	6,600	1.71799	119.06371
09/22/03	4,769.9	665,449	38,729	1.93	665,349	<5,000	0.80792	42.15277	<50	0.00808	0.31717	5,700	1.84206	120.90577
10/08/03	5,084.6	701,104	35,655	1.89	701,004	<2,500	0.37190	42.52466	<25	0.00372	0.32089	3,100	0.92231	121.82807
10/21/03	5,396.7	735,644	34,540	1.84	735,544	<5,000	0.72054	43.24520	<50	0.00721	0.32809	3,800	1.09521	122.92329
11/06/03	5,785.7	778,218	42,574	1.82	778,118	<1,000	0.17763	43.42283	<10	0.00178	0.32987	3,500	1.24338	124.16667
11/19/03	6,097.1	810,223	32,005	1.71	810,123		0.13353	43.55636		0.00134	0.33120		0.93471	125.10139
12/05/03	6,481.6	849,610	39,387	1.71	849,510	<2,000	0.32866	43.88502	<20	0.00329	0.33449	3,400	1.11744	126.21883
12/23/03	6,909.0	898,595	48,985	1.91	898,495		0.40875	44.29376		0.00409	0.33858		1.38974	127.60857
01/02/04	7,057.2	917,835	19,240	2.16	917,735		0.16055	44.45431		0.00161	0.34018		0.54585	128.15443
01/09/04	7,170.7	941,766	23,931	3.51	941,666	<2,000	0.19969	44.65400	<20	0.00200	0.34218	2,700	0.53916	128.69358
01/21/04	7,461.1	986,590	44,824	2.57	986,490		0.37403	45.02803		0.00374	0.34592		1.00987	129.70346
02/09/04	7,492.3	991,309	4,719	2.52	991,209	<250	0.00492	45.03295	7.8	0.00031	0.34623	250	0.00984	129.71330
02/25/04	7,872.5	1,048,823	57,514	2.52	1,048,723		0.05999	45.09294		0.00374	0.34997		0.11998	129.83328
03/09/04	7,952.6	1,062,912	14,089	2.93	1,062,812	<250	0.01470	45.10763	8.6	0.00101	0.35098	700	0.08229	129.91558
03/23/04	8,285.6	1,117,340	54,428	2.72	1,117,240		0.05677	45.16440		0.00391	0.35489		0.31792	130.23349
04/13/04	8,792.3	1,191,229	73,889	2.43	1,191,129	<1,000	0.30828	45.47268	<10	0.00308	0.35797	1,900	1.17146	131.40495
04/29/04	9,010.2	1,221,189	29,960	2.29	1,221,089		0.12500	45.59768		0.00125	0.35922		0.47499	131.87994
05/10/04	9,273.9	1,256,838	35,649	2.25	1,256,738	<1,000	0.14873	45.74641	<10	0.00149	0.36071	1,600	0.47595	132.35589
05/25/04	9,633.5	1,299,232	42,394	1.96	1,299,132		0.17688	45.92329		0.00177	0.36248		0.56600	132.92189

Table 2: Groundwater Extraction - Operation and Mass Removal Data, Shell-branded Service Station, Incident #98995750, 610 Market Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter (hours)	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE				
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)		
05/28/04	9,633.5	1,299,232	0	0.00	1,299,132	3,400	0.00000	45.92329	170	0.00000	0.36248	1,200	0.00000	132.92189		
06/09/04	9,784.0	1,317,792	18,560	2.06	1,317,692	<1,000	0.07744	46.00073	<10	0.00077	0.36325	1,100	0.17036	133.09225		
06/22/04	10,092.7	1,353,124	35,332	1.91	1,353,024		0.14741	46.14814		0.00147	0.36472		0.32431	133.41656		
07/07/04	10,452.9	1,392,516	39,392	1.82	1,392,416	<1,000	0.16435	46.31249	<10	0.00164	0.36637	1,100	0.36157	133.77813		
07/22/04	10,815.9	1,431,329	38,813	1.78	1,431,229		0.16193	46.47442		0.00162	0.36799		0.35626	134.13438		
08/03/04	11,101.8	1,458,993	27,664	1.61	1,458,893	<1,000	0.11542	46.58984	<10	0.00115	0.36914	850	0.19621	134.33060		
08/18/04	11,462.6	1,489,829	30,836	1.42	1,489,729		0.12865	46.71849		0.00129	0.37043		0.21871	134.54931		
08/31/04	11,774.4	1,509,195	19,366	1.04	1,509,095		0.08080	46.79929		0.00081	0.37124		0.13736	134.68667		
09/16/04	12,158.3	1,544,659	35,464	1.54	1,544,559	<250	0.03699	46.83628	<2.5	0.00037	0.37161	480	0.14204	134.82871		
09/29/04	12,454.1	1,570,554	25,895	1.46	1,570,454		0.02701	46.86329		0.00027	0.37188		0.10372	134.93243		
10/12/04	12,764.9	1,596,571	26,017	1.40	1,596,471	<50	0.00543	46.86872	<0.50	0.00005	0.37193	320	0.06947	135.00190		
10/29/04	13,155.1	1,629,213	32,642	1.39	1,629,113		0.00681	46.87553		0.00007	0.37200		0.08716	135.08906		
11/08/04	13,396.0	1,650,078	20,865	1.44	1,649,978	<200	0.01741	46.89294	<2.0	0.00017	0.37217	400	0.06964	135.15870		
11/23/04	13,753.4	1,681,329	31,251	1.46	1,681,229		0.02608	46.91902		0.00026	0.37243		0.10431	135.26301		
12/02/04	13,970.7	1,699,369	18,040	1.38	1,699,269	<250	0.01882	46.93783	<2.5	0.00019	0.37262	530	0.07978	135.34279		
12/13/04	14,232.5	1,722,500	23,131	1.47	1,722,400		0.02413	46.96196		0.00024	0.37286		0.10230	135.44509		
12/27/04	14,569.0	1,753,347	30,847	1.53	1,753,247		0.03217	46.99414		0.00032	0.37318		0.13642	135.58151		
01/10/05	14,908.0	1,791,516	38,169	1.88	1,791,416	<250	0.03981	47.03395	<2.5	0.00040	0.37358	350	0.11147	135.69298		
01/24/05	15250.0 a	1,833,667	42,151	2.05	1,833,567		0.04397	47.07791		0.00044	0.37402		0.12310	135.81608		
02/08/05	15610.0 a	1,877,563	43,896	2.03	1,877,463	<250	0.04579	47.12370	<2.5	0.00046	0.37448	460	0.16849	135.98457		
02/22/05	977.7 b	1,905,770	28,207	1.41	1,905,670		0.02942	47.15312		0.00029	0.37477		0.10827	136.09284		
03/07/05	981.5	1,906,415	645	2.83	1,906,315	310	0.00167	47.15479	8.9	0.00005	0.37482	120	0.00065	136.09349		
03/21/05	1313.8	1,955,583	49,168	2.47	1,955,483		0.12719	47.28197		0.00365	0.37847		0.04923	136.14272		
04/13/05	1868.6	2,040,301	84,718	2.55	2,040,201	<250	0.08836	47.37034	<2.5	0.00088	0.37936	350	0.24742	136.39014		
04/26/05	2178.9	2,075,269	34,968	1.88	2,075,169		0.03647	47.40681		0.00036	0.37972		0.10212	136.49227		
07/22/05	2255.0	2,086,544	11,275	2.47	2,086,444		0.00941	47.41622		0.00030	0.38002		0.05080	136.54307		
07/29/05	2419.6	2,088,327	1,783	0.18	2,088,227	<200	0.00149	47.41771	3.2	0.00005	0.38007	540	0.00803	136.55111		
08/04/05	2562.3	2,090,240	1,913	0.22	2,090,140	86 c	0.00137	47.41908	1.8	0.00003	0.38010	140	0.00223	136.55334		
08/23/05	3020.5	2,095,197	4,957	0.18	2,095,097		0.00356	47.42264		0.00007	0.38017		0.00579	136.55913		
09/16/05	3596.9	2,101,199	6,003	0.17	2,101,099	77 c	0.00386	47.42649	1.1	0.00006	0.38023	55	0.00275	136.56189		
09/30/05	3932.7	2,104,244	3,045	0.15	2,104,144		0.00196	47.42845		0.00003	0.38026		0.00140	136.56328		
Total Extracted Volumes:					2,104,144	Total Pounds Removed:			47.4	Total Pounds Removed:			0.380	Total Pounds Removed:		137
Average Operational Flow Rate:					1.86	Total Gallons Removed:			7.79	Total Gallons Removed:			0.052	Total Gallons Removed:		22.1

Table 2: Groundwater Extraction - Operation and Mass Removal Data, Shell-branded Service Station, Incident #98995750, 610 Market Street, Oakland, California

Site Visit (mm/dd/yy)	Hour Meter (hours)	Flow Meter Reading (gal)	Period Volume (gal)	Period Operational Flow Rate (gpm)	Cumulative Volume (gal)	TPHg			Benzene			MTBE		
						TPHg Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	Benzene Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)	MTBE Conc. (ppb)	Period Removal (pounds)	Cumulative Removal (pounds)

Abbreviations & Notes:

TPHg = Total purgeable hydrocarbons as gasoline

MTBE = Methyl tert-butyl ether

Conc. = Concentration

ppb = Parts per billion, equivalent to µg/L

µg/L = Micrograms per liter

L = Liter

gal = Gallon

g = Gram

Mass removed based on the formula: volume extracted (gal) x Concentration (µg/L) x (g/10⁶µg) x (pound/453.6g) x (3.785 L/gal)

When constituents are not detected, the concentration is assumed to be equal to half the detection limit in subsequent calculations.

Volume removal data based on the formula: mass (pounds) x (density)⁻¹ (cc/g) x 453.6 (g/pound) x (L/1000 cc) * (gal/3.785 L)

Density inputs: TPHg = 0.73 g/cc, benzene = 0.88 g/cc, MTBE = 0.74 g/cc

TPHg, BTEX, and MTBE analyzed by EPA Method 8260B

a. Hour meter value is calculated due to hour meter failure

b. Hour meter replaced on 2/8/05. Initial reading 645.2 hours.

c. Quantity of unknown hydrocarbon(s) in sample is based on gasoline

ATTACHMENT A
Blaine Groundwater Monitoring Report
and Field Notes

BLAINE
TECH SERVICES INC.

GROUNDWATER SAMPLING SPECIALISTS
SINCE 1985

October 11, 2005

Denis Brown
Shell Oil Products US
20945 South Wilmington Avenue
Carson, CA 90810

Third Quarter 2005 Groundwater Monitoring at
Shell-branded Service Station
610 Market Street
Oakland, CA

Monitoring performed on July 15, August 16, and
September 15, 2005

Groundwater Monitoring Report 050915-WC-1

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Shell Martinez Manufacturing Complex.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Mike Ninokata
Project Coordinator

MN/ks

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheet

cc: Anni Kreml
Cambria Environmental Technology, Inc.
5900 Hollis Street, Suite A
Emeryville, CA 94608

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-1	12/17/1998	2,200	20	<10	110	420	NA	NA	NA	NA	NA	21.70	13.71	7.99
MW-1	03/09/1999	4,320	25.8	<10.0	338	474	NA	NA	NA	NA	NA	21.70	13.03	8.67
MW-1	06/16/1999	6,150	107	84.0	615	1,050	NA	NA	NA	NA	NA	21.70	13.82	7.88
MW-1	09/29/1999	3,440	97.3	58.7	433	578	NA	NA	NA	NA	NA	21.70	14.45	7.25
MW-1	12/22/1999	1,370	34.5	4.38	196	49.1	NA	NA	NA	NA	NA	21.70	15.39	6.31
MW-1	03/21/2000	2,550	10.3	3.36	164	312	NA	NA	NA	NA	NA	21.70	11.94	9.76
MW-1	06/20/2000	4,770	64.3	18.6	387	732	NA	NA	NA	NA	NA	21.70	13.15	8.55
MW-1	09/21/2000	7,490	350	229	690	1,490	NA	NA	NA	NA	NA	21.70	13.65	8.05
MW-1	11/30/2000	5,410	420	168	494	1,170	NA	NA	NA	NA	NA	21.70	14.20	7.50
MW-1	03/06/2001	965	25.7	9.14	13.3	9.12	NA	NA	NA	NA	NA	21.70	12.99	8.71
MW-1	06/28/2001	5,900	190	71	360	910	110	NA	NA	NA	NA	21.70	13.98	7.72
MW-1	09/12/2001	7,400	240	110	460	1,300	130	NA	NA	NA	NA	21.70	14.15	7.55
MW-1	12/12/2001	1,700	100	30	120	300	98	NA	NA	NA	NA	21.70	13.75	7.95
MW-1	03/08/2002	1,100	63	12	74	83	50	NA	NA	NA	NA	21.70	13.22	8.48
MW-1	06/06/2002	2,300	95	31	130	290	49	NA	NA	NA	NA	21.70	13.57	8.13
MW-1	09/09/2002	3,600	150	44	200	590	54	NA	NA	NA	NA	21.70	14.05	7.65
MW-1	12/12/2002	2,200	130	14	120	310	46	NA	NA	NA	NA	21.70	14.20	7.50
MW-1	02/26/2003	580	30	2.9	25	48	27	NA	NA	NA	NA	21.70	13.57	8.13
MW-1	04/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21.70	13.67	8.03
MW-1	06/13/2003	440	18	6.1	33	88	24	NA	NA	NA	NA	21.70	13.85	7.85
MW-1	09/26/2003	54	3.8	0.51	4.7	7.5	11	NA	NA	NA	NA	21.70	14.63	7.07
MW-1	11/24/2003	120	5.6	0.87	8.4	20	17	NA	NA	NA	NA	21.70	14.86	6.84
MW-1	03/01/2004	350	20	3.8	38	100	18	NA	NA	NA	NA	21.70	12.85	8.85
MW-1	06/15/2004	100	1.8	<0.50	2.6	6.1	15	NA	NA	NA	NA	21.70	14.27	7.43
MW-1	09/16/2004	200	20	0.75	7.8	16	27	<2.0	<2.0	<2.0	<5.0	21.70	14.60	7.10
MW-1	12/29/2004	67	1.8	<0.50	1.8	3.5	15	NA	NA	NA	NA	21.70	14.27	7.43
MW-1	02/28/2005	60	1.8	<0.50	1.9	3.6	22	NA	NA	NA	NA	21.70	12.45	9.25
MW-1	03/23/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21.70	12.50	9.20

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-1	05/18/2005	92	5.3	<0.50	5.4	12	9.7	NA	NA	NA	NA	21.70	12.22	9.48
MW-1	08/16/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21.70	13.51	8.19
MW-1	09/15/2005	210	16	<0.50	4.3	19	19	<2.0	<2.0	<2.0	320	21.70	14.00	7.70
MW-2	12/17/1998	<5,000	<50	<50	<50	<50	NA	NA	NA	NA	NA	19.61	12.07	7.54
MW-2	03/09/1999	<250	5.20	<2.50	<2.50	<2.50	NA	NA	NA	NA	NA	19.61	11.46	8.15
MW-2	06/16/1999	<50.0	0.569	<0.500	<0.500	<0.500	NA	NA	NA	NA	NA	19.61	12.26	7.35
MW-2	09/29/1999	58.6	2.51	0.978	<0.500	<0.500	NA	NA	NA	NA	NA	19.61	12.51	7.10
MW-2	12/22/1999	<2,000	50.4	<20.0	<20.0	<20.0	NA	NA	NA	NA	NA	19.61	13.40	6.21
MW-2	03/21/2000	<5,000	94.7	<50.0	<50.0	<50.0	NA	NA	NA	NA	NA	19.61	10.36	9.25
MW-2	06/20/2000	101	5.95	<0.500	<0.500	0.552	NA	NA	NA	NA	NA	19.61	11.12	8.49
MW-2	09/21/2000	<2,000	<20.0	<20.0	<20.0	<20.0	NA	NA	NA	NA	NA	19.61	11.95	7.66
MW-2	11/30/2000	81.1	4.46	0.924	0.841	3.23	NA	NA	NA	NA	NA	19.61	12.48	7.13
MW-2	03/06/2001	<500	183	<5.00	<5.00	<5.00	NA	NA	NA	NA	NA	19.61	11.10	8.51
MW-2	06/28/2001	<1,000	<10	<10	<10	<10	4,200	NA	NA	NA	NA	19.61	12.40	7.21
MW-2	09/12/2001	<2,000	120	<20	<20	<20	17,000	NA	NA	NA	NA	19.61	12.45	7.16
MW-2	12/12/2001	<1,000	<10	<10	<10	<10	3,000	NA	NA	NA	NA	19.61	12.14	7.47
MW-2	03/08/2002	<250	<2.5	<2.5	<2.5	<2.5	1,100	NA	NA	NA	NA	19.61	11.68	7.93
MW-2	06/06/2002	<500	<5.0	<5.0	<5.0	<5.0	2,000	NA	NA	NA	NA	19.61	11.95	7.66
MW-2	09/09/2002	<200	<2.0	<2.0	<2.0	<2.0	740	NA	NA	NA	NA	19.62	12.38	7.24
MW-2	12/12/2002	<200	<2.0	<2.0	<2.0	<2.0	1,000	NA	NA	NA	NA	19.62	12.40	7.22
MW-2	02/26/2003	<500	<5.0	<5.0	<5.0	<5.0	1,600	NA	NA	NA	NA	19.62	12.69	6.93
MW-2	04/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.62	12.81	6.81
MW-2	06/13/2003	<500	<5.0	<5.0	<5.0	<10	790	NA	NA	NA	NA	19.62	12.65	6.97
MW-2	09/26/2003	<250	<2.5	<2.5	<2.5	<5.0	250	NA	NA	NA	NA	18.20	12.95	5.25
MW-2	11/24/2003	<50	<0.50	<0.50	<0.50	<1.0	87	NA	NA	NA	NA	18.20	12.89	5.31
MW-2	03/01/2004	<50	<0.50	<0.50	<0.50	<1.0	35	NA	NA	NA	NA	18.20	10.08	8.12
MW-2	06/15/2004	66 b	<0.50	<0.50	<0.50	<1.0	110	NA	NA	NA	NA	18.20	12.85	5.35

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------

MW-2	09/16/2004	<50	<0.50	<0.50	<0.50	<1.0	26	<2.0	<2.0	<2.0	<5.0	18.20	12.00	6.20
MW-2	12/29/2004	<50	<0.50	0.73	<0.50	<1.0	43	NA	NA	NA	NA	18.20	11.60	6.60
MW-2	02/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.20	9.71	8.49
MW-2	03/23/2005	340 f	3.9	<2.0	<2.0	<4.0	370	NA	NA	NA	NA	18.20	10.10	8.10
MW-2	05/18/2005	<100	4.6	<1.0	<1.0	3.3	160	NA	NA	NA	NA	18.20	10.21	7.99
MW-2	08/16/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.20	10.53	7.67
MW-2	09/15/2005	<50	<0.50	<0.50	<0.50	<1.0	11	<2.0	<2.0	<2.0	520	18.20	11.98	6.22

MW-3	12/17/1998	30,000	890	110	2,100	4,300	43,000	NA	NA	NA	NA	19.05	11.65	7.40
MW-3	03/09/1999	22,700	536	<200	1,030	1,510	38,500	NA	NA	NA	NA	19.05	11.03	8.02
MW-3	06/16/1999	19,300	625	129	805	1,210	51,600	NA	NA	NA	NA	19.05	11.89	7.16
MW-3	09/29/1999	20,200	727	155	1,000	1,180	136,000a	NA	NA	NA	NA	19.05	12.35	6.70
MW-3	12/22/1999	44,500	767	64.4	1,810	2,090	186,000a	NA	NA	NA	NA	19.05	13.45	5.60
MW-3	03/21/2000	<25,000	466	<250	727	2,280	155,000	NA	NA	NA	NA	19.05	10.00	9.05
MW-3	06/20/2000	16,200	1,140	98.8	1,140	1,410	376,000a	NA	NA	NA	NA	19.05	11.15	7.90
MW-3	09/21/2000	<50,000	712	<500	520	795	298,000	NA	NA	NA	NA	19.05	11.58	7.47
MW-3	11/30/2000	18,000	1,050	124	1,120	2,010	403,000a	NA	NA	NA	NA	19.05	12.10	6.95
MW-3	03/06/2001	19,900	1,290	115	1,450	1,760	149,000	NA	NA	NA	NA	19.05	11.00	8.05
MW-3	06/28/2001	<50,000	1,200	<250	1,100	1,300	610,000	NA	NA	NA	NA	19.05	11.96	7.09
MW-3	09/12/2001	<20,000	430	<200	230	480	390,000	NA	NA	NA	NA	19.05	12.05	7.00
MW-3	10/23/2001	11,000	350	<100	210	440	290,000	NA	NA	NA	NA	19.05	12.62	6.43
MW-3	12/12/2001	<20,000	280	<200	<200	<200	160,000	NA	NA	NA	NA	19.05	11.83	7.22
MW-3	03/08/2002	<20,000	270	<200	<200	<200	340,000	NA	NA	NA	NA	19.05	11.26	7.79
MW-3	06/06/2002	<50,000	290	<250	<250	<250	290,000	NA	NA	NA	NA	19.05	11.50	7.55
MW-3	09/09/2002	<20,000	<200	<200	<200	<200	230,000	NA	NA	NA	NA	19.06	11.92	7.14
MW-3	12/12/2002	<50,000	<200	<200	<200	<500	190,000	NA	NA	NA	NA	19.06	10.95	8.11
MW-3	02/26/2003	<25,000	<250	<250	<250	<250	210,000	NA	NA	NA	NA	19.06	15.01	4.05
MW-3	04/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.06	15.12	3.94

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------

MW-3	06/13/2003	<25,000	<250	<250	<250	<500	27,000	NA	NA	NA	NA	19.06	15.25	3.81
MW-3	09/26/2003	<10,000	<100	<100	<100	<200	15,000	NA	NA	NA	NA	18.08	16.65 c	NA
MW-3	11/24/2003	<10,000	<100	<100	<100	<200	9,900	NA	NA	NA	NA	18.08	15.13	2.95
MW-3	03/01/2004	<10,000	<100	<100	<100	<200	8,000	NA	NA	NA	NA	18.08	9.97	8.11
MW-3	06/15/2004	<10,000	<100	<100	<100	<200	6,900	NA	NA	NA	NA	18.08	15.05	3.03
MW-3	09/16/2004	<500	<5.0	<5.0	<5.0	<10	1,000	<20	<20	<20	75	18.08	14.70	3.38
MW-3	12/29/2004	<250	2.8	<2.5	<2.5	<5.0	580	NA	NA	NA	NA	18.08	14.83	3.25
MW-3	02/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.08	9.60	8.48
MW-3	03/23/2005	<1,000	<10	<10	<10	<20	1,500	NA	NA	NA	NA	18.08	12.68	5.40
MW-3	05/18/2005	1,200	49	<10	47	<20	3,400	NA	NA	NA	NA	18.08	10.60	7.48
MW-3	08/16/2005	NA	NA	NA	NA	NA	330	NA	NA	NA	NA	18.08	15.22	2.86
MW-3	09/15/2005	<1,000	<10	<10	<10	<20	140	<40	<40	<40	180	18.08	15.30	2.78

MW-4	05/13/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.64	NA
MW-4	05/20/2002	<1,000	<10	<10	<10	<10	4,600	NA	NA	NA	NA	NA	10.64	NA
MW-4	06/06/2002	<1,000	<10	<10	<10	<10	4,800	NA	NA	NA	NA	NA	10.61	NA
MW-4	09/09/2002	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	18.03	11.07	6.96
MW-4	09/18/2002	<250	<2.5	<2.5	<2.5	<2.5	1,000	NA	NA	NA	NA	18.03	11.15	6.88
MW-4	12/12/2002	<100	<1.0	<1.0	<1.0	<1.0	370	NA	NA	NA	NA	18.03	11.13	6.90
MW-4	02/26/2003	<50	<0.50	<0.50	<0.50	<0.50	<5.0	NA	NA	NA	NA	18.03	10.61	7.42
MW-4	04/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.03	10.73	7.30
MW-4	06/13/2003	180 b	<0.50	110	<0.50	<1.0	2.3	NA	NA	NA	NA	18.03	10.88	7.15
MW-4	09/26/2003	<5,000	<50	<50	<50	<100	13,000	NA	NA	NA	NA	18.03	11.58	6.45
MW-4	11/24/2003	<13,000	<130	<130	<130	<250	11,000	NA	NA	NA	NA	18.03	11.78	6.25
MW-4	03/01/2004	<50	<0.50	<0.50	<0.50	<1.0	<0.50	NA	NA	NA	NA	18.03	9.47	8.56
MW-4	06/15/2004	<500	<5.0	<5.0	<5.0	<10	630	NA	NA	NA	NA	18.03	11.38	6.65
MW-4	09/16/2004	<100	<1.0	12	<1.0	<2.0	280	<4.0	<4.0	<4.0	280	18.03	11.80	6.23
MW-4	12/29/2004	<50	<0.50	<0.50	<0.50	<1.0	<0.50	NA	NA	NA	NA	18.03	10.63	7.40

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------

MW-4	02/28/2005	<50	<0.50	<0.50	<0.50	<1.0	<0.50	NA	NA	NA	NA	18.03	9.20	8.83
MW-4	03/23/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.03	9.43	8.60
MW-4	05/18/2005	1,900	<5.0	<5.0	16	97	910	NA	NA	NA	NA	18.03	9.75	8.28
MW-4	08/16/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.03	10.85	7.18
MW-4	09/15/2005	<2,500	<25	<25	<25	85	5,100	<100	<100	<100	400	18.03	11.30	6.73

MW-5	05/13/2002	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.40	NA
MW-5	05/20/2002	<2,500	<25	<25	<25	<25	17,000	NA	NA	NA	NA	NA	10.41	NA
MW-5	06/06/2002	<5,000	<50	<50	<50	<50	15,000	NA	NA	NA	NA	NA	10.36	NA
MW-5	09/09/2002	Unable to sample		NA	NA	NA	NA	NA	NA	NA	NA	17.78	10.82	6.96
MW-5	09/18/2002	<2,500	<25	<25	<25	<25	16,000	NA	NA	NA	NA	17.78	10.81	6.97
MW-5	12/12/2002	<2,500	<25	<25	<25	<25	13,000	NA	NA	NA	NA	17.78	10.83	6.95
MW-5	02/26/2003	<2,000	<20	<20	<20	<20	7,500	NA	NA	NA	NA	17.78	10.57	7.21
MW-5	04/15/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.78	10.69	7.09
MW-5	06/13/2003	<2,500	<25	<25	<25	<50	4,400	NA	NA	NA	NA	17.78	10.82	6.96
MW-5	09/26/2003	<2,500	<25	<25	<25	<50	4,700	NA	NA	NA	NA	17.78	11.49	6.29
MW-5	11/24/2003	<10,000	<100	<100	<100	<200	7,100	NA	NA	NA	NA	17.78	11.70	6.08
MW-5	03/01/2004	<2,000	<20	<20	<20	<40	2,800	NA	NA	NA	NA	17.78	9.68	8.10
MW-5	06/15/2004	<2,000	<20	<20	<20	<40	2,100	NA	NA	NA	NA	17.78	11.28	6.50
MW-5	09/16/2004	<2,000	<20	<20	<20	<40	2,200	<80	<80	<80	2,800	17.78	11.62	6.16
MW-5	12/29/2004	<2,000	<20	<20	<20	<40	3,700	NA	NA	NA	NA	17.78	11.11	6.67
MW-5	02/28/2005	<200	<2.0	<2.0	<2.0	<4.0	740	NA	NA	NA	NA	17.78	9.50	8.28
MW-5	03/23/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.78	9.70	8.08
MW-5	05/18/2005	<50 g	<0.50	<0.50	<0.50	<1.0	180	NA	NA	NA	NA	17.78	9.49	8.29
MW-5	06/17/2005	NA	NA	NA	NA	NA	270	NA	NA	NA	NA	17.78	9.89	7.89
MW-5	07/15/2005	NA	NA	NA	NA	NA	350	NA	NA	NA	NA	17.78	10.20	7.58
MW-5	08/16/2005	NA	NA	NA	NA	NA	270	NA	NA	NA	NA	17.78	10.50	7.28
MW-5	09/15/2005	<250	<2.5	<2.5	<2.5	<5.0	500	<10	<10	<10	670	17.78	10.96	6.82

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------

MW-6	03/28/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	18.10	NA	NA
MW-6	04/07/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.10	13.80	4.30
MW-6	04/15/2003	14,000	<250	<250	<250	<500	41,000	NA	NA	NA	NA	18.10	15.05	3.05
MW-6	06/13/2003	<10,000	<100	<100	<100	<200	27,000	NA	NA	NA	NA	18.10	14.42	3.68
MW-6	09/26/2003	<5,000	<50	<50	<50	<100	11,000	NA	NA	NA	NA	18.05	18.35 c	NA
MW-6	11/24/2003	<10,000	<100	<100	<100	<200	5,000	NA	NA	NA	NA	18.05	14.68	3.37
MW-6	03/01/2004	<1,000	<10	<10	<10	<20	2,500	NA	NA	NA	NA	18.05	9.84	8.21
MW-6	06/15/2004	<1,000	<10	<10	<10	<20	2,800	NA	NA	NA	NA	18.05	14.82	3.23
MW-6	09/16/2004	<1,000	<10	<10	<10	<20	830	<40	<40	<40	610	18.05	14.20	3.85
MW-6	12/29/2004	<200	<2.0	<2.0	<2.0	<4.0	530	NA	NA	NA	NA	18.05	14.78	3.27
MW-6	02/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.05	9.58	8.47
MW-6	03/23/2005	290 f	<2.0	<2.0	<2.0	<4.0	590	NA	NA	NA	NA	18.05	14.22	3.83
MW-6	05/18/2005	390	8.7	<0.50	0.93	9.0	68	NA	NA	NA	NA	18.05	9.79	8.26
MW-6	08/16/2005	NA	NA	NA	NA	NA	34	NA	NA	NA	NA	18.05	10.64	7.41
MW-6	09/15/2005	<500	<5.0	<5.0	<5.0	<10	45	<20	<20	<20	21,000 e	18.05	11.83	6.22

MW-7	03/28/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	19.16	NA	NA
MW-7	04/07/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.16	13.85	5.31
MW-7	04/15/2003	6,000	<100	<100	<100	<200	19,000	NA	NA	NA	NA	19.16	13.95	5.21
MW-7	06/13/2003	<5,000	<50	<50	<50	<100	5,700	NA	NA	NA	NA	19.16	13.92	5.24
MW-7	09/26/2003	<250	<2.5	<2.5	<2.5	<5.0	110	NA	NA	NA	NA	19.13	13.85	5.28
MW-7	11/24/2003	<50	<0.50	0.59	<0.50	1.7	7.6	NA	NA	NA	NA	19.13	13.99	5.14
MW-7	03/01/2004	67 b	<0.50	<0.50	<0.50	<1.0	120	NA	NA	NA	NA	19.13	10.85	8.28
MW-7	06/15/2004	120 b	<0.50	<0.50	<0.50	<1.0	89	NA	NA	NA	NA	19.13	13.27	5.86
MW-7	09/16/2004	<500	<5.0	<5.0	<5.0	<10	130	<20	<20	<20	4,700	19.13	12.83	6.30
MW-7	12/29/2004	<500	<5.0	<5.0	<5.0	<10	130	NA	NA	NA	NA	19.13	11.82	7.31
MW-7	02/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.13	10.59	8.54

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------

MW-7	03/23/2005	<1,000	<10	<10	<10	<20	16	NA	NA	NA	NA	19.13	11.16	7.97
MW-7	05/18/2005	67 g	<0.50	<0.50	<0.50	<1.0	12	NA	NA	NA	NA	19.13	10.42	8.71
MW-7	08/16/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.13	11.52	7.61
MW-7	09/15/2005	<500	<5.0	<5.0	<5.0	<10	75	<20	<20	<20	16,000	19.13	11.95	7.18

MW-8	03/28/2003	Well inaccessible		NA	NA	NA	NA	NA	NA	NA	NA	18.72	NA	NA
MW-8	04/07/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.72	14.13	4.59
MW-8	04/15/2003	890	29	22	15	71	430	NA	NA	NA	NA	18.72	14.10	4.62
MW-8	06/13/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.72	13.94	4.78
MW-8	09/26/2003	<250	55	51	33	140	330	NA	NA	NA	NA	18.71	14.21	4.50
MW-8	11/24/2003	<5,000	<50	<50	<50	<100	5,600	NA	NA	NA	NA	18.71	14.16	4.55
MW-8	03/01/2004	<50	<0.50	<0.50	<0.50	<1.0	12	NA	NA	NA	NA	18.71	10.34	8.37
MW-8	06/15/2004	2,800	170	240	140	560	440	NA	NA	NA	NA	18.71	13.88	4.83
MW-8	09/16/2004	2,500	180	200	120	490	480	<10	<10	<10	260	18.71	13.92	4.79
MW-8	12/29/2004	4,400	360	600	280	1,400	690	NA	NA	NA	NA	18.71	13.44	5.27
MW-8	02/28/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.71	10.15	8.56
MW-8	03/23/2005	2,800	120	190	110	420	300	NA	NA	NA	NA	18.71	13.79	4.92
MW-8	05/18/2005	250	34	3.4	6.6	27	110	NA	NA	NA	NA	18.71	10.85	7.86
MW-8	08/16/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.71	10.95	7.76
MW-8	09/15/2005	460 f	54	21	24	92	250	<4.0	<4.0	<4.0	130	18.71	11.38	7.33

MW-9	03/28/2003	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.78	11.19	7.59
MW-9	04/15/2003	420	<2.5	<2.5	<2.5	6.3	37	NA	NA	NA	NA	18.78	11.24	7.54
MW-9	06/13/2003	290 b	<0.50	<0.50	<0.50	2.6	34	NA	NA	NA	NA	18.78	11.39	7.39
MW-9	09/26/2003	540 b	<0.50	<0.50	<0.50	9.2	21	NA	NA	NA	NA	18.78	12.12	6.66
MW-9	11/24/2003	650 d	<0.50	<0.50	<0.50	6.3	14	NA	NA	NA	NA	18.78	12.30	6.48
MW-9	03/01/2004	230 d	<0.50	<0.50	<0.50	1.7	7.7	NA	NA	NA	NA	18.78	10.45	8.33
MW-9	06/15/2004	280	<0.50	<0.50	<0.50	1.9	8.3	NA	NA	NA	NA	18.78	11.88	6.90

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-9	09/16/2004	260	<0.50	<0.50	<0.50	1.5	3.9	<2.0	<2.0	<2.0	<5.0	18.78	12.26	6.52
MW-9	12/29/2004	220	<0.50	<0.50	<0.50	1.2	3.5	NA	NA	NA	NA	18.78	11.76	7.02
MW-9	02/28/2005	140 g	<0.50	<0.50	<0.50	<1.0	1.5	NA	NA	NA	NA	18.78	10.21	8.57
MW-9	03/23/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.78	10.14	8.64
MW-9	05/18/2005	210 g	<0.50	<0.50	<0.50	<1.0	2.8	NA	NA	NA	NA	18.78	10.21	8.57
MW-9	08/16/2005	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.78	11.25	7.53
MW-9	09/15/2005	230 g	<0.50	<0.50	<0.50	1.1	2.6	<2.0	<2.0	<2.0	<5.0	18.78	11.75	7.03

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B; prior to June 28, 2001, analyzed by EPA Method 8015.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B; prior to June 28, 2001, analyzed by EPA Method 8020.

MTBE = Methyl tertiary butyl ether

DIPE = Di-isopropyl ether, analyzed by EPA Method 8260B

ETBE = Ethyl tertiary butyl ether, analyzed by EPA Method 8260B

TAME = Tertiary amyl methyl ether, analyzed by EPA Method 8260B

TBA = Tertiary butyl alcohol, analyzed by EPA Method 8260B

TOC = Top of Casing Elevation

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft. = Feet

<n = Below detection limit

NA = Not applicable

WELL CONCENTRATIONS
Shell-branded Service Station
610 Market Street
Oakland, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	DIPE (ug/L)	ETBE (ug/L)	TAME (ug/L)	TBA (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	----------------	----------------	----------------	---------------	--------------	----------------------------	--------------------------

Notes:

a = Sample was analyzed outside the EPA recommended holding time.

b = Hydrocarbon reported does not match the laboratory standard.

c = Measurement is depth to top of pump; unable to reach water with sounder.

d = Sample contains discrete peaks in addition to gasoline.

e = Estimated value. The concentration exceeded the calibration of analysis.

f = Quantity of unknown hydrocarbon(s) in sample based on gasoline.

g = The concentration reported reflects individual or discrete unidentified peaks not matching a typical fuel pattern.

Wells MW-1, MW-2, and MW-3 surveyed December 9, 1998 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-6 through MW-9 surveyed April 10, 2003 by Virgil Chavez Land Surveying of Vallejo, CA.

Wells MW-2, MW-3, MW-6, MW-7, and MW-8 surveyed September 23, 2003 by Virgil Chavez Land Surveying of Vallejo, CA.

Blaine Tech Services, Inc.

October 05, 2005

1680 Rogers Avenue
San Jose, CA 95112-1105
Attn.: Leon Gearhart
Project#: 050915-WC-1
Project: 98995750
Site: 610 Market Street, Oakland

Dear Mr.Gearhart,


Attached is our report for your samples received on 09/16/2005 13:10
This report has been reviewed and approved for release. Reproduction of this report
is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after
10/31/2005 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,

You can also contact me via email. My email address is: mbrewer@stl-inc.com

Sincerely,



Melissa Brewer
Project Manager

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
MW-2	09/15/2005 11:52	Water	1
MW-3	09/15/2005 10:05	Water	2
MW-4	09/15/2005 10:40	Water	3
MW-5	09/15/2005 11:03	Water	4
MW-9	09/15/2005 12:20	Water	5
MW-8	09/15/2005 13:06	Water	6
MW-6	09/15/2005 13:30	Water	7
MW-7	09/15/2005 13:40	Water	8
MW-1	09/15/2005 13:53	Water	9

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

 Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B

Test(s): 8260B

Sample ID: MW-2

Lab ID: 2005-09-0443 - 1

Sampled: 09/15/2005 11:52

Extracted: 9/21/2005 01:03

Matrix: Water

QC Batch#: 2005/09/20-2B.64

pH: <2

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	1.00	09/21/2005 01:03	
Benzene	ND	0.50	ug/L	1.00	09/21/2005 01:03	
Toluene	ND	0.50	ug/L	1.00	09/21/2005 01:03	
Ethylbenzene	ND	0.50	ug/L	1.00	09/21/2005 01:03	
Total xylenes	ND	1.0	ug/L	1.00	09/21/2005 01:03	
tert-Butyl alcohol (TBA)	520	5.0	ug/L	1.00	09/21/2005 01:03	
Methyl tert-butyl ether (MTBE)	11	0.50	ug/L	1.00	09/21/2005 01:03	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	1.00	09/21/2005 01:03	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	1.00	09/21/2005 01:03	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	1.00	09/21/2005 01:03	
Surrogate(s)						
1,2-Dichloroethane-d4	101.4	73-130	%	1.00	09/21/2005 01:03	
Toluene-d8	105.2	81-114	%	1.00	09/21/2005 01:03	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B Test(s): 8260B
Sample ID: MW-3 Lab ID: 2005-09-0443 - 2
Sampled: 09/15/2005 10:05 Extracted: 9/21/2005 01:24
Matrix: Water QC Batch#: 2005/09/20-2B.64
Analysis Flag: L2, pH: <2 (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	1000	ug/L	20.00	09/21/2005 01:24	
Benzene	ND	10	ug/L	20.00	09/21/2005 01:24	
Toluene	ND	10	ug/L	20.00	09/21/2005 01:24	
Ethylbenzene	ND	10	ug/L	20.00	09/21/2005 01:24	
Total xylenes	ND	20	ug/L	20.00	09/21/2005 01:24	
tert-Butyl alcohol (TBA)	180	100	ug/L	20.00	09/21/2005 01:24	
Methyl tert-butyl ether (MTBE)	140	10	ug/L	20.00	09/21/2005 01:24	
Di-isopropyl Ether (DIPE)	ND	40	ug/L	20.00	09/21/2005 01:24	
Ethyl tert-butyl ether (ETBE)	ND	40	ug/L	20.00	09/21/2005 01:24	
tert-Amyl methyl ether (TAME)	ND	40	ug/L	20.00	09/21/2005 01:24	
Surrogate(s)						
1,2-Dichloroethane-d4	102.0	73-130	%	20.00	09/21/2005 01:24	
Toluene-d8	103.7	81-114	%	20.00	09/21/2005 01:24	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Phone: (408) 573-0555 Fax: (408) 573-7771

 Project: 050915-WC-1
 98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s):	5030B	Test(s):	8260B
Sample ID:	MW-4	Lab ID:	2005-09-0443 - 3
Sampled:	09/15/2005 10:40	Extracted:	9/21/2005 16:55
Matrix:	Water	QC Batch#:	2005/09/21-1A.64
Analysis Flag: L2, pH: <2 (See Legend and Note Section)			

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	2500	ug/L	50.00	09/21/2005 16:55	
Benzene	ND	25	ug/L	50.00	09/21/2005 16:55	
Toluene	ND	25	ug/L	50.00	09/21/2005 16:55	
Ethylbenzene	ND	25	ug/L	50.00	09/21/2005 16:55	
Total xylenes	85	50	ug/L	50.00	09/21/2005 16:55	
tert-Butyl alcohol (TBA)	400	250	ug/L	50.00	09/21/2005 16:55	
Methyl tert-butyl ether (MTBE)	5100	25	ug/L	50.00	09/21/2005 16:55	
Di-isopropyl Ether (DIPE)	ND	100	ug/L	50.00	09/21/2005 16:55	
Ethyl tert-butyl ether (ETBE)	ND	100	ug/L	50.00	09/21/2005 16:55	
tert-Amyl methyl ether (TAME)	ND	100	ug/L	50.00	09/21/2005 16:55	
Surrogate(s)						
1,2-Dichloroethane-d4	107.4	73-130	%	50.00	09/21/2005 16:55	
Toluene-d8	104.7	81-114	%	50.00	09/21/2005 16:55	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B Test(s): 8260B
Sample ID: MW-5 Lab ID: 2005-09-0443 - 4
Sampled: 09/15/2005 11:03 Extracted: 9/21/2005 23:38
Matrix: Water QC Batch#: 2005/09/21-2A.65
Analysis Flag: L2, pH: <2 (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	250	ug/L	5.00	09/21/2005 23:38	
Benzene	ND	2.5	ug/L	5.00	09/21/2005 23:38	
Toluene	ND	2.5	ug/L	5.00	09/21/2005 23:38	
Ethylbenzene	ND	2.5	ug/L	5.00	09/21/2005 23:38	
Total xylenes	ND	5.0	ug/L	5.00	09/21/2005 23:38	
tert-Butyl alcohol (TBA)	670	25	ug/L	5.00	09/21/2005 23:38	
Methyl tert-butyl ether (MTBE)	500	2.5	ug/L	5.00	09/21/2005 23:38	
Di-isopropyl Ether (DIPE)	ND	10	ug/L	5.00	09/21/2005 23:38	
Ethyl tert-butyl ether (ETBE)	ND	10	ug/L	5.00	09/21/2005 23:38	
tert-Amyl methyl ether (TAME)	ND	10	ug/L	5.00	09/21/2005 23:38	
Surrogate(s)						
1,2-Dichloroethane-d4	100.5	73-130	%	5.00	09/21/2005 23:38	
Toluene-d8	88.2	81-114	%	5.00	09/21/2005 23:38	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Phone: (408) 573-0555 Fax: (408) 573-7771

 Project: 050915-WC-1
 98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: MW-9	Lab ID: 2005-09-0443 - 5
Sampled: 09/15/2005 12:20	Extracted: 9/22/2005 00:35
Matrix: Water	QC Batch#: 2005/09/21-2B.66
pH: <2	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	230	50	ug/L	1.00	09/22/2005 00:35	Q6
Benzene	ND	0.50	ug/L	1.00	09/22/2005 00:35	
Toluene	ND	0.50	ug/L	1.00	09/22/2005 00:35	
Ethylbenzene	ND	0.50	ug/L	1.00	09/22/2005 00:35	
Total xylenes	1.1	1.0	ug/L	1.00	09/22/2005 00:35	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	1.00	09/22/2005 00:35	
Methyl tert-butyl ether (MTBE)	2.6	0.50	ug/L	1.00	09/22/2005 00:35	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	1.00	09/22/2005 00:35	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	1.00	09/22/2005 00:35	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	1.00	09/22/2005 00:35	
Surrogate(s)						
1,2-Dichloroethane-d4	96.7	73-130	%	1.00	09/22/2005 00:35	
Toluene-d8	96.3	81-114	%	1.00	09/22/2005 00:35	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

 1680 Rogers Avenue
 San Jose, CA 95112-1105
 Phone: (408) 573-0555 Fax: (408) 573-7771

 Project: 050915-WC-1
 98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: MW-8	Lab ID: 2005-09-0443 - 6
Sampled: 09/15/2005 13:06	Extracted: 9/21/2005 23:35
Matrix: Water	QC Batch#: 2005/09/21-2A.64
Analysis Flag: L2, pH: <2 (See Legend and Note Section)	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	460	100	ug/L	2.00	09/21/2005 23:35	Q1
Benzene	54	1.0	ug/L	2.00	09/21/2005 23:35	
Toluene	21	1.0	ug/L	2.00	09/21/2005 23:35	
Ethylbenzene	24	1.0	ug/L	2.00	09/21/2005 23:35	
Total xylenes	92	2.0	ug/L	2.00	09/21/2005 23:35	
tert-Butyl alcohol (TBA)	130	10	ug/L	2.00	09/21/2005 23:35	
Methyl tert-butyl ether (MTBE)	250	1.0	ug/L	2.00	09/21/2005 23:35	
Di-isopropyl Ether (DIPE)	ND	4.0	ug/L	2.00	09/21/2005 23:35	
Ethyl tert-butyl ether (ETBE)	ND	4.0	ug/L	2.00	09/21/2005 23:35	
tert-Amyl methyl ether (TAME)	ND	4.0	ug/L	2.00	09/21/2005 23:35	
Surrogate(s)						
1,2-Dichloroethane-d4	103.1	73-130	%	2.00	09/21/2005 23:35	
Toluene-d8	107.0	81-114	%	2.00	09/21/2005 23:35	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.
Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B Test(s): 8260B
Sample ID: MW-6 Lab ID: 2005-09-0443 - 7
Sampled: 09/15/2005 13:30 Extracted: 9/22/2005 00:04
Matrix: Water QC Batch#: 2005/09/21-2A.65
Analysis Flag: L2, pH: <2 (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	500	ug/L	10.00	09/22/2005 00:04	J3
Benzene	ND	5.0	ug/L	10.00	09/22/2005 00:04	
Toluene	ND	5.0	ug/L	10.00	09/22/2005 00:04	
Ethylbenzene	ND	5.0	ug/L	10.00	09/22/2005 00:04	
Total xylenes	ND	10	ug/L	10.00	09/22/2005 00:04	
tert-Butyl alcohol (TBA)	21000	50	ug/L	10.00	09/22/2005 00:04	
Methyl tert-butyl ether (MTBE)	45	5.0	ug/L	10.00	09/22/2005 00:04	
Di-isopropyl Ether (DIPE)	ND	20	ug/L	10.00	09/22/2005 00:04	
Ethyl tert-butyl ether (ETBE)	ND	20	ug/L	10.00	09/22/2005 00:04	
tert-Amyl methyl ether (TAME)	ND	20	ug/L	10.00	09/22/2005 00:04	
Surrogate(s)						
1,2-Dichloroethane-d4	90.7	73-130	%	10.00	09/22/2005 00:04	
Toluene-d8	91.9	81-114	%	10.00	09/22/2005 00:04	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: MW-7	Lab ID: 2005-09-0443 - 8
Sampled: 09/15/2005 13:40	Extracted: 9/22/2005 00:30 9/22/2005 16:21
Matrix: Water	QC Batch#: 2005/09/21-2A.65 2005/09/22-1A.65

Analysis Flag: L2, pH: <2 (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	ND	500	ug/L	10.00	09/22/2005 00:30	
Benzene	ND	5.0	ug/L	10.00	09/22/2005 00:30	
Toluene	ND	5.0	ug/L	10.00	09/22/2005 00:30	
Ethylbenzene	ND	5.0	ug/L	10.00	09/22/2005 00:30	
Total xylenes	ND	10	ug/L	10.00	09/22/2005 00:30	
tert-Butyl alcohol (TBA)	16000	200	ug/L	40.00	09/22/2005 16:21	
Methyl tert-butyl ether (MTBE)	75	5.0	ug/L	10.00	09/22/2005 00:30	
Di-isopropyl Ether (DIPE)	ND	20	ug/L	10.00	09/22/2005 00:30	
Ethyl tert-butyl ether (ETBE)	ND	20	ug/L	10.00	09/22/2005 00:30	
tert-Amyl methyl ether (TAME)	ND	20	ug/L	10.00	09/22/2005 00:30	
Surrogate(s)						
1,2-Dichloroethane-d4	106.2	73-130	%	10.00	09/22/2005 00:30	
1,2-Dichloroethane-d4	102.0	73-130	%	40.00	09/22/2005 16:21	
Toluene-d8	88.8	81-114	%	10.00	09/22/2005 00:30	
Toluene-d8	89.7	81-114	%	40.00	09/22/2005 16:21	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.
 Attn.: Leon Gearhart

1680 Rogers Avenue
 San Jose, CA 95112-1105
 Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
 98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: MW-1	Lab ID: 2005-09-0443 - 9
Sampled: 09/15/2005 13:53	Extracted: 9/21/2005 03:26
Matrix: Water	QC Batch#: 2005/09/20-2B.68
pH: <2	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Gasoline [Shell]	210	50	ug/L	1.00	09/21/2005 03:26	
Benzene	16	0.50	ug/L	1.00	09/21/2005 03:26	
Toluene	ND	0.50	ug/L	1.00	09/21/2005 03:26	
Ethylbenzene	4.3	0.50	ug/L	1.00	09/21/2005 03:26	
Total xylenes	19	1.0	ug/L	1.00	09/21/2005 03:26	
tert-Butyl alcohol (TBA)	320	5.0	ug/L	1.00	09/21/2005 03:26	
Methyl tert-butyl ether (MTBE)	19	0.50	ug/L	1.00	09/21/2005 03:26	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	1.00	09/21/2005 03:26	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	1.00	09/21/2005 03:26	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	1.00	09/21/2005 03:26	
Surrogate(s)						
1,2-Dichloroethane-d4	96.8	73-130	%	1.00	09/21/2005 03:26	
Toluene-d8	100.6	81-114	%	1.00	09/21/2005 03:26	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Water

QC Batch # 2005/09/20-2B.64

MB: 2005/09/20-2B.64-018

Date Extracted: 09/20/2005 19:18

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/20/2005 19:18	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/20/2005 19:18	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/20/2005 19:18	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/20/2005 19:18	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/20/2005 19:18	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/20/2005 19:18	
Benzene	ND	0.5	ug/L	09/20/2005 19:18	
Toluene	ND	0.5	ug/L	09/20/2005 19:18	
Ethylbenzene	ND	0.5	ug/L	09/20/2005 19:18	
Total xylenes	ND	1.0	ug/L	09/20/2005 19:18	
Surrogates(s)					
1,2-Dichloroethane-d4	96.8	73-130	%	09/20/2005 19:18	
Toluene-d8	104.6	81-114	%	09/20/2005 19:18	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Method Blank

MB: 2005/09/20-2B.68-017

Water

Test(s): 8260B

QC Batch # 2005/09/20-2B.68

Date Extracted: 09/20/2005 19:17

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/20/2005 19:17	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/20/2005 19:17	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/20/2005 19:17	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/20/2005 19:17	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/20/2005 19:17	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/20/2005 19:17	
Benzene	ND	0.5	ug/L	09/20/2005 19:17	
Toluene	ND	0.5	ug/L	09/20/2005 19:17	
Ethylbenzene	ND	0.5	ug/L	09/20/2005 19:17	
Total xylenes	ND	1.0	ug/L	09/20/2005 19:17	
Surrogates(s)					
1,2-Dichloroethane-d4	93.0	73-130	%	09/20/2005 19:17	
Toluene-d8	99.2	81-114	%	09/20/2005 19:17	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Water

QC Batch # 2005/09/21-1A.64

MB: 2005/09/21-1A.64-049

Date Extracted: 09/21/2005 08:49

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/21/2005 08:49	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/21/2005 08:49	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/21/2005 08:49	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/21/2005 08:49	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/21/2005 08:49	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/21/2005 08:49	
Benzene	ND	0.5	ug/L	09/21/2005 08:49	
Toluene	ND	0.5	ug/L	09/21/2005 08:49	
Ethylbenzene	ND	0.5	ug/L	09/21/2005 08:49	
Total xylenes	ND	1.0	ug/L	09/21/2005 08:49	
Surrogates(s)					
1,2-Dichloroethane-d4	98.2	73-130	%	09/21/2005 08:49	
Toluene-d8	105.9	81-114	%	09/21/2005 08:49	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Method Blank

MB: 2005/09/21-2A.64-054

Water

Test(s): 8260B

QC Batch # 2005/09/21-2A.64

Date Extracted: 09/21/2005 18:54

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/21/2005 18:54	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/21/2005 18:54	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/21/2005 18:54	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/21/2005 18:54	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/21/2005 18:54	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/21/2005 18:54	
Benzene	ND	0.5	ug/L	09/21/2005 18:54	
Toluene	ND	0.5	ug/L	09/21/2005 18:54	
Ethylbenzene	ND	0.5	ug/L	09/21/2005 18:54	
Total xylenes	ND	1.0	ug/L	09/21/2005 18:54	
Surrogates(s)					
1,2-Dichloroethane-d4	99.4	73-130	%	09/21/2005 18:54	
Toluene-d8	105.0	81-114	%	09/21/2005 18:54	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Method Blank

MB: 2005/09/21-2A.65-002

Water

Test(s): 8260B

QC Batch # 2005/09/21-2A.65

Date Extracted: 09/21/2005 20:02

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/21/2005 20:02	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/21/2005 20:02	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/21/2005 20:02	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/21/2005 20:02	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/21/2005 20:02	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/21/2005 20:02	
Benzene	ND	0.5	ug/L	09/21/2005 20:02	
Toluene	ND	0.5	ug/L	09/21/2005 20:02	
Ethylbenzene	ND	0.5	ug/L	09/21/2005 20:02	
Total xylenes	ND	1.0	ug/L	09/21/2005 20:02	
Surrogates(s)					
1,2-Dichloroethane-d4	95.6	73-130	%	09/21/2005 20:02	
Toluene-d8	90.0	81-114	%	09/21/2005 20:02	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Water

QC Batch # 2005/09/21-2B.66

MB: 2005/09/21-2B.66-058

Date Extracted: 09/21/2005 18:58

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/21/2005 18:58	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/21/2005 18:58	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/21/2005 18:58	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/21/2005 18:58	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/21/2005 18:58	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/21/2005 18:58	
Benzene	ND	0.5	ug/L	09/21/2005 18:58	
Toluene	ND	0.5	ug/L	09/21/2005 18:58	
Ethylbenzene	ND	0.5	ug/L	09/21/2005 18:58	
Total xylenes	ND	1.0	ug/L	09/21/2005 18:58	
Surrogates(s)					
1,2-Dichloroethane-d4	93.0	73-130	%	09/21/2005 18:58	
Toluene-d8	105.4	81-114	%	09/21/2005 18:58	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Method Blank

Water

QC Batch # 2005/09/22-1A.65

MB: 2005/09/22-1A.65-048

Date Extracted: 09/22/2005 08:48

Compound	Conc.	RL	Unit	Analyzed	Flag
Gasoline [Shell]	ND	50	ug/L	09/22/2005 08:48	
tert-Butyl alcohol (TBA)	ND	5.0	ug/L	09/22/2005 08:48	
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	09/22/2005 08:48	
Di-isopropyl Ether (DIPE)	ND	2.0	ug/L	09/22/2005 08:48	
Ethyl tert-butyl ether (ETBE)	ND	2.0	ug/L	09/22/2005 08:48	
tert-Amyl methyl ether (TAME)	ND	2.0	ug/L	09/22/2005 08:48	
Benzene	ND	0.5	ug/L	09/22/2005 08:48	
Toluene	ND	0.5	ug/L	09/22/2005 08:48	
Ethylbenzene	ND	0.5	ug/L	09/22/2005 08:48	
Total xylenes	ND	1.0	ug/L	09/22/2005 08:48	
Surrogates(s)					
1,2-Dichloroethane-d4	89.2	73-130	%	09/22/2005 08:48	
Toluene-d8	90.4	81-114	%	09/22/2005 08:48	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/09/20-2B.64

LCS 2005/09/20-2B.64-057

Extracted: 09/20/2005

Analyzed: 09/20/2005 18:57

LCSD

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	25.8		25	103.2			65-165	20		
Benzene	28.0		25	112.0			69-129	20		
Toluene	28.7		25	114.8			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	442		500	88.4			73-130			
Toluene-d8	511		500	102.2			81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/09/20-2B.68

LCS 2005/09/20-2B.68-052
LCSD

Extracted: 09/20/2005

Analyzed: 09/20/2005 18:52

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	25.1		25	100.4			65-165	20		
Benzene	23.6		25	94.4			69-129	20		
Toluene	24.9		25	99.6			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	404		500	80.8			73-130			
Toluene-d8	497		500	99.4			81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/09/21-1A.64

LCS 2005/09/21-1A.64-028
LCSD

Extracted: 09/21/2005

Analyzed: 09/21/2005 08:28

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	25.4		25	101.6			65-165	20		
Benzene	28.7		25	114.8			69-129	20		
Toluene	29.0		25	116.0			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	459		500	91.8			73-130			
Toluene-d8	536		500	107.2			81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/09/21-2A.64

LCS 2005/09/21-2A.64-033
LCSD

Extracted: 09/21/2005

Analyzed: 09/21/2005 18:33

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	28.6		25	114.4			65-165	20		
Benzene	29.3		25	117.2			69-129	20		
Toluene	30.1		25	120.4			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	444		500	88.8			73-130			
Toluene-d8	528		500	105.6			81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/09/21-2A.65

LCS 2005/09/21-2A.65-010

Extracted: 09/21/2005

Analyzed: 09/21/2005 19:10

LCSD

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	27.1		25	108.4			65-165	20		
Benzene	28.8		25	115.2			69-129	20		
Toluene	27.4		25	109.6			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	429		500	85.8			73-130			
Toluene-d8	454		500	90.8			81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/09/21-2B.66

LCS 2005/09/21-2B.66-031

Extracted: 09/21/2005

Analyzed: 09/21/2005 18:31

LCSD

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	23.3		25	93.2			65-165	20		
Benzene	24.6		25	98.4			69-129	20		
Toluene	29.3		25	117.2			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	449		500	89.8			73-130			
Toluene-d8	518		500	103.6			81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/09/22-1A.65

LCS 2005/09/22-1A.65-022
LCSD

Extracted: 09/22/2005

Analyzed: 09/22/2005 08:22

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	27.0		25	108.0			65-165	20		
Benzene	28.6		25	114.4			69-129	20		
Toluene	27.3		25	109.2			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	438		500	87.6			73-130			
Toluene-d8	453		500	90.6			81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1

98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/09/20-2B.64

MS/MSD

Lab ID: 2005-09-0332 - 001

MS: 2005/09/20-2B.64-011

Extracted: 09/20/2005

Analyzed: 09/20/2005 20:11

Dilution: 1.00

MSD: 2005/09/20-2B.64-032

Extracted: 09/20/2005

Analyzed: 09/20/2005 20:32

Dilution: 1.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	24.5	23.7	ND	25	98.0	94.8	3.3	65-165	20		
Benzene	26.7	25.1	ND	25	106.8	100.4	6.2	69-129	20		
Toluene	26.4	27.0	ND	25	105.6	108.0	2.2	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	506	486		500	101.2	97.2		73-130			
Toluene-d8	547	551		500	109.4	110.2		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/09/20-2B.68

MS/MSD

Lab ID: 2005-09-0261 - 003

MS: 2005/09/20-2B.68-053

Extracted: 09/21/2005

Analyzed: 09/21/2005 20:12

Dilution: 2000.00

MSD: 2005/09/20-2B.68-038

Extracted: 09/20/2005

Analyzed: 09/20/2005 20:38

Dilution: 2000.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	91000	94000	58307.6	50000	65.4	71.4	8.8	65-165	20		
Benzene	50900	51600	2419.6	50000	97.0	98.4	1.4	69-129	20		
Toluene	50600	51000	ND	50000	101.2	102.0	0.8	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	403	415		500	80.6	83.0		73-130			
Toluene-d8	516	542		500	103.2	108.4		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1

98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/09/21-1A.64

MS/MSD

Lab ID: 2005-09-0379 - 017

MS: 2005/09/21-1A.64-053

Extracted: 09/21/2005

Analyzed: 09/21/2005 12:53

Dilution: 1.00

MSD: 2005/09/21-1A.64-014

Extracted: 09/21/2005

Analyzed: 09/21/2005 13:14

Dilution: 10.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	30.0	29.5	ND	25	120.0	118.0	1.7	65-165	20		
Benzene	30.6	29.4	ND	25	122.4	117.6	4.0	69-129	20		
Toluene	30.7	30.8	ND	25	122.8	123.2	0.3	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	508	537		500	101.6	107.4		73-130			
Toluene-d8	528	544		500	105.6	108.8		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/09/21-2A.64

MS/MSD

Lab ID: 2005-09-0491 - 001

MS: 2005/09/21-2A.64-009

Extracted: 09/21/2005

Analyzed: 09/21/2005 21:09

Dilution: 10.00

MSD: 2005/09/21-2A.64-030

Extracted: 09/21/2005

Analyzed: 09/21/2005 21:30

Dilution: 10.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	52.0	52.7	27	25	100.0	102.8	2.8	65-165	20		
Benzene	26.6	26.0	ND	25	106.4	104.0	2.3	69-129	20		
Toluene	27.4	26.5	ND	25	109.6	106.0	3.3	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	462	481		500	92.4	96.2		73-130			
Toluene-d8	543	538		500	108.6	107.6		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1

98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/09/21-2A.65

MS/MSD

Lab ID: 2005-09-0366 - 001

MS: 2005/09/21-2A.65-038

Extracted: 09/21/2005

Analyzed: 09/21/2005 20:38

Dilution: 1.00

MSD: 2005/09/21-2A.65-004

Extracted: 09/21/2005

Analyzed: 09/21/2005 21:04

Dilution: 1.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	25.3	27.0	ND	25	101.2	108.0	6.5	65-165	20		
Benzene	26.6	28.1	ND	25	106.4	112.4	5.5	69-129	20		
Toluene	26.3	26.7	ND	25	105.2	106.8	1.5	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	421	439		500	84.2	87.8		73-130			
Toluene-d8	450	455		500	90.0	91.0		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/09/21-2B.66

MS/MSD

Lab ID: 2005-09-0427 - 003

MS: 2005/09/21-2B.66-021

Extracted: 09/21/2005

Analyzed: 09/21/2005 21:21

Dilution: 10.00

MSD: 2005/09/21-2B.66-049

Extracted: 09/21/2005

Analyzed: 09/21/2005 21:49

Dilution: 10.00

Compound	Conc. ug/L			Spk.Level	Recovery %			Limits %		Flags	
	MS	MSD	Sample		ug/L	MS	MSD	RPD	Rec.	RPD	MS
Methyl tert-butyl ether	861	862	560	250	120.4	120.8	0.3	65-165	20		
Benzene	266	257	ND	250	106.4	102.8	3.4	69-129	20		
Toluene	298	314	ND	250	119.2	125.6	5.2	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	458	456		500	91.6	91.2		73-130			
Toluene-d8	521	547		500	104.2	109.4		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1
98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/09/22-1A.65

MS/MSD

Lab ID: 2005-09-0181 - 001

MS: 2005/09/22-1A.65-054

Extracted: 09/22/2005

Analyzed: 09/22/2005 09:54

Dilution: 1.00

MSD: 2005/09/22-1A.65-020

Extracted: 09/22/2005

Analyzed: 09/22/2005 10:20

Dilution: 1.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	26.3	26.8	ND	25	105.2	107.2	1.9	65-165	20		
Benzene	28.1	27.9	ND	25	112.4	111.6	0.7	69-129	20		
Toluene	27.7	26.9	ND	25	110.8	107.6	2.9	70-130	20		
<i>Surrogate(s)</i>											
1,2-Dichloroethane-d4	416	447		500	83.2	89.4		73-130			
Toluene-d8	449	451		500	89.8	90.2		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: 050915-WC-1

98995750

Received: 09/16/2005 13:10

Site: 610 Market Street, Oakland

Legend and Notes

Analysis Flag

L2

Reporting limits were raised due to high level of analyte present in the sample.

Result Flag

J3

Estimated value. The concentration exceeded the calibration of analysis.

Q1

Quantit. of unknown hydrocarbon(s) in sample based on gasoline.

Q6

The concentration reported reflect(s) individual or discrete unidentified peaks not matching a typical fuel pattern.

SHELL Chain Of Custody Record

97545

Lab Identification (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be Involved:

Denis Brown

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- CRMT HOUSTON

2005-09-0443

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 5 7 5 0

SAP or CRMT NUMBER (TS/CRMT)

DATE: 9/15/05

PAGE: 1 of 1

IMPROVING COMPANY Inline Tech Services ADDRESS 680 Rogers Avenue, San Jose, CA 95112 PROJECT CONTACT (Name, Title or ID# Report to) Sean Gearhart TELEPHONE 08-573-0555 FAX 408-573-7771 E-MAIL lgearhart@inline-tech.com	LOG CODE: BTSS	SITE ADDRESS (Street and City): 610 Market Street, Oakland EDF DELIVERABLE TO (Responsible Party or Siteowner): Anni Kream CALLER NUMBER (Phone): <p style="font-size: 2em; font-family: cursive;">Will Crow</p>	GLOBAL ID NO: T0600102121 E-MAIL ShellOaklandEDF@cambria-env.com CONSULTANT PROJECT ID: 050915-0001 BTS #
---	--------------------------	--	--

TURNAROUND TIME (BUSINESS DAYS):
 10 DAYS 5 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

LA - RWQCB REPORT FORMAT UST AGENCY:

SCAMS MTBE CONFIRMATION: HIGHEST _____ HIGHEST pm BOILING _____ ALL _____

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

REQUESTED ANALYSIS

CAB USE ONLY	Field Sample Identification	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (0.0218 - 5ppb RL)	MTEB (0.2608 - 0.5ppb RL)	Oxyaromatics (5) by (0.2608)	Ethanol (0.2608)	Methanol	1,2-DCA (0.2608)	EDB (0.2608)	TPH - Diesel Extractable (0.015m)	FIELD NOTES: Container/Preservative or PID Readings or Laboratory Notes	TEMPERATURE ON RECEIPT °C
	MW-2	9/15/05	1152	H ₂ O	BHCL	X	X	X	X	X							
	MW-3		1005			X	X	X	X	X							
	MW-4		1040			X	X	X	X	X							
	MW-5		1103			X	X	X	X	X							
	MW-9		1220			X	X	X	X	X							
	MW-8		1506			X	X	X	X	X							
	MW-6		1330			X	X	X	X	X							
	MW-7		1348			X	X	X	X	X							
	MW-1	↓	1353	↓	↓	X	X	X	X	X							

Analyzed by (Signature): Analyzed by (Signature): 	Reported by (Signature): Will Crow Reported by (Signature): SZL-SF Reported by (Signature): Joan Mullen	Date: 9/15/05 Date: 9/16/05 Date: 9/16/05	Time: 1659 Time: 1310 Time: 1530
--	--	--	---

S&E Chain of Custody Form 806-0702

Blaine Tech Services, Inc.

August 31, 2005

1680 Rogers Avenue
San Jose, CA 95112-1105
Attn.: Leon Gearhart
Project#: BTS#050816-MD3
Project: 98995750
Site: 610 Market Street, Oakland

Dear Mr. Gearhart,

Attached is our report for your samples received on 08/17/2005 15:55

This report has been reviewed and approved for release. Reproduction of this report is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after 10/01/2005 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,

You can also contact me via email. My email address is: mbrewer@stl-inc.com

Sincerely,



Melissa Brewer
Project Manager

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
MW-3	08/16/2005 14:20	Water	1
MW-5	08/16/2005 14:05	Water	2
MW-6	08/16/2005 14:40	Water	3

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.
Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771
Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Prep(s): 5030B Test(s): 8260B
Sample ID: MW-3 Lab ID: 2005-08-0537 - 1
Sampled: 08/16/2005 14:20 Extracted: 8/27/2005 15:28
Matrix: Water QC Batch#: 2005/08/27-1B.68
Analysis Flag: L2, pH: <2 (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Methyl tert-butyl ether (MTBE)	330	2.0	ug/L	4.00	08/27/2005 15:28	
Surrogate(s)						
1,2-Dichloroethane-d4	109.1	73-130	%	4.00	08/27/2005 15:28	
Toluene-d8	102.7	81-114	%	4.00	08/27/2005 15:28	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: MW-5	Lab ID: 2005-08-0537 - 2
Sampled: 08/16/2005 14:05	Extracted: 8/27/2005 15:54
Matrix: Water	QC Batch#: 2005/08/27-1B.68
Analysis Flag: L2, pH: <2 (See Legend and Note Section)	

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Methyl tert-butyl ether (MTBE)	270	5.0	ug/L	10.00	08/27/2005 15:54	
Surrogate(s)						
1,2-Dichloroethane-d4	105.6	73-130	%	10.00	08/27/2005 15:54	
Toluene-d8	104.3	81-114	%	10.00	08/27/2005 15:54	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Prep(s): 5030B	Test(s): 8260B
Sample ID: MW-6	Lab ID: 2005-08-0537 - 3
Sampled: 08/16/2005 14:40	Extracted: 8/28/2005 03:35
Matrix: Water	QC Batch#: 2005/08/27-2B.65

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Methyl tert-butyl ether (MTBE)	34	0.50	ug/L	1.00	08/28/2005 03:35	
Surrogate(s)						
1,2-Dichloroethane-d4	105.0	73-130	%	1.00	08/28/2005 03:35	
Toluene-d8	98.5	81-114	%	1.00	08/28/2005 03:35	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Method Blank

MB: 2005/08/27-1B.68-002

Water

Test(s): 8260B

QC Batch # 2005/08/27-1B.68

Date Extracted: 08/27/2005 13:02

Compound	Conc.	RL	Unit	Analyzed	Flag
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	08/27/2005 13:02	
Benzene	ND	0.5	ug/L	08/27/2005 13:02	
Toluene	ND	0.5	ug/L	08/27/2005 13:02	
Surrogates(s)					
1,2-Dichloroethane-d4	97.9	73-130	%	08/27/2005 13:02	
Toluene-d8	105.7	81-114	%	08/27/2005 13:02	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Method Blank

MB: 2005/08/27-2B.65-002

Water

Test(s): 8260B

QC Batch # 2005/08/27-2B.65

Date Extracted: 08/27/2005 20:02

Compound	Conc.	RL	Unit	Analyzed	Flag
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	08/27/2005 20:02	
Benzene	ND	0.5	ug/L	08/27/2005 20:02	
Toluene	ND	0.5	ug/L	08/27/2005 20:02	
Surrogates(s)					
1,2-Dichloroethane-d4	98.2	73-130	%	08/27/2005 20:02	
Toluene-d8	96.2	81-114	%	08/27/2005 20:02	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/08/27-1B.68

LCS 2005/08/27-1B.68-036

Extracted: 08/27/2005

Analyzed: 08/27/2005 12:36

LCSD

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	30.4		25	121.6			65-165	20		
Benzene	24.0		25	96.0			69-129	20		
Toluene	24.4		25	97.6			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	417		500	83.4			73-130			
Toluene-d8	514		500	102.8			81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

08/30/2005 19:09

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/08/27-2B.65

LCS 2005/08/27-2B.65-036
LCSD

Extracted: 08/27/2005

Analyzed: 08/27/2005 19:36

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	23.2		25	92.8			65-165	20		
Benzene	24.6		25	98.4			69-129	20		
Toluene	25.3		25	101.2			70-130	20		
Surrogates(s)										
1,2-Dichloroethane-d4	445		500	89.0			73-130			
Toluene-d8	481		500	96.2			81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566
Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

08/30/2005 19:09

Page 8 of 11

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/08/27-1B.68

MS/MSD

Lab ID: 2005-08-0459 - 006

MS: 2005/08/27-1B.68-035

Extracted: 08/27/2005

Analyzed: 08/27/2005 14:35

Dilution: 20.00

MSD: 2005/08/27-1B.68-037

Extracted: 08/29/2005

Analyzed: 08/29/2005 15:02

Dilution: 20.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	546	540	ND	500	109.2	108.0	1.1	65-165	20		
Benzene	1040	996	586	500	90.8	82.0	10.2	69-129	20		
Toluene	523	512	15.8	500	101.4	99.2	2.2	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	412	423		500	82.3	84.6		73-130			
Toluene-d8	535	541		500	107.0	108.2		81-114			

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3
98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/08/27-2B.65

MS/MSD

Lab ID: 2005-08-0485 - 003

MS: 2005/08/27-2B.65-030

Extracted: 08/27/2005

Analyzed: 08/27/2005 21:30

Dilution: 5.00

MSD: 2005/08/27-2B.65-056

Extracted: 08/27/2005

Analyzed: 08/27/2005 21:56

Dilution: 5.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	122	130	19	125	82.4	88.8	7.5	65-165	20		
Benzene	122	111	ND	125	97.6	88.8	9.4	69-129	20		
Toluene	127	119	ND	125	101.6	95.2	6.5	70-130	20		
Surrogate(s)											
1,2-Dichloroethane-d4	448	470		500	89.6	94.0		73-130			
Toluene-d8	477	496		500	95.4	99.2		81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566
Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

08/30/2005 19:09

Page 10 of 11

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050816-MD3

98995750

Received: 08/17/2005 15:55

Site: 610 Market Street, Oakland

Legend and Notes

Analysis Flag

L2

Reporting limits were raised due to high level of analyte present
in the sample.

LAB:

SHELL Chain Of Custody Record

117702

Company Name (if not Shell):

Address:

City, State, Z:

Shell Project Manager to be Invoiced:

- GENERAL & ENGINEERING
- TECHNICAL SERVICES
- CRMT (OAKSTON)

Denis Brown

2005-08-0537

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 5 7 5 0

SAP or CRMT NUMBER (TS/CRMT)

DATE: 8/10/05

PAGE: 1 of 1

Company Name Blaine Tech Services	LOG CODE BTSS	SITE ADDRESS (Street and City) 610 Market Street, Oakland	LAB ID # T0600102121
---	-------------------------	---	--------------------------------

ADDRESS 1080 Rogers Avenue, San Jose, CA 95112	CONTACT NAME Anni Kroml	PHONE # 510-420-3335	E-MAIL ShellOaklandEDF@cambria-env.com
--	-----------------------------------	--------------------------------	--

CONTACT NAME Leon Gearhart	PHONE # 408-573-0555	FAX 408-573-7771	E-MAIL lgearhart@blainetech.com
--------------------------------------	--------------------------------	----------------------------	---

TELEPHONE: **408-573-0555** FAX: **408-573-7771** E-MAIL: **lgearhart@blainetech.com**

TURNAROUND TIME (BUSINESS DAYS):
 10 DAYS 5 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

LAB SERVICE REPORT FORMAT: LIST AGENCY

GDMS MTEC CONFIRMATION: HIGHEST _____ HIGHEST per BORING _____ ALL _____

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

REQUESTED ANALYSIS

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas Purgeable	BTEX	MTBE (R221B - 5ppb RL)	MTBE (R260B - 0.5 ppb RL)	Dioxinates (E) by (R260B)	Ethanol (R260B)	Methanol	1,2-DCA (R260B)	EDB (R260B)	TPH - Chloro, Extractable (EOT5m)	FIELD NOTES: Continental/Preservative or PID Readings or Laboratory Notes	
		DATE	TIME														
✓	MW-3	8/10/05	14:25	V	3				X								
✓	MW-5	↓	14:55	↓	3				X								
✓	MW-6	↓	14:40	↓	3				X								

Signature: <u>[Signature]</u> Title: <u>Project Sample Custodian</u>	Signature: <u>[Signature]</u> Title: <u>Sample Custodian</u>	Signature: <u>[Signature]</u> Title: <u>[Signature]</u>	Date: <u>8/10/05</u> Time: <u>14:55</u>
---	---	--	--

Blaine Tech Services, Inc.

July 29, 2005

1680 Rogers Avenue
San Jose, CA 95112-1105
Attn.: Leon Gearhart
Project#: BTS#050715-DA2
Project: 98995750
Site: 610 Market Street, Oakland

Dear Mr. Gearhart,

Attached is our report for your samples received on 07/18/2005 13:37
This report has been reviewed and approved for release. Reproduction of this report
is permitted only in its entirety.

Please note that any unused portion of the samples will be discarded after
09/01/2005 unless you have requested otherwise.

We appreciate the opportunity to be of service to you. If you have any questions,

You can also contact me via email. My email address is: mbrewer@stl-inc.com

Sincerely,



Melissa Brewer
Project Manager

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue

San Jose, CA 95112-1105

Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050715-DA2
98995750

Received: 07/18/2005 13:37

Site: 610 Market Street, Oakland

Samples Reported

Sample Name	Date Sampled	Matrix	Lab #
MW-5	07/15/2005 12:40	Water	1

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

07/28/2005 16:37

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050715-DA2
98995750

Received: 07/18/2005 13:37

Site: 610 Market Street, Oakland

Prep(s): 5030B Test(s): 8260B
Sample ID: MW-5 Lab ID: 2005-07-0471 - 1
Sampled: 07/15/2005 12:40 Extracted: 7/27/2005 13:10
Matrix: Water QC Batch#: 2005/07/27-1A.68
Analysis Flag: L2, pH: <2 (See Legend and Note Section)

Compound	Conc.	RL	Unit	Dilution	Analyzed	Flag
Methyl tert-butyl ether (MTBE)	350	2.0	ug/L	4.00	07/27/2005 13:10	
Surrogate(s)						
1,2-Dichloroethane-d4	102.0	73-130	%	4.00	07/27/2005 13:10	
Toluene-d8	100.8	81-114	%	4.00	07/27/2005 13:10	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050715-DA2
98995750

Received: 07/18/2005 13:37

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Method Blank

MB: 2005/07/27-1A.68-002

Water

Test(s): 8260B

QC Batch # 2005/07/27-1A.68

Date Extracted: 07/27/2005 10:02

Compound	Conc.	RL	Unit	Analyzed	Flag
Methyl tert-butyl ether (MTBE)	ND	0.5	ug/L	07/27/2005 10:02	
Surrogates(s)					
1,2-Dichloroethane-d4	107.2	73-130	%	07/27/2005 10:02	
Toluene-d8	100.8	81-114	%	07/27/2005 10:02	

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050715-DA2
98995750

Received: 07/18/2005 13:37

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Laboratory Control Spike

Water

QC Batch # 2005/07/27-1A.68

LCS 2005/07/27-1A.68-036

Extracted: 07/27/2005

Analyzed: 07/27/2005 09:36

LCSD

Compound	Conc. ug/L		Exp.Conc.	Recovery %		RPD	Ctrl.Limits %		Flags	
	LCS	LCSD		LCS	LCSD		%	Rec.	RPD	LCS
Methyl tert-butyl ether (MTBE)	25.2		25	100.8			65-165	20		
Surrogates(s)										
1,2-Dichloroethane-d4	425		500	85.0			73-130			
Toluene-d8	505		500	101.0			81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566
Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

07/28/2005 16:37

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050715-DA2
98995750

Received: 07/18/2005 13:37

Site: 610 Market Street, Oakland

Batch QC Report

Prep(s): 5030B

Test(s): 8260B

Matrix Spike (MS / MSD)

Water

QC Batch # 2005/07/27-1A.68

MS/MSD

Lab ID: 2005-07-0679 - 001

MS: 2005/07/27-1A.68-018

Extracted: 07/27/2005

Analyzed: 07/27/2005 12:18

Dilution: 2.00

MSD: 2005/07/27-1A.68-044

Extracted: 07/27/2005

Analyzed: 07/27/2005 12:44

Dilution: 2.00

Compound	Conc. ug/L			Spk.Level ug/L	Recovery %			Limits %		Flags	
	MS	MSD	Sample		MS	MSD	RPD	Rec.	RPD	MS	MSD
Methyl tert-butyl ether	109	143	71.042	50	75.9	143.9	61.9	65-165	20		R3
Surrogate(s)											
1,2-Dichloroethane-d4	403	482		500	80.6	96.4		73-130			
Toluene-d8	494	499		500	98.8	99.8		81-114			

Severn Trent Laboratories, Inc.

STL San Francisco * 1220 Quarry Lane, Pleasanton, CA 94566

Tel 925 484 1919 Fax 925 484 1096 * www.stl-inc.com * CA DHS ELAP# 2496

07/28/2005 16:37

Gas/BTEX Fuel Oxygenates by 8260B (C6-C12)

Blaine Tech Services, Inc.

Attn.: Leon Gearhart

1680 Rogers Avenue
San Jose, CA 95112-1105
Phone: (408) 573-0555 Fax: (408) 573-7771

Project: BTS#050715-DA2
98995750

Received: 07/18/2005 13:37

Site: 610 Market Street, Oakland

Legend and Notes

Analysis Flag

L2

Reporting limits were raised due to high level of analyte present in the sample.

Result Flag

R3

RPD exceeds limits due to matrix interf., % recovs. within limits.

LAB: STR

SHELL Chain Of Custody Record

116085

Sub Identification (if applicable)

Address

City/State/Cp

Shell Project Manager to be invoiced:

- EXPERIENCE & ENGINEERING
- TECHNICAL SERVICES
- O&H HOUSTON

Denis Brown

2005-07-0471

INCIDENT NUMBER (S&E ONLY)

9 8 9 9 5 7 5 0

SAP or CRMT NUMBER (FS/CRMT)

DATE 7/15/05

PAGE 1 of 1

LABORATORY COMPANY Blaine Tech Services	LOG CODE BTSS	SITE ADDRESS (Street and City) 610 Market Street, Oakland	CLIENT CODE T0600102121
--	-------------------------	--	-----------------------------------

ADDRESS 1688 Rogers Avenue, San Jose, CA 95112	FOR DELIVERABLE TO (Responsible Party or Location) Annal Krenl	PHONE NO. 510-420-3335	EMAIL ShellOaklandEDF@cambria-env.com	CONSULTANT PROJECT NO. 050715-012
--	--	----------------------------------	---	---

PROJECT CONTACT (personify PDF Request) Leon Gearhart	TELEPHONE 408-573-0555	FAX 408-573-7771	EMAIL lgearhart@blainetech.com	David Attkent
---	----------------------------------	----------------------------	--	---------------

TURNAROUND TIME (BUSINESS DAYS) <input checked="" type="checkbox"/> 10 DAYS <input type="checkbox"/> 5 DAYS <input type="checkbox"/> 72 HOURS <input type="checkbox"/> 48 HOURS <input type="checkbox"/> 24 HOURS <input type="checkbox"/> LESS THAN 24 HOURS	REQUESTED ANALYSIS
---	---------------------------

<input type="checkbox"/> LA - RWQCB REPORT FORMAT <input type="checkbox"/> USE AGENCY: _____	LAB USE ONLY
--	---------------------

GENS MTBE CONFIRMATION: HIGHEST _____ HIGHEST per BORING _____ ALL _____

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	REQUESTED ANALYSIS										TEMPERATURE ON RECEIPT °C			
		DATE	TIME			TPH - Gas, Purgeable	BTEX	MTBE (8021B - 6ppb RL)	MTBE (R250B - 0.5ppb RL)	Oxytelintus (S) by (S260B)	Ethanol (R260B)	Methanol	1,2-DCA (R260B)	ECB (R260B)	TPH - Diesel, Extractable (8015m)				
	MW-S	7/15/05	1240	W	3														

FIELD NOTES:
 Container/Preservative or PID Readings or Laboratory Notes

Received by (Client) <i>David Attkent</i>	Received by (Shell) <i>Annal Krenl</i>	Date <i>7/15/05</i>	Time <i>1452</i>
Received by (Client) <i>Annal Krenl</i>	Received by (Shell) <i>Annal Krenl</i>	Date <i>7/18/05</i>	Time <i>1537</i>
Received by (Client) <i>Annal Krenl</i>	Received by (Shell) <i>Annal Krenl</i>	Date <i>7/18/05</i>	Time <i>1715</i>

SHELL OIL COMPANY

WELL GAUGING DATA

Project # 050915-WC-1 Date 9/15/05 Client Shell

Site 610 Market St, Oakland

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	
MW-1	4					14.00	24.70		
MW-2	4					11.98	18.32		ext. we
MW-3	4					15.30	—		ext.
MW-4	4					11.30	19.78		to
MW-5	4					10.96	20.10		to
MW-6	4		did not hit water			5.35	top of pump		ext.
MW-7	4					11.95	18.35		ext. we
MW-8	4					11.38	17.79		ext.
MW-9	4					11.75	19.79	✓	
MW-6	4					12.83	18.66	TOC	

SHELL WELL MONITORING DATA SHEET

BTS #: <u>050915-wc-1</u>	Site: <u>610 Market St, Oakland</u>
Sampler: <u>wc</u>	Date: <u>9/15/05</u>
Well I.D.: <u>MW-1</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>24.70</u>	Depth to Water (DTW): <u>14.00</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>NYC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>16.14</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing
 Other: _____

7.0 (Gals.) X 3 = 21 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1131</u>	<u>69.5</u>	<u>6.5</u>	<u>916</u>	<u>8</u>	<u>7</u>	<u>clear</u>
<u>1133</u>	<u>70.0</u>	<u>6.5</u>	<u>919</u>	<u>7</u>	<u>14</u>	
<u>1134</u>	<u>69.9</u>	<u>6.5</u>	<u>913</u>	<u>7</u>	<u>21</u>	<u>↓ DTW=19.54</u>

Did well dewater? Yes No Gallons actually evacuated: 21

Sampling Date: 9/15/05 Sampling Time: 1353 Depth to Water: 19.54 H. 91

Sample I.D.: MW-1 Laboratory: ST Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Oxy's

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 050915-WC-1	Site: 610 Market St, Oakland
Sampler: WC	Date: 9/15/05
Well I.D.: MW-2	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 18.32	Depth to Water (DTW): 11.98
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Grade	D.O. Meter (if req'd): YSI <input type="checkbox"/> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.25	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

$4.1 \text{ (Gals.)} \times 3 = 12.3 \text{ Gals.}$ <p>1 Case Volume Specified Volumes Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1144	67.8	6.6	930	12	5	clear/odor
1145	70.1	6.6	1105	11	9	↓
1146	70.3	6.6	1084	10	13	↓

Did well dewater? Yes No Gallons actually evacuated: 13

Sampling Date: 9/15/05 Sampling Time: 1152 Depth to Water: 12.55

Sample I.D.: MW-2 Laboratory: SNL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: OxyS

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge: _____ mg/L Post-purge: _____ mg/L

O.R.P. (if req'd): Pre-purge: _____ mV Post-purge: _____ mV

SHELL WELL MONITORING DATA SHEET

BTS #: 050915-WC-1	Site: 610 Market St., Oakland
Sampler: WC	Date: 9/15/05
Well I.D.: MW-3	Well Diameter: 2 3 4 6 8
Total Well Depth (TD): —	Depth to Water (DTW): 15.30
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Grade	D.O. Meter (if req'd): <input type="checkbox"/> YSI <input type="checkbox"/> HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: —	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Positive Air Displacement <input type="checkbox"/> Electric Submersible	<input type="checkbox"/> Waterra <input type="checkbox"/> Peristaltic <input checked="" type="checkbox"/> Extraction Pump <input type="checkbox"/> Other: _____	Sampling Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input checked="" type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
--	--	--

	(Gals.) X	=		Gals.	
1 Case Volume	Specified Volumes		Calculated Volume		

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1003	61.8	6.8	1207	27	—	clear

Did well dewater? Yes No Gallons actually evacuated: —

Sampling Date: 9/15/05 Sampling Time: 1005 Depth to Water: 15.30

Sample I.D.: MW-3 Laboratory: STL Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Oxy's

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

SHELL WELL MONITORING DATA SHEET

BTS #: <u>050915-WC-1</u>	Site: <u>610 Market St., Oakland</u>
Sampler: <u>WC</u>	Date: <u>9/15/05</u>
Well I.D.: <u>MW-4</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>19.78</u>	Depth to Water (DTW): <u>11.30</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>13.00</u>	

Purge Method: Bailer Water Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing
 Other: _____

<u>5.5</u> (Gals.) X	<u>3</u>	= <u>16.5</u> Gals.
I Case Volume	Specified Volumes	Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1032	66.1	6.9	830	46	6	odorless
1033	68.4	6.7	833	35	11	↓
1034	68.2	6.6	943	31	17	↓

Did well dewater? Yes No Gallons actually evacuated: 17

Sampling Date: 9/15/05 Sampling Time: 1040 Depth to Water: 15.61 (Analytic)

Sample I.D.: 9/15/05 MW-4 Laboratory: STL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: oxys

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:		mg/L	Post-purge:		mg/L
O.R.P. (if req'd):	Pre-purge:		mV	Post-purge:		mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>050915-WC-1</u>	Site: <u>610 Market St., Oakland</u>
Sampler: <u>WC</u>	Date: <u>9/15/05</u>
Well I.D.: <u>MW-5</u>	Well Diameter: 2 3 <u>4</u> 6 8 _____
Total Well Depth (TD): <u>20.10</u>	Depth to Water (DTW): <u>10.96</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>DC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>12.79</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

$\underline{5.9} \text{ (Gals.)} \times \underline{3} = \underline{17.7} \text{ Gals.}$ I Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
1055	66.7	6.9	1313	146	6	
1056	69.1	6.8	1278	123	12	
1057	69.1	6.8	1314	102	18	

Did well dewater? Yes No Gallons actually evacuated: 18

Sampling Date: 9/15/05 Sampling Time: 1103 Depth to Water: 14.39 (float)

Sample I.D.: MW-5 Laboratory: ST Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Oxys

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 050915-WC-1	Site: 610 Market St, Oakland
Sampler: WC	Date: 9/15/05
Well I.D.: MW-6	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 18.60	Depth to Water (DTW): 15.35 to pump <u>11.83</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PLC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>13.18</u>	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible Waterra Peristaltic Extraction Pump Other _____ Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____

$4.4 \text{ (Gals.)} \times 3 = 13.2 \text{ Gals.}$ 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1322	71.7	6.9	926	46	5	odor/clear
1323	71.9	6.8	899	31	9	↓
1324	69.9	6.7	931	27	14	↓
Polled pump prior to purge @ gauge						

Did well dewater? Yes No Gallons actually evacuated: 14

Sampling Date: 9/15/05 Sampling Time: 1330 Depth to Water: 14.29 @ departure

Sample I.D.: MW-6 Laboratory: ST Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: OxyS

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558

Note: air line disconnected directly under well cap

SHELL WELL MONITORING DATA SHEET

BTS #: 050915-WC-1	Site: 610 Market St., Oakland
Sampler: WC	Date: 9/15/05
Well I.D.: MW-7	Well Diameter: 2 3 ④ 6 8
Total Well Depth (TD): 19.35	Depth to Water (DTW): 11.95
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: PVC Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.23	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

4.1 (Gals.) X 3 = 12.3 Gals. 1 Case Volume Specified Volumes Calculated Volume	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1117	68.1	6.7	958	57	4.1	clear
1117 well dewatered @ 5 gallons						
1338	69.2	6.8	956	49	—	clear

Did well dewater? Yes No Gallons actually evacuated: 5

Sampling Date: 9/15/05 Sampling Time: 1340 Depth to Water: 12.29

Sample I.D.: MW-7 Laboratory: PL Other: _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: OxyS

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 050915-wc-1	Site: 610 Market St, Oakland
Sampler: wc	Date: 9/15/05
Well I.D.: MW-45	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 17.29	Depth to Water (DTW): 11.38
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVE</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.06	

Purge Method: Bailer Disposable Bailer Positive Air Displacement Electric Submersible Waterra Peristaltic Extraction Pump Other _____

Sampling Method: Bailer Disposable Bailer Extraction Port Dedicated Tubing Other: _____

5.5 (Gals.) X 3 = 16.5 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
1258	66.2	6.7	1013	87	6	odor/clear
1259	66.9	6.7	989	30	11	
1300	67.6	6.7	992	23	17	↓

Spooled pump prior to purge & DTB gauge

Did well dewater? Yes No Gallons actually evacuated: 17

Sampling Date: 9/15/05 Sampling Time: 1306 Depth to Water: 15.40 @ departure

Sample I.D.: MW-45 Laboratory: ST Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Oxy's

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: 050915-WC-1		Site: 610 Market St., Oakland	
Sampler: WC		Date: 9/15/05	
Well I.D.: MW-9		Well Diameter: 2 3 <u>4</u> 6 8	
Total Well Depth (TD): 19.79		Depth to Water (DTW): 11.75	
Depth to Free Product:		Thickness of Free Product (feet):	
Referenced to: PVC	Grade	D.O. Meter (if req'd):	YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.36			

Purge Method: Bailer	Waters	Sampling Method: Bailer
Disposable Bailer	Peristaltic	Disposable Bailer
Positive Air Displacement	Extraction Pump	Extraction Port
Electric Submersible	Other _____	Dedicated Tubing
Other: _____		

5.2 (Gals.) X	3 Specified Volumes	= 15.6 Gals. Calculated Volume
---------------	---------------------	--------------------------------

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
1210	65.7	6.4	1258	17	6	greenish/transparent
1211	66.2	6.4	1329	37	11	↓
1212	66.2	6.4	1419	84	16	

Did well dewater? Yes No Gallons actually evacuated: 16

Sampling Date: 9/15/05 Sampling Time: 1220 Depth to Water: 1315

Sample I.D.: MW-9 Laboratory: DL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Oxy's

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

WELL GAUGING DATA

Project # 050816-MW3 Date 8/16/05 Client Shell

Site 610 Market St., Oakland

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or <u>TOB</u>
MW-1	4					13.57	24.60	
MW-2	4					10.53	18.19	
MW-3	4					15.22	-	
MW-4	4					10.85	19.66	
MW-5	4					10.50	19.98	
MW-6	4					10.64	18.54	
MW-7	4					11.52	18.25	
MW-8	4					10.95	-	
MW-9	4					11.25	19.70	

SHELL WELL MONITORING DATA SHEET

BTS #: <u>050816-MW3</u>	Site: <u>98995750</u>
Sampler: <u>MU</u>	Date: <u>8/16/05</u>
Well I.D.: <u>MW-3</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>—</u>	Depth to Water (DTW): <u>15.22</u>
Depth to Free Product: <u>—</u>	Thickness of Free Product (feet): <u>—</u>
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]:	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

COMPRESSION

(Gals.) X <u>2</u>	=	Gals.	
1 Case Volume	Specified Volumes	Calculated Volume	

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>AS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1420</u>	<u>75.0</u>	<u>7.4</u>	<u>1199</u>	<u>10</u>	<u>—</u>	<u>clear</u>

Did well dewater? Yes No Gallons actually evacuated:

Sampling Date: 8/16/05 Sampling Time: 1420 Depth to Water: —

Sample I.D.: MW-3 Laboratory: STI Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See Scope

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>950816-MW3</u>	Site: <u>90995750</u>
Sampler: <u>MW</u>	Date: <u>8/16/05</u>
Well I.D.: <u>MW-3</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>19.98</u>	Depth to Water (DTW): <u>10.50</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>12.40</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

$\frac{6.2 \text{ (Gals.)} \times 3}{1 \text{ Case Volume}} = \frac{18.6 \text{ Gals.}}{\text{Specified Volumes}} = \text{Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1356	75.8	7.1	1240	98	6.5	clear
1357	74.2	7.0	1221	150	13	↓
			well dewatered @		13	
1405	75.8	6.9	1218	730	-	cloudy

Did well dewater? Yes No Gallons actually evacuated: 13

Sampling Date: 8/16/05 Sampling Time: 1405 Depth to Water: 16.10

Sample I.D.: MW-3 Laboratory: STL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: See Scope

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>050816-MW3</u>	Site: <u>98995750</u>
Sampler: <u>MW</u>	Date: <u>8/16/05</u>
Well I.D.: <u>MW-6</u>	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): <u>18.54</u>	Depth to Water (DTW): <u>10.64</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>12.22</u>	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
Electric Submersible Other _____ Dedicated Tubing

Other: _____

5.1 (Gals.) X 3 = 15.3 Gals.
 I Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>1435</u>	<u>77.6</u>	<u>6.8</u>	<u>965</u>	<u>2100</u>	<u>5.5</u>	<u>Cloudy</u>
<u>1436</u>	<u>76.0</u>	<u>6.7</u>	<u>908</u>	<u>423</u>	<u>11</u>	<u>-11</u>
<u>1437</u>	<u>75.6</u>	<u>6.7</u>	<u>940</u>	<u>142</u>	<u>15.5</u>	<u>clear</u>

Did well dewater? Yes No Gallons actually evacuated: 15.5

Sampling Date: 8/16/05 Sampling Time: 1440 Depth to Water: 12.22

Sample I.D.: MW-6 Laboratory: STL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: Scorcap

EB I.D. (if applicable): @ _____ Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

WELL GAUGING DATA

Project # 050715-002 Date 7/15/05 Client Shell

Site 610 Market St. Oakland, CA

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC	
MW-5	4					10.20	20.05	TOC	

SHELL WELL MONITORING DATA SHEET

BTS #: 050715-DA2	Site: 610 Market St. Oakland, CA
Sampler: DA	Date: 7/15/05
Well I.D.: MW-5	Well Diameter: 2 3 <u>4</u> 6 8
Total Well Depth (TD): 20.05	Depth to Water (DTW): 10.20
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVO</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: —	

Purge Method: Bailer Waterra Sampling Method: Bailer
 Disposable Bailer Peristaltic Disposable Bailer
 Positive Air Displacement Extraction Pump Extraction Port
 Electric Submersible Other _____ Dedicated Tubing

Other: _____

6.4 (Gals.) X 3 = 19.2 Gals.
 1 Case Volume Specified Volumes Calculated Volume

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
1234	73.9	6.7	1071	36	6.5	clear
1236	74.0	6.8	1121	121	13	
1237	74.2	6.8	1187	199	19.5	

Did well dewater? Yes No Gallons actually evacuated: 19.5

Sampling Date: 7/15/05 Sampling Time: 1240 Depth to Water: traffic well

Sample I.D.: MW-5 Laboratory: STI Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

EB I.D. (if applicable): @ _____ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

Blaine Tech Services, Inc. 1680 Rogers Ave., San Jose, CA 95112 (800) 545-7558