

Atlantic Richfield Company

Shannon Couch
Environmental Business Manager

PO Box 1257
San Ramon, CA 94583
Phone: (925) 275-3804
Mobile: (510) 798-8314
E-Mail: Shannon.Couch1@bp.com

RECEIVED

2:52 pm, Nov 01, 2011

Alameda County
Environmental Health

October 31, 2011

Re: Third Quarter 2011 Monitoring Report
Atlantic Richfield Company Station #2111
1156 Davis Street, San Leandro, California
ACEH Case #RO0000494

I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Shannon Couch
Environmental Business Manager

Attachment:

Broadbent & Associates, Inc.
875 Cotting Ln., Suite G
Vacaville, CA 95688
(707) 455-7290 Tel
(707) 455-7295 Fax



October 31, 2011

Project No. 06-88-615

Atlantic Richfield Company
P.O. Box 1257
San Ramon, CA 94583
Submitted via ENFOS

Attn.: Ms. Shannon Couch

Re: Third Quarter 2011 Monitoring Report, Atlantic Richfield Company Station #2111,
1156 Davis Street, San Leandro, Alameda County, California;
ACEH Case #RO0000494


Dear Ms. Couch:

Attached is the *Third Quarter 2011 Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) Station #2111 located at 1156 Davis Street, San Leandro, California (Site). This report presents a status update and the results of groundwater monitoring conducted at the Site during the Third Quarter 2011.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact me at (707) 455-7290.

Sincerely,

BROADBENT & ASSOCIATES, INC.


James C. Ramos, E.I.T.
Staff Engineer


Thomas A. Sparrowe, P.G. #5065
Senior Geologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)
Mr. Karl Busche, City of San Leandro Environmental Services Division, 835 East 14th Street,
San Leandro, California 94577 (Submitted via GeoTracker)
Electronic copy uploaded to GeoTracker

**THIRD QUARTER 2011
MONITORING REPORT
ATLANTIC RICHFIELD COMPANY STATION #2111
SAN LEANDRO, CALIFORNIA**

Broadbent & Associates, Inc. (BAI) is pleased to present this *Third Quarter 2011 Monitoring Report* on behalf of Atlantic Richfield Company (ARC, a BP affiliated company) Station #2111 (Station #2111) located at 1156 Davis Street, San Leandro, Alameda County, California. Monitoring activities at the site were performed in accordance with an agency directive issued by the Alameda County Environmental Health (ACEH). Details of work performed, discussion of results, and recommendations are provided below.

Facility Name / Address:	<u>Station #2111 / 1156 Davis Street, San Leandro, California</u>
Client Project Manager / Title:	<u>Ms. Shannon Couch/ Project Manager</u>
BAI Contact:	<u>Mr. Tom Sparrowe, (707) 455-7290</u>
BAI Project No.:	<u>06-88-615</u>
Primary Regulatory Agency / ID No.:	<u>ACEH / Case #RO0000078</u>
Current phase of project:	<u>Assessment</u>
List of Acronyms / Abbreviations:	<u>See end of report text for list of acronyms/abbreviations used in report.</u>

WORK PERFORMED THIS QUARTER (Third Quarter 2011):

1. Prepared and submitted *Second Quarter 2011 Status Report* on July 29, 2011.
2. Conducted groundwater monitoring/sampling for Third Quarter 2011 on August 30, 2011.

WORK SCHEDULED FOR NEXT QUARTER (Fourth Quarter 2011):

1. Submit *Third Quarter 2011 Monitoring Report* (contained herein).
2. No environmental field activities are presently scheduled for Fourth Quarter 2011.

ADDITIONAL WORK RECOMMENDED FOR NEXT QUARTER (Fourth Quarter 2011)

1. None

QUARTERLY MONITORING PLAN SUMMARY:

Groundwater level gauging:	<u>MW-1 through MW-8</u>	(Semi-Annually, 1Q & 3Q)
Groundwater sample collection:	<u>MW-1 through MW-5, MW-7 and MW-8</u>	(Semi-Annually, 1Q & 3Q)
	<u>MW-6</u>	(Annually, 3Q)

QUARTERLY RESULTS SUMMARY:

LNAPL

LNAPL observed this quarter:	<u>No</u>	(yes\no)
LNAPL recovered this quarter:	<u>None</u>	(gal)
Cumulative LNAPL recovered:	<u>None</u>	(gal)

Groundwater Elevation and Gradient:

Depth to groundwater:	<u>13.10 (MW-6) to 17.13 (MW-1)</u>	(ft below TOC)
Gradient direction:	<u>West</u>	(compass direction)
Gradient magnitude:	<u>0.01</u>	(ft/ft)
Average change in elevation:	<u>- 0.67</u>	(ft since last measurement)

Laboratory Analytical Data

Summary:

GRO was detected in two wells sampled at a maximum concentration of 480 µg/L in MW-7. MTBE was detected in five wells at a maximum concentration of 180 µg/L in MW-7. TBA was detected in one well at a maximum concentration of 9,500 µg/L in MW-7.

ACTIVITIES CONDUCTED & RESULTS:

Third Quarter 2011 groundwater monitoring was on August 30, 2011 by BAI personnel in accordance with the monitoring plan summary detailed above. No other irregularities were noted during water level gauging. Depth to water measurements ranged from 13.10 ft at MW-6 to 17.13 ft at MW-1. Resulting groundwater surface elevations ranged from 22.13 ft above datum (NAVD88) in well MW-5 to 24.01 ft in well MW-6. Groundwater elevations are summarized in Table 1. Water level elevations yielded a potentiometric groundwater gradient to the west at approximately 0.01 ft/ft. Field methods used during groundwater monitoring are provided in Appendix A. Field data sheets and non-hazardous waste data forms are included in Appendix B. A Site Location Map is provided as Drawing 1. Potentiometric groundwater elevation contours are presented in Drawing 2.

Groundwater samples were collected on August 30, 2011, consistent with the current monitoring schedule. No irregularities were reported during sampling this quarter. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Calscience) of Garden Grove, California, for analysis of gasoline range organics (GRO, C6-12) by the EPA Method 8015B; for Benzene, Toluene, Ethylbenzene and Total Xylenes (BTEX) by EPA Method 8260B; and Methyl Tert-Butyl Ether (MTBE), Ethyl Tert-Butyl Ether (ETBE), Tert-Amyl Methyl Ether (TAME), Di-Isopropyl Ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Tert-Butyl Alcohol (TBA), and Ethanol by EPA Method 8260B. No significant irregularities were encountered during analysis of the samples. The laboratory analytical report, including chain-of-custody documentation, is provided in Appendix C.

Hydrocarbons in the GRO range were detected above the laboratory reporting limit in two wells sampled at concentrations up to 480 micrograms per liter (µg/L) in well MW-7. MTBE was detected above the laboratory reporting limit in five wells sampled at concentrations up to 180 µg/L in well MW-7. TBA, a bio-degradation by product of MTBE, was detected above the laboratory reporting limit in wells MW-2 at 340 µg/L and MW-7 at 9,500 µg/L. The remaining analytes were not detected above their laboratory reporting limits in the wells sampled this last monitoring event. Groundwater monitoring laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, benzene, and MTBE concentrations are presented in Drawing 2. Groundwater monitoring data (GEO_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix D.

DISCUSSION:

Groundwater level elevations were between historic minimum and maximum ranges for each well. Groundwater elevations yielded a potentiometric groundwater gradient to the west at approximately 0.01 ft/ft, generally consistent with the historic gradient data presented in Table 3. This event's detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well, with the following exceptions: MTBE reached historic minimum concentrations in wells MW-2 (4.5 µg/L) and MW-8 (3.6 µg/L); Benzene reached a historic

minimum concentration in well MW-2 with a non-detect; TBA reached a historic minimum concentration in well MW-8 with a non-detect.

RECOMMENDATIONS:

An offsite investigation should be pursued to determine if the petroleum hydrocarbons in the groundwater plume presents an exposure hazard to down gradient receptors. In a letter dated September 29, 2009 ACEH requested the submittal of an Addendum to the work plan for offsite monitoring well installation. In a September 11, 2009 BAI email to ACEH and as discussed in the Conclusions & Recommendations section of the *Third Quarter 2009 Groundwater Monitoring and Remediation System Status Report* (BAI, 10/30/2009), BAI noted that it has been unsuccessful in obtaining offsite access to the strip mall at 1290 Davis Street. The September 11, 2009 email provided ACEH with evidence of this offsite access stalemate and requested that ACEH assist in obtaining offsite access if they were interested in determining whether an exposure hazard exists for the strip mall employees and visitors. A BAI email dated November 24, 2009, requested that ACEH assist with obtaining access at 1290 Davis Street, or inform BP and BAI that offsite access in the down gradient direction will not be required. BP and BAI received an email response from ACEH on December 4, 2009 stating that ACEH would send a letter to the offsite property owner. ACEH's letter to the offsite property owner was dated February 10, 2010 and at this time BP and BAI are awaiting further correspondence from ACEH or access from the offsite property owner. The next semi-annual monitoring/sampling event is scheduled for First Quarter 2012.

LIMITATIONS:

The findings presented in this report are based upon observations of field personnel, the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. and our understanding of ACEH requirements. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1: Site Location Map, Station #2111, 1156 Davis Street, San Leandro, California
Drawing 2: Groundwater Elevation Contour and Analytical Summary Map, August 30, 2011
- Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
Table 2: Summary of Fuel Additives Analytical Data
Table 3: Historical Groundwater Gradient - Direction and Magnitude
- Appendix A: Field Methods
Appendix B: Field Data Sheets and Non-Hazardous Waste Data Forms
Appendix C: Laboratory Report and Chain of Custody Documentation
Appendix D: GeoTracker Upload Confirmation Receipts

LIST OF COMMONLY USED ACCRONYMS/ABBREVIATIONS:

ACEH:	Alameda County Environmental Health	gal:	gallons
ARC:	Atlantic Richfield Company	GRO:	Gasoline Range Organics (C6-12)
BAI:	Broadbent & Associates, Inc.	LNAPL:	Light Non-Aqueous Phase Liquid
BTEX:	Benzene, Toluene, Ethylbenzene, Total Xylenes	MTBE:	Methyl Tertiary Butyl Ether
1,2-DCA:	1,2-Dichloroethane	TAME:	Tert-Amyl Methyl Ether
DIPE:	Di-Isopropyl Ether	TBA:	Tert-Butyl Alcohol
DO:	Dissolved Oxygen	TOC:	Top of Casing
EDB:	1,2-Dibromomethane	µg/L:	Micrograms Per Liter
ft/ft	feet per foot		





IMAGE SOURCE: USGS

PARKING

H-4


H-5

SB-1



LEGEND

- ⊕ MONITORING WELL LOCATION
- ⊙ VAPOR EXTRACTION WELL LOCATION
- DESTROYED WELL LOCATION
- Well WELL DESIGNATION
- ELEV GROUND-WATER ELEVATION (FT)
- GRO CONCENTRATIONS OF GRO, BENZENE & MTBE IN MICROGRAMS PER LITER (µg/L)
- Benzene
- MTBE
- A/Q SAMPLING FREQUENCY
- ← 0.01 GROUND-WATER FLOW DIRECTION AND GRADIENT (FT/FT)
- 23.8 GROUND-WATER ELEVATION CONTOUR (FT)
- SA(1,3) SAMPLED SEMI-ANNUALLY
- A(3) SAMPLED ANNUALLY, THIRD QUARTER
- < NOT DETECTED AT OR ABOVE LABORATORY REPORTING LIMIT
- NS NOT SAMPLED
- NM NOT MEASURED
- * WELL NOT USED TO GENERATE CONTOURS



MW-1
22.36
<50
<0.50
2.1
SA(1,3)

MW-3
22.74
<50
<0.50
<0.50
SA(1,3)

MW-4
22.61
<50
<0.50
<0.50
SA(1,3)

MW-8
22.83
<50
<0.50
3.6
SA(1,3)

MW-5
22.13
<50
<0.50
1.9
SA(1,3)

MW-6
24.01
<0.50
<0.50
<0.50
A(3)

MW-2
22.51
200
<0.50
4.5
SA(1,3)

MW-7
23.44
480
<25
180
SA(1,3)




Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-1															
6/26/2000	--	39.60	12.50	26.00	16.46	23.14	--	--	--	--	--	--	--	--	
7/20/2000	--		12.50	26.00	16.89	22.71	360	110	<0.5	<0.5	2.7	2,100	--	--	
9/19/2000	--		12.50	26.00	17.62	21.98	290	76	<0.5	<0.5	2.3	1,500	--	--	
12/21/2000	--		12.50	26.00	17.39	22.21	257	64	2.89	1.31	4.57	1,080/1,060	--	--	
3/13/2001	--		12.50	26.00	15.70	23.90	<500	52.5	<5.0	<5.0	<5.0	1,430/1,370	--	--	
9/18/2001	--		12.50	26.00	18.24	21.36	<500	64	7.3	<5.0	52	810/1,100	--	--	
12/28/2001	--		12.50	26.00	15.95	23.65	<500	<5.0	<5.0	5	22	1,200/1,100	--	--	
3/14/2002	--		12.50	26.00	16.01	23.59	<50	<0.5	<0.5	<0.5	<0.5	34/40	--	--	
4/23/2002	--		12.50	26.00	15.43	24.17	<50	<0.5	<0.5	<0.5	<0.5	30	--	--	
7/17/2002	NP		12.50	26.00	17.50	22.10	<50	1.2	<0.50	<0.50	<0.50	29	6.9	6.9	
10/9/2002	--		12.50	26.00	18.27	21.33	240	4.9	<1.0	4.1	7.0	290	6.5	6.5	c
1/13/2003	--		12.50	26.00	15.37	24.23	760	34	11	17	56	300	6.8	6.8	c
04/07/03	--		12.50	26.00	16.61	22.99	<50	<0.50	<0.50	<0.50	<0.50	22	6.8	6.8	
7/9/2003	--		12.50	26.00	17.27	22.33	<2,500	<25	<25	<25	<25	690	6.7	6.7	
02/05/2004	NP	39.49	12.50	26.00	16.28	23.21	2,800	31	<25	<25	<25	1,100	0.9	6.5	m
04/05/2004	NP		12.50	26.00	16.25	23.24	5,800	46	<25	<25	<25	1,700	1.0	--	
07/13/2004	NP		12.50	26.00	17.57	21.92	<1,000	<10	<10	<10	<10	730	0.5	6.6	
11/04/2004	NP		12.50	26.00	17.78	21.71	560	<5.0	<5.0	<5.0	<5.0	380	0.8	6.5	
01/20/2005	NP		12.50	26.00	15.50	23.99	670	<5.0	<5.0	<5.0	<5.0	570	0.6	6.0	
04/11/2005	NP		12.50	26.00	14.82	24.67	<2,500	<25	<25	<25	25	1,100	0.9	6.9	
08/01/2005	NP		12.50	26.00	16.77	22.72	2,200	33	<10	110	<10	1,400	1.27	7.3	
10/21/2005	NP		12.50	26.00	17.71	21.78	<2,500	<25	<25	<25	<25	970	1.17	6.6	
01/18/2006	NP		12.50	26.00	14.70	24.79	300	<2.5	<2.5	<2.5	<2.5	330	1.07	6.6	n
04/14/2006	NP		12.50	26.00	13.41	26.08	330	<2.5	<2.5	<2.5	<2.5	310	0.79	6.6	
7/19/2006	NP		12.50	26.00	15.86	23.63	<250	<2.5	<2.5	<2.5	<2.5	180	1.2	6.7	q
10/24/2006	P		12.50	26.00	17.15	22.34	710	4.2	<2.5	19	13	360	--	6.68	
1/15/2007	P		12.50	26.00	16.81	22.68	470	2.8	<2.5	14	8.4	220	1.14	7.12	
4/18/2007	NP		12.50	26.00	16.69	22.80	100	<2.5	<2.5	<2.5	<2.5	150	1.20	6.85	
7/17/2007	NP		12.50	26.00	20.85	18.64	<50	<1.0	<1.0	<1.0	<1.0	94	1.91	6.98	
10/11/2007	NP		12.50	26.00	18.10	21.39	66	<0.50	<0.50	<0.50	<0.50	62	1.60	7.00	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-1 Cont.															
1/8/2008	NP	39.49	12.50	26.00	15.97	23.52	140	<0.50	<0.50	<0.50	<0.50	90	1.19	5.60	n
4/8/2008	NP		12.50	26.00	16.53	22.96	88	<0.50	<0.50	<0.50	<0.50	110	1.73	6.89	
8/20/2008	NP		12.50	26.00	18.32	21.17	<50	<0.50	<0.50	<0.50	<0.50	3.3	2.37	6.95	
11/17/2008	NP		12.50	26.00	18.38	21.11	<50	<0.50	<0.50	<0.50	<0.50	21	0.94	6.96	
2/3/2009	NP		12.50	26.00	18.08	21.41	<50	<0.50	<0.50	<0.50	<0.50	16	1.66	6.95	
5/12/2009	NP		12.50	26.00	17.05	22.44	<50	<0.50	<0.50	<0.50	<0.50	9.3	0.88	6.88	
8/13/2009	NP		12.50	26.00	18.01	21.48	<50	<0.50	<0.50	<0.50	<0.50	5.5	0.14	7.02	u
2/18/2010	NP		12.50	26.00	16.14	23.35	<50	<0.50	<0.50	<0.50	<0.50	1.4	2.22	6.69	
7/23/2010	NP		12.50	26.00	17.11	22.38	<50	<0.50	<0.50	<0.50	<0.50	1.3	0.77	6.7	
2/10/2011	NP		12.50	26.00	16.42	23.07	<50	<0.50	<0.50	<0.50	<0.50	1.1	1.19	7.2	
8/30/2011	NP		12.50	26.00	17.13	22.36	<50	<0.50	<0.50	<0.50	<0.50	2.1	0.98	6.9	
MW-2															
6/26/2000	--	37.99	12.00	26.00	14.60	23.39	--	--	--	--	--	--	--	--	a
7/20/2000	--		12.00	26.00	15.14	22.85	95,000	2,300	18,000	2,500	19,000	13,000	--	--	
9/19/2000	--		12.00	26.00	15.95	22.04	63,000	1,200	6,300	2,000	14,000	19,000	--	--	
12/21/2000	--		12.00	26.00	15.60	22.39	5,010	360	189	213	626	54,300/89,200	--	--	b
12/21/2000	--		12.00	26.00	15.60	22.39	45,900	--	2,130	1,160	9,460	22,400/24,700	--	--	
3/13/2001	--		12.00	26.00	13.77	24.22	<20,000	525	466	408	1,460	91,700/76,000	--	--	b
3/13/2001	--		12.00	26.00	13.77	24.22	3,650	98.1	<5.0	<5.0	6.42	3,590/3,260	--	--	
9/18/2001	--		12.00	26.00	16.86	21.13	--	--	--	--	--	--	--	--	a
12/28/2001	--		12.00	26.00	14.28	23.71	31,000	1,500	3,800	1,300	4,800	9,300/8,800	--	--	
3/14/2002	--		12.00	26.00	14.15	23.84	1,800	25	43	43	270	990/960	--	--	
4/23/2002	--		12.00	26.00	13.60	24.39	9,000	220	110	470	2,500	8,500	--	--	
7/17/2002	NP		12.00	26.00	15.75	22.24	74,000	280	290	820	10,000	19,000/0.4	6.8	6.8	a, c
10/9/02	NP		12.00	26.00	16.69	21.30	--	--	--	--	--	--	--	--	g
1/13/03	--		12.00	26.00	13.59	24.40	--	--	--	--	--	--	--	--	g, h
04/07/03	--		12.00	26.00	14.70	23.29	--	--	--	--	--	--	--	--	g, h
07/09/03	--		12.00	26.00	15.48	22.51	--	--	--	--	--	--	--	--	g, h
02/05/2004	NP	37.86	12.00	26.00	14.43	23.43	--	--	--	--	--	--	--	--	g,m
04/05/2004	NP		12.00	26.00	14.35	23.51	2,300	33	<5.0	<5.0	200	750	0.6	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-2 Cont.															
07/13/2004	NP	37.86	12.00	26.00	15.79	22.07	59,000	380	<50	2,100	7,900	5,800	0.3	6.4	
08/31/2004	--		12.00	26.00	15.89	21.97	--	--	--	--	--	--	--	--	
11/04/2004	--		12.00	26.00	15.92	21.94	--	--	--	--	--	--	--	--	g, h
01/20/2005	NP		12.00	26.00	13.71	24.15	30,000	450	<50	1,300	3,300	7,000	0.7	6.2	o
04/11/2005	NP		12.00	26.00	12.70	25.16	11,000	170	<50	580	630	2,700	0.9	6.8	
08/01/2005	NP		12.00	26.00	14.89	22.97	24,000	170	<50	1,100	2,700	2,700	0.64	6.9	
10/21/2005	--		12.00	26.00	16.05	21.81	--	--	--	--	--	--	--	--	a
01/18/2006	NP		12.00	26.00	12.81	25.05	21,000	71	<50	470	1,400	1,600	1.18	6.6	a
04/14/2006	NP		12.00	26.00	12.24	25.62	7,800	78	<50	94	130	2,100	0.81	6.7	a
7/19/2006	NP		12.00	26.00	14.00	23.86	4,900	31	<10	98	75	930	1.1	6.5	q
10/24/2006	--		12.00	26.00	15.38	22.48	--	--	--	--	--	--	--	6.45	g
1/15/2007	P		12.00	26.00	15.00	22.86	5,000	51	<10	49	34	1,400	1.85	7.13	
4/18/2007	NP		12.00	26.00	14.82	23.04	3,000	39	<10	32	22	1,100	1.95	7.10	
7/17/2007	NP		12.00	26.00	18.00	19.86	1,100	53	<10	28	<10	1,300	4.84	7.09	n
10/11/2007	NP		12.00	26.00	16.38	21.48	1,800	17	<10	<10	11	1,000	1.52	7.05	
1/8/2008	NP		12.00	26.00	14.10	23.76	1,900	65	<10	37	28	1,300	1.06	4.22	n
4/8/2008	NP		12.00	26.00	14.70	23.16	200	34	<0.50	<0.50	<0.50	690	3.24	6.95	
8/20/2008	NP		12.00	26.00	16.66	21.20	990	21	<10	<10	<10	190	1.54	6.91	
11/17/2008	NP		12.00	26.00	19.28	18.58	290	9.3	<5.0	<5.0	<5.0	89	0.71	6.75	
2/3/2009	NP		12.00	26.00	16.45	21.41	86	3.5	<2.5	<2.5	<2.5	31	2.71	6.96	
5/12/2009	NP		12.00	26.00	15.30	22.56	390	1.3	<0.50	<0.50	0.82	25	0.82	6.96	
8/13/2009	NP		12.00	26.00	16.88	20.98	330	<10	<10	<10	<10	39	0.81	7.12	u
2/18/2010	NP		12.00	26.00	14.20	23.66	950	<5.0	<5.0	<5.0	<5.0	<5.0	1.18	6.94	
7/23/2010	NP		12.00	26.00	15.37	22.49	330	<2.0	<2.0	<2.0	<2.0	6.5	1.70	6.7	v (GRO)
2/10/2011	NP		12.00	26.00	14.53	23.33	960	<4.0	<4.0	<4.0	<4.0	12	0.58	6.8	v (GRO)
8/30/2011	NP		12.00	26.00	15.35	22.51	200	<0.50	<0.50	<0.50	<0.50	4.5	0.67	6.7	w (GRO)
MW-3															
6/26/2000	--	39.32	12.00	26.00	15.96	23.36	--	--	--	--	--	--	--	--	
7/20/2000	--		12.00	26.00	16.42	22.90	<50	<0.5	<0.5	<0.5	<1.0	130	--	--	
9/19/2000	--		12.00	26.00	17.18	22.14	190	17	<0.5	1.4	2.4	160	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-3 Cont.															
12/21/2000	--	39.32	12.00	26.00	16.97	22.35	187	17.8	<0.5	2.47	2.5	143/125	--	--	
3/13/2001	--		12.00	26.00	15.17	24.15	72.4	2.83	<0.5	<0.5	<0.5	126/122	--	--	
9/18/2001	--		12.00	26.00	17.81	21.51	140	6.4	<0.5	3.5	1.6	110/75	--	--	
12/28/2001	--		12.00	26.00	15.44	23.88	130	5.9	<0.5	0.99	0.55	90/63	--	--	
3/14/2002	--		12.00	26.00	15.50	23.82	<50	<0.5	<0.5	<0.5	<0.5	100/88	--	--	
4/23/2002	--		12.00	26.00	14.96	24.36	<50	<0.5	<0.5	<0.5	<0.5	77	--	--	
7/17/2002	NP		12.00	26.00	17.09	22.23	<50	<0.50	<0.50	<0.50	<0.50	47	7.2	7.2	
10/9/2002	NP		12.00	26.00	17.87	21.45	<50	<0.50	<0.50	<0.50	<0.50	26/29	7.2	7.2	
1/13/2003	NP		12.00	26.00	14.78	24.54	<50	<0.50	<0.50	<0.50	<0.50	59	6.8	6.8	l
04/07/03	NP		12.00	26.00	16.15	23.17	88	<0.50	<0.50	<0.50	<0.50	75	7.0	7.0	
7/9/2003	--		12.00	26.00	16.79	22.53	100	<0.50	<0.50	<0.50	<0.50	52	6.5	6.5	
02/05/2004	NP	39.19	12.00	26.00	15.66	23.53	240	<0.50	<0.50	<0.50	<0.50	37	0.5	--	m
04/05/2004	NP		12.00	26.00	15.78	23.41	140	<0.50	<0.50	<0.50	0.60	53	1.0	6.6	
07/13/2004	NP		12.00	26.00	17.20	21.99	120	<0.50	<0.50	<0.50	<0.50	35	0.8	6.7	
11/04/2004	NP		12.00	26.00	17.32	21.87	160	<0.50	<0.50	<0.50	<0.50	25	0.8	6.5	
01/20/2005	NP		12.00	26.00	15.07	24.12	160	<0.50	<0.50	<0.50	<0.50	27	0.6	6.1	
04/11/2005	NP		12.00	26.00	14.24	24.95	<50	<0.50	<0.50	<0.50	<0.50	21	0.6	6.1	
08/01/2005	NP		12.00	26.00	16.29	22.90	<50	<0.50	<0.50	<0.50	<0.50	23	1.04	7.2	
10/21/2005	NP		12.00	26.00	17.41	21.78	88	<0.50	<0.50	<0.50	<0.50	19	1.9	6.6	
01/18/2006	NP		12.00	26.00	13.80	25.39	73	<0.50	<0.50	<0.50	<0.50	13	1.13	6.6	
04/14/2006	NP		12.00	26.00	12.55	26.64	<50	<0.50	<0.50	<0.50	<0.50	6.7	0.71	6.6	
7/19/2006	NP		12.00	26.00	15.04	24.15	<50	<0.50	<0.50	<0.50	<0.50	11	2.0	6.6	q
10/24/2006	P		12.00	26.00	16.45	22.74	<50	<0.50	<0.50	<0.50	<0.50	33	--	6.77	
1/15/2007	P		12.00	26.00	16.00	23.19	<50	<0.50	<0.50	0.61	<0.50	29	1.11	7.03	
4/18/2007	NP		12.00	26.00	15.87	23.32	<50	<0.50	<0.50	<0.50	<0.50	9.5	1.67	7.07	
7/17/2007	NP		12.00	26.00	19.40	19.79	<50	<0.50	<0.50	<0.50	<0.50	19	4.25	7.27	
10/11/2007	NP		12.00	26.00	17.43	21.76	<50	<0.50	<0.50	<0.50	<0.50	5.3	1.62	7.10	
1/8/2008	NP		12.00	26.00	15.16	24.03	<50	<0.50	<0.50	<0.50	<0.50	8.9	2.02	6.94	
4/8/2008	NP		12.00	26.00	15.75	23.44	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.98	6.80	
8/20/2008	NP		12.00	26.00	17.65	21.54	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.85	7.62	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-3 Cont.															
11/17/2008	NP	39.19	12.00	26.00	17.76	21.43	<50	<0.50	<0.50	<0.50	<0.50	3.6	1.36	6.90	
2/3/2009	NP		12.00	26.00	17.36	21.83	<50	<0.50	<0.50	<0.50	<0.50	2.1	2.55	7.04	
5/12/2009	NP		12.00	26.00	16.30	22.89	<50	<0.50	<0.50	<0.50	<0.50	2.1	1.68	6.98	
8/13/2009	NP		12.00	26.00	18.75	20.44	<50	<0.50	<0.50	<0.50	<0.50	2.7	0.15	7.03	
2/18/2010	NP		12.00	26.00	15.31	23.88	<50	<0.50	<0.50	<0.50	<0.50	0.59	2.07	6.83	v (GRO)
7/23/2010	NP		12.00	26.00	16.34	22.85	<50	<0.50	<0.50	<0.50	<0.50	0.85	1.23	7.4	
2/10/2011	NP		12.00	26.00	15.63	23.56	<50	<0.50	<0.50	<0.50	<0.50	0.51	2.11	6.9	
8/30/2011	NP		12.00	26.00	16.45	22.74	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.83	6.9	
MW-4															
6/26/2000	--	38.10	10.00	24.00	14.59	23.51	--	--	--	--	--	--	--	--	
7/20/2000	--		10.00	24.00	15.04	23.06	97	7.9	<0.5	<0.5	1.1	51	--	--	
9/19/2000	--		10.00	24.00	15.83	22.27	110	7	<0.5	<0.5	<1.0	60	--	--	
12/21/2000	--		10.00	24.00	15.59	22.51	120	5.6	<0.5	1.72	<0.5	46.3/48.6	--	--	
3/13/2001	--		10.00	24.00	13.73	24.37	76	0.796	<0.5	<0.5	<0.5	53.7/50	--	--	
9/18/2001	--		10.00	24.00	16.50	21.60	<50	<0.5	<0.5	<0.5	<0.5	25/26	--	--	
12/28/2001	--		10.00	24.00	14.03	24.07	<50	<0.5	<0.5	<0.5	<0.5	15/11	--	--	
3/14/2002	--		10.00	24.00	14.10	24.00	<50	<0.5	<0.5	<0.5	<0.5	31/28	--	--	
4/23/2002	--		10.00	24.00	13.57	24.53	<50	2.8	<0.5	<0.5	<0.5	42	--	--	
7/17/2002	NP		10.00	24.00	15.76	22.34	<50	<0.50	<0.50	<0.50	<0.50	16	7.1	7.1	
10/9/2002	NP		10.00	24.00	16.59	21.51	<50	2.2	<0.50	<0.50	<0.50	20/23	7.1	7.1	
1/13/2003	NP		10.00	24.00	13.43	24.67	52	<0.50	1.6	<0.50	<0.50	22	6.6	6.6	d
04/07/03	NP		10.00	24.00	14.74	23.36	65	<0.50	<0.50	<0.50	<0.50	24	6.6	6.6	
7/9/2003	--		10.00	24.00	15.44	22.66	120	<0.50	<0.50	<0.50	<0.50	34	6.6	6.6	
02/05/2004	NP	37.99	10.00	24.00	14.39	23.60	120	<0.50	<0.50	<0.50	<0.50	22	0.5	6.6	m
04/05/2004	NP		10.00	24.00	14.37	23.62	110	<0.50	<0.50	<0.50	<0.50	27	1.1	6.5	
07/13/2004	NP		10.00	24.00	15.96	22.03	77	<0.50	<0.50	<0.50	<0.50	27	0.6	6.6	
11/04/2004	NP		10.00	24.00	16.02	21.97	<50	<0.50	<0.50	<0.50	<0.50	19	1.2	6.7	
01/20/2005	NP		10.00	24.00	13.72	24.27	65	<0.50	<0.50	<0.50	<0.50	18	0.6	6.1	
04/11/2005	NP		10.00	24.00	12.80	25.19	51	<0.50	<0.50	<0.50	<0.50	14	0.7	6.2	
08/01/2005	NP		10.00	24.00	14.88	23.11	<50	<0.50	<0.50	<0.50	<0.50	18	1.46	7.3	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-4 Cont.															
10/21/2005	NP	37.99	10.00	24.00	15.01	22.98	<50	<0.50	<0.50	<0.50	<0.50	15	1.24	7.6	
01/18/2006	NP		10.00	24.00	12.92	25.07	<50	<0.50	<0.50	<0.50	<0.50	8.9	0.77	6.5	
04/14/2006	NP		10.00	24.00	11.41	26.58	<50	<0.50	<0.50	<0.50	<0.50	4.2	0.84	6.6	
7/19/2006	NP		10.00	24.00	13.86	24.13	<50	<0.50	<0.50	<0.50	<0.50	3.4	1.0	6.7	
10/24/2006	P		10.00	24.00	15.35	22.64	<50	<0.50	<0.50	2.0	<0.50	3.5	--	6.90	
1/15/2007	P		10.00	24.00	14.96	23.03	<50	<0.50	<0.50	0.96	<0.50	3.8	--	7.04	
4/18/2007	NP		10.00	24.00	14.80	23.19	<50	<0.50	<0.50	<0.50	<0.50	5.6	5.33	6.93	
7/17/2007	NP		10.00	24.00	16.10	21.89	<50	<0.50	<0.50	<0.50	<0.50	6.6	3.73	6.87	
10/11/2007	NP		10.00	24.00	16.45	21.54	<50	<0.50	<0.50	<0.50	<0.50	0.81	2.68	7.07	
1/8/2008	NP		10.00	24.00	14.10	23.89	<50	<0.50	<0.50	<0.50	<0.50	1.2	3.50	6.74	
4/8/2008	NP		10.00	24.00	14.68	23.31	<50	<0.50	<0.50	<0.50	<0.50	1.7	2.54	6.80	
8/20/2008	NP		10.00	24.00	16.65	21.34	<50	<0.50	<0.50	<0.50	<0.50	0.70	2.36	6.90	
11/17/2008	NP		10.00	24.00	16.73	21.26	<50	<0.50	<0.50	<0.50	<0.50	0.73	1.07	6.83	
2/3/2009	NP		10.00	24.00	16.36	21.63	<50	<0.50	<0.50	<0.50	<0.50	0.67	3.92	7.34	
5/12/2009	NP		10.00	24.00	15.26	22.73	<50	<0.50	<0.50	<0.50	<0.50	0.62	0.81	6.98	
8/13/2009	NP		10.00	24.00	16.87	21.12	<50	<0.50	<0.50	<0.50	<0.50	0.65	0.94	7.12	u
2/18/2010	NP		10.00	24.00	14.22	23.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.20	6.25	
7/23/2010	NP		10.00	24.00	15.36	22.63	<50	<0.50	<0.50	<0.50	<0.50	0.52	0.68	7.0	
2/10/2011	NP		10.00	24.00	14.54	23.45	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.52	6.8	
8/30/2011	NP		10.00	24.00	15.38	22.61	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.03	7.0	
MW-5															
6/26/2000	--	37.21	9.50	23.50	14.27	22.94	--	--	--	--	--	--	--	--	
7/20/2000	--		9.50	23.50	14.69	22.52	55	<0.5	<0.5	<0.5	<1.0	14,000	--	--	
9/19/2000	--		9.50	23.50	15.36	21.85	54	<0.5	<0.5	<0.5	<1.0	13,000	--	--	
12/21/2000	--		9.50	23.50	15.15	22.06	72.9	2.51	<0.5	<0.5	0.961	19,200/21,200	--	--	
3/13/2001	--		9.50	23.50	13.50	23.71	<500	<5	<5	<5	<5	15,900/20,000	--	--	
9/18/2001	--		9.50	23.50	15.94	21.27	<10,000	<100	<100	<100	<1,000	22,000/20,000	--	--	
12/28/2001	--		9.50	23.50	13.45	23.76	<10,000	<100	<100	<100	<100	10,000/10,000	--	--	
3/14/2002	--		9.50	23.50	13.82	23.39	<5,000	<50	<50	<50	<50	7,100/7,700	--	--	
4/23/2002	--		9.50	23.50	13.25	23.96	<5,000	<50	<50	<50	<50	8,900	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-5 Cont.															
7/17/2002	NP	37.21	9.50	23.50	15.27	21.94	7,900	<50	<50	<50	<50	13,000	7.5	7.5	d
10/9/2002	NP		9.50	23.50	16.02	21.19	2,400	<20	<20	<20	<20	7,300/7,500	6.7	6.7	e
1/13/2003	NP		9.50	23.50	13.20	24.01	6,400	<50	<50	<50	<50	8,900	6.8	6.8	e, k, j
04/07/03	NP		9.50	23.50	14.42	22.79	<10,000	<100	<100	<100	<100	3,700	6.8	6.8	
7/9/2003	--		9.50	23.50	15.01	22.20	11,000	<50	<50	<50	<50	6,500	6.9	6.9	
02/05/2004	NP	37.12	9.50	23.50	14.10	23.02	8,100	<50	<50	<50	<50	7,900	1.5	--	m
04/05/2004	NP		9.50	23.50	14.14	22.98	4,000	<25	<25	<25	<25	2,000	1.0	6.6	
07/13/2004	NP		9.50	23.50	15.37	21.75	<5,000	<50	<50	<50	<50	4,000	0.8	6.7	
11/04/2004	NP		9.50	23.50	15.53	21.59	7,400	<50	<50	<50	<50	6,300	3.5	6.7	
01/20/2005	NP		9.50	23.50	13.51	23.61	6,500	<50	<50	<50	<50	6,900	0.7	6.5	n
04/11/2005	NP		9.50	23.50	12.75	24.37	<5,000	<50	<50	<50	<50	2,600	0.5	7.0	
08/01/2005	NP		9.50	23.50	14.59	22.53	110	<1.0	<1.0	<1.0	<1.0	130	1.36	7.5	
10/21/2005	NP		9.50	23.50	15.57	21.55	<250	<2.5	<2.5	<2.5	<2.5	86	1.53	6.8	
01/18/2006	NP		9.50	23.50	12.60	24.52	<250	<2.5	<2.5	<2.5	<2.5	100	1.2	6.7	
04/14/2006	NP		9.50	23.50	11.74	25.38	310	<2.5	<2.5	<2.5	<2.5	240	0.93	6.6	
7/19/2006	NP		9.50	23.50	13.78	23.34	<50	<2.5	<2.5	<2.5	<2.5	84	1.2	6.6	
10/24/2006	P		9.50	23.50	14.95	22.17	61	<0.50	<0.50	<0.50	<0.50	17	--	6.69	
1/15/2007	P		9.50	23.50	14.63	22.49	73	<0.50	<0.50	<0.50	<0.50	36	2.8	6.73	
4/18/2007	NP		9.50	23.50	14.50	22.62	93	<2.5	<2.5	<2.5	<2.5	16	1.66	6.84	n, EBZ present in method blank
7/17/2007	NP		9.50	23.50	15.55	21.57	53	<2.5	<2.5	<2.5	<2.5	6.6	5.02	7.02	n
10/11/2007	NP		9.50	23.50	15.83	21.29	<50	<0.50	<0.50	<0.50	<0.50	4.8	2.92	7.23	
1/8/2008	NP		9.50	23.50	13.82	23.30	<50	<0.50	<0.50	<0.50	<0.50	5.6	1.80	6.91	
4/8/2008	NP		9.50	23.50	14.38	22.74	<50	<0.50	<0.50	<0.50	<0.50	8.0	1.14	6.76	
8/20/2008	NP		9.50	23.50	16.11	21.01	<50	<1.0	<1.0	<1.0	<1.0	3.6	1.65	6.86	
11/17/2008	NP		9.50	23.50	16.15	20.97	<50	<0.50	<0.50	<0.50	<0.50	1.3	0.66	6.93	
2/3/2009	NP		9.50	23.50	15.83	21.29	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.38	6.77	
5/12/2009	NP		9.50	23.50	14.48	22.64	<50	<0.50	<0.50	<0.50	<0.50	2.5	0.41	6.83	
8/13/2009	NP		9.50	23.50	16.30	20.82	<50	<1.0	<1.0	<1.0	<1.0	1.3	0.78	7.06	u
2/18/2010	NP		9.50	23.50	13.95	23.17	<50	<0.50	<0.50	<0.50	<0.50	2.2	1.36	6.40	
7/23/2010	NP		9.50	23.50	14.98	22.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.75	7.2	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-5 Cont.															
2/10/2011	NP	37.12	9.50	23.50	14.24	22.88	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.73	6.7	
8/30/2011	NP		9.50	23.50	14.99	22.13	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.9	8.2	
MW-6															
6/26/2000	--	37.11	10.00	25.00	13.46	23.65	--	--	--	--	--	--	--	--	
7/20/2000	--		10.00	25.00	13.94	23.17	<50	<0.5	<0.5	<0.5	<1.0	<3.0	--	--	
9/19/2000	--		10.00	25.00	14.41	22.70	<50	<0.5	<0.5	<0.5	<1.0	<3.0	--	--	
12/21/2000	--		10.00	25.00	14.53	22.58	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
3/13/2001	--		10.00	25.00	12.67	24.44	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
9/18/2001	--		10.00	25.00	15.42	21.69	<50	<0.5	<0.5	<0.5	<0.5	<2.5/<2.0	--	--	
12/28/2001	--		10.00	25.00	12.96	24.15	<50	<0.5	<0.5	<0.5	<0.5	12/<0.5	--	--	
3/14/2002	--		10.00	25.00	12.98	24.13	<50	<0.5	<0.5	<0.5	<0.5	<2.5	--	--	
4/23/2002	--		10.00	25.00	12.44	24.67	<50	<0.5	<0.5	<0.5	<0.5	3.1	--	--	
7/17/2002	NP		10.00	25.00	14.65	22.46	<50	<0.50	<0.50	<0.50	<0.50	<2.5	7.3	7.3	
10/9/2002	NP		10.00	25.00	15.51	21.60	<50	<0.50	<0.50	<0.50	<0.50	<2.5	7.1	7.1	
1/13/2003	NP		10.00	25.00	12.27	24.84	<50	<0.50	<0.50	<0.50	<0.50	<2.5	6.8	6.8	
04/07/03	NP		10.00	25.00	13.61	23.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	6.6	6.6	
7/9/2003	--		10.00	25.00	14.34	22.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	7	7.0	
02/05/2004	--		10.00	25.00	13.38	23.73	--	--	--	--	--	--	--	--	m
04/05/2004	--		10.00	25.00	13.31	23.80	--	--	--	--	--	--	--	--	
07/13/2004	NP		10.00	25.00	14.65	22.46	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.7	6.8	
11/04/2004	--		10.00	25.00	14.95	22.16	--	--	--	--	--	--	--	--	
01/20/2005	--		10.00	25.00	12.57	24.54	--	--	--	--	--	--	--	--	
04/11/2005	--		10.00	25.00	12.05	25.06	--	--	--	--	--	--	--	--	
08/01/2005	NP		10.00	25.00	13.79	23.32	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.15	7.6	
10/21/2005	--		10.00	25.00	14.60	22.51	--	--	--	--	--	--	--	--	
01/18/2006	--		10.00	25.00	11.80	25.31	--	--	--	--	--	--	--	--	
04/14/2006	--		10.00	25.00	10.92	26.19	--	--	--	--	--	--	--	--	
7/19/2006	NP		10.00	25.00	12.92	24.19	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.3	6.9	
10/24/2006	--		10.00	25.00	14.23	22.88	--	--	--	--	--	--	--	--	
1/15/2007	--		10.00	25.00	13.80	23.31	--	--	--	--	--	--	--	--	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-6 Cont.															
4/18/2007	--	37.11	10.00	25.00	13.67	23.44	--	--	--	--	--	--	--	--	
7/17/2007	NP		10.00	25.00	14.08	23.03	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.40	7.02	
10/11/2007	--		10.00	25.00	15.28	21.83	--	--	--	--	--	--	--	--	
1/8/2008	--		10.00	25.00	13.08	24.03	--	--	--	--	--	--	--	--	
4/8/2008	--		10.00	25.00	13.52	23.59	--	--	--	--	--	--	--	--	
8/20/2008	NP		10.00	25.00	15.59	21.52	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.66	6.83	
11/17/2008	--		10.00	25.00	15.61	21.50	--	--	--	--	--	--	--	--	
2/3/2009	--		10.00	25.00	15.23	21.88	--	--	--	--	--	--	--	--	
5/12/2009	--		10.00	25.00	14.09	23.02	--	--	--	--	--	--	--	--	
8/13/2009	NP		10.00	25.00	15.80	21.31	<50	<0.50	<0.50	<0.50	<0.50	<0.50	0.85	7.02	u
2/18/2010	--		10.00	25.00	12.96	24.15	--	--	--	--	--	--	--	--	
7/23/2010	NP		10.00	25.00	13.91	23.20	210	<0.50	<0.50	<0.50	<0.50	<0.50	0.65	6.73	
2/10/2011	--		10.00	25.00	13.15	23.96	--	--	--	--	--	--	--	--	
8/30/2011	NP		10.00	25.00	13.10	24.01	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.60	7.2	
MW-7															
6/26/2000	--	38.68	12.00	27.00	14.34	24.34	--	--	--	--	--	--	--	--	
7/20/2000	--		12.00	27.00	15.26	23.42	14,000	5.4	<0.5	2.8	5.9	71,000	--	--	
9/19/2000	--		12.00	27.00	15.70	22.98	8,400	420	38	470	220	5,600	--	--	
12/21/2000	--		12.00	27.00	16.02	22.66	--	--	--	--	--	--	--	--	
3/13/2001	--		12.00	27.00	14.18	24.50	<2,000	154	63	46.3	127	75,000/160,000	--	--	
9/18/2001	--		12.00	27.00	17.02	21.66	<100,000	1,900	<1,000	<1,000	2,800	90,000/370,000	--	--	
12/28/2001	--		12.00	27.00	14.81	23.87	<20,000	<200	<200	<200	<200	84,000/72,000	--	--	
3/14/2002	--		12.00	27.00	14.60	24.08	<50,000	<500	<500	<500	<500	85,000/85,000	--	--	
4/23/2002	--		12.00	27.00	13.94	24.74	<20,000	530	200	220	800	67,000	--	--	
7/17/2002	NP		12.00	27.00	16.27	22.41	26,000	720	<250	<250	860	120,000	6.9	6.9	d
10/9/2002	NP		12.00	27.00	17.16	21.52	110,000	1,500	4,400	820	5,400	97,000/120,000	6.8	6.8	d
1/13/2003	NP		12.00	27.00	13.82	24.86	<50,000	<500	<500	<500	2,200	33,000	6.6	6.6	f
04/07/03	NP		12.00	27.00	14.52	24.16	<2,500	30	<25	<25	<25	710	7.0	7.0	
7/9/2003	--		12.00	27.00	15.97	22.71	66,000	<500	<500	<500	<500	36,000	6.7	6.7	
02/05/2004	NP	38.54	12.00	27.00	14.75	23.79	55,000	300	<250	<250	<250	34,000	1.0	6.7	m

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-7 Cont.															
04/05/2004	NP	38.54	12.00	27.00	14.63	23.91	62,000	520	<250	<250	380	37,000	1.0	6.7	
07/13/2004	NP		12.00	27.00	16.31	22.23	<100,000	<1,000	<1,000	<1,000	<1,000	56,000	0.7	6.7	
11/04/2004	--		12.00	27.00	16.46	22.08	70,000	<500	<500	<500	<500	71,000	2.0	6.6	
01/20/2005	NP		12.00	27.00	14.05	24.49	34,000	<250	<250	<250	<250	36,000	0.6	6.3	n
04/11/2005	NP		12.00	27.00	12.55	25.99	<2,500	46	<25	<25	<25	1,200	0.7	6.8	
08/01/2005	NP		12.00	27.00	15.11	23.43	<25,000	<250	<250	<250	<250	4,800	1.78	7.3	
10/21/2005	NP		12.00	27.00	15.65	22.89	14,000	350	<100	<100	110	12,000	1.41	6.6	p
01/18/2006	NP		12.00	27.00	12.60	25.94	16,000	310	<100	<100	110	13,000	0.87	6.7	
04/14/2006	NP		12.00	27.00	12.09	26.45	<10,000	<100	<100	<100	<100	4,700	0.88	6.9	
7/19/2006	NP		12.00	27.00	13.58	24.96	1,300	23	<10	18	26	1,600	1.1	6.8	q
10/24/2006	P		12.00	27.00	15.13	23.41	6,800	100	<5.0	16	15	14,000	--	6.93	
1/15/2007	P		12.00	27.00	14.43	24.11	2,500	<100	<100	<100	<100	3,900	2.12	7.44	n
4/18/2007	NP		12.00	27.00	14.30	24.24	3,000	50	<50	<50	<50	2,700	4.47	7.22	n
7/17/2007	NP		12.00	27.00	23.75	14.79	560	<25	<25	<25	<25	890	4.23	7.41	n
10/11/2007	NP		12.00	27.00	16.18	22.36	210	<2.5	<2.5	<2.5	<2.5	370	2.99	7.33	t (GRO)
1/8/2008	NP		12.00	27.00	13.90	24.64	5,100	45	<25	<25	<25	6,100	2.50	7.23	n
4/8/2008	NP		12.00	27.00	14.22	24.32	270	0.50	<0.50	1.2	0.66	1,200	1.67	7.17	
8/20/2008	NP		12.00	27.00	16.57	21.97	<50	<0.50	<0.50	<0.50	<0.50	39	2.12	7.04	
11/17/2008	NP		12.00	27.00	22.91	15.63	68	1.8	1.9	0.54	2.0	28	1.14	6.95	
2/3/2009	NP		12.00	27.00	17.86	20.68	<50	<0.50	<0.50	<0.50	<0.50	18	2.58	6.97	
5/12/2009	NP		12.00	27.00	15.36	23.18	110	2.0	<0.50	<0.50	2.9	390	0.72	7.14	
8/13/2009	NP		12.00	27.00	24.10	14.44	<50	<0.50	<0.50	<0.50	<0.50	21	0.84	7.11	u
2/18/2010	NP		12.00	27.00	14.21	24.33	190	<25	<25	<25	<25	1,300	1.52	7.06	v (GRO)
7/23/2010	NP		12.00	27.00	15.50	23.04	<50	<0.50	<0.50	<0.50	<0.50	1,000	0.57	6.89	v (GRO)
2/10/2011	P		12.00	27.00	14.44	24.10	440	<25	<25	<25	<25	310	0.76	7.0	v (GRO)
8/30/2011	NP		12.00	27.00	15.10	23.44	480	<25	<25	<25	<25	180	0.80	6.9	w (GRO)
MW-8															
02/05/2004	P	38.91	--	--	15.61	23.30	3,600	<25	<25	<25	<25	1,900	6.9	6.8	m
04/05/2004	P		--	--	15.64	23.27	1,900	<10	<10	<10	<10	1,200	3.2	6.7	
07/13/2004	P		--	--	17.22	21.69	<1,000	<10	<10	<10	<10	760	1.6	6.7	

Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	P/NP	TOC (feet)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet)	Water Level Elevation (feet)	Concentrations in µg/L						DO (mg/L)	pH	Footnote
							GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
MW-8 Cont.															
11/04/2004	P	38.91	--	--	17.19	21.72	960	<5.0	<5.0	<5.0	<5.0	820	1.8	6.7	
01/20/2005	P		--	--	15.25	23.66	<2,500	<25	<25	<25	<25	1,400	1.5	6.4	
04/11/2005	P		--	--	14.17	24.74	700	<5.0	<5.0	<5.0	<5.0	610	1.1	7.1	
08/01/2005	P		--	--	16.10	22.81	<1,000	<10	<10	<10	<10	900	2.58	7.7	
10/21/2005	P		--	--	17.18	21.73	530	<5.0	<5.0	<5.0	<5.0	490	1.4	6.7	n
01/18/2006	P		--	--	13.60	25.31	<500	<5.0	<5.0	<5.0	<5.0	500	2.28	6.6	
04/14/2006	P		--	--	12.36	26.55	<500	<5.0	<5.0	<5.0	<5.0	300	1.97	6.6	
7/19/2006	P		--	--	14.75	24.16	4,500	<25	<25	<25	<25	4,200	1.2	6.6	
10/24/2006	--		--	--	--	--	--	--	--	--	--	--	--	--	s
1/15/2007	P		--	--	15.67	23.24	<50	<0.50	<0.50	<0.50	<0.50	67	1.35	6.68	
4/18/2007	P		--	--	15.53	23.38	100	0.51	<0.50	<0.50	<0.50	130	1.49	6.86	n
7/17/2007	NP		--	--	16.76	22.15	63	<0.50	<0.50	<0.50	<0.50	96	1.85	6.97	n
10/11/2007	P		--	--	16.99	21.92	100	0.52	<0.50	<0.50	<0.50	130	1.67	7.18	
1/8/2008	P		--	--	14.83	24.08	51	<0.50	<0.50	<0.50	<0.50	49	1.30	6.88	n
4/8/2008	P		--	--	15.38	23.53	<50	<0.50	<0.50	<0.50	<0.50	32	1.60	6.77	
8/20/2008	P		--	--	17.80	21.11	<50	<0.50	<0.50	<0.50	<0.50	13	1.18	6.94	
11/17/2008	P		--	--	17.47	21.44	<50	<0.50	<0.50	<0.50	<0.50	14	3.74	6.63	
2/3/2009	P		--	--	16.96	21.95	<50	<0.50	<0.50	<0.50	<0.50	16	0.83	6.9	
5/12/2009	P		--	--	15.93	22.98	<50	<0.50	<0.50	<0.50	<0.50	30	0.31	6.90	
8/13/2009	P		--	--	17.50	21.41	<50	<0.50	<0.50	<0.50	<0.50	7.5	0.65	7.44	
2/18/2010	P		--	--	14.93	23.98	<50	<0.50	<0.50	<0.50	<0.50	12	0.64	6.62	
7/23/2010	P		--	--	16.02	22.89	<50	<0.50	<0.50	<0.50	<0.50	8.2	0.94	6.7	
2/10/2011	P		--	--	15.28	23.63	<50	<0.50	<0.50	<0.50	<0.50	4.5	1.08	6.8	
8/30/2011	P		--	--	16.08	22.83	<50	<0.50	<0.50	<0.50	<0.50	3.6	0.86	6.8	

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available
< = Not detected at or above specified laboratory reporting limit
DO = Dissolved oxygen
DTW = Depth to water in ft bgs
ft bgs = feet below ground surface
ft MSL = feet above mean sea level
GRO = Gasoline range organics
GWE = Groundwater elevation in ft MSL
mg/L = Milligrams per liter
MTBE = Methyl tert-butyl ether
NP = Well not purged prior to sampling
P = Well purged prior to sampling
TOC = Top of casing elevation in ft MSL
TPH-g = Total petroleum hydrocarbons as gasoline
µg/L = Micrograms per liter

Footnotes:

a = Product sheen noted
b = Well was sampled after batch extraction event
c = Chromatogram Pattern: Gasoline C6-C10 for GRO/TPH-g
d = Hydrocarbon pattern was present in the requested fuel quantitation range but did not resemble the pattern of the requested fuel for GRO/TPH-g
e = Discrete peak @C6-C7 for GRO/TPH-g
f = This sample was analyzed beyond the EPA recommended holding time for TPH-g, benzene, toluene, ethylbenzene, and total xylenes (BTEX), and MTBE. The results may still be useful for their intended purpose
g = Well not sampled due to the detection of free product (FP)
h = GWE adjusted for FP: (thickness of FP x 0.8) + measured GWE
j = The closing calibration for benzene and total xylenes was outside acceptance limits by 1%. This should be considered in evaluating the result. The average % difference for all analytes met the 15% requirement and the QC suggested that calibration linearity was not a factor
k = The closing calibration was outside acceptance limits by 6%. This should be considered in evaluating the result. The average % difference for all analytes met the 15% requirement and the QC suggested that calibration linearity was not a factor
l = Toluene and MTBE were not confirmed using a secondary column in accordance to client contract
m = TOC elevations re-surveyed to NAVD '88 on February 23, 2004
n = Hydrocarbon result for GRO partly due to indiv. peak(s) in quantitative range
o = Light to moderate sheen
p = Result for MTBE partly due to individual peak(s) in quant. range
q = Gauged with tubing in well
r = Calib. verif. is within method limits but outside contract limits
s = Well inaccessible
t = Initial analysis within holding time but required dilution
u = Sample taken from VOA vial with air bubble > 6mm diameter
v = Quantitation of unknown hydrocarbon(s) in sample based on gasoline
w = Quantitated against gasoline

Notes:

Beginning with the second quarter 2003 sampling event (04/07/03), TPH-g, BTEX, and MTBE analyzed by EPA method 8260B. Prior to 04/07/03, TPH-g was analyzed by EPA method 8015 modified and MTBE was analyzed by EPA methods 8020/ 8260B

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12

Values for DO and pH were obtained through field measurements

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
7/20/2000	--	--	2,100	--	--	--	--	--	
9/19/2000	--	--	1,500	--	--	--	--	--	
12/21/2000	--	--	1,080/1,060	--	--	--	--	--	
3/13/2001	--	--	1,430/1,370	--	--	--	--	--	
9/18/2001	--	--	810/1,100	--	--	--	--	--	
12/28/2001	--	--	1,200/1,100	--	--	--	--	--	
3/14/2002	--	--	34/40	--	--	--	--	--	
4/23/2002	--	--	30	--	--	--	--	--	
7/17/2002	--	--	29	--	--	--	--	--	
10/9/2002	--	--	290	--	--	--	--	--	
1/13/2003	--	--	300	--	--	--	--	--	
04/07/03	<100	<20	22	<0.50	<0.50	<0.50	--	--	
7/9/2003	<5,000	<1,000	690	<25	<25	<25	--	--	
02/05/2004	<5,000	<1,000	1,100	<25	<25	32	<25	<25	
04/05/2004	<5,000	<1,000	1,700	<25	<25	38	<25	<25	a
07/13/2004	<2,000	780	730	<10	<10	19	<10	<10	a
11/04/2004	<1,000	<200	380	<5.0	<5.0	12	<5.0	<5.0	
01/20/2005	<1,000	<200	570	<5.0	<5.0	17	<5.0	<5.0	a
04/11/2005	<5,000	<1,000	1,100	<25	<25	34	<25	<25	
08/01/2005	<2,000	<400	1,400	<10	<10	40	<10	<10	
10/21/2005	<5,000	<1,000	970	<25	<25	<25	<25	<25	
01/18/2006	<1,500	<100	330	<2.5	<2.5	9.7	<2.5	<2.5	
04/14/2006	<1,500	<100	310	<2.5	<2.5	9.3	<2.5	<2.5	
7/19/2006	<1,500	<100	180	<2.5	<2.5	3.2	<2.5	<2.5	
10/24/2006	<1,500	<100	360	<2.5	<2.5	10	<2.5	<2.5	
1/15/2007	<1,500	<100	220	<2.5	<2.5	6.8	<2.5	<2.5	
4/18/2007	<1,500	<100	150	<2.5	<2.5	<2.5	<2.5	<2.5	
7/17/2007	<600	<40	94	<1.0	<1.0	2.3	<1.0	<1.0	
10/11/2007	<300	<20	62	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	74	90	<0.50	<0.50	2.5	<0.50	<0.50	a
4/8/2008	<300	57	110	<0.50	<0.50	2.6	<0.50	<0.50	
8/20/2008	<300	<10	3.3	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1 Cont.									
11/17/2008	<300	<10	21	<0.50	<0.50	0.52	<0.50	<0.50	
2/3/2009	<300	<10	16	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	<10	9.3	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	5.5	<0.50	<0.50	<0.50	<0.50	<0.50	b
2/18/2010	<300	<10	1.4	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
2/10/2011	<300	<10	1.1	<0.50	<0.50	<0.50	<0.50	<0.50	
8/30/2011	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-2									
7/20/2000	--	--	13,000	--	--	--	--	--	
9/19/2000	--	--	19,000	--	--	--	--	--	
12/21/2000	--	--	54,300/89,200	--	--	--	--	--	
12/21/2000	--	--	22,400/24,700	--	--	--	--	--	
3/13/2001	--	--	91,700/76,000	--	--	--	--	--	
3/13/2001	--	--	3,590/3,260	--	--	--	--	--	
12/28/2001	--	--	9,300/8,800	--	--	--	--	--	
3/14/2002	--	--	990/960	--	--	--	--	--	
4/23/2002	--	--	8,500	--	--	--	--	--	
7/17/2002	--	--	19,000/0.4	--	--	--	--	--	
04/05/2004	<1,000	<200	750	<5.0	<5.0	<5.0	<5.0	<5.0	
07/13/2004	<10,000	12,000	5,800	<50	<50	<50	<50	<50	a
08/31/2004	--	--	--	--	--	--	--	--	a
01/20/2005	<10,000	<2,000	7,000	<50	<50	<50	<50	<50	a
04/11/2005	<10,000	<2,000	2,700	<50	<50	<50	<50	<50	
08/01/2005	<10,000	<2,000	2,700	<50	<50	<50	<50	<50	
01/18/2006	<30,000	<2,000	1,600	<50	<50	<50	<50	<50	
04/14/2006	<30,000	<2,000	2,100	<50	<50	<50	<50	<50	
7/19/2006	<6,000	<400	930	<10	<10	<10	<10	<10	
1/15/2007	<6,000	1,900	1,400	<10	<10	<10	<10	<10	
4/18/2007	<6,000	1,200	1,100	<10	<10	<10	<10	<10	
7/17/2007	<6,000	1,000	1,300	<10	<10	<10	<10	<10	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
10/11/2007	<6,000	1,300	1,000	<10	<10	<10	<10	<10	
1/8/2008	<6,000	2,600	1,300	<10	<10	<10	<10	<10	a
4/8/2008	<300	970	690	<0.50	<0.50	3.3	<0.50	<0.50	
8/20/2008	<6,000	470	190	<10	<10	<10	<10	<10	
11/17/2008	<3,000	740	89	<5.0	<5.0	<5.0	<5.0	<5.0	
2/3/2009	<1,500	230	31	<2.5	<2.5	<2.5	<2.5	<2.5	
5/12/2009	<300	590	25	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<6,000	2,300	39	<10	<10	<10	<10	<10	b
2/18/2010	<3,000	1,000	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	
7/23/2010	<1,200	410	6.5	<2.0	<2.0	<2.0	<2.0	<2.0	
2/10/2011	<2400	2800	12	<4.0	<4.0	<4.0	<4.0	<4.0	
8/30/2011	<300	340	4.5	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-3									
7/20/2000	--	--	130	--	--	--	--	--	
9/19/2000	--	--	160	--	--	--	--	--	
12/21/2000	--	--	143/125	--	--	--	--	--	
3/13/2001	--	--	126/122	--	--	--	--	--	
9/18/2001	--	--	110/75	--	--	--	--	--	
12/28/2001	--	--	90/63	--	--	--	--	--	
3/14/2002	--	--	100/88	--	--	--	--	--	
4/23/2002	--	--	77	--	--	--	--	--	
7/17/2002	--	--	47	--	--	--	--	--	
10/9/2002	--	--	26/29	--	--	--	--	--	
1/13/2003	--	--	59	--	--	--	--	--	
04/07/03	<100	<20	75	<0.50	<0.50	6.5	--	--	
7/9/2003	<100	<20	52	<0.50	<0.50	4.2	--	--	
02/05/2004	<100	<20	37	<0.50	<0.50	3.1	<0.50	<0.50	
04/05/2004	<100	<20	53	<0.50	<0.50	3.7	<0.50	<0.50	a
07/13/2004	<100	44	35	<0.50	<0.50	3.2	<0.50	<0.50	
11/04/2004	<100	<20	25	<0.50	<0.50	2.2	<0.50	<0.50	
01/20/2005	<100	<20	27	<0.50	<0.50	2.6	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
04/11/2005	<100	<20	21	<0.50	<0.50	2.0	<0.50	<0.50	
08/01/2005	<100	<20	23	<0.50	<0.50	1.9	<0.50	<0.50	
10/21/2005	<100	<20	19	<0.50	<0.50	2.0	<0.50	<0.50	
01/18/2006	<300	<20	13	<0.50	<0.50	1.3	<0.50	<0.50	
04/14/2006	<300	<20	6.7	<0.50	<0.50	0.61	<0.50	<0.50	
7/19/2006	<300	<20	11	<0.50	<0.50	0.72	<0.50	<0.50	r
10/24/2006	<300	<20	33	<0.50	<0.50	2.8	<0.50	<0.50	
1/15/2007	<300	<20	29	<0.50	<0.50	2.9	<0.50	<0.50	
4/18/2007	<300	<20	9.5	<0.50	<0.50	0.90	<0.50	<0.50	
7/17/2007	<300	<20	19	<0.50	<0.50	1.5	<0.50	<0.50	
10/11/2007	<300	<20	5.3	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	<20	8.9	<0.50	<0.50	0.84	<0.50	<0.50	a
4/8/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	<10	3.6	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	<10	2.1	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	2.7	<0.50	<0.50	<0.50	<0.50	<0.50	
2/18/2010	<300	<10	0.59	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	14	0.85	<0.50	<0.50	<0.50	<0.50	<0.50	
2/10/2011	<300	<10	0.51	<0.50	<0.50	<0.50	<0.50	<0.50	
8/30/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-4									
7/20/2000	--	--	51	--	--	--	--	--	
9/19/2000	--	--	60	--	--	--	--	--	
12/21/2000	--	--	46.3/48.6	--	--	--	--	--	
3/13/2001	--	--	53.7/50	--	--	--	--	--	
9/18/2001	--	--	25/26	--	--	--	--	--	
12/28/2001	--	--	15/11	--	--	--	--	--	
3/14/2002	--	--	31/28	--	--	--	--	--	
4/23/2002	--	--	42	--	--	--	--	--	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-4 Cont.									
7/17/2002	--	--	16	--	--	--	--	--	
10/9/2002	--	--	20/23	--	--	--	--	--	
1/13/2003	--	--	22	--	--	--	--	--	
04/07/03	<100	<20	24	<0.50	<0.50	7.3	--	--	
7/9/2003	<100	<20	34	<0.50	<0.50	9.8	--	--	
02/05/2004	<100	<20	22	<0.50	<0.50	6.2	<0.50	<0.50	
04/05/2004	<100	<20	27	<0.50	<0.50	7.2	<0.50	<0.50	a
07/13/2004	<100	26	27	<0.50	<0.50	7.4	<0.50	<0.50	a
11/04/2004	<100	<20	19	<0.50	<0.50	5.1	<0.50	<0.50	
01/20/2005	<100	<20	18	<0.50	<0.50	5.2	<0.50	<0.50	
04/11/2005	<100	<20	14	<0.50	<0.50	4.0	<0.50	<0.50	
08/01/2005	<100	<20	18	<0.50	<0.50	3.9	<0.50	<0.50	
10/21/2005	<100	<20	15	<0.50	<0.50	4.6	<0.50	<0.50	
01/18/2006	<300	<20	8.9	<0.50	<0.50	2.5	<0.50	<0.50	
04/14/2006	<300	<20	4.2	<0.50	<0.50	1.3	<0.50	<0.50	
7/19/2006	<300	<20	3.4	<0.50	<0.50	0.69	<0.50	<0.50	r
10/24/2006	<300	<20	3.5	<0.50	<0.50	0.91	<0.50	<0.50	
1/15/2007	<300	<20	3.8	<0.50	<0.50	0.98	<0.50	<0.50	
4/18/2007	<300	<20	5.6	<0.50	<0.50	1.1	<0.50	<0.50	
7/17/2007	<300	<20	6.6	<0.50	<0.50	1.7	<0.50	<0.50	
10/11/2007	<300	<20	0.81	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	<20	1.2	<0.50	<0.50	<0.50	<0.50	<0.50	a
4/8/2008	<300	<10	1.7	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	<10	0.70	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	<10	0.73	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	<10	0.67	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	<10	0.62	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	0.65	<0.50	<0.50	<0.50	<0.50	<0.50	b
2/18/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	<10	0.52	<0.50	<0.50	<0.50	<0.50	<0.50	
2/10/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/30/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5									
7/20/2000	--	--	14,000	--	--	--	--	--	
9/19/2000	--	--	13,000	--	--	--	--	--	
12/21/2000	--	--	19,200/21,200	--	--	--	--	--	
3/13/2001	--	--	15,900/20,000	--	--	--	--	--	
9/18/2001	--	--	22,000/20,000	--	--	--	--	--	
12/28/2001	--	--	10,000/10,000	--	--	--	--	--	
3/14/2002	--	--	7,100/7,700	--	--	--	--	--	
4/23/2002	--	--	8,900	--	--	--	--	--	
7/17/2002	--	--	13,000	--	--	--	--	--	
10/9/2002	--	--	7,300/7,500	--	--	--	--	--	
1/13/2003	--	--	8,900	--	--	--	--	--	
04/07/03	<20,000	<4,000	3,700	<100	<100	<100	--	--	
7/9/2003	<10,000	<2,000	6,500	<50	<50	<50	--	--	
02/05/2004	<10,000	<2,000	7,900	<50	<50	<50	<50	<50	a
04/05/2004	<5,000	<1,000	2,000	<25	<25	<25	<25	<25	a
07/13/2004	<10,000	3,200	4,000	<50	<50	<50	<50	<50	a
11/04/2004	<10,000	<2,000	6,300	<50	<50	<50	<50	<50	
01/20/2005	<10,000	<2,000	6,900	<50	<50	<50	<50	<50	a
04/11/2005	<10,000	3,600	2,600	<50	<50	<50	<50	<50	
08/01/2005	<200	1,600	130	<1.0	<1.0	<1.0	<1.0	<1.0	
10/21/2005	<500	1,400	86	<2.5	<2.5	<2.5	<2.5	<2.5	
01/18/2006	<1,500	2,200	100	<2.5	<2.5	<2.5	<2.5	<2.5	
04/14/2006	<1,500	2,100	240	<2.5	<2.5	<2.5	<2.5	<2.5	
7/19/2006	<1,500	2,800	84	<2.5	<2.5	<2.5	<2.5	<2.5	r
10/24/2006	<300	1,200	17	<0.50	<0.50	<0.50	<0.50	<0.50	a
1/15/2007	<300	990	36	<0.50	<0.50	<0.50	<0.50	<0.50	
4/18/2007	<1,500	2,000	16	<2.5	<2.5	<2.5	<2.5	<2.5	
7/17/2007	<1,500	1,100	6.6	<2.5	<2.5	<2.5	<2.5	<2.5	
10/11/2007	<300	750	4.8	<0.50	<0.50	<0.50	<0.50	<0.50	
1/8/2008	<300	220	5.6	<0.50	<0.50	<0.50	<0.50	<0.50	a
4/8/2008	<300	300	8.0	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<600	520	3.6	<1.0	<1.0	<1.0	<1.0	<1.0	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-5 Cont.									
11/17/2008	<300	160	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	94	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	29	2.5	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<600	180	1.3	<1.0	<1.0	<1.0	<1.0	<1.0	b
2/18/2010	<300	17	2.2	<0.50	<0.50	<0.50	<0.50	<0.50	
7/23/2010	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
2/10/2011	<300	<10	0.73	<0.50	<0.50	<0.50	<0.50	<0.50	
8/30/2011	<300	<10	1.9	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-6									
7/20/2000	--	--	<3.0	--	--	--	--	--	
9/19/2000	--	--	<3.0	--	--	--	--	--	
12/21/2000	--	--	<2.5	--	--	--	--	--	
3/13/2001	--	--	<2.5	--	--	--	--	--	
9/18/2001	--	--	<2.5/<2.0	--	--	--	--	--	
12/28/2001	--	--	12/<0.5	--	--	--	--	--	
3/14/2002	--	--	<2.5	--	--	--	--	--	
4/23/2002	--	--	3.1	--	--	--	--	--	
7/17/2002	--	--	<2.5	--	--	--	--	--	
10/9/2002	--	--	<2.5	--	--	--	--	--	
1/13/2003	--	--	<2.5	--	--	--	--	--	
04/07/03	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
7/9/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	
07/13/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	a
08/01/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
7/19/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	r
7/17/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	b
7/23/2010	<300	15	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	
8/30/2011	<300	<10	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-7									
7/20/2000	--	--	71,000	--	--	--	--	--	
9/19/2000	--	--	5,600	--	--	--	--	--	
3/13/2001	--	--	75,000/160,000	--	--	--	--	--	
9/18/2001	--	--	90,000/370,000	--	--	--	--	--	
12/28/2001	--	--	84,000/72,000	--	--	--	--	--	
3/14/2002	--	--	85,000/85,000	--	--	--	--	--	
4/23/2002	--	--	67,000	--	--	--	--	--	
7/17/2002	--	--	120,000	--	--	--	--	--	
10/9/2002	--	--	7,000/120,000	--	--	--	--	--	
1/13/2003	--	--	33,000	--	--	--	--	--	
04/07/03	<5,000	<1,000	710	<25	<25	<25	--	--	
7/9/2003	<100,000	<20,000	36,000	<500	<500	<500	--	--	
02/05/2004	<50,000	<10,000	34,000	<250	<250	<250	<250	<250	
04/05/2004	<50,000	<10,000	37,000	<250	<250	<250	<250	<250	
07/13/2004	<200,000	<40,000	56,000	<1,000	<1,000	1,300	<1,000	<1,000	
11/04/2004	<100,000	<20,000	71,000	<500	<500	<500	<500	<500	
01/20/2005	<50,000	<10,000	36,000	<250	<250	<250	<250	<250	a
04/11/2005	<5,000	<1,000	1,200	<25	<25	<25	<25	<25	
08/01/2005	<50,000	<10,000	4,800	<250	<250	<250	<250	<250	
10/21/2005	<20,000	24,000	12,000	<100	<100	<100	<100	<100	
01/18/2006	<60,000	15,000	13,000	<100	<100	<100	<100	<100	
04/14/2006	<60,000	<4,000	4,700	<100	<100	<100	<100	<100	
7/19/2006	<6,000	720	1,600	<10	<10	<10	<10	<10	
10/24/2006	<3,000	10,000	14,000	<5.0	<5.0	31	<5.0	<5.0	a
1/15/2007	<60,000	9,300	3,900	<100	<100	<100	<100	<100	
4/18/2007	<30,000	<2,000	2,700	<50	<50	<50	<50	<50	
7/17/2007	<15,000	<1,000	890	<25	<25	<25	<25	<25	
10/11/2007	<1,500	150	370	<2.5	<2.5	<2.5	<2.5	<2.5	
1/8/2008	<15,000	1,400	6,100	<25	<25	32	<25	<25	
4/8/2008	<300	700	1,200	<0.50	<0.50	5.1	<0.50	<0.50	
8/20/2008	<300	34	39	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	44	28	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-7 Cont.									
2/3/2009	<300	66	18	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	75	390	<0.50	<0.50	1.2	<0.50	<0.50	
8/13/2009	<300	19	21	<0.50	<0.50	<0.50	<0.50	<0.50	b
2/18/2010	<15,000	2,300	1,300	<25	<25	<25	<25	<25	
7/23/2010	<300	7,800	1,000	<0.50	<0.50	3.6	<0.50	<0.50	
2/10/2011	<15,000	9900	310	<25	<25	<25	<25	<25	
8/30/2011	<15,000	9,500	180	<25	<25	<25	<25	<25	
MW-8									
02/05/2004	<5,000	<1,000	1,900	<25	<25	<25	<25	<25	
04/05/2004	<2,000	<400	1,200	<10	<10	12	<10	<10	a
07/13/2004	<2,000	770	760	<10	<10	<10	<10	<10	a
11/04/2004	<1,000	<200	820	<5.0	<5.0	9.6	<5.0	<5.0	
01/20/2005	<5,000	<1,000	1,400	<25	<25	<25	<25	<25	a
04/11/2005	<1,000	<200	610	<5.0	<5.0	8.1	<5.0	<5.0	
08/01/2005	<2,000	<400	900	<10	<10	<10	<10	<10	
10/21/2005	<1,000	<200	490	<5.0	<5.0	<5.0	<5.0	<5.0	
01/18/2006	<3,000	<200	500	<5.0	<5.0	5.2	<5.0	<5.0	
04/14/2006	<3,000	<200	300	<5.0	<5.0	<5.0	<5.0	<5.0	
7/19/2006	<15,000	<1,000	4,200	<25	<25	45	<25	<25	
1/15/2007	<300	52	67	<0.50	<0.50	0.88	<0.50	<0.50	
4/18/2007	<300	120	130	<0.50	<0.50	1.9	<0.50	<0.50	
7/17/2007	<300	110	96	<0.50	<0.50	1.2	<0.50	<0.50	
10/11/2007	<300	350	130	<0.50	<0.50	1.7	<0.50	<0.50	
1/8/2008	<300	59	49	<0.50	<0.50	0.80	<0.50	<0.50	
4/8/2008	<300	110	32	<0.50	<0.50	<0.50	<0.50	<0.50	
8/20/2008	<300	62	13	<0.50	<0.50	<0.50	<0.50	<0.50	
11/17/2008	<300	24	14	<0.50	<0.50	<0.50	<0.50	<0.50	
2/3/2009	<300	17	16	<0.50	<0.50	<0.50	<0.50	<0.50	
5/12/2009	<300	18	30	<0.50	<0.50	<0.50	<0.50	<0.50	
8/13/2009	<300	28	7.5	<0.50	<0.50	<0.50	<0.50	<0.50	
2/18/2010	<300	37	12	<0.50	<0.50	<0.50	<0.50	<0.50	

Table 2. Summary of Fuel Additives Analytical Data
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Well ID and Date Monitored	Concentrations in µg/L								Footnote
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-8 Cont.									
7/23/2010	<300	53	8.2	<0.50	<0.50	<0.50	<0.50	<0.50	
2/10/2011	<300	23	4.5	<0.50	<0.50	<0.50	<0.50	<0.50	
8/30/2011	<300	<10	3.6	<0.50	<0.50	<0.50	<0.50	<0.50	

Symbols & Abbreviations:

-- = Not analyzed/applicable/measured/available

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per Liter

Footnotes:

a = The continuing calibration verification for ethanol was outside of client contractual acceptance limits. However, it was within method acceptance limits. The data should still be considered useful for its intended purpose

b = Sample taken from VOA vial with air bubble > 6mm diameter

Notes:

All volatile organic compounds analyzed using EPA Method 8260B

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

Table 3. Historical Groundwater Gradient - Direction and Magnitude
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
7/20/2000	West-Northwest	0.006
9/19/2000	West-Northwest	0.004
12/21/2000	West-Northwest	0.004
3/13/2001	West-Northwest	0.005
5/30/2001	West-Northwest	0.004
9/18/2001	West-Northwest	0.003
12/28/2001	West-Northwest	0.003
3/14/2002	West	0.004
4/23/2002	West	0.006
7/17/2002	West	0.003
10/9/2002	West	0.002
1/13/2003	Southwest	0.0043
4/7/2003	West-Northwest	0.009 to 0.011
7/9/2003	West-Northwest	0.004
10/1/2003	West	0.002
2/5/2004	West	0.004
4/5/2004	West-Southwest	0.004
7/13/2004	West-Southwest	0.003
11/4/2004	West	0.003
1/20/2005	West	0.009
4/11/2005	North to West	0.009 to 0.01
8/1/2005	West to Northwest	0.006 to 0.004
10/21/2005	West	0.008
1/18/2006	North and West	0.01
4/14/2006	South	0.008
7/19/2006	Northwest to Southwest	0.004 to 0.008
10/24/2006	West	0.003
1/15/2007	Southwest	0.004
4/18/2007	West	0.009
7/17/2007	Southeast	0.05
10/11/2007	West	0.01
1/8/2008	West	0.008
4/8/2008	West	0.006
8/20/2008	West	0.006
11/17/2008	South-Southeast	0.05
2/3/2009	South-Southeast	0.01
5/12/2009	North to West	0.004
8/13/2009	South	0.006
2/18/2010	West-Southwest	0.001
7/23/2010	West-Southwest	0.002
2/10/2011	West	0.002
8/30/2011	West	0.01

Table 3. Historical Groundwater Gradient - Direction and Magnitude
ARCO Service Station #2111, 1156 Davis St, San Leandro, CA

Date Measured	Approximate Gradient Direction	Approximate Gradient Magnitude (ft/ft)
----------------------	---------------------------------------	---

Notes:

The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information

APPENDIX A
FIELD METHODS

BROADBENT & ASSOCIATES INC. FIELD PROCEDURES

A.1 QUALITY ASSURANCE/QUALITY CONTROL FIELD PROTOCOLS

Field protocols have been implemented to enhance the accuracy and reliability of data collection, ground-water sample collection, transportation and laboratory analysis. Discussion of these protocols is provided below.

A.1.1 Water Level & Free-Product Measurement

Prior to ground-water sample collection from each monitoring well, the presence of separate-phase hydrocarbons (SPH or free product, FP) and depth to ground water shall be measured. Depth to ground water will be measured with a standard water level indicator that has been decontaminated prior to its use in accordance with procedures discussed below. Depth to groundwater will be gauged from a saw cut notch at the top of the well casing on each well head. Where FP is suspected, the initial gauging will be done with an oil-water interface probe. Once depth to water has been measured, the first retrieval of a new disposable bailer will be scrutinized for the presence of SPH/FP.

A.1.2 Monitoring Well Purging

Subsequent to measuring depth to ground water and prior to the collection of ground-water samples, purging of standing water within the monitoring well will be performed if called for. Consistent with the American Society for Testing and Materials (ASTM) Standard D6452-99, Section 7.1, the well will be purged of approximately three wetted-casing volumes of water, or until the well is dewatered, or until monitored field parameters indicate stabilization. The well will be purged using a pre-cleaned disposable bailer or submersible pump and disposable plastic tubing dedicated to each individual well. The well will be purged at a low flow rate to minimize the possibility of purging the well dry. So that the sample collected is representative of formation water, several field parameters will be monitored during the purging process. The sample will not be collected until these parameters (i.e. temperature, pH, and conductivity) have stabilized to within 10% of the previously measured value. If a well is purged dry, the sample should not be collected until the well has recovered to a minimum 50% of its initial volume.

A.1.3 Ground-Water Sample Collection

Once the wells are satisfactorily purged, water samples will be collected from each well. Water samples for organic analyses will be collected using a pre-cleaned, new, disposable bailer and transferred into the appropriate, new, laboratory-prepared containers such that no head space or air bubbles are present in the sample container (if appropriate to the analysis). The samples will be properly labeled (i.e. sample identification, sampler initials, date/time of collection, site location, requested analyses), placed in an ice chest with bagged ice or ice substitute, and delivered to the contracted analytical laboratory.

A.1.4 Surface Water Sample Collection

Unless specified otherwise, surface water samples will be collected from mid-depth in the central area of the associated surface water body. Water samples will be collected into appropriate, new, laboratory-prepared containers by dipping the container into the surface water unless the container has a preservative present. If a sample preservative is present, a new, cleaned non-preserved surrogate container will be used to obtain the sample which will then be directly transferred into a new, laboratory-provided, preserved container. Samples will be properly labeled and transported as described above.

A.1.5 Decontamination Protocol

Prior to use in each well, re-usable ground-water sampling equipment (e.g., water level indicator, oil-interface probe, purge pump, etc.) will be decontaminated. Decontamination protocol will include thoroughly cleaning with a solution of Liquinox, rinsing with clean water, and final rinsing with control water (potable water of known quality, distilled, or de-ionized water). Pre-cleaned new disposable bailers and disposable plastic tubing will be dedicated to each individual well.

A.1.6 Chain of Custody Procedures

Sample identification documents will be carefully prepared so identification and chain of custody can be maintained and sample disposition can be controlled. The sample identification documents include Chain-of-Custody (COC) records and Daily Field Report forms. Chain of custody procedures are outlined below.

Field Custody Procedures

The field sampler is individually responsible for the care and custody of the samples collected until they are properly transferred.

Samples will have unique labels. The information on these labels will correspond to the COC which shows the identification of individual samples and the contents of the shipping container. The original COC will accompany the shipment and a copy will be retained by the field sampler.

Transfer of Custody and Shipment

A COC will accompany samples during transfer and shipment. When transferring samples, the individual relinquishing and the individual receiving the samples will each sign, date, and note the time on the COC. This documents the sample custody transfer.

Samples will be packaged properly for shipment and dispatched to the appropriate laboratory for analysis, with a separate COC accompanying each shipment. Shipments will be accompanied by the original COC. Samples will be delivered by BAI personnel to the laboratory, or shipped by responsible courier. When a shipping courier is utilized, the sample shipment number will be identified on the COC.

A.1.7 Field Records

In addition to sample identification numbers and COC records, Daily Field Report records will be maintained by field staff to provide daily records of significant events, observations, and measurements during field investigations. These documents will contain observed information such as: the personnel present, site conditions, sampling procedures, measurement procedures, calibration records, equipment used, supplies used, etc. Field measurements will be recorded on the appropriate forms. Entries on the data forms will be signed and dated. The data forms will be kept as permanent file records.

APPENDIX B

FIELD DATA SHEETS
AND
NON-HAZARDOUS WASTE DATA FORM

Groundwater Sampling Data Sheet

Well I.D.: _____

MW-1

Project Name/Location: _____

BP/ARCO 2111

Project #: 0688-65

Sampler's Name: _____

SB & JP

Date: 8/30/11

Purging Equipment: _____

Sampling Equipment: _____

boiler

Casing Type: PVC

Casing Diameter: _____

4 inch

***UNIT CASING VOLUMES**

Total Well Depth: _____

26.4 feet

2" = 0.16 gal/lin ft.

Depth to Water: _____

- 17.13 feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = _____

feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: x _____

gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = _____

gallons

Casing Volume: x _____

3 each

Estimated Purge Volume: = _____

gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	1111	0.98	122	—	741.7	19.2	6.9	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: _____

0 gallons

Depth to Water at Sample Collection: _____

0 feet

Sample Collection Time: _____

1115

Purged Dry? (Y/N) **(N)**

Comments: _____

RUP @ 12.50"

Groundwater Sampling Data Sheet

Well I.D.: MW-2
 Project Name/Location: BP/ARCO 2111 Project #: 0688-615
 Sampler's Name: SB & JP Date: 8/30/11
 Purging Equipment: _____
 Sampling Equipment: Dieter

Casing Type: PVC

Casing Diameter: 4 inch

Total Well Depth: 26.75 feet

Depth to Water: 15.35 feet

Water Column Thickness: = _____ feet

Unit Casing Volume*: x _____ gallon / foot

Casing Water Volume: = _____ gallons

Casing Volume: x 3 each

Estimated Purge Volume: = _____ gallons

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

3" = 0.37 gal/lin ft.

4" = 0.65 gal/lin ft.

6" = 1.47 gal/lin ft.

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	1148	0.67	85	—	696.5	71.6	6.7	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: _____ gallons

Depth to Water at Sample Collection: _____ feet

Sample Collection Time: 1150

Purged Dry? (Y/N) (N)

Comments:



Groundwater Sampling Data Sheet

Well I.D.: _____

Project Name/Location: _____

Sampler's Name: _____

Purging Equipment: _____

Sampling Equipment: _____

Casing Type: PVC

Casing Diameter: 4 inch

Total Well Depth: 26.43 feet

Depth to Water: 16.45 feet

Water Column Thickness: = _____ feet

Unit Casing Volume*: x _____ gallon / foot

Casing Water Volume: = _____ gallons

Casing Volume: x 3 each

Estimated Purge Volume: = _____ gallons

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.

3" = 0.37 gal/lin ft.

4" = 0.65 gal/lin ft.

6" = 1.47 gal/lin ft.

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
<u>0</u>	<u>1022</u>	<u>0.83</u>	<u>112</u>	<u>-</u>	<u>667.4</u>	<u>19.6</u>	<u>6.9</u>	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: _____ gallons

Depth to Water at Sample Collection: _____ feet

Sample Collection Time: 1030

Purged Dry? (Y/N) (N)

Comments: NP @ 12'



Groundwater Sampling Data Sheet

Well I.D.: MW-5

Project Name/Location: BP MARCO 2111

Project #: 06-88-615

Sampler's Name: CS & JP

Date: 8/30/11

Purging Equipment: I

Sampling Equipment: bailey

Casing Type: PVC

Casing Diameter: 2 inch

***UNIT CASING VOLUMES**

Total Well Depth: _____ feet

2" = 0.16 gal/lin ft.

Depth to Water: 14.99 feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = _____ feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: x _____ gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = _____ gallons

Casing Volume: x 3 each

Estimated Purge Volume: = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
<u>①</u>	<u>0925</u>	<u>1.64</u>	<u>85</u>	<u>—</u>	<u>615.2</u>	<u>19.5</u>	<u>8.2</u>	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: _____ gallons

Depth to Water at Sample Collection: _____ feet

Sample Collection Time: 0930

Purged Dry? (Y/N) (N)

Comments: NP @ 9.50'



Groundwater Sampling Data Sheet

Well I.D.: _____

Project Name/Location: _____

Project #: 06-88-615

Sampler's Name: _____

Date: 8/30/11

Purging Equipment: _____

Sampling Equipment: _____

Casing Type: PVC

Casing Diameter: 2 inch

***UNIT CASING VOLUMES**

Total Well Depth: 20.65 feet

2" = 0.16 gal/lin ft.

Depth to Water: 13.10 feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = _____ feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: x _____ gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = _____ gallons

Casing Volume: x 3 each

Estimated Purge Volume: = _____ gallons

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
<u>0</u>	<u>0913</u>	<u>160</u>	<u>92</u>	<u>—</u>	<u>691.7</u>	<u>20.2</u>	<u>7.2</u>	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: _____ gallons

Depth to Water at Sample Collection: _____ feet

Sample Collection Time: 0950

Purged Dry? (Y / N)

Comments: NP@10'

Groundwater Sampling Data Sheet

Well I.D.: mw-7
 Project Name/Location: BB/ALCO 2111 Project #: 08-88-618
 Sampler's Name: SST JP Date: 8/30/11
 Purging Equipment: perfor
 Sampling Equipment: meter

Casing Type: PVC
 Casing Diameter: 4 inch
 Total Well Depth: 26.47 feet
 Depth to Water: 15.10 feet
 Water Column Thickness: = _____ feet
 Unit Casing Volume*: x _____ gallon / foot
 Casing Water Volume: = _____ gallons
 Casing Volume: x 3 each
 Estimated Purge Volume: = _____ gallons

***UNIT CASING VOLUMES**

2" = 0.16 gal/lin ft.
 3" = 0.37 gal/lin ft.
 4" = 0.65 gal/lin ft.
 6" = 1.47 gal/lin ft.

Free product measurement (if present): _____

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	12:01	0.80	-5	-	877.9	23.6	6.9	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: _____ gallons
 Depth to Water at Sample Collection: _____ feet
 Sample Collection Time: 12:10

Purged Dry? (Y/N) (N)

Comments: _____



Groundwater Sampling Data Sheet

Well I.D.: MW-8

Project Name/Location: BP/ARCO 2111

Project #: 06-88-615

Sampler's Name: SB & JP

Date: 8/30/11

Purging Equipment: bauler

Sampling Equipment: bauler

Casing Type: PVC

Casing Diameter: 2 inch

***UNIT CASING VOLUMES**

Total Well Depth: 34.65 feet

2" = 0.16 gal/lin ft.

Depth to Water: 16.08 feet

3" = 0.37 gal/lin ft.

Water Column Thickness: = 18.57 feet

4" = 0.65 gal/lin ft.

Unit Casing Volume*: x 0.16 gallon / foot

6" = 1.47 gal/lin ft.

Casing Water Volume: = 2.97 gallons

Casing Volume: x 3 each

Estimated Purge Volume: = 8.91 gallons

Free product measurement (if present):

Purged (gallons)	Time (24:00)	DO	ORP (mV)	Fe	Conductance (µS)	Temperature (Fahrenheit)	pH	Observations
0	1129	0.86	112	—	663.4	20.5	6.8	
1	1130	X	X	X	663.7	19.7	6.8	
2	1131	X	X	X	666.1	19.5	6.8	
3	1133	X	X	X	667.0	19.5	6.8	
		X	X	X				
		X	X	X				
		X	X	X				
		X	X	X				

Total Water Volume Purged: 3.0 gallons

Depth to Water at Sample Collection: — feet

Sample Collection Time: 1140



Purged Dry? (Y/N) (N)

Comments:

NO. 689970

NON-HAZARDOUS WASTE DATA FORM

BESI # _____

GENERATOR	Generator's Name and Mailing Address BP WEST COAST PRODUCTS, LLC P.O. BOX 80249 RANCHO SANTA MARGARITA, CA 92688		Generator's Site Address (if different than mailing address) BP 2111 1156 Davis Street San Leandro, CA 94577																								
	Generator's Phone: 949-460-5200																										
	Container type removed from site: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____		Container type transported to receiving facility: <input type="checkbox"/> Drums <input type="checkbox"/> Vacuum Truck <input type="checkbox"/> Roll-off Truck <input type="checkbox"/> Dump Truck <input type="checkbox"/> Other _____																								
	Quantity <u>3g</u>		Quantity _____ Volume _____																								
	WASTE DESCRIPTION <u>NON-HAZARDOUS WATER</u>		GENERATING PROCESS <u>WELL PURGING / DECON WATER</u>																								
<table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:30%;"></th> <th style="width:15%;">COMPONENTS OF WASTE</th> <th style="width:15%;">PPM</th> <th style="width:15%;">%</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>WATER</td> <td></td> <td>99-100%</td> </tr> <tr> <td>2.</td> <td>TPH</td> <td></td> <td><1%</td> </tr> </tbody> </table>			COMPONENTS OF WASTE	PPM	%	1.	WATER		99-100%	2.	TPH		<1%	<table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:30%;"></th> <th style="width:15%;">COMPONENTS OF WASTE</th> <th style="width:15%;">PPM</th> <th style="width:15%;">%</th> </tr> </thead> <tbody> <tr> <td>3.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4.</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			COMPONENTS OF WASTE	PPM	%	3.				4.			
	COMPONENTS OF WASTE	PPM	%																								
1.	WATER		99-100%																								
2.	TPH		<1%																								
	COMPONENTS OF WASTE	PPM	%																								
3.																											
4.																											
Waste Profile _____		PROPERTIES: pH <u>7-10</u> <input type="checkbox"/> SOLID <input checked="" type="checkbox"/> LIQUID <input type="checkbox"/> SLUDGE <input type="checkbox"/> SLURRY <input type="checkbox"/> OTHER _____																									
HANDLING INSTRUCTIONS: <u>WEAR ALL APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.</u>																											
Generator Printed/Typed Name <u>Lu DAMERELL</u>		Signature 	Month Day Year <u>09 13 11</u>																								
The Generator certifies that the waste as described is 100% non-hazardous																											
TRANSPORTER	Transporter 1 Company Name BROADBENT & ASSOCIATES, INC>		Phone# 530-568-1400																								
	Transporter 1 Printed/Typed Name <u>Lu DAMERELL</u>		Signature 	Month Day Year <u>09 13 11</u>																							
	Transporter Acknowledgment of Receipt of Materials																										
	Transporter 2 Company Name		Phone#																								
	Transporter 2 Printed/Typed Name		Signature	Month Day Year																							
Transporter Acknowledgment of Receipt of Materials																											
RECEIVING FACILITY	Designated Facility Name and Site Address INSTRAT, INC. 1105 AIRPORT RD. RIO VISTA, CA 94571		Phone# 530-753-1829																								
	Printed/Typed Name		Signature	Month Day Year																							
	Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.																										

APPENDIX C

LABORATORY REPORT AND CHAIN-OF-CUSTODY DOCUMENTATION



Environmental & Marine Chemistry Laboratories



CALSCIENCE

WORK ORDER NUMBER: 11-09-0004

The difference is service



AIR | SOIL | WATER | MARINE CHEMISTRY

Analytical Report For

Client: Broadbent & Associates, Inc

Client Project Name: ARCO 2111

Attention: Tom Sparrowe
875 Cotting Lane, Suite G
Vacaville, CA 95688-9299

Approved for release on 09/14/2011 by:
Richard Villafania
Project Manager

ResultLink ▶

Email your PM ▶



Calscience Environmental Laboratories certifies that the test results provided in this report meet all NELAC requirements for parameters for which accreditation is required or available. Any exceptions to NELAC requirements are noted in the case narrative. The original report of subcontracted analyses, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety. Note that the Chain-of-Custody Record and Sample Receipt Form are integral parts of this report.





Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8015B (M)

Project: ARCO 2111

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	11-09-0004-1-D	08/30/11 11:15	Aqueous	GC 57	09/02/11	09/02/11 15:44	110902B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	99	38-134			

MW-2	11-09-0004-2-D	08/30/11 11:50	Aqueous	GC 57	09/02/11	09/02/11 17:18	110902B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Comment(s): -LW Quantitated against gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	200	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	75	38-134			

MW-3	11-09-0004-3-D	08/30/11 10:30	Aqueous	GC 57	09/02/11	09/02/11 17:50	110902B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	95	38-134			

MW-4	11-09-0004-4-D	08/30/11 10:05	Aqueous	GC 57	09/02/11	09/02/11 18:21	110902B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8015B (M)

Project: ARCO 2111

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	11-09-0004-5-D	08/30/11 09:30	Aqueous	GC 57	09/02/11	09/02/11 18:52	110902B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	99	38-134			

MW-6	11-09-0004-6-D	08/30/11 09:50	Aqueous	GC 57	09/02/11	09/02/11 19:55	110902B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	94	38-134			

MW-7	11-09-0004-7-D	08/30/11 12:10	Aqueous	GC 57	09/02/11	09/02/11 20:26	110902B01
------	----------------	----------------	---------	-------	----------	----------------	-----------


Comment(s): -LW Quantitated against gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	480	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	93	38-134			

MW-8	11-09-0004-8-D	08/30/11 11:40	Aqueous	GC 57	09/02/11	09/02/11 20:58	110902B01
------	----------------	----------------	---------	-------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	72	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8015B (M)

Project: ARCO 2111

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-695-1,145	N/A	Aqueous	GC 57	09/02/11	09/02/11 14:10	110902B01

<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Units</u>
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	96	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ARCO 2111

Page 1 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	11-09-0004-1-A	08/30/11 11:15	Aqueous	GC/MS BB	09/02/11	09/02/11 19:54	110902L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	2.1	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	89	68-120			Dibromofluoromethane	88	80-127		
1,2-Dichloroethane-d4	106	80-128			Toluene-d8	95	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	11-09-0004-2-B	08/30/11 11:50	Aqueous	GC/MS BB	09/06/11	09/06/11 16:33	110906L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	4.5	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	340	200	20	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	95	68-120			Dibromofluoromethane	103	80-127		
1,2-Dichloroethane-d4	106	80-128			Toluene-d8	107	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	11-09-0004-3-A	08/30/11 10:30	Aqueous	GC/MS BB	09/02/11	09/02/11 20:52	110902L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	89	68-120			Dibromofluoromethane	90	80-127		
1,2-Dichloroethane-d4	101	80-128			Toluene-d8	94	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ARCO 2111

Page 2 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-4	11-09-0004-4-A	08/30/11 10:05	Aqueous	GC/MS BB	09/02/11	09/02/11 21:22	110902L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	88	68-120			Dibromofluoromethane	91	80-127		
1,2-Dichloroethane-d4	105	80-128			Toluene-d8	96	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	11-09-0004-5-A	08/30/11 09:30	Aqueous	GC/MS BB	09/02/11	09/02/11 21:51	110902L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.9	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	91	68-120			Dibromofluoromethane	84	80-127		
1,2-Dichloroethane-d4	104	80-128			Toluene-d8	94	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-6	11-09-0004-6-A	08/30/11 09:50	Aqueous	GC/MS BB	09/02/11	09/02/11 22:20	110902L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	89	68-120			Dibromofluoromethane	89	80-127		
1,2-Dichloroethane-d4	104	80-128			Toluene-d8	93	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L

Project: ARCO 2111

Page 3 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-7	11-09-0004-7-A	08/30/11 12:10	Aqueous	GC/MS BB	09/02/11	09/02/11 22:49	110902L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	25	50		Methyl-t-Butyl Ether (MTBE)	180	25	50	
1,2-Dibromoethane	ND	25	50		Tert-Butyl Alcohol (TBA)	9500	500	50	
1,2-Dichloroethane	ND	25	50		Diisopropyl Ether (DIPE)	ND	25	50	
Ethylbenzene	ND	25	50		Ethyl-t-Butyl Ether (ETBE)	ND	25	50	
Toluene	ND	25	50		Tert-Amyl-Methyl Ether (TAME)	ND	25	50	
Xylenes (total)	ND	25	50		Ethanol	ND	15000	50	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	89	68-120			Dibromofluoromethane	93	80-127		
1,2-Dichloroethane-d4	101	80-128			Toluene-d8	95	80-120		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-8	11-09-0004-8-A	08/30/11 11:40	Aqueous	GC/MS BB	09/02/11	09/02/11 23:19	110902L01


Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	3.6	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	87	68-120			Dibromofluoromethane	89	80-127		
1,2-Dichloroethane-d4	104	80-128			Toluene-d8	95	80-120		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,845	N/A	Aqueous	GC/MS BB	09/02/11	09/02/11 15:28	110902L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	93	68-120			Dibromofluoromethane	100	80-127		
1,2-Dichloroethane-d4	113	80-128			Toluene-d8	98	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B
 Units: ug/L


Project: ARCO 2111

Page 4 of 4

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-1,846	N/A	Aqueous	GC/MS BB	09/06/11	09/06/11 15:04	110906L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>		<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>	<u>Qual</u>	
1,4-Bromofluorobenzene	91	68-120			Dibromofluoromethane	100	80-127		
1,2-Dichloroethane-d4	108	80-128			Toluene-d8	98	80-120		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299


Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8015B (M)


Project ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-1	Aqueous	GC 57	09/02/11	09/02/11	110902S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	77	76	38-134	2	0-25	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299

Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B


Project ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-09-0031-1	Aqueous	GC/MS BB	09/02/11	09/02/11	110902S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	94	95	76-124	1	0-20	
Carbon Tetrachloride	90	94	74-134	4	0-20	
Chlorobenzene	96	95	80-120	0	0-20	
1,2-Dibromoethane	93	90	80-120	3	0-20	
1,2-Dichlorobenzene	90	96	80-120	6	0-20	
1,2-Dichloroethane	91	92	80-120	1	0-20	
Ethylbenzene	99	98	78-126	0	0-20	
Toluene	97	99	80-120	1	0-20	
Trichloroethene	91	92	77-120	1	0-20	
Methyl-t-Butyl Ether (MTBE)	89	93	67-121	4	0-49	
Tert-Butyl Alcohol (TBA)	98	88	36-162	11	0-30	
Diisopropyl Ether (DIPE)	93	96	60-138	4	0-45	
Ethyl-t-Butyl Ether (ETBE)	92	96	69-123	4	0-30	
Tert-Amyl-Methyl Ether (TAME)	87	88	65-120	1	0-20	
Ethanol	111	94	30-180	16	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - Spike/Spike Duplicate



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299


Date Received: 09/01/11
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B


Project ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
11-09-0027-10	Aqueous	GC/MS BB	09/06/11	09/06/11	110906S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	101	98	76-124	2	0-20	
Carbon Tetrachloride	90	93	74-134	3	0-20	
Chlorobenzene	97	98	80-120	2	0-20	
1,2-Dibromoethane	94	99	80-120	5	0-20	
1,2-Dichlorobenzene	95	97	80-120	3	0-20	
1,2-Dichloroethane	96	94	80-120	2	0-20	
Ethylbenzene	98	100	78-126	2	0-20	
Toluene	103	101	80-120	2	0-20	
Trichloroethene	94	93	77-120	1	0-20	
Methyl-t-Butyl Ether (MTBE)	96	104	67-121	8	0-49	
Tert-Butyl Alcohol (TBA)	110	107	36-162	3	0-30	
Diisopropyl Ether (DIPE)	97	103	60-138	6	0-45	
Ethyl-t-Butyl Ether (ETBE)	98	103	69-123	5	0-30	
Tert-Amyl-Methyl Ether (TAME)	94	96	65-120	2	0-20	
Ethanol	123	107	30-180	14	0-72	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299


Date Received: N/A
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8015B (M)


Project: ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-1,145	Aqueous	GC 57	09/02/11	09/02/11	110902B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	79	78	78-120	1	0-20	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299


Date Received: N/A
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B


Project: ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,845	Aqueous	GC/MS BB	09/02/11	09/02/11	110902L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	87	93	80-120	73-127	6	0-20	
Carbon Tetrachloride	90	96	74-134	64-144	6	0-20	
Chlorobenzene	83	92	80-120	73-127	10	0-20	
1,2-Dibromoethane	81	91	79-121	72-128	11	0-20	
1,2-Dichlorobenzene	80	90	80-120	73-127	12	0-20	
1,2-Dichloroethane	85	92	80-120	73-127	7	0-20	
Ethylbenzene	86	96	80-120	73-127	10	0-20	
Toluene	91	97	80-120	73-127	6	0-20	
Trichloroethene	86	92	79-127	71-135	7	0-20	
Methyl-t-Butyl Ether (MTBE)	88	96	69-123	60-132	8	0-20	
Tert-Butyl Alcohol (TBA)	95	109	63-123	53-133	14	0-20	
Diisopropyl Ether (DIPE)	94	99	59-137	46-150	5	0-37	
Ethyl-t-Butyl Ether (ETBE)	93	99	69-123	60-132	7	0-20	
Tert-Amyl-Methyl Ether (TAME)	83	90	70-120	62-128	8	0-20	
Ethanol	100	106	28-160	6-182	5	0-57	

Total number of LCS compounds : 15
 Total number of ME compounds : 0
 Total number of ME compounds allowed : 1
 LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate



Broadbent & Associates, Inc
 875 Cotting Lane, Suite G
 Vacaville, CA 95688-9299


Date Received: N/A
 Work Order No: 11-09-0004
 Preparation: EPA 5030C
 Method: EPA 8260B

Project: ARCO 2111

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-1,846	Aqueous	GC/MS BB	09/06/11	09/06/11	110906L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	89	91	80-120	73-127	2	0-20	
Carbon Tetrachloride	94	95	74-134	64-144	1	0-20	
Chlorobenzene	87	89	80-120	73-127	3	0-20	
1,2-Dibromoethane	82	87	79-121	72-128	6	0-20	
1,2-Dichlorobenzene	89	89	80-120	73-127	1	0-20	
1,2-Dichloroethane	87	88	80-120	73-127	2	0-20	
Ethylbenzene	90	91	80-120	73-127	2	0-20	
Toluene	93	96	80-120	73-127	3	0-20	
Trichloroethene	87	88	79-127	71-135	2	0-20	
Methyl-t-Butyl Ether (MTBE)	90	91	69-123	60-132	2	0-20	
Tert-Butyl Alcohol (TBA)	77	92	63-123	53-133	17	0-20	
Diisopropyl Ether (DIPE)	92	95	59-137	46-150	3	0-37	
Ethyl-t-Butyl Ether (ETBE)	91	94	69-123	60-132	3	0-20	
Tert-Amyl-Methyl Ether (TAME)	84	86	70-120	62-128	2	0-20	
Ethanol	88	96	28-160	6-182	9	0-57	

Total number of LCS compounds : 15
 Total number of ME compounds : 0
 Total number of ME compounds allowed : 1
 LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit




Glossary of Terms and Qualifiers



Work Order Number: 11-09-0004


<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	Relative percent difference out of control.
BA,AY	BA = Relative percent difference out of control. AY = Matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
BZ	Sample preserved improperly.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
DU	Insufficient sample quantity for matrix spike/dup matrix spike.
ET	Sample was extracted past end of recommended max. holding time.
ET	Sample was extracted past end of recommended maximum holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GR	Internal standard recovery is outside method recovery limit.
IB	CCV recovery abovelimit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG,AY	LG= Surrogate recovery below the acceptance limit. AY= Matrix interference suspected.
LH,AY	LH= Surrogate recovery above the acceptance limit. AY= Matrix interference suspected.
LM,AY	LM= MS and/or MSD above acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LN,AY	LN= MS and/or MSD below acceptance limits. See Blank Spike (LCS). AY= Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
LW	Quantitation of unknown hydrocarbon(s) in sample based on gasoline.
LX	Quantitation of unknown hydrocarbon(s) in sample based on diesel.
MB	Analyte present in the method blank.
ME	LCS/LCSD Recovery Percentage is within Marginal Exceedance (ME) Control Limit range.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.
SG	A silica gel cleanup procedure was performed.



Qualifier

Definition

Solid - Unless otherwise indicated, solid sample data is reported on a wet weight basis, not corrected for % moisture. All QC results are reported on a wet weight basis.





Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: ARCO 2111
 BP/ARC Facility No: 2111

Req Due Date (mm/dd/yy): STD-TAT Rush TAT: Yes No
 Lab Work Order Number: **11-09-0004**

Lab Name: Cal science	BP/ARC Facility Address: 1156 Davis Street	Consultant/Contractor: Broadbent & Associates, Inc.
Lab Address: 7440 Lincoln Way	City, State, ZIP Code: San Leandro, CA 94577	Consultant/Contractor Project No: 06-88-615-401-1080
Lab PM: Richard Villafania	Lead Regulatory Agency: ACEH	Address: 875 Cotting Lane, Suite G, Vacaville, CA 95688
Lab Phone: 714-895-5494 / 714-895-7501 (fax)	California Global ID No.: T0600101764	Consultant/Contractor PM: Tom Sparrowe
Lab Shipping Acct: 9255	Enfos Proposal No: 005XM-0001	Phone: 707-455-7290 / 707-455-7295 (fax)
Lab Bottle Order No:	Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/>	Email EDD To: tsparrowe@broadbentinc.com
Other Info:	Stage: Operate (5) Activity: Monitoring/MNA (22)	Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor <input type="checkbox"/>

BP/ARC EBM: Shannon Couch				Matrix			No. Containers / Preservative						Requested Analyses						Report Type & QC Level	
EBM Phone: 925-275-3804				Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	GRO (8015)	BTEX (8260)	5 Oxys (8260)	EDB (8260)	1,2-DCA (8260)	Ethanol (8260)	Standard <input checked="" type="checkbox"/>	
EBM Email: shannon.couch@bp.com																			Full Data Package <input type="checkbox"/>	
Lab No.	Sample Description	Date	Time																Comments	
1	MW-1	8/30/11	1115	X			6				X	X	X	X	X	X				
2	MW-2		1150	X			6				X	X	X	X	X	X				
3	MW-3		1030	X			6				X	X	X	X	X	X				
4	MW-4		1005	X			6				X	X	X	X	X	X				
5	MW-5		0930	X			6				X	X	X	X	X	X				
6	MW-6		0950	X			6				X	X	X	X	X	X				
7	MW-7		1210	X			6				X	X	X	X	X	X				
8	MW-8		1140	X			6				X	X	X	X	X	X				
9	TB - 2111 - 110830		8/30/11	1215 ^{sb}	X			2				X								ON HOLD

Sampler's Name: <u>Sam Barkley</u>	Relinquished By / Affiliation:	Date: <u>8/31/11</u>	Time: <u>1600</u>	Accepted By / Affiliation:	Date: <u>9/1/11</u>	Time: <u>0800</u>
Sampler's Company: <u>BAI</u>						
Shipment Method: <u>GSO</u>	Ship Date: <u>8/31/11</u>					
Shipment Tracking No: <u>107158371</u>						

Special Instructions:

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
--	----------------------	------------------------------------	----------------------	-----------------------------------

0004

FROM	DATE	8/31/11
	COMPANY	BAV
	ADDRESS	875 Cotting Lane
	ADDRESS	
	CITY	Hacienda
	STATE/ROOM	G
	ZIP CODE	95688
	SENDER'S NAME	Sam Barkley
	PHONE NUMBER	(530) 588-2770
2	COMPANY	CAL SCIENCE
	NAME	Kristina
	ADDRESS	740 LINCOLNWAY
	ADDRESS	
	CITY	GARDEN GROVE
	STATE/ROOM	
	ZIP CODE	92841
3	YOUR INTERNAL BILLING REFERENCE WILL APPEAR ON YOUR INVOICE	
SPECIAL INSTRUCTIONS		



SHIPPING AIR BILL

4 PACKAGE INFORMATION

LETTER (MAX 8 OZ)

PACKAGE (WT) _____

DECLARED VALUE \$ _____

COD AMOUNT \$ _____
(CASH NOT ACCEPTED)

5 DELIVERY SERVICE

PRIORITY OVERNIGHT BY 10:30 AM

EARLY PRIORITY BY 8:00 AM

SATURDAY DELIVERY

*DELIVERY TIMES MAY BE LATER IN SOME AREAS • CONSULT YOUR SERVICE GUIDE OR CALL GOLDEN STATE OVERNIGHT.

6 RELEASE SIGNATURE

SIGN TO AUTHORIZE DELIVERY WITHOUT OBTAINING SIGNATURE

7


8 PICK UP INFORMATION

TIME: 8:15 AM DRIVER #: 4254971 ROUTE #:



9 GSO TRACKING NUMBER

PACKAGE LABEL



WORK ORDER #: 11-09-0004

SAMPLE RECEIPT FORM

Cooler 1 of 1

CLIENT: Broadbent

DATE: 09/01/11

TEMPERATURE: Thermometer ID: SC1 (Criteria: 0.0°C – 6.0°C, not frozen)

Temperature 3.4°C + 0.5°C (CF) = 3.9°C [X] Blank [] Sample

- [] Sample(s) outside temperature criteria (PM/APM contacted by: _____).
[] Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

[X] Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature: [] Air [] Filter

Initial: [Signature]

CUSTODY SEALS INTACT:

- [X] Cooler [] _____ [] No (Not Intact) [] Not Present [] N/A
[] Sample [] _____ [] No (Not Intact) [X] Not Present

Initial: [Signature]
Initial: WSC

SAMPLE CONDITION:

Table with 4 columns: Item, Yes, No, N/A. Rows include Chain-Of-Custody (COC) document(s) received with samples, COC document(s) received complete, Sampler's name indicated on COC, etc.

CONTAINER TYPE:

- Solid: [] 4ozCGJ [] 8ozCGJ [] 16ozCGJ [] Sleeve (____) [] EnCores® [] TerraCores® [] _____
Water: [] VOA [X] VOAh [] VOAna2 [] 125AGB [] 125AGBh [] 125AGBp [] 1AGB [] 1AGBna2 [] 1AGBs
[] 500AGB [] 500AGJ [] 500AGJs [] 250AGB [] 250CGB [] 250CGBs [] 1PB [] 500PB [] 500PBna
[] 250PB [] 250PBn [] 125PB [] 125PBzanna [] 100PJ [] 100PJna2 [] _____ [] _____ [] _____

Air: [] Tedlar® [] Summa® Other: [] _____ Trip Blank Lot#: 110713A Labeled/Checked by: [Signature]
Container: C: Clear A: Amber P: Plastic G: Glass J: Jar B: Bottle Z: Ziploc/Resealable Bag E: Envelope Reviewed by: [Signature]
Preservative: h: HCL n: HNO3 na2:Na2S2O3 na: NaOH p: H3PO4 s: H2SO4 zanna: ZnAc2+NaOH f: Field-filtered Scanned by: [Signature]

APPENDIX D

GEOTRACKER UPLOAD CONFIRMATION RECEIPTS

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	3Q11 GEO_WELL 2111
<u>Facility Global ID:</u>	T0600101764
<u>Facility Name:</u>	ARCO #2111
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	10/6/2011 9:39:44 AM
<u>Confirmation Number:</u>	5653965771

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	EDF - Monitoring Report - Semi-Annually
<u>Submittal Title:</u>	3Q11 GW Monitoring
<u>Facility Global ID:</u>	T0600101764
<u>Facility Name:</u>	ARCO #2111
<u>File Name:</u>	11090004.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	10/6/2011 9:41:26 AM
<u>Confirmation Number:</u>	6136677563

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)