

21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

RECEIVED

3:19 pm, Jun 15, 2009

Alameda County
Environmental Health

DATE: February 4, 2008

TO: ConocoPhillips Company
76 Broadway Avenue
Sacramento, CA 95818

ATTN: MR. TED MOISE

SITE: 76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA

RE: SEMI-ANNUAL MONITORING REPORT
OCTOBER 2007 THROUGH MARCH 2008

Dear Mr. Moise:

Please find enclosed our Semi-Annual Monitoring Report for 76 Station 5367, located at 500 Bancroft Avenue, San Leandro, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Dennis Dettloff, Delta Environmental Inc. (1 copy)

Enclosures
20-0400/5367RO11 QMS



**SEMI-ANNUAL MONITORING REPORT
OCTOBER 2007 THROUGH MARCH 2008**

76 STATION 5367
500 Bancroft Avenue
San Leandro, California

Prepared For:

Mr. Ted Moise
CONOCOPHILLIPS COMPANY
76 Broadway Avenue
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 2/1/08



LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time Benzene Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 01/14/08 Groundwater Sampling Field Notes – 01/14/08 Statement of Non-Completion – 01/14/08
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
October 2007 through March 2008
76 Station 5367
500 Bancroft Avenue
San Leandro, CA

Project Coordinator: **Ted Moise**
Telephone: **916-558-7666**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **01/14/08**

Sample Points

Groundwater wells: **5** onsite, **5** offsite Wells gauged: **9** Wells sampled: **9**
Purging method: **Bailer/submersible pump**
Purge water disposal: **Onyx/Rodeo Unit 100**
Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Wells with LPH: **0** Maximum thickness (feet): **n/a**
LPH removal frequency: **n/a** Method: **n/a**
Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **28.26 feet** Maximum: **30.11 feet**
Average groundwater elevation (relative to available local datum): **28.89 feet**
Average change in groundwater elevation since previous event: **0.46 feet**
Interpreted groundwater gradient and flow direction:
 Current event: **0.002 ft/ft, northwest**
 Previous event: **0.002 ft/ft, west (07/02/07)**

Selected Laboratory Results

Wells with detected **Benzene**: **1** Wells above MCL (1.0 µg/l): **1**
 Maximum reported benzene concentration: **12 µg/l (MW-1)**

Wells with **TPH-G by GC/MS** **4** Maximum: **8,400 µg/l (MW-1)**
Wells with **MTBE 8260B** **0**

Notes:

MW-9=Car parked over well,

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
µg/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND <	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYSES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
TBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
IPH-G	=	total petroleum hydrocarbons with gasoline distinction
IPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
IPH-D	=	total petroleum hydrocarbons with diesel distinction
IRPH	=	total recoverable petroleum hydrocarbons
IAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5367 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5367

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
---------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------	----------

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
---------	---------------	-------------------	------------------	-------------------------------	------------------------	------------------	------------------	---------	---------	-------------------	------------------	-----------------	-----------------	----------

Table 2a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	TDS	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
----------	---------------	-----	--------------------	---------------------------------	------------------	------	------	------	-----	-----------------------------------	----------------------------------

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
January 14, 2008
76 Station 5367

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1														
(Screen Interval in feet: 10.0-35.0)														
01/14/08	57.83	29.19	0.00	28.64	0.34	--	8400	12	ND<6.2	960	88	--	ND<6.2	
MW-2														
(Screen Interval in feet: 28.0-48.0)														
01/14/08	58.13	28.95	0.00	29.18	0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-3														
(Screen Interval in feet: 23.0-48.0)														
01/14/08	57.92	28.64	0.00	29.28	0.39	--	52	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-4														
(Screen Interval in feet: 23.0-48.0)														
01/14/08	58.29	29.43	0.00	28.86	0.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-5														
(Screen Interval in feet: 25.0-45.0)														
01/14/08	58.50	29.55	0.00	28.95	0.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-6														
(Screen Interval in feet: 25.0-45.0)														
01/14/08	56.96	28.26	0.00	28.70	0.52	--	140	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-7														
(Screen Interval in feet: 24.0-44.0)														
01/14/08	57.25	28.51	0.00	28.74	0.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8														
(Screen Interval in feet: 24.0-44.0)														
01/14/08	57.71	28.85	0.00	28.86	0.54	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9														
(Screen Interval in feet: 20.0-45.0)														
01/14/08	56.47	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
MW-10														
(Screen Interval in feet: 20.0-45.0)														
01/14/08	58.94	30.11	0.00	28.83	0.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-1 (Screen Interval in feet: 10.0-35.0)														
09/23/87	57.83	33.40	0.00	24.43	--	--	--	--	--	--	--	--	--	
09/24/87	57.83	33.24	0.01	24.60	0.17	--	--	--	--	--	--	--	--	
10/06/87	57.83	33.39	0.01	24.45	-0.15	--	--	--	--	--	--	--	--	
11/05/87	57.83	34.14	0.31	23.92	-0.52	--	--	--	--	--	--	--	--	
11/13/87	57.83	34.15	0.38	23.97	0.04	--	--	--	--	--	--	--	--	
11/19/87	57.83	33.89	0.06	23.99	0.02	--	--	--	--	--	--	--	--	
04/27/88	57.83	32.40	0.01	25.44	1.45	--	--	--	--	--	--	--	--	
09/07/88	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
10/03/88	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
01/27/89	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
02/16/90	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
07/19/90	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
08/24/90	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
11/30/90	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
02/06/91	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
05/06/91	57.83	33.00	0.00	24.83	--	--	--	--	--	--	--	--	--	
09/27/91	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/31/92	57.83	31.00	0.00	26.83	--	330000	--	8200	33000	6800	36000	--	--	
06/18/92	57.83	32.76	0.00	25.07	-1.76	680000	--	9000	40000	7600	44000	--	--	
10/16/92	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
11/18/92	57.83	--	--	--	--	--	--	--	--	--	--	--	--	Dry well
03/03/93	57.83	26.03	0.00	31.80	--	330000	--	3800	21000	4200	24000	--	--	
06/25/93	57.83	28.36	0.00	29.47	-2.33	160000	--	4300	36000	5800	34000	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
09/03/93	57.83	30.80	0.00	27.03	-2.44	160000	--	3900	41000	6800	38000	--	--	
12/13/93	57.83	32.73	0.00	25.10	-1.93	140000	--	3600	37000	7100	40000	--	--	
03/18/94	57.83	30.10	0.00	27.73	2.63	99000	--	3800	37000	6800	36000	--	--	
06/23/94	57.83	31.32	0.00	26.51	-1.22	150000	--	2500	33000	6400	37000	--	--	
09/21/94	57.83	33.21	0.00	24.62	-1.89	110000	--	2500	23000	4500	25000	--	--	
12/19/94	57.83	30.97	0.00	26.86	2.24	200000	--	2400	28000	6600	37000	--	--	
03/27/95	57.83	22.77	0.00	35.06	8.20	88000	--	1500	20000	4200	25000	--	--	
06/26/95	57.83	25.69	0.00	32.14	-2.92	130000	--	1000	23000	5600	33000	--	--	
07/28/95	57.83	26.97	0.00	30.86	-1.28	--	--	--	--	--	--	--	--	
09/28/95	57.83	29.55	0.00	28.28	-2.58	100000	--	810	21000	6500	37000	--	--	
10/24/95	57.83	29.99	0.00	27.84	-0.44	--	--	--	--	--	--	--	--	
12/29/95	57.83	30.40	0.00	27.43	-0.41	110000	--	990	22000	8300	47000	--	--	
03/27/96	57.83	22.29	0.00	35.54	8.11	120000	--	920	17000	7100	41000	180	180	
09/21/96	57.83	29.44	0.00	28.39	-7.15	110000	--	270	3500	5900	16000	260	260	
03/31/97	57.83	24.18	0.00	33.65	5.26	82000	--	240	8700	3800	23000	ND	--	
09/27/97	57.83	31.86	0.00	25.97	-7.68	81000	--	ND	1000	5900	31000	ND	--	
03/20/98	57.83	16.88	0.00	40.95	14.98	52000	--	ND	350	2900	14000	ND	--	
09/09/98	57.83	26.21	0.00	31.62	-9.33	59000	--	51	64	6000	4800	ND	--	
03/11/99	57.83	23.60	0.00	34.23	2.61	60000	--	130	ND	2900	12000	ND	--	
09/08/99	57.83	28.70	0.00	29.13	-5.10	74000	--	ND	ND	2600	10000	ND	--	
03/24/00	57.83	21.61	0.00	36.22	7.09	37000	--	ND	ND	1980	6880	ND	--	
09/15/00	57.83	28.19	0.00	29.64	-6.58	45800	--	ND	ND	3150	10500	ND	--	
03/16/01	57.83	25.59	0.00	32.24	2.60	37500	--	76.2	16.6	2010	7330	ND	--	
08/31/01	57.83	29.03	0.00	28.80	-3.44	62000	--	79	ND<50	3000	13000	ND<250	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
03/15/02	57.83	25.58	0.00	32.25	3.45	26000	--	43	22	2400	10000	ND<100	--	
09/26/02	57.83	29.51	0.00	28.32	-3.93	--	56000	31	ND<25	2500	11000	--	ND<100	
03/16/03	57.83	26.71	0.00	31.12	2.80	--	43000	ND<250	ND<250	2200	6800	--	ND<1000	
09/03/03	57.83	29.54	0.00	28.29	-2.83	--	55000	ND<50	ND<50	2200	4200	--	ND<200	
03/11/04	57.83	25.57	0.00	32.26	3.97	--	23000	10	ND<5.0	1100	2100	--	ND<20	
09/24/04	57.83	31.20	0.00	26.63	-5.63	--	29000	15	ND<10	1900	1100	--	ND<10	
03/29/05	57.83	23.38	0.00	34.45	7.82	--	26000	15	ND<10	990	260	--	ND<10	
09/12/05	57.83	28.13	0.00	29.70	-4.75	--	15000	13	1.3	1100	110	--	0.93	
03/27/06	57.83	21.38	0.00	36.45	6.75	--	11000	7.6	1.0	590	90	--	ND<0.50	
09/08/06	57.83	26.73	0.00	31.10	-5.35	--	9000	4.7	4.0	460	82	--	ND<0.50	
01/29/07	57.83	28.63	0.00	29.20	-1.90	--	10000	9.2	ND<5.0	990	310	--	ND<5.0	
07/02/07	57.83	29.53	0.00	28.30	-0.90	--	8800	10	ND<6.2	910	170	--	ND<6.2	
01/14/08	57.83	29.19	0.00	28.64	0.34	--	8400	12	ND<6.2	960	88	--	ND<6.2	
MW-2 (Screen Interval in feet: 28.0-48.0)														
10/03/88	58.13	36.04	0.00	22.09	--	1760	--	47.8	7.4	20.9	81.6	--	--	
01/27/89	58.13	34.77	0.00	23.36	1.27	510	--	58	8.7	22.6	20.3	--	--	
02/16/90	58.13	34.50	0.00	23.63	0.27	840	--	50	0.5	28	44	--	--	
05/01/90	58.13	--	--	--	--	1000	--	39	ND	32	52	--	--	
07/19/90	58.13	35.72	0.00	22.41	--	--	--	--	--	--	--	--	--	
08/24/90	58.13	36.30	0.00	21.83	-0.58	330	--	17	ND	19	20	--	--	
11/30/90	58.13	37.40	0.00	20.73	-1.10	400	--	41	ND	39	37	--	--	
02/07/91	58.13	37.27	0.00	20.86	0.13	510	--	40	ND	29	44	--	--	
05/06/91	58.13	33.31	0.00	24.82	3.96	2300	--	150	10	52	110	--	--	
09/27/91	58.13	36.86	0.00	21.27	-3.55	110	--	2.6	ND	5.6	5.1	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
12/27/91	58.13	37.66	0.00	20.47	-0.80	170	--	3.9	ND	7.3	60	--	--	
03/31/92	58.13	37.66	0.00	20.47	0.00	--	--	--	--	--	--	--	--	
06/18/92	58.13	31.27	0.00	26.86	6.39	1200	--	35	1.6	56	26	--	--	
09/30/92	58.13	--	--	--	--	820	--	21	ND	42	25	--	--	
10/16/92	58.13	35.87	0.00	22.26	--	--	--	--	--	--	--	--	--	
11/18/92	58.13	36.24	0.00	21.89	-0.37	65	--	1.2	ND	2.8	1.4	--	--	
03/03/93	58.13	26.30	0.00	31.83	9.94	4200	--	62	2.9	97	120	--	--	
06/25/93	58.13	28.40	0.00	29.73	-2.10	4000	--	110	ND	320	280	--	--	
09/03/93	58.13	31.10	0.00	27.03	-2.70	1400	--	31	4.3	99	53	--	--	
12/13/93	58.13	33.03	0.00	25.10	-1.93	260	--	7.7	0.83	17	23	--	--	
03/18/94	58.13	30.34	0.00	27.79	2.69	250	--	6.4	0.64	28	24	--	--	
06/23/94	58.13	31.63	0.00	26.50	-1.29	420	--	3.9	0.66	23	11	--	--	
09/21/94	58.13	33.52	0.00	24.61	-1.89	ND	--	ND	ND	ND	ND	--	--	
12/19/94	58.13	31.26	0.00	26.87	2.26	190	--	1.9	ND	15	6.8	--	--	
03/27/95	58.13	23.02	0.00	35.11	8.24	ND	--	ND	0.55	1.2	2.5	--	--	
06/26/95	58.13	25.98	0.00	32.15	-2.96	ND	--	ND	0.93	0.88	3.4	--	--	
07/28/95	58.13	27.26	0.00	30.87	-1.28	--	--	--	--	--	--	--	--	
09/28/95	58.13	29.77	0.00	28.36	-2.51	730	--	2.9	--	41	29	--	--	
10/24/95	58.13	30.56	0.00	27.57	-0.79	--	--	--	--	--	--	--	--	
12/29/95	58.13	30.25	0.00	27.88	0.31	860	--	4.3	1	27	50	--	--	
03/27/96	58.13	22.30	0.00	35.83	7.95	--	--	--	--	--	--	--	--	Connected to system
09/21/96	58.13	29.47	0.00	28.66	-7.17	--	--	--	--	--	--	--	--	Connected to system
03/31/97	58.13	24.20	0.00	33.93	5.27	ND	--	ND	ND	ND	ND	ND	--	
09/27/97	58.13	31.07	0.00	27.06	-6.87	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
03/20/98	58.13	16.73	0.00	41.40	14.34	ND	--	ND	ND	ND	ND	ND	ND	--
09/09/98	58.13	26.03	0.00	32.10	-9.30	ND	--	ND	0.54	ND	0.57	ND	ND	--
03/11/99	58.13	23.46	0.00	34.67	2.57	ND	--	ND	0.59	ND	1.1	ND	ND	--
09/08/99	58.13	28.53	0.00	29.60	-5.07	ND	--	ND	ND	ND	ND	ND	ND	--
03/24/00	58.13	21.45	0.00	36.68	7.08	ND	--	ND	ND	ND	ND	ND	ND	--
09/15/00	58.13	28.02	0.00	30.11	-6.57	ND	--	ND	ND	ND	ND	ND	ND	--
03/16/01	58.13	25.41	0.00	32.72	2.61	ND	--	ND	ND	ND	ND	ND	ND	--
08/31/01	58.13	28.74	0.00	29.39	-3.33	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	ND	--
03/15/02	58.13	25.45	0.00	32.68	3.29	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	ND	--
09/26/02	58.13	29.36	0.00	28.77	-3.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	--
03/16/03	58.13	26.58	0.00	31.55	2.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	--
09/03/03	58.13	29.34	0.00	28.79	-2.76	--	ND<50	ND<0.50	0.71	ND<0.50	ND<1.0	--	ND<2.0	--
03/11/04	58.13	25.41	0.00	32.72	3.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	--
09/24/04	58.13	31.05	0.00	27.08	-5.64	--	66	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
03/29/05	58.13	23.25	0.00	34.88	7.80	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
09/12/05	58.13	27.98	0.00	30.15	-4.73	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
03/27/06	58.13	21.22	0.00	36.91	6.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
09/08/06	58.13	26.56	0.00	31.57	-5.34	--	56	ND<0.50	ND<0.50	0.71	ND<0.50	--	ND<0.50	--
01/29/07	58.13	28.46	0.00	29.67	-1.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
07/02/07	58.13	29.37	0.00	28.76	-0.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
01/14/08	58.13	28.95	0.00	29.18	0.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
MW-3 (Screen Interval in feet: 23.0-48.0)														
10/03/88	57.92	35.86	0.00	22.06	--	61000	--	1060	3380	1520	8720	--	--	--
01/27/89	57.92	34.60	0.00	23.32	1.26	39000	--	1570	2830	1250	7070	--	--	--

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
02/16/90	57.92	35.23	0.00	22.69	-0.63	22000	--	710	4100	6900	33000	--	--	
05/01/90	57.92	--	--	--	--	19000	--	330	170	310	1500	--	--	
07/19/90	57.92	35.50	0.00	22.42	--	--	--	--	--	--	--	--	--	
08/24/90	57.92	36.08	0.00	21.84	-0.58	19000	--	480	160	510	1500	--	--	
11/30/90	57.92	37.17	0.00	20.75	-1.09	13000	--	390	81	410	1000	--	--	
02/06/91	57.92	37.07	0.00	20.85	0.10	13000	--	310	150	380	1200	--	--	
05/06/91	57.92	33.11	0.00	24.81	3.96	39000	--	1000	570	930	3900	--	--	
09/27/91	57.92	36.64	0.00	21.28	-3.53	4000	--	160	84	180	560	--	--	
12/27/91	57.92	37.46	0.00	20.46	-0.82	31000	--	240	280	400	1600	--	--	
03/31/92	57.92	31.10	0.00	26.82	6.36	100000	--	1900	1900	2300	9400	--	--	
06/18/92	57.92	32.83	0.00	25.09	-1.73	180000	--	2200	1700	2300	1100	--	--	
09/30/92	57.92	--	--	--	--	36000	--	730	200	1000	4400	--	--	
10/16/92	57.92	35.66	0.00	22.26	--	--	--	--	--	--	--	--	--	
11/18/92	57.92	36.04	0.00	21.88	-0.38	24000	--	430	160	640	2800	--	--	
03/03/93	57.92	26.11	0.00	31.81	9.93	96000	--	1400	1900	1400	8400	--	--	
06/25/93	57.92	28.43	0.00	29.49	-2.32	27000	--	1200	980	1700	6900	--	--	
09/03/93	57.92	30.88	0.00	27.04	-2.45	82000	--	2400	3400	4200	21000	--	--	
12/13/93	57.92	32.82	0.00	25.10	-1.94	49000	--	1300	360	2300	9200	--	--	
03/18/94	57.92	30.17	0.00	27.75	2.65	22000	--	1200	430	2200	9700	--	--	
06/23/94	57.92	31.42	0.00	26.50	-1.25	37000	--	1300	670	3100	14000	--	--	
09/21/94	57.92	33.30	0.00	24.62	-1.88	24000	--	890	110	2200	8800	--	--	
12/19/94	57.92	31.07	0.00	26.85	2.23	100000	--	1200	2900	4200	23000	--	--	
03/27/95	57.92	22.78	0.00	35.14	8.29	33000	--	410	66	1600	6500	--	--	
06/26/95	57.92	25.78	0.00	32.14	-3.00	14000	--	300	ND	1300	3900	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
07/28/95	57.92	27.06	0.00	30.86	-1.28	--	--	--	--	--	--	--	--	
09/28/95	57.92	29.57	0.00	28.35	-2.51	17000	--	730	30	4000	8800	--	--	
10/24/95	57.92	30.34	0.00	27.58	-0.77	--	--	--	--	--	--	--	--	
12/29/95	57.92	29.91	0.00	28.01	0.43	55000	--	700	ND	4900	16000	--	--	
03/27/96	57.92	21.99	0.00	35.93	7.92	--	--	--	--	--	--	--	--	Connected to system
09/21/96	57.92	29.15	0.00	28.77	-7.16	34000	--	140	ND	2200	6600	1800	--	
03/31/97	57.92	23.86	0.00	34.06	5.29	17000	--	58	110	530	1500	ND	--	
09/27/97	57.92	30.76	0.00	27.16	-6.90	11000	--	19	ND	850	420	140	--	
03/20/98	57.92	16.39	0.00	41.53	14.37	ND	--	ND	ND	ND	ND	74	--	
09/09/98	57.92	25.70	0.00	32.22	-9.31	ND	--	ND	ND	ND	ND	ND	--	
03/11/99	57.92	23.12	0.00	34.80	2.58	7300	--	ND	ND	320	210	ND	--	
09/08/99	57.92	28.21	0.00	29.71	-5.09	7900	--	ND	ND	ND	160	ND	--	
03/24/00	57.92	21.12	0.00	36.80	7.09	3310	--	5.4	ND	101	43.3	ND	--	
09/15/00	57.92	27.68	0.00	30.24	-6.56	1540	--	ND	ND	56.4	ND	ND	12.6	
03/16/01	57.92	25.09	0.00	32.83	2.59	678	--	3.14	i	16.4	14.6	42.9	--	
08/31/01	57.92	28.53	0.00	29.39	-3.44	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
03/15/02	57.92	25.05	0.00	32.87	3.48	1500	--	ND<2.50	ND<2.50	43	ND<2.50	ND<12	--	
09/26/02	57.92	28.98	0.00	28.94	-3.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/16/03	57.92	26.19	0.00	31.73	2.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/03/03	57.92	29.04	0.00	28.88	-2.85	--	1300	ND<0.50	0.53	19	ND<1	--	5.9	
03/11/04	57.92	25.03	0.00	32.89	4.01	--	130	ND<0.50	ND<0.50	1.1	ND<1.0	--	ND<2.0	
09/24/04	57.92	30.70	0.00	27.22	-5.67	--	640	ND<0.50	ND<0.50	6.5	ND<1.0	--	1.1	
03/29/05	57.92	22.80	0.00	35.12	7.90	--	73	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/12/05	57.92	27.63	0.00	30.29	-4.83	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	1.2	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
03/27/06	57.92	20.83	0.00	37.09	6.80	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/06	57.92	26.21	0.00	31.71	-5.38	--	65	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/29/07	57.92	28.14	0.00	29.78	-1.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/02/07	57.92	29.03	0.00	28.89	-0.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/14/08	57.92	28.64	0.00	29.28	0.39	--	52	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-4 (Screen Interval in feet: 23.0-48.0)														
10/03/88	58.29	36.12	0.00	22.17	--	ND	--	ND	ND	ND	ND	--	--	
01/27/89	58.29	34.87	0.00	23.42	1.25	ND	--	ND	ND	ND	ND	--	--	
02/16/90	58.29	35.60	0.00	22.69	-0.73	ND	--	ND	ND	ND	ND	--	--	
05/01/90	58.29	--	--	--	--	ND	--	ND	ND	0.68	1.4	--	--	
07/19/90	58.29	35.78	0.00	22.51	--	--	--	--	--	--	--	--	--	
08/24/90	58.29	36.35	0.00	21.94	-0.57	ND	--	ND	ND	ND	ND	--	--	
11/30/90	58.29	37.46	0.00	20.83	-1.11	ND	--	ND	ND	ND	1.2	--	--	
02/06/91	58.29	37.40	0.00	20.89	0.06	ND	--	ND	ND	ND	ND	--	--	
05/06/91	58.29	33.39	0.00	24.90	4.01	--	--	--	--	--	--	--	--	
09/27/91	58.29	36.90	0.00	21.39	-3.51	ND	--	ND	ND	ND	ND	--	--	
12/27/91	58.29	37.76	0.00	20.53	-0.86	ND	--	ND	ND	ND	ND	--	--	
03/31/92	58.29	31.41	0.00	26.88	6.35	ND	--	ND	ND	ND	ND	--	--	
06/18/92	58.29	33.09	0.00	25.20	-1.68	ND	--	ND	ND	ND	ND	--	--	
10/16/92	58.29	35.92	0.00	22.37	-2.83	ND	--	ND	ND	ND	ND	--	--	
11/18/92	58.29	36.33	0.00	21.96	-0.41	--	--	--	--	--	--	--	--	
03/03/93	58.29	26.43	0.00	31.86	9.90	68	--	0.9	0.6	ND	1.9	--	--	
06/25/93	58.29	28.60	0.00	29.69	-2.17	--	--	--	--	--	--	--	--	
09/03/93	58.29	31.05	0.00	27.24	-2.45	86	--	14	13	1.4	7.1	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation	Depth to Water	LPH Thickness	Ground-water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
(feet)	(feet)	(feet)	(feet)	(feet)	(feet)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	
MW-4 continued														
12/13/93	58.29	33.09	0.00	25.20	-2.04	--	--	--	--	--	--	--	--	Sampled semi-annually
03/18/94	58.29	30.42	0.00	27.87	2.67	ND	--	ND	ND	ND	ND	--	--	
06/23/94	58.29	31.95	0.00	26.34	-1.53	--	--	--	--	--	--	--	--	
09/21/94	58.29	33.86	0.00	24.43	-1.91	ND	--	ND	0.78	ND	0.81	--	--	
12/19/94	58.29	31.72	0.00	26.57	2.14	--	--	--	--	--	--	--	--	
03/27/95	58.29	23.44	0.00	34.85	8.28	ND	--	ND	0.79	0.51	3.1	--	--	
06/26/95	58.29	26.26	0.00	32.03	-2.82	--	--	--	--	--	--	--	--	
07/28/95	58.29	27.53	0.00	30.76	-1.27	--	--	--	--	--	--	--	--	
09/28/95	58.29	30.05	0.00	28.24	-2.52	ND	--	ND	ND	ND	ND	--	--	
10/24/95	58.29	30.79	0.00	27.50	-0.74	--	--	--	--	--	--	--	--	
12/29/95	58.29	30.96	0.00	27.33	-0.17	--	--	--	--	--	--	--	--	
03/27/96	58.29	22.71	0.00	35.58	8.25	ND	--	ND	0.7	ND	0.79	ND	--	
09/21/96	58.29	29.88	0.00	28.41	-7.17	ND	--	ND	ND	ND	ND	ND	--	
03/31/97	58.29	24.72	0.00	33.57	5.16	ND	--	ND	ND	ND	ND	ND	--	
09/27/97	58.29	31.68	0.00	26.61	-6.96	ND	--	ND	ND	ND	ND	ND	--	
03/20/98	58.29	17.27	0.00	41.02	14.41	ND	--	ND	ND	ND	ND	ND	--	
09/09/98	58.29	26.58	0.00	31.71	-9.31	ND	--	ND	ND	ND	0.65	3	--	
03/11/99	58.29	24.12	0.00	34.17	2.46	ND	--	ND	0.7	ND	1.2	ND	--	
09/08/99	58.29	29.18	0.00	29.11	-5.06	ND	--	ND	ND	ND	0.78	ND	--	
03/24/00	58.29	22.08	0.00	36.21	7.10	ND	--	ND	ND	ND	ND	ND	--	
09/15/00	58.29	28.63	0.00	29.66	-6.55	ND	--	ND	1.36	ND	1.46	ND	--	
03/16/01	58.29	26.14	0.00	32.15	2.49	ND	--	ND	ND	ND	ND	ND	--	
08/31/01	58.29	29.27	0.00	29.02	-3.13	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
03/15/02	58.29	26.07	0.00	32.22	3.20	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
09/26/02	58.29	29.95	0.00	28.34	-3.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/16/03	58.29	27.20	0.00	31.09	2.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/03/03	58.29	29.99	0.00	28.30	-2.79	--	ND<50	ND<0.50	0.58	ND<0.50	ND<1	--	ND<2	
03/11/04	58.29	26.07	0.00	32.22	3.92	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/04	58.29	31.71	0.00	26.58	-5.64	--	62	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/29/05	58.29	23.93	0.00	34.36	7.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/12/05	58.29	28.21	0.00	30.08	-4.28	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	58.29	21.49	0.00	36.80	6.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/06	58.29	26.81	0.00	31.48	-5.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/29/07	58.29	28.79	0.00	29.50	-1.98	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/02/07	58.29	29.67	0.00	28.62	-0.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/14/08	58.29	29.43	0.00	28.86	0.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-5 (Screen Interval in feet: 25.0-45.0)														
02/16/90	58.50	35.89	0.00	22.61	--	67	--	0.51	1.6	2.9	7.5	--	--	
05/01/90	58.50	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
07/19/90	58.50	36.10	0.00	22.40	--	--	--	--	--	--	--	--	--	
08/24/90	58.50	36.67	0.00	21.83	-0.57	ND	--	ND	ND	ND	ND	--	--	
11/30/90	58.50	37.74	0.00	20.76	-1.07	ND	--	ND	0.7	ND	ND	--	--	
02/06/91	58.50	37.62	0.00	20.88	0.12	ND	--	ND	ND	ND	ND	--	--	
05/06/91	58.50	33.67	0.00	24.83	3.95	--	--	--	--	--	--	--	--	
09/27/91	58.50	37.23	0.00	21.27	-3.56	ND	--	ND	ND	ND	ND	--	--	
12/27/91	58.50	38.02	0.00	20.48	-0.79	ND	--	ND	ND	ND	ND	--	--	
03/31/92	58.50	31.62	0.00	26.88	6.40	ND	--	ND	ND	ND	1.1	--	--	
06/18/92	58.50	33.46	0.00	25.04	-1.84	--	--	--	--	--	--	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
10/16/92	58.50	36.23	0.00	22.27	-2.77	ND	--	ND	ND	ND	ND	--	--	
11/18/92	58.50	36.62	0.00	21.88	-0.39	--	--	--	--	--	--	--	--	
03/03/93	58.50	26.62	0.00	31.88	10.00	ND	--	ND	ND	ND	ND	--	--	
06/25/93	58.50	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
09/03/93	58.50	31.45	0.00	27.05	--	ND	--	ND	1.5	ND	7.9	--	--	
12/13/93	58.50	33.39	0.00	25.11	-1.94	--	--	--	--	--	--	--	--	Sampled semi-annually
03/18/94	58.50	30.67	0.00	27.83	2.72	ND	--	ND	ND	ND	ND	--	--	
06/23/94	58.50	32.00	0.00	26.50	-1.33	--	--	--	--	--	--	--	--	
09/21/94	58.50	33.90	0.00	24.60	-1.90	ND	--	ND	0.98	ND	1.6	--	--	
12/19/94	58.50	31.63	0.00	26.87	2.27	--	--	--	--	--	--	--	--	
03/27/95	58.50	23.44	0.00	35.06	8.19	ND	--	ND	0.66	ND	2.9	--	--	
06/26/95	58.50	26.35	0.00	32.15	-2.91	--	--	--	--	--	--	--	--	
07/28/95	58.50	27.63	0.00	30.87	-1.28	--	--	--	--	--	--	--	--	
09/28/95	58.50	30.15	0.00	28.35	-2.52	ND	--	ND	ND	ND	ND	--	--	
10/24/95	58.50	30.98	0.00	27.52	-0.83	--	--	--	--	--	--	--	--	
12/29/95	58.50	30.87	0.00	27.63	0.11	--	--	--	--	--	--	--	--	
03/27/96	58.50	22.75	0.00	35.75	8.12	ND	--	ND	1.7	ND	2.4	ND	--	
09/21/96	58.50	29.95	0.00	28.55	-7.20	ND	--	ND	ND	ND	ND	ND	--	
03/31/97	58.50	24.80	0.00	33.70	5.15	ND	--	ND	ND	ND	ND	ND	--	
09/27/97	58.50	31.65	0.00	26.85	-6.85	ND	--	ND	ND	ND	ND	ND	--	
03/20/98	58.50	17.31	0.00	41.19	14.34	ND	--	ND	ND	ND	ND	ND	--	
09/09/98	58.50	26.63	0.00	31.87	-9.32	ND	--	ND	ND	ND	ND	ND	--	
03/11/99	58.50	24.08	0.00	34.42	2.55	ND	--	ND	0.96	ND	1.7	ND	--	
09/08/99	58.50	29.16	0.00	29.34	-5.08	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-5 continued														
03/24/00	58.50	22.06	0.00	36.44	7.10	ND	--	ND	ND	ND	0.957	ND	--	
09/15/00	58.50	28.64	0.00	29.86	-6.58	ND	--	ND	ND	ND	ND	ND	--	
03/16/01	58.50	26.05	0.00	32.45	2.59	ND	--	ND	ND	ND	ND	ND	--	
08/31/01	58.50	29.32	0.00	29.18	-3.27	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
03/15/02	58.50	26.08	0.00	32.42	3.24	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
09/26/02	58.50	29.96	0.00	28.54	-3.88	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/16/03	58.50	27.24	0.00	31.26	2.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/03/03	58.50	30.04	0.00	28.46	-2.80	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1	--	ND<2	
03/11/04	58.50	26.05	0.00	32.45	3.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/04	58.50	31.66	0.00	26.84	-5.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/29/05	58.50	23.94	0.00	34.56	7.72	--	ND<50	ND<0.50	ND<0.50	ND<0.50	1.5	--	ND<0.50	
09/12/05	58.50	28.59	0.00	29.91	-4.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	58.50	21.59	0.00	36.91	7.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/06	58.50	27.15	0.00	31.35	-5.56	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/29/07	58.50	29.08	0.00	29.42	-1.93	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/02/07	58.50	29.98	0.00	28.52	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/14/08	58.50	29.55	0.00	28.95	0.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-6 (Screen Interval in feet: 25.0-45-0)														
02/16/90	56.96	34.50	0.00	22.46	--	ND	--	ND	ND	ND	ND	--	--	
05/01/90	56.96	--	--	--	--	ND	--	ND	ND	ND	ND	--	--	
07/19/90	56.96	34.74	0.00	22.22	--	ND	--	ND	ND	ND	ND	--	--	
08/24/90	56.96	35.32	0.00	21.64	-0.58	ND	--	ND	ND	ND	ND	--	--	
11/30/90	56.96	36.38	0.00	20.58	-1.06	ND	--	ND	ND	ND	ND	--	--	
02/06/91	56.96	36.27	0.00	20.69	0.11	ND	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
05/06/91	56.96	32.41	0.00	24.55	3.86	--	--	--	--	--	--	--	--	
09/27/91	56.96	35.87	0.00	21.09	-3.46	ND	--	ND	ND	ND	ND	--	--	
12/27/91	56.96	36.67	0.00	20.29	-0.80	ND	--	ND	ND	ND	ND	--	--	
03/31/92	56.96	30.32	0.00	26.64	6.35	ND	--	ND	1.3	ND	2	--	--	
06/18/92	56.96	32.18	0.00	24.78	-1.86	ND	--	ND	ND	ND	ND	--	--	
10/16/92	56.96	34.92	0.00	22.04	-2.74	ND	--	ND	ND	ND	ND	--	--	
11/18/92	56.96	35.28	0.00	21.68	-0.36	--	--	--	--	--	--	--	--	
03/03/93	56.96	25.43	0.00	31.53	9.85	ND	--	ND	ND	ND	ND	--	--	
06/25/93	56.96	27.86	0.00	29.10	-2.43	--	--	--	--	--	--	--	--	
09/03/93	56.96	30.25	0.00	26.71	-2.39	ND	--	ND	ND	ND	ND	--	--	
12/13/93	56.96	32.14	0.00	24.82	-1.89	--	--	--	--	--	--	--	--	Sampled semi-annually
03/18/94	56.96	29.46	0.00	27.50	2.68	ND	--	ND	0.93	ND	1.4	--	--	
06/23/94	56.96	30.76	0.00	26.20	-1.30	--	--	--	--	--	--	--	--	
09/21/94	56.96	32.62	0.00	24.34	-1.86	ND	--	ND	ND	ND	ND	--	--	
12/19/94	56.96	30.32	0.00	26.64	2.30	--	--	--	--	--	--	--	--	
03/27/95	56.96	22.10	0.00	34.86	8.22	56	--	ND	0.65	ND	3.3	--	--	
06/26/95	56.96	25.20	0.00	31.76	-3.10	--	--	--	--	--	--	--	--	
07/28/95	56.96	26.48	0.00	30.48	-1.28	--	--	--	--	--	--	--	--	
09/28/95	56.96	28.92	0.00	28.04	-2.44	ND	--	ND	ND	ND	ND	--	--	
10/24/95	56.96	29.73	0.00	27.23	-0.81	--	--	--	--	--	--	--	--	
12/29/95	56.96	29.62	0.00	27.34	0.11	--	--	--	--	--	--	--	--	
03/27/96	56.96	21.59	0.00	35.37	8.03	50	--	ND	0.92	ND	0.96	ND	--	
09/21/96	56.96	28.72	0.00	28.24	-7.13	ND	--	ND	ND	ND	ND	ND	--	
03/31/97	56.96	23.72	0.00	33.24	5.00	73	--	0.67	0.82	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethylbenzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-6 continued														
09/27/97	56.96	30.52	0.00	26.44	-6.80	ND	--	ND	ND	ND	ND	ND	--	
03/20/98	56.96	16.35	0.00	40.61	14.17	ND	--	ND	ND	ND	ND	ND	--	
09/09/98	56.96	25.53	0.00	31.43	-9.18	ND	--	ND	0.64	ND	0.65	3.3	--	
03/11/99	56.96	22.85	0.00	34.11	2.68	ND	--	ND	0.71	ND	1.4	ND	--	
09/08/99	56.96	28.01	0.00	28.95	-5.16	ND	--	ND	ND	ND	ND	ND	--	
03/24/00	56.96	20.93	0.00	36.03	7.08	ND	--	ND	ND	ND	ND	ND	--	
09/15/00	56.96	27.51	0.00	29.45	-6.58	ND	--	ND	ND	ND	ND	ND	--	
03/16/01	56.96	24.87	0.00	32.09	2.64	ND	--	ND	ND	ND	ND	ND	--	
08/31/01	56.96	28.20	0.00	28.76	-3.33	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
03/15/02	56.96	24.82	0.00	32.14	3.38	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
09/26/02	56.96	28.72	0.00	28.24	-3.90	--	84	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/16/03	56.96	26.00	0.00	30.96	2.72	--	52	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/03/03	56.96	28.78	0.00	28.18	-2.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1	--	ND<2	
03/11/04	56.96	24.78	0.00	32.18	4.00	--	69	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/04	56.96	30.42	0.00	26.54	-5.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/29/05	56.96	25.66	0.00	31.30	4.76	--	170	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/12/05	56.96	27.41	0.00	29.55	-1.75	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	56.96	21.42	0.00	35.54	5.99	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/06	56.96	26.02	0.00	30.94	-4.60	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/29/07	56.96	27.91	0.00	29.05	-1.89	--	87	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/02/07	56.96	28.78	0.00	28.18	-0.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/14/08	56.96	28.26	0.00	28.70	0.52	--	140	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-7 (Screen Interval in feet: 24.0-44.0)														
02/16/90	57.25	35.75	0.00	21.50	--	ND	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 continued														
05/01/90	57.25	--	--	--	--	24	--	ND	ND	0.74	1.7	--	--	
07/19/90	57.25	35.03	0.00	22.22	--	--	--	--	--	--	--	--	--	
08/24/90	57.25	35.64	0.00	21.61	-0.61	ND	--	ND	ND	ND	ND	--	--	
11/30/90	57.25	36.68	0.00	20.57	-1.04	ND	--	ND	ND	0.6	1.5	--	--	
02/06/91	57.25	36.55	0.00	20.70	0.13	ND	--	ND	ND	ND	ND	--	--	
05/06/91	57.25	32.69	0.00	24.56	3.86	ND	--	ND	ND	ND	ND	--	--	
09/27/91	57.25	36.18	0.00	21.07	-3.49	ND	--	ND	ND	ND	ND	--	--	
12/27/91	57.25	36.96	0.00	20.29	-0.78	ND	--	ND	ND	ND	ND	--	--	
03/31/92	57.25	30.56	0.00	26.69	6.40	ND	--	ND	ND	ND	0.9	--	--	
06/18/92	57.25	32.52	0.00	24.73	-1.96	--	--	--	--	--	--	--	--	
10/16/92	57.25	35.24	0.00	22.01	-2.72	ND	--	ND	ND	ND	ND	--	--	
11/18/92	57.25	35.59	0.00	21.66	-0.35	--	--	--	--	--	--	--	--	
03/03/93	57.25	25.66	0.00	31.59	9.93	ND	--	ND	ND	ND	ND	--	--	
06/25/93	57.25	28.25	0.00	29.00	-2.59	--	--	--	--	--	--	--	--	
09/03/93	57.25	30.60	0.00	26.65	-2.35	ND	--	ND	ND	ND	ND	--	--	
12/13/93	57.25	32.45	0.00	24.80	-1.85	--	--	--	--	--	--	--	--	Sampled semi-annually
03/18/94	57.25	29.76	0.00	27.49	2.69	ND	--	ND	ND	ND	ND	--	--	
06/23/94	57.25	31.10	0.00	26.15	-1.34	--	--	--	--	--	--	--	--	
09/21/94	57.25	32.96	0.00	24.29	-1.86	ND	--	0.5	ND	ND	0.89	--	--	
12/19/94	57.25	30.60	0.00	26.65	2.36	--	--	--	--	--	--	--	--	
03/27/95	57.25	22.43	0.00	34.82	8.17	ND	--	ND	0.54	ND	1.9	--	--	
06/26/95	57.25	25.55	0.00	31.70	-3.12	--	--	--	--	--	--	--	--	
07/28/95	57.25	26.84	0.00	30.41	-1.29	--	--	--	--	--	--	--	--	
09/28/95	57.25	29.29	0.00	27.96	-2.45	ND	--	ND	ND	ND	ND	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 continued														
10/24/95	57.25	30.05	0.00	27.20	-0.76	--	--	--	--	--	--	--	--	
12/29/95	57.25	29.91	0.00	27.34	0.14	--	--	--	--	--	--	--	--	
03/27/96	57.25	21.94	0.00	35.31	7.97	ND	--	ND	1.1	ND	1.7	ND	--	
09/21/96	57.25	29.07	0.00	28.18	-7.13	ND	--	ND	ND	ND	ND	ND	--	
03/31/97	57.25	24.02	0.00	33.23	5.05	ND	--	ND	ND	ND	ND	ND	--	
09/27/97	57.25	30.84	0.00	26.41	-6.82	ND	--	ND	ND	ND	ND	ND	--	
03/20/98	57.25	16.68	0.00	40.57	14.16	ND	--	ND	ND	ND	ND	ND	--	
09/09/98	57.25	25.89	0.00	31.36	-9.21	ND	--	ND	ND	ND	ND	4.1	--	
03/11/99	57.25	23.16	0.00	34.09	2.73	ND	--	ND	0.91	ND	1.6	5.7	--	
09/08/99	57.25	28.32	0.00	28.93	-5.16	ND	--	ND	ND	ND	ND	2.7	--	
03/24/00	57.25	21.23	0.00	36.02	7.09	ND	--	ND	ND	ND	ND	ND	--	
09/15/00	57.25	27.83	0.00	29.42	-6.60	ND	--	ND	ND	ND	ND	ND	--	
03/16/01	57.25	25.15	0.00	32.10	2.68	ND	--	ND	ND	ND	ND	ND	--	
08/31/01	57.25	28.49	0.00	28.76	-3.34	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
03/15/02	57.25	24.96	0.00	32.29	3.53	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.50	--	
09/26/02	57.25	29.09	0.00	28.16	-4.13	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
03/16/03	57.25	26.33	0.00	30.92	2.76	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/03/03	57.25	29.14	0.00	28.11	-2.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1	--	ND<2	
03/11/04	57.25	25.09	0.00	32.16	4.05	--	72	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
09/24/04	57.25	30.73	0.00	26.52	-5.64	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/29/05	57.25	23.00	0.00	34.25	7.73	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/12/05	57.25	27.71	0.00	29.54	-4.71	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	57.25	21.28	0.00	35.97	6.43	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/06	57.25	26.35	0.00	30.90	-5.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-7 continued														
01/29/07	57.25	28.19	0.00	29.06	-1.84	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/02/07	57.25	29.10	0.00	28.15	-0.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/14/08	57.25	28.51	0.00	28.74	0.59	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-8 (Screen Interval in feet: 24.0-44.0)														
02/16/90	57.71	35.10	0.00	22.61	--	1900	--	11	ND	52	55	--	--	
05/01/90	57.71	--	--	--	--	770	--	6.5	ND	20	32	--	--	
07/19/90	57.71	35.41	0.00	22.30	--	--	--	--	--	--	--	--	--	
08/24/90	57.71	36.00	0.00	21.71	-0.59	990	--	13	ND	48	66	--	--	
11/30/90	57.71	37.08	0.00	20.63	-1.08	570	--	13	ND	45	36	--	--	
02/06/91	57.71	36.92	0.00	20.79	0.16	630	--	9.6	ND	35	36	--	--	
05/06/91	57.71	33.03	0.00	24.68	3.89	14000	--	80	ND	250	550	--	--	
09/27/91	57.71	36.55	0.00	21.16	-3.52	720	--	13	4.3	26	26	--	--	
12/27/91	57.71	37.34	0.00	20.37	-0.79	1600	--	15	2.9	40	49	--	--	
03/31/92	57.71	31.93	0.00	25.78	5.41	15000	--	120	1	430	530	--	--	
06/18/92	57.71	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
10/16/92	57.71	35.58	0.00	22.13	--	300	--	0.96	ND	4	3.5	--	--	
11/18/92	57.71	35.94	0.00	21.77	-0.36	1100	--	6.1	ND	13	5.6	--	--	
03/03/93	57.71	26.00	0.00	31.71	9.94	13000	--	33	ND	160	290	--	--	
06/25/93	57.71	28.27	0.00	29.44	-2.27	8100	--	160	ND	580	740	--	--	
09/03/93	57.71	30.90	0.00	26.81	-2.63	9800	--	180	ND	580	700	--	--	
12/13/93	57.71	32.75	0.00	24.96	-1.85	6900	--	180	ND	240	550	--	--	
03/18/94	57.71	30.12	0.00	27.59	2.63	6100	--	85	ND	260	260	--	--	
06/23/94	57.71	31.40	0.00	26.31	-1.28	12000	--	210	ND	610	860	--	--	
09/21/94	57.71	33.30	0.00	24.41	-1.90	6900	--	190	ND	460	510	--	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
12/19/94	57.71	30.95	0.00	26.76	2.35	6200	--	91	ND	230	210	--	--	
03/27/95	57.71	22.78	0.00	34.93	8.17	9200	--	240	ND	200	1400	--	--	
06/26/95	57.71	24.83	0.00	32.88	-2.05	11000	--	320	ND	680	2000	--	--	
07/28/95	57.71	27.10	0.00	30.61	-2.27	--	--	--	--	--	--	--	--	
09/28/95	57.71	29.58	0.00	28.13	-2.48	10000	--	250	ND	760	910	--	--	
10/24/95	57.71	30.40	0.00	27.31	-0.82	--	--	--	--	--	--	--	--	
12/29/95	57.71	30.25	0.00	27.46	0.15	7500	--	260	ND	580	870	--	--	
03/27/96	57.71	22.20	0.00	35.51	8.05	970	--	29	0.77	82	85	ND	--	
09/21/96	57.71	29.34	0.00	28.37	-7.14	3800	--	27	ND	46	45	ND	--	
03/31/97	57.71	24.35	0.00	33.36	4.99	ND	--	ND	ND	ND	ND	ND	--	
09/27/97	57.71	31.15	0.00	26.56	-6.80	78	--	0.9	ND	12	ND	ND	--	
03/20/98	57.71	16.84	0.00	40.87	14.31	ND	--	ND	ND	ND	ND	ND	--	
09/09/98	57.71	26.14	0.00	31.57	-9.30	910	--	ND	49	12	2.2	1.5	--	
03/11/99	57.71	23.48	0.00	34.23	2.66	4700	--	9.6	ND	280	95	ND	--	
09/08/99	57.71	28.60	0.00	29.11	-5.12	1900	--	ND	ND	36	ND	ND	--	
03/24/00	57.71	21.49	0.00	36.22	7.11	ND	--	ND	ND	ND	ND	ND	--	
09/15/00	57.71	28.09	0.00	29.62	-6.60	533	--	2.23	ND	6.27	0.684	ND	--	
03/16/01	57.71	25.43	0.00	32.28	2.66	1000	--	ND	ND	17.8	44.5	ND	--	
08/31/01	57.71	28.89	0.00	28.82	-3.46	6500	--	8.6	7.4	420	1900	ND<25	--	
03/15/02	57.71	25.45	0.00	32.26	3.44	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/26/02	57.71	29.37	0.00	28.34	-3.92	--	290	ND<0.50	ND<0.50	0.65	ND<1.0	--	ND<2.0	
03/16/03	57.71	26.65	0.00	31.06	2.72	--	--	--	--	--	--	--	--	Inaccessible
09/03/03	57.71	29.46	0.00	28.25	-2.81	--	450	ND<0.50	0.69	ND<0.50	ND<1.0	--	ND<2.0	
03/11/04	57.71	25.42	0.00	32.29	4.04	--	950	ND<0.50	ND<0.50	15	1.4	--	ND<2.0	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-8 continued														
09/24/04	57.71	31.08	0.00	26.63	-5.66	--	230	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/29/05	57.71	23.30	0.00	34.41	7.78	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/12/05	57.71	28.07	0.00	29.64	-4.77	--	160	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	57.71	21.28	0.00	36.43	6.79	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/06	57.71	26.61	0.00	31.10	-5.33	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/29/07	57.71	28.48	0.00	29.23	-1.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/02/07	57.71	29.39	0.00	28.32	-0.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/14/08	57.71	28.85	0.00	28.86	0.54	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
MW-9 (Screen Interval in feet: 20.0-45.0)														
12/19/94	56.47	29.71	0.00	26.76	--	ND	--	ND	1.6	1.5	8.4	--	--	
03/27/95	56.47	21.48	0.00	34.99	8.23	ND	--	ND	0.61	ND	2.8	--	--	
06/26/95	56.47	24.50	0.00	31.97	-3.02	ND	--	ND	ND	ND	3.9	--	--	
07/28/95	56.47	25.77	0.00	30.70	-1.27	--	--	--	--	--	--	--	--	
09/28/95	56.47	28.23	0.00	28.24	-2.46	ND	--	ND	ND	ND	ND	--	--	
10/24/95	56.47	29.21	0.00	27.26	-0.98	--	--	--	--	--	--	--	--	
12/29/95	56.47	29.02	0.00	27.45	0.19	ND	--	ND	0.58	ND	0.52	ND	--	
03/27/96	56.47	20.91	0.00	35.56	8.11	ND	--	ND	0.68	ND	0.51	ND	--	
09/21/96	56.47	28.05	0.00	28.42	-7.14	ND	--	ND	ND	ND	ND	ND	--	
03/31/97	56.47	23.48	0.00	32.99	4.57	ND	--	ND	ND	ND	ND	ND	--	
09/27/97	56.47	30.38	0.00	26.09	-6.90	ND	--	ND	ND	ND	ND	ND	--	
03/20/98	56.47	15.60	0.00	40.87	14.78	ND	--	ND	ND	ND	ND	ND	--	
09/09/98	56.47	24.85	0.00	31.62	-9.25	ND	--	0.69	ND	ND	0.61	ND	--	
03/11/99	56.47	22.23	0.00	34.24	2.62	ND	--	ND	ND	ND	0.76	ND	--	
09/08/99	56.47	27.34	0.00	29.13	-5.11	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-9 continued														
03/24/00	56.47	20.27	0.00	36.20	7.07	ND	--	ND	ND	ND	ND	ND	--	
09/15/00	56.47	26.84	0.00	29.63	-6.57	ND	--	ND	ND	ND	ND	ND	--	
03/16/01	56.47	24.24	0.00	32.23	2.60	ND	--	ND	ND	ND	ND	ND	--	
08/31/01	56.47	27.43	0.00	29.04	-3.19	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
03/15/02	56.47	24.79	0.00	31.68	2.64	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	--	
09/26/02	56.47	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
03/16/03	56.47	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
09/03/03	56.47	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
03/11/04	56.47	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
09/24/04	56.47	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
03/29/05	56.47	21.92	0.00	34.55	--	--	91	ND<0.50	ND<0.50	1.3	ND<1.0	--	ND<0.50	
09/12/05	56.47	26.73	0.00	29.74	-4.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/27/06	56.47	20.75	0.00	35.72	5.98	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/08/06	56.47	25.33	0.00	31.14	-4.58	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/29/07	56.47	27.27	0.00	29.20	-1.94	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/02/07	56.47	28.13	0.00	28.34	-0.86	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/14/08	56.47	--	--	--	--	--	--	--	--	--	--	--	--	Car parked over well
MW-10 (Screen Interval in feet: 20.0-45.0)														
07/28/95	58.94	25.53	0.00	33.41	--	ND	--	ND	ND	ND	ND	--	--	
09/28/95	58.94	--	--	--	--	--	--	--	--	--	--	--	--	
10/24/95	58.94	31.76	0.00	27.18	--	ND	--	ND	ND	ND	ND	--	--	
12/29/95	58.94	31.55	0.00	27.39	0.21	ND	--	ND	0.65	ND	1.1	--	--	
03/27/96	58.94	23.62	0.00	35.32	7.93	ND	--	ND	0.68	ND	0.69	ND	--	
09/21/96	58.94	30.77	0.00	28.17	-7.15	ND	--	ND	ND	ND	ND	ND	--	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through January 2008
76 Station 5367

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-10 continued														
03/31/97	58.94	26.05	0.00	32.89	4.72	ND	--	ND	ND	ND	ND	ND	ND	--
09/27/97	58.94	32.80	0.00	26.14	-6.75	ND	--	ND	ND	ND	ND	ND	ND	--
03/20/98	58.94	18.13	0.00	40.81	14.67	ND	--	ND	ND	ND	ND	ND	ND	--
09/09/98	58.94	27.54	0.00	31.40	-9.41	ND	--	ND	0.55	ND	ND	ND	ND	--
03/11/99	58.94	24.85	0.00	34.09	2.69	ND	--	ND	0.61	ND	0.87	ND	ND	--
09/08/99	58.94	29.97	0.00	28.97	-5.12	ND	--	ND	ND	ND	ND	ND	ND	--
03/24/00	58.94	22.90	0.00	36.04	7.07	ND	--	ND	ND	ND	ND	ND	ND	--
09/15/00	58.94	29.48	0.00	29.46	-6.58	ND	--	ND	ND	ND	ND	ND	ND	--
03/16/01	58.94	26.80	0.00	32.14	2.68	ND	--	ND	ND	ND	ND	ND	ND	--
08/31/01	58.94	30.05	0.00	28.89	-3.25	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	ND<2.5	--
03/15/02	58.94	26.61	0.00	32.33	3.44	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	ND<2.5	--
09/26/02	58.94	30.68	0.00	28.26	-4.07	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	--
03/16/03	58.94	--	--	--	--	--	--	--	--	--	--	--	--	Inaccessible
09/03/03	58.94	38.87	0.00	20.07	--	--	ND<50	ND<0.50	1.8	ND<0.50	ND<1.0	--	ND<2	--
03/11/04	58.94	26.80	0.00	32.14	12.07	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	--
09/24/04	58.94	32.42	0.00	26.52	-5.62	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
03/29/05	58.94	24.11	0.00	34.83	8.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
09/12/05	58.94	29.43	0.00	29.51	-5.32	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
03/27/06	58.94	22.72	0.00	36.22	6.71	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--
09/08/06	58.94	28.02	0.00	30.92	-5.30	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
01/29/07	58.94	29.85	0.00	29.09	-1.83	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
07/02/07	58.94	30.76	0.00	28.18	-0.91	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	--
01/14/08	58.94	30.11	0.00	28.83	0.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

Date Sampled	TBA	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME	TDS	Post-purge Dissolved Oxygen	Pre-purge Dissolved Oxygen
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(mg/l)	(mg/l)	(mg/l)
MW-1										
03/27/95	--	--	--	--	--	--	--	--	1.50	--
06/26/95	--	--	--	--	--	--	--	--	1.60	--
09/28/95	--	--	--	--	--	--	--	--	1.22	--
12/29/95	--	--	--	--	--	--	--	--	1.74	--
03/27/96	--	--	--	--	--	--	--	--	1.02	1.48
09/21/96	--	--	--	--	--	--	--	--	1.01	--
03/31/97	--	--	--	--	--	--	--	--	1.49	1.47
03/16/03	ND<50000	ND<250000	ND<1000	ND<1000	ND<1000	ND<1000	ND<1000	--	--	--
MW-2										
03/27/95	--	--	--	--	--	--	--	410	1.70	--
06/26/95	--	--	--	--	--	--	--	--	4.55	--
09/28/95	--	--	--	--	--	--	--	--	3.00	--
12/29/95	--	--	--	--	--	--	--	--	8.71	--
03/31/97	--	--	--	--	--	--	--	--	2.12	2.18
03/16/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
MW-3										
03/27/95	--	--	--	--	--	--	--	450	0.90	--
06/26/95	--	--	--	--	--	--	--	--	1.55	--
09/28/95	--	--	--	--	--	--	--	--	1.63	--
12/29/95	--	--	--	--	--	--	--	--	6.97	--
03/31/97	--	--	--	--	--	--	--	--	2.06	1.95
09/15/00	ND<100	ND<1000	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
03/16/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
MW-4										
03/27/95	--	--	--	--	--	--	--	--	4.90	--

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	TDS (mg/l)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
MW-4 continued										
09/28/95	--	--	--	--	--	--	--	--	6.29	--
03/27/96	--	--	--	--	--	--	--	--	3.91	4.32
09/21/96	--	--	--	--	--	--	--	--	2.82	--
03/31/97	--	--	--	--	--	--	--	--	2.63	2.66
03/16/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
MW-5										
03/27/95	--	--	--	--	--	--	--	--	5.20	--
09/28/95	--	--	--	--	--	--	--	--	1.96	--
03/27/96	--	--	--	--	--	--	--	--	4.71	4.03
09/21/96	--	--	--	--	--	--	--	--	4.12	--
03/31/97	--	--	--	--	--	--	--	--	3.11	2.98
03/16/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
MW-6										
03/27/95	--	--	--	--	--	--	--	--	7.40	--
09/28/95	--	--	--	--	--	--	--	--	4.19	--
03/27/96	--	--	--	--	--	--	--	--	4.96	5.94
09/21/96	--	--	--	--	--	--	--	--	3.74	--
03/31/97	--	--	--	--	--	--	--	--	3.11	3.21
03/16/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
MW-7										
03/27/95	--	--	--	--	--	--	--	--	8.40	--
09/28/95	--	--	--	--	--	--	--	--	2.04	--
03/27/96	--	--	--	--	--	--	--	--	5.23	6.63
09/21/96	--	--	--	--	--	--	--	--	1.19	--
03/31/97	--	--	--	--	--	--	--	--	2.16	2.29

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

Date Sampled	TBA (µg/l)	Ethanol (8260B) (µg/l)	Ethylene- dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)	TDS (mg/l)	Post-purge Dissolved Oxygen (mg/l)	Pre-purge Dissolved Oxygen (mg/l)
MW-7 continued										
03/16/03	ND<100	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	--	--	--
MW-8										
03/27/95	--	--	--	--	--	--	--	490	2.20	--
06/26/95	--	--	--	--	--	--	--	--	3.86	--
09/28/95	--	--	--	--	--	--	--	--	1.85	--
12/29/95	--	--	--	--	--	--	--	--	2.03	--
03/27/96	--	--	--	--	--	--	--	--	9.76	11.73
09/21/96	--	--	--	--	--	--	--	--	2.16	--
03/31/97	--	--	--	--	--	--	--	--	2.91	2.81
09/27/97	--	--	--	--	--	--	--	--	--	3.11
03/20/98	--	--	--	--	--	--	--	--	2.65	--
MW-9										
03/27/95	--	--	--	--	--	--	--	--	7.8	--
06/26/95	--	--	--	--	--	--	--	--	4.61	--
09/28/95	--	--	--	--	--	--	--	--	5.76	--
12/29/95	--	--	--	--	--	--	--	--	5.32	--
03/27/96	--	--	--	--	--	--	--	--	5.23	5.62
09/21/96	--	--	--	--	--	--	--	--	4.13	--
03/31/97	--	--	--	--	--	--	--	--	3.27	3.36
MW-10										
12/29/95	--	--	--	--	--	--	--	--	5.11	--
03/27/96	--	--	--	--	--	--	--	--	4.57	4.38
09/21/96	--	--	--	--	--	--	--	--	5.38	--
03/31/97	--	--	--	--	--	--	--	--	4.83	4.48

FIGURES

PS-1:1 L:\DQMS V I C I N I T Y M A P S\5367vm.dwg Nov 16, 2007 - 7:17am cvuong



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
San Leandro Quadrangle

0 1/4 1/2 3/4 1 MILE



SCALE 1:24,000



QUADRANGLE
LOCATION



PROJECT: 154771


FACILITY:

76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA


VICINITY MAP


FIGURE 1

LEGEND

MW-10  Monitoring Well with Groundwater Elevation (feet)

28.90  Groundwater Elevation Contour

 General Direction of Groundwater Flow



SCALE (FEET)



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. NA = not analyzed, measured, or collected. * = not included in groundwater contour interpretation. UST = underground storage tank




PROJECT: 154771


FACILITY:
76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA


**GROUNDWATER ELEVATION
CONTOUR MAP
January 14, 2008**

FIGURE 2

LEGEND

MW-10  Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration (µg/l)

 1,000 Dissolved-Phase TPH-G (GC/MS) Contour (µg/l)



SCALE (FEET)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. () = representative historical value. UST = underground storage tank.




PROJECT: 154771


FACILITY:
76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA



**DISSOLVED-PHASE TPH-G (GC/MS)
CONCENTRATION MAP**
January 14, 2008

FIGURE 3

LEGEND

MW-10  Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)

 Dissolved-Phase Benzene Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. () = representative historical value. UST = underground storage tank.







PROJECT: 154771
 FACILITY:
 76 STATION 5367
 500 BANCROFT AVENUE
 SAN LEANDRO, CALIFORNIA

**DISSOLVED-PHASE BENZENE
 CONCENTRATION MAP
 January 14, 2008**

FIGURE 4

LEGEND

MW-10  Monitoring Well with Dissolved-Phase MTBE Concentration ($\mu\text{g/l}$)



NOTES:

MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. () = representative historical value. UST = underground storage tank. Results obtained using EPA Method 8260B.




PROJECT: 154771
FACILITY:
76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA

**DISSOLVED-PHASE MTBE
CONCENTRATION MAP
January 14, 2008**

FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 5367




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5367











Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5367





Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 5367



Benzene Concentrations vs Time
76 Station 5367



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyor's mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted are specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated to a particular wells, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: Andrew Vidars Job #/Task #: 154771

Date: 01/14/08

Site # 5367 Project Manager A. Collins

Page 1 of 1

Well #	Time Gauged	TOC	Total Depth	Depth to Water	Depth to Product	Product Thickness (feet)	Time Sampled	Misc. Well Notes
MW-9							N/S	unable to access
MW-6	0653	✓	44.32	28.26	—	—	0951	2"
MW-10	0704	✓	42.25	30.11	—	—	1006	2"
MW-8	0711	✓	43.96	28.85	—	—	0942	2"
MW-7	0717	✓	42.31	28.51	—	—	0917	2"
MW-5	0723	✓	44.19	29.55	—	—	1028	2"
MW-2	0732	✓	46.68	28.95	—	—	1106	4"
MW-3	0739	✓	47.83	28.64	—	—	1147	4"
MW-4	0744	✓	48.13	29.43	—	—	1221	4"
MW-1	0750	✓	35.06	29.19	—	—	1239	2"

FIELD DATA COMPLETE QA/QC COC WELL BOX CONDITION SHEETS

WTT CERTIFICATE MANIFEST DRUM INVENTORY TRAFFIC CONTROL

Field Mon Data Sheet r/s 7/28/2005

GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew V. Amers

Site: 5367

Project No.: 154771

Date: 01/14/08

Well No. MW-6

Purge Method: Sub

Depth to Water (feet): 28.26

Depth to Product (feet):

Total Depth (feet): 44.32

LPH & Water Recovered (gallons):

Water Column (feet): 16.06

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 31.47

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0837			3	485.2	16.5	7.4			
			6	488.9	17.1	6.91			
	0843		9	492.1	17.6	6.58			
Static at Time Sampled			Total Gallons Purged			Sample Time			
28.33			9			0851			
Comments:									

Well No. MW-10

Purge Method: HB

Depth to Water (feet): 30.11

Depth to Product (feet):

Total Depth (feet): 42.25

LPH & Water Recovered (gallons):

Water Column (feet): 12.14

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 32.54

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0948			2	501.2	16.8	6.72			
			4	505.6	16.9	6.75			
	1000		6	506.6	17.5	6.69			
Static at Time Sampled			Total Gallons Purged			Sample Time			
30.20			6			1006			
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidlers

Site: 5367

Project No.: 154771

Date: 01/14/08

Well No. MW-5

Purge Method: Sub

Depth to Water (feet): 29.55

Depth to Product (feet): —

Total Depth (feet): 44.19

LPH & Water Recovered (gallons): —

Water Column (feet): 14.64

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 32.48

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
1018			2	571.8	17.1	7.07			
			4	573.4	17.7	6.94			
	1023		6	575.6	18.5	6.71			
Static at Time Sampled			Total Gallons Purged		Sample Time				
29.64			6		1028				
Comments:									

Well No. MW-2

Purge Method: Sub

Depth to Water (feet): 28.95

Depth to Product (feet): —

Total Depth (feet): 46.68

LPH & Water Recovered (gallons): —

Water Column (feet): 17.73

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 32.50

1 Well Volume (gallons): 11

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
1041			11	613.8	18.2	7.09			
			22	578.2	18.5	7.03			
	1101		33	602.7	19.3	6.88			
Static at Time Sampled			Total Gallons Purged		Sample Time				
29.32			33		1106				
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidlers

Site: 5367

Project No.: 154771

Date: 01/14/08

Well No. MW-8

Purge Method: Sub

Depth to Water (feet): 28.85

Depth to Product (feet): —

Total Depth (feet): 43.96

LPH & Water Recovered (gallons): —

Water Column (feet): 15.11

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 31.87

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0934			2	587.7	16.8	6.81			
			4	593.2	17.8	6.64			
	0938		6	604.7	17.9	6.62			
Static at Time Sampled			Total Gallons Purged		Sample Time				
28.91			6		0942				
Comments:									

Well No. MW-7

Purge Method: Sub

Depth to Water (feet): 28.51

Depth to Product (feet): —

Total Depth (feet): 42.31

LPH & Water Recovered (gallons): —

Water Column (feet): 13.80

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 31.27

1 Well Volume (gallons): 2

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
0909			2	537.5	16.8	6.77			
			4	532.1	17.2	6.64			
	0913		6	525.7	18.1	6.52			
Static at Time Sampled			Total Gallons Purged		Sample Time				
28.56			6		0917				
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidners

Site: 5367

Project No.: 154771

Date: 01/14/08

Well No. MW-3

Purge Method: Sub

Depth to Water (feet): 28.64

Depth to Product (feet):

Total Depth (feet): 47.83

LPH & Water Recovered (gallons):

Water Column (feet): 19.19

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 32.48

1 Well Volume (gallons): 13

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
1117			13	501.2	17.5	7.48			
			26	509.8	17.7	7.22			
	1143		39	520.8	18.2	7.13			
Static at Time Sampled			Total Gallons Purged		Sample Time				
28.79			39		1147				
Comments:									

Well No. MW-4

Purge Method: Sub

Depth to Water (feet): 29.43

Depth to Product (feet):

Total Depth (feet): 48.13

LPH & Water Recovered (gallons):

Water Column (feet): 18.70

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 33.17

1 Well Volume (gallons): 13

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
1133			13	536.7	17.3	7.27			
1218			26	544.1	18.1	7.16			
	1218		39	541.8	19.4	7.11			
Static at Time Sampled			Total Gallons Purged		Sample Time				
30.52			39		1221				
Comments:									

GROUNDWATER SAMPLING FIELD NOTES

Technician: Andrew Vidners

Site: 5367

Project No.: 154771

Date: 01/14/08

Well No. MW-1

Purge Method: DIA^{AV} HB

Depth to Water (feet): 29.19

Depth to Product (feet):

Total Depth (feet): 35.06

LPH & Water Recovered (gallons):

Water Column (feet): 5.87

Casing Diameter (Inches): 2

80% Recharge Depth(feet): 30.36

1 Well Volume (gallons): 1

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
1229			1	707.1	18.6	6.69			
			2	701.2	19.3	6.65			
	1234		3	694.9	19.6	6.61			
Static at Time Sampled			Total Gallons Purged			Sample Time			
29.61			3			1239			
Comments:									

Well No.

Purge Method:

Depth to Water (feet):

Depth to Product (feet):

Total Depth (feet):

LPH & Water Recovered (gallons):

Water Column (feet):

Casing Diameter (Inches):

80% Recharge Depth(feet):

1 Well Volume (gallons):

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	D.O.	ORP	Turbidity
Static at Time Sampled			Total Gallons Purged			Sample Time			
Comments:									

STATEMENT OF NON-COMPLETION OF JOB

DATE OF EVENT: 01/14/08 STATION NUMBER: 5367

NAME OF TECH: Andrew Vidras CALLED GORDON: _____

CALLED PM: NAME OF PM CALLED: Adrienne

WELL NUMBER: MW-9 STATEMENT FROM PM _____ OR TECH

Car parked on well.

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____



LABORATORIES, INC.

Date of Report: 01/22/2008

Anju Farfan

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

RE: 5367
BC Work Order: 0800687

Enclosed are the results of analyses for samples received by the laboratory on 01/14/2008 21:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Molly Meyers". The signature is written in a cursive style and is positioned above a horizontal line.

Contact Person: Molly Meyers
Client Service Rep

A handwritten signature in black ink, which is mostly illegible due to its cursive style. It is positioned above a horizontal line.

Authorized Signature



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			Receive Date:	Sampling Date:	Sample Depth:	Sample Matrix:	Delivery Work Order:	Global ID:	Matrix:	Sample QC Type (SACode):	Cooler ID:
0800687-01	COC Number:	---		01/14/2008 21:00	01/14/2008 08:51	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-6										
	Sampling Point:	MW-6										
	Sampled By:	TRCI										
0800687-02	COC Number:	---		01/14/2008 21:00	01/14/2008 10:06	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-10										
	Sampling Point:	MW-10										
	Sampled By:	TRCI										
0800687-03	COC Number:	---		01/14/2008 21:00	01/14/2008 09:42	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-8										
	Sampling Point:	MW-8										
	Sampled By:	TRCI										
0800687-04	COC Number:	---		01/14/2008 21:00	01/14/2008 09:17	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-7										
	Sampling Point:	MW-7										
	Sampled By:	TRCI										
0800687-05	COC Number:	---		01/14/2008 21:00	01/14/2008 10:28	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-5										
	Sampling Point:	MW-5										
	Sampled By:	TRCI										



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			Receive Date:	Sampling Date:	Sample Depth:	Sample Matrix:	Delivery Work Order:	Global ID:	Matrix:	Sample QC Type (SACode):	Cooler ID:
0800687-06	COC Number:	---		01/14/2008 21:00	01/14/2008 11:06	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-2										
	Sampling Point:	MW-2										
	Sampled By:	TRCI										
0800687-07	COC Number:	---		01/14/2008 21:00	01/14/2008 11:47	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-3										
	Sampling Point:	MW-3										
	Sampled By:	TRCI										
0800687-08	COC Number:	---		01/14/2008 21:00	01/14/2008 12:21	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-4										
	Sampling Point:	MW-4										
	Sampled By:	TRCI										
0800687-09	COC Number:	---		01/14/2008 21:00	01/14/2008 12:39	---	Water		T0600101479	W	CS	
	Project Number:	5367										
	Sampling Location:	MW-1										
	Sampling Point:	MW-1										
	Sampled By:	TRCI										



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0800687-01 **Client Sample Name:** 5367, MW-6, MW-6, 1/14/2008 8:51:00AM

Constituent	Result	Units	PQL	MDL	Method	Prep	Run		Analyst	Instru- ment ID	Dilution	QC	MB	Lab Quals
						Date	Date/Time	Batch ID				Bias		
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	140	ug/L	50		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242	ND	A53
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	92.3	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	98.6	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08	13:48	SDU	MS-V10	1	BRA1242		

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800687-02												
Client Sample Name:	5367, MW-10, MW-10, 1/14/2008 10:06:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242	ND	
1,2-Dichloroethane-d4 (Surrogate)	113	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	93.1	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	97.6	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 15:21	SDU	MS-V10	1	BRA1242		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0800687-03		Client Sample Name: 5367, MW-8, MW-8, 1/14/2008 9:42:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	130	ug/L	50		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242	ND	
1,2-Dichloroethane-d4 (Surrogate)	104	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	93.3	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	97.9	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 15:39	SDU	MS-V10	1	BRA1242		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Fartan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0800687-04 **Client Sample Name:** 5367, MW-7, MW-7, 1/14/2008 9:17:00AM

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242	ND	
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	89.0	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	97.2	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 14:41	SDU	MS-V10	1	BRA1242		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800687-05												
Client Sample Name:	5367, MW-5, MW-5, 1/14/2008 10:28:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242	ND	
1,2-Dichloroethane-d4 (Surrogate)	107	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	92.7	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:11	SDU	MS-V10	1	BRA1242		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800687-06												
Client Sample Name:	5367, MW-2, MW-2, 1/14/2008 11:06:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242	ND	
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	98.2	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	98.5	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:29	SDU	MS-V10	1	BRA1242		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0800687-07		Client Sample Name: 5367, MW-3, MW-3, 1/14/2008 11:47:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	52	ug/L	50		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242	ND	
1,2-Dichloroethane-d4 (Surrogate)	108	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	97.4	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	100	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 22:47	SDU	MS-V10	1	BRA1242		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 5367
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0800687-08	Client Sample Name: 5367, MW-4, MW-4, 1/14/2008 12:21:00PM
---------------------------	------------------------------------------------------------

Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242	ND	
Toluene	ND	ug/L	0.50		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242	ND	
1,2-Dichloroethane-d4 (Surrogate)	109	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242		
Toluene-d8 (Surrogate)	97.4	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242		
4-Bromofluorobenzene (Surrogate)	97.9	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 23:04	SDU	MS-V10	1	BRA1242		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0800687-09												
Client Sample Name:	5367, MW-1, MW-1, 1/14/2008 12:39:00PM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instrument ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	12	ug/L	6.2		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242	ND	A01
Ethylbenzene	960	ug/L	6.2		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242	ND	A01
Methyl t-butyl ether	ND	ug/L	6.2		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242	ND	A01
Toluene	ND	ug/L	6.2		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242	ND	A01
Total Xylenes	88	ug/L	12		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242	ND	A01
Total Purgeable Petroleum Hydrocarbons	8400	ug/L	620		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	106	%	76 - 114 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242		
Toluene-d8 (Surrogate)	96.4	%	88 - 110 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242		
4-Bromofluorobenzene (Surrogate)	99.9	%	86 - 115 (LCL - UCL)		EPA-8260	01/21/08	01/21/08 20:06	SDU	MS-V10	12.500	BRA1242		

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

 Project: 5367
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BRA1242	Matrix Spike	0800801-02	0	27.210	25.000	ug/L		109		70 - 130
		Matrix Spike Duplicate	0800801-02	0	22.660	25.000	ug/L	18.4	90.6	20	70 - 130
Toluene	BRA1242	Matrix Spike	0800801-02	0	27.090	25.000	ug/L		108		70 - 130
		Matrix Spike Duplicate	0800801-02	0	23.250	25.000	ug/L	14.9	93.0	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRA1242	Matrix Spike	0800801-02	ND	10.300	10.000	ug/L		103		76 - 114
		Matrix Spike Duplicate	0800801-02	ND	10.030	10.000	ug/L		100		76 - 114
Toluene-d8 (Surrogate)	BRA1242	Matrix Spike	0800801-02	ND	9.5500	10.000	ug/L		95.5		88 - 110
		Matrix Spike Duplicate	0800801-02	ND	9.5600	10.000	ug/L		95.6		88 - 110
4-Bromofluorobenzene (Surrogate)	BRA1242	Matrix Spike	0800801-02	ND	9.9100	10.000	ug/L		99.1		86 - 115
		Matrix Spike Duplicate	0800801-02	ND	9.9400	10.000	ug/L		99.4		86 - 115

TRC Alton Geoscience
 21 Technology Drive
 Irvine, CA 92618-2302

Project: 5367
 Project Number: [none]
 Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Benzene	BRA1242	BRA1242-BS1	LCS	23.890	25.000	0.50	ug/L	95.6		70 - 130		
Toluene	BRA1242	BRA1242-BS1	LCS	25.440	25.000	0.50	ug/L	102		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BRA1242	BRA1242-BS1	LCS	10.590	10.000		ug/L	106		76 - 114		
Toluene-d8 (Surrogate)	BRA1242	BRA1242-BS1	LCS	9.8400	10.000		ug/L	98.4		88 - 110		
4-Bromofluorobenzene (Surrogate)	BRA1242	BRA1242-BS1	LCS	9.9900	10.000		ug/L	99.9		86 - 115		



TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRA1242	BRA1242-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRA1242	BRA1242-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRA1242	BRA1242-BLK1	ND	ug/L	0.50		
Toluene	BRA1242	BRA1242-BLK1	ND	ug/L	0.50		
Total Xylenes	BRA1242	BRA1242-BLK1	ND	ug/L	1.0		
Total Purgeable Petroleum Hydrocarbons	BRA1242	BRA1242-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRA1242	BRA1242-BLK1	99.6	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRA1242	BRA1242-BLK1	99.0	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRA1242	BRA1242-BLK1	99.9	%	86 - 115 (LCL - UCL)		

TRC Alton Geoscience
21 Technology Drive
Irvine, CA 92618-2302

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 01/22/2008 15:22

Notes And Definitions

MDL Method Detection Limit
ND Analyte Not Detected at or above the reporting limit
PQL Practical Quantitation Limit
RPD Relative Percent Difference
A01 PQL's and MDL's are raised due to sample dilution.
A53 Chromatogram not typical of gasoline.

Submission #: 0800687 Project Code: _____ TB Batch # _____

SHIPPING INFORMATION Federal Express <input type="checkbox"/> UPS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> BC Lab Field Service <input checked="" type="checkbox"/> Other <input type="checkbox"/> (Specify) _____	SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments: _____
 Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received YES NO
 Ice Chest ID: Red Emissivity: .97 Date/Time: 2/20/04
 Temperature: 3.7 °C Container: VOA Analyst Init: HOW
 Thermometer ID: X48

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE/ NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PIA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A3	A.3	A.3	A.3	A.3	A.3	A.3	A.3	A.3	
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA 525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QA/QC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: _____
 Sample Numbering Completed By: FMZ Date/Time: 1-15-07 1325

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

0800687

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015 TPH GAS by 8015M TPH DIESEL by 8015 8260 full list w/ oxygenates BTEX/MTBE/OXYS BY 8260B ETHANOL by 8260B TPH -G by GC/MS BTEX/MTBE by 8260B	Turnaround Time Requested
Address: 500 Bancroft Ave		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan				
City: San Leandro		4-digit site#: 5367				
State: CA Zip:		Project #: 154771				
Conoco Phillips Mgr: Bill Borgh		Sampler Name: Andrew Vidwers				

Lab#	Sample Description	Field Point Name	Date & Time Sampled									
	-1	MW-6	01/14/08 0851	GW						X	X	STD
	-2	MW-10										
	-3	MW-8										
	-4	MW-7										
	-5	MW-5										
	-6	MW-2										
	-7	MW-3										
	-8	MW-4										

CHK BY DISTRICTION
 SUBMIT
 [Signature]

Comments: GLOBAL ID: T0600101479	Relinquished by: (Signature) [Signature]	Received by: stored in refrigerator [Signature]	Date & Time 01/14/08 1400
	Relinquished by: (Signature) [Signature]	Received by: Ross Dudley [Signature]	Date & Time 1/14/08 1440
	Relinquished by: (Signature) Ross Dudley 1/14/08 R. Dudley 1-14-08 2:00	Received by: R. Dudley [Signature]	Date & Time 1-14-08 1750 1/14/08 2:00

BC LABORATORIES, INC.



4100 Atlas Court Bakersfield, CA 93308
 (661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

0800687

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015 TPH GAS by 8015M TPH DIESEL by 8015 8260 full list w/ oxygenates BTEX/MTBE/OXYS BY 8260B ETHANOL by 8260B TPH -G by GC/MS BTEX/MTBE by 8260B	Turnaround Time Requested
Address: 500 Bancroft Ave		21 Technology Drive ; Irvine, CA 92618-2302 Attn: Anju Farfan				
City: San Leandro		4-digit site#: 5367 Workorder #				
State: CA	Zip:	Project #: 154771				
Conoco Phillips Mgr: Bill Borch		Sampler Name: Andrew Vidners				
Lab#	Sample Description	Field Point Name	Date & Time Sampled			
	-9	MW-1	01/14/08 1239	GW		X X STD

Comments: GLOBAL ID: T0600101479	Relinquished by: (Signature) 	Received by: stored in refrigerator	Date & Time 01/14/08 1900
	Relinquished by: (Signature) 	Received by: Ross Dickey	Date & Time 1/14/08 1440
	Relinquished by: (Signature) Ross Dickey 1/14/08 R R R 1-14-08 2100	Received by: R R R T W T 1/14/08 2100	Date & Time 1-14-08 1750

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.