

21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

RECEIVED

3:18 pm, Jun 15, 2009

Alameda County
Environmental Health

DATE: September 24, 2008

TO: ConocoPhillips Company
76 Broadway Avenue
Sacramento, CA 95818

ATTN: MR. TED MOISE

SITE: 76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA

RE: SEMI-ANNUAL MONITORING REPORT
APRIL THROUGH SEPTEMBER 2008

Dear Mr. Moise:

Please find enclosed our Semi-Annual Monitoring Report for 76 Station 5367, located at 500 Bancroft Avenue, San Leandro, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Dennis Dettloff, Delta Environmental Inc. (1 copy)

Enclosures
20-0400/5367R12.QMS



**SEMI-ANNUAL MONITORING REPORT
APRIL THROUGH SEPTEMBER 2008**

76 STATION 5367
500 Bancroft Avenue
San Leandro, California

Prepared For:

Mr. Ted Moise
CONOCOPHILLIPS COMPANY
76 Broadway Avenue
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 9/22/08



LIST OF ATTACHMENTS

| | |
|--------------------|---|
| Summary Sheet | Summary of Gauging and Sampling Activities |
| Tables | Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results |
| Figures | Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MIBE Concentration Map |
| Graphs | Groundwater Elevations vs. Time Benzene Concentrations vs. Time |
| Field Activities | General Field Procedures Field Monitoring Data Sheet – 09/02/08 Groundwater Sampling Field Notes – 09/02/08 |
| Laboratory Reports | Official Laboratory Reports Quality Control Reports Chain of Custody Records |
| Statements | Purge Water Disposal Limitations |

Summary of Gauging and Sampling Activities
July 2008 through December 2008
76 Station 5367
500 Bancroft Avenue
San Leandro, CA

Project Coordinator: **Ted Moise**
Telephone: **510-245-5162**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **09/02/08**

Sample Points

Groundwater wells: **5** onsite, **5** offsite Points gauged: **10** Points sampled: **10**
Purging method: **Bailer/submersible pump**
Purge water disposal: **Veolia/Rodeo Unit 100**
Other Sample Points: **0** Type: --

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): --
LPH removal frequency: -- Method: --
Treatment or disposal of water/LPH: --

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **30.47 feet** Maximum: **33.07 feet**
Average groundwater elevation (relative to available local datum): **26.08 feet**
Average change in groundwater elevation since previous event: **-2.80 feet**
Interpreted groundwater gradient and flow direction:
 Current event: **0.0015 ft/ft, west**
 Previous event: **0.002 ft/ft, northwest (01/14/08)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **1** Sample Points above MCL (1.0 µg/l): **1**
 Maximum reported benzene concentration: **7.7 µg/l (MW-1)**

Sample Points with **TPH-G by GC/MS** **3** Maximum: **8,300 µg/l (MW-1)**
Sample Points with **MTBE 8260B** **0**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

| | | |
|-------|---|---|
| -- | = | not analyzed, measured, or collected |
| LPH | = | liquid-phase hydrocarbons |
| Trace | = | less than 0.01 foot of LPH in well |
| µg/l | = | micrograms per liter (approx. equivalent to parts per billion, ppb) |
| mg/l | = | milligrams per liter (approx. equivalent to parts per million, ppm) |
| ND< | = | not detected at or above laboratory detection limit |
| TOC | = | top of casing (surveyed reference elevation) |

ANALYTES

| | | |
|---------------|---|---|
| BTEX | = | benzene, toluene, ethylbenzene, and (total) xylenes |
| DIPE | = | di-isopropyl ether |
| ETBE | = | ethyl tertiary butyl ether |
| MTBE | = | methyl tertiary butyl ether |
| PCB | = | polychlorinated biphenyls |
| PCE | = | tetrachloroethene |
| IBA | = | tertiary butyl alcohol |
| ICA | = | trichloroethane |
| ICE | = | trichloroethene |
| TPH-G | = | total petroleum hydrocarbons with gasoline distinction |
| TPH-G (GC/MS) | = | total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B |
| TPH-D | = | total petroleum hydrocarbons with diesel distinction |
| TRPH | = | total recoverable petroleum hydrocarbons |
| TAME | = | tertiary amyl methyl ether |
| 1,1-DCA | = | 1,1-dichloroethane |
| 1,2-DCA | = | 1,2-dichloroethane (same as EDC, ethylene dichloride) |
| 1,1-DCE | = | 1,1-dichloroethene |
| 1,2-DCE | = | 1,2-dichloroethene (cis- and trans-) |

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A “J” flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5367 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5367

Current Event

| Table 1 | Well/ Date | Depth to Water | LPH Thickness | Ground- water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) |
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|

Historic Data

| Table 2 | Well/ Date | Depth to Water | LPH Thickness | Ground- water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) |
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|
|---------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|

| Table 2a | Well/ Date | TBA | Ethanol (8260B) | Ethylene- dibromide (EDB) | 1,2-DCA (EDC) | DIPE | ETBE | TAME | TDS | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen |
|----------|---------------|-----|--------------------|---------------------------------|------------------|------|------|------|-----|-----------------------------------|----------------------------------|
|----------|---------------|-----|--------------------|---------------------------------|------------------|------|------|------|-----|-----------------------------------|----------------------------------|

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 2, 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl- benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-------------------|-------------------------|--------------------------|---|----------------------------------|-------------------------------|----------------------------|----------------------------|-------------------|-------------------|-----------------------------|----------------------------|---------------------------|---------------------------|----------|
| | | | (Screen Interval in feet: 10.0-35.0) | | | | | | | | | | | |
| MW-1 09/02/08 | 57.83 | 31.88 | 0.00 | 25.95 | -2.69 | -- | 8300 | 7.7 | ND<5.0 | 850 | 56 | -- | ND<5.0 | |
| | | | (Screen Interval in feet: 28.0-48.0) | | | | | | | | | | | |
| MW-2 09/02/08 | 58.13 | 31.72 | 0.00 | 26.41 | -2.77 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | |
| MW-3 09/02/08 | 57.92 | 31.38 | 0.00 | 26.54 | -2.74 | -- | 80 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | |
| MW-4 09/02/08 | 58.29 | 32.07 | 0.00 | 26.22 | -2.64 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 25.0-45.0) | | | | | | | | | | | |
| MW-5 09/02/08 | 58.50 | 32.35 | 0.00 | 26.15 | -2.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 25.0-45.0) | | | | | | | | | | | |
| MW-6 09/02/08 | 56.96 | 31.10 | 0.00 | 25.86 | -2.84 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | |
| MW-7 09/02/08 | 57.25 | 31.40 | 0.00 | 25.85 | -2.89 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | |
| MW-8 09/02/08 | 57.71 | 31.72 | 0.00 | 25.99 | -2.87 | -- | 85 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 20.0-45.0) | | | | | | | | | | | |
| MW-9 09/02/08 | 56.47 | 30.47 | 0.00 | 26.00 | -- | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| | | | (Screen Interval in feet: 20.0-45.0) | | | | | | | | | | | |
| MW-10 09/02/08 | 58.94 | 33.07 | 0.00 | 25.87 | -2.96 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-1 (Screen Interval in feet: 10.0-35.0) | | | | | | | | | | | | | | |
| 09/23/87 | 57.83 | 33.40 | 0.00 | 24.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/24/87 | 57.83 | 33.24 | 0.01 | 24.60 | 0.17 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/06/87 | 57.83 | 33.39 | 0.01 | 24.45 | -0.15 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/05/87 | 57.83 | 34.14 | 0.31 | 23.92 | -0.52 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/13/87 | 57.83 | 34.15 | 0.38 | 23.97 | 0.04 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/19/87 | 57.83 | 33.89 | 0.06 | 23.99 | 0.02 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 04/27/88 | 57.83 | 32.40 | 0.01 | 25.44 | 1.45 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/07/88 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 10/03/88 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 01/27/89 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 02/16/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 07/19/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 08/24/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 11/30/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 02/06/91 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 05/06/91 | 57.83 | 33.00 | 0.00 | 24.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/27/91 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 03/31/92 | 57.83 | 31.00 | 0.00 | 26.83 | -- | 330000 | -- | 8200 | 33000 | 6800 | 36000 | -- | -- | |
| 06/18/92 | 57.83 | 32.76 | 0.00 | 25.07 | -1.76 | 680000 | -- | 9000 | 40000 | 7600 | 44000 | -- | -- | |
| 10/16/92 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 11/18/92 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 03/03/93 | 57.83 | 26.03 | 0.00 | 31.80 | -- | 330000 | -- | 3800 | 21000 | 4200 | 24000 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-1 continued | | | | | | | | | | | | | | |
| 06/25/93 | 57.83 | 28.36 | 0.00 | 29.47 | -2.33 | 160000 | -- | 4300 | 36000 | 5800 | 34000 | -- | -- | |
| 09/03/93 | 57.83 | 30.80 | 0.00 | 27.03 | -2.44 | 160000 | -- | 3900 | 41000 | 6800 | 38000 | -- | -- | |
| 12/13/93 | 57.83 | 32.73 | 0.00 | 25.10 | -1.93 | 140000 | -- | 3600 | 37000 | 7100 | 40000 | -- | -- | |
| 03/18/94 | 57.83 | 30.10 | 0.00 | 27.73 | 2.63 | 99000 | -- | 3800 | 37000 | 6800 | 36000 | -- | -- | |
| 06/23/94 | 57.83 | 31.32 | 0.00 | 26.51 | -1.22 | 150000 | -- | 2500 | 33000 | 6400 | 37000 | -- | -- | |
| 09/21/94 | 57.83 | 33.21 | 0.00 | 24.62 | -1.89 | 110000 | -- | 2500 | 23000 | 4500 | 25000 | -- | -- | |
| 12/19/94 | 57.83 | 30.97 | 0.00 | 26.86 | 2.24 | 200000 | -- | 2400 | 28000 | 6600 | 37000 | -- | -- | |
| 03/27/95 | 57.83 | 22.77 | 0.00 | 35.06 | 8.20 | 88000 | -- | 1500 | 20000 | 4200 | 25000 | -- | -- | |
| 06/26/95 | 57.83 | 25.69 | 0.00 | 32.14 | -2.92 | 130000 | -- | 1000 | 23000 | 5600 | 33000 | -- | -- | |
| 07/28/95 | 57.83 | 26.97 | 0.00 | 30.86 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.83 | 29.55 | 0.00 | 28.28 | -2.58 | 100000 | -- | 810 | 21000 | 6500 | 37000 | -- | -- | |
| 10/24/95 | 57.83 | 29.99 | 0.00 | 27.84 | -0.44 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.83 | 30.40 | 0.00 | 27.43 | -0.41 | 110000 | -- | 990 | 22000 | 8300 | 47000 | -- | -- | |
| 03/27/96 | 57.83 | 22.29 | 0.00 | 35.54 | 8.11 | 120000 | -- | 920 | 17000 | 7100 | 41000 | 180 | 180 | |
| 09/21/96 | 57.83 | 29.44 | 0.00 | 28.39 | -7.15 | 110000 | -- | 270 | 3500 | 5900 | 16000 | 260 | 260 | |
| 03/31/97 | 57.83 | 24.18 | 0.00 | 33.65 | 5.26 | 82000 | -- | 240 | 8700 | 3800 | 23000 | ND | -- | |
| 09/27/97 | 57.83 | 31.86 | 0.00 | 25.97 | -7.68 | 81000 | -- | ND | 1000 | 5900 | 31000 | ND | -- | |
| 03/20/98 | 57.83 | 16.88 | 0.00 | 40.95 | 14.98 | 52000 | -- | ND | 350 | 2900 | 14000 | ND | -- | |
| 09/09/98 | 57.83 | 26.21 | 0.00 | 31.62 | -9.33 | 59000 | -- | 51 | 64 | 6000 | 4800 | ND | -- | |
| 03/11/99 | 57.83 | 23.60 | 0.00 | 34.23 | 2.61 | 60000 | -- | 130 | ND | 2900 | 12000 | ND | -- | |
| 09/08/99 | 57.83 | 28.70 | 0.00 | 29.13 | -5.10 | 74000 | -- | ND | ND | 2600 | 10000 | ND | -- | |
| 03/24/00 | 57.83 | 21.61 | 0.00 | 36.22 | 7.09 | 37000 | -- | ND | ND | 1980 | 6880 | ND | -- | |
| 09/15/00 | 57.83 | 28.19 | 0.00 | 29.64 | -6.58 | 45800 | -- | ND | ND | 3150 | 10500 | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-1 continued | | | | | | | | | | | | | | |
| 03/16/01 | 57.83 | 25.59 | 0.00 | 32.24 | 2.60 | 37500 | -- | 76.2 | 16.6 | 2010 | 7330 | ND | -- | |
| 08/31/01 | 57.83 | 29.03 | 0.00 | 28.80 | -3.44 | 62000 | -- | 79 | ND<50 | 3000 | 13000 | ND<250 | -- | |
| 03/15/02 | 57.83 | 25.58 | 0.00 | 32.25 | 3.45 | 26000 | -- | 43 | 22 | 2400 | 10000 | ND<100 | -- | |
| 09/26/02 | 57.83 | 29.51 | 0.00 | 28.32 | -3.93 | -- | 56000 | 31 | ND<25 | 2500 | 11000 | -- | ND<100 | |
| 03/16/03 | 57.83 | 26.71 | 0.00 | 31.12 | 2.80 | -- | 43000 | ND<250 | ND<250 | 2200 | 6800 | -- | ND<1000 | |
| 09/03/03 | 57.83 | 29.54 | 0.00 | 28.29 | -2.83 | -- | 55000 | ND<50 | ND<50 | 2200 | 4200 | -- | ND<200 | |
| 03/11/04 | 57.83 | 25.57 | 0.00 | 32.26 | 3.97 | -- | 23000 | 10 | ND<5.0 | 1100 | 2100 | -- | ND<20 | |
| 09/24/04 | 57.83 | 31.20 | 0.00 | 26.63 | -5.63 | -- | 29000 | 15 | ND<10 | 1900 | 1100 | -- | ND<10 | |
| 03/29/05 | 57.83 | 23.38 | 0.00 | 34.45 | 7.82 | -- | 26000 | 15 | ND<10 | 990 | 260 | -- | ND<10 | |
| 09/12/05 | 57.83 | 28.13 | 0.00 | 29.70 | -4.75 | -- | 15000 | 13 | 1.3 | 1100 | 110 | -- | 0.93 | |
| 03/27/06 | 57.83 | 21.38 | 0.00 | 36.45 | 6.75 | -- | 11000 | 7.6 | 1.0 | 590 | 90 | -- | ND<0.50 | |
| 09/08/06 | 57.83 | 26.73 | 0.00 | 31.10 | -5.35 | -- | 9000 | 4.7 | 4.0 | 460 | 82 | -- | ND<0.50 | |
| 01/29/07 | 57.83 | 28.63 | 0.00 | 29.20 | -1.90 | -- | 10000 | 9.2 | ND<5.0 | 990 | 310 | -- | ND<5.0 | |
| 07/02/07 | 57.83 | 29.53 | 0.00 | 28.30 | -0.90 | -- | 8800 | 10 | ND<6.2 | 910 | 170 | -- | ND<6.2 | |
| 01/14/08 | 57.83 | 29.19 | 0.00 | 28.64 | 0.34 | -- | 8400 | 12 | ND<6.2 | 960 | 88 | -- | ND<6.2 | |
| 09/02/08 | 57.83 | 31.88 | 0.00 | 25.95 | -2.69 | -- | 8300 | 7.7 | ND<5.0 | 850 | 56 | -- | ND<5.0 | |
| MW-2 (Screen Interval in feet: 28.0-48.0) | | | | | | | | | | | | | | |
| 10/03/88 | 58.13 | 36.04 | 0.00 | 22.09 | -- | 1760 | -- | 47.8 | 7.4 | 20.9 | 81.6 | -- | -- | |
| 01/27/89 | 58.13 | 34.77 | 0.00 | 23.36 | 1.27 | 510 | -- | 58 | 8.7 | 22.6 | 20.3 | -- | -- | |
| 02/16/90 | 58.13 | 34.50 | 0.00 | 23.63 | 0.27 | 840 | -- | 50 | 0.5 | 28 | 44 | -- | -- | |
| 05/01/90 | 58.13 | -- | -- | -- | -- | 1000 | -- | 39 | ND | 32 | 52 | -- | -- | |
| 07/19/90 | 58.13 | 35.72 | 0.00 | 22.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 58.13 | 36.30 | 0.00 | 21.83 | -0.58 | 330 | -- | 17 | ND | 19 | 20 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-2 continued | | | | | | | | | | | | | | |
| 11/30/90 | 58.13 | 37.40 | 0.00 | 20.73 | -1.10 | 400 | -- | 41 | ND | 39 | 37 | -- | -- | |
| 02/07/91 | 58.13 | 37.27 | 0.00 | 20.86 | 0.13 | 510 | -- | 40 | ND | 29 | 44 | -- | -- | |
| 05/06/91 | 58.13 | 33.31 | 0.00 | 24.82 | 3.96 | 2300 | -- | 150 | 10 | 52 | 110 | -- | -- | |
| 09/27/91 | 58.13 | 36.86 | 0.00 | 21.27 | -3.55 | 110 | -- | 2.6 | ND | 5.6 | 5.1 | -- | -- | |
| 12/27/91 | 58.13 | 37.66 | 0.00 | 20.47 | -0.80 | 170 | -- | 3.9 | ND | 7.3 | 60 | -- | -- | |
| 03/31/92 | 58.13 | 37.66 | 0.00 | 20.47 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 06/18/92 | 58.13 | 31.27 | 0.00 | 26.86 | 6.39 | 1200 | -- | 35 | 1.6 | 56 | 26 | -- | -- | |
| 09/30/92 | 58.13 | -- | -- | -- | -- | 820 | -- | 21 | ND | 42 | 25 | -- | -- | |
| 10/16/92 | 58.13 | 35.87 | 0.00 | 22.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/18/92 | 58.13 | 36.24 | 0.00 | 21.89 | -0.37 | 65 | -- | 1.2 | ND | 2.8 | 1.4 | -- | -- | |
| 03/03/93 | 58.13 | 26.30 | 0.00 | 31.83 | 9.94 | 4200 | -- | 62 | 2.9 | 97 | 120 | -- | -- | |
| 06/25/93 | 58.13 | 28.40 | 0.00 | 29.73 | -2.10 | 4000 | -- | 110 | ND | 320 | 280 | -- | -- | |
| 09/03/93 | 58.13 | 31.10 | 0.00 | 27.03 | -2.70 | 1400 | -- | 31 | 4.3 | 99 | 53 | -- | -- | |
| 12/13/93 | 58.13 | 33.03 | 0.00 | 25.10 | -1.93 | 260 | -- | 7.7 | 0.83 | 17 | 23 | -- | -- | |
| 03/18/94 | 58.13 | 30.34 | 0.00 | 27.79 | 2.69 | 250 | -- | 6.4 | 0.64 | 28 | 24 | -- | -- | |
| 06/23/94 | 58.13 | 31.63 | 0.00 | 26.50 | -1.29 | 420 | -- | 3.9 | 0.66 | 23 | 11 | -- | -- | |
| 09/21/94 | 58.13 | 33.52 | 0.00 | 24.61 | -1.89 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/19/94 | 58.13 | 31.26 | 0.00 | 26.87 | 2.26 | 190 | -- | 1.9 | ND | 15 | 6.8 | -- | -- | |
| 03/27/95 | 58.13 | 23.02 | 0.00 | 35.11 | 8.24 | ND | -- | ND | 0.55 | 1.2 | 2.5 | -- | -- | |
| 06/26/95 | 58.13 | 25.98 | 0.00 | 32.15 | -2.96 | ND | -- | ND | 0.93 | 0.88 | 3.4 | -- | -- | |
| 07/28/95 | 58.13 | 27.26 | 0.00 | 30.87 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 58.13 | 29.77 | 0.00 | 28.36 | -2.51 | 730 | -- | 2.9 | -- | 41 | 29 | -- | -- | |
| 10/24/95 | 58.13 | 30.56 | 0.00 | 27.57 | -0.79 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|---------------------|
| MW-2 continued | | | | | | | | | | | | | | |
| 12/29/95 | 58.13 | 30.25 | 0.00 | 27.88 | 0.31 | 860 | -- | 4.3 | 1 | 27 | 50 | -- | -- | |
| 03/27/96 | 58.13 | 22.30 | 0.00 | 35.83 | 7.95 | -- | -- | -- | -- | -- | -- | -- | -- | Connected to system |
| 09/21/96 | 58.13 | 29.47 | 0.00 | 28.66 | -7.17 | -- | -- | -- | -- | -- | -- | -- | -- | Connected to system |
| 03/31/97 | 58.13 | 24.20 | 0.00 | 33.93 | 5.27 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.13 | 31.07 | 0.00 | 27.06 | -6.87 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.13 | 16.73 | 0.00 | 41.40 | 14.34 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.13 | 26.03 | 0.00 | 32.10 | -9.30 | ND | -- | ND | 0.54 | ND | 0.57 | ND | -- | |
| 03/11/99 | 58.13 | 23.46 | 0.00 | 34.67 | 2.57 | ND | -- | ND | 0.59 | ND | 1.1 | ND | -- | |
| 09/08/99 | 58.13 | 28.53 | 0.00 | 29.60 | -5.07 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 58.13 | 21.45 | 0.00 | 36.68 | 7.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 58.13 | 28.02 | 0.00 | 30.11 | -6.57 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 58.13 | 25.41 | 0.00 | 32.72 | 2.61 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 58.13 | 28.74 | 0.00 | 29.39 | -3.33 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 58.13 | 25.45 | 0.00 | 32.68 | 3.29 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 58.13 | 29.36 | 0.00 | 28.77 | -3.91 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.13 | 26.58 | 0.00 | 31.55 | 2.78 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 58.13 | 29.34 | 0.00 | 28.79 | -2.76 | -- | ND<0.50 | ND<0.50 | 0.71 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 58.13 | 25.41 | 0.00 | 32.72 | 3.93 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.13 | 31.05 | 0.00 | 27.08 | -5.64 | -- | 66 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.13 | 23.25 | 0.00 | 34.88 | 7.80 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 58.13 | 27.98 | 0.00 | 30.15 | -4.73 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.13 | 21.22 | 0.00 | 36.91 | 6.76 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 58.13 | 26.56 | 0.00 | 31.57 | -5.34 | -- | 56 | ND<0.50 | ND<0.50 | 0.71 | ND<0.50 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-2 continued | | | | | | | | | | | | | | |
| 01/29/07 | 58.13 | 28.46 | 0.00 | 29.67 | -1.90 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.13 | 29.37 | 0.00 | 28.76 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 58.13 | 28.95 | 0.00 | 29.18 | 0.42 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.13 | 31.72 | 0.00 | 26.41 | -2.77 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-3 (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | | | | |
| 10/03/88 | 57.92 | 35.86 | 0.00 | 22.06 | -- | 61000 | -- | 1060 | 3380 | 1520 | 8720 | -- | -- | |
| 01/27/89 | 57.92 | 34.60 | 0.00 | 23.32 | 1.26 | 39000 | -- | 1570 | 2830 | 1250 | 7070 | -- | -- | |
| 02/16/90 | 57.92 | 35.23 | 0.00 | 22.69 | -0.63 | 22000 | -- | 710 | 4100 | 6900 | 33000 | -- | -- | |
| 05/01/90 | 57.92 | -- | -- | -- | -- | 19000 | -- | 330 | 170 | 310 | 1500 | -- | -- | |
| 07/19/90 | 57.92 | 35.50 | 0.00 | 22.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 57.92 | 36.08 | 0.00 | 21.84 | -0.58 | 19000 | -- | 480 | 160 | 510 | 1500 | -- | -- | |
| 11/30/90 | 57.92 | 37.17 | 0.00 | 20.75 | -1.09 | 13000 | -- | 390 | 81 | 410 | 1000 | -- | -- | |
| 02/06/91 | 57.92 | 37.07 | 0.00 | 20.85 | 0.10 | 13000 | -- | 310 | 150 | 380 | 1200 | -- | -- | |
| 05/06/91 | 57.92 | 33.11 | 0.00 | 24.81 | 3.96 | 39000 | -- | 1000 | 570 | 930 | 3900 | -- | -- | |
| 09/27/91 | 57.92 | 36.64 | 0.00 | 21.28 | -3.53 | 4000 | -- | 160 | 84 | 180 | 560 | -- | -- | |
| 12/27/91 | 57.92 | 37.46 | 0.00 | 20.46 | -0.82 | 31000 | -- | 240 | 280 | 400 | 1600 | -- | -- | |
| 03/31/92 | 57.92 | 31.10 | 0.00 | 26.82 | 6.36 | 100000 | -- | 1900 | 1900 | 2300 | 9400 | -- | -- | |
| 06/18/92 | 57.92 | 32.83 | 0.00 | 25.09 | -1.73 | 180000 | -- | 2200 | 1700 | 2300 | 1100 | -- | -- | |
| 09/30/92 | 57.92 | -- | -- | -- | -- | 36000 | -- | 730 | 200 | 1000 | 4400 | -- | -- | |
| 10/16/92 | 57.92 | 35.66 | 0.00 | 22.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/18/92 | 57.92 | 36.04 | 0.00 | 21.88 | -0.38 | 24000 | -- | 430 | 160 | 640 | 2800 | -- | -- | |
| 03/03/93 | 57.92 | 26.11 | 0.00 | 31.81 | 9.93 | 96000 | -- | 1400 | 1900 | 1400 | 8400 | -- | -- | |
| 06/25/93 | 57.92 | 28.43 | 0.00 | 29.49 | -2.32 | 27000 | -- | 1200 | 980 | 1700 | 6900 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|---------------------|
| MW-3 continued | | | | | | | | | | | | | | |
| 09/03/93 | 57.92 | 30.88 | 0.00 | 27.04 | -2.45 | 82000 | -- | 2400 | 3400 | 4200 | 21000 | -- | -- | |
| 12/13/93 | 57.92 | 32.82 | 0.00 | 25.10 | -1.94 | 49000 | -- | 1300 | 360 | 2300 | 9200 | -- | -- | |
| 03/18/94 | 57.92 | 30.17 | 0.00 | 27.75 | 2.65 | 22000 | -- | 1200 | 430 | 2200 | 9700 | -- | -- | |
| 06/23/94 | 57.92 | 31.42 | 0.00 | 26.50 | -1.25 | 37000 | -- | 1300 | 670 | 3100 | 14000 | -- | -- | |
| 09/21/94 | 57.92 | 33.30 | 0.00 | 24.62 | -1.88 | 24000 | -- | 890 | 110 | 2200 | 8800 | -- | -- | |
| 12/19/94 | 57.92 | 31.07 | 0.00 | 26.85 | 2.23 | 100000 | -- | 1200 | 2900 | 4200 | 23000 | -- | -- | |
| 03/27/95 | 57.92 | 22.78 | 0.00 | 35.14 | 8.29 | 33000 | -- | 410 | 66 | 1600 | 6500 | -- | -- | |
| 06/26/95 | 57.92 | 25.78 | 0.00 | 32.14 | -3.00 | 14000 | -- | 300 | ND | 1300 | 3900 | -- | -- | |
| 07/28/95 | 57.92 | 27.06 | 0.00 | 30.86 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.92 | 29.57 | 0.00 | 28.35 | -2.51 | 17000 | -- | 730 | 30 | 4000 | 8800 | -- | -- | |
| 10/24/95 | 57.92 | 30.34 | 0.00 | 27.58 | -0.77 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.92 | 29.91 | 0.00 | 28.01 | 0.43 | 55000 | -- | 700 | ND | 4900 | 16000 | -- | -- | |
| 03/27/96 | 57.92 | 21.99 | 0.00 | 35.93 | 7.92 | -- | -- | -- | -- | -- | -- | -- | -- | Connected to system |
| 09/21/96 | 57.92 | 29.15 | 0.00 | 28.77 | -7.16 | 34000 | -- | 140 | ND | 2200 | 6600 | 1800 | -- | |
| 03/31/97 | 57.92 | 23.86 | 0.00 | 34.06 | 5.29 | 17000 | -- | 58 | 110 | 530 | 1500 | ND | -- | |
| 09/27/97 | 57.92 | 30.76 | 0.00 | 27.16 | -6.90 | 11000 | -- | 19 | ND | 850 | 420 | 140 | -- | |
| 03/20/98 | 57.92 | 16.39 | 0.00 | 41.53 | 14.37 | ND | -- | ND | ND | ND | ND | 74 | -- | |
| 09/09/98 | 57.92 | 25.70 | 0.00 | 32.22 | -9.31 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/11/99 | 57.92 | 23.12 | 0.00 | 34.80 | 2.58 | 7300 | -- | ND | ND | 320 | 210 | ND | -- | |
| 09/08/99 | 57.92 | 28.21 | 0.00 | 29.71 | -5.09 | 7900 | -- | ND | ND | ND | 160 | ND | -- | |
| 03/24/00 | 57.92 | 21.12 | 0.00 | 36.80 | 7.09 | 3310 | -- | 5.4 | ND | 101 | 43.3 | ND | -- | |
| 09/15/00 | 57.92 | 27.68 | 0.00 | 30.24 | -6.56 | 1540 | -- | ND | ND | 56.4 | ND | ND | 12.6 | |
| 03/16/01 | 57.92 | 25.09 | 0.00 | 32.83 | 2.59 | 678 | -- | 3.14 | 1 | 16.4 | 14.6 | 42.9 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-3 continued | | | | | | | | | | | | | | |
| 08/31/01 | 57.92 | 28.53 | 0.00 | 29.39 | -3.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 57.92 | 25.05 | 0.00 | 32.87 | 3.48 | 1500 | -- | ND<2.50 | ND<2.50 | 43 | ND<2.50 | ND<12 | -- | |
| 09/26/02 | 57.92 | 28.98 | 0.00 | 28.94 | -3.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 57.92 | 26.19 | 0.00 | 31.73 | 2.79 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 57.92 | 29.04 | 0.00 | 28.88 | -2.85 | -- | 1300 | ND<0.50 | 0.53 | 19 | ND<1 | -- | 5.9 | |
| 03/11/04 | 57.92 | 25.03 | 0.00 | 32.89 | 4.01 | -- | 130 | ND<0.50 | ND<0.50 | 1.1 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 57.92 | 30.70 | 0.00 | 27.22 | -5.67 | -- | 640 | ND<0.50 | ND<0.50 | 6.5 | ND<1.0 | -- | 1.1 | |
| 03/29/05 | 57.92 | 22.80 | 0.00 | 35.12 | 7.90 | -- | 73 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 57.92 | 27.63 | 0.00 | 30.29 | -4.83 | -- | 160 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.2 | |
| 03/27/06 | 57.92 | 20.83 | 0.00 | 37.09 | 6.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 57.92 | 26.21 | 0.00 | 31.71 | -5.38 | -- | 65 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 57.92 | 28.14 | 0.00 | 29.78 | -1.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 57.92 | 29.03 | 0.00 | 28.89 | -0.89 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 57.92 | 28.64 | 0.00 | 29.28 | 0.39 | -- | 52 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 57.92 | 31.38 | 0.00 | 26.54 | -2.74 | -- | 80 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-4 (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | | | | |
| 10/03/88 | 58.29 | 36.12 | 0.00 | 22.17 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 01/27/89 | 58.29 | 34.87 | 0.00 | 23.42 | 1.25 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/16/90 | 58.29 | 35.60 | 0.00 | 22.69 | -0.73 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/01/90 | 58.29 | -- | -- | -- | -- | ND | -- | ND | ND | 0.68 | 1.4 | -- | -- | |
| 07/19/90 | 58.29 | 35.78 | 0.00 | 22.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 58.29 | 36.35 | 0.00 | 21.94 | -0.57 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/30/90 | 58.29 | 37.46 | 0.00 | 20.83 | -1.11 | ND | -- | ND | ND | ND | 1.2 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|-----------------------|
| MW-4 continued | | | | | | | | | | | | | | |
| 02/06/91 | 58.29 | 37.40 | 0.00 | 20.89 | 0.06 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 58.29 | 33.39 | 0.00 | 24.90 | 4.01 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/27/91 | 58.29 | 36.90 | 0.00 | 21.39 | -3.51 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 58.29 | 37.76 | 0.00 | 20.53 | -0.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 58.29 | 31.41 | 0.00 | 26.88 | 6.35 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/18/92 | 58.29 | 33.09 | 0.00 | 25.20 | -1.68 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/16/92 | 58.29 | 35.92 | 0.00 | 22.37 | -2.83 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/18/92 | 58.29 | 36.33 | 0.00 | 21.96 | -0.41 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 58.29 | 26.43 | 0.00 | 31.86 | 9.90 | 68 | -- | 0.9 | 0.6 | ND | 1.9 | -- | -- | |
| 06/25/93 | 58.29 | 28.60 | 0.00 | 29.69 | -2.17 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/03/93 | 58.29 | 31.05 | 0.00 | 27.24 | -2.45 | 86 | -- | 14 | 13 | 1.4 | 7.1 | -- | -- | |
| 12/13/93 | 58.29 | 33.09 | 0.00 | 25.20 | -2.04 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled semi-annually |
| 03/18/94 | 58.29 | 30.42 | 0.00 | 27.87 | 2.67 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/23/94 | 58.29 | 31.95 | 0.00 | 26.34 | -1.53 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 58.29 | 33.86 | 0.00 | 24.43 | -1.91 | ND | -- | ND | 0.78 | ND | 0.81 | -- | -- | |
| 12/19/94 | 58.29 | 31.72 | 0.00 | 26.57 | 2.14 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/95 | 58.29 | 23.44 | 0.00 | 34.85 | 8.28 | ND | -- | ND | 0.79 | 0.51 | 3.1 | -- | -- | |
| 06/26/95 | 58.29 | 26.26 | 0.00 | 32.03 | -2.82 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 58.29 | 27.53 | 0.00 | 30.76 | -1.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 58.29 | 30.05 | 0.00 | 28.24 | -2.52 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 58.29 | 30.79 | 0.00 | 27.50 | -0.74 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 58.29 | 30.96 | 0.00 | 27.33 | -0.17 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/96 | 58.29 | 22.71 | 0.00 | 35.58 | 8.25 | ND | -- | ND | 0.7 | ND | 0.79 | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-4 continued | | | | | | | | | | | | | | |
| 09/21/96 | 58.29 | 29.88 | 0.00 | 28.41 | -7.17 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 58.29 | 24.72 | 0.00 | 33.57 | 5.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.29 | 31.68 | 0.00 | 26.61 | -6.96 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.29 | 17.27 | 0.00 | 41.02 | 14.41 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.29 | 26.58 | 0.00 | 31.71 | -9.31 | ND | -- | ND | ND | ND | 0.65 | 3 | -- | |
| 03/11/99 | 58.29 | 24.12 | 0.00 | 34.17 | 2.46 | ND | -- | ND | 0.7 | ND | 1.2 | ND | -- | |
| 09/08/99 | 58.29 | 29.18 | 0.00 | 29.11 | -5.06 | ND | -- | ND | ND | ND | 0.78 | ND | -- | |
| 03/24/00 | 58.29 | 22.08 | 0.00 | 36.21 | 7.10 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 58.29 | 28.63 | 0.00 | 29.66 | -6.55 | ND | -- | ND | 1.36 | ND | 1.46 | ND | -- | |
| 03/16/01 | 58.29 | 26.14 | 0.00 | 32.15 | 2.49 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 58.29 | 29.27 | 0.00 | 29.02 | -3.13 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 58.29 | 26.07 | 0.00 | 32.22 | 3.20 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 58.29 | 29.95 | 0.00 | 28.34 | -3.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.29 | 27.20 | 0.00 | 31.09 | 2.75 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 58.29 | 29.99 | 0.00 | 28.30 | -2.79 | -- | ND<50 | ND<0.50 | 0.58 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 58.29 | 26.07 | 0.00 | 32.22 | 3.92 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.29 | 31.71 | 0.00 | 26.58 | -5.64 | -- | 62 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.29 | 23.93 | 0.00 | 34.36 | 7.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 58.29 | 28.21 | 0.00 | 30.08 | -4.28 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.29 | 21.49 | 0.00 | 36.80 | 6.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 58.29 | 26.81 | 0.00 | 31.48 | -5.32 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 58.29 | 28.79 | 0.00 | 29.50 | -1.98 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.29 | 29.67 | 0.00 | 28.62 | -0.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|-----------------------|
| MW-4 continued | | | | | | | | | | | | | | |
| 01/14/08 | 58.29 | 29.43 | 0.00 | 28.86 | 0.24 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.29 | 32.07 | 0.00 | 26.22 | -2.64 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-5 (Screen Interval in feet: 25.0-45.0) | | | | | | | | | | | | | | |
| 02/16/90 | 58.50 | 35.89 | 0.00 | 22.61 | -- | 67 | -- | 0.51 | 1.6 | 2.9 | 7.5 | -- | -- | |
| 05/01/90 | 58.50 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 07/19/90 | 58.50 | 36.10 | 0.00 | 22.40 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 58.50 | 36.67 | 0.00 | 21.83 | -0.57 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/30/90 | 58.50 | 37.74 | 0.00 | 20.76 | -1.07 | ND | -- | ND | 0.7 | ND | ND | -- | -- | |
| 02/06/91 | 58.50 | 37.62 | 0.00 | 20.88 | 0.12 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 58.50 | 33.67 | 0.00 | 24.83 | 3.95 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/27/91 | 58.50 | 37.23 | 0.00 | 21.27 | -3.56 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 58.50 | 38.02 | 0.00 | 20.48 | -0.79 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 58.50 | 31.62 | 0.00 | 26.88 | 6.40 | ND | -- | ND | ND | ND | 1.1 | -- | -- | |
| 06/18/92 | 58.50 | 33.46 | 0.00 | 25.04 | -1.84 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/16/92 | 58.50 | 36.23 | 0.00 | 22.27 | -2.77 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/18/92 | 58.50 | 36.62 | 0.00 | 21.88 | -0.39 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 58.50 | 26.62 | 0.00 | 31.88 | 10.00 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/25/93 | 58.50 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 09/03/93 | 58.50 | 31.45 | 0.00 | 27.05 | -- | ND | -- | ND | 1.5 | ND | 7.9 | -- | -- | |
| 12/13/93 | 58.50 | 33.39 | 0.00 | 25.11 | -1.94 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled semi-annually |
| 03/18/94 | 58.50 | 30.67 | 0.00 | 27.83 | 2.72 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/23/94 | 58.50 | 32.00 | 0.00 | 26.50 | -1.33 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 58.50 | 33.90 | 0.00 | 24.60 | -1.90 | ND | -- | ND | 0.98 | ND | 1.6 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-5 continued | | | | | | | | | | | | | | |
| 12/19/94 | 58.50 | 31.63 | 0.00 | 26.87 | 2.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/95 | 58.50 | 23.44 | 0.00 | 35.06 | 8.19 | ND | -- | ND | 0.66 | ND | 2.9 | -- | -- | |
| 06/26/95 | 58.50 | 26.35 | 0.00 | 32.15 | -2.91 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 58.50 | 27.63 | 0.00 | 30.87 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 58.50 | 30.15 | 0.00 | 28.35 | -2.52 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 58.50 | 30.98 | 0.00 | 27.52 | -0.83 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 58.50 | 30.87 | 0.00 | 27.63 | 0.11 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/96 | 58.50 | 22.75 | 0.00 | 35.75 | 8.12 | ND | -- | ND | 1.7 | ND | 2.4 | ND | -- | |
| 09/21/96 | 58.50 | 29.95 | 0.00 | 28.55 | -7.20 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 58.50 | 24.80 | 0.00 | 33.70 | 5.15 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.50 | 31.65 | 0.00 | 26.85 | -6.85 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.50 | 17.31 | 0.00 | 41.19 | 14.34 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.50 | 26.63 | 0.00 | 31.87 | -9.32 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/11/99 | 58.50 | 24.08 | 0.00 | 34.42 | 2.55 | ND | -- | ND | 0.96 | ND | 1.7 | ND | -- | |
| 09/08/99 | 58.50 | 29.16 | 0.00 | 29.34 | -5.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 58.50 | 22.06 | 0.00 | 36.44 | 7.10 | ND | -- | ND | ND | ND | 0.957 | ND | -- | |
| 09/15/00 | 58.50 | 28.64 | 0.00 | 29.86 | -6.58 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 58.50 | 26.05 | 0.00 | 32.45 | 2.59 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 58.50 | 29.32 | 0.00 | 29.18 | -3.27 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 58.50 | 26.08 | 0.00 | 32.42 | 3.24 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 58.50 | 29.96 | 0.00 | 28.54 | -3.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.50 | 27.24 | 0.00 | 31.26 | 2.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 58.50 | 30.04 | 0.00 | 28.46 | -2.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1 | -- | ND<2 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-5 continued | | | | | | | | | | | | | | |
| 03/11/04 | 58.50 | 26.05 | 0.00 | 32.45 | 3.99 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.50 | 31.66 | 0.00 | 26.84 | -5.61 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.50 | 23.94 | 0.00 | 34.56 | 7.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.5 | -- | ND<0.50 | |
| 09/12/05 | 58.50 | 28.59 | 0.00 | 29.91 | -4.65 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.50 | 21.59 | 0.00 | 36.91 | 7.00 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 58.50 | 27.15 | 0.00 | 31.35 | -5.56 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 58.50 | 29.08 | 0.00 | 29.42 | -1.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.50 | 29.98 | 0.00 | 28.52 | -0.90 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 58.50 | 29.55 | 0.00 | 28.95 | 0.43 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.50 | 32.35 | 0.00 | 26.15 | -2.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-6 (Screen Interval in feet: 25.0-45-0) | | | | | | | | | | | | | | |
| 02/16/90 | 56.96 | 34.50 | 0.00 | 22.46 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/01/90 | 56.96 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 07/19/90 | 56.96 | 34.74 | 0.00 | 22.22 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 08/24/90 | 56.96 | 35.32 | 0.00 | 21.64 | -0.58 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/30/90 | 56.96 | 36.38 | 0.00 | 20.58 | -1.06 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/06/91 | 56.96 | 36.27 | 0.00 | 20.69 | 0.11 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 56.96 | 32.41 | 0.00 | 24.55 | 3.86 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/27/91 | 56.96 | 35.87 | 0.00 | 21.09 | -3.46 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 56.96 | 36.67 | 0.00 | 20.29 | -0.80 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 56.96 | 30.32 | 0.00 | 26.64 | 6.35 | ND | -- | ND | 1.3 | ND | 2 | -- | -- | |
| 06/18/92 | 56.96 | 32.18 | 0.00 | 24.78 | -1.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/16/92 | 56.96 | 34.92 | 0.00 | 22.04 | -2.74 | ND | -- | ND | ND | ND | ND | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|-----------------------|
| MW-6 continued | | | | | | | | | | | | | | |
| 11/18/92 | 56.96 | 35.28 | 0.00 | 21.68 | -0.36 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 56.96 | 25.43 | 0.00 | 31.53 | 9.85 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/25/93 | 56.96 | 27.86 | 0.00 | 29.10 | -2.43 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/03/93 | 56.96 | 30.25 | 0.00 | 26.71 | -2.39 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/13/93 | 56.96 | 32.14 | 0.00 | 24.82 | -1.89 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled semi-annually |
| 03/18/94 | 56.96 | 29.46 | 0.00 | 27.50 | 2.68 | ND | -- | ND | 0.93 | ND | 1.4 | -- | -- | |
| 06/23/94 | 56.96 | 30.76 | 0.00 | 26.20 | -1.30 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 56.96 | 32.62 | 0.00 | 24.34 | -1.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/19/94 | 56.96 | 30.32 | 0.00 | 26.64 | 2.30 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/95 | 56.96 | 22.10 | 0.00 | 34.86 | 8.22 | 56 | -- | ND | 0.65 | ND | 3.3 | -- | -- | |
| 06/26/95 | 56.96 | 25.20 | 0.00 | 31.76 | -3.10 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 56.96 | 26.48 | 0.00 | 30.48 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 56.96 | 28.92 | 0.00 | 28.04 | -2.44 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 56.96 | 29.73 | 0.00 | 27.23 | -0.81 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 56.96 | 29.62 | 0.00 | 27.34 | 0.11 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/96 | 56.96 | 21.59 | 0.00 | 35.37 | 8.03 | 50 | -- | ND | 0.92 | ND | 0.96 | ND | -- | |
| 09/21/96 | 56.96 | 28.72 | 0.00 | 28.24 | -7.13 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 56.96 | 23.72 | 0.00 | 33.24 | 5.00 | 73 | -- | 0.67 | 0.82 | ND | ND | ND | -- | |
| 09/27/97 | 56.96 | 30.52 | 0.00 | 26.44 | -6.80 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 56.96 | 16.35 | 0.00 | 40.61 | 14.17 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 56.96 | 25.53 | 0.00 | 31.43 | -9.18 | ND | -- | ND | 0.64 | ND | 0.65 | 3.3 | -- | |
| 03/11/99 | 56.96 | 22.85 | 0.00 | 34.11 | 2.68 | ND | -- | ND | 0.71 | ND | 1.4 | ND | -- | |
| 09/08/99 | 56.96 | 28.01 | 0.00 | 28.95 | -5.16 | ND | -- | ND | ND | ND | ND | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-6 continued | | | | | | | | | | | | | | |
| 03/24/00 | 56.96 | 20.93 | 0.00 | 36.03 | 7.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 56.96 | 27.51 | 0.00 | 29.45 | -6.58 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 56.96 | 24.87 | 0.00 | 32.09 | 2.64 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 56.96 | 28.20 | 0.00 | 28.76 | -3.33 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 56.96 | 24.82 | 0.00 | 32.14 | 3.38 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 56.96 | 28.72 | 0.00 | 28.24 | -3.90 | -- | 84 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 56.96 | 26.00 | 0.00 | 30.96 | 2.72 | -- | 52 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 56.96 | 28.78 | 0.00 | 28.18 | -2.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 56.96 | 24.78 | 0.00 | 32.18 | 4.00 | -- | 69 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 56.96 | 30.42 | 0.00 | 26.54 | -5.64 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 56.96 | 25.66 | 0.00 | 31.30 | 4.76 | -- | 170 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 56.96 | 27.41 | 0.00 | 29.55 | -1.75 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 56.96 | 21.42 | 0.00 | 35.54 | 5.99 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 56.96 | 26.02 | 0.00 | 30.94 | -4.60 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 56.96 | 27.91 | 0.00 | 29.05 | -1.89 | -- | 87 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 56.96 | 28.78 | 0.00 | 28.18 | -0.87 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 56.96 | 28.26 | 0.00 | 28.70 | 0.52 | -- | 140 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 56.96 | 31.10 | 0.00 | 25.86 | -2.84 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-7 (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | | | | |
| 02/16/90 | 57.25 | 35.75 | 0.00 | 21.50 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/01/90 | 57.25 | -- | -- | -- | -- | 24 | -- | ND | ND | 0.74 | 1.7 | -- | -- | |
| 07/19/90 | 57.25 | 35.03 | 0.00 | 22.22 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 57.25 | 35.64 | 0.00 | 21.61 | -0.61 | ND | -- | ND | ND | ND | ND | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|-----------------------|
| MW-7 continued | | | | | | | | | | | | | | |
| 11/30/90 | 57.25 | 36.68 | 0.00 | 20.57 | -1.04 | ND | -- | ND | ND | 0.6 | 1.5 | -- | -- | |
| 02/06/91 | 57.25 | 36.55 | 0.00 | 20.70 | 0.13 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 57.25 | 32.69 | 0.00 | 24.56 | 3.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/27/91 | 57.25 | 36.18 | 0.00 | 21.07 | -3.49 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 57.25 | 36.96 | 0.00 | 20.29 | -0.78 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 57.25 | 30.56 | 0.00 | 26.69 | 6.40 | ND | -- | ND | ND | ND | 0.9 | -- | -- | |
| 06/18/92 | 57.25 | 32.52 | 0.00 | 24.73 | -1.96 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/16/92 | 57.25 | 35.24 | 0.00 | 22.01 | -2.72 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/18/92 | 57.25 | 35.59 | 0.00 | 21.66 | -0.35 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 57.25 | 25.66 | 0.00 | 31.59 | 9.93 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/25/93 | 57.25 | 28.25 | 0.00 | 29.00 | -2.59 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/03/93 | 57.25 | 30.60 | 0.00 | 26.65 | -2.35 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/13/93 | 57.25 | 32.45 | 0.00 | 24.80 | -1.85 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled semi-annually |
| 03/18/94 | 57.25 | 29.76 | 0.00 | 27.49 | 2.69 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/23/94 | 57.25 | 31.10 | 0.00 | 26.15 | -1.34 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 57.25 | 32.96 | 0.00 | 24.29 | -1.86 | ND | -- | 0.5 | ND | ND | 0.89 | -- | -- | |
| 12/19/94 | 57.25 | 30.60 | 0.00 | 26.65 | 2.36 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/95 | 57.25 | 22.43 | 0.00 | 34.82 | 8.17 | ND | -- | ND | 0.54 | ND | 1.9 | -- | -- | |
| 06/26/95 | 57.25 | 25.55 | 0.00 | 31.70 | -3.12 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 57.25 | 26.84 | 0.00 | 30.41 | -1.29 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.25 | 29.29 | 0.00 | 27.96 | -2.45 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 57.25 | 30.05 | 0.00 | 27.20 | -0.76 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.25 | 29.91 | 0.00 | 27.34 | 0.14 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-7 continued | | | | | | | | | | | | | | |
| 03/27/96 | 57.25 | 21.94 | 0.00 | 35.31 | 7.97 | ND | -- | ND | 1.1 | ND | 1.7 | ND | -- | |
| 09/21/96 | 57.25 | 29.07 | 0.00 | 28.18 | -7.13 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 57.25 | 24.02 | 0.00 | 33.23 | 5.05 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 57.25 | 30.84 | 0.00 | 26.41 | -6.82 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 57.25 | 16.68 | 0.00 | 40.57 | 14.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 57.25 | 25.89 | 0.00 | 31.36 | -9.21 | ND | -- | ND | ND | ND | ND | 4.1 | -- | |
| 03/11/99 | 57.25 | 23.16 | 0.00 | 34.09 | 2.73 | ND | -- | ND | 0.91 | ND | 1.6 | 5.7 | -- | |
| 09/08/99 | 57.25 | 28.32 | 0.00 | 28.93 | -5.16 | ND | -- | ND | ND | ND | ND | 2.7 | -- | |
| 03/24/00 | 57.25 | 21.23 | 0.00 | 36.02 | 7.09 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 57.25 | 27.83 | 0.00 | 29.42 | -6.60 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 57.25 | 25.15 | 0.00 | 32.10 | 2.68 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 57.25 | 28.49 | 0.00 | 28.76 | -3.34 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 57.25 | 24.96 | 0.00 | 32.29 | 3.53 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 57.25 | 29.09 | 0.00 | 28.16 | -4.13 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 57.25 | 26.33 | 0.00 | 30.92 | 2.76 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 57.25 | 29.14 | 0.00 | 28.11 | -2.81 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 57.25 | 25.09 | 0.00 | 32.16 | 4.05 | -- | 72 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 57.25 | 30.73 | 0.00 | 26.52 | -5.64 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 57.25 | 23.00 | 0.00 | 34.25 | 7.73 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 57.25 | 27.71 | 0.00 | 29.54 | -4.71 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 57.25 | 21.28 | 0.00 | 35.97 | 6.43 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 57.25 | 26.35 | 0.00 | 30.90 | -5.07 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 57.25 | 28.19 | 0.00 | 29.06 | -1.84 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|--------------|
| MW-7 continued | | | | | | | | | | | | | | |
| 07/02/07 | 57.25 | 29.10 | 0.00 | 28.15 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 57.25 | 28.51 | 0.00 | 28.74 | 0.59 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 57.25 | 31.40 | 0.00 | 25.85 | -2.89 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-8 (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | | | | |
| 02/16/90 | 57.71 | 35.10 | 0.00 | 22.61 | -- | 1900 | -- | 11 | ND | 52 | 55 | -- | -- | |
| 05/01/90 | 57.71 | -- | -- | -- | -- | 770 | -- | 6.5 | ND | 20 | 32 | -- | -- | |
| 07/19/90 | 57.71 | 35.41 | 0.00 | 22.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 57.71 | 36.00 | 0.00 | 21.71 | -0.59 | 990 | -- | 13 | ND | 48 | 66 | -- | -- | |
| 11/30/90 | 57.71 | 37.08 | 0.00 | 20.63 | -1.08 | 570 | -- | 13 | ND | 45 | 36 | -- | -- | |
| 02/06/91 | 57.71 | 36.92 | 0.00 | 20.79 | 0.16 | 630 | -- | 9.6 | ND | 35 | 36 | -- | -- | |
| 05/06/91 | 57.71 | 33.03 | 0.00 | 24.68 | 3.89 | 14000 | -- | 80 | ND | 250 | 550 | -- | -- | |
| 09/27/91 | 57.71 | 36.55 | 0.00 | 21.16 | -3.52 | 720 | -- | 13 | 4.3 | 26 | 26 | -- | -- | |
| 12/27/91 | 57.71 | 37.34 | 0.00 | 20.37 | -0.79 | 1600 | -- | 15 | 2.9 | 40 | 49 | -- | -- | |
| 03/31/92 | 57.71 | 31.93 | 0.00 | 25.78 | 5.41 | 15000 | -- | 120 | 1 | 430 | 530 | -- | -- | |
| 06/18/92 | 57.71 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 10/16/92 | 57.71 | 35.58 | 0.00 | 22.13 | -- | 300 | -- | 0.96 | ND | 4 | 3.5 | -- | -- | |
| 11/18/92 | 57.71 | 35.94 | 0.00 | 21.77 | -0.36 | 1100 | -- | 6.1 | ND | 13 | 5.6 | -- | -- | |
| 03/03/93 | 57.71 | 26.00 | 0.00 | 31.71 | 9.94 | 13000 | -- | 33 | ND | 160 | 290 | -- | -- | |
| 06/25/93 | 57.71 | 28.27 | 0.00 | 29.44 | -2.27 | 8100 | -- | 160 | ND | 580 | 740 | -- | -- | |
| 09/03/93 | 57.71 | 30.90 | 0.00 | 26.81 | -2.63 | 9800 | -- | 180 | ND | 580 | 700 | -- | -- | |
| 12/13/93 | 57.71 | 32.75 | 0.00 | 24.96 | -1.85 | 6900 | -- | 180 | ND | 240 | 550 | -- | -- | |
| 03/18/94 | 57.71 | 30.12 | 0.00 | 27.59 | 2.63 | 6100 | -- | 85 | ND | 260 | 260 | -- | -- | |
| 06/23/94 | 57.71 | 31.40 | 0.00 | 26.31 | -1.28 | 12000 | -- | 210 | ND | 610 | 860 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|--------------|
| MW-8 continued | | | | | | | | | | | | | | |
| 09/21/94 | 57.71 | 33.30 | 0.00 | 24.41 | -1.90 | 6900 | -- | 190 | ND | 460 | 510 | -- | -- | |
| 12/19/94 | 57.71 | 30.95 | 0.00 | 26.76 | 2.35 | 6200 | -- | 91 | ND | 230 | 210 | -- | -- | |
| 03/27/95 | 57.71 | 22.78 | 0.00 | 34.93 | 8.17 | 9200 | -- | 240 | ND | 200 | 1400 | -- | -- | |
| 06/26/95 | 57.71 | 24.83 | 0.00 | 32.88 | -2.05 | 11000 | -- | 320 | ND | 680 | 2000 | -- | -- | |
| 07/28/95 | 57.71 | 27.10 | 0.00 | 30.61 | -2.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.71 | 29.58 | 0.00 | 28.13 | -2.48 | 10000 | -- | 250 | ND | 760 | 910 | -- | -- | |
| 10/24/95 | 57.71 | 30.40 | 0.00 | 27.31 | -0.82 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.71 | 30.25 | 0.00 | 27.46 | 0.15 | 7500 | -- | 260 | ND | 580 | 870 | -- | -- | |
| 03/27/96 | 57.71 | 22.20 | 0.00 | 35.51 | 8.05 | 970 | -- | 29 | 0.77 | 82 | 85 | ND | -- | |
| 09/21/96 | 57.71 | 29.34 | 0.00 | 28.37 | -7.14 | 3800 | -- | 27 | ND | 46 | 45 | ND | -- | |
| 03/31/97 | 57.71 | 24.35 | 0.00 | 33.36 | 4.99 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 57.71 | 31.15 | 0.00 | 26.56 | -6.80 | 78 | -- | 0.9 | ND | 12 | ND | ND | -- | |
| 03/20/98 | 57.71 | 16.84 | 0.00 | 40.87 | 14.31 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 57.71 | 26.14 | 0.00 | 31.57 | -9.30 | 910 | -- | ND | 49 | 12 | 2.2 | 1.5 | -- | |
| 03/11/99 | 57.71 | 23.48 | 0.00 | 34.23 | 2.66 | 4700 | -- | 9.6 | ND | 280 | 95 | ND | -- | |
| 09/08/99 | 57.71 | 28.60 | 0.00 | 29.11 | -5.12 | 1900 | -- | ND | ND | 36 | ND | ND | -- | |
| 03/24/00 | 57.71 | 21.49 | 0.00 | 36.22 | 7.11 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 57.71 | 28.09 | 0.00 | 29.62 | -6.60 | 533 | -- | 2.23 | ND | 6.27 | 0.684 | ND | -- | |
| 03/16/01 | 57.71 | 25.43 | 0.00 | 32.28 | 2.66 | 1000 | -- | ND | ND | 17.8 | 44.5 | ND | -- | |
| 08/31/01 | 57.71 | 28.89 | 0.00 | 28.82 | -3.46 | 6500 | -- | 8.6 | 7.4 | 420 | 1900 | ND<25 | -- | |
| 03/15/02 | 57.71 | 25.45 | 0.00 | 32.26 | 3.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 09/26/02 | 57.71 | 29.37 | 0.00 | 28.34 | -3.92 | -- | 290 | ND<0.50 | ND<0.50 | 0.65 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 57.71 | 26.65 | 0.00 | 31.06 | 2.72 | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|--|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-8 continued | | | | | | | | | | | | | | |
| 09/03/03 | 57.71 | 29.46 | 0.00 | 28.25 | -2.81 | -- | 450 | ND<0.50 | 0.69 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/11/04 | 57.71 | 25.42 | 0.00 | 32.29 | 4.04 | -- | 950 | ND<0.50 | ND<0.50 | 15 | 1.4 | -- | ND<2.0 | |
| 09/24/04 | 57.71 | 31.08 | 0.00 | 26.63 | -5.66 | -- | 230 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 57.71 | 23.30 | 0.00 | 34.41 | 7.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 57.71 | 28.07 | 0.00 | 29.64 | -4.77 | -- | 160 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 57.71 | 21.28 | 0.00 | 36.43 | 6.79 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 57.71 | 26.61 | 0.00 | 31.10 | -5.33 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 57.71 | 28.48 | 0.00 | 29.23 | -1.87 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 57.71 | 29.39 | 0.00 | 28.32 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 57.71 | 28.85 | 0.00 | 28.86 | 0.54 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 57.71 | 31.72 | 0.00 | 25.99 | -2.87 | -- | 85 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-9 (Screen Interval in feet: 20.0-45.0) | | | | | | | | | | | | | | |
| 12/19/94 | 56.47 | 29.71 | 0.00 | 26.76 | -- | ND | -- | ND | 1.6 | 1.5 | 8.4 | -- | -- | |
| 03/27/95 | 56.47 | 21.48 | 0.00 | 34.99 | 8.23 | ND | -- | ND | 0.61 | ND | 2.8 | -- | -- | |
| 06/26/95 | 56.47 | 24.50 | 0.00 | 31.97 | -3.02 | ND | -- | ND | ND | ND | 3.9 | -- | -- | |
| 07/28/95 | 56.47 | 25.77 | 0.00 | 30.70 | -1.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 56.47 | 28.23 | 0.00 | 28.24 | -2.46 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 56.47 | 29.21 | 0.00 | 27.26 | -0.98 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 56.47 | 29.02 | 0.00 | 27.45 | 0.19 | ND | -- | ND | 0.58 | ND | 0.52 | ND | -- | |
| 03/27/96 | 56.47 | 20.91 | 0.00 | 35.56 | 8.11 | ND | -- | ND | 0.68 | ND | 0.51 | ND | -- | |
| 09/21/96 | 56.47 | 28.05 | 0.00 | 28.42 | -7.14 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 56.47 | 23.48 | 0.00 | 32.99 | 4.57 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 56.47 | 30.38 | 0.00 | 26.09 | -6.90 | ND | -- | ND | ND | ND | ND | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|-----------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------------------|
| MW-9 continued | | | | | | | | | | | | | | |
| 03/20/98 | 56.47 | 15.60 | 0.00 | 40.87 | 14.78 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 56.47 | 24.85 | 0.00 | 31.62 | -9.25 | ND | -- | 0.69 | ND | ND | 0.61 | ND | -- | |
| 03/11/99 | 56.47 | 22.23 | 0.00 | 34.24 | 2.62 | ND | -- | ND | ND | ND | 0.76 | ND | -- | |
| 09/08/99 | 56.47 | 27.34 | 0.00 | 29.13 | -5.11 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 56.47 | 20.27 | 0.00 | 36.20 | 7.07 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 56.47 | 26.84 | 0.00 | 29.63 | -6.57 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 56.47 | 24.24 | 0.00 | 32.23 | 2.60 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 56.47 | 27.43 | 0.00 | 29.04 | -3.19 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 03/15/02 | 56.47 | 24.79 | 0.00 | 31.68 | 2.64 | ND<0.50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 09/26/02 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 03/16/03 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 09/03/03 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 03/11/04 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Covered with asphalt |
| 09/24/04 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Covered with asphalt |
| 03/29/05 | 56.47 | 21.92 | 0.00 | 34.55 | -- | -- | 91 | ND<0.50 | ND<0.50 | 1.3 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 56.47 | 26.73 | 0.00 | 29.74 | -4.81 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 56.47 | 20.75 | 0.00 | 35.72 | 5.98 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 56.47 | 25.33 | 0.00 | 31.14 | -4.58 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 56.47 | 27.27 | 0.00 | 29.20 | -1.94 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 56.47 | 28.13 | 0.00 | 28.34 | -0.86 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Car parked over well |
| 09/02/08 | 56.47 | 30.47 | 0.00 | 26.00 | -- | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

MW-10

(Screen Interval in feet: 20.0-45.0)

5367



Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|------------------------|----------------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|--------------|
| MW-10 continued | | | | | | | | | | | | | | |
| 07/28/95 | 58.94 | 25.53 | 0.00 | 33.41 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/28/95 | 58.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/24/95 | 58.94 | 31.76 | 0.00 | 27.18 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/29/95 | 58.94 | 31.55 | 0.00 | 27.39 | 0.21 | ND | -- | ND | 0.65 | ND | 1.1 | -- | -- | |
| 03/27/96 | 58.94 | 23.62 | 0.00 | 35.32 | 7.93 | ND | -- | ND | 0.68 | ND | 0.69 | ND | -- | |
| 09/21/96 | 58.94 | 30.77 | 0.00 | 28.17 | -7.15 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 58.94 | 26.05 | 0.00 | 32.89 | 4.72 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.94 | 32.80 | 0.00 | 26.14 | -6.75 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.94 | 18.13 | 0.00 | 40.81 | 14.67 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.94 | 27.54 | 0.00 | 31.40 | -9.41 | ND | -- | ND | 0.55 | ND | ND | ND | -- | |
| 03/11/99 | 58.94 | 24.85 | 0.00 | 34.09 | 2.69 | ND | -- | ND | 0.61 | ND | 0.87 | ND | -- | |
| 09/08/99 | 58.94 | 29.97 | 0.00 | 28.97 | -5.12 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 58.94 | 22.90 | 0.00 | 36.04 | 7.07 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 58.94 | 29.48 | 0.00 | 29.46 | -6.58 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 58.94 | 26.80 | 0.00 | 32.14 | 2.68 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 58.94 | 30.05 | 0.00 | 28.89 | -3.25 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 03/15/02 | 58.94 | 26.61 | 0.00 | 32.33 | 3.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 09/26/02 | 58.94 | 30.68 | 0.00 | 28.26 | -4.07 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 09/03/03 | 58.94 | 38.87 | 0.00 | 20.07 | -- | -- | ND<50 | ND<0.50 | 1.8 | ND<0.50 | ND<1.0 | -- | ND<2 | |
| 03/11/04 | 58.94 | 26.80 | 0.00 | 32.14 | 12.07 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.94 | 32.42 | 0.00 | 26.52 | -5.62 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.94 | 24.11 | 0.00 | 34.83 | 8.31 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through September 2008
76 Station 5367

| Date Sampled | TOC Elevation (feet) | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|------------------------|-------------------------|--------------------------|-------------------------|----------------------------------|-------------------------------|-------------------------|-------------------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|------------------------|----------|
| MW-10 continued | | | | | | | | | | | | | | |
| 09/12/05 | 58.94 | 29.43 | 0.00 | 29.51 | -5.32 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.94 | 22.72 | 0.00 | 36.22 | 6.71 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 58.94 | 28.02 | 0.00 | 30.92 | -5.30 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 58.94 | 29.85 | 0.00 | 29.09 | -1.83 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.94 | 30.76 | 0.00 | 28.18 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 58.94 | 30.11 | 0.00 | 28.83 | 0.65 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.94 | 33.07 | 0.00 | 25.87 | -2.96 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | TDS (mg/l) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|--------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|---------------|---|--|
| MW-1 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.50 | -- |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.60 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.22 | -- |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.74 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 1.02 | 1.48 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 1.01 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 1.49 | 1.47 |
| 03/16/03 | ND<50000 | ND<250000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | -- | -- | -- |
| MW-2 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | 410 | 1.70 | -- |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.55 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 3.00 | -- |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 8.71 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.12 | 2.18 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |
| MW-3 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | 450 | 0.90 | -- |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.55 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.63 | -- |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 6.97 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.06 | 1.95 |
| 09/15/00 | ND<100 | ND<1000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |

MW-4

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | TDS (mg/l) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|-----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|---------------|---|--|
| MW-4 continued | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.90 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 6.29 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 3.91 | 4.32 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 2.82 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.63 | 2.66 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |
| MW-5 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.20 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.96 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.71 | 4.03 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.12 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 3.11 | 2.98 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |
| MW-6 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 7.40 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.19 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.96 | 5.94 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 3.74 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 3.11 | 3.21 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |
| MW-7 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 8.40 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 2.04 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 5.23 | 6.63 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | TDS (mg/l) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|-----------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|---------------|---|--|
| MW-7 continued | | | | | | | | | | |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 1.19 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.16 | 2.29 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |
| MW-8 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | 490 | 2.20 | -- |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 3.86 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.85 | -- |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 2.03 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 9.76 | 11.73 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 2.16 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.91 | 2.81 |
| 09/27/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 3.11 |
| 03/20/98 | -- | -- | -- | -- | -- | -- | -- | -- | 2.65 | -- |
| MW-9 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 7.8 | -- |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.61 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.76 | -- |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.32 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 5.23 | 5.62 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.13 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 3.27 | 3.36 |
| MW-10 | | | | | | | | | | |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.11 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.57 | 4.38 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367


| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | i,2-DCA (EDC) (µg/l) | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | TDS (mg/l) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|------------------------|---------------|------------------------------|---|----------------------------|----------------|----------------|----------------|---------------|---|--|
| MW-10 continued | | | | | | | | | | |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 5.38 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 4.83 | 4.48 |

FIGURES



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
San Leandro Quadrangle



SCALE 1:24,000




PROJECT: 154771
FACILITY:
76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA


VICINITY MAP


FIGURE 1

LEGEND

MW-10  Monitoring Well with Groundwater Elevation (feet)

26.20  Groundwater Elevation Contour

 General Direction of Groundwater Flow



SCALE (FEET)



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. * = not included in groundwater contour interpretation. UST = underground storage tank



PROJECT: 154771



FACILITY:




76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA

**GROUNDWATER ELEVATION
CONTOUR MAP
September 2, 2008**

FIGURE 2

LEGEND

- MW-10  Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)
-  1,000 Dissolved-Phase TPH-G (GC/MS) Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.





PROJECT: 154771
 FACILITY:
 76 STATION 5367
 500 BANCROFT AVENUE
 SAN LEANDRO, CALIFORNIA




**DISSOLVED-PHASE TPH-G (GC/MS)
 CONCENTRATION MAP
 September 2, 2008**

FIGURE 3

LEGEND

MW-10  Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)

 Dissolved-Phase Benzene Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.





PROJECT: 154771
 FACILITY:
 76 STATION 5367
 500 BANCROFT AVENUE
 SAN LEANDRO, CALIFORNIA

**DISSOLVED-PHASE BENZENE
 CONCENTRATION MAP**
 September 2, 2008

FIGURE 4

LEGEND

MW-10  Monitoring Well with Dissolved-Phase MTBE Concentration (µg/l)



NOTES:

MTBE = methyl tertiary butyl ether. µg/l = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.




PROJECT: 154771
 FACILITY:
 76 STATION 5367
 500 BANCROFT AVENUE
 SAN LEANDRO, CALIFORNIA

**DISSOLVED-PHASE MTBE
 CONCENTRATION MAP
 September 2, 2008**

FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 5367




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5367











Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5367





Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 5367



Benzene Concentrations vs Time
76 Station 5367



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No.: 154771

Date: 09-02-08

Well No. MW-4

Purge Method: SUB

Depth to Water (feet): 32.07

Depth to Product (feet):

Total Depth (feet) 48.12

LPH & Water Recovered (gallons):

Water Column (feet): 16.05

Casing Diameter (Inches): 4"

80% Recharge Depth(feet): 35.28

1 Well Volume (gallons): 11

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|---------------------|------|-------------|-----|-----------|
| 0725 | | | 11 | 628.7 | 18.4 | 8.92 | | | |
| | | | 22 | 603.6 | 18.1 | 8.05 | | | |
| | 0742 | | 33 | 598.7 | 18.1 | 8.02 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| 32.16 | | | 33 | | 0749 | | | | |
| Comments: | | | | | | | | | |

Well No. MW-3

Purge Method: SUB

Depth to Water (feet): 31.38

Depth to Product (feet):

Total Depth (feet) 48.05

LPH & Water Recovered (gallons):

Water Column (feet): 16.67

Casing Diameter (Inches): 4"

80% Recharge Depth(feet): 34.71

1 Well Volume (gallons): 12

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|---------------------|------|-------------|-----|-----------|
| 0804 | | | 12 | 582.7 | 17.4 | 7.39 | | | |
| | | | 24 | 606.1 | 18.1 | 7.20 | | | |
| 0814 | 0819 | | 36 | 621.7 | 18.2 | 7.05 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| 31.62 | | | 36 | | 0826 | | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No.: 154771

Date: 09-02-08

Well No. MW-2

Purge Method: SUB

Depth to Water (feet): 31.72

Depth to Product (feet):

Total Depth (feet): 46.76

LPH & Water Recovered (gallons):

Water Column (feet): 15.04

Casing Diameter (Inches): 4"

80% Recharge Depth(feet): 34.72

1 Well Volume (gallons): 10

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|-----|-----------|
| <u>0839</u> | | | <u>10</u> | <u>608.6</u> | <u>19.0</u> | <u>7.25</u> | | | |
| | | | <u>20</u> | <u>602.3</u> | <u>20.3</u> | <u>7.35</u> | | | |
| | <u>0852</u> | | <u>30</u> | <u>599.3</u> | <u>19.9</u> | <u>7.06</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>31.86</u> | | | <u>30</u> | | <u>0900</u> | | | | |
| Comments: | | | | | | | | | |

Well No. MW-5

Purge Method: SUB

Depth to Water (feet): 32.35

Depth to Product (feet):

Total Depth (feet): 44.28

LPH & Water Recovered (gallons):

Water Column (feet): 11.93

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 34.73

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|---------------------|-------------|-------------|-----|-----------|
| <u>0913</u> | | | <u>2</u> | <u>599.8</u> | <u>20.2</u> | <u>7.46</u> | | | |
| | | | <u>4</u> | <u>596.8</u> | <u>19.2</u> | <u>7.04</u> | | | |
| | <u>0915</u> | | <u>6</u> | <u>594.7</u> | <u>19.1</u> | <u>6.91</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>32.40</u> | | | <u>6</u> | | <u>0923</u> | | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No.: 154771

Date: 09-02-08

Well No. MW-9

Purge Method: SUB

Depth to Water (feet): 30.47

Depth to Product (feet):

Total Depth (feet): 44.61

LPH & Water Recovered (gallons):

Water Column (feet): 14.14

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 33.29

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| <u>0950</u> | | | <u>3</u> | <u>561.8</u> | <u>19.6</u> | <u>7.70</u> | | | |
| | | | <u>6</u> | <u>562.0</u> | <u>19.5</u> | <u>7.40</u> | | | |
| | <u>0954</u> | | <u>9</u> | <u>561.6</u> | <u>19.4</u> | <u>7.23</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>30.53</u> | | | <u>9</u> | | <u>1001</u> | | | | |
| Comments: | | | | | | | | | |

Well No. MW-6

Purge Method: SUB

Depth to Water (feet): 31.10

Depth to Product (feet):

Total Depth (feet): 44.38

LPH & Water Recovered (gallons):

Water Column (feet): 13.28

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 33.75

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| <u>1017</u> | | | <u>3</u> | <u>538.7</u> | <u>22.1</u> | <u>7.64</u> | | | |
| | | | <u>6</u> | <u>537.1</u> | <u>21.0</u> | <u>7.38</u> | | | |
| | <u>1021</u> | | <u>9</u> | <u>538.1</u> | <u>21.2</u> | <u>7.14</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| <u>31.12</u> | | | <u>9</u> | | <u>1028</u> | | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No.: 154771

Date: 09-02-08

Well No. MW-7

Purge Method: SUB

Depth to Water (feet): 31.40

Depth to Product (feet):

Total Depth (feet): 42.22

LPH & Water Recovered (gallons):

Water Column (feet): 10.82

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 33.56

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|---------------------|------|-------------|-----|-----------|
| 1039 | | | 2 | 575.2 | 22.6 | 7.56 | | | |
| | | | 4 | 577.3 | 21.3 | 7.27 | | | |
| | 1042 | | 6 | 582.3 | 20.5 | 7.05 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| 31.44 | | | 6 | | 1051 | | | | |
| Comments: | | | | | | | | | |

Well No. MW-8

Purge Method: SUB

Depth to Water (feet): 31.72

Depth to Product (feet):

Total Depth (feet): 44.02

LPH & Water Recovered (gallons):

Water Column (feet): 12.30

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 34.18

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, °C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|---------------------|------|-------------|-----|-----------|
| 1057 | | | 2 | 640.5 | 21.9 | 7.63 | | | |
| | | | 4 | 642.5 | 20.9 | 7.00 | | | |
| | 1107 | | 6 | 641.7 | 20.2 | 6.90 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| 31.77 | | | 6 | | 1114 | | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No.: 154771

Date: 09-02-08

Well No. MW-10

Purge Method: HB

Depth to Water (feet): 33.07

Depth to Product (feet):

Total Depth (feet): 42.40

LPH & Water Recovered (gallons):

Water Column (feet): 9.33

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 34.93

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|
| 1127 | | | 2 | 515.3 | 18.0 | 7.60 | | | |
| | | | 4 | 514.4 | 18.3 | 7.38 | | | |
| | 1138 | | 6 | 512.8 | 18.2 | 7.29 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| 33.35 | | | 6 | | 1141 | | | | |
| Comments: | | | | | | | | | |

Well No. MW-1

Purge Method: SUB

Depth to Water (feet): 31.88

Depth to Product (feet):

Total Depth (feet): 35.17

LPH & Water Recovered (gallons):

Water Column (feet): 3.29

Casing Diameter (Inches): 2"

80% Recharge Depth(feet): 32.53

1 Well Volume (gallons): 1

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|
| 1159 | | | 1 | 805.6 | 24.3 | 6.90 | | | |
| | | | 2 | 807.9 | 23.4 | 6.60 | | | |
| | 1202 | | 3 | 812.0 | 23.2 | 6.51 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | Sample Time | | | | |
| 31.93 | | | 3 | | 1213 | | | | |
| Comments: | | | | | | | | | |





Date of Report: 09/11/2008

Anju Farfan

TRC
21 Technology Drive
Irvine, CA 92618


RE: 5367
BC Work Order: 0811616

Enclosed are the results of analyses for samples received by the laboratory on 9/3/2008. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature



TRC
21 Technology Drive
Irvine, CA 92618


Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | Receive Date: | Sampling Date: | Sample Depth: | Sample Matrix: | Delivery Work Order: | Global ID: | Matrix: | Sample QC Type (SACode): | Cooler ID: |
|------------|---------------------------|------|--|------------------|------------------|---------------|----------------|----------------------|-------------|---------|--------------------------|------------|
| 0811616-01 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 07:49 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-4 | | | | | | | | | | |
| | Sampling Point: | MW-4 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-02 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 08:26 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-3 | | | | | | | | | | |
| | Sampling Point: | MW-3 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-03 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 09:00 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-2 | | | | | | | | | | |
| | Sampling Point: | MW-2 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-04 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 09:23 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-5 | | | | | | | | | | |
| | Sampling Point: | MW-5 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-05 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 10:01 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-9 | | | | | | | | | | |
| | Sampling Point: | MW-9 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation. 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A




TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | Receive Date: | Sampling Date: | Sample Depth: | Sample Matrix: | Delivery Work Order: | Global ID: | Matrix: | Sample QC Type (SACode): | Cooler ID: |
|------------|---------------------------|-------|--|------------------|------------------|---------------|----------------|----------------------|-------------|---------|--------------------------|------------|
| 0811616-06 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 10:28 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-6 | | | | | | | | | | |
| | Sampling Point: | MW-6 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-07 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 10:51 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-7 | | | | | | | | | | |
| | Sampling Point: | MW-7 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-08 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 11:14 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-8 | | | | | | | | | | |
| | Sampling Point: | MW-8 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-09 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 11:41 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-10 | | | | | | | | | | |
| | Sampling Point: | MW-10 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |
| 0811616-10 | COC Number: | --- | | 09/03/2008 23:07 | 09/02/2008 12:13 | --- | Water | | T0600101479 | W | CS | |
| | Project Number: | 5367 | | | | | | | | | | |
| | Sampling Location: | MW-1 | | | | | | | | | | |
| | Sampling Point: | MW-1 | | | | | | | | | | |
| | Sampled By: | TRCI | | | | | | | | | | |



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0811616-01 Client Sample Name: 5367, MW-4, MW-4, 9/2/2008 7:49:00AM

| Constituent | Result | Units | PQL | MDL | Method | Prep | Run | Analyst | Instru- ment ID | Dilution | QC | MB | Lab |
|--|--------|-------|----------------------|-----|----------|----------|----------------|---------|--------------------|----------|----------|------|-------|
| | | | | | | Date | Date/Time | | | | Batch ID | Bias | Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 104 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 100 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 101 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 21:53 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0811616-02 | | Client Sample Name: 5367, MW-3, MW-3, 9/2/2008 8:26:00AM | | | | | | | | | | | |
|--|--------|--|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | 80 | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 104 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 99.3 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 104 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 22:11 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TRC
21 Technology Drive
Irvine, CA 92618


Project: 5367
Project Number: Inone1
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0811616-03 | | Client Sample Name: 5367, MW-2, MW-2, 9/2/2008 9:00:00AM | | | | | | | | | | | |
|--|--------|--|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 104 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 97.2 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 97.1 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/05/08 22:32 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0811616-04 | | Client Sample Name: 5367, MW-5, MW-5, 9/2/2008 9:23:00AM | | | | | | | | | | | |
|--|--------|--|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 105 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 94.1 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 100 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 12:29 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.
 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

| | | |
|--|---|----------------------------|
| TRC 21 Technology Drive Irvine, CA 92618 | Project: 5367 Project Number: [none] Project Manager: Anju Farfan | Reported: 09/11/2008 12:28 |
|--|---|----------------------------|

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0811616-05 | | | | | | | | | | | | |
|--|------------|---------------------------------------|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Client Sample Name: | | 5367, MW-9, MW-9, 9/2/2008 10:01:00AM | | | | | | | | | | | |
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 105 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 93.4 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 98.5 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 12:47 | SDU | MS-V10 | 1 | BRI0413 | | |

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan


Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0811616-06 | | Client Sample Name: 5367, MW-6, MW-6, 9/2/2008 10:28:00AM | | | | | | | | | | | |
|--|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 107 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 90.0 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 101 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:04 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan


Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0811616-07 Client Sample Name: 5367, MW-7, MW-7, 9/2/2008 10:51:00AM

| Constituent | Result | Units | PQL | MDL | Method | Prep | Run | Analyst | Instru- ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
|--|--------|-------|----------------------|-----|----------|----------|----------------|---------|--------------------|----------|----------------|------------|--------------|
| | | | | | | Date | Date/Time | | | | | | |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 108 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 89.1 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 97.8 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:22 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0811616-08 | | Client Sample Name: 5367, MW-8, MW-8, 9/2/2008 11:14:00AM | | | | | | | | | | | |
|--|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | 85 | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 104 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 96.2 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 98.8 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 13:40 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0811616-09 | | Client Sample Name: 5367, MW-10, MW-10, 9/2/2008 11:41:00AM | | | | | | | | | | | |
|--|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 106 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | | |
| Toluene-d8 (Surrogate) | 89.3 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | | |
| 4-Bromofluorobenzene (Surrogate) | 97.6 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/09/08 19:14 | SDU | MS-V10 | 1 | BRI0413 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court · Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: 0811616-10 | | Client Sample Name: 5367, MW-1, MW-1, 9/2/2008 12:13:00PM | | | | | | | | | | | | |
|--|--------|---|----------------------|-----|----------|-----------|----------------|---------|----------------|----------|-------------|---------|-----------|--|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instru-ment ID | Dilution | QC Batch ID | MB Bias | Lab Quals | |
| Benzene | 7.7 | ug/L | 5.0 | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | ND | A01 | |
| Ethylbenzene | 850 | ug/L | 5.0 | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | ND | A01 | |
| Methyl t-butyl ether | ND | ug/L | 5.0 | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | ND | A01 | |
| Toluene | ND | ug/L | 5.0 | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | ND | A01 | |
| Total Xylenes | 56 | ug/L | 10 | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | ND | A01 | |
| Total Purgeable Petroleum Hydrocarbons | 8300 | ug/L | 500 | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | ND | A01 | |
| 1,2-Dichloroethane-d4 (Surrogate) | 106 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | | | |
| Toluene-d8 (Surrogate) | 94.4 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | | | |
| 4-Bromofluorobenzene (Surrogate) | 107 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 09/05/08 | 09/06/08 01:30 | SDU | MS-V10 | 10 | BRI0413 | | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

| Constituent | Batch ID | QC Sample Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Percent Recovery | Control Limits | |
|-----------------------------------|----------|------------------------|------------------|---------------|--------|-------------|-------|-----|------------------|----------------|----------------------------|
| | | | | | | | | | | RPD | Percent Recovery Lab Quals |
| Benzene | BRI0413 | Matrix Spike | 0811678-02 | 0 | 23.590 | 25.000 | ug/L | | 94.4 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0811678-02 | 0 | 23.610 | 25.000 | ug/L | 0 | 94.4 | 20 | 70 - 130 |
| Toluene | BRI0413 | Matrix Spike | 0811678-02 | 0 | 23.330 | 25.000 | ug/L | | 93.3 | | 70 - 130 |
| | | Matrix Spike Duplicate | 0811678-02 | 0 | 23.750 | 25.000 | ug/L | 1.8 | 95.0 | 20 | 70 - 130 |
| 1,2-Dichloroethane-d4 (Surrogate) | BRI0413 | Matrix Spike | 0811678-02 | ND | 9.6400 | 10.000 | ug/L | | 96.4 | | 76 - 114 |
| | | Matrix Spike Duplicate | 0811678-02 | ND | 9.7200 | 10.000 | ug/L | | 97.2 | | 76 - 114 |
| Toluene-d8 (Surrogate) | BRI0413 | Matrix Spike | 0811678-02 | ND | 9.6200 | 10.000 | ug/L | | 96.2 | | 88 - 110 |
| | | Matrix Spike Duplicate | 0811678-02 | ND | 9.9800 | 10.000 | ug/L | | 99.8 | | 88 - 110 |
| 4-Bromofluorobenzene (Surrogate) | BRI0413 | Matrix Spike | 0811678-02 | ND | 10.360 | 10.000 | ug/L | | 104 | | 86 - 115 |
| | | Matrix Spike Duplicate | 0811678-02 | ND | 10.340 | 10.000 | ug/L | | 103 | | 86 - 115 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Laboratory Control Sample

| Constituent | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL | Units | Percent Recovery | RPD | Control Limits | | Lab Quals |
|-----------------------------------|----------|--------------|---------|--------|-------------|------|-------|------------------|-----|------------------|-----|-----------|
| | | | | | | | | | | Percent Recovery | RPD | |
| Benzene | BRI0413 | BRI0413-BS1 | LCS | 24.720 | 25.000 | 0.50 | ug/L | 98.9 | | 70 - 130 | | |
| Toluene | BRI0413 | BRI0413-BS1 | LCS | 25.680 | 25.000 | 0.50 | ug/L | 103 | | 70 - 130 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BRI0413 | BRI0413-BS1 | LCS | 9.7900 | 10.000 | | ug/L | 97.9 | | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BRI0413 | BRI0413-BS1 | LCS | 9.8900 | 10.000 | | ug/L | 98.9 | | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BRI0413 | BRI0413-BS1 | LCS | 10.310 | 10.000 | | ug/L | 103 | | 86 - 115 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28


Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

| Constituent | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|--|----------|--------------|-----------|-------|----------------------|-----|-----------|
| Benzene | BRI0413 | BRI0413-BLK1 | ND | ug/L | 0.50 | | |
| Ethylbenzene | BRI0413 | BRI0413-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BRI0413 | BRI0413-BLK1 | ND | ug/L | 0.50 | | |
| Toluene | BRI0413 | BRI0413-BLK1 | ND | ug/L | 0.50 | | |
| Total Xylenes | BRI0413 | BRI0413-BLK1 | ND | ug/L | 1.0 | | |
| Total Purgeable Petroleum Hydrocarbons | BRI0413 | BRI0413-BLK1 | ND | ug/L | 50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BRI0413 | BRI0413-BLK1 | 99.0 | % | 76 - 114 (LCL - UCL) | | |
| Toluene-d8 (Surrogate) | BRI0413 | BRI0413-BLK1 | 101 | % | 88 - 110 (LCL - UCL) | | |
| 4-Bromofluorobenzene (Surrogate) | BRI0413 | BRI0413-BLK1 | 101 | % | 86 - 115 (LCL - UCL) | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: [none]
Project Manager: Anju Farfan

Reported: 09/11/2008 12:28

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.

Submission #: 0811616 1 1-1

SHIPPING INFORMATION
 Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER
 Ice Chest None
 Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments: _____
Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Emissivity: -.97 Container: GTA Thermometer ID: 48
 Temperature: A 0.2 °C / C 0.0 °C

Date/Time 9-3-8²³¹²
 Analyst Init ALN

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|--------------------------------------|----------------|----|----|----|----|----|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT GENERAL MINERAL/ GENERAL PHYSICAL | | | | | | | | | | |
| PT PE UNPRESERVED | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | | | | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PIA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | A3 | A3 | A3 | A3 | A3 | A3 | A3 | A3 | A3 | A3 |
| QT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608/8090 | | | | | | | | | | |
| QT EPA 515.1/8150 | | | | | | | | | | |
| QT EPA 525 | | | | | | | | | | |
| QT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| QT EPA 548 | | | | | | | | | | |
| QT EPA 549 | | | | | | | | | | |
| QT EPA 632 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT AMBER | | | | | | | | | | |
| 8 OZ. JAR | | | | | | | | | | |
| 32 OZ. JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERROUS IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |

Comments: _____
 Sample Numbering Completed By: CLL Date/Time: 9/4/08 11:15
 A = Actual / C = Corrected

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

#0811616 **Analysis Requested**

| | | | | | | |
|--------------------------------|--|---|--|---|--|---------------------------|
| Bill to: Conoco Phillips/ TRC | | Consultant Firm: TRC | | MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge | BTEX/MTBE by 8021B, Gas by 8015 TPH GAS by 8015M TPH DIESEL by 8015 8260 full list w/ oxygenates BTEX/MTBE/OXYG BY 8260B ETHANOL by 8260B TPH - G by GC/MS | Turnaround Time Requested |
| Address: 500 Bancroft Ave. | | 21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan | | | | |
| City: San Leandro | | 4-digit site#: 5367 | | | | |
| State: CA Zip: | | Workorder #: 01400-4509118565 | | | | |
| Conoco Phillips Mgr: Ted moise | | Project #: 154771 | | | | |
| | | Sampler Name: JOEL | | | | |

| Lab# | Sample Description | Field Point Name | Date & Time Sampled | MATRIX | BTEX/MTBE by 8021B, Gas by 8015 | TPH GAS by 8015M | TPH DIESEL by 8015 | 8260 full list w/ oxygenates | BTEX/MTBE/OXYG BY 8260B | ETHANOL by 8260B | TPH - G by GC/MS | Turnaround Time Requested |
|------|---|------------------|---------------------|--------|---------------------------------|------------------|--------------------|------------------------------|-------------------------|------------------|------------------|---------------------------|
| 1 | <div style="border: 1px solid black; padding: 5px; width: fit-content;"> CHK BY DISTRIBUTION <input checked="" type="checkbox"/> DISTRIBUTION <input type="checkbox"/> SUB-CUT </div> | MW-4 | 09-02-08 0749 | GW | | | | | X | X | | STD |
| 2 | | MW-3 | | 0826 | | | | | | | | |
| 3 | | MW-2 | | 0900 | | | | | | | | |
| 4 | | MW-5 | | 0923 | | | | | | | | |
| 5 | | MW-9 | | 1001 | | | | | | | | |
| 6 | | MW-6 | | 1028 | | | | | | | | |
| 7 | | MW-7 | | 1051 | | | | | | | | |
| 8 | | MW-8 | | 1114 | | | | | | | | |

| | | | |
|---|--|-----------------------------------|------------------------------|
| Comments: GLOBAL ID: T0600101479 | Relinquished by: (Signature) <i>Joe A. Lewis</i> | Received by: refridgerator | Date & Time 09-02-08 1400 |
| | Relinquished by: (Signature) <i>[Signature]</i> | Received by: <i>Rosellides</i> | Date & Time 9/3/08 1530 |
| | Relinquished by: (Signature) <i>Rosellides 9/3/08</i> | Received by: <i>R. Ruyum</i> | Date & Time 9-3-08 2030 |
| | <i>R. Ruyum 9-3-08 2300</i> | <i>[Signature]</i> | Date & Time 9-3-08 2300 |

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
 (661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

Analysis Requested

| Bill to: Conoco Phillips/ TRC | | Consultant Firm: TRC | | MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge | BTEX/MTBE by 8021B, Gas by 8015 | TPH GAS by 8015M | TPH DIESEL by 8015 | 8260 full list w/ oxygenates | BTEX/MTBE/XYL/STY-BY 8260B | ETHANOL by 8260B | TPH - G by GC/MS | Turnaround Time Requested |
|--------------------------------|--------------------|---|---------------------|--|---------------------------------|------------------|--------------------|------------------------------|----------------------------|------------------|------------------|---------------------------|
| Address: 500 Bancroft Ave. | | 21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan | | | | | | | | | | |
| City: San Leandro | | 4-digit site#: 5367 Workorder # 01400-4509118565 | | | | | | | | | | |
| State: CA | Zip: | Project #: 01400-4509118565 | | | | | | | | | | |
| Conoco Phillips Mgr: Ted Moise | | Sampler Name: JOE L. | | | | | | | | | | |
| Lab# | Sample Description | Field Point Name | Date & Time Sampled | | | | | | | | | |
| -9 | | MW-10 | 09-02-08 1141 | GW | | | | | X | | X | STD |
| -10 | | MW-1 | 09-02-08 1213 | GW | | | | | X | | X | STD |

| | | | |
|---|---|--------------------------------------|------------------------------|
| Comments: GLOBAL ID: T0600101479 | Relinquished by: (Signature) <i>Joe L. Lewis</i> | Received by: <i>refridgerator</i> | Date & Time 09-02-08 1400 |
| | Relinquished by: (Signature) <i>[Signature]</i> | Received by: <i>[Signature]</i> | Date & Time 9/3/08 1530 |
| | Relinquished by: (Signature) <i>Riley 9/3/08</i> | Received by: <i>Riley</i> | Date & Time 9-3-08 2030 |
| | <i>Riley 9-3-08 2300</i> | <i>[Signature]</i> | <i>9-3-08 2307</i> |

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.