



76 Broadway
Sacramento, California 95818

RECEIVED

2:20 pm, Apr 20, 2009

Alameda County
Environmental Health

April 14, 2009

Ms. Barbara Jakub
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502

Re: **Report Transmittal**
Semi-Annual Summary Report – Fourth Quarter 2008 Through First Quarter 2009
76 Service Station #5367
500 Bancroft Avenue
San Leandro, California
Loc Case #: RO0000499

Dear Ms. Jakub:

I declare under penalty of perjury that, to the best of my knowledge, the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please call:

Ted Moise (Contractor)
ConocoPhillips
Risk Management & Remediation
76 Broadway
Sacramento, CA 95818

Phone: (510) 245-5162
Fax: (918) 662-4480

Sincerely,

Eric G. Hetrick
Site Manager
Risk Management & Remediation

Attachment

April 14, 2009

Ms. Barbara Jakub
Hazardous Materials Specialist
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

**Re: Semi-Annual Summary Report – Fourth Quarter
2008 Through First Quarter 2009
Fuel Leak Case No. RO0000499**

Dear Ms. Jakub:



DELTA

On behalf of ConocoPhillips Company (COP), Delta Consultants (Delta) is submitting the Semi-Annual Summary Report – Fourth Quarter 2008 through the First Quarter 2009 and forwarding a copy of TRC Solutions, Inc. (TRC's) *Semi-Annual Monitoring Report, October 2008 through March 2009*, dated April 2, 2009, for the following location:

Service Station


76 Service Station No. 5367

Location

500 Bancroft Avenue
San Leandro, California

Sincerely,
DELTA CONSULTANTS

Dennis S. Dettloff, P.G.
Senior Project Manager
California Registered Professional Geologist No. 7480



cc: Mr. Ted Moise-ConocoPhillips (electronic upload only)

a member of:



11050 WHITE ROCK ROAD SUITE 110 RANCHO CORDOVA, CALIFORNIA 95670 USA
PHONE +1 916.638.2085 / USA TOLL FREE 800.477.7411
FAX +1 916.638.8385 WWW.DELTAENV.COM

SEMI-ANNUAL SUMMARY REPORT
Fourth Quarter 2008 through First Quarter 2009
76 Service Station No. 5367
500 Bancroft Avenue
San Leandro, California

SITE BACKGROUND AND PREVIOUS ENVIRONMENTAL WORK

The site is located on the northeast corner of the intersection of Bancroft Avenue and Dowling Boulevard and is an active 76 service station. Three 12,000-gallon underground storage tanks (USTs) and two dispenser islands are present at the site.

In 1987, the USTs and associated piping were replaced. During the work, approximately 250 cubic yards of impacted soil was excavated and removed from the site. A limited environmental investigation was performed by Applied Geosystems in 1987 and consisted of advancing one boring and the installation of groundwater monitoring well MW-1 at the site. Free product (approximately ¼ inch) was present on the groundwater beneath the site. Approximately 120 pounds of free product was removed by hand bailing.

In September and October 1988, three additional monitoring wells (MW-2 through MW-4) were installed at the site by Applied Geosystems. Based on the data from the investigation, the extent of impacted soil appeared limited to an area west and south of the tank pit between 30 and 36 feet below ground surface (bgs).

In February 1990, an additional on-site monitoring well (MW-5) and three off-site monitoring wells (MW-6 through MW-8) were installed by Applied Geosystems. The data from this and the previous investigations indicated that impacted groundwater was present both beneath the site and off-site to the southwest. The extent of impacted soil and groundwater appeared to be delineated to the east of the USTs and to the west of the site.

Between mid-1994 and mid-1995, two additional monitoring wells (MW-9 and MW-10) were installed to the west and south of the site, respectively.

Between March 1996 and March 1997, soil vapor extraction (SVE) and groundwater extraction (GWE) remediation systems operated at the site. During this time, approximately 637,151 gallons of impacted groundwater were removed by the GWE system. An estimated 180 pounds and 108 pounds of total petroleum hydrocarbons as gasoline (TPHg) were removed by the SVE and GWE systems, respectively.

In November 1998, the product piping was replaced and approximately 30 cubic yards of soil was removed from the site. Spill containment sumps and electronic leak detection were also installed.

On April 23, 2007, an irrigation well was purged and sampled by Delta. The well was sampled at the request of a nearby resident, located at 589 Broadmoor Boulevard in San Leandro. Groundwater samples were collected and analyzed from the well for Total Purgeable Petroleum Hydrocarbons (TPPH); benzene, toluene, ethyl-benzene, and total xylenes (BTEX); methyl tertiary butyl ether (MTBE), di-isopropyl ether (DIPE), ethyl tertiary butyl ether (ETBE), tertiary amyl methyl ether (TAME), TBA, 1,2-dichloroethane (1,2-DCA), ethylene di-bromide (EDB), and ethanol - (8 oxygenates) by Environmental

Protection Agency (EPA) Method 8260. All constituents tested were below the laboratory's indicated reporting limits.

SENSITIVE RECEPTORS

A well search performed in 1990 by Applied Geosystems identified at least 15 wells within ½ mile of the site. Five of the wells were down-gradient (southwest) and within approximately 600 feet of the site. One of these wells was used for irrigation, one was abandoned, and no records pertaining to the remaining three wells were available. No municipal wells were identified within ½ mile of the site. The nearest water-supply wells were located approximately 400 feet southwest of the site.

A sensitive receptor survey was performed by Delta in August 2006. The survey consisted of a review of Department of Water Resources (DWR) files to evaluate the presence of wells within 1 mile of the site. A list of property owners within 1,000 feet of the site was also generated to evaluate if any of the properties have potential receptors of the hydrocarbon impact from the project site.

A Public Health Assessment Questionnaire presenting specific queries regarding the presence of sensitive receptors was mailed to each of the identified property owners. A total of 341 questionnaires were mailed in April 2006, and 114 responses were received. Based on the data from the responding parties, sixteen wells were identified within 1,000 feet of the site. Seven of the properties had sumps used for irrigation, and basements were present on twenty seven of the properties.

Delta also reviewed the DWR files to prepare a list of parcel numbers, property owner's names, and property addresses of potential receptors within a 1-mile radius of the site. Questionnaires were mailed to 43 addresses in June 2006, but only two responses were received. The two respondents had a well on their property; however, no sumps or basements were present.

Based on the U.S. Geological Survey (USGS) topographic map for the site area (San Leandro quadrangle, 1967), the nearest surface water body is San Leandro Creek located approximately 1,900 feet southeast of the site.

Delta also searched for schools, daycare centers, and hospitals within the 1,000-foot radius of the site; none were identified.

MONITORING AND SAMPLING

Currently, 10 monitoring wells, five on-site and five off-site, are part of the monitoring and sampling program. Between 1991 and 1996, the monitoring wells were monitored and sampled primarily on a quarterly basis. Since first quarter 1996, the monitoring wells have been monitored and sampled on a semi-annual basis. Groundwater samples are collected and analyzed from the monitoring wells for TPPH, BTEX, and MTBE by EPA Method 8260B.

FOURTH QUARTER 2008 THROUGH FIRST QUARTER 2009 MONITORING AND SAMPLING RESULTS

Groundwater monitoring and sampling was performed on March 13, 2009 by TRC. The groundwater elevation increased an average of 4.47 feet from the September 2, 2008 event. Depth to groundwater in site monitoring wells ranged from 26.05 feet (MW-9) to 28.52 feet (MW-10) below top of casing (TOC) during the current event. The groundwater flow direction was interpreted to be to the west with a gradient of 0.005 foot per foot (ft/ft). This is consistent with historic data. Historic groundwater flow directions are shown on a rose diagram presented as Attachment A.

Contaminants of Concern

TPPH: TPPH was above the laboratory's indicated reporting limits in the groundwater samples collected and submitted for analysis from monitoring wells MW-1, MW-3, MW-6, and MW-8 at concentrations of 9,600 micrograms per liter ($\mu\text{g}/\text{L}$), 88 $\mu\text{g}/\text{L}$, 130 $\mu\text{g}/\text{L}$, and 130 $\mu\text{g}/\text{L}$, respectively during the current event.

Benzene: Benzene was above the laboratory's indicated reporting limit in the groundwater sample collected and submitted for analysis from monitoring well MW-1 at a concentration of 6.1 $\mu\text{g}/\text{L}$ during the current event.

MTBE: MTBE was below laboratory's indicated reporting limits in the groundwater samples collected and submitted for analysis from each of the monitoring wells during the current event.

Additionally, ethyl-benzene and total xylenes were above the laboratory's indicated reporting limits in the groundwater sample collected and submitted for analysis from monitoring well MW-1 at concentrations of 970 $\mu\text{g}/\text{L}$ and 160 $\mu\text{g}/\text{L}$, respectively during the current event.

REMEDIATION STATUS

In 1987, during UST and piping replacement work, approximately 250 cubic yards of impacted soil was excavated and removed from the site; approximately 120 pounds of free product was removed by hand bailing from monitoring well MW-1.

Between March 1996 and March 1997 SVE and GWE systems operated at the site. During this time, the GWE system extracted approximately 637,151 gallons of impacted groundwater. The SVE and GWE systems removed approximately 180 pounds and 108 pounds of TPHg, respectively.

In November 1998, approximately 30 cubic yards of soil was over-excavated and removed from the site during product piping replacement.

CHARACTERIZATION STATUS

The extent of impacted soil beneath the site has been adequately evaluated. Residual impacted soil appears limited to the west and south of the tank pit, between 30 and 36 feet bgs.

The extent of impacted groundwater has also been adequately evaluated. Residual impacted groundwater remains beneath the site in the area of monitoring well MW-1 and likely some distance down-gradient beneath Bancroft Avenue. The residual dissolved hydrocarbon plume beneath the site appears stable and concentrations have significantly decreased since the early 1990s.

CONCLUSIONS AND RECOMMENDATIONS

Based on the analytical data, impacted groundwater remains beneath the site in the area of the USTs and dispenser islands (monitoring well MW-1) and likely some distance beneath Bancroft Avenue. The concentrations reported during the current event were similar to or less than those reported during the previous event.

Based on the groundwater monitoring analytical data, the plume appears stable and an overall decreasing trend in TPPH and benzene concentrations continues. The decline in concentrations is likely due to natural biodegradation.

On December 19, 2008 Delta submitted a *Historical Review Report* to the Alameda County Health Care Services Agency (ACHCSA) for their review, recommending additional investigation to assess the horizontal and vertical extent of the petroleum hydrocarbon impact to the soil and the groundwater down-gradient (west) of the fuel dispensers and the USTs.

RECENT CORRESPONDENCE

No correspondence was received during the second quarter of 2008 or the third quarter of 2008.

FOURTH QUARTER 2008 AND FIRST QUARTER 2009 ACTIVITIES

1. Delta prepared and submitted *Semi-Annual Summary Report-Fourth Quarter 2008 Through First Quarter 2009*, dated March 13, 2008.
2. TRC performed semi-annual monitoring and sampling on March 13, 2009.
3. TRC prepared and submitted *Semi-Annual Monitoring Report-October 2008 through March 2009*, dated April 2, 2009.
4. Delta prepared and submitted a *Historical Review Report* on December 19, 2008 to the ACHCSA for their review.

SECOND QUARTER 2009 AND THIRD QUARTER 2009 ACTIVITIES

1. TRC to perform semi-annual monitoring and sampling.
2. Delta will perform a site data review to identify if data gaps exist prior to discussing site closure with the lead regulatory agency.

CONSULTANT: Delta Consultants


Attachment A

Historic Groundwater Flow Directions

Historic Groundwater Flow Directions

ConocoPhillips Site No. 5367

500 Bancroft Avenue
San Leandro, California



Legend
Concentric circles
represent
quarterly monitoring
events
Third Quarter 1990

Groundwater Flow Direction



21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCsolutions.com

DATE: April 2, 2009

TO: ConocoPhillips Company
76 Broadway Avenue
Sacramento, CA 95818

ATTN: MR. TED MOISE

SITE: 76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA

RE: SEMI-ANNUAL MONITORING REPORT
OCTOBER 2008 THROUGH MARCH 2009

Dear Mr. Moise:

Please find enclosed our Semi-Annual Monitoring Report for 76 Station 5367, located at 500 Bancroft Avenue, San Leandro, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Dennis Dettloff, Delta Environmental Inc. (1 copy)

Enclosures
20-0400/5367R13.QMS



**SEMI-ANNUAL MONITORING REPORT
OCTOBER 2008 THROUGH MARCH 2009**

76 STATION 5367
500 Bancroft Avenue
San Leandro, California

Prepared For:

Mr. Ted Moise
CONOCOPHILLIPS COMPANY
76 Broadway Avenue
Sacramento, California 95818

By:



The circular seal contains the text "PROFESSIONAL GEOLOGIST" at the top and "STATE OF CALIFORNIA" at the bottom. In the center, it says "DENNIS E JENSEN" and "No 3531".

Senior Project Geologist, Irvine Operations

Date: 4/2/09

LIST OF ATTACHMENTS

| | |
|--------------------|---|
| Summary Sheet | Summary of Gauging and Sampling Activities |
| Tables | Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results |
| Figures | Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map |
| Graphs | Groundwater Elevations vs. Time Benzene Concentrations vs. Time |
| Field Activities | General Field Procedures Field Monitoring Data Sheet – 03/13/09 Groundwater Sampling Field Notes – 03/13/09 |
| Laboratory Reports | Official Laboratory Reports Quality Control Reports Chain of Custody Records |
| Statements | Purge Water Disposal Limitations |

Summary of Gauging and Sampling Activities

October 2008 through March 2009

76 Station 5367

500 Bancroft Avenue

San Leandro, CA

Project Coordinator: **Ted Moise**

Telephone: **510-245-5162**

Water Sampling Contractor: **TRC**

Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **03/13/09**

Sample Points

Groundwater wells: **5** onsite, **5** offsite Points gauged: **10** Points sampled: **10**

Purging method: **Bailer/submersible pump**

Purge water disposal: **Veolia/Rodeo Unit 100**

Other Sample Points: **0** Type: --

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): --

LPH removal frequency: -- Method: --

Treatment or disposal of water/LPH: --

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **26.05 feet** Maximum: **28.52 feet**

Average groundwater elevation (relative to available local datum): **30.55 feet**

Average change in groundwater elevation since previous event: **4.47 feet**

Interpreted groundwater gradient and flow direction:

Current event: **0.005 ft/ft, west**

Previous event: **0.0015 ft/ft, west (09/02/08)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **1** Sample Points above MCL (1.0 µg/l): **1**

Maximum reported benzene concentration: **6.1 µg/l (MW-1)**

Sample Points with **TPH-G by GC/MS** **4** Maximum: **9,600 µg/l (MW-1)**

Sample Points with **MTBE 8260B** **0**

Notes:

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

| | |
|-----------------|---|
| -- | = not analyzed, measured, or collected |
| LPH | = liquid-phase hydrocarbons |
| Trace | = less than 0.01 foot of LPH in well |
| $\mu\text{g/l}$ | = micrograms per liter (approx. equivalent to parts per billion, ppb) |
| mg/l | = milligrams per liter (approx. equivalent to parts per million, ppm) |
| ND< | = not detected at or above laboratory detection limit |
| TOC | = top of casing (surveyed reference elevation) |
| D | = duplicate |
| P | = no-purge sample |

ANALYTICS

| | |
|---------------|---|
| BTEX | = benzene, toluene, ethylbenzene, and (total) xylenes |
| DIPE | = di-isopropyl ether |
| ETBE | = ethyl tertiary butyl ether |
| MTBE | = methyl tertiary butyl ether |
| PCB | = polychlorinated biphenyls |
| PCE | = tetrachloroethene |
| IBA | = tertiary butyl alcohol |
| ICA | = trichloroethane |
| TCE | = trichloroethylene |
| IPH-G | = total petroleum hydrocarbons with gasoline distinction |
| IPH-G (GC/MS) | = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B |
| IPH-D | = total petroleum hydrocarbons with diesel distinction |
| TRPH | = total recoverable petroleum hydrocarbons |
| TAME | = tertiary amyl methyl ether |
| 1,1-DCA | = 1,1-dichloroethane |
| 1,2-DCA | = 1,2-dichloroethane (same as EDC, ethylene dichloride) |
| 1,1-DCE | = 1,1-dichloroethene |
| 1,2-DCE | = 1,2-dichloroethene (cis- and trans-) |

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: Surface Elevation – Measured Depth to Water + (Dp x LPH Thickness), where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 5367 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 5367

Current Event

| Table 1 | Well/ Date | Depth to Water | LPH Thickness | Ground- water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) |
|----------------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|
|----------------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|

Historic Data

| Table 2 | Well/ Date | Depth to Water | LPH Thickness | Ground- water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl- benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) |
|----------------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|
|----------------|---------------|-------------------|------------------|-------------------------------|------------------------|------------------|------------------|---------|---------|-------------------|------------------|-----------------|-----------------|

| Table 2a | Well/ Date | TBA | Ethanol (8260B) | Ethylene- dibromide (EDB) | 1,2-DCA (EDC) | DIPE | ETBE | TAME | TDS | Post-purge Dissolved Oxygen | Pre-purge Dissolved Oxygen | | |
|-----------------|---------------|-----|--------------------|---------------------------------|------------------|------|------|------|-----|-----------------------------------|----------------------------------|--|--|
|-----------------|---------------|-----|--------------------|---------------------------------|------------------|------|------|------|-----|-----------------------------------|----------------------------------|--|--|

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS

March 13, 2009

76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments | | | |
|--------------|---------------|----------------|---------------|---|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------|--|--|--|
| | | (feet) | (feet) | (feet) | (feet) | ($\mu\text{g/l}$) | | | | |
| MW-1 | | | | (Screen Interval in feet: 10.0-35.0) | | | | | | | | | | | | | |
| 03/13/09 | 57.83 | 27.43 | 0.00 | 30.40 | 4.45 | -- | 9600 | 6.1 | ND<5.0 | 970 | 160 | -- | ND<5.0 | | | | |
| MW-2 | | | | (Screen Interval in feet: 28.0-48.0) | | | | | | | | | | | | | |
| 03/13/09 | 58.13 | 27.26 | 0.00 | 30.87 | 4.46 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | | |
| MW-3 | | | | (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | | | |
| 03/13/09 | 57.92 | 26.92 | 0.00 | 31.00 | 4.46 | -- | 88 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | |
| MW-4 | | | | (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | | | |
| 03/13/09 | 58.29 | 27.70 | 0.00 | 30.59 | 4.37 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | | |
| MW-5 | | | | (Screen Interval in feet: 25.0-45.0) | | | | | | | | | | | | | |
| 03/13/09 | 58.50 | 27.88 | 0.00 | 30.62 | 4.47 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | | |
| MW-6 | | | | (Screen Interval in feet: 25.0-45.0) | | | | | | | | | | | | | |
| 03/13/09 | 56.96 | 26.63 | 0.00 | 30.33 | 4.47 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | |
| MW-7 | | | | (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | | | |
| 03/13/09 | 57.25 | 26.89 | 0.00 | 30.36 | 4.51 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | | |
| MW-8 | | | | (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | | | |
| 03/13/09 | 57.71 | 27.21 | 0.00 | 30.50 | 4.51 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | |
| MW-9 | | | | (Screen Interval in feet: 20.0-45.0) | | | | | | | | | | | | | |
| 03/13/09 | 56.47 | 26.05 | 0.00 | 30.42 | 4.42 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | | |
| MW-10 | | | | (Screen Interval in feet: 20.0-45.0) | | | | | | | | | | | | | |
| 03/13/09 | 58.94 | 28.52 | 0.00 | 30.42 | 4.55 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | | | | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|--------------|-------|----------------|---------------|---|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
| | | (feet) | (feet) | (feet) | (feet) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | |
| MW-1 | | | | | | | | | | | | | | |
| | | | | (Screen Interval in feet: 10.0-35.0) | | | | | | | | | | |
| 09/23/87 | 57.83 | 33.40 | 0.00 | 24.43 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/24/87 | 57.83 | 33.24 | 0.01 | 24.60 | 0.17 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/06/87 | 57.83 | 33.39 | 0.01 | 24.45 | -0.15 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/05/87 | 57.83 | 34.14 | 0.31 | 23.92 | -0.52 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/13/87 | 57.83 | 34.15 | 0.38 | 23.97 | 0.04 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/19/87 | 57.83 | 33.89 | 0.06 | 23.99 | 0.02 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 04/27/88 | 57.83 | 32.40 | 0.01 | 25.44 | 1.45 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/07/88 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 10/03/88 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 01/27/89 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 02/16/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 07/19/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 08/24/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 11/30/90 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 02/06/91 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 05/06/91 | 57.83 | 33.00 | 0.00 | 24.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/27/91 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 03/31/92 | 57.83 | 31.00 | 0.00 | 26.83 | -- | 330000 | -- | 8200 | 33000 | 6800 | 36000 | -- | -- | |
| 06/18/92 | 57.83 | 32.76 | 0.00 | 25.07 | -1.76 | 680000 | -- | 9000 | 40000 | 7600 | 44000 | -- | -- | |
| 10/16/92 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 11/18/92 | 57.83 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Dry well |
| 03/03/93 | 57.83 | 26.03 | 0.00 | 31.80 | -- | 330000 | -- | 3800 | 21000 | 4200 | 24000 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|-----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|----------|
| | (feet) | (feet) | (feet) | (feet) | (feet) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | |
| MW-1 continued | | | | | | | | | | | | | | |
| 06/25/93 | 57.83 | 28.36 | 0.00 | 29.47 | -2.33 | 160000 | -- | 4300 | 36000 | 5800 | 34000 | -- | -- | |
| 09/03/93 | 57.83 | 30.80 | 0.00 | 27.03 | -2.44 | 160000 | -- | 3900 | 41000 | 6800 | 38000 | -- | -- | |
| 12/13/93 | 57.83 | 32.73 | 0.00 | 25.10 | -1.93 | 140000 | -- | 3600 | 37000 | 7100 | 40000 | -- | -- | |
| 03/18/94 | 57.83 | 30.10 | 0.00 | 27.73 | 2.63 | 99000 | -- | 3800 | 37000 | 6800 | 36000 | -- | -- | |
| 06/23/94 | 57.83 | 31.32 | 0.00 | 26.51 | -1.22 | 150000 | -- | 2500 | 33000 | 6400 | 37000 | -- | -- | |
| 09/21/94 | 57.83 | 33.21 | 0.00 | 24.62 | -1.89 | 110000 | -- | 2500 | 23000 | 4500 | 25000 | -- | -- | |
| 12/19/94 | 57.83 | 30.97 | 0.00 | 26.86 | 2.24 | 200000 | -- | 2400 | 28000 | 6600 | 37000 | -- | -- | |
| 03/27/95 | 57.83 | 22.77 | 0.00 | 35.06 | 8.20 | 88000 | -- | 1500 | 20000 | 4200 | 25000 | -- | -- | |
| 06/26/95 | 57.83 | 25.69 | 0.00 | 32.14 | -2.92 | 130000 | -- | 1000 | 23000 | 5600 | 33000 | -- | -- | |
| 07/28/95 | 57.83 | 26.97 | 0.00 | 30.86 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.83 | 29.55 | 0.00 | 28.28 | -2.58 | 100000 | -- | 810 | 21000 | 6500 | 37000 | -- | -- | |
| 10/24/95 | 57.83 | 29.99 | 0.00 | 27.84 | -0.44 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.83 | 30.40 | 0.00 | 27.43 | -0.41 | 110000 | -- | 990 | 22000 | 8300 | 47000 | -- | -- | |
| 03/27/96 | 57.83 | 22.29 | 0.00 | 35.54 | 8.11 | 120000 | -- | 920 | 17000 | 7100 | 41000 | 180 | 180 | |
| 09/21/96 | 57.83 | 29.44 | 0.00 | 28.39 | -7.15 | 110000 | -- | 270 | 3500 | 5900 | 16000 | 260 | 260 | |
| 03/31/97 | 57.83 | 24.18 | 0.00 | 33.65 | 5.26 | 82000 | -- | 240 | 8700 | 3800 | 23000 | ND | -- | |
| 09/27/97 | 57.83 | 31.86 | 0.00 | 25.97 | -7.68 | 81000 | -- | ND | 1000 | 5900 | 31000 | ND | -- | |
| 03/20/98 | 57.83 | 16.88 | 0.00 | 40.95 | 14.98 | 52000 | -- | ND | 350 | 2900 | 14000 | ND | -- | |
| 09/09/98 | 57.83 | 26.21 | 0.00 | 31.62 | -9.33 | 59000 | -- | 51 | 64 | 6000 | 4800 | ND | -- | |
| 03/11/99 | 57.83 | 23.60 | 0.00 | 34.23 | 2.61 | 60000 | -- | 130 | ND | 2900 | 12000 | ND | -- | |
| 09/08/99 | 57.83 | 28.70 | 0.00 | 29.13 | -5.10 | 74000 | -- | ND | ND | 2600 | 10000 | ND | -- | |
| 03/24/00 | 57.83 | 21.61 | 0.00 | 36.22 | 7.09 | 37000 | -- | ND | ND | 1980 | 6880 | ND | -- | |
| 09/15/00 | 57.83 | 28.19 | 0.00 | 29.64 | -6.58 | 45800 | -- | ND | ND | 3150 | 10500 | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-1 continued | | | | | | | | | | | | | | |
| 03/16/01 | 57.83 | 25.59 | 0.00 | 32.24 | 2.60 | 37500 | -- | 76.2 | 16.6 | 2010 | 7330 | ND | -- | |
| 08/31/01 | 57.83 | 29.03 | 0.00 | 28.80 | -3.44 | 62000 | -- | 79 | ND<50 | 3000 | 13000 | ND<250 | -- | |
| 03/15/02 | 57.83 | 25.58 | 0.00 | 32.25 | 3.45 | 26000 | -- | 43 | 22 | 2400 | 10000 | ND<100 | -- | |
| 09/26/02 | 57.83 | 29.51 | 0.00 | 28.32 | -3.93 | -- | 56000 | 31 | ND<25 | 2500 | 11000 | -- | ND<100 | |
| 03/16/03 | 57.83 | 26.71 | 0.00 | 31.12 | 2.80 | -- | 43000 | ND<250 | ND<250 | 2200 | 6800 | -- | ND<1000 | |
| 09/03/03 | 57.83 | 29.54 | 0.00 | 28.29 | -2.83 | -- | 55000 | ND<50 | ND<50 | 2200 | 4200 | -- | ND<200 | |
| 03/11/04 | 57.83 | 25.57 | 0.00 | 32.26 | 3.97 | -- | 23000 | 10 | ND<5.0 | 1100 | 2100 | -- | ND<20 | |
| 09/24/04 | 57.83 | 31.20 | 0.00 | 26.63 | -5.63 | -- | 29000 | 15 | ND<10 | 1900 | 1100 | -- | ND<10 | |
| 03/29/05 | 57.83 | 23.38 | 0.00 | 34.45 | 7.82 | -- | 26000 | 15 | ND<10 | 990 | 260 | -- | ND<10 | |
| 09/12/05 | 57.83 | 28.13 | 0.00 | 29.70 | -4.75 | -- | 15000 | 13 | 1.3 | 1100 | 110 | -- | 0.93 | |
| 03/27/06 | 57.83 | 21.38 | 0.00 | 36.45 | 6.75 | -- | 11000 | 7.6 | 1.0 | 590 | 90 | -- | ND<0.50 | |
| 09/08/06 | 57.83 | 26.73 | 0.00 | 31.10 | -5.35 | -- | 9000 | 4.7 | 4.0 | 460 | 82 | -- | ND<0.50 | |
| 01/29/07 | 57.83 | 28.63 | 0.00 | 29.20 | -1.90 | -- | 10000 | 9.2 | ND<5.0 | 990 | 310 | -- | ND<5.0 | |
| 07/02/07 | 57.83 | 29.53 | 0.00 | 28.30 | -0.90 | -- | 8800 | 10 | ND<6.2 | 910 | 170 | -- | ND<6.2 | |
| 01/14/08 | 57.83 | 29.19 | 0.00 | 28.64 | 0.34 | -- | 8400 | 12 | ND<6.2 | 960 | 88 | -- | ND<6.2 | |
| 09/02/08 | 57.83 | 31.88 | 0.00 | 25.95 | -2.69 | -- | 8300 | 7.7 | ND<5.0 | 850 | 56 | -- | ND<5.0 | |
| 03/13/09 | 57.83 | 27.43 | 0.00 | 30.40 | 4.45 | -- | 9600 | 6.1 | ND<5.0 | 970 | 160 | -- | ND<5.0 | |
| MW-2 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 28.0-48.0) | | | | | | | | | | | | | | |
| 10/03/88 | 58.13 | 36.04 | 0.00 | 22.09 | -- | 1760 | -- | 47.8 | 7.4 | 20.9 | 81.6 | -- | -- | |
| 01/27/89 | 58.13 | 34.77 | 0.00 | 23.36 | 1.27 | 510 | -- | 58 | 8.7 | 22.6 | 20.3 | -- | -- | |
| 02/16/90 | 58.13 | 34.50 | 0.00 | 23.63 | 0.27 | 840 | -- | 50 | 0.5 | 28 | 44 | -- | -- | |
| 05/01/90 | 58.13 | -- | -- | -- | -- | 1000 | -- | 39 | ND | 32 | 52 | -- | -- | |
| 07/19/90 | 58.13 | 35.72 | 0.00 | 22.41 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-2 continued | | | | | | | | | | | | | | |
| 08/24/90 | 58.13 | 36.30 | 0.00 | 21.83 | -0.58 | 330 | -- | 17 | ND | 19 | 20 | -- | -- | |
| 11/30/90 | 58.13 | 37.40 | 0.00 | 20.73 | -1.10 | 400 | -- | 41 | ND | 39 | 37 | -- | -- | |
| 02/07/91 | 58.13 | 37.27 | 0.00 | 20.86 | 0.13 | 510 | -- | 40 | ND | 29 | 44 | -- | -- | |
| 05/06/91 | 58.13 | 33.31 | 0.00 | 24.82 | 3.96 | 2300 | -- | 150 | 10 | 52 | 110 | -- | -- | |
| 09/27/91 | 58.13 | 36.86 | 0.00 | 21.27 | -3.55 | 110 | -- | 2.6 | ND | 5.6 | 5.1 | -- | -- | |
| 12/27/91 | 58.13 | 37.66 | 0.00 | 20.47 | -0.80 | 170 | -- | 3.9 | ND | 7.3 | 60 | -- | -- | |
| 03/31/92 | 58.13 | 37.66 | 0.00 | 20.47 | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 06/18/92 | 58.13 | 31.27 | 0.00 | 26.86 | 6.39 | 1200 | -- | 35 | 1.6 | 56 | 26 | -- | -- | |
| 09/30/92 | 58.13 | -- | -- | -- | -- | 820 | -- | 21 | ND | 42 | 25 | -- | -- | |
| 10/16/92 | 58.13 | 35.87 | 0.00 | 22.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/18/92 | 58.13 | 36.24 | 0.00 | 21.89 | -0.37 | 65 | -- | 1.2 | ND | 2.8 | 1.4 | -- | -- | |
| 03/03/93 | 58.13 | 26.30 | 0.00 | 31.83 | 9.94 | 4200 | -- | 62 | 2.9 | 97 | 120 | -- | -- | |
| 06/25/93 | 58.13 | 28.40 | 0.00 | 29.73 | -2.10 | 4000 | -- | 110 | ND | 320 | 280 | -- | -- | |
| 09/03/93 | 58.13 | 31.10 | 0.00 | 27.03 | -2.70 | 1400 | -- | 31 | 4.3 | 99 | 53 | -- | -- | |
| 12/13/93 | 58.13 | 33.03 | 0.00 | 25.10 | -1.93 | 260 | -- | 7.7 | 0.83 | 17 | 23 | -- | -- | |
| 03/18/94 | 58.13 | 30.34 | 0.00 | 27.79 | 2.69 | 250 | -- | 6.4 | 0.64 | 28 | 24 | -- | -- | |
| 06/23/94 | 58.13 | 31.63 | 0.00 | 26.50 | -1.29 | 420 | -- | 3.9 | 0.66 | 23 | 11 | -- | -- | |
| 09/21/94 | 58.13 | 33.52 | 0.00 | 24.61 | -1.89 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/19/94 | 58.13 | 31.26 | 0.00 | 26.87 | 2.26 | 190 | -- | 1.9 | ND | 15 | 6.8 | -- | -- | |
| 03/27/95 | 58.13 | 23.02 | 0.00 | 35.11 | 8.24 | ND | -- | ND | 0.55 | 1.2 | 2.5 | -- | -- | |
| 06/26/95 | 58.13 | 25.98 | 0.00 | 32.15 | -2.96 | ND | -- | ND | 0.93 | 0.88 | 3.4 | -- | -- | |
| 07/28/95 | 58.13 | 27.26 | 0.00 | 30.87 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 58.13 | 29.77 | 0.00 | 28.36 | -2.51 | 730 | -- | 2.9 | -- | 41 | 29 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-2 continued | | | | | | | | | | | | | | |
| 10/24/95 | 58.13 | 30.56 | 0.00 | 27.57 | -0.79 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 58.13 | 30.25 | 0.00 | 27.88 | 0.31 | 860 | -- | 4.3 | 1 | 27 | 50 | -- | -- | |
| 03/27/96 | 58.13 | 22.30 | 0.00 | 35.83 | 7.95 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/96 | 58.13 | 29.47 | 0.00 | 28.66 | -7.17 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/31/97 | 58.13 | 24.20 | 0.00 | 33.93 | 5.27 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.13 | 31.07 | 0.00 | 27.06 | -6.87 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.13 | 16.73 | 0.00 | 41.40 | 14.34 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.13 | 26.03 | 0.00 | 32.10 | -9.30 | ND | -- | ND | 0.54 | ND | 0.57 | ND | -- | |
| 03/11/99 | 58.13 | 23.46 | 0.00 | 34.67 | 2.57 | ND | -- | ND | 0.59 | ND | 1.1 | ND | -- | |
| 09/08/99 | 58.13 | 28.53 | 0.00 | 29.60 | -5.07 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 58.13 | 21.45 | 0.00 | 36.68 | 7.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 58.13 | 28.02 | 0.00 | 30.11 | -6.57 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 58.13 | 25.41 | 0.00 | 32.72 | 2.61 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 58.13 | 28.74 | 0.00 | 29.39 | -3.33 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 58.13 | 25.45 | 0.00 | 32.68 | 3.29 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 58.13 | 29.36 | 0.00 | 28.77 | -3.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.13 | 26.58 | 0.00 | 31.55 | 2.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 58.13 | 29.34 | 0.00 | 28.79 | -2.76 | -- | ND<50 | ND<0.50 | 0.71 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 58.13 | 25.41 | 0.00 | 32.72 | 3.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.13 | 31.05 | 0.00 | 27.08 | -5.64 | -- | 66 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.13 | 23.25 | 0.00 | 34.88 | 7.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 58.13 | 27.98 | 0.00 | 30.15 | -4.73 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.13 | 21.22 | 0.00 | 36.91 | 6.76 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-2 continued | | | | | | | | | | | | | | |
| 09/08/06 | 58.13 | 26.56 | 0.00 | 31.57 | -5.34 | -- | 56 | ND<0.50 | ND<0.50 | 0.71 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 58.13 | 28.46 | 0.00 | 29.67 | -1.90 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.13 | 29.37 | 0.00 | 28.76 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 58.13 | 28.95 | 0.00 | 29.18 | 0.42 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.13 | 31.72 | 0.00 | 26.41 | -2.77 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 58.13 | 27.26 | 0.00 | 30.87 | 4.46 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-3 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | | | | |
| 10/03/88 | 57.92 | 35.86 | 0.00 | 22.06 | -- | 61000 | -- | 1060 | 3380 | 1520 | 8720 | -- | -- | |
| 01/27/89 | 57.92 | 34.60 | 0.00 | 23.32 | 1.26 | 39000 | -- | 1570 | 2830 | 1250 | 7070 | -- | -- | |
| 02/16/90 | 57.92 | 35.23 | 0.00 | 22.69 | -0.63 | 22000 | -- | 710 | 4100 | 6900 | 33000 | -- | -- | |
| 05/01/90 | 57.92 | -- | -- | -- | -- | 19000 | -- | 330 | 170 | 310 | 1500 | -- | -- | |
| 07/19/90 | 57.92 | 35.50 | 0.00 | 22.42 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 57.92 | 36.08 | 0.00 | 21.84 | -0.58 | 19000 | -- | 480 | 160 | 510 | 1500 | -- | -- | |
| 11/30/90 | 57.92 | 37.17 | 0.00 | 20.75 | -1.09 | 13000 | -- | 390 | 81 | 410 | 1000 | -- | -- | |
| 02/06/91 | 57.92 | 37.07 | 0.00 | 20.85 | 0.10 | 13000 | -- | 310 | 150 | 380 | 1200 | -- | -- | |
| 05/06/91 | 57.92 | 33.11 | 0.00 | 24.81 | 3.96 | 39000 | -- | 1000 | 570 | 930 | 3900 | -- | -- | |
| 09/27/91 | 57.92 | 36.64 | 0.00 | 21.28 | -3.53 | 4000 | -- | 160 | 84 | 180 | 560 | -- | -- | |
| 12/27/91 | 57.92 | 37.46 | 0.00 | 20.46 | -0.82 | 31000 | -- | 240 | 280 | 400 | 1600 | -- | -- | |
| 03/31/92 | 57.92 | 31.10 | 0.00 | 26.82 | 6.36 | 100000 | -- | 1900 | 1900 | 2300 | 9400 | -- | -- | |
| 06/18/92 | 57.92 | 32.83 | 0.00 | 25.09 | -1.73 | 180000 | -- | 2200 | 1700 | 2300 | 1100 | -- | -- | |
| 09/30/92 | 57.92 | -- | -- | -- | -- | 36000 | -- | 730 | 200 | 1000 | 4400 | -- | -- | |
| 10/16/92 | 57.92 | 35.66 | 0.00 | 22.26 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 11/18/92 | 57.92 | 36.04 | 0.00 | 21.88 | -0.38 | 24000 | -- | 430 | 160 | 640 | 2800 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-3 continued | | | | | | | | | | | | | | |
| 03/03/93 | 57.92 | 26.11 | 0.00 | 31.81 | 9.93 | 96000 | -- | 1400 | 1900 | 1400 | 8400 | -- | -- | |
| 06/25/93 | 57.92 | 28.43 | 0.00 | 29.49 | -2.32 | 27000 | -- | 1200 | 980 | 1700 | 6900 | -- | -- | |
| 09/03/93 | 57.92 | 30.88 | 0.00 | 27.04 | -2.45 | 82000 | -- | 2400 | 3400 | 4200 | 21000 | -- | -- | |
| 12/13/93 | 57.92 | 32.82 | 0.00 | 25.10 | -1.94 | 49000 | -- | 1300 | 360 | 2300 | 9200 | -- | -- | |
| 03/18/94 | 57.92 | 30.17 | 0.00 | 27.75 | 2.65 | 22000 | -- | 1200 | 430 | 2200 | 9700 | -- | -- | |
| 06/23/94 | 57.92 | 31.42 | 0.00 | 26.50 | -1.25 | 37000 | -- | 1300 | 670 | 3100 | 14000 | -- | -- | |
| 09/21/94 | 57.92 | 33.30 | 0.00 | 24.62 | -1.88 | 24000 | -- | 890 | 110 | 2200 | 8800 | -- | -- | |
| 12/19/94 | 57.92 | 31.07 | 0.00 | 26.85 | 2.23 | 100000 | -- | 1200 | 2900 | 4200 | 23000 | -- | -- | |
| 03/27/95 | 57.92 | 22.78 | 0.00 | 35.14 | 8.29 | 33000 | -- | 410 | 66 | 1600 | 6500 | -- | -- | |
| 06/26/95 | 57.92 | 25.78 | 0.00 | 32.14 | -3.00 | 14000 | -- | 300 | ND | 1300 | 3900 | -- | -- | |
| 07/28/95 | 57.92 | 27.06 | 0.00 | 30.86 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.92 | 29.57 | 0.00 | 28.35 | -2.51 | 17000 | -- | 730 | 30 | 4000 | 8800 | -- | -- | |
| 10/24/95 | 57.92 | 30.34 | 0.00 | 27.58 | -0.77 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.92 | 29.91 | 0.00 | 28.01 | 0.43 | 55000 | -- | 700 | ND | 4900 | 16000 | -- | -- | |
| 03/27/96 | 57.92 | 21.99 | 0.00 | 35.93 | 7.92 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/96 | 57.92 | 29.15 | 0.00 | 28.77 | -7.16 | 34000 | -- | 140 | ND | 2200 | 6600 | 1800 | -- | |
| 03/31/97 | 57.92 | 23.86 | 0.00 | 34.06 | 5.29 | 17000 | -- | 58 | 110 | 530 | 1500 | ND | -- | |
| 09/27/97 | 57.92 | 30.76 | 0.00 | 27.16 | -6.90 | 11000 | -- | 19 | ND | 850 | 420 | 140 | -- | |
| 03/20/98 | 57.92 | 16.39 | 0.00 | 41.53 | 14.37 | ND | -- | ND | ND | ND | ND | 74 | -- | |
| 09/09/98 | 57.92 | 25.70 | 0.00 | 32.22 | -9.31 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/11/99 | 57.92 | 23.12 | 0.00 | 34.80 | 2.58 | 7300 | -- | ND | ND | 320 | 210 | ND | -- | |
| 09/08/99 | 57.92 | 28.21 | 0.00 | 29.71 | -5.09 | 7900 | -- | ND | ND | ND | 160 | ND | -- | |
| 03/24/00 | 57.92 | 21.12 | 0.00 | 36.80 | 7.09 | 3310 | -- | 5.4 | ND | 101 | 43.3 | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-3 continued | | | | | | | | | | | | | | |
| 09/15/00 | 57.92 | 27.68 | 0.00 | 30.24 | -6.56 | 1540 | -- | ND | ND | 56.4 | ND | ND | 12.6 | |
| 03/16/01 | 57.92 | 25.09 | 0.00 | 32.83 | 2.59 | 678 | -- | 3.14 | 1 | 16.4 | 14.6 | 42.9 | -- | |
| 08/31/01 | 57.92 | 28.53 | 0.00 | 29.39 | -3.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 57.92 | 25.05 | 0.00 | 32.87 | 3.48 | 1500 | -- | ND<2.50 | ND<2.50 | 43 | ND<2.50 | ND<12 | -- | |
| 09/26/02 | 57.92 | 28.98 | 0.00 | 28.94 | -3.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 57.92 | 26.19 | 0.00 | 31.73 | 2.79 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 57.92 | 29.04 | 0.00 | 28.88 | -2.85 | -- | 1300 | ND<0.50 | 0.53 | 19 | ND<1 | -- | 5.9 | |
| 03/11/04 | 57.92 | 25.03 | 0.00 | 32.89 | 4.01 | -- | 130 | ND<0.50 | ND<0.50 | 1.1 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 57.92 | 30.70 | 0.00 | 27.22 | -5.67 | -- | 640 | ND<0.50 | ND<0.50 | 6.5 | ND<1.0 | -- | 1.1 | |
| 03/29/05 | 57.92 | 22.80 | 0.00 | 35.12 | 7.90 | -- | 73 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 57.92 | 27.63 | 0.00 | 30.29 | -4.83 | -- | 160 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | 1.2 | |
| 03/27/06 | 57.92 | 20.83 | 0.00 | 37.09 | 6.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 57.92 | 26.21 | 0.00 | 31.71 | -5.38 | -- | 65 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 57.92 | 28.14 | 0.00 | 29.78 | -1.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 57.92 | 29.03 | 0.00 | 28.89 | -0.89 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 57.92 | 28.64 | 0.00 | 29.28 | 0.39 | -- | 52 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 57.92 | 31.38 | 0.00 | 26.54 | -2.74 | -- | 80 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 57.92 | 26.92 | 0.00 | 31.00 | 4.46 | -- | 88 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-4 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 23.0-48.0) | | | | | | | | | | | | | | |
| 10/03/88 | 58.29 | 36.12 | 0.00 | 22.17 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 01/27/89 | 58.29 | 34.87 | 0.00 | 23.42 | 1.25 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/16/90 | 58.29 | 35.60 | 0.00 | 22.69 | -0.73 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/01/90 | 58.29 | -- | -- | -- | -- | ND | -- | ND | ND | 0.68 | 1.4 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|-----------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|-----------------------|
| | (feet) | (feet) | (feet) | (feet) | (feet) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | |
| MW-4 continued | | | | | | | | | | | | | | |
| 07/19/90 | 58.29 | 35.78 | 0.00 | 22.51 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 58.29 | 36.35 | 0.00 | 21.94 | -0.57 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/30/90 | 58.29 | 37.46 | 0.00 | 20.83 | -1.11 | ND | -- | ND | ND | ND | 1.2 | -- | -- | |
| 02/06/91 | 58.29 | 37.40 | 0.00 | 20.89 | 0.06 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 58.29 | 33.39 | 0.00 | 24.90 | 4.01 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/27/91 | 58.29 | 36.90 | 0.00 | 21.39 | -3.51 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 58.29 | 37.76 | 0.00 | 20.53 | -0.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 58.29 | 31.41 | 0.00 | 26.88 | 6.35 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/18/92 | 58.29 | 33.09 | 0.00 | 25.20 | -1.68 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/16/92 | 58.29 | 35.92 | 0.00 | 22.37 | -2.83 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/18/92 | 58.29 | 36.33 | 0.00 | 21.96 | -0.41 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 58.29 | 26.43 | 0.00 | 31.86 | 9.90 | 68 | -- | 0.9 | 0.6 | ND | 1.9 | -- | -- | |
| 06/25/93 | 58.29 | 28.60 | 0.00 | 29.69 | -2.17 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/03/93 | 58.29 | 31.05 | 0.00 | 27.24 | -2.45 | 86 | -- | 14 | 13 | 1.4 | 7.1 | -- | -- | |
| 12/13/93 | 58.29 | 33.09 | 0.00 | 25.20 | -2.04 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled semi-annually |
| 03/18/94 | 58.29 | 30.42 | 0.00 | 27.87 | 2.67 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/23/94 | 58.29 | 31.95 | 0.00 | 26.34 | -1.53 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 58.29 | 33.86 | 0.00 | 24.43 | -1.91 | ND | -- | ND | 0.78 | ND | 0.81 | -- | -- | |
| 12/19/94 | 58.29 | 31.72 | 0.00 | 26.57 | 2.14 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/95 | 58.29 | 23.44 | 0.00 | 34.85 | 8.28 | ND | -- | ND | 0.79 | 0.51 | 3.1 | -- | -- | |
| 06/26/95 | 58.29 | 26.26 | 0.00 | 32.03 | -2.82 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 58.29 | 27.53 | 0.00 | 30.76 | -1.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 58.29 | 30.05 | 0.00 | 28.24 | -2.52 | ND | -- | ND | ND | ND | ND | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-4 continued | | | | | | | | | | | | | | |
| 10/24/95 | 58.29 | 30.79 | 0.00 | 27.50 | -0.74 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 58.29 | 30.96 | 0.00 | 27.33 | -0.17 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/96 | 58.29 | 22.71 | 0.00 | 35.58 | 8.25 | ND | -- | ND | 0.7 | ND | 0.79 | ND | -- | |
| 09/21/96 | 58.29 | 29.88 | 0.00 | 28.41 | -7.17 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 58.29 | 24.72 | 0.00 | 33.57 | 5.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.29 | 31.68 | 0.00 | 26.61 | -6.96 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.29 | 17.27 | 0.00 | 41.02 | 14.41 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.29 | 26.58 | 0.00 | 31.71 | -9.31 | ND | -- | ND | ND | ND | 0.65 | 3 | -- | |
| 03/11/99 | 58.29 | 24.12 | 0.00 | 34.17 | 2.46 | ND | -- | ND | 0.7 | ND | 1.2 | ND | -- | |
| 09/08/99 | 58.29 | 29.18 | 0.00 | 29.11 | -5.06 | ND | -- | ND | ND | ND | 0.78 | ND | -- | |
| 03/24/00 | 58.29 | 22.08 | 0.00 | 36.21 | 7.10 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 58.29 | 28.63 | 0.00 | 29.66 | -6.55 | ND | -- | ND | 1.36 | ND | 1.46 | ND | -- | |
| 03/16/01 | 58.29 | 26.14 | 0.00 | 32.15 | 2.49 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 58.29 | 29.27 | 0.00 | 29.02 | -3.13 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 58.29 | 26.07 | 0.00 | 32.22 | 3.20 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 58.29 | 29.95 | 0.00 | 28.34 | -3.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.29 | 27.20 | 0.00 | 31.09 | 2.75 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 58.29 | 29.99 | 0.00 | 28.30 | -2.79 | -- | ND<50 | ND<0.50 | 0.58 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 58.29 | 26.07 | 0.00 | 32.22 | 3.92 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.29 | 31.71 | 0.00 | 26.58 | -5.64 | -- | 62 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.29 | 23.93 | 0.00 | 34.36 | 7.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 58.29 | 28.21 | 0.00 | 30.08 | -4.28 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.29 | 21.49 | 0.00 | 36.80 | 6.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-4 continued | | | | | | | | | | | | | | |
| 09/08/06 | 58.29 | 26.81 | 0.00 | 31.48 | -5.32 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 58.29 | 28.79 | 0.00 | 29.50 | -1.98 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.29 | 29.67 | 0.00 | 28.62 | -0.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 58.29 | 29.43 | 0.00 | 28.86 | 0.24 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.29 | 32.07 | 0.00 | 26.22 | -2.64 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 58.29 | 27.70 | 0.00 | 30.59 | 4.37 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-5 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 25.0-45.0) | | | | | | | | | | | | | | |
| 02/16/90 | 58.50 | 35.89 | 0.00 | 22.61 | -- | 67 | -- | 0.51 | 1.6 | 2.9 | 7.5 | -- | -- | |
| 05/01/90 | 58.50 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 07/19/90 | 58.50 | 36.10 | 0.00 | 22.40 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 58.50 | 36.67 | 0.00 | 21.83 | -0.57 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/30/90 | 58.50 | 37.74 | 0.00 | 20.76 | -1.07 | ND | -- | ND | 0.7 | ND | ND | -- | -- | |
| 02/06/91 | 58.50 | 37.62 | 0.00 | 20.88 | 0.12 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 58.50 | 33.67 | 0.00 | 24.83 | 3.95 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/27/91 | 58.50 | 37.23 | 0.00 | 21.27 | -3.56 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 58.50 | 38.02 | 0.00 | 20.48 | -0.79 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 58.50 | 31.62 | 0.00 | 26.88 | 6.40 | ND | -- | ND | ND | ND | 1.1 | -- | -- | |
| 06/18/92 | 58.50 | 33.46 | 0.00 | 25.04 | -1.84 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/16/92 | 58.50 | 36.23 | 0.00 | 22.27 | -2.77 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/18/92 | 58.50 | 36.62 | 0.00 | 21.88 | -0.39 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 58.50 | 26.62 | 0.00 | 31.88 | 10.00 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/25/93 | 58.50 | -- | -- | -- | -- | ND | -- | -- | -- | -- | -- | -- | -- | |
| 09/03/93 | 58.50 | 31.45 | 0.00 | 27.05 | -- | ND | -- | ND | 1.5 | ND | 7.9 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|-----------------------|
| MW-5 continued | | | | | | | | | | | | | | |
| 12/13/93 | 58.50 | 33.39 | 0.00 | 25.11 | -1.94 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled semi-annually |
| 03/18/94 | 58.50 | 30.67 | 0.00 | 27.83 | 2.72 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/23/94 | 58.50 | 32.00 | 0.00 | 26.50 | -1.33 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 58.50 | 33.90 | 0.00 | 24.60 | -1.90 | ND | -- | ND | 0.98 | ND | 1.6 | -- | -- | |
| 12/19/94 | 58.50 | 31.63 | 0.00 | 26.87 | 2.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/95 | 58.50 | 23.44 | 0.00 | 35.06 | 8.19 | ND | -- | ND | 0.66 | ND | 2.9 | -- | -- | |
| 06/26/95 | 58.50 | 26.35 | 0.00 | 32.15 | -2.91 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 58.50 | 27.63 | 0.00 | 30.87 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 58.50 | 30.15 | 0.00 | 28.35 | -2.52 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 58.50 | 30.98 | 0.00 | 27.52 | -0.83 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 58.50 | 30.87 | 0.00 | 27.63 | 0.11 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/96 | 58.50 | 22.75 | 0.00 | 35.75 | 8.12 | ND | -- | ND | 1.7 | ND | 2.4 | ND | -- | |
| 09/21/96 | 58.50 | 29.95 | 0.00 | 28.55 | -7.20 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 58.50 | 24.80 | 0.00 | 33.70 | 5.15 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.50 | 31.65 | 0.00 | 26.85 | -6.85 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.50 | 17.31 | 0.00 | 41.19 | 14.34 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.50 | 26.63 | 0.00 | 31.87 | -9.32 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/11/99 | 58.50 | 24.08 | 0.00 | 34.42 | 2.55 | ND | -- | ND | 0.96 | ND | 1.7 | ND | -- | |
| 09/08/99 | 58.50 | 29.16 | 0.00 | 29.34 | -5.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 58.50 | 22.06 | 0.00 | 36.44 | 7.10 | ND | -- | ND | ND | ND | 0.957 | ND | -- | |
| 09/15/00 | 58.50 | 28.64 | 0.00 | 29.86 | -6.58 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 58.50 | 26.05 | 0.00 | 32.45 | 2.59 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 58.50 | 29.32 | 0.00 | 29.18 | -3.27 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) (µg/l) | TPH-G (GC/MS) (µg/l) | Benzene (µg/l) | Toluene (µg/l) | Ethyl-benzene (µg/l) | Total Xylenes (µg/l) | MTBE (8021B) (µg/l) | MTBE (8260B) (µg/l) | Comments |
|---|---------------|-----------------------|----------------------|-------------------------------|----------------------------|----------------------|----------------------|----------------|----------------|----------------------|----------------------|---------------------|---------------------|----------|
| MW-5 continued | | | | | | | | | | | | | | |
| 03/15/02 | 58.50 | 26.08 | 0.00 | 32.42 | 3.24 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 58.50 | 29.96 | 0.00 | 28.54 | -3.88 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.50 | 27.24 | 0.00 | 31.26 | 2.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 58.50 | 30.04 | 0.00 | 28.46 | -2.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 58.50 | 26.05 | 0.00 | 32.45 | 3.99 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.50 | 31.66 | 0.00 | 26.84 | -5.61 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.50 | 23.94 | 0.00 | 34.56 | 7.72 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | 1.5 | -- | ND<0.50 | |
| 09/12/05 | 58.50 | 28.59 | 0.00 | 29.91 | -4.65 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.50 | 21.59 | 0.00 | 36.91 | 7.00 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 58.50 | 27.15 | 0.00 | 31.35 | -5.56 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 58.50 | 29.08 | 0.00 | 29.42 | -1.93 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.50 | 29.98 | 0.00 | 28.52 | -0.90 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 58.50 | 29.55 | 0.00 | 28.95 | 0.43 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.50 | 32.35 | 0.00 | 26.15 | -2.80 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 58.50 | 27.88 | 0.00 | 30.62 | 4.47 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-6 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 25.0-45-0) | | | | | | | | | | | | | | |
| 02/16/90 | 56.96 | 34.50 | 0.00 | 22.46 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/01/90 | 56.96 | -- | -- | -- | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 07/19/90 | 56.96 | 34.74 | 0.00 | 22.22 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 08/24/90 | 56.96 | 35.32 | 0.00 | 21.64 | -0.58 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/30/90 | 56.96 | 36.38 | 0.00 | 20.58 | -1.06 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 02/06/91 | 56.96 | 36.27 | 0.00 | 20.69 | 0.11 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 56.96 | 32.41 | 0.00 | 24.55 | 3.86 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|-----------------------|
| MW-6 continued | | | | | | | | | | | | | | |
| 09/27/91 | 56.96 | 35.87 | 0.00 | 21.09 | -3.46 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 56.96 | 36.67 | 0.00 | 20.29 | -0.80 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 56.96 | 30.32 | 0.00 | 26.64 | 6.35 | ND | -- | ND | 1.3 | ND | 2 | -- | -- | |
| 06/18/92 | 56.96 | 32.18 | 0.00 | 24.78 | -1.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/16/92 | 56.96 | 34.92 | 0.00 | 22.04 | -2.74 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/18/92 | 56.96 | 35.28 | 0.00 | 21.68 | -0.36 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 56.96 | 25.43 | 0.00 | 31.53 | 9.85 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/25/93 | 56.96 | 27.86 | 0.00 | 29.10 | -2.43 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/03/93 | 56.96 | 30.25 | 0.00 | 26.71 | -2.39 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/13/93 | 56.96 | 32.14 | 0.00 | 24.82 | -1.89 | -- | -- | -- | -- | -- | -- | -- | -- | Sampled semi-annually |
| 03/18/94 | 56.96 | 29.46 | 0.00 | 27.50 | 2.68 | ND | -- | ND | 0.93 | ND | 1.4 | -- | -- | |
| 06/23/94 | 56.96 | 30.76 | 0.00 | 26.20 | -1.30 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 56.96 | 32.62 | 0.00 | 24.34 | -1.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/19/94 | 56.96 | 30.32 | 0.00 | 26.64 | 2.30 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/95 | 56.96 | 22.10 | 0.00 | 34.86 | 8.22 | 56 | -- | ND | 0.65 | ND | 3.3 | -- | -- | |
| 06/26/95 | 56.96 | 25.20 | 0.00 | 31.76 | -3.10 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 56.96 | 26.48 | 0.00 | 30.48 | -1.28 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 56.96 | 28.92 | 0.00 | 28.04 | -2.44 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 56.96 | 29.73 | 0.00 | 27.23 | -0.81 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 56.96 | 29.62 | 0.00 | 27.34 | 0.11 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/96 | 56.96 | 21.59 | 0.00 | 35.37 | 8.03 | 50 | -- | ND | 0.92 | ND | 0.96 | ND | -- | |
| 09/21/96 | 56.96 | 28.72 | 0.00 | 28.24 | -7.13 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 56.96 | 23.72 | 0.00 | 33.24 | 5.00 | 73 | -- | 0.67 | 0.82 | ND | ND | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-6 continued | | | | | | | | | | | | | | |
| 09/27/97 | 56.96 | 30.52 | 0.00 | 26.44 | -6.80 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 56.96 | 16.35 | 0.00 | 40.61 | 14.17 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 56.96 | 25.53 | 0.00 | 31.43 | -9.18 | ND | -- | ND | 0.64 | ND | 0.65 | 3.3 | -- | |
| 03/11/99 | 56.96 | 22.85 | 0.00 | 34.11 | 2.68 | ND | -- | ND | 0.71 | ND | 1.4 | ND | -- | |
| 09/08/99 | 56.96 | 28.01 | 0.00 | 28.95 | -5.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 56.96 | 20.93 | 0.00 | 36.03 | 7.08 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 56.96 | 27.51 | 0.00 | 29.45 | -6.58 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 56.96 | 24.87 | 0.00 | 32.09 | 2.64 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 56.96 | 28.20 | 0.00 | 28.76 | -3.33 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 56.96 | 24.82 | 0.00 | 32.14 | 3.38 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 56.96 | 28.72 | 0.00 | 28.24 | -3.90 | -- | 84 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 56.96 | 26.00 | 0.00 | 30.96 | 2.72 | -- | 52 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 56.96 | 28.78 | 0.00 | 28.18 | -2.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 56.96 | 24.78 | 0.00 | 32.18 | 4.00 | -- | 69 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 56.96 | 30.42 | 0.00 | 26.54 | -5.64 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 56.96 | 25.66 | 0.00 | 31.30 | 4.76 | -- | 170 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 56.96 | 27.41 | 0.00 | 29.55 | -1.75 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 56.96 | 21.42 | 0.00 | 35.54 | 5.99 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 56.96 | 26.02 | 0.00 | 30.94 | -4.60 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 56.96 | 27.91 | 0.00 | 29.05 | -1.89 | -- | 87 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 56.96 | 28.78 | 0.00 | 28.18 | -0.87 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 56.96 | 28.26 | 0.00 | 28.70 | 0.52 | -- | 140 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 56.96 | 31.10 | 0.00 | 25.86 | -2.84 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-6 continued | | | | | | | | | | | | | | |
| 03/13/09 | 56.96 | 26.63 | 0.00 | 30.33 | 4.47 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-7 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | | | | |
| 02/16/90 | 57.25 | 35.75 | 0.00 | 21.50 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/01/90 | 57.25 | -- | -- | -- | -- | 24 | -- | ND | ND | 0.74 | 1.7 | -- | -- | |
| 07/19/90 | 57.25 | 35.03 | 0.00 | 22.22 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 57.25 | 35.64 | 0.00 | 21.61 | -0.61 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/30/90 | 57.25 | 36.68 | 0.00 | 20.57 | -1.04 | ND | -- | ND | ND | 0.6 | 1.5 | -- | -- | |
| 02/06/91 | 57.25 | 36.55 | 0.00 | 20.70 | 0.13 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 05/06/91 | 57.25 | 32.69 | 0.00 | 24.56 | 3.86 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/27/91 | 57.25 | 36.18 | 0.00 | 21.07 | -3.49 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/27/91 | 57.25 | 36.96 | 0.00 | 20.29 | -0.78 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 03/31/92 | 57.25 | 30.56 | 0.00 | 26.69 | 6.40 | ND | -- | ND | ND | ND | 0.9 | -- | -- | |
| 06/18/92 | 57.25 | 32.52 | 0.00 | 24.73 | -1.96 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/16/92 | 57.25 | 35.24 | 0.00 | 22.01 | -2.72 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 11/18/92 | 57.25 | 35.59 | 0.00 | 21.66 | -0.35 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/03/93 | 57.25 | 25.66 | 0.00 | 31.59 | 9.93 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/25/93 | 57.25 | 28.25 | 0.00 | 29.00 | -2.59 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/03/93 | 57.25 | 30.60 | 0.00 | 26.65 | -2.35 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/13/93 | 57.25 | 32.45 | 0.00 | 24.80 | -1.85 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/18/94 | 57.25 | 29.76 | 0.00 | 27.49 | 2.69 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 06/23/94 | 57.25 | 31.10 | 0.00 | 26.15 | -1.34 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/21/94 | 57.25 | 32.96 | 0.00 | 24.29 | -1.86 | ND | -- | 0.5 | ND | ND | 0.89 | -- | -- | |
| 12/19/94 | 57.25 | 30.60 | 0.00 | 26.65 | 2.36 | -- | -- | -- | -- | -- | -- | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-7 continued | | | | | | | | | | | | | | |
| 03/27/95 | 57.25 | 22.43 | 0.00 | 34.82 | 8.17 | ND | -- | ND | 0.54 | ND | 1.9 | -- | -- | |
| 06/26/95 | 57.25 | 25.55 | 0.00 | 31.70 | -3.12 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 07/28/95 | 57.25 | 26.84 | 0.00 | 30.41 | -1.29 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.25 | 29.29 | 0.00 | 27.96 | -2.45 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 57.25 | 30.05 | 0.00 | 27.20 | -0.76 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.25 | 29.91 | 0.00 | 27.34 | 0.14 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 03/27/96 | 57.25 | 21.94 | 0.00 | 35.31 | 7.97 | ND | -- | ND | 1.1 | ND | 1.7 | ND | -- | |
| 09/21/96 | 57.25 | 29.07 | 0.00 | 28.18 | -7.13 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 57.25 | 24.02 | 0.00 | 33.23 | 5.05 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 57.25 | 30.84 | 0.00 | 26.41 | -6.82 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 57.25 | 16.68 | 0.00 | 40.57 | 14.16 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 57.25 | 25.89 | 0.00 | 31.36 | -9.21 | ND | -- | ND | ND | ND | ND | 4.1 | -- | |
| 03/11/99 | 57.25 | 23.16 | 0.00 | 34.09 | 2.73 | ND | -- | ND | 0.91 | ND | 1.6 | 5.7 | -- | |
| 09/08/99 | 57.25 | 28.32 | 0.00 | 28.93 | -5.16 | ND | -- | ND | ND | ND | ND | 2.7 | -- | |
| 03/24/00 | 57.25 | 21.23 | 0.00 | 36.02 | 7.09 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 57.25 | 27.83 | 0.00 | 29.42 | -6.60 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 57.25 | 25.15 | 0.00 | 32.10 | 2.68 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 57.25 | 28.49 | 0.00 | 28.76 | -3.34 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 03/15/02 | 57.25 | 24.96 | 0.00 | 32.29 | 3.53 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.50 | -- | |
| 09/26/02 | 57.25 | 29.09 | 0.00 | 28.16 | -4.13 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 57.25 | 26.33 | 0.00 | 30.92 | 2.76 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/03/03 | 57.25 | 29.14 | 0.00 | 28.11 | -2.81 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1 | -- | ND<2 | |
| 03/11/04 | 57.25 | 25.09 | 0.00 | 32.16 | 4.05 | -- | 72 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-7 continued | | | | | | | | | | | | | | |
| 09/24/04 | 57.25 | 30.73 | 0.00 | 26.52 | -5.64 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 57.25 | 23.00 | 0.00 | 34.25 | 7.73 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 57.25 | 27.71 | 0.00 | 29.54 | -4.71 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 57.25 | 21.28 | 0.00 | 35.97 | 6.43 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 57.25 | 26.35 | 0.00 | 30.90 | -5.07 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 57.25 | 28.19 | 0.00 | 29.06 | -1.84 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 57.25 | 29.10 | 0.00 | 28.15 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 57.25 | 28.51 | 0.00 | 28.74 | 0.59 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 57.25 | 31.40 | 0.00 | 25.85 | -2.89 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 57.25 | 26.89 | 0.00 | 30.36 | 4.51 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-8 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 24.0-44.0) | | | | | | | | | | | | | | |
| 02/16/90 | 57.71 | 35.10 | 0.00 | 22.61 | -- | 1900 | -- | 11 | ND | 52 | 55 | -- | -- | |
| 05/01/90 | 57.71 | -- | -- | -- | -- | 770 | -- | 6.5 | ND | 20 | 32 | -- | -- | |
| 07/19/90 | 57.71 | 35.41 | 0.00 | 22.30 | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 08/24/90 | 57.71 | 36.00 | 0.00 | 21.71 | -0.59 | 990 | -- | 13 | ND | 48 | 66 | -- | -- | |
| 11/30/90 | 57.71 | 37.08 | 0.00 | 20.63 | -1.08 | 570 | -- | 13 | ND | 45 | 36 | -- | -- | |
| 02/06/91 | 57.71 | 36.92 | 0.00 | 20.79 | 0.16 | 630 | -- | 9.6 | ND | 35 | 36 | -- | -- | |
| 05/06/91 | 57.71 | 33.03 | 0.00 | 24.68 | 3.89 | 14000 | -- | 80 | ND | 250 | 550 | -- | -- | |
| 09/27/91 | 57.71 | 36.55 | 0.00 | 21.16 | -3.52 | 720 | -- | 13 | 4.3 | 26 | 26 | -- | -- | |
| 12/27/91 | 57.71 | 37.34 | 0.00 | 20.37 | -0.79 | 1600 | -- | 15 | 2.9 | 40 | 49 | -- | -- | |
| 03/31/92 | 57.71 | 31.93 | 0.00 | 25.78 | 5.41 | 15000 | -- | 120 | 1 | 430 | 530 | -- | -- | |
| 06/18/92 | 57.71 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/16/92 | 57.71 | 35.58 | 0.00 | 22.13 | -- | 300 | -- | 0.96 | ND | 4 | 3.5 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-8 continued | | | | | | | | | | | | | | |
| 11/18/92 | 57.71 | 35.94 | 0.00 | 21.77 | -0.36 | 1100 | -- | 6.1 | ND | 13 | 5.6 | -- | -- | |
| 03/03/93 | 57.71 | 26.00 | 0.00 | 31.71 | 9.94 | 13000 | -- | 33 | ND | 160 | 290 | -- | -- | |
| 06/25/93 | 57.71 | 28.27 | 0.00 | 29.44 | -2.27 | 8100 | -- | 160 | ND | 580 | 740 | -- | -- | |
| 09/03/93 | 57.71 | 30.90 | 0.00 | 26.81 | -2.63 | 9800 | -- | 180 | ND | 580 | 700 | -- | -- | |
| 12/13/93 | 57.71 | 32.75 | 0.00 | 24.96 | -1.85 | 6900 | -- | 180 | ND | 240 | 550 | -- | -- | |
| 03/18/94 | 57.71 | 30.12 | 0.00 | 27.59 | 2.63 | 6100 | -- | 85 | ND | 260 | 260 | -- | -- | |
| 06/23/94 | 57.71 | 31.40 | 0.00 | 26.31 | -1.28 | 12000 | -- | 210 | ND | 610 | 860 | -- | -- | |
| 09/21/94 | 57.71 | 33.30 | 0.00 | 24.41 | -1.90 | 6900 | -- | 190 | ND | 460 | 510 | -- | -- | |
| 12/19/94 | 57.71 | 30.95 | 0.00 | 26.76 | 2.35 | 6200 | -- | 91 | ND | 230 | 210 | -- | -- | |
| 03/27/95 | 57.71 | 22.78 | 0.00 | 34.93 | 8.17 | 9200 | -- | 240 | ND | 200 | 1400 | -- | -- | |
| 06/26/95 | 57.71 | 24.83 | 0.00 | 32.88 | -2.05 | 11000 | -- | 320 | ND | 680 | 2000 | -- | -- | |
| 07/28/95 | 57.71 | 27.10 | 0.00 | 30.61 | -2.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 57.71 | 29.58 | 0.00 | 28.13 | -2.48 | 10000 | -- | 250 | ND | 760 | 910 | -- | -- | |
| 10/24/95 | 57.71 | 30.40 | 0.00 | 27.31 | -0.82 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 57.71 | 30.25 | 0.00 | 27.46 | 0.15 | 7500 | -- | 260 | ND | 580 | 870 | -- | -- | |
| 03/27/96 | 57.71 | 22.20 | 0.00 | 35.51 | 8.05 | 970 | -- | 29 | 0.77 | 82 | 85 | ND | -- | |
| 09/21/96 | 57.71 | 29.34 | 0.00 | 28.37 | -7.14 | 3800 | -- | 27 | ND | 46 | 45 | ND | -- | |
| 03/31/97 | 57.71 | 24.35 | 0.00 | 33.36 | 4.99 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 57.71 | 31.15 | 0.00 | 26.56 | -6.80 | 78 | -- | 0.9 | ND | 12 | ND | ND | -- | |
| 03/20/98 | 57.71 | 16.84 | 0.00 | 40.87 | 14.31 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 57.71 | 26.14 | 0.00 | 31.57 | -9.30 | 910 | -- | ND | 49 | 12 | 2.2 | 1.5 | -- | |
| 03/11/99 | 57.71 | 23.48 | 0.00 | 34.23 | 2.66 | 4700 | -- | 9.6 | ND | 280 | 95 | ND | -- | |
| 09/08/99 | 57.71 | 28.60 | 0.00 | 29.11 | -5.12 | 1900 | -- | ND | ND | 36 | ND | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethylbenzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|--------------|
| MW-8 continued | | | | | | | | | | | | | | |
| 03/24/00 | 57.71 | 21.49 | 0.00 | 36.22 | 7.11 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 57.71 | 28.09 | 0.00 | 29.62 | -6.60 | 533 | -- | 2.23 | ND | 6.27 | 0.684 | ND | -- | |
| 03/16/01 | 57.71 | 25.43 | 0.00 | 32.28 | 2.66 | 1000 | -- | ND | ND | 17.8 | 44.5 | ND | -- | |
| 08/31/01 | 57.71 | 28.89 | 0.00 | 28.82 | -3.46 | 6500 | -- | 8.6 | 7.4 | 420 | 1900 | ND<25 | -- | |
| 03/15/02 | 57.71 | 25.45 | 0.00 | 32.26 | 3.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 09/26/02 | 57.71 | 29.37 | 0.00 | 28.34 | -3.92 | -- | 290 | ND<0.50 | ND<0.50 | 0.65 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 57.71 | 26.65 | 0.00 | 31.06 | 2.72 | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 09/03/03 | 57.71 | 29.46 | 0.00 | 28.25 | -2.81 | -- | 450 | ND<0.50 | 0.69 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/11/04 | 57.71 | 25.42 | 0.00 | 32.29 | 4.04 | -- | 950 | ND<0.50 | ND<0.50 | 15 | 1.4 | -- | ND<2.0 | |
| 09/24/04 | 57.71 | 31.08 | 0.00 | 26.63 | -5.66 | -- | 230 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 57.71 | 23.30 | 0.00 | 34.41 | 7.78 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 57.71 | 28.07 | 0.00 | 29.64 | -4.77 | -- | 160 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 57.71 | 21.28 | 0.00 | 36.43 | 6.79 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 57.71 | 26.61 | 0.00 | 31.10 | -5.33 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 57.71 | 28.48 | 0.00 | 29.23 | -1.87 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 57.71 | 29.39 | 0.00 | 28.32 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 57.71 | 28.85 | 0.00 | 28.86 | 0.54 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 57.71 | 31.72 | 0.00 | 25.99 | -2.87 | -- | 85 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 57.71 | 27.21 | 0.00 | 30.50 | 4.51 | -- | 130 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-9 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 20.0-45.0) | | | | | | | | | | | | | | |
| 12/19/94 | 56.47 | 29.71 | 0.00 | 26.76 | -- | ND | -- | ND | 1.6 | 1.5 | 8.4 | -- | -- | |
| 03/27/95 | 56.47 | 21.48 | 0.00 | 34.99 | 8.23 | ND | -- | ND | 0.61 | ND | 2.8 | -- | -- | |
| 06/26/95 | 56.47 | 24.50 | 0.00 | 31.97 | -3.02 | ND | -- | ND | ND | ND | 3.9 | -- | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|-----------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-9 continued | | | | | | | | | | | | | | |
| 07/28/95 | 56.47 | 25.77 | 0.00 | 30.70 | -1.27 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/28/95 | 56.47 | 28.23 | 0.00 | 28.24 | -2.46 | ND | -- | ND | ND | ND | ND | -- | -- | |
| 10/24/95 | 56.47 | 29.21 | 0.00 | 27.26 | -0.98 | -- | -- | -- | -- | -- | -- | -- | -- | |
| 12/29/95 | 56.47 | 29.02 | 0.00 | 27.45 | 0.19 | ND | -- | ND | 0.58 | ND | 0.52 | ND | -- | |
| 03/27/96 | 56.47 | 20.91 | 0.00 | 35.56 | 8.11 | ND | -- | ND | 0.68 | ND | 0.51 | ND | -- | |
| 09/21/96 | 56.47 | 28.05 | 0.00 | 28.42 | -7.14 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 56.47 | 23.48 | 0.00 | 32.99 | 4.57 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 56.47 | 30.38 | 0.00 | 26.09 | -6.90 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 56.47 | 15.60 | 0.00 | 40.87 | 14.78 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 56.47 | 24.85 | 0.00 | 31.62 | -9.25 | ND | -- | 0.69 | ND | ND | 0.61 | ND | -- | |
| 03/11/99 | 56.47 | 22.23 | 0.00 | 34.24 | 2.62 | ND | -- | ND | ND | ND | 0.76 | ND | -- | |
| 09/08/99 | 56.47 | 27.34 | 0.00 | 29.13 | -5.11 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 56.47 | 20.27 | 0.00 | 36.20 | 7.07 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 56.47 | 26.84 | 0.00 | 29.63 | -6.57 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/16/01 | 56.47 | 24.24 | 0.00 | 32.23 | 2.60 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 08/31/01 | 56.47 | 27.43 | 0.00 | 29.04 | -3.19 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 03/15/02 | 56.47 | 24.79 | 0.00 | 31.68 | 2.64 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- | |
| 09/26/02 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible | |
| 03/16/03 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible | |
| 09/03/03 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible | |
| 03/11/04 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Covered with asphalt | |
| 09/24/04 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Covered with asphalt | |
| 03/29/05 | 56.47 | 21.92 | 0.00 | 34.55 | -- | -- | 91 | ND<0.50 | ND<0.50 | 1.3 | ND<1.0 | -- | ND<0.50 | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water (feet) | LPH Thickness (feet) | Ground-water Elevation (feet) | Change in Elevation (feet) | TPH-G (8015M) ($\mu\text{g/l}$) | TPH-G (GC/MS) ($\mu\text{g/l}$) | Benzene ($\mu\text{g/l}$) | Toluene ($\mu\text{g/l}$) | Ethyl-benzene ($\mu\text{g/l}$) | Total Xylenes ($\mu\text{g/l}$) | MTBE (8021B) ($\mu\text{g/l}$) | MTBE (8260B) ($\mu\text{g/l}$) | Comments |
|--------------------------------------|---------------|-----------------------|----------------------|-------------------------------|----------------------------|-----------------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------------|----------|
| MW-9 continued | | | | | | | | | | | | | | |
| 09/12/05 | 56.47 | 26.73 | 0.00 | 29.74 | -4.81 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 56.47 | 20.75 | 0.00 | 35.72 | 5.98 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 56.47 | 25.33 | 0.00 | 31.14 | -4.58 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 56.47 | 27.27 | 0.00 | 29.20 | -1.94 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 56.47 | 28.13 | 0.00 | 28.34 | -0.86 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 56.47 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 09/02/08 | 56.47 | 30.47 | 0.00 | 26.00 | -- | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 56.47 | 26.05 | 0.00 | 30.42 | 4.42 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| MW-10 | | | | | | | | | | | | | | |
| (Screen Interval in feet: 20.0-45.0) | | | | | | | | | | | | | | |
| 07/28/95 | 58.94 | 25.53 | 0.00 | 33.41 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 09/28/95 | 58.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | |
| 10/24/95 | 58.94 | 31.76 | 0.00 | 27.18 | -- | ND | -- | ND | ND | ND | ND | -- | -- | |
| 12/29/95 | 58.94 | 31.55 | 0.00 | 27.39 | 0.21 | ND | -- | ND | 0.65 | ND | 1.1 | -- | -- | |
| 03/27/96 | 58.94 | 23.62 | 0.00 | 35.32 | 7.93 | ND | -- | ND | 0.68 | ND | 0.69 | ND | -- | |
| 09/21/96 | 58.94 | 30.77 | 0.00 | 28.17 | -7.15 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/31/97 | 58.94 | 26.05 | 0.00 | 32.89 | 4.72 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/27/97 | 58.94 | 32.80 | 0.00 | 26.14 | -6.75 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/20/98 | 58.94 | 18.13 | 0.00 | 40.81 | 14.67 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/09/98 | 58.94 | 27.54 | 0.00 | 31.40 | -9.41 | ND | -- | ND | 0.55 | ND | ND | ND | -- | |
| 03/11/99 | 58.94 | 24.85 | 0.00 | 34.09 | 2.69 | ND | -- | ND | 0.61 | ND | 0.87 | ND | -- | |
| 09/08/99 | 58.94 | 29.97 | 0.00 | 28.97 | -5.12 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 03/24/00 | 58.94 | 22.90 | 0.00 | 36.04 | 7.07 | ND | -- | ND | ND | ND | ND | ND | -- | |
| 09/15/00 | 58.94 | 29.48 | 0.00 | 29.46 | -6.58 | ND | -- | ND | ND | ND | ND | ND | -- | |

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
September 1987 Through March 2009
76 Station 5367

| Date Sampled | TOC Elevation | Depth to Water | LPH Thickness | Ground-water Elevation | Change in Elevation | TPH-G (8015M) | TPH-G (GC/MS) | Benzene | Toluene | Ethyl-benzene | Total Xylenes | MTBE (8021B) | MTBE (8260B) | Comments |
|------------------------|---------------|----------------|---------------|------------------------|---------------------|---------------|---------------|---------|---------|---------------|---------------|--------------|--------------|--------------|
| | (feet) | (feet) | (feet) | (feet) | (feet) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | (µg/l) | |
| MW-10 continued | | | | | | | | | | | | | | |
| 03/16/01 | 58.94 | 26.80 | 0.00 | 32.14 | 2.68 | ND | -- | ND | ND | ND | ND | ND | ND | -- |
| 08/31/01 | 58.94 | 30.05 | 0.00 | 28.89 | -3.25 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- |
| 03/15/02 | 58.94 | 26.61 | 0.00 | 32.33 | 3.44 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<2.5 | -- |
| 09/26/02 | 58.94 | 30.68 | 0.00 | 28.26 | -4.07 | ND<50 | -- | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 03/16/03 | 58.94 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Inaccessible |
| 09/03/03 | 58.94 | 38.87 | 0.00 | 20.07 | -- | -- | ND<50 | ND<0.50 | 1.8 | ND<0.50 | ND<1.0 | -- | ND<2 | |
| 03/11/04 | 58.94 | 26.80 | 0.00 | 32.14 | 12.07 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<2.0 | |
| 09/24/04 | 58.94 | 32.42 | 0.00 | 26.52 | -5.62 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/29/05 | 58.94 | 24.11 | 0.00 | 34.83 | 8.31 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/12/05 | 58.94 | 29.43 | 0.00 | 29.51 | -5.32 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/27/06 | 58.94 | 22.72 | 0.00 | 36.22 | 6.71 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/08/06 | 58.94 | 28.02 | 0.00 | 30.92 | -5.30 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/29/07 | 58.94 | 29.85 | 0.00 | 29.09 | -1.83 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 07/02/07 | 58.94 | 30.76 | 0.00 | 28.18 | -0.91 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<0.50 | -- | ND<0.50 | |
| 01/14/08 | 58.94 | 30.11 | 0.00 | 28.83 | 0.65 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 09/02/08 | 58.94 | 33.07 | 0.00 | 25.87 | -2.96 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |
| 03/13/09 | 58.94 | 28.52 | 0.00 | 30.42 | 4.55 | -- | ND<50 | ND<0.50 | ND<0.50 | ND<0.50 | ND<1.0 | -- | ND<0.50 | |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

| Date Sampled | | | | | | | | Post-purge Dissolved | Pre-purge Dissolved |
|-----------------|----------------------------|---|---|---|-----------------------------|-----------------------------|-----------------------------|--------------------------|-----------------------------|
| | TBA ($\mu\text{g/l}$) | Ethanol (8260B) ($\mu\text{g/l}$) | Ethylenedibromide (EDB) ($\mu\text{g/l}$) | 1,2-DCA (EDC) ($\mu\text{g/l}$) | DIPE ($\mu\text{g/l}$) | ETBE ($\mu\text{g/l}$) | TAME ($\mu\text{g/l}$) | TDS (mg/l) | Oxygen (mg/l) |
| MW-1 | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.50 |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.60 |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.22 |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.74 |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 1.02 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 1.01 |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 1.49 |
| 03/16/03 | ND<50000 | ND<250000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | ND<1000 | -- | -- |
| MW-2 | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | 410 | 1.70 |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.55 |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 3.00 |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 8.71 |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.12 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- |
| MW-3 | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | 450 | 0.90 |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.55 |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.63 |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 6.97 |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.06 |
| 09/15/00 | ND<100 | ND<1000 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- |
| MW-4 | | | | | | | | | |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

| Date Sampled | TBA ($\mu\text{g/l}$) | Ethanol (8260B) ($\mu\text{g/l}$) | Ethylene- dibromide (EDB) ($\mu\text{g/l}$) | 1,2-DCA (EDC) ($\mu\text{g/l}$) | DIPE ($\mu\text{g/l}$) | ETBE ($\mu\text{g/l}$) | TAME ($\mu\text{g/l}$) | TDS (mg/l) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|-----------------------|----------------------------|---|--|---|-----------------------------|-----------------------------|-----------------------------|---------------|---|--|
| MW-4 continued | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.90 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 6.29 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 3.91 | 4.32 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 2.82 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.63 | 2.66 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- |
| MW-5 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.20 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.96 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.71 | 4.03 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.12 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 3.11 | 2.98 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- |
| MW-6 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 7.40 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.19 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.96 | 5.94 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 3.74 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 3.11 | 3.21 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- |
| MW-7 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 8.40 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 2.04 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 5.23 | 6.63 |


Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

| Date Sampled | TBA ($\mu\text{g/l}$) | Ethanol (8260B) ($\mu\text{g/l}$) | Ethylene- dibromide (EDB) ($\mu\text{g/l}$) | 1,2-DCA (EDC) ($\mu\text{g/l}$) | DIPE ($\mu\text{g/l}$) | ETBE ($\mu\text{g/l}$) | TAME ($\mu\text{g/l}$) | TDS (mg/l) | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|-----------------------|----------------------------|---|--|---|-----------------------------|-----------------------------|-----------------------------|---------------|--|---|
| MW-7 continued | | | | | | | | | | |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 1.19 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.16 | 2.29 |
| 03/16/03 | ND<100 | ND<500 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | ND<2.0 | -- | -- | -- |
| MW-8 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | 490 | 2.20 | -- |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 3.86 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 1.85 | -- |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 2.03 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 9.76 | 11.73 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 2.16 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 2.91 | 2.81 |
| 09/27/97 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 3.11 |
| 03/20/98 | -- | -- | -- | -- | -- | -- | -- | -- | 2.65 | -- |
| MW-9 | | | | | | | | | | |
| 03/27/95 | -- | -- | -- | -- | -- | -- | -- | -- | 7.8 | -- |
| 06/26/95 | -- | -- | -- | -- | -- | -- | -- | -- | 4.61 | -- |
| 09/28/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.76 | -- |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.32 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 5.23 | 5.62 |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.13 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | -- | 3.27 | 3.36 |
| MW-10 | | | | | | | | | | |
| 12/29/95 | -- | -- | -- | -- | -- | -- | -- | -- | 5.11 | -- |
| 03/27/96 | -- | -- | -- | -- | -- | -- | -- | -- | 4.57 | 4.38 |

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 5367

| Date Sampled | TBA (µg/l) | Ethanol (8260B) (µg/l) | Ethylene- dibromide (EDB) (µg/l) | 1,2-DCA | | | | Post-purge Dissolved Oxygen (mg/l) | Pre-purge Dissolved Oxygen (mg/l) |
|------------------------|---------------|------------------------------|---|----------------|----------------|----------------|---------------|---|--|
| | | | | DIPE (µg/l) | ETBE (µg/l) | TAME (µg/l) | TDS (mg/l) | | |
| MW-10 continued | | | | | | | | | |
| 09/21/96 | -- | -- | -- | -- | -- | -- | -- | 5.38 | -- |
| 03/31/97 | -- | -- | -- | -- | -- | -- | -- | 4.83 | 4.48 |

FIGURES



0 1/4 1/2 3/4 1 MILE

SCALE 1:24,000

N

SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
San Leandro Quadrangle



FACILITY:

76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA

VICINITY MAP




FIGURE 1

LEGEND

MW-10 Monitoring Well with
Groundwater Elevation (feet)

30.80 — Groundwater Elevation
Contour

General Direction of
Groundwater Flow

NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells. Elevations are in feet above mean sea level. * = not included in groundwater contour interpretation. UST = underground storage tank



PROJECT: 165521
FACILITY:
76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA



GROUNDWATER ELEVATION
CONTOUR MAP
March 13, 2009

FIGURE 2

LEGEND

MW-10 - Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)

— 1,000 — Dissolved-Phase TPH-G (GC/MS) Contour ($\mu\text{g/l}$)



SCALE (FEET)

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.

TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B.

$\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.



PROJECT: 165521

FACILITY:
76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA


DISSOLVED-PHASE TPH-G (GC/MS)
CONCENTRATION MAP
March 13, 2009

FIGURE 3

LEGEND

MW-10 Monitoring Well with
Dissolved-Phase Benzene
Concentration ($\mu\text{g/l}$)

1.0 Dissolved-Phase Benzene
Contour ($\mu\text{g/l}$)



SCALE (FEET)
0 80

NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples.
 $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank.





| |
|--|
| PROJECT: 165521 |
| FACILITY: 76 STATION 5367 500 BANCROFT AVENUE SAN LEANDRO, CALIFORNIA |

DISSOLVED-PHASE BENZENE CONCENTRATION MAP
March 13, 2009

FIGURE 4

LEGEND

MW-10 Monitoring Well with
Dissolved-Phase MTBE
Concentration ($\mu\text{g/l}$)



SCALE (FEET)

NOTES:

MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. UST = underground storage tank. Results obtained using EPA Method 8260B.



PROJECT: 165521


FACILITY:
76 STATION 5367
500 BANCROFT AVENUE
SAN LEANDRO, CALIFORNIA

**DISSOLVED-PHASE MTBE
CONCENTRATION MAP**
March 13, 2009

FIGURE 5


GRAPHS

Groundwater Elevations vs. Time
76 Station 5367




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time 76 Station 5367




Elevations may have been corrected for apparent changes due to resurvey

Groundwater Elevations vs. Time
76 Station 5367




Elevations may have been corrected for apparent changes due to resurvey

Benzene Concentrations vs Time
76 Station 5367



Benzene Concentrations vs Time

76 Station 5367



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, $\frac{1}{2}$ -inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

FIELD MONITORING DATA SHEET

Technician: JOE

Job #/Task #: 165521/FA20

Date: 03-13-09

Site # 6367

Project Manager A. Collins

Page / of /

FIELD DATA COMPLETE

QA/QC

200

WELL BOX CONDITION SHEETS

MANIFEST

DRUM INVENTORY

TRAFFIC CONTROL

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No.: 165521

Date: 03-13-09

Well No. MW-3

Depth to Water (feet): 26.92

Total Depth (feet) 47.89

Water Column (feet): 20.97

80% Recharge Depth(feet): 31.11

Purge Method: Sub

Depth to Product (feet): _____

LPH & Water Recovered (gallons): _____

Casing Diameter (Inches): 7 1/2 4"

1 Well Volume (gallons): 15

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| <u>0908</u> | | | <u>15</u> | <u>580.9</u> | <u>18.0</u> | <u>6.95</u> | | | |
| <u>0935</u> | | | <u>30</u> | <u>621.5</u> | <u>18.0</u> | <u>6.78</u> | | | |
| | <u>0924</u> | | <u>45</u> | <u>643.2</u> | <u>18.2</u> | <u>6.74</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>27.24</u> | | | <u>45</u> | | | <u>0930</u> | | | |
| Comments: | | | | | | | | | |

Well No. MW-4

Depth to Water (feet): 27.70

Total Depth (feet) 48.20

Water Column (feet): 20.50

80% Recharge Depth(feet): 31.80

Purge Method: Sub

Depth to Product (feet): _____

LPH & Water Recovered (gallons): _____

Casing Diameter (Inches): 4"

1 Well Volume (gallons): 14

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-------------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| <u>0935</u> | | | <u>14</u> | <u>586.9</u> | <u>18.0</u> | <u>6.64</u> | | | |
| | | | <u>28</u> | <u>585.2</u> | <u>17.3</u> | <u>6.92</u> | | | |
| | <u>0951</u> | | <u>42</u> | <u>585.4</u> | <u>17.0</u> | <u>6.91</u> | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| <u>27.84</u> | | | <u>42</u> | | | <u>0957</u> | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOESite: 5367Project No.: 165521Date: 03-13-09Well No. MW-5Purge Method: SubDepth to Water (feet): 27.88Depth to Product (feet): Total Depth (feet) 44.29LPH & Water Recovered (gallons): Water Column (feet): 16.41Casing Diameter (Inches): 2"80% Recharge Depth(feet): 31.161 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F C) | pH | D O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|-------------------|-------------|-------------|-----|-----------|
| 0954 | | | 3 | 572.4 | 17.7 | 7.20 | | | |
| | | | 6 | 571.6 | 18.1 | 6.91 | | | |
| 0959 | | | 9 | 570.3 | 18.3 | 6.97 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 27.98 | | | 9 | | | 1005 | | | |
| Comments: | | | | | | | | | |

Well No. MW-2Purge Method: SubDepth to Water (feet): 27.26Depth to Product (feet): Total Depth (feet) 46.76LPH & Water Recovered (gallons): Water Column (feet): 19.50Casing Diameter (Inches): 4"80% Recharge Depth(feet): 31.161 Well Volume (gallons): 14

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|-------------------|-------------|-------------|-----|-----------|
| 1015 | | | 14 | 570.6 | 17.9 | 7.04 | | | |
| | | | 28 | 574.6 | 18.4 | 7.14 | | | |
| 1029 | | | 42 | 573.0 | 19.0 | 6.59 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 27.65 | | | 42 | | | 1034 | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No: 165521

Date: 03-13-09

Well No. MW-9

Depth to Water (feet): 26.05

Purge Method: JL HB sub

Total Depth (feet) 44.62

Depth to Product (feet): _____

Water Column (feet): 18.57

LPH & Water Recovered (gallons): _____

80% Recharge Depth(feet): 29.76

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| 1052 | | | 4 | 505.4 | 18.7 | 7.13 | | | |
| | | | 8 | 518.2 | 18.7 | 6.78 | | | |
| 1058 | | | 12 | 520.2 | 18.6 | 6.72 | | | |
| | | | | | | | | | |
| Static at Time Sampled | | Total Gallons Purged | | | | Sample Time | | | |
| 26.10 | | 12 | | | | 1103 | | | |
| Comments: | | | | | | | | | |

Well No. MW-7

Depth to Water (feet): 26.89

Purge Method: Sub

Total Depth (feet) 42.34

Depth to Product (feet): _____

Water Column (feet): 15.45

LPH & Water Recovered (gallons): _____

80% Recharge Depth(feet): 29.98

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|-------------|-------------|-----|-----------|
| 1137 | | | 3 | 553.3 | 22.1 | 6.94 | | | |
| | | | 6 | 556.8 | 20.8 | 6.86 | | | |
| 1124 | | | 9 | 557.2 | 20.7 | 6.82 | | | |
| | | | | | | | | | |
| Static at Time Sampled | | Total Gallons Purged | | | | Sample Time | | | |
| 26.96 | | 9 | | | | 1153 | | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No.: 165521

Date: 03-13-09

Well No. MW-8

Depth to Water (feet): 27.21

Purge Method: SCUB

Total Depth (feet) 43.38

Depth to Product (feet): _____

Water Column (feet): 16.17

LPH & Water Recovered (gallons): _____

80% Recharge Depth(feet): 30.44

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|
| 1200 | | | 3 | 597.9 | 21.1 | 7.16 | | | |
| | | | 6 | 601.5 | 20.3 | 6.97 | | | |
| 1205 | | | 9 | 604.0 | 19.9 | 6.89 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | | Sample Time | | |
| 27.27 | | | 9 | | | | 1210 | | |
| Comments: | | | | | | | | | |

Well No. MW-10

Depth to Water (feet): 28.52

Purge Method: HB

Total Depth (feet) 42.20

Depth to Product (feet): _____

Water Column (feet): 13.68

LPH & Water Recovered (gallons): _____

80% Recharge Depth(feet): 31.25

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 3

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (uS/cm) | Temperature (F, C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|--------------------|------|-------------|-----|-----------|
| 1224 | | | 3 | 477.3 | 18.7 | 7.17 | | | |
| | | | 6 | 481.2 | 17.9 | 7.13 | | | |
| 1234 | | | 9 | 483.9 | 17.4 | 6.94 | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | | Sample Time | | |
| 28.55 | | | 9 | | | | 1236 | | |
| Comments: | | | | | | | | | |

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 5367

Project No: 165521

Date: 03-13-09

Well No. MW-1

Depth to Water (feet): 27.43

Purge Method: Sub

Total Depth (feet) 35.14

Depth to Product (feet): _____

Water Column (feet): 7.71

LPH & Water Recovered (gallons): _____

80% Recharge Depth(feet): 28.97

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 2

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (us/cm) | Temperature (F C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|-------------------|-------------|-------------|-----|-----------|
| 1249 | 1115 | | 2 | 782.7 | 21.0 | 6.80 | | | |
| | | | 4 | 787.9 | 20.6 | 6.80 | | | |
| | 1253 | | 6 | 787.0 | 20.6 | 6.71 | | | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 27.50 | | | 6 | | | 1301 | | | |
| Comments: | | | | | | | | | |

Well No. MW-6

Depth to Water (feet): 26.63

Purge Method: Sub

Total Depth (feet) 44.34

Depth to Product (feet): _____

Water Column (feet): 17.71

LPH & Water Recovered (gallons): _____

80% Recharge Depth(feet): 30.17

Casing Diameter (Inches): 2"

1 Well Volume (gallons): 4

| Time Start | Time Stop | Depth to Water (feet) | Volume Purged (gallons) | Conductivity (us/cm) | Temperature (F C) | pH | D.O. (mg/L) | ORP | Turbidity |
|------------------------|-----------|-----------------------|-------------------------|----------------------|-------------------|-------------|-------------|-----|-----------|
| 1115 | | | 4 | 483.1 | 20.2 | 7.00 | | | |
| | | | 8 | 484.8 | 19.2 | 6.85 | | | |
| | 1120 | | 12 | 488.0 | 19.9 | 6.72 | | | |
| | | | | | | | | | |
| Static at Time Sampled | | | Total Gallons Purged | | | Sample Time | | | |
| 26.65 | | | 12 | | | 1127 | | | |
| Comments: | | | | | | | | | |



Date of Report: 03/19/2009

Anju Farfan

TRC
21 Technology Drive
Irvine, CA 92618

RE: 5367
BC Work Order: 0903463
Invoice ID: B059126

Enclosed are the results of analyses for samples received by the laboratory on 3/13/2009. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature of 'Molly Meyers' in black ink.

Contact Person: Molly Meyers
Client Service Rep

A second handwritten signature of 'Molly Meyers' in black ink, positioned below the first one.

Authorized Signature

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | | |
|------------|--|------------------------------------|--|--|--|
| 0903463-01 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-3 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 09:30 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-3 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
| 0903463-02 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-4 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 08:57 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-4 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
| 0903463-03 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-5 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 10:05 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-5 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
| 0903463-04 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-2 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 10:34 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-2 Matrix: W Sample QC Type (SACode): CS Cooler ID: |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | | | |
|------------|--|------------------------------------|--|--|--|
| 0903463-05 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-9 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 11:03 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-9 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
| 0903463-06 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-6 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 11:27 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-6 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
| 0903463-07 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-7 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 11:53 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-7 Matrix: W Sample QC Type (SACode): CS Cooler ID: |
| 0903463-08 | COC Number: Project Number: Sampling Location: Sampling Point: Sampled By: | --- 5367 --- MW-8 TRCI | Receive Date: Sampling Date: Sample Depth: Sample Matrix: | 03/13/2009 22:40 03/13/2009 12:10 --- Water | Delivery Work Order: Global ID: T0600101479 Location ID (FieldPoint): MW-8 Matrix: W Sample QC Type (SACode): CS Cooler ID: |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan


Reported: 03/19/2009 17:28

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | Receive Date: | 03/13/2009 22:40 | Delivery Work Order: |
|------------|---|--|---|----------------------|
| 0903463-09 | COC Number: --- Project Number: 5367 Sampling Location: --- Sampling Point: MW-10 Sampled By: TRCI | Sampling Date: 03/13/2009 12:36 Sample Depth: --- Sample Matrix: Water | Global ID: T0600101479 Location ID (FieldPoint): MW-10 Matrix: W Sample QC Type (SACode): CS Cooler ID: | |
| 0903463-10 | COC Number: --- Project Number: 5367 Sampling Location: --- Sampling Point: MW-1 Sampled By: TRCI | Receive Date: 03/13/2009 22:40 Sampling Date: 03/13/2009 13:01 Sample Depth: --- Sample Matrix: Water | Global ID: T0600101479 Location ID (FieldPoint): MW-1 Matrix: W Sample QC Type (SACode): CS Cooler ID: | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Fartan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-01 | Client Sample Name: 5367, MW-3, 3/13/2009 9:30:00AM | | | | | | | | | | | |
|---|------------|---|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | 88 | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 123 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | i | BSC1098 | A19,S09 | |
| Toluene-d8 (Surrogate) | 96.8 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 95.7 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/19/09 00:10 | KEA | MS-V12 | 1 | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-02 | Client Sample Name: 5367, MW-4, 3/13/2009 8:57:00AM | | | | | | | | | | | |
|--|------------|---|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | i | BSC1098 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | i | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 99.4 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | i | BSC1098 | | |
| Toluene-d8 (Surrogate) | 97.1 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | i | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 95.1 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 05:00 | KEA | MS-V12 | 1 | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Fartan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-03 | Client Sample Name: 5367, MW-5, 3/13/2009 10:05:00AM | | | | | | | | | | |
|--|------------|--|----------------------|-----|------------|-----------|----------------|---------------|-------------|---------|-----------|----|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Instrument ID | QC Batch ID | MB Bias | Lab Quals | |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | ND |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | ND |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | ND |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | ND |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | ND |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | ND |
| 1,2-Dichloroethane-d4 (Surrogate) | 102 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | |
| Toluene-d8 (Surrogate) | 98.4 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | |
| 4-Bromofluorobenzene (Surrogate) | 95.5 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 04:36 | KEA | MS-V12 | 1 | BSC1098 | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-04 | Client Sample Name: 5367, MW-2, 3/13/2009 10:34:00AM | | | | | | | | | | | |
|--|------------|--|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | i | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | i | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 92.1 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | 1 | BSC1098 | | |
| Toluene-d8 (Surrogate) | 96.4 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | i | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 90.1 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 04:12 | KEA | MS-V12 | i | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
 21 Technology Drive
 Irvine, CA 92618

 Project: 5367
 Project Number: 4510943410
 Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-05 | Client Sample Name: 5367, MW-9, 3/13/2009 11:03:00AM | | | | | | | | | | | |
|--|------------|--|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | i | BSC1098 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | i | BSC1098 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 93.8 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | 1 | BSC1098 | | |
| Toluene-d8 (Surrogate) | 97.7 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | 1 | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 95. i | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 03:48 | KEA | MS-V12 | 1 | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
 Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-06 | Client Sample Name: 5367, MW-6, 3/13/2009 11:27:00AM | | | | | | | | | | | |
|--|------------|--|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | i | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | i | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | 130 | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | 1 | BSC1098 | ND | A53 |
| 1,2-Dichloroethane-d4 (Surrogate) | 94.6 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | i | BSC1098 | | |
| Toluene-d8 (Surrogate) | 96.1 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | i | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 94.3 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 03:23 | KEA | MS-V12 | 1 | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan


Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-07 | Client Sample Name: 5367, MW-7, 3/13/2009 11:53:00AM | | | | | | | | | | | |
|--|------------|--|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | i | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | i | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 82.5 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | 1 | BSC1098 | | |
| Toluene-d8 (Surrogate) | 94.3 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | i | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 90.6 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:59 | KEA | MS-V12 | i | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Fartan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-08 | Client Sample Name: 5367, MW-8, 3/13/2009 12:10:00PM | | | | | | | | | | | |
|---|------------|--|----------------------|-----|-------------------|-----------------|-----------------------|------------|---------------|----------|----------------|-----------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Ethvibenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | 130 | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 103 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | i | BSC1098 | | |
| Toluene-d8 (Surrogate) | 97.0 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | i | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 98.3 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:35 | KEA | MS-V12 | 1 | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-09 | Client Sample Name: 5367, MW-10, 3/13/2009 12:36:00PM | | | | | | | | | | | |
|--|------------|---|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Ethylbenzene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Methyl t-butyl ether | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Toluene | ND | ug/L | 0.50 | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Xylenes | ND | ug/L | 1.0 | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| Total Purgeable Petroleum Hydrocarbons | ND | ug/L | 50 | | Luft-GC/MS | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | ND | |
| 1,2-Dichloroethane-d4 (Surrogate) | 91.6 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | | |
| Toluene-d8 (Surrogate) | 98.8 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 95.5 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 02:10 | KEA | MS-V12 | 1 | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

| BCL Sample ID: | 0903463-10 | Client Sample Name: 5367, MW-1, 3/13/2009 1:01:00PM | | | | | | | | | | | |
|--|------------|---|----------------------|-----|------------|-----------|----------------|---------|---------------|----------|-------------|---------|-----------|
| Constituent | Result | Units | PQL | MDL | Method | Prep Date | Run Date/Time | Analyst | Instrument ID | Dilution | QC Batch ID | MB Bias | Lab Quals |
| Benzene | 6.1 | ug/L | 5.0 | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | ND | A01 |
| Ethylbenzene | 970 | ug/L | 5.0 | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | ND | A01 |
| Methyl t-butyl ether | ND | ug/L | 5.0 | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | ND | A01 |
| Toluene | ND | ug/L | 5.0 | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | ND | A01 |
| Total Xylenes | 160 | ug/L | 10 | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | ND | A01 |
| Total Purgeable Petroleum Hydrocarbons | 9600. | ug/L | 500 | | Luft-GC/MS | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | ND | A01 |
| 1,2-Dichloroethane-d4 (Surrogate) | 100 | % | 76 - 114 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | | |
| Toluene-d8 (Surrogate) | 98.3 | % | 88 - 110 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | | |
| 4-Bromofluorobenzene (Surrogate) | 105 | % | 86 - 115 (LCL - UCL) | | EPA-8260 | 03/17/09 | 03/18/09 05:49 | KEA | MS-V12 | 10 | BSC1098 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Fartan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

| Constituent | Batch ID | QC Sample Type | Source Sample ID | Source Result | Result | Spike Added | Units | RPD | Control Limits | | |
|-----------------------------------|----------|------------------------|------------------|---------------|--------|-------------|-------|------|------------------|-----|----------------------------|
| | | | | | | | | | Percent Recovery | RPD | Percent Recovery Lab Quals |
| Benzene | BSC1098 | Matrix Spike | 0903406-20 | 0 | 25.490 | 25.000 | ug/L | 102 | 70 - 130 | | |
| | | Matrix Spike Duplicate | 0903406-20 | 0 | 26.550 | 25.000 | ug/L | 3.8 | 106 | 20 | 70 - 130 |
| Toluene | BSC1098 | Matrix Spike | 0903406-20 | 0 | 24.970 | 25.000 | ug/L | 99.9 | 70 - 130 | | |
| | | Matrix Spike Duplicate | 0903406-20 | 0 | 25.890 | 25.000 | ug/L | 4.0 | 104 | 20 | 70 - 130 |
| 1,2-Dichloroethane-d4 (Surrogate) | BSC1098 | Matrix Spike | 0903406-20 | ND | 9.1700 | 10.000 | ug/L | 91.7 | 76 - 114 | | |
| | | Matrix Spike Duplicate | 0903406-20 | ND | 9.3700 | 10.000 | ug/L | 93.7 | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BSC1098 | Matrix Spike | 0903406-20 | ND | 9.7600 | 10.000 | ug/L | 97.6 | 88 - 110 | | |
| | | Matrix Spike Duplicate | 0903406-20 | ND | 9.7700 | 10.000 | ug/L | 97.7 | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BSC1098 | Matrix Spike | 0903406-20 | ND | 9.6400 | 10.000 | ug/L | 96.4 | 86 - 115 | | |
| | | Matrix Spike Duplicate | 0903406-20 | ND | 10.030 | 10.000 | ug/L | 100 | 86 - 115 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

| Constituent | Batch ID | QC Sample ID | QC Type | Result | Spike Level | PQL | Units | Percent Recovery | <u>Control Limits</u> | | |
|-----------------------------------|----------|--------------|---------|--------|-------------|------|-------|------------------|-----------------------|-----|-----------|
| | | | | | | | | | Percent Recovery | RPD | Lab Quals |
| Benzene | BSC1098 | BSC1098-BS1 | LCS | 22.180 | 25.000 | 0.50 | ug/L | 88.7 | 70 - 130 | | |
| Toluene | BSC1098 | BSC1098-BS1 | LCS | 23.450 | 25.000 | 0.50 | ug/L | 93.8 | 70 - 130 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSC1098 | BSC1098-BS1 | LCS | 8.6200 | 10.000 | | ug/L | 86.2 | 76 - 114 | | |
| Toluene-d8 (Surrogate) | BSC1098 | BSC1098-BS1 | LCS | 9.7200 | 10.000 | | ug/L | 97.2 | 88 - 110 | | |
| 4-Bromofluorobenzene (Surrogate) | BSC1098 | BSC1098-BS1 | LCS | 9.9400 | 10.000 | | ug/L | 99.4 | 86 - 115 | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

| Constituent | Batch ID | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals |
|--|----------|--------------|-----------|-------|----------------------|-----|-----------|
| Benzene | BSC1098 | BSC1098-BLK1 | ND | ug/L | 0.50 | | |
| Ethylbenzene | BSC1098 | BSC1098-BLK1 | ND | ug/L | 0.50 | | |
| Methyl t-butyl ether | BSC1098 | BSC1098-BLK1 | ND | ug/L | 0.50 | | |
| Toluene | BSC1098 | BSC1098-BLK1 | ND | ug/L | 0.50 | | |
| Total Xylenes | BSC1098 | BSC1098-BLK1 | ND | ug/L | 1.0 | | |
| Total Purgeable Petroleum Hydrocarbons | BSC1098 | BSC1098-BLK1 | ND | ug/L | 50 | | |
| 1,2-Dichloroethane-d4 (Surrogate) | BSC1098 | BSC1098-BLK1 | 100 | % | 76 - 114 (LCL - UCL) | | |
| Toluene-d8 (Surrogate) | BSC1098 | BSC1098-BLK1 | 98.4 | % | 88 - 110 (LCL - UCL) | | |
| 4-Bromofluorobenzene (Surrogate) | BSC1098 | BSC1098-BLK1 | 99.4 | % | 86 - 115 (LCL - UCL) | | |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A



Laboratories, Inc.

Environmental Testing Laboratory Since 1949

TRC
21 Technology Drive
Irvine, CA 92618

Project: 5367
Project Number: 4510943410
Project Manager: Anju Farfan

Reported: 03/19/2009 17:28

Notes And Definitions

- MDL Method Detection Limit
ND Analyte Not Detected at or above the reporting limit
PQL Practical Quantitation Limit
RPD Relative Percent Difference
A01 PQL's and MDL's are raised due to sample dilution.
A19 Surrogate is high due to matrix interference. Interferences verified through second extraction/analysis.
A53 Chromatogram not typical of gasoline.
S09 The surrogate recovery on the sample for this compound was not within the control limits.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

BC LABORATORIES INC.

SAMPLE RECEIPT FORM

Rev. No. 12 06/24/08 Page 1 Of 1

Submission #: 09-03403

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest Box None
 Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments: _____

Custody Seals: Ice Chest Containers None Comments:
 Intact Yes No Intact Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No COC Received
YES NO

Emissivity: 0.98 Container: VOA Thermometer ID: TH1183

Date/Time 3-13-09 0233

Temperature: A 3.3 °C / C 3.1 °C

Analyst Init JNW

| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
|-------------------------------------|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| OT GENERAL MINERAL/GENERAL PHYSICAL | | | | | | | | | | |
| PT FE UNPRESERVED | | | | | | | | | | |
| OT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| TOC NITRATE / NITRITE | | | | | | | | | | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT TOX | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PTA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | A 3 | A 3 | A 3 | A 3 | A 3 | A 3 | A 3 | A 3 | A 3 | A 3 |
| OT EPA 413.1, 413.2, 418.1 | | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| BADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| OT EPA 508/608/8080 | | | | | | | | | | |
| OT EPA 515.1/8150 | | | | | | | | | | |
| OT EPA 525 | | | | | | | | | | |
| OT EPA 525 TRAVEL BLANK | | | | | | | | | | |
| 100ml EPA 547 | | | | | | | | | | |
| 100ml EPA 531.1 | | | | | | | | | | |
| OT EPA 548 | | | | | | | | | | |
| OT EPA 549 | | | | | | | | | | |
| OT EPA 632 | | | | | | | | | | |
| OT EPA 801SM | | | | | | | | | | |
| OT AMBER | | | | | | | | | | |
| 8 OZ. JAR | | | | | | | | | | |
| 31 OZ. JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| FERROUS IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |

Comments: _____

Sample Numbering Completed By: JNW Date/Time: 3-13-09 2307

A = Actual / C = Corrected

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

30

CHAIN OF CUSTODY

Analysis Requested

| Bill to: Conoco Phillips/ TRC | | Consultant Firm: TRC | | MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge | BTEX/MTBE by 8021B, Gas by 8015 | TPH GAS by 8015M | TPH DIESEL by 8015 | 8260 full list w/ oxygenates | BTEX/MTBE 40xx & BY 8260B | ETHANOL by 8260B | TPH -G by GC/MS | Turnaround Time Requested |
|--------------------------------|---------------------|---|---------------------|---|---------------------------------|----------------------------|--------------------|------------------------------|--------------------------------------|------------------|-----------------|---------------------------|
| Address: 500 Bancroft Ave. | | 21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan | | | | | | | | | | |
| City: San Leandro | | 4-digit site#: 5367 | | | | | | | | | | |
| | | Workorder # 01400-4510943410 | | | | | | | | | | |
| State: CA Zip: | | Project #: 165521 | | | | | | | | | | |
| Conoco Phillips Mgr: Ted Moise | | Sampler Name: JOE L. | | | | | | | | | | |
| Lab# | Sample Description | Field Point Name | Date & Time Sampled | | | | | | | | | |
| -1 | | MW-3 | 03-13-09 0930 | | GW | X | X | | | | STD | |
| -2 | | MW-4 | 0857 | | | | | | | | | |
| -3 | | MW-5 | 1005 | | | | | | | | | |
| -4 | | MW-2 | 1034 | | | | | | | | | |
| -5 | | MW-9 | 1103 | | | | | | | | | |
| -6 | | MW-6 | 1127 | | | | | | | | | |
| -7 | GLX 31 INSTRIBUTION | MW-7 | 1153 | | | | | | | | | |
| -8 | NOV | MW-8 | 1210 | V | V | V | V | V | V | V | | |
| Comments: <i>None</i> | | Relinquished by: (Signature) | | Received by: <i>Ross Dickey</i> | | Date & Time: 03-13-09 1530 | | | | | | |
| GLOBAL ID: T0600101479 | | Relinquished by: (Signature) <i>Ross Dickey 3/13/09</i> | | Received by: <i>Ribayal</i> | | Date & Time: 3-13-09 1915 | | | | | | |
| | | Relinquished by: (Signature) <i>Ribayal 3-13-09 2240</i> | | Received by: <i>Cherry</i> | | Date & Time: 3-13-09 2240 | | | | | | |

36

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
(661) 327-4911 FAX (661) 327-1918

CHAIN OF CUSTODY

Analysis Requested

| | | | |
|-------------------------------------|---|------------------------------------|-------------------------------|
| Comments: GLOBAL ID: T0600101479 | Relinquished by: (Signature) <i>Joe D. Sevies</i> | Received by: <i>Ross Dickey</i> | Date & Time 03-13-09 15:30 |
| | Relinquished by: (Signature) <i>Ross Dickey</i> 3/13/09 | Received by: <i>R. R. Reynolds</i> | Date & Time 3-13-09 19:15 |
| | Relinquished by: (Signature) <i>R. R. Reynolds</i> 3-13-09 22:40 | Received by: <i>Chris</i> | Date & Time 3/13/09 22:40 |

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures – Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.