



Chevron

Chevron U.S.A. Products Company
6001 Bollinger Canyon Rd., Bldg. L
P.O. Box 5004
San Ramon, CA 94583-0804

Site Assessment & Remediation Group
Phone (510) 842-9500

February 14, 1995

✓
Ms. Susan Hugo
Alameda County Health Care Services
Department of Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

**Re: Former Chevron Service Station #9-1026
3701 Broadway, Oakland, CA**


Dear Ms. Hugo:

Enclosed is the quarterly Groundwater Monitoring and Sampling Activities report dated February 1, 1995, prepared by our consultant Sierra Environmental Services for the above referenced site. As indicated in the report, ground water samples collected were analyzed for total petroleum hydrocarbons as gasoline (TPH-G) and BTEX. The levels of dissolved hydrocarbon constituents in the ground water samples analyzed were consistent with previous observations at the site. Depth to ground water was measured at approximately 12.4 feet to 15.5 feet below grade and the direction of flow is to the south-southwest.

Separate phase hydrocarbons (SPH) were observed in monitor wells B and B-3 at measured thicknesses of 0.12 and 0.03 feet, respectively. The SPH was bailed, removed from the site, and transported to Chevron's facility in Richmond for recycling.

Based on discussions in our meeting of January 26, 1995, we are currently evaluating appropriate site management strategies. I will contact you by phone within the next week to discuss a conceptual plan. In the interim, Chevron will continue to monitor and sample all wells at this site on a quarterly basis. If you have any questions or comments, please do not hesitate to contact me at (510) 842-8134.

Sincerely,
CHEVRON U.S.A. PRODUCTS COMPANY


Mark A. Miller
Site Assessment and Remediation Engineer

Enclosure

cc: Ms. B.C. Owen

Mr. W. Bruce Bercovich
Kay & MERKEL
100 The Embarcadero, 3rd Floor
San Francisco, CA 94105

File: 9-1026 QM8

February 1, 1995

Mark Miller
Chevron USA Products Company
P.O. Box 5004
San Ramon, CA 94583

Re: Former Chevron Service Station #9-1026
3701 Broadway
Oakland, California
SES Project #1-384-04


Dear Mr. Miller:

This report presents the results of the quarterly ground water sampling for the fourth quarter of 1994 at Former Chevron Service Station #9-1026, located at 3701 Broadway in Oakland, California. Seven wells, B-1, B-2, B-4, E, F, EA-1 and EA-2, were sampled (Figure 1).

On December 20, 1994, SES personnel visited the site. Water level measurements were collected in all site wells and all wells were checked for the presence of free-phase hydrocarbons. Free-phase hydrocarbons were present in two of the site wells, B and B-3. Water level data are shown in Table 1 and ground water elevation contours are included on Figure 1.

The ground water samples were collected on December 20, 1994 in accordance with SES Standard Operating Procedure - Ground Water Sampling (attached). The field water sampling forms for this event are included. All analyses were performed by Superior Precision Analytical, Inc. of Martinez, California. Analytic results for ground water are presented in Table 1. The chain of custody document and laboratory analytic reports are attached. SES is not responsible for laboratory omissions or errors.

Thank you for allowing us to provide services to Chevron. Please call if you have any questions.




Sincerely,
Sierra Environmental Services

Richard E. (Rick) Hilton
Staff Environmental Scientist

Chris J. Bramer
Professional Engineer #C48846

REH/CJB/wmc
38404QM.FE5

Attachments: Figure
Table
SES Standard Operating Procedure
Field Water Sampling Forms
Chain of Custody Document and Laboratory Analytic Reports



SIERRA

EXPLANATION

	B-2	Monitoring well
	B-7	Abandoned monitoring well
	59.86	Ground water elevation, in feet
	[60.73]	Ground water elevation not used in contouring
	*	Ground water elevation corrected for presence of free-phase hydrocarbons using the formula shown in Table 1
	61.00	Ground water elevation contour, dashed where inferred, queried where uncertain



Approximate ground water flow direction at a gradient of 0.02 ft/ft




Figure 1. Monitoring Well Locations and Ground Water Elevation Contour Map - December 20, 1994 - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California



Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California

Well ID/ TOC (ft)	Date	DTW (ft)	GWE (msl)	Product Thickness* (ft)	Analytic Method	TPPH(G) B T E X					
						←-----ppb-----→					
A 75.28	5/9/89	13.92	61.36	0	8015/8020	11,000	260	<2	94	230	
	8/9/89	15.62	59.66	0	8015/8020	12,000	370	<1.5	100	240	
	11/9/89	15.95	59.33	0	8015/8020	16,000	690	10	180	350	
	2/8/90	14.73	60.55	0	8015/8020	14,000	600	7	120	270	
	5/10/90	15.48	59.80	0	8015/8020	16,000	840	4.8	140	340	
	8/9/90	15.66	59.62	0	8015/8020	17,000	510	40	170	280	
	11/13/90	16.48	58.80	0	8015/8020	9,000	570	3.1	86	170	
	3/27/91	---	---	---	8015/8020	8,000	660	<5	110	250	
	4/5/91	13.22	62.06	0	---	---	---	---	---	---	
	6/19/91	15.37	59.91	0	8015/8020	8,900	740	<3	120	280	
	8/21/91	15.99	59.29	0	8015/8020	6,800	620	23	85	200	
	11/8/91	16.15	59.13	0	8015/8020	4,000	640	<5	77	160	
	2/13/92	14.58	60.70	0	8015/8020	8,000	860	<5	120	390	
	5/1/92	14.26	61.02	0	8015/8020	13,000	870	19	220	780	
	75.29	11/18/92	16.38	58.91	0	8015/8020	12,000	1,500	83	360	530
		3/19/93	12.16	63.13	0	8015/8020	14,000	820	6.1	180	420
		6/10/93	14.25	61.04	0	8015/8020	9,000	700	13	170	310
9/8/93		---	---	---	---	---	---	---	---	---	
12/21/93		---	---	---	---	---	---	---	---	---	
3/9/94		13.34	61.95	0	8015/8020	9,600	860	21	200	390	
9/21/94 ²		---	---	---	---	---	---	---	---	---	
12/20/94²	---	---	---	---	---	---	---	---	---		
B 73.39	5/9/89	13.97	59.58	0.20	---	---	---	---	---	---	
	8/9/89	15.69	57.86	0.20	---	---	---	---	---	---	
	11/9/89	15.29	58.16	0.08	---	---	---	---	---	---	
	2/8/90	14.46	58.93	0	---	---	---	---	---	---	
	5/10/90	14.07	58.32	0	---	---	---	---	---	---	
	8/9/90	15.12	58.27	0	---	---	---	---	---	---	
	11/13/90	15.76	57.63	0	---	---	---	---	---	---	
	4/5/91	13.38	60.01	0	---	---	---	---	---	---	
	6/19/91	15.14	58.25	0	8015/8020	26,000	7,100	370	430	1,000	
	8/21/91	15.58	57.81	0	8015/8020	16,000	4,900	270	390	640	
	11/8/91	15.71	57.68	0	8015/8020	11,000	2,400	48	280	160	
	2/13/92	14.66	58.73	0	8015/8020	6,800	2,400	60	220	140	
	5/1/92	14.50	58.89	Sheen	8015/8020	16,000	6,000	180	370	460	
	11/18/92	15.60	57.79	0	8015/8020	28,000	2,200	150	920	4,300	
3/19/93	13.29	60.12	0.03	---	---	---	---	---	---		



Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California (continued)

Well ID/ TOC (ft)	Date	DTW (ft)	GWE (msl)	Product Thickness* (ft)	Analytic Method	TPPH(G) ←-----	B	T	E	X -----→
B (cont)	6/10/93	14.30	59.11	0.03	---	---	---	---	---	---
	9/8/93	15.33	58.25	0.24	---	---	---	---	---	---
	12/21/93	14.73	58.76	0.12	---	---	---	---	---	---
	3/9/94	14.07	59.35	0.04	---	---	---	---	---	---
	9/21/94	15.50	57.91 ³	0.02 ⁴	---	---	---	---	---	---
	12/20/94	13.75	59.85³	0.12	---	---	---	---	---	---
B-1 71.77	5/9/89	12.58	59.19	0	8015/8020	16,000	2,300	260	81	740
	8/9/89	14.09	57.68	0	8015/8020	12,000	2,600	340	100	870
	11/9/89	14.06	57.71	0	8015/8020	17,000	340	140	110	760
	2/8/90	12.65	59.12	0	8015/8020	5,500	70	19	17	150
	5/10/90	13.62	58.15	0	8015/8020	18,000	770	110	73	600
	8/9/90	13.87	57.90	0	8015/8020	82,000	750	66	95	980
	11/13/90	14.38	57.39	0	8015/8020	43,000	1,300	120	74	760
	3/27/91	---	---	---	8015/8020	18,000	580	92	94	770
	4/5/91	11.73	60.04	0	---	---	---	---	---	---
	6/19/91	13.56	58.21	0	8015/8020	21,000	910	56	96	810
	8/21/91	13.90	57.87	0	8015/8020	50,000	2,400	610	300	1,800
	11/8/91	14.05	57.72	0	8015/8020	540,000	3,600	1,500	1,900	5,900
	2/13/92	12.68	59.09	0	8015/8020	20,000	500	100	150	920
	5/1/92	12.92	58.85	Sheen	8015/8020	27,000	2,800	200	310	1,900
72.30	11/18/92	14.30	58.00	0	8015/8020	300	9.7	3.4	2.3	21
	3/19/93	12.28	60.02	0	8015/8020	130	23	.9	<0.5	5.6
	6/10/93	13.04	59.26	0	8015/8020	170	21	1.1	.8	6.6
	9/8/93	13.88	58.46	0.05	---	---	---	---	---	---
	12/21/93	13.53	58.77	0	8015/8020	<50	6.7	.5	<0.5	1.2
	3/9/94	12.65	59.65	0	8015/8020	1,300	520	8.8	2.4	53
	9/21/94	14.40	57.90	0	8015/8020	390	130	2.7	2.4	7.7
12/20/94	12.35	59.95	0	8015/8020	1,600	520	9.9	8.9	34	
B-2 74.51	5/9/89	14.58	59.93	0	8015/8020	170,000	30,000	8,400	2,300	12,000
	8/9/89	16.06	58.45	0	8015/8020	60,000	29,000	8,700	2,400	12,000
	11/9/89	16.95	57.56	0	8015/8020	110,000	32,000	5,500	2,800	12,000
	2/8/90	15.56	58.95	0	8015/8020	67,000	28,000	5,900	2,300	11,000
	5/10/90	15.94	58.57	0	8015/8020	69,000	24,000	4,800	2,000	11,000
	8/9/90	15.97	58.54	0	8015/8020	100,000	33,000	4,000	2,100	12,000
	11/13/90	16.70	57.81	0	8015/8020	110,000	33,000	4,300	2,900	13,000
	3/27/91	---	---	---	8015/8020	160,000	26,000	3,200	2,600	15,000




Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California (continued)

Well ID/ TOC (ft)	Date	DTW (ft)	GWE (msl)	Product Thickness* (ft)	Analytic Method	TPPH(G) B T E X				
						←-----ppb-----→				
B-2	4/5/91	14.20	60.31	0	---	---	---	---	---	---
(cont)	6/19/91	15.83	58.68	0	8015/8020	100,000	22,000	2,500	2,000	11,000
	8/21/91	16.31	58.20	0	8015/8020	80,000	28,000	2,800	2,400	12,000
	11/8/91	16.60	57.91	0	8015/8020	94,000	29,000	1,900	2,200	11,000
	2/13/92	15.93	58.58	0	8015/8020	280,000	34,000	2,500	4,600	23,000
	5/1/92	14.94	59.57	Sheen	8015/8020	29,000	1,700	300	1,100	4,300
74.52	11/18/92	16.71	57.81	0	8015/8020	26,000	11,000	170	870	950
	3/19/93	14.06	60.46	0	8015/8020	110,000	28,000	1,200	2,200	12,000
	6/10/93	14.88	59.64	0	8015/8020	140,000	15,000	930	1,900	8,800
	9/8/93	16.03	58.52	0.04	---	---	---	---	---	---
	12/21/93	15.61	58.91	0	8015/8020	980,000	21,000	30,000	9,100	71,000
	3/9/94	14.53	59.99	Sheen	8015/8020	110,000	23,000	920	1,300	7,800
	9/21/94 ^b	---	---	---	---	---	---	---	---	---
	12/20/94	14.65	59.86	0	8015/8020	70,000	25,000	710	920	5,300
B-3	5/9/89	14.02	60.01	0	8015/8020	70,000	12,000	9,500	400	8,900
	8/9/89	15.38	58.74	0	---	---	---	---	---	---
74.12	11/9/89	15.55	58.61	0.05	---	---	---	---	---	---
	2/8/90	14.68	59.44	<0.01	---	---	---	---	---	---
	5/10/90	15.15	58.99	0.02	---	---	---	---	---	---
	8/9/90	15.27	58.85	<0.01	---	---	---	---	---	---
	11/13/90	16.04	58.13	0.06	---	---	---	---	---	---
	4/5/91	13.30	60.82	<0.01	---	---	---	---	---	---
	6/19/91	15.16	58.96	0	8015/8020	260,000	20,000	9,000	2,200	16,000
	8/21/91	15.61	58.51	0	8015/8020	70,000	28,000	11,000	1,800	11,000
	11/8/91	15.77	58.35	0	8015/8020	150,000	29,000	9,700	2,200	13,000
	2/13/92	14.88	59.24	0	8015/8020	100,000	27,000	9,906	2,000	11,000
	5/1/92	14.20	59.93	0.01	---	---	---	---	---	---
74.13	11/18/92	15.68	58.47	0.03	---	---	---	---	---	---
	3/19/93	13.75	61.24	1.08	---	---	---	---	---	---
	6/10/93	14.79	60.04	0.87	---	---	---	---	---	---
	9/8/93	15.38	58.81	0.08	---	---	---	---	---	---
	12/21/93	14.74	59.39	0	8015/8020	1,100,000	18,000	29,000	8,900	59,000
	3/9/94	13.53	60.60	0	8015/8020	130,000	11,000	20,000	1,700	15,000
	9/21/94	15.70	58.45^b	0.02^a	---	---	---	---	---	---
	12/20/94	13.48	60.67^b	0.03	---	---	---	---	---	---



Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California (continued)


Well ID/ TOC (ft)	Date	DTW (ft)	GWE (msl)	Product Thickness* (ft)	Analytic Method	TPPH(G) ←-----	B	T	E	X -----→
B-4	5/9/89	14.93	61.50	0	8015/8020	3,600	840	34	120	200
	8/9/89	16.65	59.78	0	8015/8020	<500	4,200	130	370	260
76.43	11/9/89	---	---	---	8015/8020	5,000	4,200	83	400	250
	2/8/90	16.99	59.44	0	8015/8020	14,000	6,000	70	530	300
	5/10/90	16.05	60.38	0	8015/8020	12,000	5,400	130	460	320
	8/9/90	16.49	59.94	0	8015/8020	16,000	7,400	120	530	350
	11/13/90	16.64	59.79	0	8015/8020	21,000	7,000	100	550	320
	3/27/91	17.42	59.01	0	8015/8020	17,000	8,500	120	500	300
	4/5/91	14.66	61.77	0	8015/8020	14,000	7,700	75	610	210
	6/19/91	16.48	59.95	0	8015/8020	16,000	7,800	110	550	340
	8/21/91	17.00	59.43	0	8015/8020	18,000	11,000	110	450	340
	11/8/91	17.38	59.05	0	8015/8020	18,000	6,800	98	500	620
	2/13/92	16.42	60.01	0	8015/8020	15,000	9,100	86	570	350
	5/1/92	15.50	60.93	0	8015/8020	36,000	16,000	180	990	690
	3/19/93	14.11	62.32	0	8015/8020	26,000	15,000	150	900	790
	6/10/93	15.44	60.99	0	8015/8020	35,000	14,000	180	940	590
	9/8/93	16.65	59.78	0	8015/8020	34,000	15,000	170	1,100	870
	12/21/93	16.45	59.98	0	8015/8020	30,000	12,000	74	610	340
	3/9/94	14.88	61.55	0	8015/8020	37,000	15,000	140	1,000	580
	9/21/94	17.14	59.29	0	8015/8020	32,000	14,000	110	660	190
	12/20/94	14.99	61.44	0	8015/8020	23,000	8,400	97	640	530
B-6	5/9/89	12.11	60.55	0	8015/8020	26,000	120	110	250	1,300
	8/9/89	14.72	57.94	0	8015/8020	19,000	470	150	440	1,400
72.66	11/9/89	13.85	58.81	0	8015/8020	13,000	70	36	36	440
	2/8/90	7.73	64.93	0	8015/8020	2,900	16	5	10	58
	5/10/90	---	---	---	---	---	---	---	---	---
	8/9/90	14.51	58.15	0	8015/8020	14,000	55	3	130	500
	11/13/90	14.86	57.80	0	---	---	---	---	---	---
	4/5/91	10.43	62.23	0	---	---	---	---	---	---
	6/19/91 ¹	---	---	---	---	---	---	---	---	---
B-7	5/9/89	14.73	60.67	0	8015/8020	210,000	13,000	19,000	2,000	20,000
	8/9/89	16.36	59.04	0	8015/8020	672,000	8,7000	17,000	2,700	30,000
75.40	11/9/89	16.64	58.76	0	8015/8020	150,000	7,000	12,000	1,800	16,000
	2/8/90	15.69	59.71	0	8015/8020	41,000	2,500	6,900	1,100	11,000
	5/10/90	---	---	---	---	---	---	---	---	---
	8/9/90	16.31	59.09	0	8015/8020	50,000	1,100	3,900	640	7,200



SIERRA

Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California (continued)

Well ID/ TOC (ft)	Date	DTW (ft)	GWE (msl)	Product Thickness* (ft)	Analytic Method	TPPH(G) ←-----	B	T	E	X -----→
B-7 (cont)	11/13/90	17.09	58.31	0	---	---	---	---	---	---
	4/5/91	14.36	61.04	0	---	---	---	---	---	---
	6/19/91 ¹	---	---	---	---	---	---	---	---	---
E 70.07	11/18/92	12.20	57.87	0	8015/8020	280	2.7	2.4	3	12
	3/19/93	9.97	60.10	0	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
	6/10/93	10.98	59.09	0	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
	9/8/93	11.80	58.29	0.03	---	---	---	---	---	---
	12/21/93	11.25	58.82	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	3/9/94	10.67	59.40	0	8015/8020	<50	<0.5	0.7	<0.5	0.7
	9/21/94	12.29	57.78	0	8015/8020	<50	2.5	<0.5	1.0	<0.5
12/20/94	15.53	54.54	0	8015/8020	<50	0.5	<0.5	<0.5	<0.5	<0.5
F 72.01	5/9/89	18.70	53.31	0	8015/8020	<500	<0.5	<0.5	0.6	1
	8/9/89	19.03	52.98	0	---	---	---	---	---	---
	11/9/89	19.02	52.99	0	---	---	---	---	---	---
	2/8/90	18.70	53.31	0	8015/8020	<50	0.4	<0.3	0.3	<0.6
	5/10/90	18.98	53.03	0	---	---	---	---	---	---
	8/9/90	18.95	53.06	0	---	---	---	---	---	---
	11/13/90	19.10	52.91	0	---	---	---	---	---	---
	3/27/91	---	---	---	8015/8020	64	<0.5	<0.5	<0.5	1
	6/19/91	18.95	53.06	0	---	---	---	---	---	---
	8/21/91	>19.94	<52.07	0	---	---	---	---	---	---
	11/8/91	>19.94	<52.07	0	---	---	---	---	---	---
71.72	2/13/92	18.60	53.41	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	5/1/92	Dry	---	---	---	---	---	---	---	---
	11/18/92	14.85	56.87	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	3/19/93	14.25	57.47	0	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
	6/10/93	13.92	57.80	0	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
	9/8/93	14.80	56.95	0.04	---	---	---	---	---	---
	12/21/93	13.31	58.41	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	3/9/94	12.99	58.73	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	9/21/94	16.30	55.42	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	12/20/94	12.57	59.15	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
EA-1 73.94	5/9/89	14.56	59.38	0	8015/8020	<500	<0.5	<0.5	<0.5	<0.5
	8/9/89	16.09	57.85	0	8015/8020	<500	<0.5	<0.5	<0.5	<0.5
	11/9/89	15.84	58.10	0	8015/8020	<500	<0.5	<0.5	<0.5	<0.5



SIERRA

Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California (continued)

Well ID/ TOC (ft)	Date	DTW (ft)	GWE (msl)	Product Thickness* (ft)	Analytic Method	TPPH(G) -----ppb----->					
						B	T	E	X		
EA-1 (cont)	2/8/90	15.05	58.89	0	8015/8020	<50	<0.3	<0.3	<0.3	<0.6	
	5/10/90	15.65	58.29	0	8015/8020	<50	1	0.3	<0.3	<0.6	
	8/9/90	15.67	58.27	0	8015/8020	<50	<0.3	<0.3	<0.3	<0.6	
	11/13/90	16.32	57.62	0	8015/8020	<50	<0.4	<0.3	<0.3	<0.4	
	3/27/91	---	---	---	8015/8020	<50	0.7	0.5	<0.5	<0.5	
	4/5/91	14.03	59.91	0	---	---	---	---	---	---	
	6/19/91	15.56	58.38	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5	
	8/21/91	15.99	57.95	0	8015/8020	<50	<0.4	<0.3	<0.3	<0.4	
	11/08/91	16.13	57.81	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5	
	2/13/92	15.10	58.84	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5	
	5/1/92	18.80	55.14	0	8015/8020	<50	2.7	<0.5	<0.5	<0.5	
	71.85	11/18/92	15.97	55.88	0	8015/8020	<10	<0.3	<0.3	<0.3	<0.5
		3/19/93	13.66	58.19	0	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
		6/10/93	14.71	57.14	0	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
		9/8/93	15.58	56.33	0.08	---	---	---	---	---	---
		12/21/93	15.02	56.83	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
		3/9/94	14.38	57.47	0	8015/8020	<50	<0.5	1.0	<0.5	<0.5
9/21/94		16.12	55.73	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5	
12/20/94		14.05	57.80	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5	
EA-2		5/9/89	15.95	59.29	0	8015/8020	760	<0.5	<0.5	1.1	<0.5
		8/9/89	17.45	57.79	0	8015/8020	<500	<0.5	<0.5	<0.5	<0.5
75.24	11/9/89	17.41	57.83	0	8015/8020	<500	<0.5	1	<0.5	<0.5	
	2/8/90	16.57	58.67	0	8015/8020	190	<0.3	<0.3	<0.3	<0.6	
	5/10/90	17.12	58.12	0	8015/8020	<50	<0.3	<0.3	<0.3	<0.6	
	8/9/90	17.20	58.04	0	8015/8020	120	<0.3	<0.3	<0.3	<0.6	
	11/13/90	17.88	57.36	0	8015/8020	160	<0.4	1	<0.3	<0.4	
	3/27/91	---	---	---	8015/8020	110	<0.5	<0.5	<0.5	<0.5	
	4/5/91	15.54	59.70	0	---	---	---	---	---	---	
	6/19/91	17.07	58.17	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5	
	8/21/91	17.46	57.78	0	8015/8020	70	0.8	1.4	<0.3	<0.4	
	11/8/91	17.58	57.66	0	8015/8020	<50	<0.5	0.7	<0.5	<0.5	
	2/13/92	16.69	58.55	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5	
	5/1/92	16.16	59.08	0	8015/8020	340	<0.5	2.6	0.7	<0.5	
	76.24	11/18/92	17.61	58.63	0	8015/8020	450	<0.5	3.3	<0.5	0.8
3/19/93		15.00	61.24	0	8015/8020	450	<0.5	2.3	0.6	<1.5	
6/10/93		16.08	60.16	0	8015/8020	250	<0.5	1.3	<0.5	<1.5	
9/8/93		17.07	59.17	0	8015/8020	<50	<0.5	<0.5	<0.5	<1.5	



Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California (continued)

Well ID/ TOC (ft)	Date	DTW (ft)	GWE (msl)	Product Thickness* (ft)	Analytic Method	TPPH(G)	←-----ppb----->			
							B	T	E	X
EA-2	12/21/93	16.60	59.64	0	8015/8020	170	<0.5	1.3	<0.5	<0.5
(cont)	3/9/94	15.83	60.41	0	8015/8020	200	1.8	1.4	<0.5	<0.5
	9/21/94	17.60	58.64	0	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	12/20/94	15.53	60.71	0	8015/8020	950	31	15	1.7	<0.5
Trip Blank	5/9/89	---	---	---	8015/8020	<500	<0.5	<0.5	<0.5	<0.5
TBLB	8/9/89	---	---	---	8015/8020	<500	<0.5	<0.5	<0.5	<0.5
	11/9/89	---	---	---	8015/8020	<500	<0.5	<0.5	<0.5	<0.5
	2/8/90	---	---	---	8015/8020	<50	<0.3	<0.3	<0.3	<0.6
	5/10/90	---	---	---	8015/8020	<50	<0.3	<0.3	<0.3	<0.6
	8/9/90	---	---	---	8015/8020	<50	<0.3	<0.3	<0.3	<0.6
	11/13/90	---	---	---	8015/8020	<50	<0.4	<0.3	<0.3	<0.4
	3/27/91	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	6/19/91	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	8/21/91	---	---	---	8015/8020	<50	<0.4	<0.3	<0.3	<0.4
	11/8/91	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	2/13/92	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	5/1/92	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	11/18/92	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	3/19/93	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
	6/10/93	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
	9/8/93	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<1.5
	12/21/93	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	3/9/94	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	9/21/94	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5
	12/20/94	---	---	---	8015/8020	<50	<0.5	<0.5	<0.5	<0.5



Table 1. Water Level Data and Ground Water Analytic Results - Former Chevron Service Station #9-1026, 3701 Broadway, Oakland, California (continued)

EXPLANATION:

DTW = Depth to water
TOC = Top of casing elevation
GWE = Ground water elevation
msl = Mean sea level
TPPH(G) = Total Purgeable Petroleum Hydrocarbons as Gasoline
B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes
ppb = Parts per billion
--- = Not analyzed/not applicable

ANALYTIC METHODS

8015 = EPA Method 8015/5030 for TPPH(G)
8020 = EPA Method 8020 for BTEX

NOTES:

Analytic results and ground water data prior to September 21, 1994 compiled from the Quarterly Monitoring Report prepared for Chevron by Groundwater Technology, Inc., July 15, 1994.

Analytic methods prior to September 21, 1994 are assumed to be 8015/8020.

* Product thickness measurements on and after September 21, 1994 were measured using an MMC flexi-dip interface probe.

¹ Well abandoned. Exact date unknown.

² Well inaccessible on this date.

³ GWE corrected for the presence of free-phase hydrocarbons using:
 $GWE = [(TOC-DTW)+(0.8)(Product\ Thickness)]$. 0.8 is the assumed specific gravity.

⁴ Approximate thickness; equipment not functioning properly.

⁵ Well not located this event.



SES STANDARD OPERATING PROCEDURE GROUND WATER SAMPLING

The following describes sampling procedures used by SES field personnel to collect and handle ground water samples. Before samples are collected, careful consideration is given to the type of analysis to be performed so that precautions are taken to prevent loss of volatile components or contamination of the sample, and to preserve the sample for subsequent analysis. Wells will be sampled no less than 24 hours after well development. Collection methods specific to ground water sampling are presented below.

Prior to sampling, each well is checked for the presence of free-phase hydrocarbons using an MMC flexi-dip interface probe. Product thickness (measured to the nearest 0.01 foot) is noted on the sampling form. Water level measurements are also made using either a water level meter or the interface probe. The water level measurements are also noted on the sampling form.

Prior to sampling, each well is purged of a minimum of three well casing volumes of water using a steam-cleaned PVC bailer, or a pre-cleaned pump. Temperature, pH and electrical conductivity are measured at least three times during purging. Purging is continued until these parameters have stabilized (i.e., changes in temperature, pH or conductivity do not exceed $\pm 0.5^\circ\text{F}$, 0.1 or 5%, respectively).

The purge water is taken to Chevron's Richmond Refinery for disposal.

Ground water samples are collected from the wells with Chevron designated disposable bailers. The water samples are decanted into the appropriate container for the analysis to be performed. Pre-preserved sample containers may be used or the analytic laboratory may add preservative to the sample upon arrival. Duplicate samples are collected from each well as a back-up sample and/or to provide quality control. The samples are labeled to include the project number, sample ID, date, preservative, and the field person's initials. The samples are placed in polyethylene bags and in an ice chest (maintained at 4°C) for transport under chain of custody to the laboratory.

The chain of custody form includes the project number, analysis requested, sample ID, date analysis and the SES field person's name. The form is signed and dated (with the transfer time) by each person who yields or receives the samples beginning with the field personnel and ending with the laboratory personnel.

A trip blank accompanies each sampling set, or 5% trip blanks are included for sets of greater than 20 samples. The trip blank is analyzed for some or all of the same compounds as the ground water samples.



WATER SAMPLING DATA

Job Name 3701 Broadway

Job Number 9-1026

Sampler J.C./T.C.

Well Number TB/LB

Date 12/29/94

Well Diameter _____

Sample Point Location/Description _____

Well Depth (spec.) _____

Depth to Water (static) _____ Well Depth (sounded) _____

Initial height of water in casing _____ Volume _____ gallons

Volume to be purged _____ gallons

Purged With Pump Sampled With Disp. Bottle

Pumped or Bailed Dry? Yes No Time _____ After _____ gallons

Water level at sampling _____ Percent Recovery _____

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 $vol. in cyl. = \pi r^2 h$
 $7.48 gal/ft^3$
 $V_{2"} casing = 0.163 gal/ft$
 $V_{3"} casing = 0.367 gal/ft$
 $V_{4"} casing = 0.653 gal/ft$
 $V_{4.5"} casing = 0.826 gal/ft$
 $V_{6"} casing = 1.47 gal/ft$
 $V_{8"} casing = 2.61 gal/ft$

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°C)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm

SAMPLES COLLECTED Time Total volume purged (gal.) _____

Water color _____ Odor _____

Description of sediments or material in sample: _____

Additional Comments: _____

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
<u>TB/LB</u>	<u>2</u>	<u>1</u>	<u>-</u>	<u>HCl</u>	<u>Y</u>	<u>SAA</u>	<u>G/PT&K</u>

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



Product BAIL

WATER SAMPLING DATA

Job Name 3701 Broadway Job Number 9-1026 Sampler J.C.
 Well Number B Date 12/20/94 Well Diameter 4"
 Sample Point Location/Description ON SITE North of MacArthur Blvd. Well Depth (spec.) _____
 Depth to Water (static) 13.75 Well Depth ^{To Product} (sounded) 13.63
 Initial height of water in casing 12 Volume 1078 gallons
 Volume to be purged .23 gallons
 Purged With Pump Disposable Bailer Sampled With Disc Bailer
 Pumped or Bailed Dry? Yes No Time _____ After _____ gallons
 Water level at sampling _____ Percent Recovery _____

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 vol. in cyl. = $\pi r^2 h$
 7.48 gal/ft³
 $V_{2.5}^{\circ}$ casing = 0.163 gal/ft
 $V_{3.0}^{\circ}$ casing = 0.367 gal/ft
 $V_{3.5}^{\circ}$ casing = 0.653 gal/ft
 $V_{4.0}^{\circ}$ casing = 0.826 gal/ft
 $V_{4.5}^{\circ}$ casing = 1.47 gal/ft
 $V_{5.0}^{\circ}$ casing = 2.61 gal/ft

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°C)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
1:25							
	1:30	.5	.5				
Product BAIL							

SAMPLES COLLECTED Time _____ Total volume purged (gal.) .5 Product & water
 Water color Dark Brown/Golden Odor Hydrocarbon
 Description of sediments or material in sample: BLACK GREASE
 Additional Comments: NO SAMPLE Product BAIL ONLY

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
B	2	1	-	HCl	Y	SAA	G/BTER
NO SAMPLE Product BAIL ONLY							

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



WATER SAMPLING DATA

Job Name 3701 Broadway

Job Number 9-1026

Sampler J.C./T.C.

Well Number B-1

Date 12/20/94

Well Diameter 4"

Sample Point Location/Description on site South East of motel

Well Depth (spec.) 33

Depth to Water (static) 12.35

Well Depth (sounded) _____

Initial height of water in casing 20.65

Volume 13.48 gallons

Volume to be purged _____

40 gallons

Purged With Pump

Sampled With Disp Beiler

Pumped or Bailed Dry? Yes No

Time _____ After _____ gallons

Water level at sampling _____

Percent Recovery _____

Formulas/Conversions

- r = well radius in ft
- h = ht of water col. in ft
- vol. in cyl. = $\pi r^2 h$
- 7.48 gal/ft³
- $V_{1/2}$ casing = 0.163 gal/ft
- $V_{1/4}$ casing = 0.367 gal/ft
- $V_{1/8}$ casing = 0.653 gal/ft
- $V_{1/16}$ casing = 0.826 gal/ft
- $V_{1/32}$ casing = 1.47 gal/ft
- $V_{1/64}$ casing = 2.61 gal/ft

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°F)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
12:00	12:06	13	13	7.7	67	127 ϕ	
	12:13	14	27	7.8	66	129 ϕ	
	12:19	13	40	7.8	64	124 ϕ	

SAMPLES COLLECTED Time 12:26

Total volume purged (gal.) 40

Water color clear

Odor Hydrocarbon

Description of sediments or material in sample: Some Sed.

Additional Comments: _____

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
B-1	2	1	-	HCl	Y	S/A	G/BTGA

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



WATER SAMPLING DATA

Job Name 3701 Broadway Job Number 9-1026 Sampler J.C./T.L.
 Well Number B-2 Date 12/20/94 Well Diameter 2"
 Sample Point Location/Description ON SITE NEAR CORNER OF BROADWAY & MACARTHUR Blvd. Well Depth (spec.) 19
 Depth to Water (static) 14.65 Well Depth (sounded)
 Initial height of water in casing 4.35 Volume 1.70 gallons
 Volume to be purged 2 gallons
 Purged With Pump Sampled With Disp Boiler
 Pumped or Bailed Dry? Yes No Time After gallons
 Water level at sampling Percent Recovery

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 vol. in cyl. = $\pi r^2 h$
 7.48 gal/ft³
 $V_{2"}$ casing = 0.163 gal/ft
 $V_{3"}$ casing = 0.367 gal/ft
 $V_{4"}$ casing = 0.653 gal/ft
 $V_{5"}$ casing = 0.826 gal/ft
 $V_{6"}$ casing = 1.47 gal/ft
 $V_{8"}$ casing = 2.61 gal/ft

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°F)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
12:45	12:46	1	1	7.5	64	LEADING	
	12:47	1	2	7.5	65	OFF SCALE	

SAMPLES COLLECTED Time 12:52 Total volume purged (gal.) 2
 Water color Cloudy Odor Hydrocarbon
 Description of sediments or material in sample: SOME SED.
 Additional Comments:

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
B-2	2	1	-	HCl	Y	SPA	G/BJEK

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



Product Bait only

WATER SAMPLING DATA

Job Name 3701 Broadway

Job Number 9-1026

Sampler J.C.

Well Number B-3

Date 12/20/94

Well Diameter 2"

Sample Point Location/Description on site South of office trailer

Well Depth (spec.) _____

Depth to Water (static) 13.46

Well Depth ^{To Product} (rounded) 13.45

Initial height of water in casing .01

Volume .00163 gallons

Volume to be purged _____

.004 gallons

Purged With Pump Disposable BATER

Sampled With Disp Boiler

Pumped or Bailed Dry? Yes No

Time _____ After _____ gallons

Water level at sampling _____

Percent Recovery _____

Formulas/Conversions

- r = well radius in ft
- h = ht of water col. in ft
- vol. in cyl. = $\pi r^2 h$
- 7.48 gal/ft³
- V_{2"} casing = 0.163 gal/ft
- V_{3"} casing = 0.367 gal/ft
- V_{4"} casing = 0.653 gal/ft
- V_{5"} casing = 0.826 gal/ft
- V_{6"} casing = 1.47 gal/ft
- V_{8"} casing = 2.61 gal/ft

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°C)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
1:05							
	1:10	.25					

SAMPLES COLLECTED Time _____

Total volume purged (gal.) .25 GAL of product water

Water color yellow

Odor Hydrocarbon

Description of sediments or material in sample: BLACK GREASE

Additional Comments: BAILED Product only

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
B-3	2	1	-	HCl	Y	SFA	G/13761

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



WATER SAMPLING DATA

Job Name 3701 Broadway

Job Number 9-1026

Sampler J.C./T.C.

Well Number B-4

Date 12/20/94

Well Diameter 2"

Sample Point Location/Description ON SITE EAST OF OFFICE TRAILER

Well Depth (spec.) 19

Depth to Water (static) 14.99

Well Depth (sounded) —

Initial height of water in casing 4.01

Volume .65 gallons

Volume to be purged —

2 gallons

Purged With Pump

Sampled With Disp Boiler

Pumped or Bailed Dry? Yes No

Time — After — gallons

Water level at sampling —

Percent Recovery —

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 vol. in cyl. = $\pi r^2 h$
 7.48 gal/ft^3
 $V_{2"} \text{ casing} = 0.163 \text{ gal/ft}$
 $V_{3"} \text{ casing} = 0.367 \text{ gal/ft}$
 $V_{4"} \text{ casing} = 0.653 \text{ gal/ft}$
 $V_{4.5"} \text{ casing} = 0.826 \text{ gal/ft}$
 $V_{5"} \text{ casing} = 1.47 \text{ gal/ft}$
 $V_{6"} \text{ casing} = 2.61 \text{ gal/ft}$

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°F)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
12:30	12:31	1	1	7.4	62	READING	
	12:32	1	2	7.3	64	OFF	
						SCALE	

SAMPLES COLLECTED Time 12:38

Total volume purged (gal.) 2

Water color CLEAR

Odor HYDROCARBON

Description of sediments or material in sample: SOME SED.

Additional Comments: NO PRESEN.

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
<u>B-4</u>	<u>2</u>	<u>1</u>	<u>—</u>	<u>HCl</u>	<u>Y</u>	<u>SAA</u>	<u>G/BI/TA</u>

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size); 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size); 5 = Other _____; 6 = Other _____



WATER SAMPLING DATA

Job Name 3701 Broadway Job Number 9-1026 Sampler TL
 Well Number E Date 12/20/94 Well Diameter 2"
 Sample Point Location/Description W of F on Maca... Well Depth (spec.) 33
 Depth to Water (static) 10.32 Well Depth (sounded) _____
 Initial height of water in casing 22.68 Volume 3.70 gallons
 Volume to be purged 11.1 gallons
 Purged With Pump Sampled With Disp Boiler
 Pumped or Bailed Dry? Yes No Time _____ After _____ gallons
 Water level at sampling _____ Percent Recovery _____

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 vol. in cyl. = $\pi r^2 h$
 7.48 gal/ft^3
 $V_{1/2} \text{ casing} = 0.163 \text{ gal/ft}$
 $V_{1/4} \text{ casing} = 0.367 \text{ gal/ft}$
 $V_{3/8} \text{ casing} = 0.653 \text{ gal/ft}$
 $V_{1/2} \text{ casing} = 0.826 \text{ gal/ft}$
 $V_{3/4} \text{ casing} = 1.47 \text{ gal/ft}$
 $V_{1} \text{ casing} = 2.61 \text{ gal/ft}$

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp. (°F)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
1139	1141	4	4	9.5	60.8	1390	
	1143	4	8	9.5	63.5	1280	
	1146	4	12	9.5	61.9	1280	

SAMPLES COLLECTED Time 1152 Total volume purged (gal.) 12
 Water color clear Odor _____
 Description of sediments or material in sample: light, TAN
 Additional Comments: * NO HCL due to effervescence

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
E	2	1	-	HCL *	Y	SAA	G/BTRK

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



WATER SAMPLING DATA

Job Name 3701 Broadway

Job Number 9-1026

Sampler T.L

Well Number EA-1

Date 12/20/94

Well Diameter 4

Sample Point Location/Description E. end of island on MacArthur

Well Depth (spec.) 29

Depth to Water (static) 14.05

Well Depth (sounded) _____

Initial height of water in casing 14.95

Volume 9.76 gallons

Volume to be purged _____

29.3 gallons

Purged With Pump

Sampled With Disp Boiler

Pumped or Bailed Dry? Yes No

Time _____ After _____ gallons

Water level at sampling _____

Percent Recovery _____

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 vol. in cyl. = $\pi r^2 h$
 7.48 gal/ft³
 $V_{2"} \text{ casing} = 0.163 \text{ gal/ft}$
 $V_{4"} \text{ casing} = 0.367 \text{ gal/ft}$
 $V_{6"} \text{ casing} = 0.653 \text{ gal/ft}$
 $V_{8"} \text{ casing} = 0.826 \text{ gal/ft}$
 $V_{10"} \text{ casing} = 1.47 \text{ gal/ft}$
 $V_{12"} \text{ casing} = 2.61 \text{ gal/ft}$

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°C)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
1042	1047	10	10	9.6	64.1	1230	
	1052	10	20	9.5	63.8	1150	
	1058	10	30	9.5	62.6	1140	

SAMPLES COLLECTED Time 1106

Total volume purged (gal.) 30

Water color clear

Odor _____

Description of sediments or material in sample: _____

Additional Comments: * NO HCL due to effervescence

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
EA-1	2	1	-	HCL	Y	SFA	G/BI/TA

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



WATER SAMPLING DATA

Job Name 3701 Broadway Job Number 9-1026 Sampler T.L.
 Well Number EA-2 Date 12/20/94 Well Diameter 4
 Sample Point Location/Description In island on Broadway Well Depth (spec.) 30
 Depth to Water (static) 15.53 Well Depth (sounded) _____
 Initial height of water in casing 14.47 Volume 9.4 gallons
 Volume to be purged _____ 28.34 gallons
 Purged With Pump Sampled With Disp Bailer
 Pumped or Bailed Dry? Yes No Time _____ After _____ gallons
 Water level at sampling _____ Percent Recovery _____

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 vol. in cyl. = $\pi r^2 h$
 $V_{2.0}$ casing = 7.48 gal/ft
 $V_{2.5}$ casing = 0.163 gal/ft
 $V_{3.0}$ casing = 0.367 gal/ft
 $V_{3.5}$ casing = 0.653 gal/ft
 $V_{4.0}$ casing = 0.826 gal/ft
 $V_{4.5}$ casing = 1.47 gal/ft
 $V_{5.0}$ casing = 2.61 gal/ft

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°F)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
1212	1221	10	10	9.8	62.6	700	
	1231	10	20	9.8	63.8	780	
	1242	9	29	9.8	63.5	770	

SAMPLES COLLECTED Time 251 Total volume purged (gal.) 29
 Water color Clear Odor _____
 Description of sediments or material in sample: _____
 Additional Comments: _____

Sample ID	# of Cont.	Container Type	Filtered (size. u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
EA-2	2	1	-	HCl	Y	SFA	G/PT&K

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



WATER SAMPLING DATA

Job Name 3701 Broadway Job Number 9-1026 Sampler T.L.
 Well Number F Date 12/20/94 Well Diameter 2"
 Sample Point Location/Description W of EA-1 on MacArthur Well Depth (spec.) 33
 Depth to Water (static) 12.57 Well Depth (sounded) _____
 Initial height of water in casing 20.43 Volume 3.35 gallons
 Volume to be purged 9.9 gallons
 Purged With Pump Sampled With Disp Boiler
 Pumped or Bailed Dry? Yes No Time _____ After _____ gallons
 Water level at sampling _____ Percent Recovery _____

Formulas/Conversions
 r = well radius in ft
 h = ht of water col. in ft
 vol. in cyl. = $\pi r^2 h$
 7.48 gal/ft³
 $V_{2.5}$ casing = 0.163 gal/ft
 $V_{3.0}$ casing = 0.367 gal/ft
 $V_{3.5}$ casing = 0.653 gal/ft
 $V_{4.0}$ casing = 0.826 gal/ft
 $V_{4.5}$ casing = 1.47 gal/ft
 $V_{5.0}$ casing = 2.61 gal/ft

CHEMICAL DATA

Purge Time		Purge Volume (gal.)	Cumulative (gal.)	pH	Temp (°C)	Specific Conductance	
Start	Stop					Measurement	x umhos/cm
1112	1116	4	4	9.8	61.4	1370	
	1121	3	7	9.6	61.2	1350	
	1126	3	10	9.6	62.3	1300	

SAMPLES COLLECTED Time 1133 Total volume purged (gal.) 10
 Water color Clear Odor _____
 Description of sediments or material in sample: _____
 Additional Comments: _____

Sample ID	# of Cont.	Container Type	Filtered (size, u)	Preservative (type)	Refrig. (Y/N)	Lab (Init)	Analysis Requested
F	2	1	-	HCl	Y	S/A	G/B/T/A

Container Type Codes: 1 = 40 ml clear VOA/Teflon septa; 2 = Brown glass/teflon lined cap (specify size);
 3 = Clear glass/teflon lined cap (specify size); 4 = Polyethylene/polyethylene cap (specify size);
 5 = Other _____; 6 = Other _____



Superior Precision Analytical, Inc.

A member of ESSCON Environmental Support Service Consortium

Sierra Environmental
P.O. Box 2546
Martinez, CA 94553


Date: December 28, 1994

Attn: ED MORALES

Laboratory Number : 80313

Project Number/Name : 1-384-04

This report has been reviewed and
approved for release.


Senior Chemist
Account Manager

Certified Laboratories

825 Arnold Dr., Suite 114
Martinez, California 94553
(510) 229-1512 / fax (510) 229-1526

1555 Burke St., Unit I
San Francisco, California 94124
(415) 647-2081 / fax (415) 821-7123

309 S. Cloverdale St., Suite B-24
Seattle, Washington 98108
(206) 763-2992 / fax (206) 763-8429



Superior Precision Analytical, Inc.

A member of ESSCON Environmental Support Service Consortium

Sierra Environmental
Attn: ED MORALES

Project 1-384-04
Reported on December 28, 1994

TOTAL PETROLEUM HYDROCARBONS

LAB #	Sample ID	Sampled	Analyzed	Matrix
80313-01	TB-LB	12/20/94	12/23/94	Water
80313-02	EA-1	12/20/94	12/23/94	Water
80313-03	F	12/20/94	12/23/94	Water
80313-04	E	12/20/94	12/23/94	Water
80313-05	B-1	12/20/94	12/23/94	Water
80313-06	B-4	12/20/94	12/23/94	Water
80313-07	EA-2	12/20/94	12/23/94	Water
80313-08	B-2	12/20/94	12/23/94	Water

R E S U L T S O F A N A L Y S I S

Laboratory Number:	80313-01	80313-02	80313-03	80313-04	80313-05
Gasoline_Range	ND<50	ND<50	ND<50	ND<50	1600
Benzene	ND<0.5	ND<0.5	ND<0.5	ND<0.5	520
Toluene	ND<0.5	ND<0.5	ND<0.5	ND<0.5	9.9
Ethyl Benzene	ND<0.5	ND<0.5	ND<0.5	ND<0.5	8.9
Total Xylenes	ND<0.5	ND<0.5	ND<0.5	ND<0.5	34
Concentration:	ug/L	ug/L	ug/L	ug/L	ug/L
Laboratory Number:	80313-06	80313-07	80313-08		
Gasoline_Range	23000	950	70000		
Benzene	8400	31	25000		
Toluene	97	15	710		
Ethyl Benzene	640	1.7	920		
Total Xylenes	530	ND<0.5	5300		
Concentration:	ug/L	ug/L	ug/L		



Superior Precision Analytical, Inc.

A member of ESSCON Environmental Support Service Consortium

CERTIFICATE OF ANALYSIS

TOTAL PETROLEUM HYDROCARBONS

QA/QC Information


Laboratory Number: 80313

NA - Analysis NOT required

ND - Not Detected above quantitation limit

Matrix: Water

Analyte	Spike Recovery	RPD	Control Limit
Gasoline_Range	77/79	3	65-135
Benzene	103/99	4	65-135
Toluene	104/101	3	65-135
Ethyl Benzene	104/101	3	65-135
Total Xylenes	105/101	4	65-135


Senior Chemist
Account Manager

Page 2 of 2

Certified Laboratories

825 Arnold Dr., Suite 114
Martinez, California 94553
(510) 229-1512 / fax (510) 229-1526

1555 Burke St., Unit 1
San Francisco, California 94124
(415) 647-2081 / fax (415) 821-7123

309 S. Cloverdale St., Suite B-24
Seattle, Washington 98108
(206) 763-2992 / fax (206) 763-8422