

Khatri, Paresh, Env. Health

From: Khatri, Paresh, Env. Health
Sent: Thursday, May 05, 2011 4:29 PM
To: 'Lia Holden'
Subject: RE: Request to discontinue GW monitoring - RO 000511 3255 Mecartney Road, Alameda, BP 11270

Hello Lia,

You may discontinue groundwater monitoring while the case is being evaluated for closure. However, please maintain the integrity of the monitoring wells in the interim.

Sincerely,

Paresh C. Khatri
Sr. Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

Phone: (510) 777-2478
Fax: (510) 337-9335

E-mail: Paresh.Khatri@acgov.org

<http://www.acgov.org/aceh/index.htm>

Confidentiality Notice: This e-mail message, including any attachments, is for the sole use of intended recipient(s) and may contain confidential and protected information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message.

From: Lia Holden [<mailto:Lia.Holden@anteagroup.com>]
Sent: Thursday, May 05, 2011 9:38 AM
To: Khatri, Paresh, Env. Health
Subject: Request to discontinue GW monitoring - RO 000511 3255 Mecartney Road, Alameda, BP 11270

Hello Paresh,

We are currently scheduling our third quarter sampling events and wanted to find out if I may discontinue monitoring while the site is being reviewed for closure. Please let me know if you feel this is reasonable, and if we may have your permission to do so.

Thank you,

Lia

Lia Holden, PG | Geologist - Project Manager | USA
Antea™ Group
Direct 408 826 1863
Mobile 408 410 9781

This e-mail message and its attachments are confidential and subject to the disclaimer published at the link below. If you are not the intended recipient, please delete it.

Dit e-mailbericht en de bijbehorende bijlagen zijn vertrouwelijk en vallen onder de disclaimer in de onderstaande link. Wanneer dit bericht niet voor u is bedoeld, graag deze e-mail verwijderen.

Ce message et toutes les pièces jointes sont confidentiels et sont sujets à des limitations de responsabilité consultables en cliquant sur le lien ci-dessous. Si vous recevez ce message par erreur, merci de le détruire.

<http://www.anteagroup.com/confidentiality>
