

# ANTON EMERYVILLE, LLC

---

950 Tower Lane, Suite 1225, Foster City CA 94404  
Office 650-549-1600. Email hello@AntonDev.com.

**RECEIVED**

By Alameda County Environmental Health 10:34 am, Jul 06, 2017

July 5, 2017

Alameda County Department of Environmental Health  
1131 Harbor Bay Parkway  
Alameda, California 94502-6577

Attention: Mr. Mark Detterman, PG, CEG, Senior Hazardous Materials Specialist

**TRANSMITTAL LETTER  
REMEDIAL PROGRESS REPORT NO. 5  
SOIL VAPOR EXTRACTION SYSTEM OPERATION  
MARCH 1 THROUGH 31, 2017  
6701, 6705, and 6707 SHELLMOUND STREET  
EMERYVILLE, CALIFORNIA  
Fuel Leak Case No. RO0000548  
Geotracker Global ID T0600100894**

Dear Mr. Detterman:

Submitted herewith for your review is the *Remedial Progress Report No. 5, Soil Vapor Extraction System Operation, March 1 Through 31, 2017, 6701, 6705, and 6707 Shellmound Street, Emeryville, California* dated June 30, 2017, prepared by PES Environmental, Inc.

I have read and acknowledge the content, recommendations and/or conclusions contained in the attached document or report submitted on my behalf to ACDEH's FTP server and the SWRCB's GeoTracker website.

Very truly yours,

ANTON EMERYVILLE, LLC



Rachel Green  
Senior Development Manager



July 5, 2017

**1448.001.03.006**

Alameda County Environmental Health  
1131 Harbor Bay Parkway  
Alameda, California 94502-6577

Attention: Mr. Mark Detterman, P.G., C.E.G.

**Re: Remedial Progress Report No. 5  
Soil Vapor Extraction System  
March 1 through 31, 2017  
6701, 6705, and 6707 Shellmound Street  
Emeryville, California  
Fuel Leak Case No. RO0000548  
Geotracker Global Id T0600100894**

Dear Mr. Detterman:

PES Environmental, Inc. (PES) has prepared this Remedial Progress Report (RPR) No. 5 on behalf of Anton Emeryville, LLC (Anton) to fulfill the monthly remedial progress reporting requirement requested by Alameda County Environmental Health (ACEH) for operation of the soil vapor extraction (SVE) system at 6701, 6705, and 6707 Shellmound Street in Emeryville, California (collectively, the subject property or site). Operation of SVE as an interim remedial measure (IRM) was approved by the Alameda County Department of Environmental Health (ACEH) on November 8, 2016<sup>1</sup>.

This RPR summarizes operation and maintenance (O&M) of the SVE system during the subject reporting period, and includes:

1. A summary description of SVE monitoring activities during the subject reporting period (March 1 through March 31, 2017);
2. Summary tables and graphical presentation of laboratory analytical data for vapor samples; and
3. Anticipated activities for the following reporting period.

---

<sup>1</sup> ACEH, 2016. *Request for Interim Remedial Action Monitoring Plan and Schedule; SCP Case RO000548 and Geotracker Global ID T0600100894, Mike Roberts Color Production 6707 Bay Street, Emeryville, CA 94608.* November 8.

**Mr. Mark Detterman, P.G., C.E.G.**  
**July 5, 2017**  
**Page 2**

### Summary of SVE Operations

A site plan and locations of SVE wells, air inlet wells, and soil vapor monitoring probes are shown on Plate 1.

The SVE system was shut down during the prior reporting period on February 28, 2017. PES recommended shut down of the SVE system<sup>2</sup> based on vapor samples indicating that vinyl chloride concentrations had declined to less than the most conservative risk-based target cleanup level (TCL) for vinyl chloride, presented in the November 2016 Human Health Risk Assessment Report<sup>3</sup>. To assess the effectiveness of SVE as an IRM in removing volatile organic compounds (VOCs) from the subsurface, PES also recommended shut down of the system for a minimum period of 30 days prior to conducting vapor rebound sampling.


The SVE system was not operated during this reporting period. No monitoring or vapor sampling was conducted, and no system maintenance or modifications were performed. Historical operational, field measurement, and laboratory analytical data are presented in Tables 1 through 3 of Appendix A.


No operation of the SVE system is planned for the next reporting period.

If you have any questions, please call either of the undersigned at (415)-899-1600.

Very truly yours,

**PES ENVIRONMENTAL, INC.**

  
Christopher J. Baldassari, P.G.  
Associate Geologist

  
Kyle S. Flory, P.G.  
Principal Geologist










Attachments: Plate 1 - Site Plan and SVE / Air Inlet Well and Probe Locations  
Appendix A Historical SVE System Monitoring and Laboratory Analytical  
Summary Tables

<sup>2</sup> PES, 2017. *Remedial Progress Report No. 4, Soil Vapor System Operations from January 17 through February 28, 2016, 6701, 6705, and 6707 Shellmound Street, Emeryville, California, Fuel Leak Case No. RO0000548, Geotracker Global Id T0600100894.* June 28.

<sup>3</sup> SLR International Corporation, 2016. *Human Health Risk Assessment Report, 6701-6707 Shellmound Street, Emeryville, California.* November.

**PLATES**

- Explanation**
-  Approximate Property Boundary
  -  Existing Building Outline
  -  SVE-6 Soil Vapor Extraction (SVE) Well Location
  -  SVP-4 Soil Vapor Monitoring Probe Location
  -  AI-2 Air Inlet Well Location



**APPENDIX A**

**HISTORICAL SVE SYSTEM MONITORING AND  
LABORATORY ANALYTICAL SUMMARY TABLES**

**Table 1**  
**Summary of SVE System Operational Data**  
**Soil Vapor Extraction System**  
**6701-6707 Shellmound Street**  
**Emeryville, California**

Date	System Vacuum Reading (in. of Hg)	Average Flow Rate (scfm)	Well Field Vacuum (in. of Hg)	PID Influent (ppmv)	Lab Influent (VC) (mg/m <sup>3</sup> )	VC Extracted (grams)	Cumulative lbs VC Extracted
11/8/16	6.5	712	NA	7.0	0.250	0.00	0.00
11/9/16	6.2	721	NA	17.7	0.250	14.6	0.03
11/10/16	5.3	748	NA	13.0	0.250	19.4	0.07
11/11/16	4.9	760	4.89	12.7	0.250	17.3	0.11
11/14/16	6.0	727	6.00	9.0	0.250	1.2	0.12
11/15/16	6.0	727	0.0	11.3	0.250	19.9	0.16
11/16/16	6.0	727	5.74	9.1	0.250	18.9	0.20
11/17/16	6.0	727	5.73	10.1	0.047	10.8	0.23
11/18/16	6.0	727	5.67	7.5	0.047	3.6	0.23
11/19/16	5.7	737	5.65	6.4	0.047	3.5	0.24
11/20/16	6.0	727	5.60	6.5	0.047	3.4	0.25
11/21/16	6.0	727	5.25	6.5	0.047	3.6	0.26
11/22/16	6.0	727	5.20	4.3	0.047	3.6	0.26
11/23/16	6.0	727	5.50	2.3	0.000	1.6	0.27
11/24/16	6.0	727	NA	1.4	0.000	0.0	0.27
11/25/16	6.5	712	NA	1.5	0.000	0.0	0.27
11/26/16	7.0	696	NA	1.1	0.000	0.0	0.27
11/27/16	7.0	696	NA	1.3	0.000	0.0	0.27
11/28/16	6.0	727	NA	2.9	0.012	0.0	0.27
11/29/16	5.0	757	4.63	0.0	0.012	1.8	0.27
11/30/16	4.8	765	4.00	0.0	0.012	0.8	0.27
12/1/16	4.8	764	3.95	1.8	0.012	0.8	0.27
12/2/16	4.8	764	3.93	0.9	0.012	1.0	0.28
12/5/16	4.9	762	4.00	0.0	0.011	0.0	0.28
12/6/16	4.9	760	4.00	0.3	0.011	0.8	0.28
12/7/16	4.9	760	4.00	0.3	0.011	0.9	0.28
12/8/16	4.9	762	4.00	0.4	0.011	0.8	0.28
12/9/16	4.9	761	4.07	0.6	0.011	0.9	0.28
12/12/16	4.9	761	4.00	0.1	0.011	0.0	0.28
12/13/16	4.6	770	4.20	0.3	0.011	0.7	0.29
12/14/16	4.9	760	4.13	0.0	0.011	1.1	0.29
12/15/16	4.9	762	4.10	0.4	0.011	0.7	0.29
12/16/16	5.0	756	4.22	0.0	0.0003	0.4	0.29
12/19/16	4.8	763	4.00	2.4	0.0003	0.0	0.29
12/20/16	4.7	766	3.98	0.0	0.0003	0.0	0.29
12/21/16	4.7	767	4.07	0.0	0.0003	0.0	0.29
12/22/16	4.9	761	4.14	0.0	0.0003	0.0	0.29
12/23/16	4.7	766	3.97	0.0	0.0003	0.0	0.29
12/27/16	4.0	787	NA	4.6	0.0003	0.0	0.29
12/28/16	4.0	787	NA	39.0	0.0003	0.0	0.29
12/29/16	5.0	757	NA	34.8	0.0003	0.0	0.29
12/30/16	5.0	757	NA	1.0	0.0003	0.0	0.29
1/2/17	5.0	758	4.13	1.7	0.0003	0.0	0.29
1/3/17	4.9	760	4.10	2.1	0.0003	0.0	0.29
1/4/17	4.7	766	4.00	0.3	0.0003	0.0	0.29
1/5/17	4.7	767	4.02	2.5	0.0003	0.0	0.29
1/6/17	4.7	767	4.02	0.0	0.0003	0.0	0.29
1/12/17	4.1	784	4.00	2.3	0.0003	0.0	0.29
1/13/17	4.2	781	4.06	0.6	0.0003	0.0	0.29

**Table 1**  
**Summary of SVE System Operational Data**  
**Soil Vapor Extraction System**  
**6701-6707 Shellmound Street**  
**Emeryville, California**

Date	System Vacuum Reading (in. of Hg)	Average Flow Rate (scfm)	Well Field Vacuum (in. of Hg)	PID Influent (ppmv)	Lab Influent (VC) (mg/m <sup>3</sup> )	VC Extracted (grams)	Cumulative lbs VC Extracted
1/14/17	4.4	777	4.15	2.2	0.0003	0.0	0.29
1/15/17	4.3	779	4.15	0.3	0.0003	0.0	0.29
1/16/17	4.3	780	4.08	0.0	0.0003	0.0	0.29
1/17/17	4.22	781	4.07	0.00	0.0003	0.0	0.29
1/18/17	4.22	781	4.08	0.00	0.0003	0.0	0.29
1/19/17	4.24	780	4.09	0.00	0.0003	0.0	0.29
1/20/17	4.22	781	4.08	0.00	0.0003	0.0	0.29
1/23/17	4.61	769	4.45	0.00	0.0003	0.0	0.29
1/24/17	4.13	784	4.02	0.00	0.0003	0.0	0.29
1/25/17	4.14	783	4.02	0.00	0.0003	0.0	0.29
1/26/17	4.16	783	4.06	0.00	0.0003	0.0	0.29
1/30/17	4.25	780	4.14	0.00	0.0003	0.0	0.29
1/31/17	4.08	785	3.97	0.00	0.0003	0.0	0.29
2/1/17	4.09	785	3.95	0.00	0.0003	0.0	0.29
2/2/17	4.10	784	3.96	0.00	0.0003	0.0	0.29
2/3/17	4.25	780	3.95	0.00	0.0003	0.1	0.29
2/6/17	4.25	780	4.05	0.00	0.0003	0.0	0.29
2/7/17	4.28	779	4.08	0.00	0.0003	0.0	0.29
2/8/17	4.37	776	4.13	0.00	0.0003	0.0	0.29
2/9/17	4.89	760	4.15	0.00	0.0003	0.0	0.29
2/10/17	4.18	782	4.05	0.00	0.0003	0.0	0.29
2/13/17	4.45	774	4.28	0.00	0.0003	0.4	0.29
2/28/17 <sup>1</sup>	4.12	784	3.98	0.00	0.0003	0.0	0.29

**Notes:**

Only dates of SVE operation are shown.

-- = Data not available

NA = Not Applicable or Not Available

in. = inches

VOC = Volatile Organic Compounds

scfm = Standard cubic feet per minute

ppmv = Parts per million by volume

lbs = Pounds

VC = Vinyl Chloride

Mass extracted are estimated on laboratory analytical data.

mg/m<sup>3</sup> = milligrams per cubic meter air

SVE = Soil vapor extraction

<sup>1</sup> = SVE system shut down for rebound testing



**Table 2**  
**SVE Well Field Measurements**  
**6701 - 6707 Shellmound Street**  
**Emeryville, California**

	Units	11/9/2016	11/15/2016	11/22/2016	12/1/2016	12/5/2016	12/13/2016	12/20/2016	12/27/2016	1/18/2017	1/24/2017	2/2/2017	2/9/2017	2/18/2017	2/25/2017
<b>SVE-1</b>															
Total VOCs	PPMv	49.3	115.7	102.1	80.2	75.9	3.80	3.30	8.30	0.50	0.70	0.30	--	--	--
Vacuum	in. H2O	67.6	77.8	69.5	54.5	51.2	53.70	53.80	60.20	57.60	58.30	54.40	--	--	--
<b>SVE-2</b>															
Total VOCs	PPMv	44.3	36.5	11.1	--	--	--	--	--	--	--	--	1.30	4.00	4.30
Vacuum	in. H2O	64.2	72.3	65.1	--	--	--	--	--	--	--	--	53.10	55.60	56.50
<b>SVE-3</b>															
Total VOCs	PPMv	12.5	17.9	10.4	--	--	--	--	--	--	--	--	--	2.00	1.40
Vacuum	in. H2O	65.9	75.3	67.5	--	--	--	--	--	--	--	--	--	55.70	56.50
<b>SVE-4</b>															
Total VOCs	PPMv	26.8	40.8	31.3	17.6	33.3	15.30	4.00	7.00	0.80	1.00	3.80	0.30	0.40	1.20
Vacuum	in. H2O	66.4	75.7	68.0	54.7	51.3	53.60	54.10	60.60	57.50	58.20	54.60	52.90	55.80	56.80
<b>SVE-5</b>															
Total VOCs	PPMv	35.4	79.4	71.6	40.9	91.8	0.30	1.40	--	--	--	--	0.00	0.40	0.40
Vacuum	in. H2O	66.8	76.3	68.4	54.5	48.5	52.90	54.30	--	--	--	--	51.50	55.70	56.80
<b>SVE-6</b>															
Total VOCs	PPMv	126.2	93.3	20.7	4.3	32.6	16.30	--	--	--	--	--	--	2.60	2.60
Vacuum	in. H2O	65.2	76.9	68.9	54.6	51.1	49.50	--	--	--	--	--	--	55.60	57.00
<b>SVE-7</b>															
Total VOCs	PPMv	17.1	66.4	11.4	--	--	--	--	--	--	--	--	0.20	1.50	1.30
Vacuum	in. H2O	64.9	77.0	69.0	--	--	--	--	--	--	--	--	53.80	55.80	57.00
<b>SVE-8</b>															
Total VOCs	PPMv	5.7	40.2	14.4	--	--	--	--	--	--	--	--	--	--	--
Vacuum	in. H2O	65.0	77.2	69.1	--	--	--	--	--	--	--	--	--	--	--
<b>SVE-9</b>															
Total VOCs	PPMv	1.7	13.1	7.4	4.1	7.7	22.30	7.20	24.50	2.10	3.50	4.40	1.80	1.80	1.20
Vacuum	in. H2O	67.6	77.8	69.4	54.5	51.1	53.30	54.10	60.80	57.90	58.20	54.50	55.10	55.30	56.40
<b>SVE-10</b>															
Total VOCs	PPMv	1.7	24.9	6.2	3.9	4.7	8.40	4.20	22.90	1.40	1.80	2.40	1.10	0.70	1.90
Vacuum	in. H2O	67.7	77.9	69.4	54.4	51.2	53.20	54.00	61.00	57.60	58.20	54.50	55.70	55.60	56.20
<b>SVE-11</b>															
Total VOCs	PPMv	12.3	31.1	7.6	--	1.9	2.00	3.30	49.60	0.40	0.30	1.50	1.00	1.50	1.20
Vacuum	in. H2O	67.5	77.7	69.3	54.3	51.1	53.50	53.70	59.60	57.30	58.20	53.90	51.10	55.40	55.90
<b>SVE-12</b>															
Total VOCs	PPMv	15.2	46.1	5.0	--	2.1	1.70	2.00	1.10	0.20	0.90	1.10	0.00	0.10	0.40
Vacuum	in. H2O	67.6	77.7	69.3	54.3	50.9	54.00	54.00	60.60	57.60	58.40	54.00	53.80	55.40	55.90
<b>SVE-13</b>															
Total VOCs	PPMv	4.2	50.2	9.0	--	0.4	0.40	2.50	--	--	--	--	--	0.40	0.20
Vacuum	in. H2O	67.8	77.6	69.3	54.1	50.5	53.30	53.80	--	--	--	--	--	55.50	55.80
<b>SVE-14</b>															
Total VOCs	PPMv	4.5	1.2	1.3	--	--	--	--	--	--	--	--	--	0.60	0.40
Vacuum	in. H2O	67.7	77.8	69.5	--	--	--	--	--	--	--	--	--	55.40	56.30
<b>SVE-15</b>															
Total VOCs	PPMv	2.5	34.2	8.1	--	5.1	3.80	1.90	1.40	0.60	0.50	0.60	0.50	1.00	0.80
Vacuum	in. H2O	67.6	77.8	69.5	54.4	51.3	53.20	54.00	60.10	57.70	58.30	54.30	51.90	55.30	56.10
<b>SVE-16</b>															
Total VOCs	PPMv	127.1	121.7	55.3	--	56.7	53.60	66.60	58.50	11.20	21.60	8.60	7.10	1.10	0.90
Vacuum	in. H2O	67.5	77.8	69.5	54.1	51.2	361.00	54.20	59.70	57.80	58.30	54.20	57.80	55.40	55.90
<b>SVE-17</b>															
Total VOCs	PPMv	15.2	32.1	8.9	--	5.4	32.50	6.80	4.30	0.60	1.20	0.80	0.70	1.00	0.80
Vacuum	in. H2O	67.8	77.9	69.4	54.2	51.2	53.30	53.10	60.80	57.80	58.30	54.20	57.90	55.40	56.10
<b>SVE-18</b>															
Total VOCs	PPMv	8.5	60.3	7.9	--	6.9	0.20	1.60	63.90	0.00	0.20	0.50	1.30	1.50	1.80
Vacuum	in. H2O	67.7	77.6	69.2	54.2	51.3	53.40	54.00	59.60	58.00	58.30	54.20	53.80	55.40	55.90
<b>SVE-19</b>															
Total VOCs	PPMv	8.3	83.9	4.7	--	1.9	0.50	1.30	74.00	0.30	0.20	0.80	1.00	1.70	0.70
Vacuum	in. H2O	67.5	77.6	69.3	54.2	51.3	53.60	54.00	60.80	57.80	58.30	54.10	52.70	55.50	55.90

**Note:**

SVE = Soil vapor extraction  
 PID = Photoionization Detector  
 -- = Not measured  
 PPMv = parts per million by volume  
 in. H2O = inches of water

**Table 3  
Summary of Laboratory Analytical Results for Vapor Samples  
Soil Vapor Extraction System  
6701, 6705, and 6707 Shellmound Street, Emeryville, California**

Sample Location	Sample ID	Date	Screened Interval (feet bgs)	PCE (µg/m³)	TCE (µg/m³)	cis-1,2-DCE (µg/m³)	trans-1,2-DCE (µg/m³)	Vinyl chloride (µg/m³)	1,1,1-TCA (µg/m³)	1,1,2,2-PCA (µg/m³)	MEK (µg/m³)	MIBK (µg/m³)	Acetone (µg/m³)	Benzene (µg/m³)	Toluene (µg/m³)	Ethylbenzene (µg/m³)	m,p-Xylene (µg/m³)	o-Xylene (µg/m³)	1,2,4-TMB (µg/m³)	1,3,5-TMB (µg/m³)	1,3-DCB (µg/m³)	4-Ethyltoluene (µg/m³)	Carbon disulfide (µg/m³)	Chloroform (µg/m³)	Other VOCs (µg/m³)		
SVE Wells																											
SVE-1	SVE-1	7/13/2016	5 to 10	< 140	< 180	< 110	< 110	<b>3,400</b>	< 110	< 180	< 160	< 110	< 790	< 85	< 100	< 120	< 230	< 120	< 260	< 130	< 160	< 130	< 170	< 98	150 (1,1-DCE)  2.6 (Dichlorodifluoromethane)		
	SVE-1	7/14/2016	5 to 10	< 1600	< 2000	<b>3,500</b>	<b>1,900</b>	<b>40,000</b>	< 1200	< 2000	< 1700	< 1200	< 8600	< 930	< 1100	< 1300	< 2500	< 1300	< 2900	< 1400	< 1800	< 1400	< 1800	< 1100			
	SVE-1-103116	10/31/2016	5 to 10	<b>120</b>	< 180	<b>670</b>	<b>270</b>	<b>16,000</b>	< 74	< 120	<b>10,000</b>	< 75	<b>7,700</b>	<b>130</b>	<b>66</b>	< 79	< 160	< 79	< 180	< 89	< 110	< 89	< 110	< 67			
	SVE-1	12/2/2016	5 to 10	<b>150</b>	< 180	<b>7,900</b>	<b>3,400</b>	<b>6,200</b>	< 110	< 180	< 150	< 110	< 770	<b>240</b>	< 98	< 110	< 230	<b>190</b>	< 260	<b>190</b>	< 160	< 130	<b>270</b>	< 95			
SVE-1	1/16/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	< 3.1	<b>3.5</b>	< 1.6	<b>61</b>	<b>2.2</b>	<b>9.3</b>	<b>6.0</b>	<b>21</b>	<b>6.0</b>	< 3.9	< 2	< 2	< 2.5	< 1.5				
SVE-2	SVE-2-103116	10/31/2016	5 to 10	< 26	< 33	< 19	< 19	<b>20</b>	< 20	< 34	<b>2,400</b>	< 20	<b>1,700</b>	<b>41</b>	< 18	< 21	< 42	< 21	< 48	< 24	< 29	< 24	< 30	< 18	2,8 (Methylene chloride), 2,2 (Trichlorofluoromethane) 1.7		
	SVE-2	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>5.2</b>	<b>2.2</b>	<b>17</b>	<b>1.9</b>	<b>3.3</b>	< 1.7	<b>4.7</b>	< 1.7	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-3	SVE-3-103116	10/31/2016	4 to 9	< 16	< 21	<b>14</b>	< 12	<b>40</b>	< 13	< 21	<b>280</b>	< 13	<b>190</b>	<b>290</b>	<b>240</b>	<b>92</b>	<b>770</b>	<b>130</b>	<b>110</b>	<b>53</b>	< 18	<b>27</b>	<b>190</b>	< 11	19 (Naphthalene) 2.8 (Methylene chloride)		
	SVE-3	12/2/2016	4 to 9	< 5.2	< 6.6	<b>12</b>	< 3.9	< 2.5	< 4	< 6.7	<b>7.0</b>	< 4	< 29	<b>21</b>	<b>11</b>	<b>10</b>	<b>110</b>	<b>18</b>	<b>20</b>	<b>10</b>	< 5.8	< 4.8	<b>240</b>	< 3.6			
	SVE-3	2/9/2017	4 to 9	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>3.9</b>	< 1.6	<b>13</b>	<b>1.5</b>	<b>2.9</b>	< 1.7	<b>3.9</b>	< 1.7	< 3.9	< 2	< 2.4	< 2	<b>3.3</b>	< 1.5			
SVE-4	SVE-4-103116	10/31/2016	5 to 10	<b>18</b>	< 12	<b>51</b>	<b>12</b>	<b>170</b>	< 7.1	< 12	<b>290</b>	< 7.1	<b>360</b>	<b>67</b>	<b>12</b>	<b>8.3</b>	<b>27</b>	<b>10</b>	< 17	< 8.5	< 10	< 8.5	<b>240</b>	< 6.3	21 (1,2-DCB) 2.3 (Dichlorodifluoromethane) 2.7 (Methylene chloride)		
	SVE-4	1/16/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	< 3.1	<b>4.1</b>	< 1.6	<b>43</b>	<b>1.7</b>	<b>6.9</b>	<b>4.5</b>	<b>16</b>	<b>4.5</b>	< 3.9	< 2	< 2	< 2.5	< 1.5			
	SVE-4	2/9/2017	5 to 10	< 2.7	< 2.1	<b>15</b>	<b>2.8</b>	<b>1.8</b>	< 1.6	< 2.7	< 2.4	< 1.6	< 12	<b>1.4</b>	<b>2.2</b>	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	<b>60</b>	< 1.5			
SVE-5	SVE-5-103116	10/31/2016	5 to 10	<b>69</b>	< 12	<b>160</b>	<b>23</b>	<b>230</b>	< 7.3	< 12	<b>320</b>	< 7.3	<b>150</b>	<b>170</b>	<b>33</b>	<b>19</b>	<b>110</b>	<b>23</b>	<b>23</b>	<b>15</b>	<b>24</b>	< 8.8	< 11	< 6.6	31 (1,4-DCB) 4.2 (1,1-DCE), 23 (1,4-DCB), 2.3 (Chloromethane)  2.6 (Methylene chloride), 1.9 (Chloromethane)		
	SVE-5	12/2/2016	5 to 10	<b>18</b>	< 2.7	<b>62</b>	<b>7.0</b>	<b>22</b>	< 1.6	< 2.7	< 2.4	< 1.6	< 12	<b>93</b>	<b>17</b>	<b>21</b>	<b>76</b>	<b>32</b>	< 3.9	<b>2.4</b>	<b>15</b>	< 2	<b>79</b>	< 1.5			
	SVE-5	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>4.8</b>	< 1.6	<b>17</b>	< 1.3	<b>3.1</b>	<b>1.7</b>	<b>9.3</b>	<b>3.0</b>	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-6	SVE-6-103116	10/31/2016	5 to 10	< 29	< 36	< 21	< 21	< 14	< 22	< 37	<b>1,400</b>	< 22	<b>600</b>	<b>150</b>	< 20	<b>27</b>	<b>88</b>	<b>52</b>	< 53	< 26	< 32	< 26	< 33	< 20	2.1 (Chloromethane)		
	SVE-6	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>5.8</b>	< 1.6	<b>67</b>	<b>1.5</b>	<b>5.1</b>	<b>2.9</b>	<b>19</b>	<b>6.3</b>	< 3.9	< 2	< 2.4	< 2	<b>2.6</b>	< 1.5			
SVE-7	SVE-7-103116	10/31/2016	5 to 10	< 7.5	< 9.5	< 5.6	< 5.6	<b>40</b>	< 5.7	< 9.6	<b>140</b>	< 5.8	<b>58</b>	< 4.5	< 5.3	< 6.1	< 12	< 6.1	< 14	< 6.9	< 8.4	< 6.9	< 8.7	< 5.1	2 (Dichlorodifluoromethane), 1.7 (Methylene chloride)  2.8 (Methylene chloride)		
	SVE-7	12/2/2016	5 to 10	< 2.1	<b>6.3</b>	< 1.6	< 1.6	< 1	< 1.6	< 2.7	< 2.4	< 1.6	< 12	< 1.3	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
	SVE-7	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	<b>3.1</b>	< 2.7	<b>8.7</b>	<b>2.1</b>	<b>16</b>	< 1.3	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-8	SVE-8-103116	10/31/2016	5 to 10	< 2.1	< 2.7	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>26</b>	<b>3.0</b>	<b>34</b>	< 1.3	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	<b>17</b>	< 1.5			
SVE-9	SVE-9-103116	10/31/2016	5 to 10	< 22	< 28	<b>38</b>	< 16	<b>340</b>	< 17	< 28	<b>390</b>	< 17	<b>240</b>	<b>160</b>	<b>68</b>	<b>19</b>	<b>120</b>	<b>32</b>	< 40	<b>25</b>	< 25	< 20	<b>26</b>	< 15	2.2 (Dichlorodifluoromethane) 3.4 (Methylene chloride)		
	SVE-9	1/16/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	< 3.1	<b>2.8</b>	< 1.6	<b>41</b>	<b>1.6</b>	<b>7.5</b>	<b>4.4</b>	<b>16</b>	<b>4.3</b>	< 3.9	< 2	< 2	< 2.5	< 1.5			
	SVE-9	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>5.3</b>	< 1.6	<b>21</b>	<b>7.0</b>	<b>4.8</b>	< 1.7	<b>9.0</b>	<b>2.2</b>	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-10	SVE-10-103116	10/31/2016	5 to 10	< 150	< 180	< 110	< 110	<b>3,900</b>	< 110	< 190	< 160	< 110	< 800	<b>200</b>	< 100	< 120	< 240	< 120	< 270	< 130	< 160	< 130	< 170	< 99	5.4 (1,1-DCE), 2.5 (Dichlorodifluoromethane), 1.7 (Methylene Chloride)  2.9 (Methylene chloride), 2.3 (Trichlorofluoromethane), 2.1 (Chloromethane)		
	SVE-10	12/2/2016	5 to 10	< 15	< 19	<b>110</b>	<b>36</b>	<b>320</b>	< 12	< 20	< 17	< 12	< 85	<b>78</b>	<b>17</b>	< 12	<b>31</b>	< 12	< 28	< 14	< 17	< 14	<b>630</b>	< 11			
	SVE-10	1/16/2017	5 to 10	< 2.7	<b>4.0</b>	<b>15</b>	<b>2.5</b>	<b>38</b>	< 1.6	< 2.7	< 3.1	< 2.4	< 1.6	<b>14</b>	<b>52</b>	<b>15</b>	<b>3.1</b>	<b>19</b>	<b>3.2</b>	< 3.9	< 2	< 2	<b>17</b>	< 1.5			
SVE-10	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	< 2.4	< 1.6	< 12	< 1.3	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5				
SVE-11	SVE-11-103116	10/31/2016	5 to 10	< 95	< 120	<b>180</b>	< 70	< 45	< 73	< 120	<b>2,300</b>	< 73	<b>3,300</b>	<b>130</b>	< 67	< 77	< 150	< 77	< 170	< 87	< 110	< 87	< 110	< 65	3.4 (Methylene chloride)		
	SVE-11	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	<b>9.5</b>	< 1.6	< 2.7	<b>3.8</b>	< 1.6	<b>12</b>	<b>2.3</b>	<b>2.0</b>	< 1.7	<b>3.8</b>	<b>2.2</b>	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-12	SVE-12-103116	10/31/2016	5 to 10	< 1300	< 1600	<b>18,000</b>	<b>27,000</b>	<b>62,000</b>	< 970	< 1600	< 1400	< 970	< 7000	< 760	< 890	< 1000	< 2100	< 1000	< 2300	< 1200	< 1400	< 1200	< 1500	< 870	2900 (1,1-DCE) 2 (Dichlorodifluoromethane) 2.4 (Dichlorodifluoromethane) 3.6 (Methylene chloride)		
	SVE-12	12/2/2016	5 to 10	<b>2.2</b>	< 2.7	<b>32</b>	<b>10</b>	<b>52</b>	< 1.6	< 2.7	< 2.4	< 1.6	< 12	<b>5.0</b>	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	<b>53</b>	< 1.5			
	SVE-12	1/16/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	< 3.1	<b>3.2</b>	< 1.6	<b>40</b>	<b>1.6</b>	<b>6.9</b>	<b>4.8</b>	<b>17</b>	<b>4.9</b>	< 3.9	< 2	< 2	< 2.5	< 1.5			
	SVE-12	2/9/2017	5 to 10	< 2.7	< 2.7	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>3.5</b>	< 1.6	<b>18</b>	<b>1.5</b>	<b>3.7</b>	< 1.7	<b>4.8</b>	<b>1.9</b>	< 3.9	< 2	< 2.4	< 2	<b>2.9</b>	< 1.5			
SVE-13	SVE-13-103116	10/31/2016	5 to 10	< 54	< 68	<b>160</b>	< 40	<b>1,600</b>	< 41	< 69	<b>660</b>	< 41	<b>330</b>	<b>42</b>	< 38	< 44	< 88	< 44	< 99	< 50	< 61	< 50	< 63	< 37	2.8 (Methylene chloride), 2 (Chloromethane)		
	SVE-13	12/2/2016	5 to 10	< 2.1	< 2.7	<b>1.8</b>	< 1.6	< 1	< 1.6	< 2.7	<b>3.3</b>	< 1.6	< 12	< 1.3	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
	SVE-13	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	<b>4.8</b>	< 1.6	<b>22</b>	< 1.3													

**Table 3**  
**Summary of Laboratory Analytical Results for Vapor Samples**  
**Soil Vapor Extraction System**  
**6701, 6705, and 6707 Shellmound Street, Emeryville, California**

Sample Location	Sample ID	Date	Screened Interval (feet bgs)	PCE (µg/m <sup>3</sup> )	TCE (µg/m <sup>3</sup> )	cis-1,2-DCE (µg/m <sup>3</sup> )	trans-1,2-DCE (µg/m <sup>3</sup> )	Vinyl chloride (µg/m <sup>3</sup> )	1,1,1-TCA (µg/m <sup>3</sup> )	1,1,2,2-PCA (µg/m <sup>3</sup> )	MEK (µg/m <sup>3</sup> )	MIBK (µg/m <sup>3</sup> )	Acetone (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Toluene (µg/m <sup>3</sup> )	Ethylbenzene (µg/m <sup>3</sup> )	m,p-Xylene (µg/m <sup>3</sup> )	o-Xylene (µg/m <sup>3</sup> )	1,2,4-TMB (µg/m <sup>3</sup> )	1,3,5-TMB (µg/m <sup>3</sup> )	1,3-DCB (µg/m <sup>3</sup> )	4-Ethyltoluene (µg/m <sup>3</sup> )	Carbon disulfide (µg/m <sup>3</sup> )	Chloroform (µg/m <sup>3</sup> )	Other VOCs (µg/m <sup>3</sup> )		
SVE-15	SVE-15-103116	10/31/2016	5 to 10	< 360	< 460	< 270	< 270	11,000	< 280	< 460	1,100	< 280	< 2000	< 210	< 250	< 290	< 580	< 290	< 660	< 330	< 400	< 330	< 420	< 250	2.4 (Dichlorodifluoromethane) 4.9 (Methylene chloride), 1.9 (Chloromethane)		
	SVE-15	12/2/2016	5 to 10	< 52	< 66	< 38	< 38	< 25	< 40	< 66	94	< 40	< 290	< 31	< 36	< 42	< 84	< 42	< 95	< 48	< 58	< 48	< 60	< 35			
	SVE-15	1/16/2017	5 to 10	< 2.7	< 2.1	3.6	< 1.6	7.6	< 1.6	< 2.7	< 3.1	50	< 1.6	54	2.2	8.9	6.2	25	7.8	< 3.9	< 2	< 2	< 2.5	< 1.5			
	SVE-15	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	7.0	< 1.6	21	2.1	5.6	< 1.7	6.6	2.8	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-16	SVE-16-103116	10/31/2016	5 to 10	< 7400	< 9400	130,000	45,000	410,000	< 5700	< 9500	< 8200	< 5700	< 41000	< 4400	< 5200	< 6000	< 12000	< 6000	< 14000	< 6800	< 8300	< 6800	< 8600	< 5100	4 (Methylene chloride), 2.1 (Chloromethane)		
	SVE-16	12/2/2016	5 to 10	< 890	< 1100	71,000	19,000	30,000	< 680	< 1100	< 980	< 680	< 4900	< 530	< 620	< 720	< 1400	< 720	< 1600	< 810	< 1000	< 810	< 1000	< 610			
	SVE-16	1/16/2017	5 to 10	< 860	< 680	33,000	6,200	3,000	< 520	< 870	< 970	< 750	< 520	< 3800	< 410	< 480	< 550	< 1100	< 550	< 1200	< 620	< 620	< 790	< 460			
	SVE-16	2/9/2017	5 to 10	< 2.7	< 2.1	360	74	34	< 1.6	< 2.7	7.4	< 1.6	29	2.2	4.0	< 1.7	5.3	2.1	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-17	SVE-17-103116	10/31/2016	5 to 10	< 500	< 630	1,300	2,200	14,000	< 380	< 640	680	< 380	< 2800	< 300	< 350	< 410	< 810	< 410	< 920	950	< 560	< 460	< 580	< 340	1.4 (Methylene chloride) 2.5 (Dichlorodifluoromethane) 3.8 (Methylene chloride)		
	SVE-17	12/2/2016	5 to 10	< 2.1	< 2.7	< 1.6	1.7	52	< 1.6	< 2.7	3.7	< 1.6	15	< 1.3	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	3.4	< 1.5			
	SVE-17	1/16/2017	5 to 10	< 2.7	< 2.1	8.8	2.1	9.3	< 1.6	< 2.7	< 3.1	3.4	< 1.6	45	1.5	10	7.0	21	5.4	< 3.9	< 2	< 2	< 2.5	< 1.5			
	SVE-17	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	5.4	< 1.6	19	1.5	3.9	< 1.7	4.4	< 1.7	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-18	SVE-18-103116	10/31/2016	5 to 10	< 680	< 860	< 500	< 500	52,000	< 520	< 870	< 750	< 520	< 3800	880	< 480	< 550	< 1100	< 550	< 1200	< 620	< 760	< 620	< 790	< 460	2.5 (Dichlorodifluoromethane) 3.3 (Methylene chloride), 1.7 (Chloromethane)		
	SVE-18	12/2/2016	5 to 10	< 7.4	< 9.4	6.4	10	710	< 5.6	< 9.5	< 8.1	< 5.7	< 41	8.3	< 5.2	< 6	< 12	< 6	< 14	< 6.8	< 8.3	< 6.8	< 8.6	< 5.1			
	SVE-18	1/16/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	< 3.1	16	< 1.6	35	1.5	6.2	4.4	16	4.6	< 3.9	< 2	< 2	< 2.5	< 1.5			
	SVE-18	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	3.9	< 1.6	20	1.4	3.4	< 1.7	4.0	< 1.7	< 3.9	< 2	< 2.4	< 2	< 2.5	< 1.5			
SVE-19	SVE-19-103116	10/31/2016	5 to 10	< 99	< 130	< 73	< 73	< 47	< 76	< 130	4,200	< 76	1,400	< 59	< 70	< 80	< 160	< 80	< 180	< 91	< 110	< 91	< 120	< 68	2.1 (Chloromethane)		
	SVE-19	2/9/2017	5 to 10	< 2.7	< 2.1	< 1.6	< 1.6	< 1	< 1.6	< 2.7	3.6	< 1.6	< 12	< 1.3	< 1.5	< 1.7	< 3.5	< 1.7	< 3.9	< 2	< 2.4	< 2	8.2	< 1.5			
<b>Soil Vapor Monitoring Probes</b>																											
SVP-1-7.5	SVP-1-7.5	7/12/2016	7.5	< 250	< 250	250	< 180	13,000	< 190	< 310	< 270	< 190	< 1400	250	< 170	< 200	< 400	< 200	< 450	< 220	< 270	< 220	< 280	< 170			
SVP-2-3.5	SVP-2-3.5	7/12/2016	3.5	< 17	< 17	< 12	< 12	920	< 13	< 21	< 18	< 13	< 92	28	31	14	55	23	< 31	< 15	< 19	< 15	83	78			
SVP-2-7.5	SVP-2-7.5	7/12/2016	7.5	< 1300	< 1300	< 990	< 990	75,000	< 1000	< 1700	< 1500	< 1000	< 7400	< 800	< 950	< 1100	< 2200	< 1100	< 2500	< 1200	< 1500	< 1200	< 1600	< 920			
SVP-3-7.5	SVP-3-7.5	7/12/2016	7.5	< 38	< 38	< 28	< 28	2,400	< 29	< 49	57	< 29	260	310	170	< 31	< 61	< 31	< 70	< 35	< 43	< 35	130	< 26			
SVP-4-3.5	SVP-4-3.5	7/12/2016	3.5	6.9	6.9	< 1.6	< 1.6	< 1	9.5	4.8	19	11	44	19	18	23	120	54	17	8.7	< 2.4	3.9	3.1	57	2.0 (BDCM), 2.4 (Freon 12), 1.5 (MC), 2.6 (Freon 11)		
SVP-4-7.5	SVP-4-7.5	7/12/2016	7.5	19	19	57	9.1	180	< 4.5	< 7.6	23	< 4.5	84	230	59	21	210	24	20	10	59	< 5.4	20	< 4.1	72 (1,4-DCB), 23 (NAPH)		
SVP-5-7.5	SVP-5-7.5	7/12/2016	7.5	< 510	< 510	< 370	< 370	22,000	< 390	< 650	< 560	< 390	< 2800	490	< 360	< 410	< 820	< 410	< 930	< 460	< 570	< 460	< 590	< 350			
SVP-6-3.5	SVP-6-3.5	7/12/2016	3.5	< 1700	< 1700	14,000	6,100	100,000	< 1300	< 2200	< 1900	< 1300	< 9600	< 1000	< 1200	< 1400	< 2800	< 1400	< 3200	< 1600	< 2000	< 1600	< 2000	< 1200			
SVP-6-7.5	SVP-6-7.5	7/12/2016	7.5	< 1800	< 1800	16,000	6,300	98,000	< 1400	< 2300	< 2000	< 1400	< 10000	< 1100	< 1300	< 1500	< 3000	< 1500	< 3400	< 1700	< 2000	< 1700	< 2100	< 1200			

**Table 3**  
**Summary of Laboratory Analytical Results for Vapor Samples**  
**Soil Vapor Extraction System**  
**6701, 6705, and 6707 Shellmound Street, Emeryville, California**

Sample Location	Sample ID	Date	Screened Interval (feet bgs)	PCE (µg/m <sup>3</sup> )	TCE (µg/m <sup>3</sup> )	cis-1,2-DCE (µg/m <sup>3</sup> )	trans-1,2-DCE (µg/m <sup>3</sup> )	Vinyl chloride (µg/m <sup>3</sup> )	1,1,1-TCA (µg/m <sup>3</sup> )	1,1,2,2-PCA (µg/m <sup>3</sup> )	MEK (µg/m <sup>3</sup> )	MIBK (µg/m <sup>3</sup> )	Acetone (µg/m <sup>3</sup> )	Benzene (µg/m <sup>3</sup> )	Toluene (µg/m <sup>3</sup> )	Ethylbenzene (µg/m <sup>3</sup> )	m,p-Xylene (µg/m <sup>3</sup> )	o-Xylene (µg/m <sup>3</sup> )	1,2,4-TMB (µg/m <sup>3</sup> )	1,3,5-TMB (µg/m <sup>3</sup> )	1,3-DCB (µg/m <sup>3</sup> )	4-Ethyltoluene (µg/m <sup>3</sup> )	Carbon disulfide (µg/m <sup>3</sup> )	Chloroform (µg/m <sup>3</sup> )	Other VOCs (µg/m <sup>3</sup> )
			<b>Residential Land Use ESL<sup>1</sup></b>	240	240	4,200	31,000	4.7	520,000	24	2,600,000	1,600,000	16,000,000	48	160,000	560	52,000	52,000	NE	NE	NE	NE	61	NE	Varies
			<b>Commercial/Industrial Land Use ESL<sup>2</sup></b>	3,000	3,000	35,000	260,000	160	4,400,000	210	22,000,000	13,000,000	140,000,000	420	1,300,000	4,900	440,000	440,000	NE	NE	NE	NE	530	NE	Varies
			<b>Residential TCL(Target LECR = 10-4)</b>	--	--	11,000	--	4,700	--	11,500	--	--	--	4,600	--	121,300	--	--	--	--	--	--	--	--	--
			<b>Commercial/Industrial TCL(Target LECR = 10-4)</b>	--	--	92,400	--	41,300	--	101,200	--	--	--	39,200	--	NA	--	--	--	--	--	--	--	--	--
			<b>Residential TCL(Target LECR = 10-5)</b>	--	--	11,000	--	473	--	1,100	--	--	--	1,400	--	12,100	--	--	--	--	--	--	--	--	--
			<b>Commercial/Industrial TCL(Target LECR = 10-5)</b>	--	--	92,400	--	4,100	--	10,100	--	--	--	12,600	--	NA	--	--	--	--	--	--	--	--	--
			<b>Residential TCL(Target LECR = 10-6)</b>	--	--	11,000	--	47	--	116	--	--	--	145	--	1,200	--	--	--	--	--	--	--	--	--
			<b>Commercial/Industrial TCL(Target LECR = 10-6)</b>	--	--	92,400	--	400	--	1,000	--	--	--	1,200	--	NA	--	--	--	--	--	--	--	--	--

**Notes:**  
 Detections are shown in bold. Results exceeding residential 10-4 LECR for chemicals with TCLs are shaded; results without TCLs that are equal to or exceeding commercial/industrial ESLs are shaded.  
 LECR = Lifetime excess cancer risk  
 Only detected analytes are summarized on table. Refer to Appendix D for laboratory report to access entire list of compounds analyzed.  
 SVE = Soil vapor extraction  
 BDCM = Bromodichloromethane  
 DCB = Dichlorobenzene  
 DCE = Dichloroethene.  
 Freon 11 = Trichlorofluoromethane  
 Freon 12 = Dichlorodifluoromethane  
 MC = Methylene Chloride  
 MEK = Methyl Ethyl Ketone  
 MIBK = Methyl Isobutyl Ketone  
 NAPH = Naphthalene  
 PCA = Tetrachloroethane  
 TCA = Trichloroethane.  
 TCE = Trichloroethene.  
 TMB = Trimethylbenzene.  
 VOCs = Volatile organic compounds.  
 bgs = Below ground surface.  
 µg/m<sup>3</sup> = Micrograms per cubic meter.  
 < 2.9 = Not detected at or above the indicated laboratory method reporting limit.  
 NE = Not established.  
 -- = Not applicable/not analyzed.  
 TCL = Target Cleanup Level for Lifetime Excess Cancer Risk (LECR) presented in Table 40 of the November 2016 Human Health Risk Assessment Report.