HEALTH CARE SERVICES

AGENCY



DAVID J. KEARS, Agency Director

ENVIRONMENTAL HEALTH SERVICES ENVIRONMENTAL PROTECTION (LOP) 1131 Harbor Bay Parkway, Suite 250 Alameda, CA 94502-6577 (510) 567-6700 FAX (510) 337-9335

REMEDIAL ACTION COMPLETION CERTIFICATION

October 30, 1996

Harold DeLuca Property Owner 1000 N Point St, Apt 1202 San Francisco CA 94109 Attn: John Monfredini Allied Food Sales 333 Clay St Oakland CA 94607

Dear Messrs. DeLuca and Monfredini:

UNDERGROUND STORAGE TANK (UST) CASE Allied Food Sales 321 Clay St. (a.k.a. 333 Clay St.) Oakland CA 94607 SITE NO. 5545

This letter confirms the completion of site investigation and remedial action for the underground storage tank formerly located at the above-described location. Enclosed is the Case Closure Summary for the referenced site for your records.

Based upon the available information, including the current land use, and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to the underground storage tank release is required.

This notice is issued pursuant to a regulation contained in Title 23, California Code of Regulations, Division 3, Chapter 16, Section 2721 (e). If a change in land use, structural configuration, or site activities are proposed such that more conservative exposure scenarios should be evaluated, the owner must promptly notify this agency.

Please telephone Amy Leech at (510)567-6700 if you have any questions regarding this matter.

Sincerely,

Mee Ling Tung, Director of Environmental Health Services

ATTACHMENT

c: Kevin Graves, RWQCB
Lori Casias, SWRCB w/attachment
Acting Chief of Environmental Protection Division
Files(ALL)

CASE CLOSURE SUMMARY Leaking Underground Fuel Storage Tank Program Page 1 of 3

AGENCY INFORMATION

Agency name: Alameda County-HazMat

Date:City/State/Zip: Alameda, CA 94502

Responsible staff person: Amy Leech

Date: August 19, 1996

Address: 1131 Harbor Bay Pkwy

Phone: (510) 567-6700

Title: Hazardous Materials Spec.

II. CASE INFORMATION

Site facility name: Allied Food Sales

Site facility address: 321 Clay St. (a.k.a. 333 Clay St.), Oakland, CA 94607 RB LUSTIS Case No: N/A Local Case No./LOP Case No.: 5545

URF filing date: 01/16/92

SWEEPS No: N/A

Responsible Parties:

Address:

Phone Numbers:

Harold DeLuca

1000 N Point St, Apt 1202

839-6513

San Francisco CA 94109

Attn: John Monfredini

333 Clay St

763-6203

Allied Food Sales

Oakland CA 94607

Tank Size in

Contents:

Closed in-place

Date:

No:

1

gal.: 1,000

gasoline

or removed?: removed

08/02/91

III. RELEASE AND SITE CHARACTERIZATION INFORMATION

Cause and type of release: Unknown

Site characterization complete? Yes

Date approved by oversight agency: 08/19/96

Monitoring Wells installed? No

Number: n/a

Proper screened interval? n/a

Highest GW depth below ground surface: n/a Lowest depth: n/a

Flow direction: Not determined. Assumed to be westerly.

Most sensitive current use: Commercial

Are drinking water wells affected? No

Aquifer name: N/A

Is surface water affected? No Nearest affected SW name: N/A

Off-site beneficial use impacts (addresses/locations): Not Known

Report(s) on file? YES Where is report(s) filed?

Alameda County, 1131 Harbor Bay Pkwy, Alameda, CA 94502

CASE CLOSURE SUMMARY Leaking Underground Fuel Storage Tank Program Page 2 of 3

III. RELEASE AND SITE CHARACTERIZATION INFORMATION (cont'd)

Treatment and Disposal of Affected Material:

<u>Materia</u>	l Amount	Action (Treatment	<u>Date</u>
USTs	(include units) 1- 1,000 gallon	or Disposal w/destination) H&H Ship Service Co. 220 China Basin St., San Francisco, CA	08/02/91
Soil	35 c.y.	BFI 4001 N Vasco Rd., Livermore, CA	01/23/96

Maximum Documented Contaminant Concentrations - - Before and After Cleanup

Contaminant	Soil (ppm)		Water (ppb)		
	Before1	After ²	Before	<u>After⁴</u>	
TPH (Gasoline)	1,800	ND	NT	ND	
TPH (Diesel)	NT	ND^3	*1	NT	
Benzene	8.3	0.26	н	ND	
Toluene	200	0.056	н	ND	
Ethylbenzene	30	0.014	11	ND	
Xylene	400	0.040	11	ND	

ND=non-detect

NT=not tested

- 1 Soil sample collected from the gasoline UST pit in 8/91.
- 2 Soil sample collected from northwest corner of the former UST pit after overexcavation in 1/96.
- 3 Soil sample collected from boring TW-#1 at ~10 ft bgs located northeast of the former UST pit in 4/96.
- 4 "Grab" groundwater samples collected from borings TW-#1 (12 ft bgs) and TW-#2 (10 ft bgs) in 4/96.

Comments (Depth of Remediation, etc.): See comments under "Additional Comments" section.

IV. CLOSURE

Does completed corrective action protect existing beneficial uses per the Regional Board Basin Plan? **Undetermined**

Does completed corrective action protect potential beneficial uses per the Regional Board Basin Plan? **Undetermined**

Does corrective action protect public health for current land use? YES Site management requirements: N/A

Should corrective action be reviewed if land use changes? YES

Monitoring wells Decommissioned: n/a

Number Decommissioned: n/a Number Retained: n/a

List enforcement actions taken: n/a
List enforcement actions rescinded: n/a

V. LOCAL AGENCY REPRESENTATIVE DATA

Name: Amy Leech

Signature:

Reviewed by

Name: Jennifer Eberle Signature:

Name: Thomas Peacock

Signature:

VI. RWOCB NOTIFICATION

Date Submitted to RB:

RWQCB Staff Name: Kevin Graves, P.E. Title: Assoc. Water Resources Control Engineer

Title: Hazardous Materials Specialist

Date: 9-13-96

Title: Hazardous Materials Specialist

Date: 8-30 -96

Title: Supervising, Hazardous Materials Spec.

Date: 9

RB Response:

Signature: Date:

10-10-96

VII. ADDITIONAL COMMENTS

On August 1, 1991, one 1,000-gallon gasoline underground storage tank (UST) was removed from 321 Clay Street (a.k.a. 333 Clay St.) in Oakland, California. (See attachment 1 for site location.) Up to 1,800 ppm TPH-G and 8.3 ppm benzene were detected in soil samples collected beneath the UST at approximately 7-8 feet below ground surface (bgs). (See attachment 2 for sample locations and results.)

Overexcavation of contaminated soil from the former UST pit was completed down to approximately 12-15 feet bgs on January 4, 1996. An estimated 35 - 40 cubic yards of soil was removed. Confirmatory soil results were all non-detect for TPH-G and BTEX, except for trace concentrations of BTEX (0.26, 0.056, 0.014 0.040 ppm, respectively) identified in the soil sample collected from the northwest corner of the excavation at 11 ft. bgs. (See attachment 3 for sample locations and results.)


Two borings (TW-#1 and TW-#2) were emplaced northeast and southwest of the former UST pit on April 12, 1996. Depth-to-water, total depths explored, and boring logs were not provided with the report on this investigation. However, chain-of-custody documentation indicates that groundwater samples for TW-#1 and TW-#2 were collected at 12 ft. bgs and 10 ft. bgs, respectively, and soil samples were collected at ~10 ft. bgs in each boring for laboratory analysis. TPH-G and BTEX were not identified in soil or groundwater samples collected from both borings, except for trace concentrations of BTEX (0.0553, 0.0246, 0.0199, 0.575 ppm, respectively) identified in the soil sample collected from boring TW-#1 at 10 ft. bgs. (See attachment 3 for sample locations and results.)

The benzene concentrations identified in confirmatory soil samples after overexcavation of the former UST pit and in boring TW-#1 do not exceed the Tier-1 Look-up table of the ASTM ES 1739-95 Standard Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites (RBCA) 1x10⁻⁴ cancer risk for a commercial exposure scenario for the following pathways: soil volatilization to outdoor air and soil-vapor intrusion from soil to buildings.

Based on this information, no further investigations are recommended for this site.

Figure 1
Location Map 333 Clay Street






Copied from U.S.Geological Survey, Oakland-West, Ca, 1980, Scale 1:24,000

Allied Food Sales Co. 331 Clay Street Oakland, CA

North



Clay Street

Warehouses 3rd | Street 4th Street

LOG # 1175

3423 Investment Boulevard, #8 • Hayward, California 94545

Totophone (415) 763-6960 Facalmile (415) 783-1512

1175 8/02/91 8/02/91 8/13/91 8/15/91 8/16/91 LOG NUMBER: DATE SAMPLED: DATE RECEIVED: DATE EXTRACTED: DATE ANALYZED: DATE REPORTED:

CUSTOMER: B and B Associated Services

REQUESTER: Ernie Bernabe

PROJECT: Allied Food Sales Co.

777764 7000				Sample Type: Soil					
Maddan			#1		#2	#3			
Method and Constituent:	Units	Concen- tration	Reporting	Concen- tration	Reporting Limit	Concen- tration	Reporting Limit		
DHS Method:		.	4.0	0		<u> </u>	<u>=_u</u>		
Total Petroleum Hydro-		-8100	epule Q	Short					
carbons as Gasoline	mg/kg	33	0.50	32	0.95	14	0.50		
Modified EPA Method 8020:	:								
Benzene	mg/kg	ND	0.0050	ND	0.12	ND			
Toluene	mg/kg	0.016	0.0050	ND	0.14	0.034	0.024		
Xylenes	mg/kg	1.4	0.015	1.5	0.14		0.027		
Ethylbenzene	mg/kg	ND	0.0050	0.16	0.37	0.26 ND	0.074 0.032		
Method and Constituent:	<u>Units</u>	Concen- tration	#4 Reporting	Metho Concen- tration	d Blank Reporting Limit				
DHS Method: Total Petroleum Hydro-	Jel End								
carbons as Gasoline	mg/kg	1,800	16	ND	0.50				
Modified EPA Method 8020:									
Benzene	mg/kg	8.3	2.0						
Toluene	mg/kg	200	2.3						
Xylenes	mg/kg	400	6.2						
Ethylbenzene	mg/kg	30	2.7						
OC Summary:							4		
6 Recovery: 110									

110 12 % RPD:


Concentrations reported as ND were not detected at or above reporting limit.

Louis W. DuPuis

Quality Assurance/Quality Control Manager

Founding Member of the Association of California Testing Laboratories





I in. = 10 ft.. 4/29/96 D.K.Barber

APPENDIX K ANALYTICAL RESULTS Allied Food, UST, 333 Clay St.,Oakland

Location	Sample Date	Lab No.	TPHg (mg/kg)		Benzene (µg/kg)	Toluene (µg/kg)	Ethylbenzene (µg/kg)	Xylene (µg/kg)	
			DHS LUFT		8020	8020	8020	8020	
Origi	nal UST	Removal							
Soil	nui Cox	20010111							
Exc Soil Pile	8/2/91	TAL-1175-#1	33		< 5.0	16	< 5.0	1400	
Exc Soil Pile	8/2/91	TAL-1175-#2	32		< 120	< 140	160	1500	
Pit W End	8/2/91	TAL-1175-#3	14		< 24	34	< 32.0	260	
Pit E End	8/2/91	TAL-1175-#4	1,800		8,300	200,000	30,000	400,000	
Over Excavate Pit									
				Pb					
Soil				(mg/kg)					
Pit Bottom - 13'	1/5/96	SEQ-601-0316	< 1.0		< 5.0	< 5.0	< 5.0	< 5.0	
NW Corner-11'	1/5/96	SEQ-601-0317	< 1.0		260	56	14	40	
East End - 11'	1/5/96	SEQ-601-0318	< 1.0		< 5.0	< 5.0	< 5.0	< 5.0	
SE Corner	1/5/96	SEQ-601-0319	< 1.0		< 5.0	< 5.0	< 5.0	< 5.0	
Over Excav Pile	1/5/96	SEQ-601-0345	21	< 2.5	770	810	870	3,000	
Test Wells									
Soil									
East End (u/g)	4/11/96	FGL-STK 631962-1	< 1.0		< 0.003	< 0.003	< 0.003	< 0.003	
East End (split)	4/11/96	Alameda- 96-024-3	< 10.0		55.3	24.6	19,9	575	
Water				MTBE (ug/kg)					
East End (u/g)	4/11/96	FGL-STK 631962-2	< 0.05	< 5.0	< 0.003	< 0.003	< 0.003	< 0.003	
East End (split)	4/11/96	Alameda- 96-024-1	< 0.50		< 0.3	< 0.43	<0.3	< 0.3	
West End (d/g)	4/11/96	FGL-STK 631962-3	< 0.05	< 5.0	< 0.003	< 0.003	< 0.003	< 0.003	

Testing Laboratoies: TAL=Trace Analytical Laboratory, SEQ = Sequoia Analytical, FGL=FGL Environmental, Alameda = Alameda County Environmental Health Dept. (u/g) = upgradient from pit, (d/g) = downgradient from pit