

Western Operations

1252 Quarry Lane
Pleasanton, CA 94566
(415) 426-2600
Fax (415) 426-0106

90 JUL 25 AM 10:43

Clayton
ENVIRONMENTAL
CONSULTANTS

July 24, 1990

Mr. Gil Wilstar
Hazardous Materials Specialist
Department of Environmental Services
80 Swan Way, Room 200
Oakland, California 94621

Clayton Project No. 30224.00

Dear Mr. Wilstar:

I have enclosed laboratory analytical results for the July quarterly groundwater monitoring well sampling round at Valley Nissan/Volvo, Dublin, California. The laboratory report present results for the sample collected from well MW-1. The sample was collected on July 12, 1990. Also attached are copies of pertinent field notes collected on the day of sampling. Clayton's next scheduled monitoring well sampling will be in September and December, 1990.

If you have any questions or if you would like to schedule the next quarterly sampling episode, please call me at my office (415) 426-2670.

Sincerely,

Richard J. Silva
Geologist

RJS/
Enclosure

Western Operations

1252 Quarry Lane
Pleasanton, CA 94566
(415) 426-2600
Fax (415) 426-0106

Clayton
ENVIRONMENTAL
CONSULTANTS

July 17, 1990

Mr. Dariush Dastmalchi
CLAYTON ENVIRONMENTAL CONSULTANTS, INC.
1252 Quarry Lane
P.O. Box 9019
Pleasanton, CA 94566

Client Ref. No. 30224.00
Work Order No. 9007084
Client Code No. INT_EEP


Dear Mr. Dastmalchi:

Attached is our analytical report for the samples received on July 12, 1990. A copy of the Chain-of-Custody form acknowledging receipt of these samples is attached.

Please note that any unused portion of the samples will be disposed of 30 days after the date of this report, unless you have requested otherwise.

We appreciate the opportunity to be of assistance to you. If you have any questions, please contact Maryann Gambino, Client Services Representative, at (415) 426-2657.

Sincerely,



Ronald H. Peters, CIH
Director, Laboratory Services
Western Operations

RHP/tb
Attachment

INORGANIC LABORATORY ANALYSES

Sample I.D.:	See below	Client:	VALLEY NISSAN
Sample Received:	07/12/90	Client Ref. No.:	30224.00
Sample Analyzed:	07/16/90	Lab Client Code:	INT_EEP
Sample Matrix:	Water	Lab No.:	9007084

Batch Sub. No.	Sample Identification	Hydrocarbons (mg/L)
-01	MW-1	<1
-MB	Method Blank	<1
Limit of detection:		1
Method Reference:		Standard Method 503E

< Less than the indicated limit of detection (LOD)

Clayton

ENVIRONMENTAL CONSULTANTS

A Marsh & McLennan Company

REQUEST FOR LABORATORY ANALYTICAL SERVICES

For Clayton Use Only	Page _____ of _____
Project No.	
Batch No.	9007034
Client No.	
Date Received	7/12/90 By TB
Date Logged In	By TS

Purchase Order No.		Client Job No.		REPORT RESULTS TO	Name <u>DARIUSCH</u>		Title <u>GEOL.</u>											
SEND INVOICE TO	Name <u>DARIUSCH</u>		Company <u>CCC PLEAS</u>		Mailing Address		Dept.											
	Company <u>(CCC PLEAS) VALLEY NISSAN</u>		Address <u>SCARLET CT.</u>		City, State, Zip		Telephone No.											
	Address <u>SCARLET CT.</u>		City, State, Zip <u>PLEASANTON</u>		Mailing Address		Telefax No.											
Date Results Required: <u>STANDARD T/A</u>		Rush Charges Authorized? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Number of Containers	ANALYSIS REQUESTED (Enter an 'X' in the box below to indicate request; Enter a 'P' if Preservative added*)													
Special Instructions: (method, limit of detection, phone results, rush results, etc.)					<p style="text-align: center;">P=Hcl</p> <p style="text-align: center;">MR MIKE JOHNSON 5503 E 7TH AVE HOLD</p>													
* Explanation of Preservative:																		
CLIENT SAMPLE IDENTIFICATION		DATE SAMPLED	MATRIX/MEDIA									AIR VOLUME (specify units)						FOR LAB USE ONLY
<u>MW-1</u>		<u>7-12-90</u>	<u>H₂O</u>									<u>8 1L</u>						<u>01A</u>
<u>MW-1 (DUPLICATE)</u>		<u>7-12-90</u>	<u>"</u>									<u>↓</u>	<u>PX</u>					<u>1B</u>
<u>MW-1 "</u>		<u>↓</u>	<u>↓</u>									<u>8 40ml</u>	<u>X</u>					<u>1C</u>
<u>MW-1 "</u>		<u>↓</u>	<u>↓</u>									<u>↓</u>	<u>X</u>					<u>1D</u>
<u>TRIP BLANK 061390</u>		<u>↓</u>	<u>↓</u>									<u>↓</u>	<u>X</u>					<u>02A</u>
<u>BOTH SAMPLES TAKEN FROM MW-1 WEST SIDE OF SERVICE BAYS @ DEALERSHIP</u>																		
CHAIN OF CUSTODY (if required)		Relinquished by: <u>[Signature]</u>	Date/Time <u>7-12-90 1330</u>	Received by: <u>[Signature]</u>								Date/Time <u>7/12/90 2:25p</u>						
		Relinquished by:	Date/Time	Received at lab by:		Date/Time												
		Method of Shipment:		Sample condition upon receipt:														
Authorized by: _____ Date _____				(Client Signature Must Accompany Request)														

Please return completed form and samples to one of the Clayton Environmental Consultants, Inc. labs listed below:

- | | | | |
|---|---|--|--|
| 22345 Roethel Drive
Novi, MI 48050
(313) 344-1770 | Raritan Center
160 Fieldcrest Ave.
Edison, NJ 08837
(201) 225-6040 | 400 Chastain Center Blvd., N.W.
Suite 490
Kennesaw, GA 30144
(404) 499-7500 | 1252 Quarry Lane
Pleasanton, CA 94566
(415) 426-2600 |
|---|---|--|--|

DISTRIBUTION:
 WHITE - Clayton Laboratory
 YELLOW - Clayton Accounting
 PINK - Client Retains

CLAYTON ENVIRONMENTAL CONSULTANTS, INC.

WATER SAMPLING FIELD SURVEY FORM

Job # 30224.00 Site: Valley Nissan/Volvo Date: July 12,1990

Well # MW-1 Sampling Team: Gary Williams

Sampling Method: Electrical submersible pump for purging; bailer for sampling

Field Conditions: Clear skies, fairly hot

Describe Equipment D-Con Before Sampling This Well: TSP washed, steam cleaned, and then rinsed with deionized water.

Total Depth of Well: 14.3 ft. Time: 1130 Depth to Water Before Pumping: 6.74 ft.

Height of Water Column:	Diameter		Volume	Purge Factor	Volume To Purge
	2-inch	4-inch			
<u>7.56</u> ft. *	<u>.16</u>	<u>.65</u>	= <u>4.91</u> gal *	<u>5</u>	= <u>24.57</u>

Depth Purging From: 13.5 ft. Time Surging Begins: 1140

Notes on Initial Discharge: _____

Time	Volume Purged	pH	Conductivity	T	Notes
<u>1145</u>	<u>5-gal</u>	<u>6.62</u>	<u>3.59</u>	<u>21.1°C</u>	<u>Clear water/no odor</u>
<u>1155</u>	<u>10-gal</u>	<u>6.67</u>	<u>4.69</u>	<u>"</u>	
<u>1205</u>	<u>15-gal</u>	<u>6.37</u>	<u>5.58</u>	<u>"</u>	
<u>1220</u>	<u>20-gal</u>	<u>6.08</u>	<u>5.83</u>	<u>"</u>	
<u>1235</u>	<u>25-gal</u>	<u>6.06</u>	<u>6.65</u>	<u>"</u>	

CLAYTON ENVIRONMENTAL CONSULTANTS, INC.

WATER SAMPLING FIELD SURVEY FORM
(continued)

Time Field Parameter Measurement Begins: 1245

pH	<u>6.17</u>	<u>6.20</u>	<u>6.23</u>	<u>6.52</u>
Conductivity	<u>5.19</u>	<u>5.21</u>	<u>5.85</u>	<u>5.84</u>
T°C	<u>21.1</u>	<u>21.1</u>	<u>21.1</u>	<u>21.1</u>

Pre-Sample Collection Gallons Purged: 25

Time Sample Collected Begins: 1245

Time Sample Collection Ends: 1255

Total Gallons Purged: 26

Comments: _____

