MEETING

Date: 12/16/93

Location: Hayward Fire Dept.

Purpose: Called together by Mr. Weinberg to try and settle

his problems with trying to lease his property, the Exxon/Texaco site, located at the corner of West "A" St.

and Hesperian.

Attending:

Name	Representing	Phone#	Fax#
Mark Asplund Karen Petryna Ron Zielinski Scott Kellstedt Randy Pals Marla Guensler Mark Sigal Dixie Divine Martin Weinberg David Goodrum Juliet Shin Leandes Haure	Texaco Texaco Texaco HydroEnviron Exxon(attny) Exxon CBM CBM SomersetLTD Exxon ACHD City/Airport	(818) 505-3032 (510) 236-9139 (510) 236-9139 (510) 521-2684 (713) 656-9727 (510) 246-8776 (510) 794-3611 (510) 794-3611 (714) 474-8200 (415) 673-9166 (510) 271-4530 (510) 293-5461	(818)505-3059 (510)237-7821 (510)237-7821 (510)521-5078 (713)656-9691 (510)794-9646 (510)794-9646 (510)794-9646 (714)474-0529 Same (510)783-4556
Danny Chauhan Hugh Murphy	Airport Alliance Hayward Fire	(510)887-7715 (510)293-5454	
	Dept.		

Exxon removed tanks and collected soil samples in 1988. Found a couple of hot spots and excavated those areas recenty. Were planning to backfill, but Weinberg said not to backfill. Tanks in good condition. No staining. Oct 1988 Exxon obtained lease, and tanks had been replaced already at that time. Excavation above ground water level. No apparent remaining source, but still floating product observed.

1974- 1st tanks installed by Texaco and replaced with those Exxon recently removed. Texaco apparently doesn't have records of soil contamination on the property, except for where water table is, indicating that there is an off-site source.

Althoug diesel contamination has been identified on the Texaco/Exxon site, Mr. Murphy stated that both Shell and Unocal, located upgradient, never had any diesel tanks on record. Shell did have a waste oil tank. Apparently, Texaco never had any diesel use either.

12/16/93 Site Meeting · 20499 Hesperian Name Representing Phone# Fax # 1. Mark Asplund Toxaco (818) 505-3072 (818) 505-3059 2. KAREN PETRYNA TEXACO (510) 236-9/39 (510) 237-782) 4. SLOTT KELLSTEDT HYDRO (570) 521-2684 (570) 521-5078 5, RANDY PALS EXEN (ATTY) 113-656-9727 (713) -656-969. 6. Marla D. Guender Exxon (510)246-8776 (570)246-8798 7- Mark Sigal CBM (510) 794-3611 (510) 794 9646 8. Dixie Divine CBM 510) 194-36/1 500) 794-9646 9. Martin 3 Weenley SomeseTLTO 714-474-8200 - 474-052; '0. DAVID FOODRUM EXXON (415)6739166 SAME 1. JULIET SHIN, ALAMEDA COUNTY (510)271-4530 (510) 569-4757 HEALTH DEPT. 2. Leandes Haure City/Airport 293-5461 / 783-4556 3. DANNY CHAVRAN AVR PORT Allemance (570) 887-7715 4. Hugh Murchy Hare Most/Huyward Fire Department 293-5454