

MPDS-UN5366-04
January 4, 1995

Unocal Corporation
2000 Crow Canyon Place, Suite 400
P.O. Box 5155
San Ramon, California 94583

Attention: Mr. Edward C. Ralston

RE: Quarterly Data Report
Unocal Service Station #5366
7375 Amador Valley Boulevard
Dublin, California

Dear Mr. Ralston:

This data report presents the results of the most recent quarter of monitoring and sampling of the monitoring wells at the referenced site by MPDS Services, Inc.

RECENT FIELD ACTIVITIES

The Unocal monitoring wells that were monitored and sampled during this quarter are indicated in Table 1. Prior to sampling, the Unocal wells were checked for depth to water and the presence of free product or sheen. The monitoring data and the ground water elevations for the Unocal wells are summarized in Table 1. The ground water flow direction at the Unocal site during the most recent quarter is shown on the attached Figure 1.

A joint monitoring and sampling event was scheduled to be conducted with the consultant for the nearby former Shell service station on November 18, 1994. However, the monitoring and sampling at the Shell site was not conducted on that date. MPDS Services, Inc. will attempt to resume the joint monitoring and sampling program with the former Shell service station next quarter.

Ground water samples were collected from the Unocal wells on November 18, 1994. Prior to sampling, the Unocal wells were each purged of 7 gallons of water. Samples were decanted into clean VOA vials and/or one-liter amber bottles, as appropriate, which were then sealed with Teflon-lined screw caps, labeled, and stored in a cooler, on ice, until delivery to a state-certified laboratory. MPDS Services, Inc. transported the purged ground water to the Unocal Refinery located in Rodeo, California, for treatment and discharge to San Pablo Bay under NPDES permit.

ANALYTICAL RESULTS

The ground water samples collected from the Unocal wells were analyzed at Sequoia Analytical Laboratory and were accompanied by properly executed Chain of Custody documentation. The analytical results of the

ground water samples collected from the Unocal wells to date are summarized in Tables 2 and 3. The concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline, TPH as diesel, and benzene detected in the ground water samples collected from the Unocal wells this quarter are shown on the attached Figure 2. Copies of the laboratory analytical results and the Chain of Custody documentation for the Unocal wells are attached to this report.

LIMITATIONS

Environmental changes, either naturally-occurring or artificially-induced, may cause changes in ground water levels and flow paths, thereby changing the extent and concentration of any contaminants.

DISTRIBUTION


A copy of this report should be sent to Alameda County Health Care Services Agency.

If you have any questions regarding this report, please do not hesitate to call Mr. Nubar Srabian at (510) 602-5120.

Sincerely,

MPDS Services, Inc.


Sarkis Karkarian
Staff Engineer


Joel G. Greger, C.E.G.
Senior Engineering Geologist

License No. EG 1633
Exp. Date 8/31/96

/jfc

Attachments: Tables 1, 2 & 3
Location Map
Figures 1 & 2
Laboratory Analyses
Chain of Custody documentation

cc: Mr. Thomas Berkins, Kaprealian Engineering, Inc.



TABLE 1

**SUMMARY OF MONITORING DATA
UNOCAL MONITORING WELLS**

<u>Well #</u>	<u>Ground Water Elevation (feet)</u>	<u>Depth to Water (feet)◆</u>	<u>Total Well Depth (feet)◆</u>	<u>Product Thickness (feet)</u>	<u>Sheen</u>	<u>Water Purged (gallons)</u>
(Monitored and Sampled November 18, 1994)						
MW1	326.38	9.69	19.49	0	No	7
MW2*	326.83	9.95	19.26	0	--	0
MW3*	326.83	10.15	18.91	0	--	0
MW4*	326.33	10.10	19.44	0	--	0
MW5	325.87	10.09	19.99	0	No	7
(Monitored and Sampled August 25, 1994)						
MW1	325.49	10.58	19.49	0	No	6.5
MW2*	326.03	10.75	19.27	0	--	0
MW3*	326.05	10.93	18.94	0	--	0
MW4*	325.49	10.94	19.43	0	--	0
MW5	325.53	10.43	20.00	0	No	7
(Monitored and Sampled on May 17, 1994)						
MW1	326.81	9.26	19.50	0	No	8
MW2*	327.47	9.31	19.26	0	--	0
MW3*	327.49	9.49	18.94	0	--	0
MW4*	326.80	9.63	19.44	0	--	0
MW5	326.72	9.24	20.00	0	No	8
(Monitored and Sampled on February 11, 1994)						
MW1	326.35	9.72	19.46	0	No	7
MW2	326.93	9.85	19.23	0	No	6.5
MW3	326.97	10.01	18.90	0	No	6.5
MW4	326.33	10.10	19.40	0	No	6.5
MW5	325.88	10.08	19.96	0	No	7

TABLE 1 (Continued)

SUMMARY OF MONITORING DATA
UNOCAL MONITORING WELLS

<u>Well #</u>	<u>Well Casing Elevation (feet)**</u>
MW1	336.07
MW2	336.78
MW3	336.98
MW4	336.43
MW5	335.96

◆ The depth to water level and total well depth measurements were taken from the top of the well casings.

* Monitored only.

** The elevations of the top of the well casings have been surveyed relative to Mean Sea Level (MSL), per the County of Alameda Benchmark, standard brass disk in the westerly center island of Amador Valley Boulevard at Village Parkway, 15 feet from the nose and 0.8 feet from the northerly curb, stamped "VL PK AM VY, 1977" (elevation = 337.40 feet MSL).

-- Sheen determination was not performed.

TABLE 2

**SUMMARY OF LABORATORY ANALYSES
UNOCAL MONITORING WELLS
WATER**

<u>Date</u>	<u>Well #</u>	<u>TPH as Gasoline</u>	<u>Benzene</u>	<u>Toluene</u>	<u>Ethyl-benzene</u>	<u>Xylenes</u>
11/18/94	MW1	820	21	ND	19	6.6
	MW2	SAMPLED ANNUALLY				
	MW3	SAMPLED ANNUALLY				
	MW4	SAMPLED ANNUALLY				
	MW5	18,000	2,400	52	1,600	51
8/25/94	MW1	650	10	1.6	7.7	2.1
	MW5	9,400	3,800	ND	2,200	150
5/17/94	MW1	1,000	41	ND	49	32
	MW2	SAMPLED ANNUALLY				
	MW3	SAMPLED ANNUALLY				
	MW4	SAMPLED ANNUALLY				
	MW5	20,000	4,300	ND	2,300	130
2/11/94	MW1	970	40	3.2	2.8	15
	MW2	ND	ND	ND	ND	ND
	MW3	ND	ND	ND	ND	ND
	MW4	ND	ND	ND	ND	ND
	MW5	18,000	2,400	140	920	3,100
11/11/93	MW1	350	19	2.5	2.7	3.4
8/12/93	MW1	1,000	46	ND	29	6.3
5/10/93	MW1	1,600	39	0.40	25	3.3
2/10/93	MW1	3,000	230	ND	340	200
	MW2	ND	ND	ND	ND	ND
	MW3	ND	ND	ND	ND	ND
	MW4	ND	ND	ND	ND	ND
11/10/92	MW1	1,100	49	ND	71	21
8/12/92	MW1	1,700	51	ND	93	21

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES
UNOCAL MONITORING WELLS
WATER

<u>Date</u>	<u>Well #</u>	<u>TPH as Gasoline</u>	<u>Benzene</u>	<u>Toluene</u>	<u>Ethyl-benzene</u>	<u>Xylenes</u>
5/22/92	MW1	2,500	120	ND	230	37
	MW2	ND	ND	ND	ND	ND
2/25/92	MW1	3,900	500	ND	450	400
11/13/91	MW1	860	40	ND	11	2.5
8/12/91	MW1	1,100	68	2.6	210	9.3
5/15/91	MW1	2,100	220	ND	360	27
2/14/91	MW1	1,900	150	2.9	340	43
11/14/90	MW1	2,000	110	0.52	410	16
8/15/90	MW1	2,200	160	ND	570	45
5/18/90	MW1	2,000	140	1.8	460	19
	MW2	ND	ND	ND	ND	ND
	MW3	ND	ND	ND	ND	ND
	MW4	ND	ND	ND	ND	ND
2/06/90	MW1	2,700	170	ND	350	29
	MW2	ND	ND	ND	ND	ND
	MW3	ND	ND	ND	ND	ND
	MW4	ND	ND	ND	ND	ND
10/20/89	MW1	ND	ND	ND	ND	ND
	MW2	ND	ND	ND	ND	ND
	MW3	ND	ND	ND	0.38	ND
	MW4	ND	ND	ND	ND	ND
7/27/89	MW1	1,900	130	6.3	ND	68
	MW2	ND	ND	ND	ND	ND
	MW3	ND	ND	ND	ND	ND
	MW4	ND	0.34	ND	ND	ND

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES
UNOCAL MONITORING WELLS
WATER

<u>Date</u>	<u>Well #</u>	<u>TPH as Gasoline</u>	<u>Benzene</u>	<u>Toluene</u>	<u>Ethylbenzene</u>	<u>Xylenes</u>
5/22/89	MW3	ND	ND	ND	ND	ND
4/28/89	MW1	1,000	97	0.8	170	24
	MW2	ND	ND	ND	ND	ND
	MW3	880	9.6	9.7	19	12.7
	MW4	ND	0.3	ND	ND	ND
1/26/89	MW1	1,900	240	1.8	81	30
	MW2	ND	ND	ND	ND	ND
	MW3	ND	ND	ND	ND	ND
	MW4	ND	0.67	ND	ND	ND
10/28/88	MW1	5,200	150	ND	250	12
	MW2	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND
	MW4	ND	ND	ND	ND	ND
7/25/88	MW1	6,100	170	2.1	94	94
	MW2	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND
	MW4	ND	ND	ND	ND	ND
4/29/88	MW1	10,000	960	17	870	1,500
	MW2	170	2.7	0.6	ND	13
	MW3	ND	ND	ND	ND	ND
	MW4	ND	ND	ND	ND	ND

ND = Non-detectable.

-- Indicates that analysis was not performed.

Results are in micrograms per liter ($\mu\text{g/L}$), unless otherwise indicated.

Note: Laboratory analyses data prior to February 11, 1994, were provided by Kaprealian Engineering, Inc.

TABLE 3

SUMMARY OF LABORATORY ANALYSES
UNOCAL MONITORING WELLS
WATER

<u>Date</u>	<u>Well #</u>	<u>TPH as Diesel</u>	<u>Total Oil & Grease (mg/L)</u>	<u>EPA 8010 Constituents</u>
11/18/94	MW5	2,000**	--	--
8/25/94	MW5	2,000**	--	--
5/17/94	MW5	2,500*	--	--
2/11/94	MW3	ND	ND	--
	MW5	2,300*	--	--
5/10/93	MW1	730*	--	--
2/10/93	MW3	200	ND	--
5/18/90	MW3	ND	ND	ND
2/06/90	MW3	ND	ND	ND
10/20/89	MW3	ND	2.5	ND
7/27/89	MW3	ND	1.6	ND
5/22/89	MW3	--	--	--
4/28/89	MW3	72	ND	ND
1/26/89	MW3	ND	--	ND
10/28/88	MW3	ND	--	ND
7/25/88	MW3	ND	--	ND
4/29/88	MW3	ND	--	ND

TABLE 3 (Continued)

SUMMARY OF LABORATORY ANALYSES
UNOCAL MONITORING WELLS
WATER

* Sequoia Analytical Laboratory reported that the hydrocarbons detected appeared to be a diesel and non-diesel mixture.

** Sequoia Analytical Laboratory reported that the hydrocarbons detected did not appear to be diesel.


ND = Non-detectable.

-- Indicates analysis was not performed.


mg/L = milligrams per liter.

Results are in micrograms per liter ($\mu\text{g/L}$), unless otherwise indicated.

Note: Laboratory analyses data prior to February 11, 1994, were provided by Kaprealian Engineering, Inc.




Base modified from 7.5 minute U.S.G.S. Dublin Quadrangle
(photorevised 1980)







MPDS SERVICES, INCORPORATED


**UNOCAL SERVICE STATION #5366
7375 AMADOR VALLEY BLVD.
DUBLIN, CALIFORNIA**

**LOCATION
MAP**



LEGEND

-  Monitoring well
-  Ground water elevation in feet above Mean Sea Level
-  Direction of ground water flow with approximate hydraulic gradient
-  Contours of ground water elevation




POTENTIOMETRIC SURFACE MAP FOR THE NOVEMBER 18, 1994 MONITORING EVENT

MPDS SERVICES, INCORPORATED

UNOCAL SERVICE STATION #5366
7375 AMADOR VALLEY BLVD.
DUBLIN, CALIFORNIA

FIGURE
1




LEGEND

- ⊕ Monitoring well
- () Concentration of TPH as gasoline in $\mu\text{g/L}$
- [] Concentration of benzene in $\mu\text{g/L}$
- < > Concentration of TPH as diesel in $\mu\text{g/L}$

NS = Not sampled, NA = Not analyzed

* The lab reported that the hydrocarbons detected did not appear to be diesel.



PETROLEUM HYDROCARBON CONCENTRATIONS IN GROUND WATER ON NOVEMBER 18, 1994



**UNOCAL SERVICE STATION #5366
7375 AMADOR VALLEY BLVD.
DUBLIN, CALIFORNIA**

**FIGURE
2**



MPDS Services	Client Project ID: Unocal #5366, 7375 Amador Valley Blvd,	Sampled: Nov 18, 1994
2401 Stanwell Dr., Ste. 400	Matrix Descript: Water	Received: Nov 18, 1994
Concord, CA 94520	Analysis Method: EPA 5030/8015/8020	Reported: Dec 6, 1994
Attention: Avo Avedissian	First Sample #: 411-0932	

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Sample Number	Sample Description	Purgeable Hydrocarbons <i>µg/L</i>	Benzene <i>µg/L</i>	Toluene <i>µg/L</i>	Ethyl Benzene <i>µg/L</i>	Total Xylenes <i>µg/L</i>
411-0932	MW-1	820	21	ND	19	6.6
411-0933	MW-5	18,000	2,400	52	1,600	51

Detection Limits:	50	0.50	0.50	0.50	0.50
--------------------------	-----------	-------------	-------------	-------------	-------------

Total Purgeable Petroleum Hydrocarbons are quantitated against a fresh gasoline standard.
Analytes reported as ND were not present above the stated limit of detection.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager





MPDS Services
2401 Stanwell Dr., Ste. 400
Concord, CA 94520
Attention: Avo Avedissian

Client Project ID: Unocal #5366, 7375 Amador Valley Blvd,
Matrix Descript: Water
Analysis Method: EPA 5030/8015/8020
First Sample #: 411-0932

Sampled: Nov 18, 1994
Received: Nov 18, 1994
Reported: Dec 6, 1994

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Sample Number	Sample Description	Chromatogram Pattern	DL Mult. Factor	Date Analyzed	Instrument ID	Surrogate Recovery, % QC Limits: 70-130
411-0932	MW-1	Gasoline	4.0	11/30/94	HP-5	76
411-0933	MW-5	Gasoline	100	11/29/94	HP-4	90

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager





MPDS Services
2401 Stanwell Dr., Ste. 400
Concord, CA 94520
Attention: Avo Avedissian

Client Project ID: Unocal #5366, 7375 Amador Valley Blvd.,
Sample Matrix: Water
Analysis Method: EPA 3510/3520/8015
First Sample #: 411-0933

Sampled: Nov 18, 1994
Received: Nov 18, 1994
Dublin
Reported: Dec 6, 1994

TOTAL EXTRACTABLE PETROLEUM HYDROCARBONS

Analyte	Reporting Limit µg/L	Sample I.D. 411-0933 MW-5*
Extractable Hydrocarbons	50	2,000

Chromatogram Pattern: Unidentified Hydrocarbons <C16

Quality Control Data

Report Limit Multiplication Factor:	1.0
Date Extracted:	11/24/94
Date Analyzed:	11/30/94
Instrument Identification:	HP-3A

Extractable Hydrocarbons are quantitated against a fresh diesel standard.
Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Signature on File

Alan B. Kemp
Project Manager

Please Note:
* This sample does not appear to contain diesel. "Unidentified Hydrocarbons <C16" are probably gasoline.





MPDS Services
 2401 Stanwell Dr., Ste. 400
 Concord, CA 94520
 Attention: Avo Avedissian

Client Project ID: Unocal #5366, 7375 Amador Valley Blvd., Dublin
 Matrix: Liquid

QC Sample Group: 4110932-933

Reported: Dec 7, 1994

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Analyst:	M. Creusere	M. Creusere	M. Creusere	M. Creusere

MS/MSD	Benzene	Toluene	Ethyl Benzene	Xylenes
Batch#:	4111102	4111102	4111102	4111102
Date Prepared:	11/30/94	11/30/94	11/30/94	11/30/94
Date Analyzed:	11/30/94	11/30/94	11/30/94	11/30/94
Instrument I.D.#:	HP-5	HP-5	HP-5	HP-5
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L
Matrix Spike % Recovery:	95	100	105	103
Matrix Spike Duplicate % Recovery:	100	105	105	105
Relative % Difference:	5.1	4.9	0.0	1.9

LCS Batch#:	Benzene	Toluene	Ethyl Benzene	Xylenes
3LCS113094	3LCS113094	3LCS113094	3LCS113094	3LCS113094
Date Prepared:	11/30/94	11/30/94	11/30/94	11/30/94
Date Analyzed:	11/30/94	11/30/94	11/30/94	11/30/94
Instrument I.D.#:	HP-5	HP-5	HP-5	HP-5
LCS % Recovery:	103	104	104	101

% Recovery Control Limits:	Benzene	Toluene	Ethyl Benzene	Xylenes
	71-133	72-128	72-130	71-120

Please Note:
 The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Signature on File
 Alan B. Kemp
 Project Manager





MPDS Services
 2401 Stanwell Dr., Ste. 400
 Concord, CA 94520
 Attention: Avo Avedissian

Client Project ID: Unocal #5366, 7375 Amador Valley Blvd., Dublin
 Matrix: Liquid

QC Sample Group: 4110932-933

Reported: Dec 7, 1994

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes	Diesel
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020	EPA 8015 Mod
Analyst:	M. Creusere	M. Creusere	M. Creusere	M. Creusere	K.V.S.

MS/MSD	Benzene	Toluene	Ethyl Benzene	Xylenes	Diesel
Batch#:	4110930	4110930	4110930	4110930	BLK112494
Date Prepared:	11/29/94	11/29/94	11/29/94	11/29/94	11/24/94
Date Analyzed:	11/29/94	11/29/94	11/29/94	11/29/94	11/30/94
Instrument I.D.#:	HP-4	HP-4	HP-4	HP-4	HP-3A
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L	300 µg/L
Matrix Spike % Recovery:	85	95	100	102	72
Matrix Spike Duplicate % Recovery:	85	90	95	95	70
Relative % Difference:	0.0	5.1	5.1	7.1	2.8

LCS Batch#:	Benzene	Toluene	Ethyl Benzene	Xylenes	Diesel
LCS Batch#:	2LCS112994	2LCS112994	2LCS112994	2LCS112994	BLK112494
Date Prepared:	11/29/94	11/29/94	11/29/94	11/29/94	11/24/94
Date Analyzed:	11/29/94	11/29/94	11/29/94	11/29/94	11/30/94
Instrument I.D.#:	HP-4	HP-4	HP-4	HP-4	HP-3A
LCS % Recovery:	82	89	91	93	72

% Recovery Control Limits:	71-133	72-128	72-130	71-120	28-122
-----------------------------------	--------	--------	--------	--------	--------

Please Note:
 The LCS is a control sample of known, interferent free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Signature on File
 Alan B. Kemp
 Project Manager



