

# GeoPlexus, Inc.

Health & Safety Training • Geo/Environmental Personnel • Engineering Geology Consultants • Environmental Management Consultants

April 23, 1993

Mr. Tad Tassone  
Clementina Ltd.  
2177 Jerrold Avenue  
San Francisco, CA 94124

Subject: Amendment to Work Plan for Monitoring Well Installation at  
5521 Doyle Street, Emeryville, California dated March 16, 1993

Dear Mr. Tassone:

In response to our conversation, this letter presents amendments to the subject Work Plan in accordance with the directives from Alameda County, Department of Environmental Health personnel. The fourth paragraph on page 2 of the Work Plan is amended to read: "It is anticipated that one subsurface exploration boring would be advanced at the project site to facilitate installation of the monitoring well. The boring/well would be advanced/installed within 10 feet of the former underground storage tanks and would be located in the reported/verified "down gradient direction of the former tanks as indicated on Figure 4. The boring would be drilled by WEST Hazmat Drilling, a State of California Licensed Drilling Contractor and would be logged under the supervision of a State of California Certified Engineering Geologist. The attached Figure "Typical Well Construction Detail" is added to the Work Plan.


Copies of this amendment have been submitted to


Ms. Susan Hugo  
Alameda County Health Care Services  
Department of Environmental Health  
80 Swan Way, Room 200  
Oakland, CA 94621

Mr. Richard Hiatt  
Regional Water Quality Control Board  
San Francisco Bay Region  
2101 Webster Street, Room 500  
Oakland, CA 94612

We trust that these amendments are sufficient to complete the review of the Work Plan. Further questions or comments regarding the Work Plan should be addressed to the undersigned.

Respectfully submitted,  
Geo Plexus, Incorporated

  
David C. Glick, CEG 1338  
Director, Geological and  
Environmental Services



# GeoPlexus, Inc.

Health & Safety Training • Geo/Environmental Personnel • Engineering Geology Consultants • Environmental Management Consultants

## FAX TRANSMITTAL COVER SHEET

DATE: 4-24-93

NUMBER OF PAGES INCLUDING THIS COVER SHEET: 2

VERIFICATION OF RECEIPT REQUIRED? YES  NO

TO: MS. SUSAN HUGO

COMPANY: MONROE COUNTY DEPT. OF ENV. HEALTH

BUSINESS PHONE: \_\_\_\_\_

FAX PHONE: 510 569 4757

SPECIAL FAX INSTRUCTIONS: \_\_\_\_\_


FROM: DAVID GLICK

PROJECT: CLEMENTINA SITE 5521 DOYLE ST. EMERYVILLE

BUSINESS PHONE: \_\_\_\_\_ FAX PHONE: \_\_\_\_\_

REMARKS: SUSAN - ATTACHED IS A LETTER AMENDING  
OUR WORK PLAN TO INCORPORATE YOUR  
COMMENTS. WE TRUST THIS WILL ALLOW THE  
PROJECT TO PROGRESS. THANK YOU  
DAVID GLICK

IF THERE WERE ANY PROBLEMS WITH THIS TRANSMISSION PLEASE CALL:



C  
S  
C  
B

TYPICAL WELL DETAIL		
DATE	SCALE	DRAWN BY
CLEMMENTINA, Etd.		
		Figure