RAFAT A, SHAHID, Assistant Agency Director

DEPARTMENT OF ENVIRONMENTAL HEALTH Hazardous Materials Division 80 Swan Way, Rm. 200 Oakland, CA 94621 (510) 271-4320

REMEDIAL ACTION COMPLETION CERTIFICATION

StID 426 - 1345-75 Grand Ave, Piedmont, CA 94610

June 14, 1995

Mr. Patrick Ellwood Grand Ave Development 1345 Grand Ave Piedmont, CA 94610

Dear Mr. Ellwood:

This letter confirms the completion of site investigation and remedial action for the eight former underground storage tanks (six gasoline tanks and two waste oil tanks) removed from the above site in May 30 and June 5, 1986.

Based upon the available information and with the provision that the information provided to this agency was accurate and representative of site conditions, no further action related to the underground tank release is required.

This notice is issued pursuant to a regulation contained in Title 23, Division 3, Chapter 16, Section 2721(e) of the California Code of Regulations. Please contact Ms. Eva Chu at (510) 567-6700 if you have any questions regarding this matter.

Very truly yours,

Rafat A. Shahid, Director

GG & Sholud

Chief, Division of Environmental Protection cc: Kevin Graves, RWQCB Mike Harper, SWRCB (with attachment) files (kraft5)

CHALITY CONTROL BOARD

CASE CLOSURE SUMMARY Leaking Underground Fuel Storage Tank Program

May 22, 1995 AGENCY INFORMATION Date: I.

Agency name: Alameda County-HazMat City/State/Zip: Alameda, CA 94502 Address: 1131 Harbor Bay Pkwy

(510) 567-6700 Phone:

Title: Hazardous Materials Spec. Responsible staff person: Eva Chu

II. CASE INFORMATION

Site facility name: Kraft Automotive Service

Site facility address: 1345 Grand Ave, Piedmont, CA 94610

Local Case No./LOP Case No.: 426 RB LUSTIS Case No: N/A

URF filing date: SWEEPS No: N/A

Responsible Parties: Addresses: Phone Numbers:

1345 Grand Ave Pat Ellwood

Piedmont, CA 94610 Grand Ave Development

Closed in-place Date: Size in Contents: Tank or removed?: <u>No:</u> <u>gal.:</u>

3 gasoline, 1 Waste Oil UST removed from 1375 Grand Ave on May 30, 1986

3 gasoline/diesel, 1 Waste Oil UST removed from 1345 Grand Ave on 6/5/86

RELEASE AND SITE CHARACTERIZATION INFORMATION III.

Cause and type of release: Unknown

Site characterization complete? YES

Date approved by oversight agency: 3/27/95 Monitoring Wells installed? No Number:

Proper screened interval?

Highest GW depth below ground surface: Lowest depth: NA

Flow direction: Estimated SE

Most sensitive current use: Residential

Are drinking water wells affected? No Aquifer name:

Is surface water affected? No Nearest affected SW name: NA Off-site beneficial use impacts (addresses/locations): None

Report(s) on file? YES Where is report(s) filed? Alameda County 1131 Harbor Bay Pkwy Alameda, CA 94502

Treatment and Disposal of Affected Material:

<u>Material</u>	Amount (include units)	Action (Treatment or Disposal w/destination)	<u>Date</u>			
Tank Piping Free Product Soil Groundwater Barrels	8 USTs	Unknown 5/30	and 6/5/86			

Maximum Documented Contaminant	Soil	(mqq)		Water	(ppb)	Cleanup
	<u>Before</u>	<u> After</u>]	<u>Before</u>	<u> After</u>	
TPH (Gas)	ND	ND	:	14,000	ND	
TPH (Diesel)		5			ND	
Benzene	NA	ND		580	• 5	
Toluene	NA	ND		350	ND	
Ethylbenzene	NA	10		NA	ND	
Xylenes	NA	49		260	ND	
Oil & Grease	3,000	ND		NA	NA	
Heavy metals						
Other Cl-HC		ND			ND	
Total Or	ganic Carbon	220				
Dissolve	d Oxygen				800	

Comments (Depth of Remediation, etc.):

See Section VII, Additional Comments, etc...

IV. CLOSURE

Does completed corrective action protect existing beneficial uses per the Regional Board Basin Plan? YES
Does completed corrective action protect potential beneficial uses per the Regional Board Basin Plan? YES
Does corrective action protect public health for current land use? YES
Site management requirements: None

Should corrective action be reviewed if land use changes? YES

Monitoring wells Decommissioned: NA

Number Decommissioned: Number Retained:

List enforcement actions taken: None

List enforcement actions rescinded: NA

LOCAL AGENCY REPRESENTATIVE DATA v.

Eva Chu Name:

Title: Haz Mat Specialist

Signature:

Date: 53191

Title: Haz Mat Specialist

Title: Sr. Haz Mat Specialist

Reviewed by

Name:

Juliet Shin

Name:

Madhulla Logan

Signature: Maskulla L

RWQCB NOTIFICATION VI.

Date Submitted to RB: 6/1/95

RWQCB Staff Name: Kevin Graves

Signature:

RB Response: Moved

Date: 5/22/95

Date: 5/31/95

Title:

Date: 6/

ADDITIONAL COMMENTS, DATA, ETC. VII.

There is no closure report available for the removal of 4 USTs (3 gasoline, 1 W.O.) from 1375 Grand Ave, and 4 USTs (3 gasoline, 1 W.O.) from 1345 Grand Ave, except for analytical results of soil and "grab" groundwater samples collected in May - June 1986.

1345 Grand Avenue

Up to 3,000 ppm TOG was detected in a soil sample collected from the waste oil pit, at 7.5' depth. It appears the pit was overexcavated to 8' depth where a soil sample collected did not detect TOG. No analytical results are available for TPH-G, TPH-D, Cl-HC, semi-volatile compounds, or metals.

TPH-G and TPH-D were not detected in soil samples collected at 6.5' depth from the fuel tank pit. A "grab" groundwater sample collected did not detect TPH-G or BTX. There are no analytical results available for any other hydrocarbon constituents.

1375 Grand Avenue

A "grab" groundwater sample collected from the eastern-most fuel tank pit detected 14 ppm TPH-G, .58, .35, and .26 ppm BTX, respectively. Soil samples collected at 8 and 13' depth did not detect TPH-G.

TOG, the only constituent sought, was not detected from a soil sample collected from the waste oil tank pit.

Recent Investigations conducted February 23, 1995

Three temporary wells, TW 1, 2, and 3, were advanced in the estimated downgradient direction (based on a report by Hallenbeck Associated, Soil Investigation for Office Building Complex, October 11, 1985) from the former waste oil tank pit at 1345 Grand Ave (approximately 15' away), and from the former gasoline tank pits at 1345 and 1375 Grand Ave (approximately 40' away).

Soil collected from the borings TW-2 and TW-3, downgradient from the fuel pits, did not exhibit detectable levels of TPH-G or BTEX. Soil collected, but not analyzed, from TW-3 at 3 to 5' depth exhibited moderate hydrocarbon odors. However, odors were not present beyond 5' depth, as verified by soil collected at 6.5' depth, which did not contain TPH-G or BTEX.

Soil collected from boring TW-1, downgradient from the waste oil pit, detected low to non-detectable levels of TPH-G, TPH-D, BTEX, and chlorinated hydrocarbons. Metal concentrations (Cd, Cr, Pb, Ni, Zn) did not exceed 10X the STLC and appears to be normal background levels.

Groundwater was encountered at approximately 9' depth in borings TW-2 and TW-3. Water was not encountered in boring TW-1. "Grab" groundwater samples did not detect hydrocarbon constituents sought, except for 0.5 ppb benzene in TW-3. Semi-volatile compounds were not analyzed. When this became apparent, the holding time had already been exceeded.

There appears to be low levels of residual hydrocarbons in soil (5 ppb TEH, 49ppb xylenes and 10 ppb ethylbenzene) and groundwater (.5 ppb benzene). However, the levels are not significant to be of risk to human health or the environment. Permanent monitoring wells are not warranted at this time.

kraft4

Table 1.

Analytical Results - Soil Samples

Soil Sample Boring & Depth					Total Xylenes (ug/kg)		VOC³ (ug/kg)	Cd (mg/kg)	Cr (mg/kg)	Pb (mg/kg)	Ni (mg/kg)	Zn (mg/kg)	TO (mg
TW1 @ 2'	<1	<5	<5	10	49	5*	ND	<0.25	27	7.9	31	34	N.
TW2 @ 7.5'	<1	<5	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	N.
TW3 @ 6.5'	<1	<5	<5	<5	<5	NA	NA	NA	NA	NA	NA	NA	22

NA = Not analyzed

ND = None detected

¹ Total volatile hydrocarbons

² Total extractable hydrocarbons

³ Volatile organic compounds (other than BTEX)

⁴ Total organic carbon

^{*} Diesel range quantitation. Sample chromatogram does not resemble diesel standard. Oil range components contributed to diesel range quantitation. Kerosene range not reported due to overlap of hydrocarbon ranges.

Table 2.

Analytical Results - Groundwater Samples

Groundwater Sample Boring	TVH¹ (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethyl- benzene (ug/l)	Total Xylenes (ug/l)	TEH² (ug/l)	(ug/l)	Cd (ug/l)	Cr (ug/l)	Pb (ug/l)	Ni (ug/l)	Zn (ug/j)	DO ⁴ (mg/l)
TW 2	<50	<5	<5	<5	<5	<50	ND	<5	<10	<3	<20	32	NA
TW 3	<50	0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA	NA	NA	NA	0.8

¹ Total volatile hydrocarbons


² Total extractable hydrocarbons

³ Volatile organic compounds (other than BTEX)

⁴ Dissolved oxygen

NA not analyzed

ND none detected



CASE CLOSURE SUMMARY Leaking Underground Fuel Storage Tank Program

April 5, 1995 I. AGENCY INFORMATION Date:

Agency name: Alameda County-HazMat Address: 1131 Harbor Bay Pkwy

City/State/Zip: Alameda, CA 94502 Responsible staff person: Eva Chu Phone: (510) 567-6700

Title: Hazardous Materials Spec.

CASE INFORMATION II.

Site facility name: Kraft Automotive Service

Site facility address: 1345 Grand Ave, Piedmont, CA 94610

Local Case No./LOP Case No.: 426 RB LUSTIS Case No: N/A

SWEEPS No: N/A URF filing date:

Responsible Parties: Phone Numbers: Addresses:

1345 Grand Ave Pat Ellwood

Grand Ave Development Piedmont, CA 94610

Closed in-place Date: <u>Size in</u> Contents: <u>Tank</u> or removed?:

gal.: No:

15,000 -rallon gasoline, 1 Waste Oil UST removed from 1375 Grand Ave on May 30, 1986

3 gasoline, 2 Waste Oil UST removed from 1345 Grand Ave on June 5, 1986 1 june 17

RELEASE AND SITE CHARACTERIZATION INFORMATION

Cause and type of release: Unknown

Site characterization complete? YES

Date approved by oversight agency: 3/27/95

Monitoring Wells installed? Proper screened interval? NA

Highest GW depth below ground surface: NA Lowest depth:

Flow direction: Estimated SE

Most sensitive current use: Residential

Are drinking water wells affected? No Aquifer name:

Is surface water affected? No Nearest affected SW name: Off-site beneficial use impacts (addresses/locations):

Report(s) on file? YES Where is report(s) filed? Alameda County 1131 Harbor Bay Pkwy

Alameda, CA 94502

Treatment and Disposal of Affected Material:

<u>Material</u>	Amount (include units)	Action (Treatment or Disposal w/destinat	<u>Date</u> ion)
Tank Piping Free Product Soil Groundwater Barrels	8 USTs	Unknown	5/30 and 6/5/86

Maximum Documented Contaminant	Soil	(ppm)	Wa	ter	(ppb)	Cleanup
	<u>Before</u>	<u>After</u>	<u>Bet</u>	ore	<u> After</u>	
TPH (Gas)	ND	ND	14.	000	ND	
TPH (Diesel)		5	,		ND	
Benzene	NA	ND		580	ND	
Toluene	NA	ND		350	ND	
Ethylbenzene	NA	10		NA	ND	
Xylenes	NA	49		260	ND	
Oil & Grease	3,000	ND		NA	NA	
Heavy metals						
Other C1-HC		ND			ND	
Total Org	ganic Carbon	220				
Dissolve	d Oxygen				800	

Comments (Depth of Remediation, etc.):

See Section VII, Additional Comments, etc...

IV. CLOSURE

Does completed corrective action protect existing beneficial uses per the Regional Board Basin Plan? YES
Does completed corrective action protect potential beneficial uses per the Regional Board Basin Plan? YES
Does corrective action protect public health for current land use? YES
Site management requirements: None

Should corrective action be reviewed if land use changes? YES

Monitoring wells Decommissioned: NA

Number Decommissioned: Number Retained:

List enforcement actions taken: None

List enforcement actions rescinded: NA

collected from the waste oil tank pit.

Recent Investigations on February 23, 1995

Three temporary wells, TW 1, 2, and 3, were advanced in the estimated downgradient direction (based on a report by Hallenbeck Associated, Soil Investigation for Office Building Complex, October 11, 1985) from the former waste oil tank pit at 1345 Grand Ave, and from the former gasoline tank pits at 1345 and 1375 Grand Ave.

Soil collected from the borings TW-2 and TW-3, downgradient from the fuel pits, did not exhibited detectable levels of TPH-G or BTEX. Soil collected, but not analyzed, from TW-3 at 3 to 5% depth exhibited moderate hydrocarbon odors. However, odors were not present beyond 5% depth, as verified by soil collected at 6.5% depth, which did not contain TPH-G or BTEX.

Soil collected from boring TW-1, downgradient from the waste oil pit, detected low to non-detectable levels of TPH-G, TPH-D, BTEX, and chlorinated hydrocarbons. Metal concentrations (Cd, Cr, Pb, Ni, Zn) did not exceed 10X the STLC and appears to be normal background levels.

Groundwater was encountered at approximately 9' depth in borings TW-2 and TW-3. Water was not encountered in boring TW-1. "Grab" groundwater samples did not detect hydrocarbon constituents sought, except for 0.5 ppb benzene in TW-3. Semi-volatile compounds were not analyzed. When this became apparent, the holding time had already been exceeded.

There appears to be low levels of residual hydrocarbons in soil and groundwater. However, the levels are not significant to be of risk to human health or the environment. Permanent monitoring wells are not warranted at this time.

kraft4

V. LOCAL AGENCY REPRESENTATIVE DATA

Name: Eva Chu Title: Haz Mat Specialist

Signature: Date:

Reviewed by

Name: Juliet Shin Title: Sr. Haz Mat Specialist

Signature: fution [1] 11/25

Name: Madhulla Logan , , Title: Haz Mat Specialist

Signature: Date:

VI. RWQCB NOTIFICATION

Date Submitted to RB: RB Response:

RWQCB Staff Name: Kevin Graves Title: AWRCE

Signature: Date:

VII. ADDITIONAL COMMENTS, DATA, ETC.

There is no closure report available for the removal of 4 USTs (3 gasoline, 1 W.O.) from 1375 Grand Ave, and 4 USTs (3 gasoline, 1 W.O.) from 1345 Grand Ave, except for analytical results of soil and grab groundwater samples collected in May - June 1986.

1345 Grand Avenue

Up to 3,000 ppm TOG was detected in a soil sample collected from the waste oil pit, at 7.5' depth. It appears the pit was overexcavated to 8' depth where a soil sample collected did not detect TOG. No analytical results are available for TPH-G, TPH-D, Cl-HC, semi-volatile compounds, or metals.

TPH-G and TPH-D were not detected in soil samples collected at 6.5' depth from the fuel tank pit. A $^\circ$ grab groundwater sample collected did not detect TPH-G or BTX. There are no analytical results available for any other hydrocarbon constituents.

1375 Grand Avenue

A grab groundwater samples collected from the eastern-most fuel tank pit detected 14 ppm TPH-G, .58, .35, and .26 ppm BTX, respectively. Soil samples collected at 8 and 13' depth did not detect TPH-G.

TOG, the only constituent sought, was not detected from a soil sample