

D & D Management Consultants, Inc.

P.O. Box 23040
San Jose, CA 95153
(408) 683-4254
FAX (408) 683-2359

November 8, 1991

Alameda County
Department of Environmental Health
Hazardous Materials Program
80 Swan Way, Room 200
Oakland, CA 94621

Attention: Ms. Pamela J. Evans

Subject: Peterson Metal Fabricating, 20478 Mission Blvd.,
Hayward, CA 94541

Dear Ms. Evans:

In response to your letter of October 3, 1991 regarding subject property we offer the following responses.

1. Testing of excavated soil removed for tank removal.

You previously referenced Regional Water Quality Control Board Guidelines which are for on and off site disposal of contaminated soil. These guidelines are not for and do not address the soil removed from around the tank.

Our letter of May 17, 1990 which was a part of our accepted closure plan indicated that we would be backfilling the excavation immediately upon removal of the tank.

2. Boring logs for latest sampling.


Boring logs attached.

3. Fate of contaminated soil removed form former dispenser area.

Soil disposed of at Durham Road Class III disposal site.

The above information should clear up any remaining concerns on this matter and we assume that the project can be considered closed.

Very Truly Yours



Paul T. Dzakowic
President

PTD:sed


cc Mr. Ray Peterson

91 NOV 12 PM 2:34

DRILL RIG CME HOLLOW STEM AUGER		HOLE ELEVATION N.A.		LOGGED BY LAR							
GROUNDWATER DEPTH NOT ENCOUNTERED (BELOW GROUND SURFACE)		HOLE DIAMETER 8"		DATE DRILLED 8/7/91							
SOIL DESCRIPTION					DEPTH (ft)	SAMPLE					
DESCRIPTION AND REMARKS	COLOR	MOISTURE	CONSIST.	SOIL TYPE		NUMBER	BASE	SPLIT SPRIN	SHELB	MOO. CALLP.	PENETRATION RESISTANCE Blows/12"
0.0-0.5' CONCRETE SLAB AND BASE.	///	///	///	CONC.	5						
0.5'-10.5' PEA GRAVEL (BACKFILL OF EXCAVATION FROM TANK REMOVAL)				PEA-GRAVEL BACKFILL		10					
10.5'-13.0' CLAY: MED. PLASTIC; MINOR FINE SAND.	MED. YEL. BRN.	MOIST	STIFF	CL	15						
HOLE TERMINATED AT 13.0' AND BACKFILLED WITH NEAT CEMENT.					20						



DRILL RIG CME Hollow STEM AUGER				HOLE ELEVATION N.A.		LOGGED BY LAR					
GROUNDWATER DEPTH NOT ENCOUNTERED (BELOW GROUND SURFACE)				HOLE DIAMETER 8"		DATE DRILLED 8/9/91					
SOIL DESCRIPTION					DEPTH (ft)	SAMPLE					
DESCRIPTION AND REMARKS	COLOR	MOISTURE	CONSIST.	SOIL TYPE		NUMBER	DRAG	SPLIT SPOON	SHELBY	MOD. CALIF.	PENETRATION RESISTANCE Blows/ft.
0.0-0.5' CONCRETE SLAB AND BASE.	///	///	///	CONC.							
0.0-11.5' CLAY: MED. PLASTIC; MINOR FINE SAND BELOW 7'	MOD. BRN.	SL. MOIST	STIFF	CL	5						10
	OLIVE BRN.	MOIST			10						15
HOLE TERMINATED AT 11.5' AND BACKFILLED WITH NEAT CEMENT.					15						
					20						



PETERSON METAL FABRICATING
HAYWARD, CA

LOUIS A. RICHARDSON
Consulting Engineering Geologist


DRILL HOLE LOG
SOIL EXPLORATION

PROJECT NO.	DATE	SHEET NO.
479.44	AUG. 1991	1 OF 1

HOLE NO.
2

DRILL RIG CME Hollow STEM AUGER	HOLE ELEVATION N.A.	LOGGED BY LAR
GROUNDWATER DEPTH NOT ENCOUNTERED (BELOW GROUND SURFACE)	HOLE DIAMETER 8"	DATE DRILLED 8/9/91

DESCRIPTION AND REMARKS	COLOR	MOISTURE	CONSIST.	SOIL TYPE	DEPTH (ft)	SAMPLE					
						NUMBER	BAG	SPLIT SPDM	SHELBY	MOO. CALIF.	PENETRATION RESISTANCE lb./sq. in.
0.0 - 0.5' CONCRETE SLAB AND BASE.	///	///	///	CONC.							
0.0 - 11.5' CLAY; MED. PLASTIC; MINOR FINE SAND BELOW 7'	DK. YEL. BRN.	SL. MOIST	STIFF	CL	5						10
		MOIST			10						16
HOLE TERMINATED AT 11.5' AND BACKFILLED WITH NEAT CEMENT.					15						
					20						



 PETERSON METAL FABRICATING HAYWARD, CA LOUIS A. RICHARDSON Consulting Engineering Geologist	DRILL HOLE LOG SOIL EXPLORATION			HOLE NO. 3
	PROJECT NO. 479.44	DATE AUG. 1991	SHEET NO. 1 OF 1	

DRILL RIG CME Hollow Stem Auger					HOLE ELEVATION N.A.		LOGGED BY LAR				
GROUNDWATER DEPTH 41' (BELOW GROUND SURFACE)					HOLE DIAMETER 8"		DATE DRILLED 8/9/91				
SOIL DESCRIPTION						SAMPLE					
DESCRIPTION AND REMARKS	COLOR	MOISTURE	CONSIST.	SOIL TYPE	DEPTH (ft)	NUMBER	BAG	SPLIT SPOON	SHELB	MOD. CALIF.	PENETRATION RESISTANCE (lb./sq. in.)
0.0-0.5' CONCRETE AND BASE				CLAY.							
0.5-40.0' CLAY: MED. PLASTIC. - SAMPLED AT 5' & 10', THEN ADVANCED BORING WITHOUT FURTHER SAMPLING. - CUTTINGS SHOW SIMILAR CLAY WITH OCCASIONAL SANDY STRINGERS.	DK. YEL BRN	MOIST	STIFF	CL	10						12
	MOD. YEL. BRN.				20						14
					30						
					40						
				GL							
- BECOMES GRAVELLY AND WET BELOW 40'. - WATER IN HOLE AT 41' AFTER SITTING 1/2 HR. - TOOK WATER SAMPLE AT 41'											
HOLE TERMINATED AT 45' AND BACKFILLED WITH NEAT CEMENT											



PETERSON METAL FABRICATING
HAYWARD, CA
LOUIS A. RICHARDSON

DRILL HOLE LOG
SOIL EXPLORATION
PROJECT NO. DATE SHEET NO.

HOLE NO.
4