



February 9, 1994

Juliet Shin
Alameda County Department
of Environmental Health
80 Swan Way, Room 200
Oakland, CA 94621-1426

Re: Quarterly Report
1601 Webster Street
Alameda, CA 94501

Dear Ms. Shin:

As I indicated in my January 22, 1994 voicemail message, the enclosed quarterly report for this site was delayed. We attempted to arrange well sampling for dissolved oxygen after the sampling consultant had sampled the wells on October 18, 1993 and delayed sending this report until we had the data. Unfortunately, we were unable to arrange for this sampling this quarter. We will analyze for DO in the First quarter 1994 sampling. We apologize for any inconvenience this delay may have caused.

Sincerely,
Weiss Associates

N. Scott MacLeod
Project Geologist

NSM/fcr

J:\SHELL\400\434L1FE4.WP

ALCO
HAZMAT
54 FEB 14 PM 3:28



February 4, 1994

Juliet Shin
Alameda County Department
of Environmental Health
Hazardous Materials Division
80 Swan Way, Room 200
Oakland, CA 94621-1426

Re: Shell Service Station
WIC #204-0072-0403
1601 Webster Street
Alameda, California 94501
WA Job #81-434-203

Dear Ms. Shin:

This letter describes recently completed and anticipated activities at the Shell service station referenced above (Figure 1). This status report satisfies the quarterly reporting requirements prescribed by California Administrative Code Title 23 Waters, Chapter 3, Subchapter 16, Article 5, Section 265.d. Included below are descriptions and results of activities performed in the fourth quarter 1993 and proposed work for the first quarter 1994.

Fourth Quarter 1993 Activities:

- Blaine Tech Services, Inc. (BTS) of San Jose, California measured ground water depths and collected water samples from the four site wells. BTS' report describing these sampling activities and presenting analytic results for ground water is included as Attachment A.
- Weiss Associates (WA) compiled the ground water elevation and analytic data (Tables 1 and 2) and prepared a ground water elevation contour map (Figure 2).
- WA received a request for additional investigation at the site from Alameda County Department of Environmental Health (ACDEH) on July 27, 1993. WA submitted a response letter on September 21, 1993.
- On October 7, 1993, ACDEH made another request for additional work and WA, Shell and ACDEH met on October 28, 1993 to discuss the request.

- On November 11, 1993, WA submitted a summary letter of the meeting which identified three potential remedial options. Based on the hydrocarbon and D.O. concentrations detected during the First Quarter 1994 sampling, we will assess which of the following remedial options will be implemented. The three remedial options that we agreed to consider during our meeting included:
 - **Natural Biattenuation:** Installing a well down and crossgradient of well MW-2 and monitoring hydrocarbon biodegradation rates for 3 months to assess whether natural hydrocarbon biodegradation is sufficient to control and remediate the plume.
 - **Soil Vapor Extraction:** A soil vapor extraction (SVE) test could be conducted to assess whether SVE is a viable option for this site.
 - **Ground Water Oxxygenation:** We would sample the ground water for dissolved oxygen (D.O.) concentrations to assess whether increasing DO concentrations would enhance natural biodegradation.

Anticipated First Quarter 1994 Activities:

- WA will submit a report presenting the results of the first quarter 1994 ground water sampling and depth measurements including the results of dissolved oxygen measurements in all four wells. The report will include tabulated chemical analytic results and a ground water elevation contour map.

Conclusions and Recommendations:

Until the results with the dissolved oxygen concentrations are available, WA recommends continued ground water sampling to monitor hydrocarbon concentrations and ground water flow direction. Once a remedial option is selected, we will submit a schedule for the implementation of the remedial approach. If the SVE option is chosen, we will postpone the SVE test until the end of this year's rainy season to maximize the amount of unsaturated soil available for SVE and to dry out the vadose zone to increase the effectiveness of SVE.

rainy season almost over


Juliet Shin
February 4, 1994

3


Please call if you have any questions.



Sincerely,
Weiss Associates



J. Michael Asport
Technical Assistant



N. Scott MacLeod, R.G.
Project Geologist

JMA/JPT:jma

J:\SHELL\425\QMRPTS\434QMNO3.WP

Attachments: A - BTS Associates' Ground Water Monitoring Report

cc: Dan Kirk, Shell Oil Company, P.O. Box 5278, Concord, California 94520-9998
John Jang, Regional Water Quality Control Board - San Francisco Bay, 2101 Webster
Street, Suite 500, Oakland, California 94612




Figure 1. Site Location Map - Shell Service Station, WIC# 204-0072-0403, 1601 Webster Street, Alameda, CA



EXPLANATION

- ⊙ MW-1 Monitoring well
- 5.27 Ground water elevation, ft above mean sea level (msl)
- 5.6 Ground water elevation contour, ft above msl, approximately located, dashed where inferred
- Inferred ground water flow direction





Figure 2. Monitoring Well Locations and Ground Water Elevations - October 15, 1993 - Shell Service Station WIC #204-0072-0403, 1601 Webster Street, Alameda, California

TABLE 1. Ground Water Elevations - Shell Service Station WIC #204-0072-0403, 1601 Webster Street Alameda, California

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)	
MW-1	04-11-90	13.80	8.22	45.58	
	07-18-90		9.14	4.66	
	10-18-90		10.37	3.43	
	01-25-91		10.41	3.39	
	04-11-91		7.37	6.43	
	07-18-91		8.86	4.94	
	10-17-91		10.47	3.33	
	01-24-92		9.18	4.62	
	04-23-92		6.95	6.85	
	07-22-92		8.01	5.79	
	10-02-92		9.81	3.99	
	01-05-93		7.26	6.54	
	04-08-93		13.80 ^a	5.85	7.95
	07-20-93			6.83	6.97
	10-15-93		8.07	5.73	
MW-2	04-11-90	13.20	7.69	5.51	
	07-18-90		8.56	4.64	
	10-18-90		9.76	3.44	
	01-25-91		9.78	3.42	
	04-11-91		6.87	6.33	
	07-18-91		8.27	4.93	
	10-17-19		9.89	3.31	
	01-24-92		8.60	4.60	
	04-23-92		6.48	6.72	
	07-02-92		7.37	5.83	
	10-02-92		9.20	4.0	
	01-05-93		6.80	6.4	
	04-08-93		13.20 ^a	5.40	7.80
	07-20-93			6.05	7.15
	10-15-93		7.04	6.16	
MW-3	04-08-93	12.80	5.48	7.32	
	07-20-93		6.38	6.42	
	10-15-93		7.53	5.27	
S-1	09-11-89	13.77	9.82	3.95	
	04-11-90		8.41	5.36	
	07-18-90		9.31	4.46	
	10-18-90		10.43	3.34	

-- Table 1 continues on next page --

TABLE 1. Ground Water Elevations - Shell Service Station WIC #204-0072-0403, 1601 Webster Street Alameda, California (continued)

Well ID	Date	Top-of-Casing Elevation (ft above msl)	Depth to Water (ft)	Ground Water Elevation (ft above msl)
	01-25-91		10.49	3.28
	04-11-91		7.68	6.09
	07-18-91		8.95	4.82
	10-17-91		10.62	3.15
	01-24-92		9.32	4.45
	04-23-92		7.27	6.50
	07-02-92		8.19	5.58
	10-02-92		9.95	3.82
	01-05-93		7.64	6.13
	04-08-93	13.74 ^a	6.10	7.64
	07-20-93		7.18	6.56
	10-15-93		8.39	5.35

Note:

a = Top of casing resurveyed on March 30, 1993

TABLE 2. Analytic Results for Ground Water - Shell Service Station, WIC #204-0072-0403, 1601 Webster Street, Alameda, California

Sample ID	Date Sampled	Depth to Water (ft)	TPH-G	TPH-D	B	E	T	X	c-1,2-DCE	1,2-DCA	TOG	-----parts per billion (ug/L)-----										
MW-1	04-11-90	8.22	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10,000										
	07-18-90	9.14	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	3	<0.5	<5,000										
	10-18-90	10.37	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	7.9	<0.5	<5,000										
	01-25-91	10.41	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	5.6	<0.5	---										
	04-11-91	7.37	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	<0.5	---										
	07-18-91	8.86	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	4.4	<0.5	---										
	10-17-91	10.47	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	7.2	<0.5	---										
	01-24-92	9.18	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	1.4	<0.5	---										
	04-23-92	6.95	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---										
	07-02-92	8.01	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---										
	10-02-92	9.81	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	2	<0.5	---										
	01-05-93	7.26	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	2	<0.5	---										
	04-08-93 ^a	5.85	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---										
	07-20-93 ^f	6.83	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	0.76	<0.5	---										
	10-15-93 ^g	8.07	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	0.71	<0.5	---										
MW-2	04-11-90	7.69	580	430	20	1.2	4.9	73	<0.5	1.1	<10,000											
	07-18-90	8.56	1,400	---	110	71	310	310	<0.5	0.7	<5,000											
	10-18-90	9.76	1,900	1,300 ^b	110	89	470	400	<0.5	0.9	<5,000											
	01-25-91	9.78	8,100	---	430	480	1,200	2,600	<0.5	0.8	---											
	04-11-91	6.87	2,600	---	130	250	150	330	<0.5	<0.5	---											
	07-15-91	8.27	1,300	---	100	84	59	120	<0.5	0.8	---											
	10-17-91	9.89	2,100	---	180	150	260	520	<0.5	0.6	---											
	01-24-92	8.60	7,100	---	450	960	450	1,600	110	<0.5	---											
	04-23-92	6.48	16,000	---	320	650	740	2,600	<2.5	<2.5	---											
	07-02-92	7.37	33,000	---	2,500	2,000	3,700	9,600	<50	<50	---											
	10-02-92	9.20	7,000	---	960	570	650	1,200	<50	<50	---											
	01-05-93	6.80	8,900	---	550	600	500	1,900	<2	<2	---											
	04-08-93	5.40	13,000	---	670	900	580	2,900	0.68	<0.5	---											
	04-08-93 ^{dup}	5.40	13,000	---	830	1,100	740	3,700	0.64	<0.5	---											
	07-20-93	6.05	10,000	---	1,200	1,100	630	4,000	0.87	<0.5	---											
07-20-93 ^{dup}	6.05	12,000	---	1,200	1,100	600	3,800	0.80	<0.5	---												
10-15-93	7.04	24,000	---	1,400	1,200	3,400	5,200	<0.5	<0.5	---												
10-15-93 ^{dup}	7.04	19,000	---	1,200	1,000	2,800	4,400	<0.5	<0.5	---												
MW-3	02-25-93	5.37	58	140	<0.5	2.5	<0.5	6.4	<0.5	1.5	<5,000											
	04-08-93	5.48	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---											
	07-20-93 ^g	6.38	<50	---	1.2	<0.5	<0.5	<0.5	<0.5	2.8	---											
	10-15-93 ^h	7.53	60	---	<0.5	<0.5	<0.5	<0.5	<0.5	0.55	---											
S-1	09-04-87 ^d	---	---	---	<5	<5	<5	<5	<0.5	<0.5	---											
	09-11-89 ^e	9.82	<50	<100	<0.5	<1	<1	<3	<0.5	<0.5	<1,000											
	04-11-90	8.41	<50	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<10,000											

Weiss Associates



-- Table 2 continues on next page --

TABLE 2. Analytic Results for Ground Water - Shell Service Station, WIC #204-0072-0403, 1601 Webster Street, Alameda, California (continued)

Sample ID	Date Sampled	Depth to Water (ft)	TPH-G	TPH-D	B	E	T	X	c-1,2-DCE	1,2-DCA	TOG
	07-18-90	9.31	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5,000
	10-18-90	10.43	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5,000
	01-25-91	10.49	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	04-11-91	7.68	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	07-18-91	8.95	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	10-17-91	10.62	<50	---	<0.5	<0.5	<0.5	<5	---	---	---
	01-24-92	9.32	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	04-23-92	7.27	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	07-02-92	8.19	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	10-02-92	9.95	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	01-05-93	7.64	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	04-08-93	6.10	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	07-20-93	7.18	<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	10-15-93	8.39	<50	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	---
Trip	07-18-90		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
Blank	10-18-90		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	01-25-91		<50	---	<0.5	<0.5	<0.5	0.8	---	---	---
	04-11-91		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	07-18-91		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	10-17-91		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	01-24-92		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	04-23-92		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	07-02-92		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	10-02-92		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	01-05-93		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	04-08-93		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	07-20-93		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
	10-15-93		<50	---	<0.5	<0.5	<0.5	<0.5	---	---	---
DTSC MCLs			NE	NE	1	680	100 ¹	1,750	6.0	0.5	NE

-- Table 2 continues on next page --



TABLE 2. Analytic Results for Ground Water - Shell Service Station, WIC #204-0072-0403, 1601 Webster Street, Alameda, California (continued)

Abbreviations:

TPH-G = Total petroleum hydrocarbons as gasoline by Modified EPA Method 8015

TPH-D = Total petroleum hydrocarbons as diesel by Modified EPA Method 8015

B = Benzene by EPA Method 602, 624, or 8020

E = Ethylbenzene by EPA Method 602, 624, or 8020

T = Toluene by EPA Method 602, 624, or 8020

X = Xylenes by EPA Method 602, 624, or 8020

c-1,2-DCE = cis-1,2-dichloroethene by EPA Method 601 or 624

1,2-DCA = 1,2-dichloroethane by EPA Method 601 or 624

TOG = Total non-polar oil and grease by American Public Health Association Standard Method 503E

<n = Not detected at detection limit of n ppb

DTSC MCL = California Department of Toxic Substances Control maximum contaminant level for drinking water

NE = Not established

--- = Not analyzed

dup = Duplicate sample

Notes:

a = Chloroform detected at 0.0071 ppm by EPA Method 8010

b = Compounds detected and calculated as diesel appear to be the less volatile constituents of gasoline

c = Chloroform detected at 0.017 ppm and bromodichlorome at 0.0007 ppm by EPA Method 8010

d = 0.12 ppm acetone detected by EPA Method 624; no other volatile organic compounds detected

e = Metals detected by EPA Method 6010; 0.020 ppm chromium, 0.060 ppm lead and 0.030 ppm zinc; no cadmium detected above detection limit of 0.010 ppm; no PCBs or semi-volatile compounds detected by EPA Method 625


f = Chloroform detected at 1.1 ppb by EPA Method 8010

g = Chloroform detected at 1.5 ppb by EPA Method 8010

h = Chloroform detected at 3.6 ppb by Method 8010

i = DTSC recommended action level for drinking water; MCL not established

ATTACHMENT A
GROUND WATER MONITORING REPORT AND ANALYTIC REPORT



November 2, 1993

Shell Oil Company
P.O. Box 5278
Concord, CA 94520-9998

Attn: Daniel T. Kirk

SITE:
Shell WIC #204-0072-0403
1601 Webster Street
Alameda, California

QUARTER:
4th quarter of 1993

QUARTERLY GROUNDWATER SAMPLING REPORT 931015-J-2

This report contains data collected during routine inspection, gauging and sampling of groundwater monitoring wells performed by Blaine Tech Services, Inc. in reponse to the request of the consultant who is overseeing work at this site on behalf of our mutual client, Shell Oil Company. Data collected in the course of our field work is presented in a **TABLE OF WELL GAUGING DATA**. The field information was collected during our preliminary gauging and inspection of the wells, the subsequent evacuation of each well prior to sampling, and at the time of sampling.

Measurements taken include the total depth of the well and the depth to water. The surface of water was further inspected for the presence of immiscibles which may be present as a thin film (a sheen on the surface of the water) or as a measurable free product zone (FPZ). At intervals during the evacuation phase, the purge water was monitored with instruments that measure electrical conductivity (EC), potential hydrogen (pH), temperature (degrees Fahrenheit), and turbidity (NTU). In the interest of simplicity, fundamental information is tabulated here, while the bulk of the information is turned over directly to the consultant who is making professional interpretations and evaluations of the conditions at the site.

STANDARD PROCEDURES

Evacuation

Groundwater wells are thoroughly purged before sampling to insure that the sample is collected from water that has been newly drawn into the well from the surrounding geologic formation. The selection of equipment to evacuate each well is based on the physical characteristics of the well and what is known about the performance of the formation in which the well has been installed. There are several suitable devices which can be used for evacuation. The most commonly employed devices are air or gas actuated pumps, electric submersible pumps, and hand or mechanically actuated bailers. Our personnel frequently employ USGS/Middleburg positive displacement pumps or similar air actuated pumps which do not agitate the water standing in the well.

Normal evacuation removes three case volumes of water from the well. More than three case volumes of water are removed in cases where more evacuation is needed to achieve stabilization of water parameters and when requested by the local implementing agency. Less water may be removed in cases where the well dewateres and does not recharge to 80% of its original volume within two hours and any additional time our personnel have reason to remain at the site. In such cases, our personnel return to the site within twenty four hours and collect sample material from the water which has recharged into the well case.

Decontamination

All apparatus is brought to the site in clean and serviceable condition. The equipment is decontaminated after each use and before leaving the site. Effluent water from purging and on-site equipment cleaning is collected and transported to Shell's Martinez Manufacturing Complex in Martinez, California.

Free Product Skimmer

The column headed, VOLUME OF IMMISCIBLES REMOVED (ml) is included in the TABLE OF WELL GAUGING DATA to cover situations where a free product skimming device must be removed from the well prior to gauging. Skimmers are installed in wells with a free product zone on the surface of the water. The skimmer is a free product recovery device which often prevents normal well gauging and free product zone measurements. The 2.0" and 3.0" PetroTraps fall into the category of devices that obstruct normal gauging. In cases where the consultant elects to have our personnel pull the skimmers out of the well and gauge the well, our personnel perform the additional task of draining the accumulated free product out of the PetroTrap before putting it back in the well. This

recovered free product is measured and logged in the VOLUME OF IMMISCIBLES REMOVED column. Gauging at such sites is performed in accordance with specific directions from the professional consulting firm overseeing work at the site on Shell's behalf.

Sample Containers

Sample material is collected in specially prepared containers which are provided by the laboratory that performs the analyses.

Sampling

Sample material is collected in stainless steel bailer type devices normally fitted with both a top and a bottom check valve. Water is promptly decanted into new sample containers in a manner which reduces the loss of volatile constituents and follows the applicable EPA standard for handling volatile organic and semi-volatile compounds.

Following collection, samples are promptly placed in an ice chest containing prefrozen blocks of an inert ice substitute such as Blue Ice or Super Ice. The samples are maintained in either an ice chest or a refrigerator until delivered into the custody of the laboratory.

Sample Designations

All sample containers are identified with a site designation and a discrete sample identification number specific to that particular groundwater well. Additional standard notations (e.g. time, date, sampler) are also made on the label.

Chain of Custody

Samples are continuously maintained in an appropriate cooled container while in our custody and until delivered to the laboratory under a standard Shell Oil Company chain of custody. If the samples are taken charge of by a different party (such as another person from our office, a courier, etc.) prior to being delivered to the laboratory, appropriate release and acceptance records are made on the chain of custody (time, date, and signature of the person releasing the samples followed by the time, date and signature of the person accepting custody of the samples).

Hazardous Materials Testing Laboratory

The samples obtained at this site were delivered to Anametrix, Inc. in San Jose, California. Anametrix, Inc. is a California Department of Health Services certified Hazardous Materials Testing Laboratory and is listed as DOHS HMTL #1234.

Objective Information Collection

Blaine Tech Services, Inc. performs specialized environmental sampling and documentation as an independent third party. In order to avoid compromising the objectivity necessary for the proper and disinterested performance of this work, Blaine Tech Services, Inc. performs no consulting and does not become involved in the marketing or installation of remedial systems of any kind. Blaine Tech Services, Inc. is concerned only with the generation of objective information, not with the use of that information to support evaluations and recommendations concerning the environmental condition of the site. Even the straightforward interpretation of objective analytical data is better performed by interested regulatory agencies, and those engineers and geologists who are engaged in the work of providing professional opinions about the site and proposals to perform additional investigation or design remedial systems.

Reportage

Submission of this report and the attached laboratory report to interested regulatory agencies is handled by the consultant in charge of the project. Any professional evaluations or recommendations will be made by the consultant under separate cover.

Please call if we can be of any further assistance.


Richard C. Blaine

RCB/lp

attachments: table of well gauging data
chain of custody
certified analytical report


cc: Weiss Associates
5500 Shellmound Street
Emeryville, CA 94608-2411
ATTN: Michael Asport

TABLE OF WELL GAUGING DATA

WELL I.D.	DATA COLLECTION DATE	MEASUREMENT REFERENCED TO	QUALITATIVE OBSERVATIONS (sheen)	DEPTH TO FIRST IMMISCIBLES LIQUID (FPZ) (feet)	THICKNESS OF IMMISCIBLES LIQUID ZONE (feet)	VOLUME OF IMMISCIBLES REMOVED (ml)	DEPTH TO WATER (feet)	DEPTH TO WELL BOTTOM (feet)
MW-1	10/15/93	TOC	--	NONE	--	--	8.07	20.78
MW-2 *	10/15/93	TOC	ODOR	NONE	--	--	7.04	19.88
MW-3	10/15/93	TOC	--	NONE	--	--	7.53	19.41
S-1	10/15/93	TOC	--	NONE	--	--	8.39	19.86

* Sample DUP was a duplicate sample taken from well MW-2.

9310228 (18) (16) on 1520

 SHELL OIL COMPANY RETAIL ENVIRONMENTAL ENGINEERING - WEST		CHAIN OF CUSTODY RECORD Serial No: <u>931015-J2</u>			Date: _____ Page of												
Silo Address: 1601 Webster Street, Alameda WIC#: 204-0072-0403		Analysis Required			LAB: Anamatrix												
Shell Engineer: Dan Kirk Phone No.: (510) 675-6168 Fax #: 675-6160		TPH (EPA 8015 Mod. Gas) TPH (EPA 8015 Mod. Diesel) BTEX (EPA 8020/602) Volatile Organics (EPA 8240) Test for Disposal Combination TPH 8015 & BTEX 8020 EPA 601 Asbestos Container Size Preparation Used Composite Y/N			CHECK ONE (1) BOX ONLY C1/D1 TURN AROUND TIME												
Consultant Name & Address: Blaine Tech Services, Inc. 985 Timothy Drive San Jose, CA 95133					Quality Monitoring <input checked="" type="checkbox"/> 6441 24 hours <input type="checkbox"/>												
Consultant Contact: Jim Keller Phone No.: (408) 995-5535 Fax #: 293-8773					Site Investigation <input type="checkbox"/> 6441 48 hours <input type="checkbox"/>												
Comments:					Soil Classfy/Disposal <input type="checkbox"/> 6442 16 days <input checked="" type="checkbox"/> (Normal)												
Sampled by: <i>[Signature]</i> Printed Name: JERRY BOTORFF					Water Classfy/Disposal <input type="checkbox"/> 6443 Other <input type="checkbox"/>												
					Soil/Air Rem. of Sys. O & M <input type="checkbox"/> 6442												
					Water Rem. of Sys. O & M <input type="checkbox"/> 6443												
					Other <input type="checkbox"/>												
					NOTE: Notify Lab as soon as possible at 24/48 hrs. 1AL.												
					MATERIAL DESCRIPTION												
					SAMPLE CONDITION / COMMENTS												
Sample ID	Date	Sludge	Soil	Water	Air	No. of cont.											
① MW-1	10/15			X		6				X	X						OK
② MW-2	10/15			X		6				X	X						
③ MW-3	10/15			X		6				X	X						
④ DUP	10/15			X		6				X	X						
⑤ TB	10/15			X		2				X							
⑥ S1	10/15			X		3				X	X						
Relinquished By (signature): <i>[Signature]</i>		Printed Name: BENNY S. CARRIZOSA		Date: 10-15-93		Time: 0730		Received (signature): <i>[Signature]</i>		Printed Name: CALVIN ROBERTS		Date: 10-15-93		Time: 0730			
Relinquished By (signature): <i>[Signature]</i>		Printed Name: BENNY S. CARRIZOSA		Date: 10-15-93		Time: 0735		Received (signature): <i>[Signature]</i>		Printed Name: CALVIN ROBERTS		Date: 10-15-93		Time: 0735			
Relinquished By (signature): <i>[Signature]</i>		Printed Name: BENNY S. CARRIZOSA		Date: 10-15-93		Time: 0735		Received (signature): <i>[Signature]</i>		Printed Name: CALVIN ROBERTS		Date: 10-15-93		Time: 0735			

THE LABORATORY MUST PROVIDE A COPY OF THIS CHAIN-OF-CUSTODY WITH INVOICE AND RESULTS



Inchcape Testing Services

Anamatrix Laboratories

1961 Concourse Drive
 Suite E
 San Jose, CA 95131
 Tel: 408-432-8192
 Fax: 408-432-8198

MR. JIM KELLER
 BLAINE TECH
 985 TIMOTHY DRIVE
 SAN JOSE, CA 95133

Workorder # : 9310228
 Date Received : 10/18/93
 Project ID : 204-0072-0403
 Purchase Order: MOH-B813


The following samples were received at Anamatrix, Inc. for analysis :

ANAMATRIX ID	CLIENT SAMPLE ID
9310228- 1	MW-1
9310228- 2	MW-2
9310228- 3	MW-3
9310228- 4	DUP
9310228- 5	TB
9310228- 6	S-1

This report consists of 17 pages not including the cover letter, and is organized in sections according to the specific Anamatrix laboratory group or section which performed the analysis(es) and generated the data. The Report Summary that precedes each section will help you determine which Anamatrix group is responsible for those test results, and will bear the signatures of the department supervisor and the chemist who have reviewed the analytical data. Please refer all questions to the department supervisor who signed the form.

Anamatrix is certified by the California Department of Health Services (DHS) to perform environmental testing under Certificate Number 1234. A detailed list of the approved fields of testing can be obtained by calling our office, or the DHS Environmental Laboratory Accreditation Program at (415)540-2800.

If you have any further questions or comments on this report, please give us a call as soon as possible. Thank you for using Anamatrix.


 Sarah Schoen, Ph.D.
 Laboratory Director

10-29-93
 Date



ANAMATRIX REPORT DESCRIPTION GC

Organic Analysis Data Sheets (OADS)

OADS forms contain tabulated results for target compounds. The OADS are grouped by method and, within each method, organized sequentially in order of increasing Anamatrix ID number.

Surrogate Recovery Summary (SRS)

SRS forms contain quality assurance data. An SRS form will be printed for each method, if the method requires surrogate compounds. They will list surrogate percent recoveries for all samples and any method blanks. Any surrogate recovery outside the established limits will be flagged with an "***", and the total number of surrogates outside the limits will be listed in the column labelled "Total Out".

Matrix Spike Recovery Form (MSR)

MSR forms contain quality assurance data. They summarize percent recovery and relative percent difference information for matrix spikes and matrix spike duplicates. This information is a statement of both accuracy and precision. Any percent recovery or relative percent difference outside established limits will be flagged with an "***", and the total number outside the limits will be listed at the bottom of the page. Not all reports will contain an MSR form.

Qualifiers

Anamatrix uses several data qualifiers (Q) in its report forms. These qualifiers give additional information on the compounds reported. They should help a data reviewer to verify the integrity of the analytical results. The following is a list of qualifiers and their meanings:

- U - Indicates that the compound was analyzed for, but was not detected at or above the specified reporting limit.
- B - Indicates that the compound was detected in the associated method blank.
- J - Indicates that the compound was detected at an amount below the specified reporting limit. Consequently, the amount should be considered an approximate value. Tentatively identified compounds will always have a "J" qualifier because they are not included in the instrument calibration.
- E - Indicates that the reported amount exceeded the linear range of the instrument calibration.
- D - Indicates that the compound was detected in an analysis performed at a secondary dilution.

Absence of a qualifier indicates that the compound was detected at a concentration at or above the specified reporting limit.

REPORTING CONVENTIONS

- ◆ Due to a size limitation in our data processing step, only the first eight (8) characters of your project ID and sample ID will be printed on the report forms. However, the report cover letter and report summary pages display up to twenty (20) characters of your project and sample IDs.
- ◆ Amounts reported are gross values, i.e., not corrected for method blank contamination.

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. JIM KELLER
BLAINE TECH
985 TIMOTHY DRIVE
SAN JOSE, CA 95133

Workorder # : 9310228
Date Received : 10/18/93
Project ID : 204-0072-0403
Purchase Order: MOH-B813
Department : GC
Sub-Department: VOA

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9310228- 1	MW-1	WATER	10/15/93	8010
9310228- 2	MW-2	WATER	10/15/93	8010
9310228- 3	MW-3	WATER	10/15/93	8010
9310228- 4	DUP	WATER	10/15/93	8010
9310228- 6	S-1	WATER	10/15/93	8010

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. JIM KELLER
BLAINE TECH
985 TIMOTHY DRIVE
SAN JOSE, CA 95133

Workorder # : 9310228
Date Received : 10/18/93
Project ID : 204-0072-0403
Purchase Order: MOH-B813
Department : GC
Sub-Department: VOA

QA/QC SUMMARY :

- No QA/QC problems encountered for samples.

M. Hessionian 10/22/93
Department Supervisor Date

[Signature] 10/22/93
Chemist Date

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-0072
 Sample ID : MW-1
 Matrix : WATER
 Date Sampled : 10/15/93
 Date Analyzed : 10/20/93
 Instrument ID : AD14

Anamatrix ID : 9310228-01
 Analyst : *ZB*
 Supervisor : *rh*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Dichlorodifluoromethane	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Trichlorofluoromethane	.50	ND	U
76-13-1	Trichlorotrifluoroethane	.50	ND	U
75-35-4	1,1-Dichloroethene	.50	ND	U
75-09-2	Methylene chloride	1.0	ND	U
156-60-5	trans-1,2-Dichloroethene	.50	ND	U
75-34-3	1,1-Dichloroethane	.50	ND	U
156-59-2	cis-1,2-Dichloroethene	.50	.71	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-Trichloroethane	.50	ND	U
56-23-5	Carbon tetrachloride	.50	ND	U
107-06-2	1,2-Dichloroethane	.50	ND	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-Dichloropropane	.50	ND	U
75-27-4	Bromodichloromethane	.50	ND	U
110-75-8	2-Chloroethylvinylether	1.0	ND	U
10061-01-5	cis-1,3-Dichloropropene	.50	ND	U
10061-02-6	trans-1,3-Dichloropropene	.50	ND	U
79-00-5	1,1,2-Trichloroethane	.50	ND	U
127-18-4	Tetrachloroethene	.50	ND	U
124-48-1	Dibromochloromethane	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	.50	ND	U
541-73-1	1,3-Dichlorobenzene	1.0	ND	U
106-46-7	1,4-Dichlorobenzene	1.0	ND	U
95-50-1	1,2-Dichlorobenzene	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-0072
 Sample ID : MW-2
 Matrix : WATER
 Date Sampled : 10/15/93
 Date Analyzed : 10/20/93
 Instrument ID : AD14

Anamatrix ID : 9310228-02
 Analyst : ZB
 Supervisor : DL
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Dichlorodifluoromethane	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Trichlorofluoromethane	.50	ND	U
76-13-1	Trichlorotrifluoroethane	.50	ND	U
75-35-4	1,1-Dichloroethene	.50	ND	U
75-09-2	Methylene chloride	1.0	ND	U
156-60-5	trans-1,2-Dichloroethene	.50	ND	U
75-34-3	1,1-Dichloroethane	.50	ND	U
156-59-2	cis-1,2-Dichloroethene	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-Trichloroethane	.50	ND	U
56-23-5	Carbon tetrachloride	.50	ND	U
107-06-2	1,2-Dichloroethane	.50	ND	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-Dichloropropane	.50	ND	U
75-27-4	Bromodichloromethane	.50	ND	U
110-75-8	2-Chloroethylvinylether	1.0	ND	U
10061-01-5	cis-1,3-Dichloropropene	.50	ND	U
10061-02-6	trans-1,3-Dichloropropene	.50	ND	U
79-00-5	1,1,2-Trichloroethane	.50	ND	U
127-18-4	Tetrachloroethene	.50	ND	U
124-48-1	Dibromochloromethane	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	.50	ND	U
541-73-1	1,3-Dichlorobenzene	1.0	ND	U
106-46-7	1,4-Dichlorobenzene	1.0	ND	U
95-50-1	1,2-Dichlorobenzene	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-0072
 Sample ID : MW-3
 Matrix : WATER
 Date Sampled : 10/15/93
 Date Analyzed : 10/20/93
 Instrument ID : AD14

Anamatrix ID : 9310228-03
 Analyst : *MS*
 Supervisor : *sk*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Dichlorodifluoromethane	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Trichlorofluoromethane	.50	ND	U
76-13-1	Trichlorotrifluoroethane	.50	ND	U
75-35-4	1,1-Dichloroethene	.50	ND	U
75-09-2	Methylene chloride	1.0	ND	U
156-60-5	trans-1,2-Dichloroethene	.50	ND	U
75-34-3	1,1-Dichloroethane	.50	ND	U
156-59-2	cis-1,2-Dichloroethene	.50	ND	U
67-66-3	Chloroform	.50	3.6	U
71-55-6	1,1,1-Trichloroethane	.50	ND	U
56-23-5	Carbon tetrachloride	.50	ND	U
107-06-2	1,2-Dichloroethane	.50	.55	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-Dichloropropane	.50	ND	U
75-27-4	Bromodichloromethane	.50	ND	U
110-75-8	2-Chloroethylvinylether	1.0	ND	U
10061-01-5	cis-1,3-Dichloropropene	.50	ND	U
10061-02-6	trans-1,3-Dichloropropene	.50	ND	U
79-00-5	1,1,2-Trichloroethane	.50	ND	U
127-18-4	Tetrachloroethene	.50	ND	U
124-48-1	Dibromochloromethane	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	.50	ND	U
541-73-1	1,3-Dichlorobenzene	1.0	ND	U
106-46-7	1,4-Dichlorobenzene	1.0	ND	U
95-50-1	1,2-Dichlorobenzene	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-0072
 Sample ID : DUP
 Matrix : WATER
 Date Sampled : 10/15/93
 Date Analyzed : 10/20/93
 Instrument ID : AD14

Anamatrix ID : 9310228-04
 Analyst : *RLG*
 Supervisor : *rh*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Dichlorodifluoromethane	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Trichlorofluoromethane	.50	ND	U
76-13-1	Trichlorotrifluoroethane	.50	ND	U
75-35-4	1,1-Dichloroethene	.50	ND	U
75-09-2	Methylene chloride	1.0	ND	U
156-60-5	trans-1,2-Dichloroethene	.50	ND	U
75-34-3	1,1-Dichloroethane	.50	ND	U
156-59-2	cis-1,2-Dichloroethene	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-Trichloroethane	.50	ND	U
56-23-5	Carbon tetrachloride	.50	ND	U
107-06-2	1,2-Dichloroethane	.50	ND	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-Dichloropropane	.50	ND	U
75-27-4	Bromodichloromethane	.50	ND	U
110-75-8	2-Chloroethylvinylether	1.0	ND	U
10061-01-5	cis-1,3-Dichloropropene	.50	ND	U
10061-02-6	trans-1,3-Dichloropropene	.50	ND	U
79-00-5	1,1,2-Trichloroethane	.50	ND	U
127-18-4	Tetrachloroethene	.50	ND	U
124-48-1	Dibromochloromethane	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	.50	ND	U
541-73-1	1,3-Dichlorobenzene	1.0	ND	U
106-46-7	1,4-Dichlorobenzene	1.0	ND	U
95-50-1	1,2-Dichlorobenzene	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-0072
 Sample ID : S-1
 Matrix : WATER
 Date Sampled : 10/15/93
 Date Analyzed : 10/20/93
 Instrument ID : AD14

Anamatrix ID : 9310228-06
 Analyst : *ES*
 Supervisor : *Sh*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Dichlorodifluoromethane	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Trichlorofluoromethane	.50	ND	U
76-13-1	Trichlorotrifluoroethane	.50	ND	U
75-35-4	1,1-Dichloroethene	.50	ND	U
75-09-2	Methylene chloride	1.0	ND	U
156-60-5	trans-1,2-Dichloroethene	.50	ND	U
75-34-3	1,1-Dichloroethane	.50	ND	U
156-59-2	cis-1,2-Dichloroethene	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-Trichloroethane	.50	ND	U
56-23-5	Carbon tetrachloride	.50	ND	U
107-06-2	1,2-Dichloroethane	.50	ND	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-Dichloropropane	.50	ND	U
75-27-4	Bromodichloromethane	.50	ND	U
110-75-8	2-Chloroethylvinylether	1.0	ND	U
10061-01-5	cis-1,3-Dichloropropene	.50	ND	U
10061-02-6	trans-1,3-Dichloropropene	.50	ND	U
79-00-5	1,1,2-Trichloroethane	.50	ND	U
127-18-4	Tetrachloroethene	.50	ND	U
124-48-1	Dibromochloromethane	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	.50	ND	U
541-73-1	1,3-Dichlorobenzene	1.0	ND	U
106-46-7	1,4-Dichlorobenzene	1.0	ND	U
95-50-1	1,2-Dichlorobenzene	1.0	ND	U

ORGANIC ANALYSIS DATA SHEET -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-00
 Sample ID : B1020
 Matrix : WATER
 Date Sampled : 0/ 0/ 0
 Date Analyzed : 10/20/93
 Instrument ID : AD14

Anamatrix ID : METHOD BLK
 Analyst : *zy*
 Supervisor : *sk*
 Dilution Factor : 1.0
 Conc. Units : ug/L

CAS No.	COMPOUND NAME	REPORTING LIMIT	AMOUNT DETECTED	Q
75-71-8	Dichlorodifluoromethane	1.0	ND	U
74-87-3	Chloromethane	1.0	ND	U
75-01-4	Vinyl chloride	.50	ND	U
74-83-9	Bromomethane	.50	ND	U
75-00-3	Chloroethane	.50	ND	U
75-69-4	Trichlorofluoromethane	.50	ND	U
76-13-1	Trichlorotrifluoroethane	.50	ND	U
75-35-4	1,1-Dichloroethene	.50	ND	U
75-09-2	Methylene chloride	1.0	ND	U
156-60-5	trans-1,2-Dichloroethene	.50	ND	U
75-34-3	1,1-Dichloroethane	.50	ND	U
156-59-2	cis-1,2-Dichloroethene	.50	ND	U
67-66-3	Chloroform	.50	ND	U
71-55-6	1,1,1-Trichloroethane	.50	ND	U
56-23-5	Carbon tetrachloride	.50	ND	U
107-06-2	1,2-Dichloroethane	.50	ND	U
79-01-6	Trichloroethene	.50	ND	U
78-87-5	1,2-Dichloropropane	.50	ND	U
75-27-4	Bromodichloromethane	.50	ND	U
110-75-8	2-Chloroethylvinylether	1.0	ND	U
10061-01-5	cis-1,3-Dichloropropene	.50	ND	U
10061-02-6	trans-1,3-Dichloropropene	.50	ND	U
79-00-5	1,1,2-Trichloroethane	.50	ND	U
127-18-4	Tetrachloroethene	.50	ND	U
124-48-1	Dibromochloromethane	.50	ND	U
108-90-7	Chlorobenzene	.50	ND	U
75-25-2	Bromoform	.50	ND	U
79-34-5	1,1,2,2-Tetrachloroethane	.50	ND	U
541-73-1	1,3-Dichlorobenzene	1.0	ND	U
106-46-7	1,4-Dichlorobenzene	1.0	ND	U
95-50-1	1,2-Dichlorobenzene	1.0	ND	U

SURROGATE RECOVERY SUMMARY -- EPA METHOD 8010
 ANAMETRIX, INC. (408)432-8192

Project ID : 204-0072
 Matrix : LIQUID

Anamatrix ID : 9310228
 Analyst : *JP*
 Supervisor : *Sh*

	SAMPLE ID	SU1	SU2	SU3
1	B1020	98		
2	MW-3	105		
3	MW-3 MS	102		
4	MW-3 MSD	100		
5	DUP	101		
6	MW-1	97		
7	MW-2	96		
8	S-1	99		
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				

QC LIMITS

SU1 = Chlorofluorobenzene (51-136)

* Values outside of Anamatrix QC limits

MATRIX SPIKE RECOVERY FORM -- EPA METHOD 8010
ANAMETRIX, INC. (408)432-8192

Project ID : 204-0072
Sample ID : MW-3
Matrix : WATER
Date Sampled : 10/15/93
Date Analyzed : 10/20/93
Instrument ID : AD14

Anamatrix ID : 9310228-03
Analyst : *UJ*
Supervisor : *pk*

COMPOUND	SPIKE ADDED (ug/L)	SAMPLE CONCENTRATION (ug/L)	MS CONCENTRATION (ug/L)	MS % REC	%REC LIMITS
Trichlorotrifluoroethan	10.0	.0	7.2	72	28-127
1,1-Dichloroethene	10.0	.0	8.3	83	47-119
trans-1,2-Dichloroethen	10.0	.0	9.2	92	46-112
1,1-Dichloroethane	10.0	.0	10.4	104	57-124
cis-1,2-Dichloroethene	10.0	.0	9.7	97	70-139
1,1,1-Trichloroethane	10.0	.0	9.7	97	57-125
Trichloroethene	10.0	.0	8.6	86	61-133
Tetrachloroethene	10.0	.0	9.4	94	61-132
Chlorobenzene	10.0	.0	10.6	106	81-120
1,3-Dichlorobenzene	10.0	.0	9.4	94	56-113
1,4-Dichlorobenzene	10.0	.0	10.1	101	62-119
1,2-Dichlorobenzene	10.0	.0	10.5	105	69-116

COMPOUND	SPIKE ADDED (ug/L)	MSD CONCENTRATION (ug/L)	MSD % REC	% RPD	RPD LIMITS	%REC LIMITS
Trichlorotrifluoroethan	10.0	6.9	69	3	25	28-127
1,1-Dichloroethene	10.0	8.1	81	3	25	47-119
trans-1,2-Dichloroethen	10.0	8.9	89	4	25	46-112
1,1-Dichloroethane	10.0	9.7	97	7	25	57-124
cis-1,2-Dichloroethene	10.0	9.6	96	2	25	70-139
1,1,1-Trichloroethane	10.0	9.3	93	5	25	57-125
Trichloroethene	10.0	8.6	86	0	25	61-133
Tetrachloroethene	10.0	9.0	90	5	25	61-132
Chlorobenzene	10.0	10.3	103	3	25	81-120
1,3-Dichlorobenzene	10.0	10.0	100	7	25	56-113
1,4-Dichlorobenzene	10.0	10.5	105	4	25	62-119
1,2-Dichlorobenzene	10.0	10.8	108	3	25	69-116

* Value is outside of Anamatrix QC limits

RPD: 0 out of 12 outside limits
Spike Recovery: 0 out of 24 outside limits

LABORATORY CONTROL SAMPLE
 EPA METHOD 601/8010
 ANAMETRIX, INC. (408)432-8192

Sample I.D. : LABORATORY CONTROL SAMPLE
 Matrix : WATER
 SDG/Batch : N/A
 Date analyzed : 10/20/93

Anamatrix I.D. : W0102093
 Analyst : *WJ*
 Supervisor : *AK*
 Instrument I.D.: AD14

COMPOUND	SPIKE AMOUNT (ug/L)	AMOUNT RECOVERED (ug/L)	PERCENT RECOVERY	%RECOVERY LIMITS
Trichlorotrifluoroethane	10	8.1	81%	34 - 128
1,1-Dichloroethene	10	9.2	92%	63 - 133
trans-1,2-Dichloroethene	10	9.8	98%	55 - 145
1,1-Dichloroethane	10	10.7	107%	49 - 121
cis-1,2-Dichloroethene	10	10.4	104%	66 - 168
1,1,1-Trichloroethane	10	10.7	107%	72 - 143
Trichloroethene	10	9.2	92%	63 - 147
Tetrachloroethene	10	10.1	101%	60 - 133
Chlorobenzene	10	10.9	109%	70 - 148
1,3-Dichlorobenzene	10	10.1	101%	49 - 139
1,4-Dichlorobenzene	10	10.7	107%	70 - 133
1,2-Dichlorobenzene	10	10.7	107%	69 - 140

* Limits based on data generated by Anamatrix, Inc., August, 1992.

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. JIM KELLER
BLAINE TECH
985 TIMOTHY DRIVE
SAN JOSE, CA 95133

Workorder # : 9310228
Date Received : 10/18/93
Project ID : 204-0072-0403
Purchase Order: MOH-B813
Department : GC
Sub-Department: TPH

SAMPLE INFORMATION:

ANAMETRIX SAMPLE ID	CLIENT SAMPLE ID	MATRIX	DATE SAMPLED	METHOD
9310228- 1	MW-1	WATER	10/15/93	TPHgBTEX
9310228- 2	MW-2	WATER	10/15/93	TPHgBTEX
9310228- 3	MW-3	WATER	10/15/93	TPHgBTEX
9310228- 4	DUP	WATER	10/15/93	TPHgBTEX
9310228- 5	TB	WATER	10/15/93	TPHgBTEX
9310228- 6	S-1	WATER	10/15/93	TPHgBTEX

REPORT SUMMARY
ANAMETRIX, INC. (408)432-8192

MR. JIM KELLER
BLAINE TECH
985 TIMOTHY DRIVE
SAN JOSE, CA 95133

Workorder # : 9310228
Date Received : 10/18/93
Project ID : 204-0072-0403
Purchase Order: MOH-B813
Department : GC
Sub-Department: TPH

QA/QC SUMMARY :

- No QA/QC problems encountered for these samples.

Cheryl Balmer 10/29/93
Department Supervisor Date

Charles M Burch 10-29-93
Chemist Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS
(GASOLINE WITH BTEX)
ANAMETRIX, INC. - (408) 432-8192

Anametrix W.O.: 9310228
Matrix : WATER
Date Sampled : 10/15/93

Project Number : 204-0072-0403
Date Released : 10/29/93

COMPOUNDS	Reporting Limit (ug/L)	Sample I.D.# MW-1	Sample I.D.# MW-2	Sample I.D.# MW-3	Sample I.D.# DUP	Sample I.D.# TB
Benzene	0.5	ND	1400	ND	1200	ND
Toluene	0.5	ND	3400	ND	2800	ND
Ethylbenzene	0.5	ND	1200	ND	1000	ND
Total Xylenes	0.5	ND	5200	ND	4400	ND
TPH as Gasoline	50	ND	24000	60	19000	ND
% Surrogate Recovery		106%	92%	108%	95%	129%
Instrument I.D.		HP21	HP21	HP21	HP21	HP21
Date Analyzed		10/21/93	10/24/93	10/21/93	10/24/93	10/21/93
RLMF		1	250	1	250	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor (Dilution).

Anametrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 10-29-93
Analyst Date

Cheryl Balmer 10/29/93
Supervisor Date

ANALYSIS DATA SHEET - TOTAL PETROLEUM HYDROCARBONS
(GASOLINE WITH BTEX)
ANAMETRIX, INC. - (408) 432-8192

Anamatrix W.O.: 9310228
Matrix : WATER
Date Sampled : 10/15/93

Project Number : 204-0072-0403
Date Released : 10/29/93

Reporting Limit	Sample I.D.#	Sample I.D.#	Sample I.D.#
(ug/L)	S-1	BO2101E2	BO2401E2
COMPOUNDS	-06	BLANK	BLANK
Benzene	0.5	ND	ND
Toluene	0.5	ND	ND
Ethylbenzene	0.5	ND	ND
Total Xylenes	0.5	ND	ND
TPH as Gasoline	50	ND	ND
% Surrogate Recovery	134%	106%	97%
Instrument I.D.	HP21	HP21	HP21
Date Analyzed	10/21/93	10/21/93	10/24/93
RLMF	1	1	1

- ND - Not detected at or above the practical quantitation limit for the method.
- TPHg - Total Petroleum Hydrocarbons as gasoline is determined by GCFID using modified EPA Method 8015 following sample purge and trap by EPA Method 5030.
- BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes are determined by modified EPA Method 8020 following sample purge and trap by EPA Method 5030.
- RLMF - Reporting Limit Multiplication Factor (Dilution).

Anamatrix control limits for surrogate p-Bromofluorobenzene recovery are 61-139%.

All testing procedures follow California Department of Health Services (Cal-DHS) approved methods.

Charles Burch 10-29-93
Analyst Date

Cheryl Balmer 10/29/93
Supervisor Date

BTEX LABORATORY CONTROL SAMPLE REPORT
 EPA METHOD 5030 WITH GC/PID
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE Anamatrix I.D.: MO2103E3
 Matrix : WATER Analyst : *OMB*
 Date Sampled : N/A Supervisor : *us*
 Date Analyzed : 10/22/93 Date Released : 10/24/93
 Instrument ID : HP21

COMPOUND	SPIKE AMT. (ug/L)	LCS (ug/L)	REC LCS	%REC LIMITS
Benzene	20.0	16.6	83%	52-133
Toluene	20.0	20.0	100%	57-136
Ethylbenzene	20.0	23.3	117%	56-139
Total Xylenes	20.0	24.0	120%	56-141
P-BFB			100%	61-139

* Quality control limits established by Anamatrix, Inc.

TOTAL VOLATILE HYDROCARBON LABORATORY CONTROL SAMPLE REPORT
 EPA METHOD 5030 WITH GC/PID
 ANAMETRIX, INC. (408) 432-8192

Sample I.D. : LAB CONTROL SAMPLE
 Matrix : WATER
 Date Sampled : N/A
 Date Analyzed : 10/24/93

Anamatrix I.D. : MO2401E1
 Analyst : *CMB*
 Supervisor : *CS*
 Date Released : 10/29/93
 Instrument I.D.: HP21

COMPOUND	SPIKE AMT. (ug/L)	LCS (ug/L)	REC LCS	%REC LIMITS *
Benzene	20.0	20.8	104%	52-133
Toluene	20.0	20.6	103%	57-136
Ethylbenzene	20.0	20.7	103%	56-139
Total Xylenes	20.0	19.9	99%	56-141
P-BFB			98%	61-139

* Quality control limits established by Anamatrix, Inc.