

Subsurface Consultants, Inc.

FAX TRANSMITTAL

Date: March 3, 1997

Number of pages including cover sheet:

5

To: Barney Chan Alameda County Health Care Services Agency

Phone:

Fax Phone: 337-9335

Benny Kwong, OCHI

763-7730

From:

Meg Mendoza

SCI Job #: 406.019 Sent From: Lafayette: K

Oakland:

REMARKS: ☐ Urgent For your review Reply ASAP Please comment ☐ For your use

Original in mail

As requested

Enclosed is our letter report regarding well abandonment for 2530 E. 14th Street in Oakland. Please proceed with issuance of a

3736 Mt. Diablo Boulevard ■ Suite 200 ■ Lafayette, California ■ (510) 299-7960 ■ Fax (510) 299-7970

171 12th Street

Suite 205

Oakland, California 94607

(510) 268-0461

Fax (510) 268-0137



Subsurface Consultants, Inc.

R. William Rudolph, P.E. President

March 3, 1997 SCI 406.019

Mr. Barney Chan Alameda County Health Care Services Agency 1131 Harbor Bay Parkway Alameda, California 94501

Well Abandonment 2530 East 14th Street Oakland, California

Dear Mr. Chan:

This letter summarizes environmental services performed by Subsurface Consultants, Inc. (SCI) during well abandonment at 2530 East 14th Street. Remedial activities, including soil remediation and groundwater monitoring, had been performed at the site since 1989.

Prior to proceeding with well abandonment, SCI submitted a traffic control plan and obtained the required City of Oakland excavation permit. In addition, SCI obtained a Zone 7 Alameda County Flood Control and Water Conservation District (Zone 7) well abandonment permit for the wells. Copies of the permits obtained are attached.

Well Abandonment

SCI contacted Mr. Wyman Hong with Zone 7 regarding well abandonment procedures. Zone 7 is the agency responsible for oversight of well permits. Mr. Hong indicated that abandonment by pressure grouting is an acceptable procedure. All wells were abandoned per State of California Department of Water Resources and Alameda County Zone 7 guidelines.

Monitoring wells MW-13, MW-15, MW-16 and MW-17 were abandoned by pressure grouting on February 26, 1997. A neat cement grout mixture was prepared consisting of a ratio of about 6 gallons of water per sack of Type II portland cement. After removing the metal well head, all wells were pressure grouted by tremie methods. A pressure of approximately 100 psi was applied to the grout column. The well head void was backfilled with neat cement grout and sealed to match existing surface conditions. Removed well materials and soil will be disposed of at a local Class III landfill.

Subsurface Consultants, Inc.

Mr. Barney Chan Alameda County Health Care Services Agency SCI 406.019 March 3, 1997 Page 2

If you have any further questions, please call.

Yours very truly, Subsurface Consultants, Inc.

mes mendoza

Meg Mendoza Project Engineer

MM:JNA/ly wellabn.doc

Attachments: Zone 7 Well Abandonment Permit

City of Oakland Excavation Permit

cc: Mr. Benny Kwong

Oakland Community Housing, Inc.

405 East 14th Street, #400 Oakland, California 94612

Office of entire and Buildine

EXCAVATION PERMIT TO EXCAVATE IN STREETS OR OTHER SPECIFIED WORK

CIVIL ENGINEERING

P.4/5

PAGE 2 of 2

FAGE 2 01 2		
PERMIT NUMBER	9700181	SITE ADDRESS/LOCATION 2J30 E - 14TH ST
APPROX. START DATE	APPROX. END DATE	24-HOUR EMERGENCY PHONE NUMBER
		(Permit not valid without 24-Hour number) 516 299 7960
CONTRACTOR'S LICENSE # AND CLASS		CITY BUSINESS TAX#
		. The state of the way of the state of the s
ATTENTION:		
State taw requires that inquiry identification or	the contractor/owner call <i>Underground</i> imber issued by USA. The USA telep	is Service Alen (USA) two working days before expanding. This permit is not valid unless applicant has secured a should number is 1 (300) 642-2444. UNDERGROUND SERVICE ALERT (USA) 8:
2) 48 hours prior	to starting work, YOU M	MUST CALL (510) 238-3651 TO SCHEDULE AN INSPECTION.
OWNER/BUILDER		the following reason (Sec. 7031.5 Business and Professions Code: Any city or county which requires a permit to
Professions Code: The Contractor's provided that such improvements are burden of proving that he did not but the contract of the property, and the performed prior to sale, (3) I have squenties more than once during any I, as owner of the property, and does not apply to an owner of property of I am exempt under Sec. WORKER'S COMPENSATION	a License Law does not apply to an ower not intended or offered for sale. If he tild or improve for the purpose of sale), accumpt from the sale requirements of the existence for the 12 me or three-year period. (Sec. 7044 Business achusively contracting with licensed contracting	to above due to: (1) I am improving my principal place of residence or appurumances thereto. (2) the work will
Policy #	Company Na	or a certified copy thereof (Sec. 3700, Labor Code).
a 1 certify that in the performance of		
apon the express condition that the pe he obligations with respect to street in employees, from and against any and dustained or arising in the construction	rmittee shall be responsible for all claim maintenance. The permittee shall, and hall suits, claims, or actions brought by all suits, chaims, or actions brought by	you should become subject to the Worker's Compensation provisions of the Labor Code, you must forthwith termit is issued pursuant to all provisions of Chapter 6. Article 2 of the Oakland Municipal Code. It is grained to and liabilities arising out of permitters of the permit of arising out of permitters to perform by acceptance of the permit agrees to defend, indemnify, see and hold harmless the City, its officers and any person for or on account of any bodily injuries, discase or illness or damage to persons and/or property nit or in consequence of permitter's failure to perform the obligations with respect to street maintenance. This is the Director of the Office of Planning and Building.
× John	Agent for the Contractor to Owner	2/24/9- 2
ESURFACED 8/2/90	SPECIAL PAVING DETAIL. REQUIRED? 0 YES XNO	HOLIDAY RESTRICTION? [NOV 1 - JAN 1] YES G NO (TAM-9AM & APALEPAN) YES G NO
SUED BY .	milla	DATE ISSUED 2 2 1 1 1 1 1 1 1 1 1 1 1
		'. /. '

Market to the same



APPLICANT'S

SIGNATURE MOOM

ZONE 7 WATER AGENCY

5997 PARKSIDE DRIVE, PLEASANTON, CALIFORNIA 94585-5127 PHONE (610) 484-2500 X235

FAX (810) 462-3914

DRILLING PERMIT APPLICATION

FOR APPLICANT TO COMPLETE		FOR OFFICE USE	
LOCATION OF PROJECT 2530 East 14th Street Oakland. CA		PERMIT NUMBER 97119 WELL NUMBER 28/3W 6K80 to 6K83	
California Coordinates Source ft. CCE ft.		PERMIT CONDITIONS	
CLIENT		Circled Parmit Requirements Apply	
Name Oakland Community Housing, Inc. Address 435 - 14th Street, #200 Phone (510) 763-7676 City Oakland, CA zip 94612 APPLICANT Name Meg Mendoza Subsurface Consultants, Inc. Fax(510) 299-7970 Address 3736 Mt. Diablo R1.#200 Phone (510) 299-7960 City Latayette Zip 94549		1. A parmit application should be submitted so as to strive at Zone 7 office five days prior to proposed starting date. 2. Submit to Zone 7 Within 60 days after completion of permit work the original Department of Water Resources Water & Grillers Report or equivalent for well projects, or drilling I and location sketch for geotechnical projects. 3. Farmit is void if project not begun within 80 days of appro	
TYPE OF PAGJECT Well Construction Cathodic Protection Water Supply Monitoring	Geotechnical Investigation General General Well Destruction	8. WATER SUPPLY WELLS 1. Minimum surface seal thickness is two inches of coment of placed by tremis. 2. Minimum seal depth is 60 feet for municipal and industries or 20 feet for demastic and injustion wells unit lesser depth is specially approved.	
PROPOSED WATER SUPPLY New Domostic Municipal Industrial U	WELL USE Replacement Demostic Inflaction Other	C. SROUNDWATER MONITORING WELLS INCLUDING PIEZOMETERS 1. Minimum surface soal thickness is two inches of coment or placed by trainie. 2. Minimum seal dopth for monitoring wells is the maxim.	
DRILLING METHOD: Mud Rotery Cable	Air Rotary	depth practicable or 20 feet. D. GEOTECHNICAL, Eschill bors hale with compacted cutting the bosonics and upper two feet with compacted material	
ORILLER'S LICENSE NO	522-125	grout shall be used in place of competted cuttings.	
WELL PROJECTS Drill Hole Dismater Casing Dismater Surface Seal Depth	8 in. Meximum 2 in. Depth 22 ft. 5 ft. Number 4	E. CATHODIC. Filt hole above anode tone with concrete placed tramis. F. WELL DESTRUCTION. See attached. G. SPECIAL CONDITIONS	
GEOTECHNICAL PROJECTS Number of Borings Hale Dismeter	Maximum in. Depthft.		
ESTIMATED STARTING DATE 2/26/97 ESTIMATED COMPLETION DATE 2/26/97		Approved Wyman Hong Date 26 Feb 97	
I hereby agree to comply Alameda County Ordinance	with all requirements of this permit and No. 73-88.	Nyman Hong O	