

From: [Detterman, Karel, Env. Health](mailto:Karel.Detterman@aceh.org)
To: ["lamancus@up.com"](mailto:lamancus@up.com)
Cc: ["David.Hodson@CH2M.com"](mailto:David.Hodson@CH2M.com); jbacon@economylumberco.com; [Roe, Dilan, Env. Health](mailto:Roe.Dilan@aceh.org); ["James E. Diel"](mailto:James.E.Diel@aceh.org); ["LGRIFFIN@OAKLANDNET.COM"](mailto:LGRIFFIN@OAKLANDNET.COM); ["jim.curtis@ch2m.com"](mailto:jim.curtis@ch2m.com)
Subject: Fuel Leak Case No. RO1135 and GeoTracker Global ID T0600101305, 744 and 758 High Street, Oakland, CA 94601
Date: Tuesday, January 13, 2015 2:50:08 PM
Attachments: [Attachment 1 and ftpUploadInstructions 2014-05-15.pdf](#)

Hello Lauren:

Alameda County Environmental Health (ACEH) staff has reviewed the case file including the *Revised Addendum to the Site Conceptual Model Report and Data Gap Work Plan* dated January 6, 2015 (Revised Addendum) prepared and submitted on your behalf by CH2MHill in conjunction with the State Water Resources Control Board's (SWRCBs) Low Threat Underground Storage Tank Case Closure Policy (LTCP). The Revised Addendum was submitted in response to a meeting with you and CH2MHill representatives on July 22, 2014 and subsequent emailed comments. Thank you for submitting the Revised Addendum.

Based on ACEH staff review of the work plan, the proposed scope of work is approved for implementation. We request that you perform the proposed work and send us the report described below. Please provide 72-hour advance written notification to this office (e-mail preferred to: karel.detterman@acgov.org) prior to the start of field activities.

TECHNICAL REPORT REQUEST

Please upload technical reports to the ACEH ftp site (Attention: Karel Detterman), and to the State Water Resources Control Board's Geotracker website, in accordance with the following specified file naming convention and schedule:

- **March 18, 2015** – Soil and Groundwater Investigation and Updated SCM Report
File to be named: RO1135_SWI_SCM_R_yyyy-mm-dd

This report is being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Thank you for your cooperation. Should you have any questions or concerns regarding this correspondence or your case, please send me an e-mail message at karel.detterman@acgov.org or call me at (510) 567-6708.

Karel Detterman, PG
Hazardous Materials Specialist
Alameda County Environmental Health
1131 Harbor Bay Parkway
Alameda, CA 94502
Direct: 510.567.6708
Fax: 510.337.9335
Email: karel.detterman@acgov.org

PDF copies of case files can be downloaded at:

<http://www.acgov.org/aceh/lop/ust.htm>