

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director



October 17, 1996

Mr. John Piggott
Wilanco, Inc.
P.O. Box 8117
Berkeley, CA 94707

STID 3683

Re: Destruction of monitoring wells at Wilanco, Inc., 1081-1085 Eastshore Hwy., Albany,
CA 94710

Dear Mr. Piggott,

This office and the San Francisco Bay Region- Water Quality Control Board have reviewed the case files for the above site and have determined that the site is ready for closure. However, prior to issuing a closure letter, this office is requesting that the remaining monitoring wells be properly destroyed under permit from the Alameda County Flood Control District, Zone 7. Once closure of these wells is documented, this office will send you the Remedial Action Completion Certification letter, along with the Case Closure Summary.

If you have any questions or comments, please contact me at (510) 567-6763.

Sincerely,

Juliet Shin
Senior Hazardous Materials Specialist

cc: Acting Chief

ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION (LOP)
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Agency Director



RAFAT A. SHAHID, DIRECTOR

DEPARTMENT OF ENVIRONMENTAL HEALTH
1131 Harbor Bay Parkway
Alameda, CA 94502-6577
(510) 567-6777

May 22, 1996

Mr. John Piggott
Wilanco, Inc.
P.O. Box 8117
Berkeley, CA 94707

STID 5581

Re: Groundwater monitoring at 1081-1085 Eastshore Highway (formerly 1077 Eastshore Frontage Road), Albany, California

Dear Mr. Piggott,

This office has reviewed H₂OGEOL's Quaterly Groundwater Monitoring Report, dated May 7, 1996, for the above site. Per the report, Total Petroleum Hydrocarbons were identified at 630 parts per billion (ppb) in the EPA Method 3510/8015M analysis which did not match the lab's diesel standard. Due to the unidentified contaminants being detected in this analysis, and to eliminate most of the contribution from biogenic materials, this office is requesting that the next round of groundwater samples be put through a silica gel cleanup. It is the understanding of this office that the next round of groundwater sampling is scheduled for July 8, 1996.

If you have any questions or comments, please feel free to contact me at (510) 567-6763.

Sincerely,



Juliet Shin

Senior Hazardous Materials Specialist

cc: Gary D. Lowe
H₂OGEOL
P.O. Box 2165
Livermore, CA 94551

Acting Chief-File

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY

DAVID J. KEARS, Agency Director



RAFAT A. SHAHID, DIRECTOR

March 27, 1996

DEPARTMENT OF ENVIRONMENTAL HEALTH

1131 Harbor Bay Parkway
Alameda, CA 94502-6577
(510) 567-6777

Mr. John Piggott
Wilanco, Inc.
P.O. Box 8117
Berkeley, CA 94707

STID 5581

Re: 1081-1085 Eastshore Highway (formerly 1077 Eastshore Frontage Road), Albany,
California

Dear Mr. Piggott,

This office has reviewed H₂OGEOL's Groundwater Sampling Report, dated February 12, 1996, for the above site. Based on the low to nondetect levels of Total Petroleum Hydrocarbons as diesel (TPHd) observed in the groundwater, it appears that the potential presence of polynuclear aromatic hydrocarbons (PNAs) at the site would be negligible per the LUFT manual's definition of TPHd composition. Therefore, it appears that analysis of future groundwater samples need not include PNAs.

If you have any questions or comments, please feel free to contact me at (510) 567-6763.

Sincerely,

Juliet Shin

Senior Hazardous Materials Specialist

cc: Gary D. Lowe
H₂OGEOL
P.O. Box 2165
Livermore, CA 94551

Acting Chief-File



Ms. Juliet Shin
Senior Hazardous Materials Specialist
Alameda County Health Care Services Agency
Department of Environmental Health
Hazardous Materials Division
1131 Harbor Bay Parkway, 2nd Floor
Alameda, California 94502-6577

December 22, 1995

RE: Re: 1077 Eastshore Frontage Road, Albany, California. Response to your December 07, 1995 letter.

Dear Ms. Shin;

Please find attached a revised copy of Figure 2 - Potentiometric Surface Map, October 17, 1995, from H₂OGEOL's November 17, 1995 report titled Soil Sampling, Monitoring Well Installation, and Initial Ground Water Sampling at 1081-1085 Eastshore Highway, Albany, California.

The revised Figure 2 includes the approximate locations of the three diesel tanks and the three gasoline tanks that were removed from the property in 1992 by Fuel Oil Polishing Company. The tank locations and dimensions were taken from ENSR Consulting and Engineering, Wilanco Tank Removal Report, June 17, 1993. This information was previously referenced in the August 15, 1995 workplan and was included on the plot plan provided to you by Mr. Piggott with his letter dated November 02, 1995. These additions to Figure 2 will be included in all future monitoring reports.

Your December 07, 1995 letter also requested that Polynuclear Aromatic Hydrocarbons (PNAs) also be analyzed from samples collected during the next (2nd consecutive quarter) groundwater monitoring event. Table 2 of the "Tri-Regional Board Staff Recommendations for Preliminary Evaluation and Investigation of Underground Tank Sites" does not indicate the need to analyze samples for PNAs for either diesel or gasoline tank sites. Furthermore, I can find no reference to support your implication that diesel contains PNAs.

While it is true that if PNAs are present in a sample they will be carried through in an analysis by EPA Methods 3510/8015M, and will show up in the chromatogram, so will every other organic compound sharing the boiling point range of diesel. The laboratory (Superior Analytical Laboratory, Inc.) reported 0.440 mg/L TPH-Diesel from MW-4 and 0.180 mg/L TPH-Diesel from MW-L and that the "Diesel Range (was) quantified as all compounds from C10-C25." This range of carbon numbers includes organic acids, phenolic compounds, lipids, and a myriad of other compound categories. There are virtually thousands compounds that occur in this range.

in LUFT manual

Ms. Juliet Shin
December 22, 1995
Page 2

Referring back to H₂OGEOL's November 17, 1995 report please note that in Section 3.1 it is stated that "...groundwater was first encountered in a decayed vegetation mat" and that abundant root hairs were noted at a greater depth. As was indicated in Section II.A of the workplan the site is a "now filled predevelopment tidal flat." Thus, the decayed vegetation mat encountered in the MW-4 borehole would have comprised the landward fringe of a Coastal Salt Marsh community.

The relatively high salinity of the encountered groundwater (specific conductance 16,000 μ S/cm at MW-4 and 28,000 μ S/cm at MW-L) suggest that the dominant plant in this area of the filled tidal flat would have been cordgrass (*Spartina foliosa*). Four year decomposition studies of cordgrass* indicate that upwards of 14 mg of total phenols (11 phenolic monomers analyzed) are produced per 100 mg of total organic carbon (decayed biomass), and 0.38 mg of four cutin acids (of 12 analyzed) per 100 mg of decayed biomass are produced. This indicates that up to 14,000 mg/Kg of phenols and 38 mg/Kg of cutin acids could be expected to be found in the organic fraction of the decayed vegetation mat. Most of these compounds fall in Superior's C10-C25 Diesel quantification range.

So, just put it thru some silencer gal.

Three PNAs are expected to occur in this hydrogeologic setting. These are pyrene, fluoranthene, and phenanthrene. These three PNAs lie in the Diesel chromatographic range and are typical of estuarine environments worldwide (reference 1). They are derived from atmospheric fallout from forest and brush fires. Two of these (pyrene and phenanthrene) are considered potentially carcinogenic. Fluoranthene is not a suspected carcinogen. Maximum contaminant levels (MCLs) have not been established for these compounds in drinking water. \rightarrow To prove this, you would have to take a background sample.

What does the occurrence of PNAs have to do w/ the concern about the PNAs? Are they a problem? \rightarrow be 100% certain by 1/96

As a reality check please note that Hickory Smoke (as in Hickory Smoked Ham., etc.) contains 9,400 mg/Kg PNAs (reference 2).

If potentially carcinogenic PNAs are present they cannot be considered to pose a "potential for future impact to human health or the environment." There is no contact with humans and it is unlikely that there will ever to be any. Remember, this is a late 19th to early 20th century landfill. Since the property is in a saline Bay fringe environment it is reasonable to expect that it is within the RWQCB's non-attainment zone. The specific conductance of the water (16,000 to 28,000 μ S/cm) is substantially above that required to qualify as non-potable. The yields of the monitoring wells are very low (\ll 1 GPM) and the water is very, very saline. Therefore, the shallow zone is not a potential source of drinking water. Also, please remember that water well seals are required to extend deeper than the bottom of the filled ground in which the monitoring wells are completed.

Volatilization
how can you be sure no construction workers etc.

we know this.

Shallow water \rightarrow potential future exposure or current volatilization potential.

Ms. Juliet Shin
December 22, 1995
Page 3

From the above discussion you can see that I do not concur with the request of your office to have PNAs analyzed from this site. These analyses are totally unjustified, particularly in light of the high cost (\$350.00 each). *But a one-time sampling for future constituents to see whether they exceed threshold values is reasonable.*

All future TPH-Diesel samples from this site will be analyzed by a laboratory that compares the chromatograms with an appropriate diesel standard as opposed to reporting "all compounds from C10-C25."

Please do not hesitate to call me at (510) 373-9211 should you have any questions.

Sincerely,




Gary D. Lowe, R.G., C.E.G., C.H.
Principal, Hydrogeologist

xc: Mr. John W. Piggott, Wilanco, Inc., P.O. Box 8117 Berkeley
California 94563

References:

1. Hostettler, F.D., J.B.Rapp, K.A. Kvenvolden, and S.N. Luoma, 1989, Organic markers as source discriminants and sediment transport indicators in south San Francisco Bay, California; *Geochemica et Cosmochimica Acta*, v. 53, pp. 1563-1576.
2. Youngblood, W.W., and M. Blumer, 1976, Polycyclic aromatic hydrocarbons in the environment: homologous series in soils and recent marine sediments; *Geochemica et Cosmochimica Acta*, v. 39, pp. 1303-1314.
3. Opsahl, S. and R. Benner, 1995, Early diagenesis of vascular plant tissues: Lignin and cutin decomposition and biogeochemical implications; *Geochemica et Cosmochimica Acta*, v. 59, pp. 4889-4904.


References are available at UC Berkeley Earth Science Library.



MW-N Monitoring Well name/Number
 ⊕ Monitoring Well Location
 2.94 Groundwater Surface Elevation at monitoring well

T1, T2, & T3 Diesel
 T4, T5, & T6 Gasoline
 Information from ENSR, June 17, 1993,
 Willanca Tank Removal Report

— 3.00 Potentiometric Surface Contour and Contour Elevation



GRADIENT = 0.00530 Feet/Foot

DIRECTION OF GRADIENT = S 16.4°W
 (Approximate groundwater flow direction,
 uncorrected for hydraulic conductivity anisotropy).

Tank locations and dimensions are approximate after ENSR, 1993, Figure 1.

H₂OGEOL
 A GROUND WATER CONSULTANCY

POTENTIOMETRIC SURFACE MAP
OCTOBER 17, 1996
1077-1085 EASTSHORE HIGHWAY
ALBANY, CALIFORNIA

FIGURE
2



December 7, 1995

DEPARTMENT OF ENVIRONMENTAL HEALTH
1131 Harbor Bay Parkway
Alameda, CA 94502-6577
(510) 567-6777

Mr. John Piggott
Wilanco, Inc.
P.O. Box 8117
Berkeley, CA 94707

STID 5581

Re: Investigations at 1081-1085 Eastshore Highway (formerly 1077 Eastshore Frontage Road), Albany, California.

This office has reviewed H₂OGEOL's Soil Sampling Monitoring Well Installation and Initial Groundwater Sampling report, dated November 17, 1995. Per this report, the next quarterly monitoring event will be conducted at the site during the week of January 8, 1996. This office is requesting that the next quarterly report contain a site plan showing the locations of the former tanks, in addition to the well locations and elevation contours.

Additionally, this office is requesting that the next set of groundwater samples be analyzed for Polynuclear Aromatic Hydrocarbons (PNAs), in addition to TPHd, TPHg, and BTEX. The reason for the PNA analysis is that there are a number of PNA constituents potentially contained in TPHd that are considered potential carcinogens. These constituents have established toxicity factors that can help us weigh the potential for future impact to human health or the environment at the site, and therefore assist us in determining what further work may be required at the site.

If you have any questions or comments, please contact me at (510) 567-6763.

Sincerely,

Juliet Shin
Senior Hazardous Materials Specialist

cc: Acting Chief-File



Wilanco, Inc.

P.O. Box 8117
Berkeley, California 94707
Phone: (510) 525-3750
Fax: (510) 525-9058

November 2, 1995

5710 5581

Ms. Juliet Shin
Senior Hazardous Materials Specialist
Alameda County Health Care Services Agency
Hazardous Materials Division
1131 Harbor Bay Parkway, 2nd Floor
Alameda, California 94502-6577

RE: Address for location of removed UST's:
Assessor's Parcel Number 66-2686-5-18

Dear Ms. Shin;

Please refer to Wilanco, Inc. plot plan depicted by drawing number 4-0035 dated 2-5-92. This plot plan provides postal addresses for the four buildings located at the above parcel.

Enclosed please find ENSR Consulting and Engineering Figure 1 "Tank Location Map-Wilanco Site" dated November 17, 1992 depicting the location of tanks at this parcel.

For purposes of changes to your data base I would suggest the change be identified as "1081-1085 Eastshore Highway" in order to reduce possible future confusion regarding the site location. All six tanks were removed from adjacent the building at 1081 Eastshore Highway and from in front of the building located at 1085 Eastshore Highway.


Wilanco, Inc. occupies one office within the building located at 1081 Eastshore Highway; additionally there are three other tenants in this building.

I hope this clarifies what we discussed yesterday regarding the location of the tanks. I'm sorry it was not easier for me to explain verbally over the telephone the precise location.

Sincerely,

John W. Piggott
President

cc: Gary Lowe



Eastshore Highway

Eastshore Boulevard

Fence Line

Warehouse/Office

Warehouse/Garage

Concrete Parking Lot

Southern Pacific Railroad Flight of Way

1081
EASTSHORE
HWY.

1085
EASTSHORE
HWY.

 Tank Location

 TC1G Soil Sample Location



NOT TO SCALE
BOUNDARIES APPROXIMATE

ENSR
ENSR Consulting and Engineering

FIGURE 1

FIGURE 1
TANK LOCATION MAP
WILANCO SITE
1077 Eastshore Blvd. *1081-1085*
Albany, California *Eastshore Hwy*

DRAWN: W. Akyama	DATE: November 17, 1992	PROJECT NO. 7991-002-200	REV. X
FILE NO.:	CHECKED:		



Wilanco, Inc.

P.O. Box 8117
Berkeley, California 94707
Phone: (510) 525-3750
Fax: (510) 525-9058

September 14, 1995

Ms. Juliet Shin
Senior Hazardous Materials Specialist
Alameda County Health Care Services Agency
Hazardous Materials Division
1131 Harbor Bay Parkway, 2nd Floor
Alameda, California 94502-6577

ENVIRONMENTAL
PROTECTION
95 SEP 18 PM 4:45

RE: Postal address changes:
Assessor's Parcel Number 66-2686-5-18

Dear Ms. Shin;

Prior to 1992 the above parcel, containing four separate buildings, had been occupied by single business entities. The parcel was commonly referred to as "1077 Eastshore Highway"; that being the sole postal address for the parcel.

Beginning in 1992 the parcel was occupied by more than one business entity necessitating postal addresses for each of the four buildings; 1073, 1077, 1081 and 1085 Eastshore Highway. Please see Wilanco, Inc. drawing number 4-0035 dated 2-5-92 (enclosed) depicting this.

The Underground Storage Tank Unauthorized Release (Leak) / Contamination Site Report dated 08-13-92 is the only such report required for the above parcel (i.e., no report is required for "1077 Eastshore Highway") correctly identifying the tanks as located at 1081 Eastshore Highway.

Wilanco, Inc. is the owner of the above parcel. There are two shareholders of Wilanco; John W. Piggott and Sabra H. Piggott. Wilanco has only one employee; John W. Piggott.

I hope this clears any confusion as to the uncertainty of property known as "1077 Eastshore Highway" specifically with respect to that work plan dated August 15, 1995 prepared by Mr. Gary D. Lowe of H₂OGEOL.

Sincerely,

John W. Piggott
President




BLDG. #1

BLDG. #2

BLDG. #3

BLDG. #4

ELEVATIONS



CITY OF ALBANY
CITY OF BERKELEY

EASTSHORE HIGHWAY

WILANCO INC.		
SCALE 20:1	APPROVED BY	DRAWN BY
DATE 2-9-02		REVISED
PLOT PLAN & ELEV.		
BUILDING 1-2-3 AND 4		DRAWING NUMBER 4-02-05



Wilanco, Inc.

P.O. Box 8117
Berkeley, California 94707
Phone: (510) 525-3750
Fax: (510) 525-9058

August 30, 1995

Ms. Juliet Shin
Senior Hazardous Materials Specialist
Alameda County health Care Agency
Environmental Protection Division
1131 Harbor Bay Parkway, Room 250
Alameda, California 94502-6577

STID 1327

Re: Your letter dated 8/18/95

Dear Ms. Shin:

I am enclosing a copy of the Unauthorized Release/Leak Report Form which was originally filled out on 8/13/92.

Sincerely,

A handwritten signature in cursive script that reads "John W. Piggott (RSE)".

John W. Piggott
President

JWP:dbo
enc:

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT

EMERGENCY <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		FOR LOCAL AGENCY USE ONLY I HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORMATION ACCORDING TO THE DISTRIBUTION SHOWN ON THE INSTRUCTION SHEET ON THE BACK PAGE OF THIS FORM.		
REPORT DATE 08/13/92		CASE #		SIGNED _____ DATE _____		
REPORTED BY	NAME OF INDIVIDUAL FILING REPORT ...		PHONE (510) 525-750		SIGNATURE ...	
	REPRESENTING <input type="checkbox"/> LOCAL AGENCY <input type="checkbox"/> OTHER		<input checked="" type="checkbox"/> OWNER/OPERATOR <input type="checkbox"/> REGIONAL BOARD		COMPANY OR AGENCY NAME ...	
	ADDRESS ... BERKELEY CA 94707					
RESPONSIBLE PARTY	NAME ...		CONTACT PERSON ...		PHONE (510) 525 5730	
	ADDRESS ... BERKELEY CA 94707					
SITE LOCATION	FACILITY NAME (IF APPLICABLE) ...		OPERATOR ...		PHONE ...	
	ADDRESS ... BERKELEY CA 94707					
	CROSS STREET ...					
IMPLEMENTING AGENCIES	LOCAL AGENCY ...		AGENCY NAME ...		CONTACT PERSON ...	
	REGIONAL BOARD ...					
SUBSTANCES INVOLVED	(1) NAME ...		QUANTITY LOST (GALLONS) DIMINUTIOUS AMT. <input checked="" type="checkbox"/> UNKNOWN			
	(2) NAME ...		DIMINUTIOUS AMT. <input checked="" type="checkbox"/> UNKNOWN			
DISCOVERY/ABATEMENT	DATE DISCOVERED 08/25/92		HOW DISCOVERED <input type="checkbox"/> INVENTORY CONTROL <input type="checkbox"/> SUBSURFACE MONITORING <input type="checkbox"/> NUISANCE CONDITIONS <input type="checkbox"/> TANK TEST <input checked="" type="checkbox"/> TANK REMOVAL <input type="checkbox"/> OTHER			
	DATE DISCHARGE BEGAN ...		METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY) <input type="checkbox"/> REMOVE CONTENTS <input checked="" type="checkbox"/> CLOSE TANK & REMOVE <input type="checkbox"/> REPAIR PIPING <input type="checkbox"/> REPAIR TANK <input type="checkbox"/> CLOSE TANK & FILL IN PLACE <input type="checkbox"/> CHANGE PROCEDURE <input type="checkbox"/> REPLACE TANK <input type="checkbox"/> OTHER			
	HAS DISCHARGE BEEN STOPPED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, DATE ...					
SOURCE/ CAUSE	SOURCE OF DISCHARGE <input checked="" type="checkbox"/> TANK LEAK <input type="checkbox"/> UNKNOWN <input type="checkbox"/> PIPING LEAK <input type="checkbox"/> OTHER		CAUSE(S) <input checked="" type="checkbox"/> OVERFILL <input type="checkbox"/> RUPTURE/FAILURE <input type="checkbox"/> SPILL <input type="checkbox"/> CORROSION <input type="checkbox"/> UNKNOWN <input type="checkbox"/> OTHER			
	CHECK ONE ONLY <input type="checkbox"/> UNDETERMINED <input checked="" type="checkbox"/> SOIL ONLY <input type="checkbox"/> GROUNDWATER <input type="checkbox"/> DRINKING WATER - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)					
CURRENT STATUS	CHECK ONE ONLY <input type="checkbox"/> NO ACTION TAKEN <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED <input type="checkbox"/> POLLUTION CHARACTERIZATION <input type="checkbox"/> LEAK BEING CONFIRMED <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT UNDERWAY <input checked="" type="checkbox"/> POST CLEANUP MONITORING IN PROGRESS <input type="checkbox"/> REMEDIATION PLAN <input checked="" type="checkbox"/> CASE CLOSED (CLEANUP COMPLETED OR UNNECESSARY) <input type="checkbox"/> CLEANUP UNDERWAY					
	CHECK APPROPRIATE ACTION(S) <input type="checkbox"/> CAP SITE (CD) <input checked="" type="checkbox"/> EXCAVATE & DISPOSE (ED) <input type="checkbox"/> REMOVE FREE PRODUCT (FP) <input type="checkbox"/> ENHANCED BIO DEGRADATION (IT) <input type="checkbox"/> CONTAINMENT BARRIER (CB) <input type="checkbox"/> EXCAVATE & TREAT (ET) <input type="checkbox"/> PUMP & TREAT GROUNDWATER (GT) <input type="checkbox"/> REPLACE SUPPLY (RS) <input type="checkbox"/> VACUUM EXTRACT (VE) <input type="checkbox"/> NO ACTION REQUIRED (NA) <input type="checkbox"/> TREATMENT AT HOOKUP (HU) <input type="checkbox"/> VENT SOIL (VS) <input type="checkbox"/> OTHER (OT)					
COMMENTS	...					

ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY

DAVID J. KEARS, Agency Director



RAFAT A. SHAHID, Director
CC4586

Alameda County
Environmental Protection Division
1131 Harbor Bay Parkway, Room 250
Alameda CA 94502-6577

August 18, 1995

Mr. John Piggott
Wilanco, Inc.
P.O. Box 8117
Berkeley, CA 94707

STID ~~1327~~ 5581

Re: Work plan for investigations at ~~1077 Eastshore Frontage~~
Road, Albany, California

1081-1085 Eastshore Hwy,

Dear Mr. Piggott,

This office has reviewed H₂OGEOL's work plan, dated August 15, 1995, for groundwater investigations at the above site. This work plan is acceptable to this office. Please be reminded that the proposed monitoring well should screen above the water table. If at the time of drilling, the water table is noted to be shallower than 5-feet below ground surface, the proposed screen interval should be adjusted accordingly.

This office does not have a copy of the Unauthorized Release/Leak Report Form for this site. Please complete the attached form and submit it to this office within 20 days of the date of this letter. If you have already completed and submitted this form in the past, please do not complete this form and submit a copy of the previously completed form.

Per Article 5 Title 23 California Code of Regulations, following the well installation, quarterly sampling and groundwater gradient determinations should be conducted at the site.

Field work should commence within 60 days of the date of this letter. A report documenting the work should be submitted to this office within 45 days after completing field activities.

If you have any questions or comment, please contact me at (510) 567-6763.

Sincerely,

A handwritten signature in cursive script, appearing to read "Juliet Shin".

Juliet Shin
Senior Hazardous Materials Specialist

ATTACHMENT

Mr. John Piggott
Re: 1077 Eastshore
August 18, 1995
Page 2 of 2

cc: Gary D. Lowe
H₂OGEOL
P.O. Box 2165
Livermore, CA 94551

Acting Chief-File

ALAMEDA COUNTY
HEALTH CARE SERVICES



AGENCY
DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, Assistant Agency Director

May 12, 1995

Mr. John W. Piggott
Wilanco, Inc.
P.O. Box 8117
Berkeley, CA 94707

DEPARTMENT OF ENVIRONMENTAL HEALTH
Hazardous Materials Division
80 Swan Way, Rm. 200
Oakland, CA 94621
(510) 271-4320

STID ~~1327~~ 5581

Re: Extension for due date of the Preliminary Site Assessment
work plan for investigations at ~~1077 Eastshore Frontage~~
Road, Albany, California . 1081-1085 Eastshore Hwy.

Dear Mr. Piggott,

Per our meeting on May 12, 1995, the County is granting you an additional 30 days to submit a work plan addressing ground water investigations. Therefore, the new due date of this work plan is August 15, 1995.

If you have any questions or comments, please contact me at (510) 567-6763.

Sincerely,

Juliet Shin
Senior Hazardous Materials Specialist

cc: File .

ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY



DAVID J. KEARS, Agency Director

RAFAT A. SHAHID, Director

April 11, 1995

Mr. John W. Piggott
Wilanco, Inc.
P.O. Box 8117
Berkeley, CA 94707

DEPARTMENT OF ENVIRONMENTAL HEALTH
Environmental Protection Division
1131 Harbor Bay Parkway, #250
Alameda, CA 94502-6577
(510) 567-6700

STID

Re: Required investigations at 1077 Eastshore Frontage Road,
Albany, California

Dear Mr. Piggott,

In May 1992, three 12,000-gallon diesel underground storage tanks (USTs) (contained in Tank Pit #1), two 500-gallon gasoline USTs (contained in Tank Pit #2), and one 2,000-gallon gasoline UST (contained in Tank Pit #3) were removed from the above site. Six soil samples were collected from Tank Pit #1, three soil samples were collected from Tank Pit #2, and two soil samples were collected from Tank Pit #3. Analysis of these soil samples identified up to 80 parts per million (ppm) Total Petroleum Hydrocarbons as diesel (TPHd) in Tank Pit #1 and 250 ppm Total Petroleum Hydrocarbons as gasoline (TPHg) in Tank Pit #2. Consequently, these "hot spots" were further excavated and the confirmatory soil sample collected from Tank Pit #1 identified only 6 ppm TPHd and the confirmatory soil sample from Tank Pit #2 identified 2 ppm TPHg.

Although it appears that the bulk of soil contamination has been delineated and removed, ground water contamination was identified at the site. Two rounds of "grab" ground water samples were collected from the tank pits at the site in 1992. The first round of "grab" ground water samples were collected from Tank Pit #2 and Tank Pit #3 on May 6, 1992. Analysis of these water samples identified up to 20,000 parts per billion (ppb) TPHg and 140 ppb benzene in Tank Pit #2, and 530 ppb TPHg and 1 ppb benzene in Tank Pit #3. Ground water was pumped from these tank pits and a second round of "grab" ground water samples were collected on May 12, 1992. This time a sample was also collected from Tank Pit #1. Analysis of these water samples identified up to 3,400 ppb TPHd in Tank Pit #1, up to 3,800 ppb TPHg and 68ppb benzene in Tank Pit #2, and 160 ppb TPHg in Tank Pit #3. Benzene is a known carcinogen and the drinking water standard for benzene is 1 ppb.

Mr. John Piggott
Re: 1077 Eastshore Frontage Rd.
April 10, 1995
Page 2 of 4

Guidelines established by the California Regional Water Quality Control Board (RWQCB) require that soil and ground water investigations be conducted when there is evidence to indicate that a release from an UST has impacted the ground water.

You are required to conduct a **Preliminary Site Assessment (PSA)** to determine the lateral and vertical extent and severity of ground water contamination resulting from the release at the site. The information gathered by the PSA will be used to determine an appropriate course of action to remediate the site, if deemed necessary. The PSA must be conducted in accordance with the RWQCB's Staff Recommendations for the Initial Evaluation and Investigation of Underground Tanks, and be consistent with requirements set forth in Article 11 of Title 23, California Code of Regulations. The major elements of such an investigation are summarized in the attached **Appendix A**. The major elements of the guidelines include, but are not limited to, the following:

- o At least one permanent ground water monitoring well must be installed within 10 feet of the former tank pits, oriented in the confirmed downgradient direction relative to groundwater flow. In the absence of neighboring monitoring wells located within 100 feet of the site, or any other data identifying the confirmed downgradient direction, a minimum of three wells will be required at the site to verify ground water gradient direction. During the installation of these wells, soil samples are to be collected at five-foot-depth intervals, any significant changes in lithology, and the soil/water interface.
- o Subsequent to the installation of the monitoring wells, these wells must be **surveyed to an established benchmark**, (i.e., Mean Sea Level) with an accuracy of 0.01 foot. Ground water samples are to be collected and analyzed quarterly, and water level measurements are **to be collected monthly for the first three months**, and then quarterly thereafter. If the initial ground water elevation contours indicate that ground water flow directions vary greatly than you will be required to continue monthly water level measurements until the ground water gradient behavior is known. **Both soil and ground water samples must be analyzed for TPHg, TPHd, and BTEX.**

Mr. John Piggott
Re: 1077 Eastshore Frontage Rd.
April 10, 1995
Page 3 of 4

This Department will oversee the assessment and remediation of your site. Our oversight will include the review of and comment on work proposals and technical guidance on appropriate investigative approaches and monitoring schedules. The issuance of well drilling permits, however, will be through the Alameda County Flood Control and Water Conservation District, Zone 7, in Pleasanton. The RWQCB may choose to take over as lead agency if it is determined, following the completion of the initial assessment, that there has been a substantial impact to ground water.

In order to properly conduct a site investigation, you are required to obtain professional services of a reputable environmental consultant. **All reports and proposals must be submitted under seal of a California-Registered Geologist, -Certified Engineering Geologist, or -Registered Civil Engineer.**

The PSA proposal is due within 90 days of the date of this letter. Once the proposal is approved, field work should commence within 60 days. A report must be submitted within 45 days after the completion of this phase of work at the site. Subsequent reports are to be submitted quarterly until this site qualifies for final RWQCB "sign-off". Such quarterly reports are due the first day of the second month of each subsequent quarter.

The referenced initial and quarterly reports must describe the status of the investigation and must include, among others, the following elements:

- o Details and results of all work performed during the designated period of time: records of field observations and data, boring and well construction logs, water level data, chain-of-custody forms, laboratory results for all samples collected and analyzed, tabulations of free product thicknesses and dissolved fractions, etc.
- o Status of ground water contamination characterization.
- o Interpretations of results: water level contour maps showing gradients, free and dissolved product plume definition maps for each target component, geologic cross sections, etc.
- o Recommendations or plans for additional investigative work or remediation.

Mr. John Piggott
Re: 1077 Eastshore Frontage Rd.
April 10, 1995
Page 4 of 4

Please be advised that this is a formal request for a work plan pursuant to **Section 2722 (c) (d) of Title 23 California Code of Regulations**. Any extensions of the stated deadlines, or modifications of the required tasks, must be confirmed in writing by either this agency or RWQCB.

Lastly, please complete the attached **Unauthorized Release/Leak Report Form** and submit it to this office **within 30 days** of the date of this letter. This is a standard form that is required to be completed any time a release from a petroleum underground storage tank is identified.

If you have any questions or comments, please contact me at (510) 567-6763.

Sincerely,

Juliet Shin
Senior Hazardous Materials Specialist

ATTACHMENT

cc: File

new case

Site # 1327 (Former)
Proj. # 1809A

DATE: 3-14-95
TO : Local Oversight Program
FROM: Larry Seb
SUBJ: Transfer of Eligible Local Oversight Case

Site name: Wilanco / Siena Detroit Diesel
Address: 1077 E. Shore city Albany zip

TO BE ELLIGIBLE FOR LOP A CASE MUST MEET 3 QUALIFICATIONS:

- 1. Number of Tanks: 6 removed? Y N Date of removal 5/6 + 5/7/92
- 2. Samples received? Y N Contamination level: 700 PPM (ppm and type of test)

Contamination should be over 100 ppm TPH to qualify for LOP

- 3. Petroleum Y N Types: Avgas Jet leaded unleaded Diesel fuel oil waste oil kerosene solvents

DepRef remaining \$ 0 Closed with Candace/Leslie? Y N
7/15/95 Referred to Candace 3/23/94 case closed

IF YOUR SITE MEETS ALL OF THE ABOVE QUALIFICATIONS YOU SHOULD DO THE FOLLOWING TO TRANSFER THE SITE:

- 1. YOU MUST CLOSE THE DEPOSIT REFUND CASE AT THIS TIME. YOU MUST ACCOUNT FOR ALL TIME YOU HAVE SPENT ON THE CASE AND TURN IN THE ACCOUNT SHEET TO LESLIE. IF THERE ARE FUNDS STILL REMAINING IT IS STILL BETTER TO TRANSFER THE CASE TO LOP AS THE RATE FOR LOP ALLOWS THE ADDITION OF MANAGEMENT AND CLERICAL TIME. DO NOT ATTEMPT TO CONTINUE TO OVERSEE THE SITE SIMPLY BECAUSE THERE ARE FUNDS REMAINING!
- 2. COMPLETE THE A AND B PERMIT APPLICATION FORMS AND GIVE TO CONNIE/ELAINE
- 3. GIVE THE ENTIRE CASE TO THE PROPER LOP STAFF UPSTAIRS FOR THEM TO DO THE REST OF THE TRANSFER AND YOU ARE DONE!

UNDERGROUND STORAGE TANK UNAUTHORIZED RELEASE (LEAK) / CONTAMINATION SITE REPORT

EMERGENCY <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		HAS STATE OFFICE OF EMERGENCY SERVICES REPORT BEEN FILED? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO		FOR LOCAL AGENCY USE ONLY I HEREBY CERTIFY THAT I HAVE DISTRIBUTED THIS INFORMATION ACCORDING TO THE DISTRIBUTION SHOWN ON THE INSTRUCTION SHEET ON THE BACK PAGE OF THIS FORM.		
REPORT DATE 01/01/89		CASE # 2		SIGNED _____ DATE _____		
REPORTED BY	NAME OF INDIVIDUAL FILING REPORT JOHN W. PIGGOTT		PHONE (510) 525-750		SIGNATURE <i>John W. Piggott</i>	
	<input type="checkbox"/> REPRESENTING LOCAL AGENCY <input checked="" type="checkbox"/> OWNER/OPERATOR <input type="checkbox"/> REGIONAL BOARD <input type="checkbox"/> OTHER		COMPANY OR AGENCY NAME WILANCO, INC.			
ADDRESS P.O. BOX 8117 STREET BERKELEY CITY CA STATE 94707 ZIP						
RESPONSIBLE PARTY	NAME WILANCO, INC. <input type="checkbox"/> UNKNOWN		CONTACT PERSON JOHN W. PIGGOTT		PHONE (510) 525-3750	
	ADDRESS BOX 8117 STREET BERKELEY CITY CA STATE 94707 ZIP					
SITE LOCATION	FACILITY NAME (IF APPLICABLE) SILRA DETROIT DILLER		OPERATOR TERRA DETROIT DILLER		PHONE (510) 43-2300	
	ADDRESS 1701 EASTSHORE HIGHWAY / STREET BERKELEY CITY CA 94707 ZIP					
	CROSS STREET GILMAN					
IMPLEMENTING AGENCIES	LOCAL AGENCY ALAMEDA COUNTY HEALTH AGENCY		AGENCY NAME		CONTACT PERSON LARRY ETO / SUSAN HUKO	
	REGIONAL BOARD		PHONE (510) 271-4320		PHONE ()	
SUBSTANCES INVOLVED	(1) NAME GASOLINE		QUANTITY LOST (GALLONS) DIMINUTIOUS AMT. <input checked="" type="checkbox"/> UNKNOWN			
	(2) NAME DIESEL		QUANTITY LOST (GALLONS) DIMINUTIOUS AMT. <input checked="" type="checkbox"/> UNKNOWN			
DISCOVERY/ABATEMENT	DATE DISCOVERED 01/01/89		HOW DISCOVERED <input type="checkbox"/> INVENTORY CONTROL <input type="checkbox"/> SUBSURFACE MONITORING <input type="checkbox"/> NUISANCE CONDITIONS <input type="checkbox"/> TANK TEST <input checked="" type="checkbox"/> TANK REMOVAL <input type="checkbox"/> OTHER			
	DATE DISCHARGE BEGAN UNKNOWN		METHOD USED TO STOP DISCHARGE (CHECK ALL THAT APPLY) <input type="checkbox"/> REMOVE CONTENTS <input checked="" type="checkbox"/> CLOSE TANK & REMOVE <input type="checkbox"/> REPAIR PIPING <input type="checkbox"/> REPAIR TANK <input type="checkbox"/> CLOSE TANK & FILL IN PLACE <input type="checkbox"/> CHANGE PROCEDURE <input type="checkbox"/> REPLACE TANK <input type="checkbox"/> OTHER			
	HAS DISCHARGE BEEN STOPPED? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO IF YES, DATE		YES DATE: 01/01/89			
SOURCE/ CAUSE	SOURCE OF DISCHARGE <input checked="" type="checkbox"/> TANK LEAK <input type="checkbox"/> UNKNOWN <input type="checkbox"/> PIPING LEAK <input type="checkbox"/> OTHER		CAUSE(S) <input checked="" type="checkbox"/> OVERFILL <input type="checkbox"/> RUPTURE/FAILURE <input type="checkbox"/> SPILL <input type="checkbox"/> CORROSION <input type="checkbox"/> UNKNOWN <input type="checkbox"/> OTHER			
	CASE TYPE CHECK ONE ONLY <input type="checkbox"/> UNDETERMINED <input checked="" type="checkbox"/> SOIL ONLY <input type="checkbox"/> GROUNDWATER <input type="checkbox"/> DRINKING WATER - (CHECK ONLY IF WATER WELLS HAVE ACTUALLY BEEN AFFECTED)					
CURRENT STATUS	CHECK ONE ONLY <input type="checkbox"/> NO ACTION TAKEN <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT WORKPLAN SUBMITTED <input type="checkbox"/> POLLUTION CHARACTERIZATION <input type="checkbox"/> LEAK BEING CONFIRMED <input type="checkbox"/> PRELIMINARY SITE ASSESSMENT UNDERWAY <input checked="" type="checkbox"/> POST CLEANUP MONITORING IN PROGRESS <input type="checkbox"/> REMEDIATION PLAN <input checked="" type="checkbox"/> CASE CLOSED (CLEANUP COMPLETED OR UNNECESSARY) <input type="checkbox"/> CLEANUP UNDERWAY					
	REMEDIAL ACTION CHECK APPROPRIATE ACTION(S) (SEE BACK FOR DETAILS) <input checked="" type="checkbox"/> EXCAVATE & DISPOSE (ED) <input type="checkbox"/> REMOVE FREE PRODUCT (FP) <input type="checkbox"/> ENHANCED BIO DEGRADATION (IT) <input type="checkbox"/> CAP SITE (CD) <input type="checkbox"/> EXCAVATE & TREAT (ET) <input type="checkbox"/> PUMP & TREAT GROUNDWATER (GT) <input type="checkbox"/> REPLACE SUPPLY (RS) <input type="checkbox"/> CONTAINMENT BARRIER (CB) <input type="checkbox"/> NO ACTION REQUIRED (NA) <input type="checkbox"/> TREATMENT AT HOOKUP (HU) <input type="checkbox"/> VENT SOIL (VS) <input type="checkbox"/> VACUUM EXTRACT (VE) <input type="checkbox"/> OTHER (OT)					
COMMENTS	_____					

7-15-92

Plumis:

Susan has reviewed this case with me and said it is COB eligible. Six underground tanks were removed. There is diesel and gas contamination in the soil and water.

Thanks,
[Signature]

SERVICE
INSTALLATION



Con. Lic. 550746

Distributors of ConVault - The Solution to Pollution

May 28, 1992

Attn: Tom Ramsey
Fuel Oil Polishing
19336 Solano Court
Sonoma, CA 95476

REF: Tank removal project at the former Sierra Detroit Diesel
Shop at 1077 East Shore Highway, Albany, CA 94706.

Dear Tom:

The reference testing was conducted for Wilanco, at the request
of Mr. John Piggott.

On May 27 we tested the three 2" product lines at Sierra Detroit
Diesel in Albany for you. A three hour test at 75 pounds of air
pressure was used. The lines passed the air test. There were no
areas where repairs had been made. The product lines are wrapped
and embedded in sand.

Sincerely,

A handwritten signature in black ink, appearing to read "M. Shaw", written over a horizontal line.

Mark Shaw
Environmental Manager
Precision Tank Tester
Lic. # 90-1226 for
California State

MS/tr



Enviro Safe, 5137-A Port Chicago Hwy., Concord, California 94520 ■ (510) 687-8265

white -env.health
 yellow -facility
 pink -files

ALAMEDA COUNTY, DEPARTMENT OF ENVIRONMENTAL HEALTH

80 Swan Way, #200
 Oakland, CA 94621
 (415) 271-4320

Hazardous Materials Inspection Form

II, III

Site ID # _____ Site Name Sierra Detroit Diesel Today's Date 5/7/92

Site Address 1077 East Shore Highway

City Albany Zip 94710 Phone _____

MAX AMT stored > 500 lbs, 55 gal., 200 cft.?

Inspection Categories:

- I. Haz. Mat/Waste GENERATOR/TRANSPORTER
- II. Business Plans, Acute Hazardous Materials
- III. Underground Tanks

12:45 PM - 4:00 PM (3.25 hrs)

Calif. Administration Code (CAC) or the Health & Safety Code (HS&C)

Comments: These tanks were installed 1974 & used till 1981.
3 - 12,000 G diesel UGTs removed today.


3 tanks removed 5/6/92.
LEL for all 3 tanks - 1/6

All tanks were wrapped in tar.
No obvious holes in the three tanks.

There appears to be floating production in the groundwater. Advised to skim off, pump the groundwater, let recharge & sample must be collected (tentatively scheduled for Monday 5/11/92).

Six soil samples collected at the soil/water interface.

2 soil samples were collected from the pit of the two former tanks. All three pits have groundwater & all will be sampled by Monday.



II.A BUSINESS PLANS (Title 19)

- 1. Immediate Reporting 2703
- 2. Bus. Plan Stats. 25503(b)
- 3. RR Cars > 30 days 25503.7
- 4. Inventory Information 25504(a)
- 5. Inventory Complete 2730
- 6. Emergency Response 25504(b)
- 7. Training 25504(c)
- 8. Deficiency 25505(a)
- 9. Modification 25505(b)

II.B ACUTELY HAZ. MATLS

- 10. Registration Form Filed 25533(a)
- 11. Form Complete 25533(b)
- 12. RMPP Contents 25534(c)
- 13. Implement Sch. Req'd? (Y/N) _____
- 14. OffSite Conseq. Assess. 25524(c)
- 15. Probable Risk Assessment 25534(d)
- 16. Persons Responsible 25534(g)
- 17. Certification 25534(f)
- 18. Exemption Request? (Y/N) 25536(b)
- 19. Trade Secret Requested? 25538

III. UNDERGROUND TANKS (Title 23)

- General**
- 1. Permit Application 25284 (H&S)
 - 2. Pipeline Leak Detection 25292 (H&S)
 - 3. Records Maintenance 2712
 - 4. Release Report 2651
 - 5. Closure Plans 2670

- Monitoring for Existing Tanks**
- 6. Method
 - 1) Monthly Test
 - 2) Daily Vadose Semi-annual groundwater One time soils
 - 3) Daily Vadose One time soils Annual tank test
 - 4) Monthly Groundwater One time soils
 - 5) Daily Inventory Annual tank testing Cont pipe leak det Vadose/gndwater mon.
 - 6) Daily Inventory Annual tank testing Cont pipe leak det
 - 7) Weekly Tank Gauge Annual tank testing
 - 8) Annual Tank Testing Daily Inventory
 - 9) Other _____

- 7. Precls Tank Test 2643 Date: _____
- 8. Inventory Rec. 2644
- 9. Soil Testing . 2646
- 10. Ground Water. 2647

- New Tanks**
- 11. Monitor Plan 2632
 - 12. Access. Secure 2634
 - 13. Plans Submit 2711 Date: _____
 - 14. As Built 2635 Date: _____

Rev 8/88

Contact: _____

Title: _____

Signature: _____

Inspector: _____

Signature: [Signature]

Generator's US EPA ID No. **CAE0006659204P RPP** Manifest Document No. **0** of **1**
 2. Page 1 of 1 Information in the shaded areas is not required by Federal law.

UNIFORM HAZARDOUS WASTE MANIFEST

3. Generator's Name and Mailing Address
**SIERRA DETROIT DIESEL
 1077 EAST SHORE HWY BERKELEY CA. 94706**

4. Generator's Phone **610 5353 750**

5. Transporter 1 Company Name **ERICKSON INC.** 6. US EPA ID Number **CAE0009466392**

7. Transporter 2 Company Name _____ 8. US EPA ID Number _____

9. Designated Facility Name and Site Address **Erickson, Inc.
 255 Parr Blvd.
 Richmond, Ca. 94801** 10. US EPA ID Number **CAE0009466392**

A. State Manifest Document Number **90648253**
 B. State Generator's ID _____
 C. State Transporter's ID **205166**
 D. Transporter's Phone **510-2351313**
 E. State Transporter's ID _____
 F. Transporter's Phone _____
 G. State Facility's ID _____
 H. Facility's Phone **(510) 235-1393**

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.	
				State	EPA/Other
a. Waste Empty Storage Tank				312	NONE
NON-RCRA Hazardous Waste Solid.	001-P/RPP		P		
b. _____					
c. _____					
d. _____					

J. Additional Descriptions for Materials Listed Above
Qty. 1 Empty Storage Tank (s) #3629. Tank (s) have been inerted with 15 lbs. Dry Ice per 1000 Gal. Capacity.

K. Handling Codes for Wastes Listed Above
 a. _____ b. _____
 c. _____ d. _____

15. Special Handling Instructions and Additional Information
Keep away from sources of ignition. Always wear hardhats when working around U.S.T.'s 24 Hr. Contact Name TOM RANSEY & Phone (707) 935-1700

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **Frank Ostrum** Signature **Frank Ostrum** Month Day Year **050792**

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name **JOHN DOUGLASS** Signature **John Douglass** Month Day Year **050792**

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name _____ Signature _____ Month Day Year _____

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
 Printed/Typed Name _____ Signature _____ Month Day Year _____

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8602; WITHIN CALIFORNIA CALL 1-800-952-7550
 GENERATOR
 TRANSPORTER
 FACILITY

90648253

DAY OR NIGHT
TELEPHONE
(510) 235-1393

CERTIFICATE
CERTIFIED SERVICES COMPANY

255 Parr Boulevard • Richmond, California 94801

NO. 11425

CUSTOMER
FUEL OIL POLISH
JOB NO.
78492

FOR: Erickson, Inc. TANK NO. 8629

LOCATION: Richmond DATE: 05/13/92 TIME: 07:34:56

TEST METHOD Visual Gastech/1314 SMPN LAST PRODUCT D

This is to certify that I have personally determined that this tank is in accordance with the American Petroleum Institute and have found the condition to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

TANK SIZE 12000 Gallon Tank CONDITION SAFE FOR FIRE

REMARKS: OXYGEN 20.9%
LOWER EXPLOSIVE LIMIT LESS THAN 0.1%

"ERICKSON INC. HEREBY CERTIFIES THAT THE ABOVE NUMBERED TANK HAS BEEN
CUT OPEN, PROCESSED, AND THEREFORE DESTROYED AT OUR PERMITTED HAZARDOUS
WASTE FACILITY."

In the event of any physical or atmospheric changes affecting the gas-free conditions of the above tanks, or if in any doubt, immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

STANDARD SAFETY DESIGNATION

SAFE FOR MEN: Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) In the judgment of the Inspector, the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

SAFE FOR FIRE: Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 percent of the lower explosive limit; and that (b) In the judgment of the Inspector, the residues are not capable of producing a higher concentration that permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

Kid Hughes REPRESENTATIVE TITLE INSPECTOR DR

Please print or type. Form designed for use on elite (dot matrix) typewriter.

UNIFORM HAZARDOUS WASTE MANIFEST

Generator's US EPA ID No. CA000066592042277 Manifest Document No. 205167 2. Page 1 of 1 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SIERRA DETROIT DISCO
1077 EASTSHORE HWY
Berkeley, CA. 94716

4. Generator's Phone (510) 525-7750

6. US EPA ID Number
CA000066592042277

7. Transporter 1 Company Name
ERICKSON INC

8. US EPA ID Number
CA000066592042277

9. Designated Facility Name and Site Address
Erickson, Inc.
255 Parr Blvd.
Richmond, Ca. 94801

10. US EPA ID Number
CA000066592042277

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

a.	12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	1. Waste No.	
				State	EPA/Other
Waste Empty Storage Tank				State	512
<u>NON-RCRA Hazardous Waste Solid.</u>	<u>1</u>	<u>371</u>	<u>200</u>	EPA/Other	<u>NONE</u>
b.				State	
c.				EPA/Other	
d.				State	
				EPA/Other	

J. Additional Descriptions for Materials Listed Above
Qty. 3 Empty Storage Tank (s) #2615, 8416, 9617
Tank (s) have been Inerted with 15 lbs.
Dry Ice per 1000 Gal. Capacity.

K. Handling Codes for Wastes Listed Above
 a. 1 b. 2 c. 3 d. 4

15. Special Handling Instructions and Additional Information
Keep away from sources of ignition. Always wear hardhats when working around
U.S.T.'s 24 Hr. Contact Name _____ & Phone 707-935-1110

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name Frank Ustrom Signature Frank Ustrom Month Day Year FF 6 12

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name Richard J. Fournier Signature Richard J. Fournier Month Day Year FF 6 12

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name _____ Signature _____ Month Day Year _____

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
 Printed/Typed Name _____ Signature _____ Month Day Year _____

90648289 IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

Do Not Write Below This Line

DAY OR NIGHT
TELEPHONE
(510) 235-1393

CERTIFICATE CERTIFIED SERVICES COMPANY

255 Parr Boulevard • Richmond, California 94801

NO. 11422

CUSTOMER FUEL OIL POLISH	
JOB NO.	78492

FOR: Erickson, Inc. TANK NO. 8615

LOCATION: Richmond DATE: 05/13/92 TIME: 07:34:56

TEST METHOD Visual Gastech/1314 SMPN LAST PRODUCT LG

This is to certify that I have personally determined that this tank is in accordance with the American Petroleum Institute and have found the condition to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

TANK SIZE 2000 Gallon Tank CONDITION SAFE FOR FIRE

REMARKS: OXYGEN 20.9%
LOWER EXPLOSIVE LIMIT LESS THAN 0.1%

"ERICKSON INC. HEREBY CERTIFIES THAT THE ABOVE NUMBERED TANK HAS BEEN
CUT OPEN, PROCESSED, AND THEREFORE DESTROYED AT OUR PERMITTED HAZARDOUS
WASTE FACILITY."

In the event of any physical or atmospheric changes affecting the gas-free conditions of the above tanks, or if in any doubt, immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

STANDARD SAFETY DESIGNATION

SAFE FOR MEN: Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) In the judgment of the Inspector, the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

SAFE FOR FIRE: Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 percent of the lower explosive limit; and that (b) In the judgment of the Inspector, the residues are not capable of producing a higher concentration that permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

K. Deane REPRESENTATIVE TITLE INSPECTOR DR

DAY OR NIGHT
TELEPHONE
(510) 235-1393

CERTIFICATE
CERTIFIED SERVICES COMPANY
255 Parr Boulevard • Richmond, California 94801

NO. 11423

CUSTOMER
FUEL OIL POLISH
JOB NO. 78492

FOR: Erickson, Inc. TANK NO. 8616

LOCATION: Richmond DATE: 05/13/92 TIME: 07:34:56

TEST METHOD Visual Gastech/1314 SMPN LAST PRODUCT LG

This is to certify that I have personally determined that this tank is in accordance with the American Petroleum Institute and have found the condition to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

TANK SIZE 1000 Gallon Tank CONDITION SAFE FOR FIRE

REMARKS: OXYGEN 20.9%
LOWER EXPLOSIVE LIMIT LESS THAN 0.1%

"ERICKSON INC. HEREBY CERTIFIES THAT THE ABOVE NUMBERED TANK HAS BEEN
CUT OPEN, PROCESSED, AND THEREFORE DESTROYED AT OUR PERMITTED HAZARDOUS
WASTE FACILITY."

In the event of any physical or atmospheric changes affecting the gas-free conditions of the above tanks, or if in any doubt, immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

STANDARD SAFETY DESIGNATION

SAFE FOR MEN: Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) In the judgment of the Inspector, the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

SAFE FOR FIRE: Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 percent of the lower explosive limit; and that (b) In the judgment of the Inspector, the residues are not capable of producing a higher concentration than permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

K. Hughes REPRESENTATIVE TITLE INSPECTOR DR

DAY OR NIGHT
TELEPHONE
(810) 235-1393

CERTIFICATE
CERTIFIED SERVICES COMPANY
255 Parr Boulevard • Richmond, California 94801

NO. 11424

CUSTOMER	FUEL OIL POLISH
JOB NO.	78492

FOR: Erickson, Inc. TANK NO. 8617

LOCATION: Richmond DATE: 05/13/92 TIME: 07:34:56

TEST METHOD Visual Gastech/1314 SMPN LAST PRODUCT LG

This is to certify that I have personally determined that this tank is in accordance with the American Petroleum Institute and have found the condition to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

TANK SIZE 550 Gallon Tank CONDITION SAFE FOR FIRE

REMARKS: OXYGEN 20.9%
LOWER EXPLOSIVE LIMIT LESS THAN 0.1%

"ERICKSON INC. HEREBY CERTIFIES THAT THE ABOVE NUMBERED TANK HAS BEEN
CUT OPEN, PROCESSED, AND THEREFORE DESTROYED AT OUR PERMITTED HAZARDOUS
WASTE FACILITY."



In the event of any physical or atmospheric changes affecting the gas-free conditions of the above tanks, or if in any doubt, immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

STANDARD SAFETY DESIGNATION

SAFE FOR MEN: Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) In the judgment of the Inspector, the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

SAFE FOR FIRE: Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 percent of the lower explosive limit; and that (b) In the judgment of the Inspector, the residues are not capable of producing a higher concentration that permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

REPRESENTATIVE _____ TITLE _____ INSPECTOR _____

DAY OR NIGHT
TELEPHONE
(510) 235-1393

CERTIFICATE
CERTIFIED SERVICES COMPANY
255 Parr Boulevard • Richmond, California 94801

NO. 11426

CUSTOMER
FUEL OIL POLISHING
JOB NO. 78492

FOR: Erickson, Inc. TANK NO. 8630

LOCATION: Richmond DATE: 05/13/92 TIME: 07:34:56

TEST METHOD Visual Gastech/1314 SMPN LAST PRODUCT D

This is to certify that I have personally determined that this tank is in accordance with the American Petroleum Institute and have found the condition to be in accordance with its assigned designation. This certificate is based on conditions existing at the time the inspection herein set forth was completed and is issued subject to compliance with all qualifications and instructions.

TANK SIZE 12000 Gallon Tank CONDITION SAFE FOR FIRE

REMARKS: OXYGEN 20.9%
LOWER EXPLOSIVE LIMIT LESS THAN 0.1%

"ERICKSON INC. HEREBY CERTIFIES THAT THE ABOVE NUMBERED TANK HAS BEEN
CUT OPEN, PROCESSED, AND THEREFORE DESTROYED AT OUR PERMITTED HAZARDOUS
WASTE FACILITY."

In the event of any physical or atmospheric changes affecting the gas-free conditions of the above tanks, or if in any doubt, immediately stop all hot work and contact the undersigned. This permit is valid for 24 hours if no physical or atmospheric changes occur.

STANDARD SAFETY DESIGNATION

SAFE FOR MEN: Means that in the compartment or space so designated (a) The oxygen content of the atmosphere is at least 19.5 percent by volume; and that (b) Toxic materials in the atmosphere are within permissible concentrations; and (c) In the judgment of the Inspector, the residues are not capable of producing toxic materials under existing atmospheric conditions while maintained as directed on the Inspector's certificate.

SAFE FOR FIRE: Means that in the compartment so designated (a) The concentration of flammable materials in the atmosphere is below 10 percent of the lower explosive limit; and that (b) In the judgment of the Inspector, the residues are not capable of producing a higher concentration that permitted under existing atmospheric conditions in the presence of fire and while maintained as directed on the Inspector's certificate, and further, (c) All adjacent spaces have either been cleaned sufficiently to prevent the spread of fire, are satisfactorily inerted, or in the case of fuel tanks, have been treated as deemed necessary by the Inspector.

The undersigned representative acknowledges receipt of this certificate and understands the conditions and limitations under which it was issued.

Kiddeghes REPRESENTATIVE TITLE INSPECTOR DR

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550
 GENERATOR
 TRANSPORTER
 FACILITY

90387195

UNIFORM HAZARDOUS WASTE MANIFEST

Generator's US EPA ID No. CA000013352 Manifest Document No. 90387195

2. Page 1 of 1 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SILVERA DETROIT DIESEL
1077 EAST SHORE HWY
BERKELEY CA 94706

A. State Manifest Document Number
90387195
 B. State Generator's ID

4. Generator's Phone
510 537 0150

C. State Transporter's ID
704953
 D. Transporter's Phone
510 537 0150

5. Transporter 1 Company Name
WASTE OIL RECOVERY

E. State Transporter's ID

6. US EPA ID Number
CA000013352
 7. Transporter 2 Company Name
 8. US EPA ID Number
 9. Designated Facility Name and Site Address
GEORGENO KILBORN
3000 N. ALABAMA
COMPTON CA
 10. US EPA ID Number
CA000013352

F. Transporter's Phone
 G. State Facility's ID
 H. Facility's Phone
510 537 7100

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers		13. Total Quantity	14. Unit Wt/Vol	1. Waste No.
	No.	Type			
a. <u>47 FRUITUM OIL N.O.S. (WASTE OIL)</u> <u>COMBUSTIBLE LIQUID NA 1270</u>	<u>01</u>	<u>TT</u>	<u>450 G</u>		State <u>221</u> EPA/Other
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other

J. Additional Descriptions for Materials Listed Above
WASTE OIL, RUSTY WELDS & WATER
(RINSEATE)

K. Handling Codes for Wastes Listed Above
 a. 01R
 b.
 c.
 d.

15. Special Handling Instructions and Additional Information
WELDER PROTECTIVE CLOTHING

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
Frank Ostrum

Signature
Frank Ostrum
 Month Day Year
05 05 92

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name
MONICA FALCON

Signature
[Signature]
 Month Day Year
05 05 92

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name

Signature
 Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
 Printed/Typed Name
 Signature
 Month Day Year

50301134

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-952-7550

UNIFORM HAZARDOUS WASTE MANIFEST		Generator's US EPA ID No. CAL00065792001111	Manifest Document No. 1 / 1	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address SIERRA DETRIOT DIESEL 1077 EASTSHORE HWY		A. State Manifest Document Number 90387194		B. State Generator's ID	
4. Generator's Phone 510 525 3750 BERKELEY CA 94706		C. State Transporter's ID 204153		D. Transporter's Phone 510 523 0750	
5. Transporter 1 Company Name WHITE OIL RECOVERY		6. US EPA ID Number CAL00062661		E. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		F. Transporter's Phone	
9. Designated Facility Name and Site Address DEWENNO KERISON 2200 N. ALAMEDA COMPTON CA		10. US EPA ID Number CAL00013252		G. State Facility's ID	
				H. Facility's Phone 213 537 7100	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. PETROLEUM OIL NOS (WASTE OILS) CONTAINABLE LIQUID NA1270		411	900G		State 221 EPA/Other
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other
J. Additional Descriptions for Materials Listed Above WASTE MOTOR FUELS + H ₂ O		K. Handling Codes for Wastes Listed Above a. DIR b. c. d.			
15. Special Handling Instructions and Additional Information W/AR PROTECTIVE CLOTHING					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Frank Ostum		Signature Frank Ostum		Month Day Year 06/01/92	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name MONICA FALCON		Signature [Signature]		Month Day Year 06/01/92	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	

Do Not Write Below This Line

YELLOW: GENERATOR RETAINS

UNIFORM HAZARDOUS WASTE MANIFEST

Generator's US EPA ID No. **CA40006659702VPA3** Manifest Document No. **1** Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: **SIFRA DETRICT DIESEL 1077 EAST HERRING HWY BERKELEY CA 94706**

4. Generator's Phone: **(415) 225-3750**

5. Transporter 1 Company Name: **WASTE OIL RECOVERY** 6. US EPA ID Number: **CA40006659702VPA3**

7. Transporter 2 Company Name: _____ 8. US EPA ID Number: _____

9. Designated Facility Name and Site Address: **LINDA AND REBECCAN 2120 N ALABAMA MARTIN CA** 10. US EPA ID Number: **CA40006659702VPA3**

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number): **PETROLEUM OIL (WASTE OILS) UNIDENTIFIABLE LIQUID NA 1270**

12. Containers: No. **01** Type **TT** 13. Total Quantity: **1300** 14. Unit: **S**

15. Special Handling Instructions and Additional Information: **WEAR PROTECTIVE CLOTHING**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

17. Transporter 1 Acknowledgement of Receipt of Materials: Printed/Typed Name: **FRANK OSTRUM** Signature: *Frank Ostrum* Month Day Year: _____

18. Transporter 2 Acknowledgement of Receipt of Materials: Printed/Typed Name: **LINDA FALCON** Signature: *Linda Falcon* Month Day Year: **11/12/92**

19. Discrepancy Indication Space: _____

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19. Printed/Typed Name: _____ Signature: _____ Month Day Year: _____

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

Do Not Write Below This Line

Please print or type. Form designed for use on elite (dot matrix) typewriter.

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CA00014570202122		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address 1077 EASTSHORE						A. State Manifest Document Number 91024822							
4. Generator's Phone () 947						B. State Generator's ID							
5. Transporter 1 Company Name WASTE OIL RECOVERY				6. US EPA ID Number CA0001626510		C. State Transporter's ID 204453		D. Transporter's Phone 510533070					
7. Transporter 2 Company Name						8. US EPA ID Number		E. State Transporter's ID					
9. Designated Facility Name and Site Address LEAVENNO KERRISON 2000 N. ALAMOGADO COMPTON CA						10. US EPA ID Number CA00012352		G. State Facility's ID					
						H. Facility's Phone 213 577 7100							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. PETROLEUM OIL N.O.S. (WASTE OIL) IMMISCIBLE LIQUID NA 1270						CITR 1300'S				State 721		EPA/Other	
b.										State		EPA/Other	
c.										State		EPA/Other	
d.										State		EPA/Other	
J. Additional Descriptions for Materials Listed Above WASTE MOTOR FUELS + H ₂ O						K. Handling Codes for Wastes Listed Above a. O/R							
16. Special Handling Instructions and Additional Information WEAR PROTECTIVE CLOTHING													
18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name Frank Osterum				Signature Frank Osterum				Month Day Year 05/14/82					
17. Transporter 1 Acknowledgement of Receipt of Materials													
Printed/Typed Name MONICA FALCON				Signature Monica Falcon				Month Day Year 05/14/82					
18. Transporter 2 Acknowledgement of Receipt of Materials													
Printed/Typed Name				Signature				Month Day Year					
19. Discrepancy Indication Space													
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name						Signature			Month Day Year				

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

ALAMEDA COUNTY HEALTH CARE SERVICES AGENCY
 DEPARTMENT OF ENVIRONMENTAL HEALTH
 HAZARDOUS MATERIALS DIVISION
 80 SWAN WAY; ROOM 200
 OAKLAND, CA 94621
 PHONE NO. 415/271-4320

1479.00
 Project Specialist (print) Larry Sebo

2/11/92
 L.S.

ACCEPTED

DEPARTMENT OF ENVIRONMENTAL HEALTH
 470 - 27th Street, Third Floor
 Oakland, CA 94612
 Telephone: (415) 874-7237

These plans have been reviewed and found to be acceptable and essentially meet the requirements of State and local health laws. Changes to your plans indicated by this Department are to assure compliance with State and local laws. The project proposed herein is now released for issuance of any required building permits for construction.

One copy of these accepted plans must be on the job and available to all contractors and craftsmen involved with the removal.

Any change or alterations of these plans and specifications must be submitted to this Department and to the Fire and Building Inspection Department to determine if such changes meet the requirements of State and local laws. Notify this Department at least 48 hours prior to the following required inspections:

- _____ Removal of Tank and Piping
- _____ Sampling
- _____ Final Inspection

Issuance of a permit to operate is dependent on compliance with a certified plans and all applicable laws and regulations.

DEPARTMENT OF ENVIRONMENTAL HEALTH
 OAKLAND, CALIFORNIA

UNDERGROUND TANK CLOSURE PLAN

* * * Complete according to attached instructions * * *

1. Business Name Sierra Detroit Diesel Shop
 Business Owner John Piggott - SIERRA DETROIT DIESEL ALLSON
 2. Site Address 1077 East Shore Frontage Rd.
 City Albany Zip 94710 Phone 510-409-7181 ⁵²⁵⁻³⁷⁵⁰
 3. Mailing Address 1077 East Shore Frontage Rd.
 City Berkeley Zip 94710 Phone 510-409-7181 ⁵²⁵⁻³⁷⁵⁰
 4. Land Owner John Piggott - Wilawco, INC
 Address P.O. Box 8117 city, state Berkeley, Ca zip 94707
 5. Generator name under which tank will be manifested Wilawco, INC
- EPA I.D. No. under which tank will be manifested CAC 000665920

94-111-3012736

6. Contractor Fuel Oil, Polishing Co.
Address 19336 Salano Ct
City Sanoma Phone 707-935-1700
License Type C61-D40, A Eng + ID# 583045
HAZ-WMT

7. Consultant E. N. S. R. Consulting
Address 1220 Harbor Bay Parkway
City Alameda Phone 510-865-1888

8. Contact Person for Investigation
Name John Piegatt Title Owner
Phone 510-525-3750

9. Number of tanks being closed under this plan 6
Length of piping being removed under this plan 4/K
Total number of tanks at facility 6

10. State Registered Hazardous Waste Transporters/Facilities (see instructions).

** Underground tanks are hazardous waste and must be handled **
as hazardous waste

a) Product/Residual Sludge/Rinsate Transporter
Name Waste Oil Recovery EPA I.D. No. CA0000626515
Hauler License No. 843 License Exp. Date 6-92
Address 6401 Jenna St
City Oakland State Ca zip 94605

b) Product/Residual Sludge/Rinsate Disposal Site
Name Demers - Kerdon EPA I.D. No. CAT080013352
Address 2000 No. Alameda
City Compton State Ca zip 90222

c) Tank and Piping Transporter

Name Ericsson EPA I.D. No. CAD009466392
Hauler License No. 0019 License Exp. Date 5-31-92
Address 255 Park Blvd
City Richmond State Ca zip 94801

d) Tank and Piping Disposal Site

Name Ericsson EPA I.D. No. CAD009466392
Address 255 Park Blvd.
City Richmond State Ca zip 94801

11. Experienced Sample Collector

Name PAUL HEBILUK
Company ENSR Consulting + Engineering
Address 1320 Harbor Bay Parkway
City Alameda State Ca zip 94501 Phone 510-865-1888

12. Laboratory

Name Curtis Thompson Labs.
Address 2323 5th St
City Berkeley State Ca zip 94710
State Certification No. 159

13. Have tanks or pipes leaked in the past? Yes [] No [X]

If yes, describe. _____

14. Describe methods to be used for rendering tank inert

vacuum truck pumpout - hot water
hose - dryice

Before tanks are pumped out and inerted, all associated piping must be flushed out into the tanks. All accessible associated piping must then be removed. Inaccessible piping must be plugged.

The Bay Area Air Quality Management District (771-6000), along with local Fire and Building Departments, must also be contacted for tank removal permits. Fire departments typically require the use of explosion proof combustible gas meters to verify tank inertness. It is the contractor's responsibility to bring a working combustible gas meter on site to verify tank inertness.

15. Tank History and Sampling Information

Tank		Material to be sampled (tank contents, soil, groundwater, etc.)	Location and Depth of Samples
Capacity	Use History (see instructions)		
1. - 12,000 gal	Installed 1970, Diesel Storage For Gas Turbine Test Facility LAST USED 1978/79.	Soil / Groundwater	FROM EXCAVATION WALL DOWN TO TANK END AT SOIL/WATER INTERFACE 9 SOIL, 3 G.W.
2. - 12,000 gal		"	
3. - 12,000 gal		"	
4. 500 gal	Installed 1960, Gas Motor vehicles fuel. LAST USED 1978/79.	Soil	1 - SOIL SAMPLE AT FILL END " "
5. 500 gal		Soil	
6. 2000 gal		Soil / Groundwater	
7. DIESEL PIPELINE		Soil	3 - SOIL SAMPLES

One soil sample must be collected for every 20 feet of piping that is removed. A ground water sample must be collected should any ground water be present in the excavation.

Excavated/Stockpiled Soil	
Stockpiled Soil Volume (Estimated) 200 cu/yds	Sampling Plan 1- Soil Sample per 50 cu/yds

Stockpiled soil must be placed on bermed plastic and must be completely covered by plastic sheeting.

16. Chemical methods and associated detection limits to be used for analyzing samples

The Tri-Regional Board recommended minimum verification analyses and practical quantitation reporting limits should be followed. See attached Table 2.

Contaminant Sought	EPA, DHS, or Other Sample Preparation Method Number	EPA, DHS, or Other Analysis Method Number	Method Detection Limit
Soil TPH-Hex BTEX	5030	8015 8020	100 ppb 5 ppb
TOTAL LEAD	_____	AA	2 ppm
TEL	_____	DHS-LUFT	1 ppm
EBD	_____	DHS-AB1803	5 ppb
TPH-DIESEL	3030	8015	1 ppm
GROUND WATER			
TPH-Hex	5030	8015	50 ppb
TPH-DIESEL	2530	8015	50 ppb
BTEX	_____	602	0.5 ppb
TOTAL LEAD	_____	AA	0.1 ppm
TEL	_____	DHS-LUFT	0.2 ppm
EBD	_____	DHS-AB1803	0.2 ppb

17. Submit Site Health and Safety Plan (See Instructions)

Name of Insurer Cal. State Workman Comp

- 19. Submit Plot Plan (See Instructions)
- 20. Enclose Deposit (See Instructions)
- 21. Report any leaks or contamination to this office within 5 days of discovery. The report shall be made on an Underground Storage Tank Unauthorized Leak/Contamination Site Report form. (see Instructions)
- 22. Submit a closure report to this office within 60 days of the tank removal. This report must contain all the information listed in item 22 of the instructions.

I declare that to the best of my knowledge and belief the statements and information provided above are correct and true.

I understand that information in addition to that provided above may be needed in order to obtain an approval from the Department of Environmental Health and that no work is to begin on this project until this plan is approved.

I understand that any changes in design, materials or equipment will void this plan if prior approval is not obtained.

I understand that all work performed during this project will be done in compliance with all applicable OSHA (Occupational Safety and Health Administration) requirements concerning personnel health and safety. I understand that site and worker safety are solely the responsibility of the property owner or his agent and that this responsibility is not shared nor assumed by the County of Alameda.

Once I have received my stamped, accepted closure plan, I will contact the project Hazardous Materials Specialist at least three working days in advance of site work to schedule the required inspections.

Signature of Contractor

Name (please type) Sue RAMSEY

Signature Sue Ramsey

Date 1-24-92

Signature of Site Owner or Operator

Name (please type) WILANCO, INC.

Signature John W. Piggott

Date 2-3-92

ALAMEDA COUNTY HAZARDOUS MATERIALS DIVISION
Acknowledgement of Refund Recipient for Site Account

DEPOSITOR FILLS OUT PER SITE
-- REQUIRED --

The depositor will use this form to acknowledge that the property owner or his or her designee will receive any refund due at the completion of all deposit/refund projects at the site listed below.

SITE NUMBER/ADDRESS:		REFUND RECIPIENT-PROPERTY OWNER		
Site Number	_____	WILANCO, INC.		
Company Name	Wilanco, Inc	Owner's Name	c/o John Piggott	
Street Address	10447 EAST SHORE FRONTIER RD	Owner's Address	P.O. Box 8117	
City	Albany, CA 94710	Owner's City	Fremont, CA	94707
	Zip Code		State	Zip

I have read the description of the project Deposit/Refund Procedure, and have had an opportunity to ask questions about it. I understand that regardless of who deposits money into the site account, any deposit money remaining at the completion of all projects being conducted at this site will be refunded solely to the property owner or his or her designee.

Signature of Depositor: Tom Ramsey, Gen Mgr Date: 1-29-92

Depositor Name: TOM RAMSEY

Company Name: THE FUEL OIL POLISHING CO

Street Address: 19326 SOLANO COURT

City / Zip: SONOMA, CA 95476

RETURN FORM TO: Alameda County, Hazardous Materials Div.
80 Swan Way, Rm 200
Oakland, CA 94621-1439
Phone: (510) 271-4320

ALAMEDA COUNTY HAZARDOUS MATERIALS DIVISION
Declaration of Site Account Refund Recipient

SITE OWNER FILLS OUT PER SITE

-- OPTIONAL --

The property owner will use this form to designate someone other than him- or her- self to receive any refund due at the completion of all deposit/refund projects at the site listed below. In the absence of this form, the property owner will receive any refund. Only one person at any one time may be designated to receive any refund.

SITE NUMBER/ADDRESS:

PROPERTY OWNER

_____		_____		
Site Number		Owner's Name		
_____		_____		
Company Name		Owner's Address		
_____		_____		
Street Address		Owner's City	State	Zip
_____		_____		
City	Zip Code	Owner's City	State	Zip

I designate the following person to receive any refund due at the completion of all deposit/refund projects:

Name

Street Address

City / Zip

Property Owner Signature

Date

Property Owner Name

RETURN FORM TO: Alameda County, Hazardous Materials Div.
80 Swan Way, Rm 200
Oakland, CA 94621-1439

**STATE
COMPENSATION
INSURANCE
FUND**

P.O. BOX 807, SAN FRANCISCO, CA 94101-0807

CERTIFICATE OF WORKERS' COMPENSATION INSURANCE

JANUARY 13, 1992

POLICY NUMBER: 0725188 - 91
CERTIFICATE EXPIRES: 11-6-92


┌
COUNTY OF ALAMEDA - DEPT OF ENVIRONMENTAL HEALTH
HAZARDOUS MATERIAL DIVISION
80 SWAN WAY #200
OAKLAND CA 94621

L
This is to certify that we have issued a valid Workers' Compensation insurance policy in a form approved by the California Insurance Commissioner to the employer named below for the policy period indicated.

This policy is not subject to cancellation by the Fund except upon ten days' advance written notice to the employer.


We will also give you TEN days' advance notice should this policy be cancelled prior to its normal expiration.

This certificate of insurance is not an insurance policy and does not amend, extend or alter the coverage afforded by the policies listed herein. Notwithstanding any requirement, term, or condition of any contract or other document with respect to which this certificate of insurance may be issued or may pertain, the insurance afforded by the policies described herein is subject to all the terms, exclusions and conditions of such policies.


PRESIDENT

EMPLOYER

┌
THOMAS C RAMSEY
THE FUEL OIL POLISHING CO - BAY AREA
19336 SOLANO CT
SONOMA CA 95476



PLAT PLAN

PAGE #1

John Piggott
SDDA SITE

Sierra
Detroit
Diesel
Alison

1077 EASTSHORE Hwy
ALBANY, CA



UST LOCATIONS

PLAT PLAN



FRONTAGE ROAD

PAGE #2

John Piggott

S.D.D.A SITE

1077 EAST SHORE HWY
ALBANY, CA 94710




← FUEL LINES
TO BE
FLUSHED,
WASHED,
AIR TESTED,
AND CLOSED-
IN-PLACE.

10" WATER
MAIN →


PARKING
AREA

0 9 18
SCALE IN FEET



Bldg #4

COPYRIGHT © 1990 BY Thomas Bee Map



ALAMEDA CO.

FOR CONTINUATION SEE MAP 2

DETAIL



Wilanco, Inc

P.O. Box 8117
 Berkeley, California 94707
 Phone (415) 525-3750

November 26, 1991

Mr. Roger P. Burpee
 Chairman of the Board
 Sierra Detroit Diesel Allison, Inc.
 1077 Eastshore Highway
 Berkeley, CA 94710-1011

Transmitted via FAX to:

(503) 643-1556
 (503) 697-0520

Subject: UNDERGROUND STORAGE TANKS

Dear Roger:

In order to resolve our dispute regarding ownership and removal of the tanks Wilanco proposes the following:

1. Sierra Detroit Diesel Allison, Inc. (SDDA) and Wilanco share the expense of removal of the six (6) remaining underground storage tanks on an equal basis. The estimated cost to remove the tanks is \$86,776. This includes all costs associated with normal and ordinary removal of underground storage tanks and does not include costs associated with soil or groundwater contamination due to tank leakage. If such tank leakage has occurred Wilanco will hold SDDA harmless from the responsibility for such leakage. It is the intention of both parties that such release shall take effect concurrent with negotiation by Wilanco of SDDA's check pursuant to item 4 below.

2. SDDA will provide free and unrestricted access to the yard area in question not later than January 15, 1992 for contractors to commence work.

3. Wilanco will coordinate administrative matters with Alameda County Health Care Services.

4. SDDA will fund \$43,388 directly to Wilanco not later than December 15, 1991 whereupon Wilanco will assume responsibility for the tanks pursuant to item 1 above.

This settlement proposal expires December 1, 1991 and is offered in order to avoid a notice of violation by Alameda County and to avoid litigation. If you are in agreement kindly sign the acknowledgement copy of this letter.

Sincerely,
 WILANCO, INC.

John W. Piggott
 John W. Piggott
 President

Agreed to by:

Roger P. Burpee
 Sierra Detroit Diesel Allison, Inc.

date: Nov. 26, 1991

HILL REPORTING SERVICE
353 Sacramento Street, Suite 600
San Francisco, CA 94111
(415) 661-3344

Branch Office:
12990 Muhlebach Way
P.O. Box 9831
Truckee, CA 96162
(916) 587-4267

R. Gary Hill, CSR, CM
CSR #1152
Kay C. Hill, CSR, CM
CSR #2368

91 OCT 35 PM 12:30

October 30, 1991

Mr. Lawrence Seto
Senior Hazardous Materials Specialist
Alameda County Health Agency
Divison of Hazardous Materials
Department of Environmental Health
80 Swan Way, Rm. 200
Oakland, CA 94621

Re: SP Transportation Co., vs. Alcan Aluminum
Corp., etc. No. 649183-3

Dear Mr. Seto:

Your deposition in the above entitled case is ready for reading and signature. If you wish to review your deposition, call us at the above number so we may make a convenient appointment for you to read the deposition.

The original of the deposition will be held in our office until January 2, 1990. The transcript will then be forwarded to the deposing attorney in a sealed envelope for use in court.

Yours very truly,

Kay C. Hill
Kay C. Hill, CSR

cc: J. Feeney, Esq.
M. Neri, Esq.
G. Block, Esq.
W. Rauch, Esq.

11-8-91 Ask Gary Hill to send me a copy of my deposition for review

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Director



Telephone Number: (415)

October 11, 1991

Mr. Greg M. Block
Attorney at Law
Two Embarcadero Center
San Francisco, CA 94111-3995

RE: Sierra Detroit Diesel Allison ("SDDA")
1077 Eastshore Highway, Albany, CA

Dear Mr. Block:

Thank-you for your letter dated October 9, 1991. I am very pleased to hear that Wilanco, Inc. and SDDA are close to agreement concerning the removal and/or registration of the underground storage tanks at the above site. Your request for addition time to work out the details of your agreement is granted.

If you have any questions, please contact me at 271-4320.

Sincerely,

Lawrence Seto
Sr. Hazardous Materials Specialist

cc: Mr. John Piggott, Wilanco
Mr. Thomas George, SDDA

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Director



Telephone Number: (415)

October 10, 1991

Mr. Robert Cook
Robert A. Cook & Staff, Inc.
2025 Gateway Pl., Suite 330
San Jose, CA 95110

RE: Witness Fee, Southern Pacific vs. Alcan Aluminum
and Sierra Detroit Diesel

I'm returning the enclosed \$35.00 check that was made payable to me. The check must be made payable to the County of Alameda.

If you have any questions, please contact me at 271-4320.

Sincerely,

A handwritten signature in black ink, appearing to read "Larry Seto".

Larry Seto
Sr. Hazardous Materials Specialist

C.C. Rafat Shahid, Asst. Agency Director
Ed Howell, Hazardous Materials Division Chief
Files

THELEN, MARRIN, JOHNSON & BRIDGES

ATTORNEYS AT LAW

LOS ANGELES
OAKLAND
NEWPORT BEACH

TWO EMBARCADERO CENTER
SAN FRANCISCO, CA 94111-3995
(415) 392-6320

91 OCT 10 11:12:55

SAN JOSE
HOUSTON
WASHINGTON, D. C.

TELEX 34-0906 CABLE THEMAR
TELECOPIER (415) 421-1068

GREG M BLOCK

October 9, 1991

Mr. Lawrence Seto
Senior Hazardous Materials Specialist
Alameda County Health Agency
Division of Hazardous Materials
Department of Environmental Health
80 Swan Way, Room 200
Oakland, California 94621

Re: Sierra Detroit Diesel Allison ("SDDA")
1077 Eastshore Highway

Dear Mr. Seto:

Please recall our discussion following your deposition on October 8, 1991 regarding the responsibility for the removal of underground storage tanks ("UST") at the SDDA site. Recently the principals from SDDA and Wilanco, Inc. met to address the respective positions of the parties relative to the UST issue. Discussions are continuing and I believe the parties have come a long way towards resolving all outstanding issues at the site.

While close to agreement, the parties ask that you allow them additional time to iron out the details, which almost certainly would provide for voluntary UST removal and/or registration without the need for enforcement from your office. Of course, we will promptly apprise you of the outcome of our negotiations.

Thank you for your patience and cooperation. I look forward to meeting with you again soon.

Very truly yours,

THELEN, MARRIN, JOHNSON & BRIDGES


Greg M. Block

GMB/m

cc: Mr. John W. Piggott
Mr. Thomas A. George
Ike Lasater, Esq.

C:42698

ATTORNEY OR PARTY WITHOUT ATTORNEY (Name and address): BANCHERO & LASATER ATTORNEYS AT LAW 20 CALIFORNIA ST., 7TH FLR. SAN FRANCISCO, CA 94111		TELEPHONE NO.: 415-398-7000	NUMBER: 649183-3
ATTORNEY FOR (Name): DEFENDANT		NAME OF COURT: THE SUPERIOR COURT OF THE STATE OF CALIFORNIA POST OFFICE and COUNTY OF ALAMEDA STREET ADDRESS: 1225 FALLON, RM. 105 OAKLAND, CA 94612	
PLAINTIFF/PETITIONER: SOUTHERN PACIFIC TRANSPORTATION		DEPOSITION SUBPENA For Personal Appearance <input type="checkbox"/> and Production of Documents and Things	
DEFENDANT/RESPONDENT: ALCAN ALUMINUM CORP., SIERRE DETROIT DIESEL ALLISON			

THE PEOPLE OF THE STATE OF CALIFORNIA, TO (name, address, and telephone no. of deponent, if known):

LAWRENCE SETO, CAL. DEPT. OF HEALTH
800 SWAY WAY, ROOM 200 OAKLAND, CA 94612

1. YOU ARE ORDERED TO APPEAR IN PERSON TO TESTIFY AS A WITNESS in this action at the following time and place:

Date: 10/08/91	Time: 9:30 A.M.	Address: 20 CALIFORNIA ST., 7TH FLOOR SAN FRANCISCO, CA 94111
-----------------------	------------------------	--

- a. As a deponent who is not a natural person, you are ordered to designate one or more persons to testify on your behalf as to the matters described in item 3. (Code of Civil Procedure section 2025 (d)(6).)
 - b. You are ordered to produce the documents and things described in item 3.
 - c. This deposition will be recorded by audiotape videotape and stenographically.
 - d. This videotape deposition is intended for possible use at trial under Code of Civil Procedure section 2025 (u)(4).
2. The **personal attendance** of the custodian of records or other qualified witness and the **production of the original documents** are required by this deposition subpoena. The procedure authorized by Evidence Code sections 1560 (b), 1561, and 1562 will not be deemed sufficient compliance with this subpoena.
3. The **documents and things to be produced and any testing or sampling being sought** are described as follows:

Continued on attachment 3.

4. A deposition permits an attorney to ask questions of a witness who is sworn to tell the truth. An attorney for other parties may then ask questions also. Questions and answers are recorded stenographically at the deposition; later they are transcribed for possible use at trial. A witness may read the written record and change any incorrect answers before signing the deposition. The witness is entitled to receive witness fees and mileage actually traveled both ways. The money must be paid, at the option of the party giving notice of the deposition, either with service of this subpoena or at the time of the deposition.

5. You are ordered to appear in this civil matter in your capacity as a peace officer or other person described in Government Code section 68097.1.

Date: _____ Clerk, by _____, Deputy

DISOBEDIENCE OF THIS SUBPENA MAY BE PUNISHED AS CONTEMPT BY THIS COURT. YOU WILL ALSO BE LIABLE FOR THE SUM OF FIVE HUNDRED DOLLARS AND ALL DAMAGES RESULTING FROM YOUR FAILURE TO OBEY.

Date issued: **09/12/91 35**

.....**MIGUEL NERI**.....
(TYPE OR PRINT NAME)

X **34351**

(SIGNATURE OF PERSON ISSUING SUBPENA)
/S/

ATTORNEY AT LAW
(TITLE)

(See reverse for proof of service)

PLAINTIFF/PETITIONER:	CASE NUMBER:
DEFENDANT/RESPONDENT:	

PROOF OF SERVICE OF DEPOSITION SUBPENA—PERSONAL APPEARANCE

1. I served this Deposition Subpena—Personal Appearance by personally delivering a copy to the person served as follows:

- a. Person served (name):
- b. Address where served:
- c. Date of delivery:
- d. Time of delivery:
- e. Witness fees and mileage both ways (check one):
 - (1) were paid. Amount: . . . \$ _____
 - (2) were not paid.
- f. Fee for service: \$ _____

2. I received this subpoena for service on (date):

3. Person serving:

- a. Not a registered California process server.
- b. California sheriff, marshal, or constable.
- c. Registered California process server.
- d. Employee or independent contractor of a registered California process server.
- e. Exempt from registration under Bus. & Prof. Code section 22350(b).
- f. Registered professional photocopier
- g. Exempt from registration under Bus. & Prof. Code section 22451.
- h. Name, address, and telephone number and, if applicable, county of registration and number:

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct.

Date:

▶ _____
(SIGNATURE)

(For California sheriff, marshal, or constable use only)
I certify that the foregoing is true and correct.

Date:

▶ _____
(SIGNATURE)

ATTORNEY OR PARTY WITHOUT ATTORNEY (NAME AND ADDRESS)		TELEPHONE NO.	FOR COURT USE ONLY
BANCHERO & LASATER ATTORNEYS AT LAW 20 CALIFORNIA ST., 7TH FLR. SAN FRANCISCO, CA 94111		415-398-7000	
ATTORNEY FOR (NAME) DEFENDANT			
Insert name of court, judicial district or branch court, if any, and post office and street address.			
THE SUPERIOR COURT OF THE STATE OF CALIFORNIA COUNTY OF ALAMEDA 1225 FALLON, RM. 105 OAKLAND, CA 94612			
PLAINTIFF:			
SOUTHERN PACIFIC TRANSPORTATION			
DEFENDANT			
ALCAN ALUMINUM CORP.,			
SIERRE DETROIT DIESEL ALLISON			
NOTICE OF TAKING DEPOSITION		() Records only — no personal appearance required (<input checked="" type="checkbox"/>) Oral examination (<input checked="" type="checkbox"/>) Reporter () Video tape* () Audio tape	CASE NUMBER: 649183-3
*If videotaping is indicated, requesting party <input type="checkbox"/> does or <input type="checkbox"/> does not intend to reserve the right to use at trial.			
TO: ALL PARTIES AND THEIR ATTORNEYS OF RECORD			
PLEASE TAKE NOTICE that DEFENDANT will take the deposition of:			
LAWRENCE SETO, CAL. DEPT. OF HEALTH 800 SWAY WAY, ROOM 200 OAKLAND, CA 94612			
AT 9:30 A.M. ON TUESDAY OCTOBER 8, 1991			
AT THE OFFICES OF: BANCHERO & LASATER 20 CALIFORNIA ST., 7TH FLOOR SAN FRANCISCO, CA 94111			
Before a notary public, said deposition to continue from day to day, excluding Sundays and Holidays, until completed.			
NOTICE TO CONSUMER PURSUANT TO CCP 1985.3 (if applicable)			
1. Your personal records are being sought from the above named witness(es) as indicated on the attached declaration herewith.			
2. If you object to the furnishing of the records specified herein, and the party who is seeking the records will not agree in writing to cancel or limit the subpoena, you must, prior to the date for production of said records, bring a motion before the court pursuant to COP Section 1987.1 to quash or modify the subpoena duces tecum. Notice of bringing of that motion shall be given to the witness(es) prior to the production of the records.			
DATED: 09/12/91			

/S/ MIGUEL NERI

(PROOF OF SERVICE BY MAIL -- C.C.P. 1013A)

I AM EMPLOYED IN THE COUNTY OF SANTA CLARA, MY BUSINESS ADDRESS IS 2025 GATEWAY PLACE #330, SAN JOSE, CA 95110, I AM OVER THE AGE OF EIGHTEEN (18), AND AM NOT A PARTY TO THE WITHIN ACTION(S). I AM READILY FAMILIAR WITH THE BUSINESS PRACTICE FOR COLLECTION AND PROCESSING OF CORRESPONDENCE FOR MAILING WITH THE UNITED STATES POSTAL SERVICE, AND THAT THE CORRESPONDENCE DESCRIBED BELOW WILL BE DEPOSITED WITH THE UNITED STATES POSTAL SERVICE TODAY IN THE ORDINARY COURSE OF BUSINESS. I SERVED THE WITHIN COPY OF NOTICE OF TAKING DEPOSITION, INCLUDING NOTICE TO CONSUMER PURSUANT TO CCP 1985.3 (IF APPLICABLE), DEPOSITION SUBPOENA PERSONAL APPEARANCE, ON THE BELOW LISTED ENTITIES IN SAID ACTION BY PLACING SAID DOCUMENTS IN A SEALED ENVELOPE WITH POSTAGE FULLY PREPAID AND ADDRESSED AS FOLLOWS:

LAW OFFICES OF
CURRIGAN & ROBERTS
SOUTHERN PACIFIC BUILDING
ONE MARKET PLAZA, STE. 200
SAN FRANCISCO, CA 94105
STEPHEN A. ROBERTS

HANCOCK, ROTHERT & BUNSHOFT
ATTORNEYS AT LAW
4 EMBARCADERO CENTER, STE 1000
SAN FRANCISCO, CA 94111
PATRICIA S. SCHIMBOR, ESQ
WILLIAM D. RAUCH, JR

THELEN, MARRIN, JOHNSON &
BRIDGES
ATTORNEYS AT LAW
TWO EMBARCADERO CENTER
SAN FRANCISCO, CA 94111
JOSEPH DARRELL/GREG M. BLOCK, ESQ'S

AND THAT THEY WERE DEPOSITED ON 09/12/91 FOR DEPOSIT IN THE UNITED STATES POSTAL SERVICE AND THAT THE ENVELOPE WAS SEALED AND PLACED FOR COLLECTION AND MAILING THAT DATE AT ROBERT A. COOK & STAFF, INC. 2025 GATEWAY PLACE #330, SAN JOSE, CALIFORNIA 95110, FOLLOWING ORDINARY BUSINESS PRACTICES.

DATED: 09/12/91 AT SAN JOSE, CALIFORNIA.

I DECLARE UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT.

Patricia Butler

PATRICIA BUTLER

NOTICE TO CONSUMER

(PURSUANT TO CCP 1985.3)
(IF APPLICABLE)

**YOUR PERSONAL RECORDS ARE BEING SOUGHT.
AS INDICATED ON THE ATTACHED PAPERS.**

1. Those entities or witnesses shown on the attached Subpoena are to produce your personal records.
2. If you object to the witnesses or entities furnishing the described records, as indicated on the attached papers, you must file papers with the court prior to the date specified for production on the subpoena.
3. If the party who is seeking the records will not agree in writing to cancel or limit the subpoena, you should consult an attorney about your interest in protecting your right of privacy.

DISTRIBUTION:

Consumer or his attorney

Deponent

Subpoenaing Attorney

All other counsel of record

ATTORNEY OR PARTY WITHOUT ATTORNEY (Name and Address): BANCHERO & LASATER ATTORNEYS AT LAW 20 CALIFORNIA ST., 7TH FLR. SAN FRANCISCO, CA 94111		TELEPHONE NO.: 415-398-7000	CASE NUMBER: 649183-3
ATTORNEY FOR (Name): DEFENDANT		DEPOSITION SUBPENA For Production of Business Records	
NAME OF COURT: THE SUPERIOR COURT OF THE STATE OF CALIFORNIA COUNTY OF ALAMEDA			
POST OFFICE and 1225 FALLON, RM. 105 STREET ADDRESS: OAKLAND, CA 94612			
PLAINTIFF/PETITIONER: SOUTHERN PACIFIC TRANSPORTATION CO.,			
DEFENDANT/RESPONDENT: ALCAN ALUMINUM CORP, SIERRA DETROIT DIESEL ALLISON			

THE PEOPLE OF THE STATE OF CALIFORNIA, TO (name): **CUSTODIAN OF RECORDS FOR:**
ALAMEDA CO HEALTH AGENCY/DIV. OF HAZARDOUS MATERIALS


1. YOU ARE ORDERED TO PRODUCE THE BUSINESS RECORDS described in item 3 as follows:

Deposition Officer (name): ROBERT A. COOK & STAFF
Date: 10/01/91 Time: 09:30 AM
Address: 2025 GATEWAY PLACE SUITE 330, SAN JOSE, CA. 95110

- a. by delivering a true, legible, and durable **copy** of the business records described in item 3, enclosed in a sealed inner wrapper with the title and number of the action, name of witness, and date of subpoena clearly written on it. The inner wrapper shall then be enclosed in an outer envelope or wrapper, sealed, and mailed to the deposition officer at the address in item 1.
 - b. by delivering a true, legible, and durable **copy** of the business records described in item 3 to the deposition officer at the witness's address, on receipt of payment in cash or by check of the reasonable costs of preparing the copy, as determined under Evidence Code section 1563(b).
 - c. by making the **original** business records described in item 3 available for inspection at your business address by the attorney's representative and permitting **copying** at your business address under reasonable conditions during normal business hours.
2. *The records are to be produced by the date and time shown in item 1 but not sooner than 20 days after the issuance of the deposition subpoena, or 15 days after service, whichever date is later. Reasonable costs of locating records, making them available or copying them and postage, if any, are recoverable as set forth in Evidence Code section 1563(b). The records shall be accompanied by an affidavit of the custodian or other qualified witness pursuant to Evidence Code section 1561.*
3. **The records to be produced are described as follows:**
RE: SOUTHERN PACIFIC TRANSPORTATION COMPANY VS. ALCAN ALUMINUM CORP;
SIERRA DETROIT DIESEL ALLISON
SEE ATTACHMENT

Continued on attachment 3.

DISOBEDIENCE OF THIS SUBPENA MAY BE PUNISHED AS CONTEMPT BY THIS COURT. YOU WILL ALSO BE LIABLE FOR THE SUM OF FIVE HUNDRED DOLLARS AND ALL DAMAGES RESULTING FROM YOUR FAILURE TO OBEY.



Date issued: **09/10/91**

.....
(TYPE OR PRINT NAME)

CLERK

(SIGNATURE OF PERSON ISSUING SUBPOENA)
County Clerk and Clerk of the Superior Court of the State of California, in and for the County of ALAMEDA

(See reverse for proof of service)

All documents, correspondence, memoranda, reports, or other "writings" (as defined by California Evidence Code § 250) relating to you and your agency's investigation of contamination at properties located in the cities of Albany and Berkeley, California and owned, operated, or leased by either Southern Pacific Transportation Company, Wilanco, Sierra Detroit Diesel Allison, or Alcan Aluminum Corporation.

(PROOF OF SERVICE BY MAIL - C.O.P. 1013A)

I am employed in the county of SANTA CLARA, my business address is 2025 GATEWAY PLACE #330, SAN JOSE, CA 95110, I am over the age of eighteen (18), and am not a party to the within action(s). I am readily familiar with the business practice for collection and processing of correspondence for mailing with the United States Postal Service, and that the correspondence described below will be deposited with the United States Postal Service today in the ordinary course of business. I am aware that on motion of party served, service is presumed invalid if postal cancellation date or postage meter date is more than one day after date of deposit for mailing affidavit. I served the within copy: NOTICE TO CONSUMER PURSUANT TO CCP 1985.3 (IF APPLICABLE), DEPOSITION SUBPOENA - BUSINESS RECORDS, ON THE BELOW LISTED ENTITIES IN SAID ACTIONS BY PLACING SAID DOCUMENTS IN A SEALED ENVELOPE WITH POSTAGE FULLY PREPAID AND ADDRESSED AS FOLLOWS:

**LAW OFFICES OF
CORRIGAN & ROBERTS
SOUTHERN PACIFIC BUILDING
ONE MARKET PLAZA, STE. 200
SAN FRANCISCO, CA 94105
ATTN: STEPHEN A. ROBERTS, ESQ.**

**HANCOCK, ROTHERT & BUNSHOFT
ATTORNEYS AT LAW
4 EMBARCADERO CENTER, STE 1000
SAN FRANCISCO, CA 94111
ATTN: PATRICIA S. SCHIMBOR, ESQ.**

**THELEN, MARRIN, JOHNSON &
BRIDGES
ATTORNEYS AT LAW
TWO EMBARCADERO CENTER
SAN FRANCISCO, CA 94111
ATTN: JOSEPH A. DARRELL, ESQ.**

and that they were deposited on 09/10/91 for deposit in the United States Postal Service and that the envelope was sealed and placed for collection and mailing that date at ROBERT A. COOK & STAFF, INC. 2025 GATEWAY PLACE #330, SAN JOSE, CA 95110, following ordinary business practices.

DATED: 09/10/91 AT SAN JOSE, CALIFORNIA

I Declare under penalty of perjury that the foregoing is true and correct.

Charity Talmadge

CHARITY_TALMADGE

NOTICE TO CONSUMER

(PURSUANT TO CCP 1985.3)

(IF APPLICABLE)

YOUR PERSONAL RECORDS ARE BEING SOUGHT.
AS INDICATED ON THE ATTACHED PAPERS.

1. Those entities or witnesses shown on the attached Subpoena are to produce your personal records.
2. If you object to the witnesses or entities furnishing the described records, as indicated on the attached papers, you must file papers with the court prior to the date specified for production on the subpoena.
3. If the party who is seeking the records will not agree in writing to cancel or limit the subpoena, you should consult an attorney about your interest in protecting your right of privacy.

DISTRIBUTION:

Consumer or his attorney

Deponent

Subpoenaing Attorney

All other counsel of records

89897507

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST

Generator's US EPA ID No. **CAD98203857297508**

Manifest Document No. **1**

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address

**SIERRA DETROIT DIESEL
 3006 EVERGREEN AVE. SACRAMENTO, CA 95691**

A. State Manifest Document Number

89897507

B. State Generator's ID

4. Generator's Phone

916 372-5078

6. US EPA ID Number

CAD981694664

C. State Transporter's ID

2263-103691

D. Transporter's Phone

415/325-2665

5. Transporter 1 Company Name

ANTIFREEZE ENVIRONMENTAL SVC CORP

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

**Romic Chemical Corporation
 2081 Bay Road
 East Palo Alto, CA 94303**

10. US EPA ID Number

CAD009452657

G. State Facility's ID

CAD009452657

H. Facility's Phone

415/324-1638

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

**Ethylene Glycol Solution (<50%)
 Non-RCRA Hazardous Waste, Liquid**

12. Containers
 No. Type

0 0 1 T T

13. Total Quantity

0.015 P

14. Unit
 Wt/Vol

G

I. Waste No.

State **343**
 EPA/Other **None**

J. Additional Descriptions for Materials Listed Above

Waste Ethylene Glycol

K. Handling Codes for Wastes Listed Above

a. **01**

16. Special Handling Instructions and Additional Information

Gloves and Protective Clothing

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Y. Romic Tanks

Signature

Y. Romic Tanks

Month Day Year

01/12/91

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Mark Griffin/Mike Norton/Tracy Jones

Signature

Mark Griffin

Month Day Year

01/10/91

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

John Butler / Ray Borowske

Signature

John Butler

Month Day Year

10/10/91

898998082

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST

Generator's US EPA ID No. 6 A B 9 8 2 6 4 2 3 6 8 9 8 0 8 2 Manifest Document No. 2 2. Page 1 of 1
 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SIERRA DETROIT DIESEL
1077 EASTSHORE HWY BERKELEY, CA 94710

4. Generator's Phone (415) 526-0521

5. Transporter 1 Company Name ANTIFREEZE ENVIRONMENTAL SVC 6. US EPA ID Number IC A D D 1 0 1 9 1 4 1 5 1 2 1 6 1 5 1 7

7. Transporter 2 Company Name ANTIFREEZE ENVIRONMENTAL SVC 8. US EPA ID Number IC A D D 1 0 1 9 1 4 1 5 1 2 1 6 1 5 1 7

9. Designated Facility Name and Site Address
Romic Chemical Corporation
2051 Bay Road
East Palo Alto, CA., 94303

10. US EPA ID Number IC A D D 1 0 1 9 1 4 1 5 1 2 1 6 1 5 1 7

A. State Manifest Document Number **89898082**

B. State Generator's ID _____

C. State Transporter's ID 2263

D. Transporter's Phone 415/325-2666

E. State Transporter's ID _____

F. Transporter's Phone _____

G. State Facility's ID IC A D D 1 0 1 9 1 4 1 5 1 2 1 6 1 5 1 7

H. Facility's Phone 415/324-1638

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	1. Waste No.	
				State	EPA/Other
a. Ethylene Glycol Solution (<50%) Non-RCRA Hazardous Waste, Liquid	01011	1.1	1.1	343	None
b.					
c.					
d.					

J. Additional Descriptions for Materials Listed Above
Waste Ethylene Glycol

K. Handling Codes for Wastes Listed Above
 a. 01 b. _____
 c. _____ d. _____

15. Special Handling Instructions and Additional Information
Gloves and Protective Clothing

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
 If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford

Printed/Typed Name _____ Signature _____ Month Day Year _____

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name _____ Signature _____ Month Day Year _____

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name _____ Signature _____ Month Day Year _____

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
 Printed/Typed Name **John Butler / Ray Borowske** Signature _____ Month Day Year _____

CERTIFICATE OF TRAINING OSHA - SARA

TOM RAMSEY

Has Met The 8 Hour Refresher Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response




ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 12, 1991

DATE



CERTIFICATE OF TRAINING
OSHA - SARA

EUGENE ELIASON

Has Met The 40 Hour Initial Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 16, 1991


DATE

CERTIFICATE OF TRAINING

OSHA - SARA

CARL ELIASON

Has Met The 8 Hour Refresher Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 12, 1991

DATE

CERTIFICATE OF TRAINING

OSHA - SARA

ABE MOOREHEAD

Has Met The 8 Hour Refresher Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 12, 1991

DATE

**SIERRA
DETROIT
DIESEL
ALLISON**

1077 Eastshore Highway
Berkeley, California 94710
Phone: (415) 526-0521
Telex 337723 Fax (415) 526-1582

June 21, 1991
12 JUN 16 11:51 AM '91

Mr. Lawrence Seto
Senior Hazardous Materials Specialist
Alameda County Health Agency
Division of Hazardous Material
80 Swan Way, Room 200
Oakland, CA 94621

Dear Mr. Seto:

In reference to the underground tanks that are located on the premise that we lease at 1077 Eastshore Highway, Berkeley, California, we have been advised by our attorneys that Sierra Detroit Diesel Allison, Inc. is neither the owner nor the operator of these tanks. When we purchased certain assets of Sierra in 1984 we did not purchase the underground tanks and they have been filled with water since that time. We have never operated these tanks nor do we have a permit from the owner to operate these tanks.

Our lease at this facility expires in approximately 16 months. We have decided that we will vacate these facilities at that time and have so advised the current owner. Our attorney recommends that you should contact Wilanco, Inc. (John W. Piggott) regarding permitting and/or closure of these UST's as the owner of the Berkeley property since the UST's remained fixtures of that property.

Very truly yours,

Roger P. Burpee
Roger P. Burpee *by H. Yocke*
Chairman

cc: Tom George
Tom Terrell
Larry Rumohr



Wilanco, Inc

P.O. Box 8117
Berkeley, California 94707
Phone. (415) 525-3750

91 JUN 19 AM 11:26

June 11, 1991

Mr. Lawrence Seto
Alameda County Health Agency
Division of Hazardous Materials
Department of Environmental Health
80 Swan Way, Room 200
Oakland, Ca. 94621

Subject: Underground Storage Tanks:
1077 Eastshore Highway
Berkeley, Calif.

Dear Mr. Seto:

I am glad to have had the opportunity to attend your meeting today with Sierra Detroit Diesel Allison.

In order that you may have a better understanding of Wilanco's position regarding the tanks, I enclose herewith a copy of my letter to Mr. Douglas Deaver of SDDA dated October 24, 1989. Also please find two additional documents, one entitled "**DOES SDDA OWN THE UNDERGROUND STORAGE TANKS?**" and the other entitled "**SDDA TENANCY OBLIGATIONS REGARDING UNDERGROUND STORAGE TANKS**".

The dispute over obligations concerning the tanks should be resolved in the very near future since Wilanco and SDDA are in the process of negotiating a possible extension to the existing lease which otherwise expires December 31, 1992.

If you have questions regarding ownership, legal obligations or compliance requirements concerning the tanks you may contact my attorney handling this matter:

Ms. Stephanie Kogan
Thelen, Marrin, Johnson & Bridges
Two Embarcadero Center
San Francisco, Ca. 94111
(415) 392-6320

Sincerely,

John W. Piggott
President

**DOES SDDA OWN THE
UNDERGROUND STORAGE TANKS?**

1. Agreement dated November 20, 1984 states SDDA agrees to purchase and W&L agrees to sell all the assets and properties of every kind, character and description, whether tangible, intangible, real, personal or mixed.
2. Lease dated January 3, 1985 states Wilanco owns the "Premises", consisting of the land, and SDDA is purchasing substantially all of the improvements located on the land.
3. "Premises" does not include the buildings, structures and improvements now existing or hereafter constructed.
4. Novation Agreement dated January 3, 1985 reaffirms that W&L has transferred to SDDA all the assets of W&L and that SDDA has acquired all the assets of W&L.
5. Grant Deed dated January 3, 1985 given to SDDA does not exclude the underground storage tanks from other improvements.
6. SDDA lawsuit against Wilanco and W&L filed March 9, 1988 affirms that SDDA agreed to buy and W&L agreed to sell the entire assets of W&L: all statements in the complaint were verified.

Question:

How would the underground storage tanks, which were owned by and balance sheet assets of W&L, have been excluded from other assets purchased by SDDA?

The storage tanks are not, were not and have not been owned by Wilanco. If it is asserted that the tanks are owned by Wilanco, how did the transfer from W&L to Wilanco take place?

If the storage tanks are W&L assets which were excluded from the sale of all assets to SDDA, what other W&L assets were also excluded on the same basis? They must be scheduled and identified.

**SDDA TENANCY OBLIGATIONS REGARDING
UNDERGROUND STORAGE TANKS**

1. Landlord leases the "Premises" consisting of the land. Premises does not include the buildings, structures and improvements... 1(b).
2. Landlord leases the Premises in their present condition, without representation or warranty... Tenant accepts the Premises on an "AS-IS" basis, subject to all laws and applicable governmental regulations...1(c).
3. This is a net lease... Tenant shall not be entitled to any... counterclaim, defense or deduction... nor shall Tenant's obligations hereunder be affected by reason of... any action of any governmental authority... 5(a).
4. Except as otherwise expressly provided herein, Tenant shall pay all obligations and expenses of every kind relating to the Premises or the Improvements... 5(b).
5. Tenant, at its expense, shall comply with all laws and governmental regulations... now or hereafter applicable to the Premises or the Improvements... including (without limitation) all laws, regulations and restrictions which are not presently contemplated or which require structural, unforeseen or extraordinary changes... 6(b).
6. Tenant, at its expense, shall maintain the Premises and the Improvements... in accordance with all laws and governmental regulations... and shall make all changes, structural and nonstructural, foreseen and unforeseen, ordinary and extraordinary, which may be required... 8(a).
7. Tenant acknowledges that Landlord has not made any representation or warranty as to the condition of the Premises or the Improvements...8(b).
8. Landlord shall not be required to maintain the Premises or any Improvements. Tenant waives any right pursuant to any law now or hereafter in effect to require Landlord to maintain or repair the Premises or any Improvements... 8(c).
9. Tenant shall indemnify Landlord and hold Landlord harmless against and from... any loss or liability for personal injury or property damage arising in, on or about the Premises or the Improvements or out of the ownership, use, occupancy or maintenance of the Premises or the Improvements...12(a).
10. Tenant, as a material part of the consideration to Landlord, hereby assumes all risk of personal injury or property damage arising in, on or about the Premises or the Improvements or out of the ownership, use, occupancy or maintenance of the Premises or the Improvements, from any cause... 12(b).

Please print or type. Form designed for use on 12-patch copywriter.

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **CAD982042368**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law.

A. State Manifest Document Number **90648958**

3. Generator's Name and Mailing Address
**SIERRA DETROIT DIESEL ALLISON
1077 EASTSHORE HIGHWAY, EMERYVILLE, CA. 94710**

B. State Generator's ID **HAHQ36Q19426**

4. Generator's Phone **415-526-0521**

C. State Transporter's ID **1067316**

5. Transporter 1 Company Name
ERICKSON, INC.

6. US EPA ID Number
CAD009466392

D. Transporter's Phone **415-235-1393**

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

9. Designated Facility Name and Site Address
**SOLVENT SERVICES
1021 BERRYESSA RD., SAN JOSE, CA. 95133**

10. US EPA ID Number
CAD059494310

F. Transporter's Phone
1-408-453-6046

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type
001 TT

13. Total Quantity
350

14. Unit
G

a. **RQ, HAZARDOUS WASTE LIQUID, NOS, ORM-E, NA9189
(CONTAINS TRICHLOROETHANE, ETHYLENE GLYCOL)**

b.

c.

d.

e.

f.

g.

h.

i.

j.

Waste No. State **214,343**

EPA/Other **P001**

State

EPA/Other

State

EPA/Other

State

EPA/Other

State

EPA/Other

1. Additional Descriptions for Materials Listed Above

K. Handling Codes for Wastes Listed Above
a. **99**

A) E.R.G# 31

A) ALKALINE MIXTURE-PARTS CLEANING

15. Special Handling Instructions and Additional Information
**GLOVES, SAFETY GLASSES
12/99/01/02**

24hr EMERGENCY CONTACT:
NAME: **Foye Flowers**

PHONE: **415-926-0521**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **Foye Flowers** Signature **Jerry Flowers** Month Day Year **1/11/99**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **JERRY E. BROWN** Signature **Jerry E. Brown** Month Day Year **1/11/99**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Month Day Year _____

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **Kimi Rohrwild** Signature **Kimi Rohrwild** Month Day Year **1/11/99**

Do Not Write Below This Line

While: TSDf SENDS THIS COPY TO DOKS WITHIN 30 DAYS

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7899

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **CAD 98204236897422**

Manifest Document No. _____

Page 1 of _____

Information in the shaded areas is not required by Federal law.

A. State Manifest Document Number **89897422**

B. State Generator's ID _____

C. State Transporter's ID **2003-103911**

D. Transporter's Phone **415/921-2666**

E. State Transporter's ID _____

F. Transporter's Phone _____

G. State Facility's ID **CAD0009452657**

H. Facility's Phone **415/921-1630**

3. Generator's Name and Mailing Address
GIERRA DETROIT DIESEL
1077 EASTSHORE HWY BERKELEY, CA 94710

4. Generator's Phone
415-526-0521

6. Transporter 1 Company Name
ANTIFREEZE ENVIRONMENTAL SVC CORP CAD0001654664

7. Transporter 2 Company Name _____

9. Designated Facility Name and Site Address
Romic Chemical Corporation
2081 Bay Road
East Palo Alto, CA 94303

5. US EPA ID Number _____

8. US EPA ID Number _____

10. US EPA ID Number _____

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers		13. Total Quantity	14. Unit Wt/Vol	1. Waste No.	
	No	Type			State	EPA/Other
a. Ethylene Glycol Solution (<50%) Non-RCRA Hazardous Waste, Liquid	0	1TT	430	g	None	None
b. _____						
c. _____						
d. _____						

J. Additional Descriptions for Materials Listed Above
Waste Ethylene Glycol

RECEIVED
 JAN 14 1990
 SACRAMENTO, CALIFORNIA

K. Handling Codes for Wastes Listed Above

a. **01**

b. _____

c. _____

d. _____

16. Special Handling Instructions and Additional Information
Gloves and Protective Clothing

18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name _____ Signature _____ Month Day Year **1/24/1990**

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name **Mark Griffin/Nike Horton/Tracy Jones** Signature _____ Month Day Year **12/19/90**

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name _____ Signature _____ Month Day Year _____

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
 Printed/Typed Name **John Butler / Ray Borowski** Signature _____ Month Day Year **1/21/1990**

Do Not Write Below This Line

Yellow: TSDf SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-9802; WITHIN CALIFORNIA CALL 1-800-952-7560
 GENERATOR
 TRANSPORTER
 FACILITY

FORM HAZARDOUS WASTE MANIFEST

Generator's US EPA ID No. **NI410982038606110468** Manifest Document No. **110468**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SIERRA DETROIT DIESEL ALLISON
8 GLENDALE
STATES NV 89431

A. State Manifest Document Number
89710468

4. Generator's Phone **(702) 353-1113**

6. Transporter 1 Company Name
SAFETY KLEEN CORP

8. US EPA ID Number
CIAT100613950

B. State Generator's ID

C. State Transporter's ID
100613

D. Transporter's Phone
916 635-9601

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address
SAFETY-KLEEN CORP,
2576 MERCANTILE DRIVE
RANCHO CAROLINA CA 95

10. US EPA ID Number
CIAT100613950

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID
CIAT100613950

H. Facility's Phone
916 635-9601

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers		13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
	No.	Type			
a. RQ WASTE COMPOUND, CLEANING LIQUID CORROSIVE MATERIAL, NA 1700 (ERG #60) (FOO2, D006, D007, D022)	113	DM	11170	P	State 741 EPA/Other D006
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other

J. Additional Descriptions for Materials Listed Above
A) F002, F004, D006, D007, D008, D022

K. Handling Codes for Wastes Listed Above
a. **14/01**
b.
c.
d.

16. Special Handling Instructions and Additional Information
EMERGENCY RESPONSE # 1-708-697-8460 OR 1-708-888-4660 (24 HOUR)
TRUCK PER DAY
SK DOT # A) 503

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: **Jiff E...** Signature: _____ Month Day Year: **11/17/10**

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: **MICHAEL D. DE BOER** Signature: *Michael D De Boer* Month Day Year: **12/06/10**

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name: _____ Signature: _____ Month Day Year: _____

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: _____ Signature: _____ Month Day Year: _____

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

89710468

GENERATOR

TRANSPORTER

FACILITY

Public reporting burden for this collection of information is estimated to average 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This burden includes reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding this burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

designed for use on elliptical (pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **NUD 982038580** Manifest Document No. **10290** 2. Page 1 of 1 Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
SIERRA DETROIT ALLISON DIESEL INC PO BOX 1288
BATTLE MOUNTAIN NU 89820-1288

4. Generator's Phone (702) 635-5477

5. Transporter 1 Company Name **SAFETY-KLEEN CORP.** 6. US EPA ID Number **ILD 051060408**

7. Transporter 2 Company Name 8. US EPA ID Number

9. Designated Facility Name and Site Address **SAFETY-KLEEN CORP.** 10. US EPA ID Number **1-183-08**
514 E 45TH STREET
BOISE, ID 83704 **IDD 000712026**

A. State Manifest Document Number
 B. State Generator's ID
 C. State Transporter's ID
 D. Transporter's Phone **208 376-5421**
 E. State Transporter's ID
 F. Transporter's Phone
 G. State Facility's ID
 H. Facility's Phone **208 376-5421**

11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)	12. Containers		13. Total Quantity	14. Unit Wt/Vol	1. Waste No.
	No.	Type			
a. WASTE PETROLEUM NAPHTHA COMBUSTIBLE LIQUID UN1255(D001)(ERG #27)	4	DM	180	P	D001 D039
b. RQ WASTE COMPOUND, CLEANING, LIQUID CORROSIVE MATERIAL NA1760 (ERG#60) (EPA D006, D007, D018)	1	DM	45	P	D006 D018
c.					
d.					

J. Additional Descriptions for Materials Listed Above
I (A) D018
I (B) D039 D040

K. Handling Codes for Wastes Listed Above
(B) D021 D027 D007 D008

15. Special Handling Instructions and Additional Information **9044 20643581 410290 1-183-08-2180 02**
IF UNDELIVERABLE, RETURN TO GENERATOR.FOR RECYCLE
I-B CONT'D D021 D006 D007 D008
SKDOT# A: 501 B: 566 C: D:

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **ERROL WOOD** Signature *Errol Wood* Date **10/30/90**

17. Transporter 1 Acknowledgement of Receipt of Materials
 Printed/Typed Name **DAN FINNEY** Signature *Dan Finney* Date **10/30/90**

18. Transporter 2 Acknowledgement of Receipt of Materials
 Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
 Printed/Typed Name **Erica** Signature *Erica* Date **10/30/90**
SAFETY-KLEEN CORP.

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

90005107

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST		Generator's US EPA ID No. CAD082038572		Manifest Document No. 1021107		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.							
3. Generator's Name and Mailing Address SIERRA DETRIOT DIESEL 3006 EVERGREEN AVENUE, WEST SACRAMENTO, CA 95691						A. State Manifest Document Number 90005107									
4. Generator's Phone (916) 372-5078						B. State Generator's ID									
6. Transporter 1 Company Name RAMOS ENVIRONMENTAL SERVICE			8. US EPA ID Number CAD044003556			C. State Transporter's ID 101968		D. Transporter's Phone 916-371-2570							
7. Transporter 2 Company Name						8. US EPA ID Number		E. State Transporter's ID							
9. Designated Facility Name and Site Address RAMOS ENVIRONMENTAL SERVICE 1515 SOUTH RIVER ROAD, WEST SACRAMENTO, CA 95691						10. US EPA ID Number CAD044003556		G. State Facility's ID							
H. Facility's Phone 916-371-2570															
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		I. Waste No.			
						No. Type						State			
a. WASTE OIL NOS COMBUSTIBLE LIQUID HA 1270												State 221			
c. WASTE OIL NOS COMBUSTIBLE LIQUID HA 1270												State 221			
d. WASTE OIL NOS COMBUSTIBLE LIQUID HA 1270												State			
EPA/Other												EPA/Other			
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above									
1. OIL						a. 14		b.		c.		d.			
2. CHLORINATED HALOGENS OVER 1000 PPM						3. WATER									
16. Special Handling Instructions and Additional Information															
WEAR GLOVES AND PROTECTIVE CLOTHING															
18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.															
Printed/Typed Name Roger Dennis				Signature <i>Roger Dennis</i>				Month Day Year 10 25 90							
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name JAMES W. LAMBING				Signature <i>James W. Lambing</i>				Month Day Year 11 25 90			
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name				Signature				Month Day Year			
19. Discrepancy Indication Space															
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.															
Printed/Typed Name JAMES W. LAMBING				Signature <i>James W. Lambing</i>				Month Day Year 10 25 90							

Do Not Write Below This Line

Yellow: TSDf SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

Subject: Underground Storage Tanks

To: Carry

From: Tom Peacock, UST Coordinator

Date: 10-17-90

Attached is a case I would like you to follow up on within the next 10 days by conducting a field assessment. Notices up through final have been sent and there has been:

- a postal return
- no response
- promises but no action, unclear information

called § - 21-80

Please verify the presense or absence of a tank and notify the owner in writing and hopefully in person that they must submit a closure or permit applications within 30 days. Have the forms with you and have them sign for them. If they can't have a closure submitted within 30 days insist that they submit Parts A and B, even on an unused tank. This will make them "legal" until closure and is no different than many of the "permitted" tanks already in our system that are not used.

Please inform me of the results ASAP as these cases are going to be handled by Gil Jensen .

Results:

- No tanks found.
- There are _____ tanks here.

10-26-90

Gas tanks were removed approx 10 yrs. ago per Greg Wright, Asst. Service Mgr.

Carry

- Permit Applications completed
- Tank Closure completed
- Confusion over responsible party, under investigation.
- Rebellious recalcitrant. Schedule a hearing!

The A's also play hardball!

Project#	Type	Date	Dep Amount	Receipt	Check#
1080A	R	07/23/90	\$375.00	U568980	6768

Total Dollars of Above Checks: \$ 375.00

Total Receipts to Register: (really need amount 3 times ??)

Total Deposit: \$ 375.00

Difference Shortage/Overage: \$0.00

Receipt Numbers 568980 through 568980.

and _____ through _____.

Custodian Signature: Ms. Antoinette B. Mendy

Witness Signature: [Signature]

DISTRIBUTION: HazMat Custodian, DEH Accounting (2)



DEPARTMENT OF ENVIRONMENTAL HEALTH
Hazardous Materials Program
80 Swan Way, Rm. 200
Oakland, CA 94621
(415)

August 13, 1990

Sierra Detroit Diesel Allison
1077 Eastshore Hwy.
Albany, CA 94706

RE: 1077 Eastshore Hwy.

FINAL NOTICE OF VIOLATION

Dear owner/operator:

Our records indicate that there are underground tank(s) at your site at the above facility. You have not responded to two previous notices regarding these tanks.

In accordance with the California Code of Regulations, Title 23, Chapter 3, Subchapter 16 Underground Tank Regulations you must perform one of the following actions:

1. Submit a tank closure plan to this Department as required by Article 7, 2670, or
2. Apply for a permit as required by Article 10, 2710.

You are directed to notify this Department within 10 days of your intentions and to obtain the necessary instructions and forms.

Please note that section 25299 of the California Health and Safety Code states that any operator or owner of an underground storage tank is liable for a civil penalty of not less than five hundred dollars or more than five thousand dollars per day for failure to obtain a permit, or failing to properly close an underground storage tank, as required by section 25298.

If you have any questions concerning this matter, please contact this office at 271-4320.

Sincerely,

Thomas F. Peacock, Senior HMS
Hazardous Materials Division

TFP:tfp

cc: Gil Jensen, Alameda County District Attorney, Consumer and
Environmental Protection Agency
Lester Feldman, RWQCB

APPLICATION FOR PERMIT TO OPERATE UNDERGROUND STORAGE TANK

() 01 NEW PERMIT () 05 RENEWED PERMIT () 07 TANK CLOSED () 09 DELETE FROM FILE (NO FEE)
 () 02 CONDITIONAL PERMIT () 06 AMENDED PERMIT () 08 MINOR CHANGE (NO SURCHARGE)

I OWNER

NAME (CORPORATION, INDIVIDUAL OR PUBLIC AGENCY) WALL LTD		PUBLIC AGENCY ONLY () 01 FED () 02 STATE () 03 LOCAL	
STREET ADDRESS 11300 WEDDINGTON STREET	CITY NORTH HOLLYWOOD	STATE CA	ZIP 91601

II FACILITY

FACILITY NAME SOUTH AUXILIARY GARAGE		DEALER/FOREMAN/SUPERVISOR DON FAULKISON	
STREET ADDRESS 24438 SANTA CLARA STREET		NEAREST CROSS STREET WINTON AVENUE	
CITY HAYWARD		COUNTY ALAMEDA	ZIP 94544
MAILING ADDRESS 1675-7TH STREET	CITY OAKLAND	STATE CA	ZIP 94615
PHONE W/AREA CODE 415-874-8462	TYPE OF BUSINESS () 01 GASOLINE STATION () 02 OTHER		
NUMBER OF CONTAINERS 5	RURAL AREAS ONLY :	TOWNSHIP	RANGE SECTION

III 24 HOUR EMERGENCY CONTACT PERSON

DAYS: NAME (LAST NAME FIRST) AND PHONE W/AREA CODE HARRY IKEDA 415-874-8651	NIGHTS: NAME (LAST NAME FIRST) AND PHONE W/AREA CODE GEORGE NAKAHARA 415-874-8651
--	--

COMPLETE THE FOLLOWING ON A SEPARATE FORM FOR EACH CONTAINER

IV DESCRIPTION

A. () 01 TANK (X) 04 OTHER: SUMP	CONTAINER NUMBER 008D
B. MANUFACTURER (IF APPROPRIATE):	YEAR MFG: C. YEAR INSTALLED (X) UNKNOWN
D. CONTAINER CAPACITY: GALLONS (X) UNKNOWN	E. DOES THE CONTAINER STORE: (X) 01 WASTE () 02 PRODUCT
F. DOES THE CONTAINER STORE MOTOR VEHICLE FUEL OR WASTE OIL ? () 01 YES (X) 02 NO IF YES CHECK APPROPRIATE BOX(ES): () 01 UNLEADED () 02 REGULAR () 03 PREMIUM () 04 DIESEL () 05 WASTE OIL () 06 OTHER	

V CONTAINER CONSTRUCTION

A. THICKNESS OF PRIMARY CONTAINMENT: () GAUGE () INCHES () CM (X) UNKNOWN
B. () 01 VAULTED (LOCATED IN AN UNDERGROUND VAULT) (X) 02 NON-VAULTED () 03 UNKNOWN
C. () 01 DOUBLE WALLED () 02 SINGLE WALLED () 03 LINED
D. () 01 CARBON STEEL () 02 STAINLESS STEEL () 03 FIBERGLASS () 04 POLYVINYL CHLORIDE () 05 CONCRETE () 06 ALUMINUM () 07 STEEL CLAD () 08 BRONZE () 09 COMPOSITE () 10 NON-METALLIC (X) 12 UNKNOWN () 13 OTHER:

ALAMEDA COUNTY
HEALTH CARE SERVICES

AGENCY
DAVID J. KEARS, Agency Director



June 26, 1990

Sierra Detroit Diesel Allison
1077 Eastshore Hwy.
Albany, CA 94706

DEPARTMENT OF ENVIRONMENTAL HEALTH
Hazardous Materials Program
80 Swan Way, Rm. 200
Oakland, CA 94621
(415)

RE: 1077 Eastshore Hwy.

SECOND NOTICE OF VIOLATION

Dear owner/operator:

Our records indicate that there are underground tank(s) at your site at the above facility. You have not responded to two previous notices regarding these tanks.

In accordance with the California Code of Regulations, Title 23, Chapter 3, Subchapter 16 Underground Tank Regulations you must perform one of the following actions:

1. Submit a tank closure plan to this Department as required by Article 7, 2670, or
2. Apply for a permit as required by Article 10, 2710.

You are directed to notify this Department within 10 days of your intentions and to obtain the necessary instructions and forms.

Please note that section 25299 of the California Health and Safety Code states that any operator or owner of an underground storage tank is liable for a civil penalty of not less than five hundred dollars or more than five thousand dollars per day for failure to obtain a permit, or failing to properly close an underground storage tank, as required by section 25298.

If you have any questions concerning this matter, please contact this office at 271-4320.

Sincerely,

Thomas F. Peacock, Senior HMS
Hazardous Materials Division

TFP:tfp

cc: Gil Jensen, Alameda County District Attorney, Consumer and
Environmental Protection Agency
Lester Feldman, RWQCB

THE FUEL OIL POLISHING COMPANY - BAY AREA

19336 SOLANO COURT • SONOMA, CA 95476 • (707) 935-1700



CA Cont. Lic. #583048
Trademark (TM) Registration:
Pending for ENHANCE, RE-VIVE,
PETRO-VIVE & RESTORE

FUEL OIL POLISHING CO. (FOPCO) SITE SAFETY PLAN UST REMOVAL

Project Location: Sierra Detroit Diesel Shop
1077 East Shore Hwy.,
Albany, CA 94706

Job Name: Wilanco

Client: Wilanco
P. O. BOX 8117
Berkeley, CA 94707
(510) 525-9058

BACKGROUND

This Site Safety Plan (SSP) establishes the general safety requirements necessary to protect the public, contractor employees, owner/operator, and properties involved in this project. This SSP shall be implemented immediately upon detection of contaminants, utilizing an approved vapor detector for the anticipated hazardous material/waste to which you may be exposed. Expected contaminants should be identified prior to the performance of any work.

FOPCO's HSC will be on-site during all field operations to verify adherence with the SSP. THE HSC will also coordinate all field activities with local and State Health and Safety representatives as needed.

The safety and protective measures described below shall be followed by all personnel within designated work area. All site personnel and visitors must read this SSP. This applies to contractor/owner/operator, visitors, and others designated by the HSC who enter a work area.

Adherence to applicable OSHA and EPA safety rules and regulations is also required.

FIELD WORK

The purpose of this project is to remove UST(s) and stockpile any contaminated soil removed in the vicinity of the previously removed underground storage tank(s). A backhoe will be used to excavate the tank(s) and contaminated soil.

HAZARDS

Potential hazards onsite comprise open excavation, proximity to earth moving equipment, and exposure to explosive gasoline vapors.

After tank removal the excavation will be backfilled or fenced with temporary cyclone fencing or woven fire fencing.

LEVEL OF PROTECTION

Equipment to protect the body from contact with chemical hazards has been categorized by the Environmental Protection Agency into levels A, B, C, & D. Level A equipment is used when the highest level of protection is needed; Level D equipment is used when minimum protection is needed. The chemical hazard associated with petroleum hydrocarbons is typically low and Level D protection (see equipment list below) is adequate. In case of high levels of contamination, an upgrade to Level C protection equipment may be advised. Level C and D equipment are listed below.

Level C Equipment

NIOSH/MSHA approved air purifying respirator, chemical resistant clothing, chemical resistant inner and outer gloves, chemical resistant boots with steel toe and shank, safety glasses and hard hat.

Level D Equipment

Coveralls, gloves, chemical resistant boots or shoes with steel toe and shank, safety glasses or chemical splash goggles, and hard hat. Tyvex overalls and Solvex or equivalent gloves are recommended.

EQUIPMENT REQUIRED FOR THIS PROJECT

Normal work clothing and safety glasses may be worn for site excavation work. Wear neoprene boots if walking in the excavation or in or around waste soils. Surgeon's gloves, neoprene boots, and safety glasses are required when sampling. Upgrade to Level C includes the addition of NIOSH/MSHA approved air purifying respirator with organic vapor cartridges.

A First Aid Kit, fire extinguisher, and combustible gas indicator are also required. The combustible gas indicator is to be used to monitor air in breathing zone. Readings above 100 ppm are cause for concern. Continuous reading of 300 ppm above background in the breathing zone require use of 1/2 face respirator. Readings of 300 ppm in the breathing zone require an upgrade to Level C.

The combustible gas indicator is to be used continuously during all excavation activities. If more than 20 percent of the lower explosive limit (LEL) is measured in the area of the excavation, proceed with caution. If more than 50 percent LEL is measured in the area of the excavation, provide ventilation of the area.

EQUIPMENT DECONTAMINATION

Neoprene gloves, respirator, hard hat, and boots will be washed with soap and water, rinsed with deionized water, and allowed to air-dry. Organic vapor/acid gas cartridges will be disposed of properly.

A hi-pressure hot water washer will be onsite and, if necessary, earth moving equipment exposed will be pressure washed with hot water and a TSP solution, and the rinse water recovered and disposed of as liquid hazardous waste.

SITE RESOURCES

Toilet facilities and wash water are available on-site.

EMERGENCY EQUIPMENT

Telephone, eyewash, emergency rinse water, drinking water, first-aid kit, fire extinguisher, and a supplied-air breathing apparatus will be carried in company vehicle on-site.

CONFINED SPACE HAZARDS/ENTRY (O₂ DEFICIENCY)

Confined spaces include, tanks, trenches, pits, sumps, elevator shafts, tunnels, or any other area where circulation of fresh air is restricted or ability to readily escape from the area is restricted.

Monitor O₂ and organic L.E.L. vapors before entering. If following values are exceeded, do not enter:

- * O₂ less than 19.5 percent.
- * Total hydrocarbons greater than 5% L.E.L. or 5 ppm above background, or if all air contaminants have not been identified.

Monitor O₂ and organic vapors continuously while inside confined space. If values cited above are exceeded, evacuate immediately.

If respirator, or breathing air, is required, workers must wear safety lines and harness.

At least one person must be on standby outside the confined space who is capable of pulling workers from confined space in an emergency. This person must also wear a safety line and harness and have immediately available a respirator or breathing air, whichever is being used.

Breathing air will be supplied air, utilizing a "Rheem" two man supplied air compressor with air lines, face mask and splash goggles. In the case of "tank entry" the standby person must continually monitor the worker inside the tank from the point of entry and tend that workers safety and air lines.

Use portable fans or blowers to introduce fresh air into confined spaces whenever use of respirator, or breathing air, is required.

Do not enter unshored excavation greater than five feet deep.

EMERGENCY RESPONSE TELEPHONE NUMBERS

Ambulance: 911

Police: 911

Fire Department: 911 or (510) 528-5770
(510) 528-5775 Fire Marshal

Hospital: Herrick Hospital
2001 Dwight Way at Shattuck
Berkeley, CA 94704
(510) 845-0130

Poison control center: (800) 233-3360
(415) 821-8324

Project Manager: (HSC) Tom Ramsey
Office: (707) 935-1700
Mobile: (415) 265-2034

Client contact: Wilanco
Mr. John Piggott
(510) 525-9058

PROJECT PERSONNEL LIST AND SAFETY PLAN DISTRIBUTION RECORD:

FOPCO Employees:

All project staff must sign, indicating they have read and understand the safety play. A copy of this safety plan must be made available for their review and readily available at the job site.

<u>Employee Name</u>	<u>Date of H&S Training</u>	<u>Date Distributed</u>	<u>Signature</u>
<u>EUGENE R. ELIASON</u>	<u>EXP. 8/92</u>	<u>5/4</u>	<u>Eugene R. Elison</u>
<u>Abe Moorhead</u>	<u>8-92</u>	<u>5/4</u>	<u>Abe Moorhead</u>
<u>Tom Campbell</u>	<u>EXP. 11-92</u>	<u>"</u>	<u>Tom Campbell</u>
<u>CARL O. ELIASON</u>	<u>8-92</u>	<u>5-4-</u>	<u>Carl O. Elison</u>

PROJECT PERSONNEL LIST AND SAFETY PLAN DISTRIBUTION RECORD:

FOPCO Employees:

All project staff must sign, indicating they have read and understand the safety plan. A copy of this safety plan must be made available for their review and readily available at the job site.

<u>Employee Name</u>	<u>Date of H&S Training</u>	<u>Date Distributed</u>	<u>Signature</u>
<u>Frank Ostrum</u>	<u></u>	<u>5/4</u>	<u>Frank Ostrum</u>
<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>

Contractors and Subcontractors:

Copy of safety plan shall be provided to contractors and subcontractors who may be affected by activities covered under the scope of this safety plan. All contractors and subcontractors must comply with applicable OSHA, EPA, and local government rules and regulations.

<u>Firm Name</u>	<u>Contact Person</u>	<u>Date Distributed</u>
<u>Concrete Wall</u>	<u>Charles H</u>	<u>5/4/92</u>
<u>DEMCON</u>	<u>JEFF</u>	<u>5/4/92</u>
<u>WASTE OIL RECOVERY</u>	<u>MONICA</u>	<u>5/4/92</u>
<u>ENSR C&E</u>	<u>PAUL HILBELINK</u>	<u>5/4/92</u>
<u>ERIKSSON inc.</u>	<u>Bob Proulx</u>	<u>5-6-92</u>

HEALTH AND SAFETY MEETING

All personnel participating in the project must receive initial health and safety orientation. Thereafter, a brief tailgate safety meeting is required before beginning work each day.

<u>Date</u>	<u>Topics</u>	<u>Attendant</u>	<u>Firm Name</u>	<u>Employee Initials</u>
<u>5/6</u>	<u>Job Procedures + Job Safety</u>	<u>CARL O. ELIASON</u>	<u>FOPCO</u>	<u>[Signature]</u>
<u>"</u>	<u>"</u>	<u>Tom Campbell</u>	<u>"</u>	<u>TC</u>
<u>"</u>	<u>"</u>	<u>Frank Ostrum</u>	<u>"</u>	<u>FO</u>
<u>"</u>	<u>"</u>	<u>EUGENE R. ELIASON</u>	<u>"</u>	<u>ERE</u>
<u>"</u>	<u>"</u>	<u>AKE MOORHEAD</u>	<u>"</u>	<u>AM</u>

VISITOR LOG

It is FOPCO policy that any visitor must furnish his/her own personal protective equipment. All visitors are required to sign the visitor log and comply with the safety plan requirements.

<u>Name of Visitor</u>	<u>Firm Name</u>	<u>Date of Visit</u>	<u>Signature</u>
Brian Curoto AL	Albany Fire Dept.	3/6/92	Brian Curoto
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

NOTE:

ITEM A, pg 8

THE YARD CONTAINING THE TANK LOCATIONS, IS FENCED WITH CYCLOPE SECURITY FENCE, WITH LOCKED GATES.

ALL BUILDINGS ON-SITE WILL BE EMPTY, AND NO PERSONNEL WILL BE PRESENT OTHER THAN FOPCO EMPLOYEES, OR SUB CONTRACTORS INVOLVED IN THE TANK REMOVAL PROJECT.

BARRICADES AND TAPE WILL BE USED TO CONTROL THE WORK ZONES INSIDE THE FENCED YARD.

CERTIFICATE OF TRAINING

OSHA - SARA

TOM RAMSEY

Has Met The 8 Hour Refresher Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 12, 1991

DATE

CERTIFICATE OF TRAINING OSHA - SARA

EUGENE ELIASON

Has Met The 40 Hour Initial Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 16, 1991


DATE

CERTIFICATE OF TRAINING

OSHA - SARA

CARL ELIASON

Has Met The 8 Hour Refresher Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 12, 1991

DATE

CERTIFICATE OF TRAINING

OSHA - SARA

ABE MOOREHEAD


Has Met The 8 Hour Refresher Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

Occupational Health & Safety Group, Inc.

AUGUST 12, 1991

DATE



CERTIFICATE OF TRAINING
OSHA - SARA

TOM CAMPBELL, JR.

Has Met The 40 Hour Initial Training Requirement Under OSHA
Standard, 29CFR1910.120 Hazardous Waste Operations And
Emergency Response


ACKNOWLEDGEMENT

M/A Industries, Inc.

NOVEMBER 7, 1991

DATE

CERTIFICATE OF TRAINING
PRESENTED TO

Frank Ostrum

FOR HAVING SUCCESSFULLY COMPLETED
A TRAINING COURSE IN

40 HOUR HAZMAT HANDLING...29 CFR 1910.120

PRESENTED BY

COVENANT ENVIRONMENTAL



Craig Wright

Coordinating Trainer

SEPTEMBER 1990

Date

CITY OF ALBANY

NOTICE & WARNING

This card must be posted on the premises and so placed as to be readily seen from the street and accessible to Inspectors.

The required approval of all inspections are necessary before proceeding. Be sure that your **BUILDING PERMIT** is signed before proceeding with any work.

Any work done without the proper inspections, will be considered **Illegal Construction** and will not be accepted. *Tank 0900*

Building Dept. Phone 528-5760 *Removed*

BUILDING PERMIT

No 18928 Date 4-30-92

Address 1077 EASTSHORE HWY.

Type of Permit BUILDING

FUEL OIL POLISHING CO. Builder

WILANCO, INC. Owner

by *[Signature]* TANK REMOVAL

INSPECTIONS

Forms and Reinforcing Steel 4-4-92
Inspector

Above approval required before pouring concrete

Brick or Masonry Walls _____
Inspector

Above approval required before roof framing

Rough Plumbing _____

Rough Wiring _____

Warm Air Piping _____

Chimneys and Hearths _____

Frame Work _____
Inspector

Above approval required before lathing

Lathing Inside _____

Lathing Outside _____

Sewer _____



Insulation _____

Wet Wall _____

Gas Piping & Gas Appliances _____

Final Approval _____
Inspector


Above approvals required before occupancy



1000 SAN PABLO, ALBANY CA. 94706
PUBLIC WORKS OFFICE

FOR INSPECTION - PHONE: 528-5760

A.P. NO:



PERMIT NO. 18928

DATE 4-30-92

TOTAL FEES, TAXES AND DEPOSITS \$ 476.04

FOR APPLICANT TO FILL IN

DESCRIPTION OF WORK

BUILDING PROJECT IDENTIFICATION

Address of Building 1077 EAST SHORE FRONTIER BLVD
Owner(s) Name WILANCO INC
Telephone No. 510-525-3750
Contractor's Name FUEL OIL POLISHING CO
Contractor's Mailing Address 19336 SOLANO COURT, SONOMA
Ph. 707-935-7100 City Bus. Lic. 0000001884
Architect and/or Engineer GUSK INC
Architect and/or Engineer's Address 1320 Harbor Bay, Alameda
Ph. 510-862-1828 Lic. No. 0000001884

LICENSED CONTRACTORS DECLARATION
I hereby affirm that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code and my license is in full force and effect
License Class A-Gen Home Mnt Lic. Number 582045
Date 12-89 to 12-93 Contractor yes

OWNER-BUILDER DECLARATION
I hereby affirm that I am exempt from the Contractor's License Law for the following reason (Sec 7031.5, Business and Professions Code Any city or county which requires a permit to construct, alter, improve, demolish, or repair any structure, prior to its issuance, also requires the applicant for such permit to file a signed statement that he is licensed pursuant to the provisions of the Contractor's License Law Chapter 9 (commencing with Sec 7000) of Division 3 of the Business and Professions Code, or that he is exempt therefrom and the basis for the alleged exemption. Any violation of Section 7031.5 by any applicant for a permit subjects the applicant to a civil penalty of not more than five hundred dollars (\$500)):
 I, as owner of the property, or my employees with wages as their sole compensation, will do the work, and the structure if not intended or offered for sale (Sec 7044, Business and Professions Code: The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who does such work himself or through his own employees, provided that such improvements are not intended or offered for sale. If, however, the building or improvement is sold within one year of completion, the owner-builder will have the burden of proving that he did not build or improve for the purpose of sale.)
 I, as owner of the property, am exclusively contracting with licensed contractors to construct the project (Sec 7044, Business and Professions Code. The Contractor's License Law does not apply to an owner of property who builds or improves thereon, and who contracts for such projects with a contractor(s) licensed pursuant to the Contractor's License Law.) All such Construction must obtain City Bus. Lic.
 I am exempt under Sec _____, B. & P.C. for this reason _____

Signature of owner _____ Date _____

WORKERS' COMPENSATION DECLARATION
I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Workers' Compensation Insurance, or a certified copy thereof (Sec. 3800, Labor Code).
Policy # 0725733 Company Name STATE FUND COMP INS
 Certified copy is hereby furnished.
 Certified copy is filed with the city building inspection department.
Applicant FUEL OIL POLISHING CO Date 4/29/92

CERTIFICATE OF EXEMPTION FROM WORKERS' COMPENSATION INSURANCE
(This section need not be completed if the permit is for one hundred dollars (\$100) or less.)
I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the Workers' Compensation Laws of California.
Signature _____ Date _____

NOTICE TO APPLICANT: If, after making this Certificate of Exemption, you should become subject to the Workers' Compensation provisions of the Labor Code, you must forthwith comply with such provisions or this permit shall be deemed revoked

CONSTRUCTION LENDING AGENCY
I hereby affirm that there is a construction lending agency for the performance of the work for which this permit is issued. (Sec. 3097, Civil Code).
LENDERS NAME None
LENDERS ADDRESS _____

DO NOT CONCEAL OR COVER ANY CONSTRUCTION UNTIL THE WORK IS INSPECTED AND THE INSPECTION IS RECORDED. ALL INSPECTION REQUESTS ARE REQUIRED 24 HOURS IN ADVANCE OF THE INSPECTION.

I CERTIFY THAT I HAVE READ THIS APPLICATION AND STATE THAT THE INFORMATION GIVEN IS TRUE AND CORRECT. I AGREE TO COMPLY WITH ALL LOCAL ORDINANCES AND STATE LAWS RELATING TO BUILDING CONSTRUCTION AND I MAKE THIS STATEMENT UNDER PENALTY OF LAW. I HEREBY AUTHORIZE REPRESENTATIVES OF THIS CITY TO ENTER UPON THE ABOVE MENTIONED PROPERTY FOR INSPECTION PURPOSES. I AGREE TO SAVE, INDEMNIFY AND HOLD HARMLESS THE CITY OF ALBANY AGAINST ALL LIABILITIES, JUDGEMENTS, COSTS AND EXPENSES WHICH MAY IN ANY WAY ACCRUE AGAINST SAID CITY AS A RESULT OF THE GRANTING OF THIS PERMIT.
Tan [Signature] Fuel Oil Polishing Co Date 4/29/92
Signature of Applicant or Agent _____ Date _____

NOTE: When properly validated this form constitutes a Building Permit. This permit expires and becomes null and void should work not be commenced within 180 days from the date of approval, or should authorized construction be suspended or abandoned for a period of 180 days after work is commenced

REMOVAL OF SIX (6) UNDERGROUND FUEL STORAGE TANKS

PLUMBING PERMIT
CONTRACTOR _____
STATE LICENSE NO AND CLASSIFICATION _____
FEE \$ _____
W.C. _____ LAV. _____ BATH T. _____ SHOWER _____ SINK _____ DISHWASHER _____ LAUNDRY T _____ SLOP SINK _____
CLOTHES WASHER _____ FLOOR SINK _____ URINAL _____ DRINKING FOUNTAIN _____ GAS SYSTEMS OUTLETS _____ WATER HTR _____
WASTE INTERCEPTER _____ WATER PIPING TREATING EQUIP _____ SEWER _____ WTR PIPING SYSTEMS _____ SOLAR _____ PER 100 SQ FT _____

ELECTRICAL PERMIT
CONTRACTOR _____
STATE LICENSE NO AND CLASSIFICATION _____
FEE \$ _____
SERVICE AMP _____ CIRCUITS _____ OUTLETS _____ FIXTURES _____ SWITCHES _____ WATER HTR. _____ RANGE _____ DRYER _____
DISPOSAL _____ DISHWASHER _____ FANS _____ MOTORS _____ PER 100 SQ FT _____

HEATING / COOLING PERMIT
CONTRACTOR _____
STATE LICENSE NO AND CLASSIFICATION _____
FEE \$ _____
FURN _____ DUCT/FLUE _____ BOILER _____ COMP. _____ AIR COND _____ OTHER _____ PER 100 SQ FT _____

LIST OF OTHER SUBCONTRACTORS

Name	License Number	Classification
1. _____	_____	_____
2. _____	_____	_____
3. _____	_____	_____
4. _____	_____	_____

DEPARTMENT USE ONLY
Plans received by _____ Date 4/30/92
Value of Project \$ 44,000.00
Permit Fee (Plus penalty if applicable) \$ 469.00
Plan Check Fee \$ _____
Special Inspection Deposit \$ _____
S.M.I.P. \$ _____
Other PAID \$ 2.35
Sewer Connection Fee \$ 4.69
Total \$ 476.04
Comments _____

APPROVALS
PLANNING _____
ENGINEERING _____
FIRE _____
OTHER _____
PERMIT APPROVE 4-30-92
DATE _____



BAY AREA AIR QUALITY MANAGEMENT DISTRICT
939 ELLIS STREET
SAN FRANCISCO, CALIFORNIA 94109
(415) 771-6000

Byron

REGULATION 8, RULE 40
Aeration of Contaminated Soil and
Removal of Underground Storage Tanks

NOTIFICATION FORM

- Removal or Replacement of Tanks
- Excavation of Contaminated Soil

forward 4-28

(415-928-8560)

SITE INFORMATION

SITE ADDRESS <u>1077 East Shore Hwy</u>	
CITY, STATE <u>Berkeley Ca</u>	ZIP <u>94706</u>
OWNER NAME <u>John Piggott</u>	
SPECIFIC LOCATION OF PROJECT <u>Silica, Detroit Diesel</u>	
TANK REMOVAL	
SCHEDULED STARTUP DATE <u>5-4-92</u>	
VAPORS REMOVED BY:	
<input checked="" type="checkbox"/> WATER WASH	
<input checked="" type="checkbox"/> VAPOR FREEING (CO ²)	
<input type="checkbox"/> VENTILATION	
CONTAMINATED SOIL EXCAVATION	
SCHEDULED STARTUP DATE _____	
STOCKPILES WILL BE COVERED? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	
ALTERNATIVE METHOD OF AERATION (DESCRIBE BELOW): _____ (MAY REQUIRE PERMIT)	

CONTRACTOR INFORMATION

NAME <u>Fuel Oil Polishing Co</u>	CONTACT <u>Tom Ramsey</u>
ADDRESS <u>19336 Selma Ct</u>	PHONE () <u>707-995-1700</u>
CITY, STATE, ZIP <u>Georgetown, Ca</u>	<u>95476</u>

CONSULTANT INFORMATION (IF APPLICABLE)

NAME _____	CONTACT _____
ADDRESS _____	PHONE () _____
CITY, STATE, ZIP _____	

FOR OFFICE USE ONLY

DATE RECEIVED FAX <u>4/28/92</u>	BY <u>PLG</u> (Init.)	
DATE POSTMARKED _____	BY _____ (Init.)	
CC: INSPECTOR NO. <u>375</u>	DATE <u>4/30/92</u>	BY <u>PLG</u> (Init.)
UPDATE: CONTACT NAME _____	DATE _____	BY _____ (Init.)
BAAQMD N # _____	DATA ENTRY <u>4/30/92</u>	