

ExxonMobil
Refining & Supply Company
Global Remediation
25A Crescent Drive #407
Pleasant Hill, CA 94523
(925) 246-8747 Telephone
(925) 246-7822 Facsimile
gene.n.ortega@exxonmobil.com

Gene N. Ortega
Project Manager
Global Remediation – U.S. Retail

ExxonMobil
Refining & Supply

October 27, 2003

Mr. Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, CA 94501-6577

Alameda County
NOV 03 2003
Environmental Health

Subject: Former Exxon RAS #7-0210, 7840 Amador Valley Boulevard, Dublin, California

Dear Mr. Seery:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Third Quarter 2003* for the above-referenced site. The report, prepared by ETIC Engineering, Inc. of Pleasant Hill, California, details the results of the August 2003 sampling event.

If you have any questions or comments, please contact me at (925) 246-8747.

Sincerely,



Gene N. Ortega
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated October 2003

- c: w/ attachment:
Mr. Joseph A. Aldridge - Valero Energy Corporation
- c: w/o attachment:
Mr. Joseph Muehleck - ETIC Engineering, Inc.



**Report of Groundwater Monitoring
Third Quarter 2003**

**Former Exxon Retail Site 7-0210
7840 Amador Valley Boulevard
Dublin, California**

Prepared for

ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523

Alameda County

NOV 03 2003

Environmental Health

Prepared by

ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

Ted Moise

10/24/03

Ted Moise
Project Manager


Date

Heidi Dieffenbach-Carle

October 27, 2003

Heidi Dieffenbach-Carle, R.G. #6793
Senior Geologist

Date



October 2003

SITE CONTACTS

Station Number: Former Exxon Retail Site 7-0210

Station Address: 7840 Amador Valley Boulevard
Dublin, California

ExxonMobil Project Manager: Gene N. Ortega
ExxonMobil Refining and Supply Company
25A Crescent Drive #407
Pleasant Hill, California 94523
(925) 246-8747

Consultant to ExxonMobil: ETIC Engineering, Inc.
2285 Morello Avenue
Pleasant Hill, California 94523
(925) 602-4710

ETIC Project Manager: Ted Moise

Regulatory Oversight: Scott Seery
Alameda County Health Care Services Agency
1131 Harbor Bay Parkway
Alameda, California 94501-6577
(510) 567-6783

INTRODUCTION

At the request of ExxonMobil Refining and Supply Company, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Exxon Retail Site 7-0210. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 24 April 2003, the date of the last monitoring event, until 5 August 2003, the date of the recent monitoring event. Groundwater monitoring results, well construction details, and a groundwater monitoring plan are provided in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

GENERAL SITE INFORMATION

Site name:	Former Exxon Retail Site 7-0210
Site address:	7840 Amador Valley Boulevard, Dublin, California
Current property owner:	Dublin Valero, Inc.
Current site use:	Active Valero-branded station operated by Dublin Valero, Inc.
Current phase of project:	Groundwater monitoring
Tanks at site:	Three underground storage tanks (gasoline)
Number of wells:	3 (all onsite)

GROUNDWATER MONITORING SUMMARY

Gauging and sampling date:	5 August 2003
Wells gauged and sampled:	MW5-MW7
Wells gauged only:	None
Groundwater flow direction:	Southeast
Groundwater gradient:	0.003
Well screens submerged:	None
Well screens not submerged:	MW5-MW7
Liquid-phase hydrocarbons:	Not observed or detected
Laboratory:	TestAmerica, Inc., Nashville, Tennessee

Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Total Petroleum Hydrocarbons as diesel by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8021B
- Methyl t-butyl ether by EPA Method 8260B (confirmation samples)

ADDITIONAL ACTIVITIES PERFORMED AT SITE

No additional activities were performed at the site.

WORK PROPOSED FOR NEXT QUARTER

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

Attachments:

Figure 1: Site Plan Showing Groundwater Elevations and Analytical Results

Table 1: Well Construction Details

Table 2: Groundwater Monitoring Data

Table 3: Groundwater Monitoring Plan

Appendix A: Field Protocols

Appendix B: Field Documents

Appendix C: Laboratory Analytical Reports



Groundwater
Flow Direction
Gradient = 0.003


Benzene	<0.5
Toluene	1.6
Ethylbenzene	<0.5
Xylenes	1.3
TPH-g	282
TPH-d	<50
MTBE(8021)	560
MTBE(8260)	428

Benzene	<0.5
Toluene	1.6
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
TPH-d	<50
MTBE(8021)	<0.5
MTBE(8260)	NA

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	967
TPH-d	<50
MTBE(8021)	1,240
MTBE(8260)	1,010

LEGEND

- GROUNDWATER MONITORING WELL LOCATION
 - SOIL BORING / GROUNDWATER SAMPLING LOCATION
 - DESTROYED GROUNDWATER MONITORING WELL
 - (340.71) GROUNDWATER ELEVATION (FEET)
 - TPH-g TOTAL PETROLEUM HYDROCARBONS AS GASOLINE
 - TPH-d TOTAL PETROLEUM HYDROCARBONS AS DIESEL
 - MTBE METHYL T-BUTYL ETHER
 - NA NOT ANALYZED
- CONCENTRATIONS IN MICROGRAMS PER LITER (ug/L).



FILENAME: 302003.DWG 09/03/03



**SITE PLAN SHOWING GROUNDWATER ELEVATIONS
AND ANALYTICAL RESULTS**
FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BLVD., DUBLIN, CA.
5 AUGUST 2003

FIGURE:
1

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material	
MW1	a	04/14/92	96.32	PVC	26.5	24.75	10.25	4	11-24	0.010	10-25	--
MW2	a	05/13/92	95.91	PVC	26	25	10.25	4	10-25	0.010	9.5-26	--
MW3	a	05/14/92	97.95	PVC	28	27.75	10.25	4	12.5-27.5	0.010	11-28	--
MW4	a	05/14/92	96.69	PVC	26.5	25	10.25	4	12-25	0.010	11-26	--
MW5	b	11/15/00	352.95	PVC	25	25	8.25	2	10-25	0.020	7-25	#3 sand
MW6	b	11/14/00	352.69	PVC	27	25	8.25	2	10-25	0.020	8-27	#3 sand
MW7	b	11/14/00	351.87	PVC	26	25	8.25	2	10-25	0.020	7-25	#3 sand

a Well was destroyed April 1996.
 b Elevation is based on the Alameda Benchmark AM-STW. Elevation = 344.17 feet.
 PVC Polyvinyl chloride.
 TOC Top of casing.
 -- Information not available.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH-g (µg/L)	TPH-d (µg/L)	MTBE (µg/L)	Other
													Oxygenates and Additives (µg/L)
MW1	05/21/92	96.32	14.45	81.87	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW1	02/10/93	96.32	12.22	84.10	0.00	3.1	<0.5	1.8	0.6	2,600			NA
MW1	05/20/93	96.32	10.74	85.58	0.00	1.9	<0.5	1.8	<1.0	1,000			NA
MW1	06/23/93	96.32	11.74	84.58	0.00	1.0	<0.5	1.2	<0.5	1,300			NA
MW1	08/23/93	96.32	12.72	83.60	0.00	<0.5	<0.5	<0.5	0.8	80			NA
MW1	10/25/93	96.32	13.99	82.33	0.00	<0.5	<0.5	0.8	1.3	140			NA
MW1	02/16/94	96.32	14.90	81.42	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW1	04/16/94	96.32	14.49	81.83	0.00	<0.5 ^b	<0.5	<0.5	<0.5	190			NA
MW1	07/26/94	96.32	15.11	81.21	0.00	<0.5 ^b	<0.5	<0.5	<0.5	130			NA
MW1	10/05/94	96.32	15.69	80.63	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW1	01/04/95	96.32	14.66	81.66	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW1	06/12/95	96.32	10.08	86.24	0.00	<0.5	<0.5	<0.5	<0.5	<50			230
MW1			Well destroyed April 1996.										
MW2	05/21/92	95.91	14.30	81.61	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW2	02/10/93	95.91	12.34	83.57	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW2	05/20/93	95.91	10.73	85.18	0.00	<0.5	<0.5	<0.5	<1.0	320			NA
MW2	06/23/93	95.91	11.74	84.17	0.00	<0.5	<0.5	<0.5	<0.5	130			NA
MW2	08/23/93	95.91	12.60	83.31	0.00	<0.5	<0.5	<0.5	1.1	140			NA
MW2	10/25/93	95.91	13.86	82.05	0.00	<0.5	<0.5	0.5	2.4	75			NA
MW2	02/16/94	95.91	14.73	81.18	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW2	04/16/94	95.91	14.33	81.58	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW2	07/26/94	95.91	14.96	80.95	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW2	10/05/94	95.91	15.49	80.42	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW2	01/04/95	95.91	14.44	81.47	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW2	06/12/95	95.91	10.10	85.81	0.00	<0.5	<0.5	<0.5	<0.5	<50			59

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH-g (µg/L)	TPH-d (µg/L)	MTBE (µg/L)	Other
													Oxygenates and Additives (µg/L)
MW2	Well destroyed April 1996.												
MW3	05/21/92	97.95	16.05	81.90	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW3	02/10/93	97.95	13.77	84.18	0.00	<0.5	<0.5	<0.5	0.7	<50			NA
MW3	05/20/93	97.95	12.32	85.63	0.00	<0.5	<0.5	<0.5	<1.0	<50			NA
MW3	06/23/93	97.95	13.34	84.61	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW3	08/23/93	97.95	14.30	83.65	0.00	2.3	1.2	1.4	4.1	<50			NA
MW3	10/25/93	97.95	15.62	82.33	0.00	NS	NS	NS	NS	NS			NS
MW3	02/16/94	97.95	16.48	81.47	0.00	NS	NS	NS	NS	NS			NS
MW3	04/16/94	97.95	16.61	81.34	0.00	NS	NS	NS	NS	NS			NS
MW3	07/26/94	97.95	16.72	81.23	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW3	10/05/94	97.95	17.33	80.62	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW3	01/04/95	97.95	16.29	81.66	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW3	06/12/95	97.95	11.67	86.28	0.00	<0.5	<0.5	<0.5	<0.5	<50			<2.5
MW3	Well destroyed April 1996.												
MW4	05/21/92	96.69	14.59	82.10	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW4	02/10/93	96.69	12.30	84.39	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW4	05/20/93	96.69	10.75	85.94	0.00	1.4	1.0	<0.5	1.8	<50			NA
MW4	06/23/93	96.69	11.78	84.91	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW4	08/23/93	96.69	12.82	83.87	0.00	<0.5	<0.5	<0.5	0.8	<50			NA
MW4	10/25/93	96.69	14.10	82.59	0.00	NS	NS	NS	NS	NS			NS
MW4	02/16/94	96.69	15.02	81.67	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW4	04/16/94	96.69	14.61	82.08	0.00	NS	NS	NS	NS	NS			NS
MW4	07/26/94	96.69	15.23	81.46	0.00	<0.5	<0.5	<0.5	<0.5	<50			NA
MW4	10/05/94	96.69	15.85	80.84	0.00	<0.5	12	<0.5	<0.5	<50			NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH-g (µg/L)	TPH-d (µg/L)	MTBE (µg/L)	Other	
													Oxygenates and Additives (µg/L)	
MW4	01/04/95	96.69	14.84	81.85	0.00	<0.5	<0.5	<0.5	<0.5	<50		NA		
MW4	06/12/95	96.69	10.07	86.62	0.00	<0.5	<0.5	<0.5	<0.5	<50		<2.5		
MW4		Well destroyed April 1996.												
MW5	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION												
MW5	11/17/00	352.93	13.51	339.42	0.00	<0.5	<0.5	<0.5	2.46	240		1,500		
MW5	11/17/00	352.93										1,600 ^a		
MW5	02/02/01	352.93	13.81	339.12	0.00	<0.5	<0.5	<0.5	<0.5	110		1,400		
MW5	02/02/01	352.93										1,200 ^a		
MW5	05/09/01	352.93	12.20	340.73	0.00	<0.5	<0.5	<0.5	<0.5	<50		770 ^a	ND ^c	
MW5	09/12/01	352.93	13.84	339.09	0.00	<0.5	<0.5	<0.5	<0.5	100		760	NA	
MW5	09/12/01	352.93										800 ^a		
MW5	11/05/01	352.95	14.14	338.81	0.00	<0.5	<0.5	<0.5	0.61	70	86	510	NA	
MW5	11/05/01	352.95										420 ^a		
MW5	02/04/02	352.95	11.85	341.10	0.00	<0.5	<0.5	<0.5	<0.5	381	d	<50	630	NA
MW5	02/04/02	352.95										525 ^a		
MW5	04/26/02	352.95	11.75	341.20	0.00	<0.5	<0.5	<0.5	<0.5	322	d	<50	378	NA
MW5	04/26/02	352.95										312 ^a		
MW5	07/30/02	352.95	12.87	340.08	0.00	<0.5	<0.5	<0.5	<0.5	97.8	d	<50	126	NA
MW5	07/30/02	352.95										132 ^a		
MW5	11/05/02	352.95	14.13	338.82	0.00	<0.5	<0.5	<0.5	<0.5	74.2	d	<50	80.0	NA
MW5	11/05/02	352.95										96.4 ^a		
MW5	01/24/03	352.95	11.23	341.72	0.00	<0.5	<0.5	<0.5	<0.5	542	d	70	678	NA
MW5	01/24/03	352.95										509 ^a		
MW5	04/24/03	352.95	10.79	342.16	0.00	<0.5	<0.5	<0.5	<0.5	384	d	<50	522	NA
MW5	04/24/03	352.95										498 ^a		

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH-g (µg/L)	TPH-d (µg/L)	MTBE (µg/L)	Other Oxygenates and Additives (µg/L)	
MW5	08/05/03	352.95	12.24	340.71	0.00	<0.5	1.6	<0.5	1.3	282	d	<50	560	NA
MW5	08/05/03	352.95											428 ^a	
MW6	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION												
MW6	11/17/00	352.66	13.47	339.19	0.00	<0.5	<0.5	<0.5	<0.5	<50			270	
MW6	11/17/00	352.66											260 ^a	
MW6	02/02/01	352.66	13.79	338.87	0.00	<0.5	<0.5	<0.5	<0.5	<50			160	
MW6	02/02/01	352.66											130 ^a	
MW6	05/09/01	352.66	12.25	340.41	0.00	<0.5	<0.5	<0.5	<0.5	<50			760 ^a	ND ^c
MW6	09/12/01	352.66	13.83	338.83	0.00	<0.5	<0.5	<0.5	<0.5	<50			680	NA
MW6	09/12/01	352.66											740 ^a	
MW6	11/05/01	352.69	14.11	338.58	0.00	<0.5	<0.5	<0.5	<0.5	<50	<50		390	NA
MW6	11/05/01	352.69											320 ^a	
MW6	02/27/02	352.69	11.77	340.92	0.00	<5.0	<5.0	8.00	<5.0	1,380	d	NA	1,310	ND ^c
MW6	02/27/02	352.69											1,410 ⁿ	
MW6	04/26/02	352.69	11.75	340.94	0.00	<0.5	<0.5	<0.5	<0.5	422	d	<50	482	NA
MW6	04/26/02	352.69											430 ^a	
MW6	07/30/02	352.69	12.88	339.81	0.00	<2.5	<2.5	<2.5	<2.5	144	d	<50	166	NA
MW6	07/30/02	352.69											185 ^a	
MW6	11/05/02	352.69	14.12	338.57	0.00	<0.5	<0.5	<0.5	<0.5	99.7	d	<50	114	NA
MW6	11/05/02	352.69											118 ^a	
MW6	01/24/03	352.69	11.32	341.37	0.00	<0.5	<0.5	<0.5	<0.5	342	d	84	388	NA
MW6	01/24/03	352.69											293 ^a	
MW6	04/24/03	352.69	10.84	341.85	0.00	<0.5	<0.5	<0.5	<0.5	370	d	<50	509	NA
MW6	04/24/03	352.69											491 ^a	
MW6	08/05/03	352.69	12.25	340.44	0.00	<0.5	<0.5	<0.5	<0.5	967	d	<50	1,240	NA

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH-g (µg/L)	TPH-d (µg/L)	MTBE (µg/L)	Other Oxygenates and Additives (µg/L)
MW6	08/05/03	352.69										1,010^a	
MW7	06/15/00	STATION OPERATIONS TRANSFERRED TO VALERO ENERGY CORPORATION											
MW7	11/17/00	351.86	12.44	339.42	0.00	<0.5	<0.5	<0.5	<0.5	<50		<0.5	
MW7	02/02/01	351.86	12.74	339.12	0.00	<0.5	<0.5	<0.5	<0.5	<50		<0.5	
MW7	05/09/01	351.86	11.15	340.71	0.00	<0.5	<0.5	<0.5	<0.5	<50		<5 ^a	ND ^c
MW7	09/12/01	351.86	12.74	339.12	0.00	<0.5	<0.5	<0.5	<0.5	<50		<0.5	NA
MW7	11/05/01	351.87	13.07	338.80	0.00	<0.5	<0.5	<0.5	<0.5	<50	50	<0.5	NA
MW7	02/04/02	351.87	10.79	341.08	0.00	<0.5	<0.5	<0.5	<0.5	<50	d	<50	5.80
MW7	02/04/02	351.87										1.4 ^a	
MW7	04/26/02	351.87	10.65	341.22	0.00	<0.5	<0.5	<0.5	<0.5	<50	d	<50	1.6
MW7	07/30/02	351.87	11.77	340.10	0.00	<0.5	<0.5	<0.5	<0.5	<50	d	<50	<0.5
MW7	11/05/02	351.87	13.04	338.83	0.00	<0.5	<0.5	<0.5	<0.5	<50	d	<50	<0.5
MW7	01/24/03	351.87	10.19	341.68	0.00	<0.5	<0.5	<0.5	<0.5	<50	d	106	<0.5
MW7	04/24/03	351.87	9.76	342.11	0.00	<0.5	<0.5	<0.5	<0.5	<50	d	<50	<0.5
MW7	08/05/03	351.87	11.18	340.69	0.00	<0.5	1.6	<0.5	<0.5	<50	d	<50	<0.5

a Analysis by EPA Method 8260.

b A peak eluting earlier than benzene, suspected to be MTBE.

c Other oxygenates and additives include diisopropyl ether, t-butyl alcohol, tert-amyl methyl ether, tert-butyl ethyl ether, 1,2-dibromoethane, and 1,2-dichloroethane.

d TPH-g results beginning February 2002 include MTBE.

LPH Liquid-phase hydrocarbons.

TPH-g Total Petroleum Hydrocarbons as gasoline.

TPH-d Total Petroleum Hydrocarbons as diesel.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Date	Casing Elevation (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	LPH Thickness (feet)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	TPH-g (µg/L)	TPH-d (µg/L)	MTBE (µg/L)	Other Oxygenates and Additives (µg/L)
-------------	------	-------------------------	-----------------------	------------------------------	----------------------	----------------	----------------	----------------------	----------------------	--------------	--------------	-------------	---------------------------------------

MTBE Methyl tertiary butyl ether.

NA Not analyzed.

ND Not detected.

NS Not sampled.

µg/L Micrograms per liter.

TABLE 3 GROUNDWATER MONITORING PLAN,
 FORMER EXXON RS 7-0210, 7840 AMADOR VALLEY BOULEVARD, DUBLIN, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency		
		BTEX and TPH-g	TPH-d	MTBE
MW5	Q	Q	Q	Q
MW6	Q	Q	Q	Q
MW7	Q	Q	Q	Q

Q = Quarterly.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

TPH-d = Total Petroleum Hydrocarbons as diesel.

MTBE = Methyl tertiary butyl ether.

Appendix A
Field Protocols

PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING

GROUNDWATER GAUGING

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the water is bailed from the well and, if the well does not recover, the well is considered "functionally dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not purged or sampled.

WELL PURGING

After the wells are gauged, each well is purged of approximately 3 well casing volumes of water to provide representative groundwater samples for analysis. Field parameters of pH, temperature, and electrical conductance are measured during purging to ensure that these parameters have stabilized before groundwater in a well is sampled. Groundwater in each well is purged using an inertial pump (WaTerra), an electric submersible pump, or a bailer. After the well is purged, the water level is checked to ensure that the well has recharged to at least 80 percent of its original water level.

GROUNDWATER SAMPLING

After purging, groundwater in each well is sampled using dedicated tubing and an inertial pump (WaTerra) or a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

Appendix B
Field Documents

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-0210 Well No: MWS Date: 8-5-03
 Project No: UP0210.1 Personnel: WT/PP

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	23.94	12.24	11.70	X 1	1.87	5.61
				0.04 0.16 0.64 1.44		

PURGING DATA

Purge Method: Waterra Pump

Time	6:34	6:36	6:38			
Volume Purge (gal)	1.2 2	4	6			
Temperature (C)	19.4	20.5	20.8			
pH	6.99	6.86	6.78			
Spec. Cond. (umhos)	1178	1289	1340			
Turbidity/Color	SILTY / BRN	SILTY / BRN	SILTY / BRN			
Odor (Y/N)	N	N	N			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 6:40

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>MWS</u>	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE
<u>MWS</u>	2	Amber	None	1 L		TPH-d

Total Purge Volume: 6 (gallons)

Disposal: ROMIC

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Purging and Sampling: NONE

Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: *Exxon 7-0210* Well No: *MW6* Date: *8.5.03*
 Project No: *UP0210.1* Personnel: *WP/PP*

GAUGING DATA

Water Level Measuring Method: *WLM* Measuring Point Description: *TOC*

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		<i>24.47</i>	<i>12.25</i>	<i>12.22</i>	<i>X</i> <i>1</i>	<i>2</i>	<i>4</i>	<i>6</i>	<i>1.95</i>
				0.04	0.16	0.64	1.44		

PURGING DATA

Purge Method: *Watera Pump*

Time	6:48	6:49	6:50			
Volume Purge (gal)	<i>2</i>	<i>4</i>	<i>6</i>			
Temperature (C)	<i>20.5</i>	<i>20.5</i>	<i>20.5</i>			
pH	<i>6.81</i>	<i>6.81</i>	<i>6.81</i>			
Spec. Cond. (umhos)	<i>1421</i>	<i>1366</i>	<i>1365</i>			
Turbidity/Color	<i><104 / BRN</i>	<i><104 / BRN</i>	<i><104 / BRN</i>			
Odor (Y/N)	<i>N</i>	<i>N</i>	<i>N</i>			
Dewatered (Y/N)	<i>N</i>	<i>N</i>	<i>N</i>			

Comments/Observations:

SAMPLING DATA

Time Sampled: *6:55* Approximate Depth to Water During Sampling: _____ (feet)
 Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<i>MW6</i>	<i>6</i>	<i>Voa</i>	<i>HCL</i>	<i>40 ml</i>		<i>TPH-g, BTEX, MTBE</i>
<i>MW6</i>	<i>2</i>	<i>NMBCR</i>	<i>NONE</i>	<i>1L</i>		<i>TPH-D</i>

Total Purge Volume: *6* (gallons) Disposal: *ROMIC*
 Weather Conditions: *OK*
 Condition of Well Box and Casing at Time of Sampling: *OK*
 Well Head Conditions Requiring Correction: *NONE*
 Problems Encountered During Purging and Sampling: *NONE*
 Comments:

GROUNDWATER PURGE AND SAMPLE

Project Name: Exxon 7-0210 Well No: MW7 Date: 8.5.03
 Project No: UP0210.1 Personnel: WT/PP

GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter	Casing Volume (gal)	Total Purge Volume (gal)
	23.26	- 11.18	= 12.08	X 1 2 4 6	1.93	= 5.79
				0.04 0.16 0.64 1.44		

PURGING DATA

Purge Method: Waterra Pump

Time	7:04	7:06	7:08			
Volume Purge (gal)	2	4	6			
Temperature (C)	20.0	20.5	20.4			
pH	6.94	6.76	6.71			
Spec. Cond. (umhos)	1368	1369	1363			
Turbidity/Color	SILTY / 32N	SILTY / 32N	SILTY / 32N			
Odor (Y/N)	N	N	N			
Dewatered (Y/N)	N	N	N			

Comments/Observations:

SAMPLING DATA

Time Sampled: 7:10

Approximate Depth to Water During Sampling: (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW7	6	Voa	HCL	40 ml		TPH-g, BTEX, MTBE
MW7	2	AMBER	NONE	1L		TPH-D

Total Purge Volume: 6 (gallons)

Disposal: ROMIC

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: NONE

Problems Encountered During Purging and Sampling: NONE

Comments:

Appendix C

Laboratory Analytical Reports

9/10/03

CASE NARRATIVE


ETIC 3865
JACOB HENRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project identified below:

Project Name: EXXONMOBIL 7-0210
Project Number: .
Laboratory Project Number: 342137.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. Any QC recoveries outside laboratory control limits are flagged individually with an #. Sample specific comments and quality control statements are included in the Laboratory notes section of the analytical report for each sample report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

Sample Identification	Lab Number	Page 1 Collection Date
MW5	03-A122488	8/ 5/03
MW6	03-A122489	8/ 5/03
MW7	03-A122490	8/ 5/03



Sample Identification Lab Number Collection Date

These results relate only to the items tested.
This report shall not be reproduced except in full and with
permission of the laboratory.

Report Approved By: *Ashley Morris* Report Date: 8/12/03

Ashley Morris, Lab Director Gail A. Lage, Technical Serv.
Michael H. Dunn, M.S., QA/QC Director Glenn L. Norton, Technical Serv.
Johnny A. Mitchell, Operations Manager Organics Kelly S. Comstock, Technical Serv.
Eric S. Smith, Assistant Technical Director Pamela A. Langford, Technical Serv.
Roxanne L. Connor, Technical Services

Laboratory Certification Number: 01168CA

This material is intended only for the use of the individual(s) or entity to whom it is addressed,
and may contain information that is privileged and confidential. If you are not the intended recipient,
or the employee or agent responsible for delivering this material to the intended recipient, you are
hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited.
If you have received this material in error, please notify us immediately at 615-726-0177.

ANALYTICAL REPORT

ETIC 3865
JACOB HENRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A122488
Sample ID: MW5
Sample Type: Water
Site ID: 7-0210

Project:
Project Name: EXXONMOBIL 7-0210
Sampler: WYNN PACULBA

Date Collected: 8/ 5/03
Time Collected: 6:40
Date Received: 8/ 7/03
Time Received: 8:15
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	8/ 9/03	5:07	D.Ramey	8021B	5442
Ethylbenzene	ND	ug/L	0.5	1.0	8/ 9/03	5:07	D.Ramey	8021B	5442
Toluene	1.6	ug/L	0.5	1.0	8/ 9/03	5:07	D.Ramey	8021B	5442
Xylenes (Total)	1.3	ug/L	0.5	1.0	8/ 9/03	5:07	D.Ramey	8021B	5442
Methyl-t-butylether	560.	ug/L	2.0	4.0	8/ 9/03	15:13	D.Ramey	8021B	7065
TPH (Gasoline Range)	282.	ug/L	50.0	1.0	8/ 9/03	5:07	D.Ramey	8015B	5442
TPH (Diesel Range)	ND	ug/L	50.	1.0	8/12/03	0:59	M.Jarrett	8015B/3510	7164

VOLATILE ORGANICS

Methyl-t-butyl ether	428.	ug/L	5.00	10.0	8/12/03	14:45	B. Messay	8260B	9707
----------------------	------	------	------	------	---------	-------	-----------	-------	------

Silica Gel Cleanup performed for TPH-DRO analysis.

Sample Extraction Data

Parameter	Wt/Vol		Date	Time	Analyst	Method
	Extracted	Extract Vol				
EPH	1000 ml	1.00 ml	8/ 9/03		M. Ricke	3510

Surrogate	% Recovery	Target Range
-----	-----	-----

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 03-A122488
Sample ID: MW5
Project:
Page 2

Surrogate	% Recovery	Target Range
TPH Hi Surr., o-Terphenyl	89.	61. - 134.
BTEX/GRO Surr., a,a,a-TFT	98.	69. - 129.
VOA Surr 1,2-DCA-d4	88.	70. - 133.
VOA Surr Toluene-d8	110.	76. - 123.
VOA Surr, 4-BFB	112.	71. - 132.
VOA Surr, DBFM	93.	74. - 128.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
JACOB HENRY
2285 MORELLO AVENUE
PLEASANT HILL, CA 94523

Lab Number: 03-A122489
Sample ID: MW6
Sample Type: Water
Site ID: 7-0210

Project:
Project Name: EXXONMOBIL 7-0210
Sampler: WYNN PACULBA

Date Collected: 8/ 5/03
Time Collected: 6:55
Date Received: 8/ 7/03
Time Received: 8:15
Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis		Analyst	Method	Batch
					Date	Time			
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	8/ 9/03	5:37	D. Ramey	8021B	5442
Ethylbenzene	ND	ug/L	0.5	1.0	8/ 9/03	5:37	D. Ramey	8021B	5442
Toluene	ND	ug/L	0.5	1.0	8/ 9/03	5:37	D. Ramey	8021B	5442
Xylenes (Total)	ND	ug/L	0.5	1.0	8/ 9/03	5:37	D. Ramey	8021B	5442
Methyl-t-butylether	1240	ug/L	5.0	10.0	8/ 9/03	14:00	D. Ramey	8021B	7065
TPH (Gasoline Range)	967.	ug/L	50.0	1.0	8/ 9/03	5:37	D. Ramey	8015B	5442
TPH (Diesel Range)	ND	ug/L	50.	1.0	8/12/03	1:18	M. Jarrett	8015B/3510	7164
VOLATILE ORGANICS									
Methyl-t-butyl ether	1010	ug/L	5.00	10.0	8/12/03	15:14	B. Messay	8260B	9707

Silica Gel Cleanup performed for TPH-DRO analysis.

Sample Extraction Data

Parameter	WT/Vol		Date	Time	Analyst	Method
	Extracted	Extract Vol				
EPH	1000 ml	1.00 ml	8/ 9/03		M. Ricke	3510

Surrogate	% Recovery	Target Range
-----	-----	-----

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 03-A122489
Sample ID: MW6
Project:
Page 2

Surrogate	% Recovery	Target Range
TPH Hi Surr., o-Terphenyl	89.	61. - 134.
BTEX/GRO Surr., a,a,a-TFT	101.	69. - 129.
VOA Surr 1,2-DCA-d4	88.	70. - 133.
VOA Surr Toluene-d8	113.	76. - 123.
vOA Surr, 4-BFB	111.	71. - 132.
VOA Surr, DBFM	91.	74. - 128.

LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

= Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

ANALYTICAL REPORT

ETIC 3865
 JACOB HENRY
 2285 MORELLO AVENUE
 PLEASANT HILL, CA 94523

Lab Number: 03-A122490
 Sample ID: MW7
 Sample Type: Water
 Site ID: 7-0210

Project:
 Project Name: EXXONMOBIL 7-0210
 Sampler: WYNN PACULBA

Date Collected: 8/ 5/03
 Time Collected: 7:10
 Date Received: 8/ 7/03
 Time Received: 8:15
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis		Analyst	Method	Batch
					Date	Time			
ORGANIC PARAMETERS									
Benzene	ND	ug/L	0.50	1.0	8/ 9/03	6:08	D.Ramey	8021B	5442
Ethylbenzene	ND	ug/L	0.5	1.0	8/ 9/03	6:08	D.Ramey	8021B	5442
Toluene	1.6	ug/L	0.5	1.0	8/ 9/03	6:08	D.Ramey	8021B	5442
Xylenes (Total)	ND	ug/L	0.5	1.0	8/ 9/03	6:08	D.Ramey	8021B	5442
Methyl-t-butylether	ND	ug/L	0.5	1.0	8/ 9/03	6:08	D.Ramey	8021B	5442
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	8/ 9/03	6:08	D.Ramey	8015B	5442
TPH (Diesel Range)	ND	ug/L	50.	1.0	8/12/03	1:36	M.Jarrett	8015B/3510	7164

Silica Gel Cleanup performed for TPH-DRO analysis.

Sample Extraction Data

Parameter	Wt/Vol		Date	Time	Analyst	Method
	Extracted	Extract Vol				
EPH	1000 ml	1.00 ml	8/ 9/03		M. Ricke	3510

Surrogate	% Recovery	Target Range
TPH Hi Surr., o-Terphenyl	85.	61. - 134.
BTEX/GRO Surr., a,a,a-TFT	101.	69. - 129.

Sample report continued . . .

ANALYTICAL REPORT

Laboratory Number: 03-A122490
Sample ID: MW7
Project:
Page 2

LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

PROJECT QUALITY CONTROL DATA

Project Number:
 Project Name: **EXXONMOBIL 7-0210**
 Page: 1
 Laboratory Receipt Date: **8/ 8/03**

Matrix Spike Recovery

Note: If Blank is referenced as the sample spiked, insufficient volume was received for the defined analytical batch for MS/MSD analysis on an true sample matrix. Laboratory reagent water was used for QC purposes.

Analyte	units	Orig. Val.	MS Val	Spike Conc	Recovery	Target Range	Q.C. Batch	Spike Sample
UST ANALYSIS								
Benzene	mg/l	< 0.0005	0.0541	0.0500	108	60. - 143.	5442	03-A122489
Toluene	mg/l	< 0.0005	0.0519	0.0500	104	62. - 139.	5442	03-A122489
Ethylbenzene	mg/l	< 0.0005	0.0531	0.0500	106	61. - 138.	5442	03-A122489
Xylenes (Total)	mg/l	< 0.0005	0.0914	0.100	91	59. - 137.	5442	03-A122489
TPH (Gasoline Range)	mg/l	< 0.0500	1.11	1.00	111	56. - 134.	5442	blank
TPH (Diesel Range)	mg/l	< 0.050	0.957	1.00	96	35. - 130.	7164	BLANK
BTEX/GRO Surr., a,a,a-TFT	% Recovery				95	69 - 129	5442	

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch
UST PARAMETERS						
Benzene	mg/l	0.0541	0.0546	0.92	23.	5442
Toluene	mg/l	0.0519	0.0524	0.96	24.	5442
Ethylbenzene	mg/l	0.0531	0.0537	1.12	24.	5442
Xylenes (Total)	mg/l	0.0914	0.0970	5.94	25.	5442
TPH (Gasoline Range)	mg/l	1.11	0.979	12.54	24.	5442
TPH (Diesel Range)	mg/l	0.957	0.747	24.65	41.	7164
BTEX/GRO Surr., a,a,a-TFT	% Recovery		92.			5442

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:
Project Name: **EXXONMOBIL 7-0210**
Page: 2
Laboratory Receipt Date: **8/ 8/03**

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
UST PARAMETERS						
Benzene	mg/l	0.100	0.0986	99	74 - 120	5442
Toluene	mg/l	0.100	0.0974	97	73 - 118	5442
Ethylbenzene	mg/l	0.100	0.100	100	72 - 118	5442
Xylenes (Total)	mg/l	0.200	0.201	100	72 - 116	5442
Methyl-t-butylether	mg/l	0.100	0.0823	82	64 - 124	5442
Methyl-t-butylether	mg/l	0.100	0.0831	83	64 - 124	7065
TPH (Gasoline Range)	mg/l	1.00	1.11	111	72 - 125	5442
BTEX/GRO Surr., a,a,a-TFT	% Recovery			95	69 - 129	5442
BTEX/GRO Surr., a,a,a-TFT	% Recovery			93	69 - 129	7065
UST PARAMETERS						
TPH (Diesel Range)	mg/l	1.00	0.932	93	35 - 130	7164
VOA PARAMETERS						
Methyl-t-butyl ether	mg/l	0.0500	0.0475	95	64 - 140	9707
VOA Surr 1,2-DCA-d4	% Rec			89	70 - 133	9707
VOA Surr Toluene-d8	% Rec			111	76 - 123	9707
VOA Surr, 4-BFB	% Rec			110	71 - 132	9707
VOA Surr, DBFM	% Rec			96	74 - 128	9707

Duplicates

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch	Sample Dup'd
---------	-------	------------	-----------	-----	-------	------------	--------------

Project QC continued . . .

PROJECT QUALITY CONTROL DATA

Project Number:
 Project Name: **EXXONMOBIL 7-0210**
 Page: 3
 Laboratory Receipt Date: **8/ 8/03**

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
UST PARAMETERS					
Benzene	< 0.00050	mg/l	5442	8/ 8/03	17:53
Toluene	< 0.0005	mg/l	5442	8/ 8/03	17:53
Ethylbenzene	< 0.0005	mg/l	5442	8/ 8/03	17:53
Xylenes (Total)	< 0.0005	mg/l	5442	8/ 8/03	17:53
Methyl-t-butylether	< 0.0005	mg/l	5442	8/ 8/03	17:53
Methyl-t-butylether	< 0.0005	mg/l	7065	8/ 9/03	9:41
TPH (Gasoline Range)	< 0.0500	mg/l	5442	8/ 8/03	17:53
TPH (Diesel Range)	< 0.050	mg/l	7164	8/11/03	23:43
BTEX/GRO Surr., a,a,a-TFT	101.	% Recovery	5442	8/ 8/03	17:53
BTEX/GRO Surr., a,a,a-TFT	103.	% Recovery	7065	8/ 9/03	9:41
VOA PARAMETERS					
Methyl-t-butyl ether	< 0.00014	mg/l	9707	8/12/03	8:31
VOA Surr 1,2-DCA-d4	92.	% Rec	9707	8/12/03	8:31
VOA Surr Toluene-d8	109.	% Rec	9707	8/12/03	8:31
VOA Surr, 4-BFB	112.	% Rec	9707	8/12/03	8:31
VOA Surr, DBFM	95.	% Rec	9707	8/12/03	8:31

= Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 342137

PROJECT QUALITY CONTROL DATA

Project Number:

Project Name: **EXXONMOBIL 7-0210**

Page: 4

Laboratory Receipt Date: **8/ 8/03**

The previous group of samples has a request for additional testing based upon these results. See the chain of custody.

Do not destroy this sheet until login has requested the appropriate tests.



Nashville Division
2960 Foster Creighton
Nashville, TN 37204

CHAIN OF CUSTODY RECORD
Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

342137

ExxonMobil

Consultant Name: ETIC ENGINEERING

Report To: JACOB HENRY

Address: 2285 MORELLO AVENUE

Invoice To: GENE ORTEGA (EXXONMOBIL TM)

City/State/Zip: PLEASANT HILL, CA. 94523

Account #: 3865

ExxonMobil Project Mgr: TED MOISE

PO #: 4503010627

Telephone Number: (925) 602-4710 EXT. 23

Fax No.: (925) 602-4720

Facility ID # 70216

Sampler Name: (Print) W. F. PROCTOR

Site Address 7840 AMADOR VALLEY BLVD.

Sampler Signature:

City, State Zip DUBLIN, CA

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative										Matrix				Analyze For:										RUSH TAT (Pre-Schedule)	TAT request (in Bus. Days)	STD TAT	Fax Results				
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify)	TPH-GIBTEX BY 8015/8020	MTBE BY 8021B	CONFIRM MTBE HITS BY 8260B	TPH-D BY 8015														
MW5	8/5	6:40	8				X	X										X							X	X	X	X	1	2	2	4	8	8			X	X
MW6	8/5	6:55	8				X	X										X							X	X	X	X	1	2	2	4	8	9			X	X
MW7	8/5	7:10	8				X	X										X							X	X	X	X	1	2	2	4	9	0			X	X
Special Instructions: GLOBAL ID# T0600100553 EDF FILE REQUIRED							Laboratory Comments: Temperature Upon Receipt: Sample Containers Intact? Y N VOCs Free of Headspace? Y N																															
CONFIRM ALL MTBE HITS BY 8260B																																						
Relinquished by:		Date: 8/5/03	Time: 16:30	Received by:			Date:	Time:																														
Relinquished by:		Date:	Time:	Received by:			Date: 8/7/03	Time: 8:15																														

Nashville Division


COOLER RECEIPT FORM

BC#



Client: ETIC ENG. (3865)

Cooler Received On: 8/7/03 And Opened On: 8/7/03 By: Ben Wright


(Signature)

1. Temperature of Cooler when opened 2.6 Degrees Celsius
2. Were custody seals on outside of cooler?.....YES...NO...NA
 - a. If yes, how many, what kind and where: _____
3. Were custody seals on containers and intact?.....NO...YES...NA
4. Were the seals intact, signed, and dated correctly?.....YES...NO...NA
5. Were custody papers inside cooler?.....YES...NO...NA
6. Were custody papers properly filled out (ink, signed, etc)?.....YES...NO...NA
7. Did you sign the custody papers in the appropriate place?.....YES...NO...NA
8. What kind of packing material used? Bubblewrap Peanuts Vermiculite Other None
9. Was sufficient ice used (if appropriate)?.....YES...NO...NA
10. Did all bottles arrive in good condition (unbroken)?.....YES...NO...NA
11. Were all bottle labels complete (#, date, signed, pres, etc)?.....YES...NO...NA
12. Did all bottle labels and tags agree with custody papers?.....YES...NO...NA
13. Were correct bottles used for the analysis requested?.....YES...NO...NA
14. a. Were VOA vials received?.....YES...NO...NA
 - b. Was there any observable head space present in any VOA vial?.....NO...YES...NA
15. Was sufficient amount of sample sent in each bottle?.....YES...NO...NA
16. Were correct preservatives used?.....YES...NO...NA

If not, record standard ID of preservative used here _____
17. Was residual chlorine present?.....NO...YES...NA
(EW)
18. See attached for resolution of non-conformance:

<input checked="" type="radio"/> Fed-Ex	<input type="radio"/> UPS	<input type="radio"/> Velocity	<input type="radio"/> Airborne	<input type="radio"/> Route	<input type="radio"/> Off-street	<input type="radio"/> Misc.
---	---------------------------	--------------------------------	--------------------------------	-----------------------------	----------------------------------	-----------------------------