



GETTLER - RYAN INC.



RECEIVED

November 14, 2008

2:10 pm, Nov 14, 2008

Alameda County
Environmental Health

Mr. Jerry Wickham
Alameda County Environmental Health Department
1131 Harbor Bay Parkway, Ste. 250
Alameda, California 94502

Subject: **3rd Quarter 2008 Groundwater Monitoring and Sampling Report**
 Can-Am Plumbing, 151 Wyoming Street, Pleasanton, California
 Alameda County Site #R00002425

Mr. Wickham,

On behalf of Can-Am Plumbing Inc., Gettler-Ryan Inc. (GR) has prepared this third quarter 2008 groundwater monitoring and sampling report for the above-referenced property. This report describes the field and analytical methods, provides a summary of groundwater monitoring results, and presents conclusions and recommendations regarding groundwater conditions at the site.

Site Location and Description

The subject site is located at 151 Wyoming Street in Pleasanton, California (Figure 1). Topography in the vicinity of the subject site is relatively flat at an elevation of approximately 361 feet above mean sea level. The closest surface water is Arroyo Del Valle, which is approximately 640 feet south of the site. Regional groundwater flow direction is to the north. Below ground facilities consisted of two 1,000-gallon gasoline underground storage tanks (USTs). The USTs were reportedly installed in 1972 and in use until June 1999 when they were removed. Pertinent site features and the location of the former USTs are shown on Figure 2.

For site background and a summary of previous environmental investigation, please refer to GR report No. 25-948162.7, *CPT Investigation Report*, dated May 30, 2008.

Groundwater Monitoring

GR personnel conducted quarterly groundwater monitoring of eight wells (MW-1, MW-1A, MW-2, MW-2A, MW-3, MW-3A, MW-4 and MW-5), seven piezometers (PZ-1 through PZ-7), and tank backfill well W-1. Work at the site included measuring static groundwater levels, evaluating groundwater in the wells for the presence of petroleum hydrocarbons, and purging and sampling the wells for laboratory analysis. Groundwater monitoring and sampling were performed in accordance with GR Field Methods and Procedures (attached).

On September 22, 2008, GR personnel collected depth to groundwater measurements in the eight monitoring wells, the seven piezometers, and tank backfill well W-1 and checked groundwater for the presence of separate-phase hydrocarbons (SPH). SPH were not present in any of the site wells or piezometers. Water level data, groundwater elevations, and separate-phase hydrocarbon thicknesses (if any) are presented in attached Table 1. Field data sheets for this event are attached.

Groundwater monitoring wells MW-3, MW-4, and tank backfill well W-1 were purged and sampled on September 22, 2008. Monitoring wells MW-1, MW-1A, MW-2, MW-2A, MW-3A, and MW-5 were not sampled due to insufficient water. No-purge groundwater samples were collected from piezometers PZ-6 and PZ-7. Piezometers PZ-1 and PZ-5 were not sampled due to insufficient water. Piezometers PZ-2, PZ-3, and PZ-4 were not sampled due to the inability to collect water with the bailer. Groundwater samples were submitted under chain-of-custody protocol to Kiff Analytical (ELAP #2236) of Davis, California. A copy of the laboratory analytical report and chain-of-custody document are attached.

Results

Groundwater Conditions

Due to seasonal low groundwater levels, insufficient groundwater elevation data points were available for groundwater zones A, B, and C, and therefore no reliable groundwater flow direction could be determined in these groundwater zones. As a result, potentiometric maps for the three groundwater zones could not be generated. In place of the potentiometric maps, groundwater elevation maps for Zone A, Zone B, and Zone C are presented as Figures 3, 4, and 5, respectively.

Analytical Results

Groundwater samples were analyzed for Total Petroleum Hydrocarbons as gasoline (TPHg), benzene, toluene, ethylbenzene, and xylenes (BTEX), Methyl tert-Butyl Ether (MtBE), Ethyl tert-Butyl Ether (ETBE), Di-Isopropyl Ether (DIPE), Tert-Amyl Methyl Ether (TAME), and Tert-Butanol (TBA) by EPA Method 8260B. Groundwater chemical analytical results for this event are presented in Tables 1 and 2.

TPHg, BTEX, DIPE, ETBE, and TAME concentrations were below the laboratory reporting limits in the sampled Zone A wells. Concentrations of MtBE in the sampled Zone A wells ranged from 0.93 ppb in piezometer PZ-7 to 63 ppb in PZ-6 as shown on Figure 6.

With the exception of 60 ppb of MtBE in well MW-3, as shown on Figure 7, Concentrations of TPHg, BTEX, DIPE, TBA, TAME, and ETBE were below the laboratory reporting limits in the sampled Zone B well MW-3.

TPHg, BTEX, DIPE, ETBE and TBA concentrations were below the laboratory reporting limits in sampled Zone C well MW-4. MtBE and TAME were detected in well MW-4 at concentrations of 180 ppb and 2.3 ppb, respectively, as shown on Figure 8.

Conclusions and Recommendations

Based on the results of this monitoring and sampling event, GR concludes the following:


- Concentrations of MtBE in the sampled Zone A wells are generally consistent with results from previous monitoring events;
- The MtBE concentrations of 60 ppb in Zone B well MW-3 and 180 ppb in Zone C well are generally consistent with results from previous monitoring events;
- GR recommends continuing quarterly groundwater monitoring of all wells to further evaluate groundwater quality and plume stability over time; and
- GR has submitted a work plan for installation of monitoring wells in vicinity of borings CPT-3 and CPT-4 to Alameda County Environmental Health for approval.

If you have any questions, please feel free to contact our Rancho Cordova office at (916) 631-1300.


Sincerely,
Gettler-Ryan Inc.



Geoffrey D. Risse
Staff Geologist



Douglas J. Lee
Senior Geologist
P.G. No. 6882



Attachments: Table 1, Groundwater Monitoring Results
 Table 2, Groundwater Monitoring Results-Oxygenate Compounds
 Figure 1, Vicinity Map
 Figure 2, Site Plan
 Figure 3, Groundwater Elevation Map-Zone A
 Figure 4, Groundwater Elevation Map-Zone B
 Figure 5, Groundwater Elevation Map-Zone C
 Figure 6, Dissolved MtBE Concentration Map-Zone A
 Figure 7, Dissolved MtBE Concentration Map-Zone B
 Figure 8, Dissolved MtBE Concentration Map-Zone C
 GR Field Methods and Procedures
 Field Data Sheets
 Laboratory Analytical Report and Chain of Custody

CC: Marty O'Gara, Can-Am Plumbing Inc.

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
Well MW-1									
	1/24/00	28.50	--				Not Sampled		
	1/26/00	28.16	--				Not Sampled		
	1/27/00	30.48	--				Not Sampled		
	1/28/00	30.03	--				Not Sampled		
	1/31/00	28.45	--	ND	ND	ND	ND	ND	ND
	2/18/00	21.31	--				Not Sampled		
	2/24/00	21.12	--				Not Sampled		
	5/11/00	22.01	--	ND	ND	ND	ND	ND	ND
	3/1/01	21.45	--	<50	<0.50	<0.50	<0.50	<0.50	<2.0
	6/27/02	24.94	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/30/02	Dry	--				Well Dry - Not Sampled		
352.87*	12/26/02	12.28	340.59	<50	<0.50	<0.50	<0.50	<0.50	0.61
	5/01/03	21.45	331.33	320 ⁷	<10	<10	<10	<10	2,100
	11/5/03	21.91	330.96	<50	<0.50	<0.50	<0.50	<1.0	17
	12/20/05	21.23	331.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50
355.33~	6/9/06	21.62	333.71				Not Sampled		
	9/5/06	23.19	332.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	21.37	333.96	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	21.43	333.90	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	4/20/07	22.49	332.84				Not Sampled		

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
Well MW-1									
(con't)	6/15/07	23.40	331.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/13/07	26.48	328.85	<50	<0.50	<0.50	<0.50	<0.50	0.65
	12/28/07	21.83	333.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/28/08	21.99	333.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/27/08	28.80	326.53	<50	<0.50	<0.50	<0.50	<0.50	0.52
	9/22/08	30.84	-- ⁹					Insufficient Water - Not Sampled	
Well MW-1A									
355.40~	6/9/06	31.22	324.18	<50	<0.50	<0.50	<0.50	<0.50	5.3
	9/5/06	44.40	311.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	39.05	316.35	<50	<0.50	<0.50	<0.50	<0.50	240
	3/16/07	31.91	323.49	<50	<0.50	<0.50	<0.50	<0.50	170
	4/20/07	35.85	319.55				Not Sampled		
	6/15/07	40.56	314.84	<50	<0.50	<0.50	<0.50	<0.50	29
	9/13/07	45.64	309.76	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	37.98	317.42	<50	<0.50	<0.50	<0.50	<0.50	95
	3/28/08	33.83	321.57	<50	<0.50	<0.50	<0.50	<0.50	60
	6/27/08	44.12	311.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/22/08	Dry					Insufficient water - Not Sampled		

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
Well MW-2									
	1/24/00	Dry				Well Dry - Not Sampled			
	1/31/00	Dry				Well Dry - Not Sampled			
	2/18/00	25.74				Not Sampled			
	2/24/00	22.05				Not Sampled			
	5/11/00	25.42	--	ND ²	ND ²	ND ²	ND ²	ND ²	11,000/12,000 ⁴
	3/1/01	25.24	--	90 ⁵	<0.50	<0.50	<0.50	<0.50	14,000
	6/27/02	30.26	--	16,000	<5.0	<5.0	<5.0	<5.0	19,000
	9/30/02	31.03	--			Insufficient Water - Not Sampled			
	12/26/02	21.91	330.04	<10,000	<100	<100	<100	<100	16,000
351.95*	5/01/03	25.86	326.09	16,000 ⁷	<100	<100	<100	<100	16,000
	11/5/03	31.08	320.87			Insufficient Water - Not Sampled			
	12/20/05	28.44	323.51	<2,000	<20	<20	<20	<20	9,400
354.44~	6/9/06	22.84	331.60			Not Sampled			
	9/5/06	30.54	323.90	<900	<9.0	<9.0	<9.0	<9.0	5,300
	12/15/06	27.73	326.71	<500	<5.0	<5.0	<5.0	<5.0	3,100
	3/16/07	21.71	332.73	<500	<5.0	<5.0	<5.0	<5.0	4,800
	4/20/07	27.75	326.69			Not Sampled			
	6/15/07	30.96	323.48	<400	<4.0	<4.0	<4.0	<4.0	2,600
	9/13/07	31.55	-- ⁹			Insufficient Water - Not Sampled			
	12/28/07	27.72	326.72	<90	<0.90	<0.90	<0.90	<0.90	510
	3/28/08	22.50	331.94	<90	<0.90	<0.90	<0.90	<0.90	2,300

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
Well MW-2									
(con't)	6/27/08	30.96	323.48	<90	<0.90	<0.90	<0.90	<0.90	560
	9/22/08	31.52	-- ⁹						
Insufficient Water - Not Sampled									
Well MW-2A									
354.43~	6/9/06	31.22	323.21	<900	<9.0	<9.0	<9.0	<9.0	5,300
	9/5/06	46.35	308.08	<900	<9.0	<9.0	<9.0	<9.0	4,500
	12/15/06	40.38	314.05	<900	<9.0	<9.0	<9.0	<9.0	7,300
	3/16/07	32.91	321.52	<500	<5.0	<5.0	<5.0	<5.0	2,300
	4/20/07	37.03	317.40						
				Not Sampled					
	6/15/07	42.08	312.35	<500	<5.0	<5.0	<5.0	<5.0	7,300
	9/13/07	47.03	307.40	<1,500	<15	<15	<15	<15	8,800
	12/28/07	38.77	315.66	<500	<5.0	<5.0	<5.0	<5.0	3,800
	3/28/08	34.13	320.30	<150	<1.5	<1.5	<1.5	<1.5	760
	6/27/08	44.28	310.15	<1,500	<15	<15	<15	<15	7,000
	9/22/08	49.40	-- ⁹						
Insufficient Water - Not Sampled									
Well MW-3									
352.29*	12/26/02 ⁶	21.99	330.30	<50	<0.50	<0.50	<0.50	<0.50	66
	5/01/03	22.11	330.18	<50	<0.50	<0.50	<0.50	<0.50	47
	11/5/03	23.76	328.53						
Insufficient Water - Not Sampled									

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
Well MW-3									
(con't)	12/20/05	22.59	329.70	<50	<0.50	<0.50	<0.50	<0.50	35
	6/9/06	22.18	332.58				Not Sampled		
354.76~	9/5/06	23.12	331.64	<50	<0.50	<0.50	<0.50	<0.50	31
	12/15/06	22.42	332.34	<50	<0.50	<0.50	<0.50	<0.50	28
	3/16/07	21.83	332.93	<50	<0.50	<0.50	<0.50	<0.50	37
	4/20/07	22.69	332.07				Not Sampled		
	6/15/07	23.31	331.45	<50	<0.50	<0.50	<0.50	<0.50	30
	9/13/07	23.53	331.23	<50	<0.50	<0.50	<0.50	<0.50	28
	12/28/07	22.39	332.37	<50	<0.50	<0.50	<0.50	<0.50	52
	3/28/08	22.24	332.52	<50	<0.50	<0.50	<0.50	<0.50	90
	6/27/08	23.34	331.42	<50	<0.50	<0.50	<0.50	<0.50	72
	9/22/08	23.44	331.32	<50	<0.50	<0.50	<0.50	<0.50	60
Well MW-3A									
354.52~	6/9/06	33.60	320.92	<50	<0.50	<0.50	<0.50	<0.50	3.9
	9/5/06	46.86	307.66	<50	<0.50	<0.50	<0.50	<0.50	4.7
	12/15/06	43.02	311.50	<50	<0.50	<0.50	<0.50	<0.50	9.9
	3/16/07	32.73	321.79	<50	<0.50	<0.50	<0.50	<0.50	5.4
	4/20/07	38.03	316.49				Not Sampled		
	6/15/07	43.42	311.10	<50	<0.50	<0.50	<0.50	<0.50	6.4

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
Well MW-3A									
(con't)	9/13/07	47.73	306.79	<50	<0.50	<0.50	<0.50	<0.50	10
	12/28/07	39.80	314.72	<50	<0.50	<0.50	<0.50	<0.50	36
	3/28/08	34.53	319.99	<50	<0.50	<0.50	<0.50	<0.50	33
	6/27/08	45.04	309.48	<50	<0.50	<0.50	<0.50	<0.50	9.5
	9/22/08	49.65	-- ⁹						
					Insufficient Water - Not Sampled				
Well MW-4									
354.81[#]	4/20/07	35.12	319.69	<500	<5.0	<5.0	<5.0	<5.0	1,700
	6/15/07	41.62	313.19	<90	<0.90	<0.90	<0.90	<0.90	840
	9/13/07	45.89	308.92	<50	<0.50	<0.50	<0.50	<0.50	220
	12/28/07	38.92	315.89	<50	<0.50	<0.50	<0.50	<0.50	340
	3/28/08	34.94	319.87	75	<0.50	<0.50	<0.50	<0.50	2,800
	6/27/08	43.84	310.97	<50	<0.50	<0.50	<0.50	<0.50	570
	9/22/08	50.11	304.70	<50	<0.50	<0.50	<0.50	<0.50	180
Well MW-5									
355.96[#]	4/20/07	40.88	315.08	<400	<4.0	<4.0	<4.0	<4.0	1,800
	6/15/07	45.58	310.38	<200	<2.0	<2.0	<2.0	<2.0	1,100
	9/13/07	49.93	306.03	<90	<0.90	<0.90	<0.90	<0.90	680
	12/28/07	44.59	311.37	<100	<1.0	<1.0	<1.0	<1.0	520

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
Well MW-5									
(con't)	3/28/08	38.83	317.13	<100	<1.0	<1.0	<1.0	<1.0	520
	6/27/08	46.96	309.00	<100	<1.0	<1.0	<1.0	<1.0	1,400
	9/22/08	52.20	-- ⁹						
					Insufficient Water - Not Sampled				
UST Pit Casing W-1									
	1/24/00	7.1	--				Not Sampled		
	1/27/00	6.55	--	8,300 ³	ND ²	ND ²	110	630	1,900
	2/18/00	7.18	--				Not Sampled		
	2/24/00	7.69	--	7,800 ³	ND ²	ND ²	81	820	1,300
	5/11/00	7.58	--	130 ¹	3.5	ND ²	ND ²	0.97	600/730 ⁴
	3/1/01	6.25	--	310 ³	<2.5	<2.5	2.7	11	81
	6/27/02	2.64	--	<50	<0.50	<0.50	<0.50	<0.50	13
	9/30/02	6.95	--	<50	0.67	<0.50	<0.50	<0.50	19
351.87*	12/26/02	3.17	348.70	<50	<0.50	<0.50	<0.50	0.50	12
	11/5/03	5.02	346.85	61	<0.50	<0.50	<0.50	<1.0	72
	12/20/05	4.75	347.12	<50	<0.50	<0.50	<0.50	<0.50	8.2
354.35~	6/9/06	4.02	350.33			Not Sampled			
	9/5/06	4.37	349.98	<50	<0.50	<0.50	<0.50	<0.50	23
	12/15/06	4.31	350.04	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	4.61	349.74	<50	<0.50	<0.50	<0.50	<0.50	1.1

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
UST Pit Casing W-1									
(con't)	4/20/07	5.03	349.32				Not Sampled		
	6/15/07	5.67	348.68	<50	<0.50	<0.50	<0.50	<0.50	6.4
	9/13/07	6.53	347.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	6.41	347.94	<50	<0.50	<0.50	<0.50	<0.50	7.6
	3/28/08	5.64	348.71	<50	<0.50	<0.50	<0.50	<0.50	32
	6/27/08	6.58	347.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/22/08	7.68	346.67	<50	<0.50	<0.50	<0.50	<0.50	1.2
PZ-1									
354.54~	6/9/06	6.08	348.46				Not Sampled		
	9/5/06	6.35	348.19	<50	0.67	<0.50	<0.50	<0.50	57
	12/15/06	6.51	348.03				Obstruction in well @ 6.53'-Unable to sample well		
	3/16/07	6.28	348.26				Insufficient water - Not Sampled		
	4/20/07	6.45	348.09				Not Sampled		
	6/15/07	6.31	348.23				Insufficient water - Not Sampled		
	9/13/07	Dry	--				Insufficient water - Not Sampled		
	12/28/07	Dry	--				Insufficient water - Not Sampled		
	3/28/08	Dry	--				Insufficient water - Not Sampled		
	6/27/08	Dry	--				Insufficient water - Not Sampled		
	9/22/08	Dry	--				Insufficient water - Not Sampled		

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
PZ-2									
354.35~	6/9/06	3.91	350.44				Not Sampled		
	9/5/06	4.57	349.78	150	<0.50	<0.50	<0.50	<0.50	52
	12/15/06	4.30	350.05	160	<0.50	<0.50	<0.50	<0.50	11
	3/16/07	4.60	349.75	4,000	<0.50	<0.50	<0.50	<0.50	1.6
	4/20/07	5.03	349.32				Not Sampled		
	6/15/07	5.65	348.70	180	<0.50	<0.50	<0.50	<0.50	2.8
	9/13/07	6.54	347.81	<50	<0.50	<0.50	<0.50	<0.50	34
	12/28/07	6.38	347.97		Not Sampled-bailer sticking to side of casing prevented sample collection				
	3/28/08	5.62	348.73	160	<0.50	<0.50	<0.50	<0.50	8.6
	6/27/08	6.59	347.76		Not Sampled-bailer sticking to side of casing prevented sample collection				
	9/22/08	8.90	-- ⁹		Not Sampled-Unable to collect water with pin bailer				
PZ-3									
354.14~	6/9/06	3.77	350.37				Not Sampled		
	9/5/06	4.30	349.84	<50	<0.50	<0.50	<0.50	<0.50	29
	12/15/06	3.99	350.15	<50	<0.50	<0.50	<0.50	<0.50	35
	3/16/07	4.33	349.81	<50	<0.50	<0.50	<0.50	<0.50	8.6
	4/20/07	5.06	349.08				Not Sampled		
	6/15/07	6.08	348.06	<50	<0.50	<0.50	<0.50	<0.50	130
	9/13/07	7.52	346.62	<50	<0.50	<0.50	<0.50	<0.50	19

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
PZ-3									
(con't)	12/28/07	6.31	347.83	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/28/08	6.33	347.81	<50	<0.50 ¹⁰	<0.50	<0.50	<0.50	0.74
	6/27/08	7.23	346.91	Not Sampled-bailer sticking to side of casing prevented sample collection					
	9/22/08	8.27	-- ⁹	Not Sampled-Unable to collect water with pin bailed					
PZ-4									
354.22~	6/9/06	3.62	350.60	Not Sampled					
	9/5/06	4.44	349.78	<50	<0.50	<0.50	<0.50	<0.50	32
	12/15/06	4.17	350.05	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	4.58	349.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	4/20/07	4.90	349.32	Not Sampled					
	6/15/07	5.53	348.69	<50	<0.50	<0.50	<0.50	<0.50	98
	9/13/07	6.44	347.78	<50	<0.50	<0.50	<0.50	<0.50	7.8
	12/28/07	6.32	347.90	<50	<0.50	<0.50	<0.50	<0.50	0.52
	3/28/08	5.59	348.63	<50	<0.50 ¹⁰	<0.50	<0.50	<0.50	4.7
	6/27/08	6.52	347.70	<50	<0.50	<0.50	<0.50	<0.50	30
	9/22/08	7.90	346.32	Not Sampled-Unable to collect water with pin bailed					
PZ-5									
354.95~	6/9/06	6.46	348.49	Not Sampled					

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
PZ-5									
(con't)	9/5/06	8.70	346.25	<500	<5.0	<5.0	<5.0	<5.0	2,900
	12/15/06	8.51	346.44	<500	<5.0	<5.0	<5.0	<5.0	2,600
	3/16/07	8.89	346.06			Insufficient Water - Not Sampled			
	4/20/07	8.80	346.15			Not Sampled			
	6/15/07	9.16	345.79			Insufficient Water - Not Sampled			
	9/13/07	Dry	--			Insufficient Water - Not Sampled			
	12/28/07	Dry	--			Insufficient Water - Not Sampled			
	3/28/08	9.57	-- ⁹			Insufficient Water - Not Sampled			
	6/27/08	8.83	-- ⁹			Insufficient Water - Not Sampled			
	9/22/08	9.13	-- ⁹			Insufficient Water - Not Sampled			
PZ-6									
354.39~	6/9/06	4.04	350.35			Not Sampled			
	9/5/06	4.67	349.72	<50	<0.50	<0.50	<0.50	<0.50	62
	12/15/06	4.38	350.01	<50	<0.50	<0.50	<0.50	<0.50	2.7
	3/16/07	4.70	349.69	<50	<0.50	<0.50	<0.50	<0.50	7.4
	4/20/07	5.13	349.26			Not Sampled			
	6/15/07	5.74	348.65	<50	<0.50	<0.50	<0.50	<0.50	88
	9/13/07 ⁸	6.67	347.72	<50	<0.50	<0.50	<0.50	<0.50	51
	12/28/07	6.46	347.93	<50	<0.50	<0.50	<0.50	<0.50	33

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
PZ-6									
(con't)	3/28/08	5.71	348.68	<50	<0.50	<0.50	<0.50	<0.50	130
	6/27/08	6.58	347.81	<50	<0.50	<0.50	<0.50	<0.50	24
	9/22/08	7.75	346.64	<50	<0.50	<0.50	<0.50	<0.50	63
PZ-7									
354.45~	6/9/06	4.05	350.40			Not Sampled			
	9/5/06	4.65	349.80	<50	<0.50	<0.50	<0.50	<0.50	1.4
	12/15/06	4.32	350.13	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	4.68	349.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	4/20/07	5.12	349.33			Not Sampled			
	6/15/07	5.73	348.72	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/13/07	6.63	347.82	<50	<0.50	<0.50	<0.50	<0.50	0.68
	12/28/07	6.45	348.00	<50	<0.50	<0.50	<0.50	<0.50	0.85
	3/28/08	5.72	348.73	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/27/08	6.67	347.78	<50	<0.50	<0.50	<0.50	<0.50	0.59
	9/22/08	8.11	346.34	<50	<0.50	<0.50	<0.50	<0.50	0.93
QA									
	9/5/06	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
QA									
(con't)	3/16/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/15/07 ⁸	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/13/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/28/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/27/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/22/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50

EXPLANATION:

ppb = parts per billion

ND = Not Detected

-- = not measured or analyzed

DTW = depth to water measured from top of box/grade

GWE = Groundwater Elevation

TPHg = Total Petroleum Hydrocarbons as gasoline

MtBE = Methyl tertiary butyl ether according

QA = Trip Blank

¹ = Laboratory reported an unidentified hydrocarbon C6-C12.² = Elevated detection limit.³ = Chromatogram pattern: Gasoline C6-C12.**ANALYTICAL LABORATORY:**

Sequoia Analytical (ELAP #1271)

Severn Trent Laboratory (ELAP #2496)

Kiff Analytical (ELAP #2236)

ANALYTICAL METHODS:

TPHg/BTEX/MtBE by EPA Method 8260B

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

EXPLANATION: (Con't)

⁴ = MtBE by EPA Method 8260.

⁵ = Discrete Peaks

⁶ = Well Development Performed

⁷ = Discrete Peak @ MtBE

⁸ = Samples were analyzed by EPA Method 8260B using bottles that contained headspace bubbles greater than 1/4-inch in diameter

⁹ = Insufficient water to determine GWE

¹⁰ Matrix Spike/Matrix Spike Duplicate Results associated with these samples for the analyte Benzene were affected by the analyte concentrations already present in the un-spiked sample.

* Top of Casing (TOC) elevations surveyed to Mean Sea Level (MSL) by Virgil Chavez Land Surveying,
California-Licensed Land Surveyor No. 6323

~ Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 6/6/06

Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 4/17/07

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
MW-1	3/1/01	<50	<2.0	<2.0	<2.0	<2.0	---	---	<500
	6/27/02	<5.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	9/30/02						Well Dry - Not Sampled		
	12/26/02	<5.0	0.61	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	5/01/03	540	2,100	<100	<10	<10	<10	<10	<1,000
	11/5/03	<5.0	17	<1.0	<0.50	<0.50	<0.50	<0.50	---
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	9/13/07	<5.0	0.65	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	6/27/08	<5.0	0.52	<0.50	<0.50	<0.50	--	--	--
9/22/08 Insufficient Water - Not Sampled									
MW-1A	6/9/06	<5.0	5.3	<0.50	<0.50	<0.50	--	--	--
	9/5/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	12/15/06	9.3 J	240	<0.50	<0.50	3.7	--	--	--
	3/16/07	<5.0	170	<0.50	<0.50	3.0	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	29	<0.50	<0.50	<0.50	--	--	--
	9/13/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	12/28/07	5.1	95	<0.50	<0.50	1.1	--	--	--
	3/28/08	<5.0	60	<0.50	<0.50	0.60	--	--	--
	6/27/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
9/22/08 Insufficient Water - Not Sampled									

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
MW-2 (con't)	3/1/01	2,800	14,000	<100	<100	190	---	---	<25,000
	6/27/02	3,100	19,000	7.0	<5.0	260	<5.0	<5.0	<500
Insufficient Water - Not Sampled									
	9/30/02								
	12/26/02	<1,000	16,000	<100	<100	220	<100	<100	<10,000
	5/01/03	4,100	16,000	<100	<100	240	<100	<100	<10,000
Insufficient Water - Not Sampled									
	11/5/03								
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	390	5,300	<9.0	<9.0	56	--	--	--
	12/15/06	<25	3,100	<5.0	<5.0	25	--	--	--
	3/16/07	660	4,800	<5.0	<5.0	76	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	34 J	2,600	<4.0	<4.0	31	--	--	--
Insufficient Water - Not Sampled									
	9/13/07								
	12/28/07	<5.0	510	<0.90	<0.90	4.1	--	--	--
	3/28/08	71 J	2,300	<0.90	<0.90	31	--	--	--
	6/27/08	<5.0	560	<0.90	<0.90	5.5	--	--	--
9/22/08									
Insufficient Water - Not Sampled									
MW-2A	6/9/06	860	5,300	<9.0	<9.0	61	--	--	--
	9/5/06	600	4,500	<9.0	<9.0	56	--	--	--
	12/15/06	1,000	7,300	<9.0	<9.0	99	--	--	--
	3/16/07	270	2,300	<5.0	<5.0	32	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	780	7,300	<5.0	<5.0	86	--	--	--
	9/13/07	830	8,800	<15	<15	140	--	--	--
	12/28/07	300	3,800	<5.0	<5.0	54	--	--	--
	3/28/08	45	760	<1.5	<1.5	11	--	--	--
	6/27/08	100 J	7,000	<15	<15	130	--	--	--
9/22/08									
Insufficient Water - Not Sampled									

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
MW-3	12/26/02	<5.0	66	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	5/01/03	<5.0	47	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	11/5/03			Insufficient Water - Not Sampled					
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	<5.0	31	<0.50	<0.50	<0.50	--	--	--
	12/15/06	<5.0	28	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	37	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	30	<0.50	<0.50	<0.50	--	--	--
	9/13/07	<5.0	28	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	52	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	90	<0.50	<0.50	0.83	--	--	--
	6/27/08	<5.0	72	<0.50	<0.50	<0.50	--	--	--
	9/22/08	<5.0	60	<0.50	<0.50	<0.50	--	--	--
MW-3A	6/9/06	<5.0	3.9	<0.50	<0.50	<0.50	--	--	--
	9/5/06	<5.0	4.7	<0.50	<0.50	<0.50	--	--	--
	12/15/06	<5.0	9.9	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	5.4	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	6.4	<0.50	<0.50	<0.50	--	--	--
	9/13/07	<5.0	10	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	36	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	33	<0.50	<0.50	<0.50	--	--	--
	6/27/08	<5.0	9.5	<0.50	<0.50	<0.50	--	--	--
	9/22/08			Insufficient Water - Not Sampled					
MW-4	4/20/07	300	1,700	<5.0	<5.0	31	--	--	--
	6/15/07	60	840	<0.90	<0.90	10	--	--	--
	9/13/07	16	220	<0.50	<0.50	3.0	--	--	--

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
MW-4 (con't)	12/28/07	39	340	<0.50	<0.50	4.8	--	--	--
	3/28/08	280	2,800	<0.50	<0.50	44	--	--	--
	6/27/08	7.7 J	570	<0.50	<0.50	8.3	--	--	--
	9/22/08	<5.0	180	<0.50	<0.50	2.3	--	--	--
MW-5	4/20/07	130	1,800	<4.0	<4.0	22	--	--	--
	6/15/07	67	1,100	<2.0	<2.0	21	--	--	--
	9/13/07	<5.0	680	<0.90	<0.90	7.1	--	--	--
	12/28/07	<5.0	520	<1.0	<1.0	3.6	--	--	--
	3/28/08	<5.0	520	<1.0	<1.0	3.8	--	--	--
	6/27/08	8.1 J	1,400	<1.0	<1.0	19	--	--	--
	9/22/08	Insufficient Water - Not Sampled							
W-1	3/1/01	<50	81	<2.0	<2.0	<2.0	---	---	<500
	6/27/02	<5.0	13	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	9/30/02	<5.0	19	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	12/26/02	<5.0	12	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	5/01/03	---	---	---	---	---	---	---	---
	11/5/03	10	72	<1.0	<0.50	<0.50	<0.50	<0.50	<0.50
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	<5.0	23	<0.50	<0.50	<0.50	--	--	--
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	1.1	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	6.4	<0.50	<0.50	<0.50	--	--	--
	9/13/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	7.6	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	32	<0.50	<0.50	<0.50	--	--	--
	6/27/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	9/22/08	<5.0	1.2	<0.50	<0.50	<0.50	--	--	--

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
PZ-1	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	5.6	57	<0.50	<0.50	2.8	--	--	--
	12/15/06			Obstruction in well @ 6.53'-Unable to sample well					
	3/16/07			Insufficient Water - Not Sampled					
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07			Insufficient Water - Not Sampled					
	9/13/07			Insufficient Water - Not Sampled					
	12/28/07			Insufficient Water - Not Sampled					
	3/28/08			Insufficient Water - Not Sampled					
	6/27/08			Insufficient Water - Not Sampled					
PZ-2	9/22/08			Insufficient Water - Not Sampled					
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	6.8	52	<0.50	<0.50	1.3	--	--	--
	12/15/06	<5.0	11	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	1.6	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	2.8	<0.50	<0.50	<0.50	--	--	--
	9/13/07	5.5	34	<0.50	<0.50	1.0	--	--	--
	12/28/07			Not Sampled-bailer sticking to side of casing prevented sample collection					
	3/28/08	<5.0	8.6	<0.50	<0.50	<0.50	--	--	--
PZ-3	6/27/08			Not Sampled-bailer sticking to side of casing prevented sample collection					
	9/22/08			Not Sampled-Unable to collect water with pin bailed					
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	5.1	29	<0.50	<0.50	0.53	--	--	--
	12/15/06	<5.0	35	<0.50	<0.50	<0.50	--	--	--
PZ-4	3/16/07	<5.0	8.6	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	15	130	<0.50	<0.50	2.5	--	--	--

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
PZ-3 (con't)	9/13/07	<0.50	19	<0.50	<0.50	0.56	--	--	--
	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	0.74	<0.50	<0.50	<0.50	--	--	--
	6/27/08	Not Sampled-bailer sticking to side of casing prevented sample collection							
	9/22/08	Not Sampled-Unable to collect water with pin bailed							
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	6.4	32	<0.50	<0.50	0.54	--	--	--
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
PZ-4	6/15/07	6.4	98	<0.50	<0.50	1.1	--	--	--
	9/13/07	<5.0	7.8	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	0.52	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	4.7	<0.50	<0.50	<0.50	--	--	--
	6/27/08	<5.0	30	<0.50	<0.50	<0.50	--	--	--
	9/22/08	Not Sampled-Unable to collect water with pin bailed							
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	490	2,900	<5.0	<5.0	19	--	--	--
	12/15/06	280	2,600	<5.0	<5.0	17	--	--	--
	3/16/07	Insufficient Water - Not Sampled							
PZ-5	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	Insufficient Water - Not Sampled							
	9/13/07	Insufficient Water - Not Sampled							
	12/28/07	Insufficient Water - Not Sampled							
	3/28/08	Insufficient Water - Not Sampled							
	6/27/08	Insufficient Water - Not Sampled							
	9/22/08	Insufficient Water - Not Sampled							

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
PZ-6	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	5.9	62	<0.50	<0.50	0.85	--	--	--
	12/15/06	<5.0	2.7	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	7.4	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	21	88	<0.50	<0.50	1.6	--	--	--
	9/13/07	10	51	<0.50	<0.50	0.91	--	--	--
	12/28/07	<5.0	33	<0.50	<0.50	0.52	--	--	--
	3/28/08	15	130	<0.50	<0.50	1.9	--	--	--
	6/27/08	<5.0	24	<0.50	<0.50	0.52	--	--	--
PZ-7	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	<5.0	1.4	<0.50	<0.50	<0.50	--	--	--
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	9/13/07	<5.0	0.68	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	0.85	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	6/27/08	<5.0	0.59	<0.50	<0.50	<0.50	--	--	--
QA	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/28/08	--	<0.50	--	--	--	--	--	--
	6/27/08	--	<0.50	--	--	--	--	--	--
	9/22/08	--	<0.50	--	--	--	--	--	--

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

EXPLANATIONS:

TBA = Tert-Butanol
MTBE = Methyl tert-butyl ether
DIPE = Di-isopropyl ether
ETBE = Ethyl tert-butyl ether
TAME = tert-Amyl methyl ether
1,2-DCA = 1,2-Dichloroethane
EDB = Ethylene dibromide
ppb = parts per billion
--- = Not Analyzed
QA = Trip Blank

ANALYTICAL LABORATORY:




Sequoia Analytical CA DHS (ELAP #1271)
Severn Trent Laboratory CA DHS (ELAP #2496)
Kiff Analytical (ELAP #2236)

ANALYTICAL METHOD:

Oxygenates by EPA Method 8260B
1,2-DCA and EDB by EPA Method 8260B

NOTES:

Tert-Butanol results for sample MW-2, MW-2A, MW-4 and MW-5 may be biased slightly high and are flagged with a "J". A fraction of MtBE (typically less than 1%) converts to Tert-Butanol during the analysis of water samples. The laboratory consider this conversion effect to be mathematically significant in samples that contain MtBE/Tert-Butanol in ratio of over 20:1.



Source: Microsoft Streets 2005



GETTLER - RYAN INC.

6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

PROJECT NUMBER
948162.04

REVIEWED BY


VICINITY MAP
Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

DATE
01/06

REVISED DATE

EXPLANATION

- ◆ Groundwater monitoring well
- Existing tank backfill casing
- ☒ Piezometer



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.



GETTLER - RYAN INC.

6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

JOB NUMBER
948162.4

REVIEWED BY

FILE NAME: P:\Enviro\Can-Am Plumbing\Q08-Can-Am Plumbing.dwg | Layout Tab: Site Plan

SITE PLAN
Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California


DATE
06/07

REVISED DATE

2

EXPLANATION

- Groundwater monitoring well
- Existing tank backfill casing
- ✖ Piezometer
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ◻ Insufficient water to determine GWE



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.



GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

JOB NUMBER
948162.4

REVIEWED BY

GROUNDWATER ELEVATION MAP - ZONE A
Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California


DATE
September 22, 2008

REVISED DATE

FILE NAME: P:\Enviro\Can-Am Plumbing\Q08-Can-Am Plumbing.dwg | Layout Tab: Plot3-A

EXPLANATION

- Groundwater monitoring well
- Existing tank backfill casing
- ✖ Piezometer
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ◻ Insufficient water to determine GWE



GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

JOB NUMBER
948162.4

REVIEWED BY


GROUNDWATER ELEVATION MAP - ZONE B
Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California

DATE
September 22, 2008

REVISED DATE

EXPLANATION

- Groundwater monitoring well
- Existing tank backfill casing
- ✖ Piezometer
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ☒ Insufficient water to determine GWE



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.



GETTLER - RYAN INC.

6747 Sierra Court, Suite J
Dublin, CA 94568

(925) 551-7555

JOB NUMBER
948162.4

REVIEWED BY

GROUNDWATER ELEVATION MAP - ZONE C


Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California

DATE
September 22, 2008

REVISED DATE

EXPLANATION

- Groundwater monitoring well
- Existing tank backfill casing
- ✖ Piezometer
- 200 MTBE concentration in ppb
- NS Not Sampled



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.



GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

JOB NUMBER
948162.4

REVIEWED BY

DISSOLVED MTBE CONCENTRATION MAP - ZONE A
Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California


DATE
September 22, 2008

REVISED DATE

FILE NAME: P:\Enviro\Can-Am Plumbing\Q08-Can-Am Plumbing.dwg | Layout Tab: Mtbe3-A

EXPLANATION

- Groundwater monitoring well
- Existing tank backfill casing
- ✖ Piezometer
- 200 MTBE concentration in ppb
- NS Not Sampled



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.



GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

JOB NUMBER
948162.4

REVIEWED BY

DISSOLVED MTBE CONCENTRATION MAP - ZONE B


Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California

DATE
September 22, 2008

REVISED DATE

EXPLANATION

- Groundwater monitoring well
- Existing tank backfill casing
- ✖ Piezometer
- 200 MTBE concentration in ppb
- NS Not Sampled



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.



GETTLER - RYAN INC.
6747 Sierra Court, Suite J
Dublin, CA 94568 (925) 551-7555

JOB NUMBER
948162.4

REVIEWED BY

DISSOLVED MTBE CONCENTRATION MAP - ZONE C
Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California

DATE
September 22, 2008

REVISED DATE

FILE NAME: P:\Enviro\Can-Am Plumbing\Q08-Con-Am Plumbing.dwg | Layout Tab: Mtbe3-C

STANDARD OPERATING PROCEDURE - QUARTERLY GROUNDWATER SAMPLING

Gettler-Ryan field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analyses by the analytical laboratory. Prior to sample collection, the type of analyses to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analyses is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using a MMC flexi-dip interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is recorded in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH, and electrical conductivity are measured a minimum of three times during purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include job number, sample identification, collection date and time, analyses, preservative (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4 °C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivery to the laboratory.

The chain of custody includes the job number, type of preservation, if any, analyses requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory-supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

WELL CONDITION STATUS SHEET

Client/Facility #: **Can-Am Plumbing**
 Site Address: **151 Wyoming Street**
 City: **Pleasanton, CA**

Job # **25-948162.5**
 Event Date: **9/22/02**
 Sampler: **JD**

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1A	O/L							X	X	12 "emco	✓
MW-2A	O/L							X	X		✓
MW-3A	O/L							X	X		✓
MW-4	O/L							X	X		✓
MW-5	O/L							X	X	↓	✓
MW-1	O/L							X	X	8" 13L	✓
MW-2	O/L							X	X	11	✓
MW-3	O/L							X	X	"	✓

Comments _____

WELL CONDITION STATUS SHEET

Client/Facility #: **Can-Am Plumbing**
 Site Address: **151 Wyoming Street**
 City: **Pleasanton, CA**

Job # **25-948162.5**
 Event Date: **9/22/08**
 Sampler: **SJSH**

WELL ID	Vault Frame Condition	Gasket/ O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
W-1	ok	—	—	—	—	—	→	N	N	Shields & Harris/12"/0	N
PZ-7	ok	—	—	—	—	—	→	N	N	Morrison/7"/2	N
PZ-3	ok	—	—	—	—	—	→	N	N	morrison/7"/2	N
PZ-2	ok	—	—	—	—	—	→	N	N	morrison/7"/2	N
PZ-6	ok	—	—	—	—	—	→	N	N	morrison/7"/2	N
PZ-4	ok	—	—	—	—	—	→	N	N	morrison/7"/2	N
PZ-5	ok	—	—	—	—	—	→	N	N	morrison/7"/2	N
PZ-1	ok	—	—	—	—	—	→	N	N	morrison/7"/2	N

Comments _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/22/08 (inclusive)
 Sampler: JH

Well ID: MW-1A
 Well Diameter: 2 in.
 Total Depth: 49.20 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/22/08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Peristaltic Pump
 QED Bladder Pump
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Peristaltic Pump
 QED Bladder Pump
 Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): _____

Sample Time/Date: _____ / _____

Approx. Flow Rate: _____ gpm.

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Weather Conditions:

Water Color: _____ Odor: Y / N _____

Sediment Description: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos/cm}$ - μs)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-G/BTEX+MTBE/ETBE/DIPE/ TAME/TBA(8260)

COMMENTS: DRY

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/22/08 (inclusive)
 Sampler: JH

Well ID MW-2ADate Monitored: 9/22/08Well Diameter 2 in.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Total Depth 49.56 ft.Depth to Water 19.40 ft.

Check if water column is less than 0.50 ft.
0.16 xVF — = — x3 case volume = Estimated Purge Volume: — gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: —

Purge Equipment:

Disposable Bailer

Stainless Steel Bailer

Stack Pump

Suction Pump

Grundfos

Peristaltic Pump

QED Bladder Pump

Other: _____

Sampling Equipment:

Disposable Bailer

Pressure Bailer

Discrete Bailer

Peristaltic Pump

QED Bladder Pump

Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): _____

Sample Time/Date: _____ / _____

Approx. Flow Rate: _____ gpm.

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos/cm}$ - μs)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: Dry

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/22/08 (inclusive)
 Sampler: SL

Well ID MW-3A
 Well Diameter 2 in.
 Total Depth 50.21 ft.
 Depth to Water 49.65 ft.
.56 xVF _____ = _____

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer
 Stack Pump
 Suction Pump
 Grundfos
 Peristaltic Pump
 QED Bladder Pump
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer
 Discrete Bailer
 Peristaltic Pump
 QED Bladder Pump
 Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____


Sample Time/Date: _____ / _____

Water Color: _____ Odor: Y / N _____

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____



LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x vial	YES	HCL	KIFF	TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: IN SUFFICIENT H₂O

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/22/08 (inclusive)
 Sampler: JH

Well ID MW - 1
 Well Diameter 2 in.
 Total Depth 31.51 ft.
 Depth to Water 30.84 ft.
.67 xVF - = - x3 case volume = Estimated Purge Volume: - gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: -

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: _____ / _____
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Weather Conditions:
 Water Color: _____ Odor: Y / N _____
 Sediment Description: _____

Time (2400 hrs)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos}/\text{cm} - \mu\text{s}$)	Temperature ($^{\circ}\text{C} / ^{\circ}\text{F}$)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: In sufficient H₂O

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/22/08 (inclusive)
 Sampler: JH

Well ID MW-3
 Well Diameter 2 in.
 Total Depth 24.95 ft.
 Depth to Water 23.44 ft.

Date Monitored: 9/22/08

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

1.51 xVF .17 = .25 x3 case volume = Estimated Purge Volume: .75 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 23.71

Purge Equipment:

Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): 1000Sample Time/Date: 1055 / 9/22/08Approx. Flow Rate: - gpm.Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 23.70

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm <u>us</u>)	Temperature (°C / °F)	D.O. (mg/L)	ORP (mV)
1002	.25	6.68	908	22.0		
1005	.5	6.62	915	21.7		
1008	.75	6.60	932	21.9		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>3</u> x vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: Slow Recovery

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/22/08 (inclusive)
 Sampler: JH

Well ID: MW-4
 Well Diameter: 2 in.
 Total Depth: 53.28 ft.
 Depth to Water: 50.11 ft.
3.17 xVF .17 = .53

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 x3 case volume = Estimated Purge Volume: 1.61 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 50.74

Purge Equipment:
 Disposable Bailer X
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer X
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 1110
 Sample Time/Date: 1145 / 9/21/08
 Approx. Flow Rate: — gpm.
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 50.70

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos/cm}$ - <u>1S</u>)	Temperature ($^{\circ}\text{F}$)	D.O. (mg/L)	ORP (mV)
<u>1112</u>	<u>.5</u>	<u>6.64</u>	<u>682</u>	<u>26.2</u>		
<u>1114</u>	<u>1.0</u>	<u>6.60</u>	<u>695</u>	<u>21.0</u>		
<u>1116</u>	<u>1.5</u>	<u>6.57</u>	<u>712</u>	<u>20.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>3</u> x vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	TPH-G/BTEX+MTBE/ETBE/DIPE/ TAME/TBA(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9.22.08 (inclusive)
 Sampler: JR

Well ID 6J-1
 Well Diameter 4" in.
 Total Depth 8.84 ft.
 Depth to Water 7.68 ft.
1.16 xVF .66 = .76

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

x3 case volume = Estimated Purge Volume: 2.25 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.91

Purge Equipment:
 Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	(2400 hrs)
Time Completed:	(2400 hrs)
Depth to Product:	ft
Depth to Water:	ft
Hydrocarbon Thickness:	ft
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	gal
Amt Removed from Well:	gal
Water Removed:	
Product Transferred to:	

Start Time (purge): 1055

Weather Conditions:

Sample Time/Date: 1141 19.22.08

Water Color: cloudy Odor: N

Approx. Flow Rate: _____ gpm.

Sediment Description: light

Did well de-water? No If yes, Time: _____ Volume: _____ gal DTW @ Sampling: 7.79

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (μ mhos/cm - DS)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
1057	.75	7.78	750	24.1		
1059	1.5	7.69	766	24.0		
1101	2.25	7.66	771	24.0		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
6J-1	3 x vial	YES	HCL	KIFF	TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: _____

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9.22.08 (inclusive)
 Sampler: SR

Well ID: PZ-2
 Well Diameter: 3/4 in.
 Total Depth: 9.73 ft.
 Depth to Water: 8.90 ft.
0.83 xVF .02 = .01

Date Monitored: 9.22.08

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.06 gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: Sunny
 Sample Time/Date: 19.22.08 Water Color: _____ Odor: Y / N _____
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos/cm}$ - μs)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV.	TYPE	LABORATORY	ANALYSES
<u>PZ-3</u>	<u>3</u> x vial	<u>YES</u>	<u>HCl</u>	<u>KIFF</u>		<u>TPH-G/BTEX+MTBE/ETBE/DIPE+</u> <u>TAME/TBA(8260)</u>

COMMENTS: unable to collect water with pin bailed

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: **Can-Am Plumbing**
 Site Address: **151 Wyoming Street**
 City: **Pleasanton, CA**

Job Number: **25-948162.5**
 Event Date: **9-22-08** (inclusive)
 Sampler: **SR**

Well ID: **PZ-3**
 Well Diameter: **3/4** in.
 Total Depth: **8.98** ft.
 Depth to Water: **8.27** ft.
 $\frac{0.71}{xVF} \cdot 0.2 = .01$

Date Monitored: **9-22-08**

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 $x3 \text{ case volume} = \text{Estimated Purge Volume: } .03 \text{ gal.}$

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: **8.41**

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: **Sunny**
 Sample Time/Date: **19-22-08** Odor: **Y/N**
 Approx. Flow Rate: **1** gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
PZ-3	3 x viva vial	YES	HCL	KIFF	TPH-G/BTEX-MTBE/ETBE/DIPE/ TAME/TBA(8260)
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: **unable to collect water with pin bailed**

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9.22.08 (inclusive)
 Sampler: SR

Well ID PZ-4
 Well Diameter 3/4 in.
 Total Depth 9.41 ft.
 Depth to Water 7.90 ft.
1.51 xVF .02 = .03

Date Monitored: 9.22.08

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.20

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description:
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: 19.22.08
 Weather Conditions: Sunny
 Approx. Flow Rate: — gpm.
 Water Color: _____ Odor: Y/N
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 7.90

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>2</u>	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>JZ-4</u>	<u>3 x vial</u>	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: Insufficient to sample, unable to collect with pin bailed

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/22/06 (inclusive)
 Sampler: SR

Well ID PZ-5
 Well Diameter 3/4 in.
 Total Depth 9.60 ft.
 Depth to Water 9.13 ft.
0.47 xVF .02 = .00

Date Monitored: 9-22-06

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.22

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: _____ / _____

Water Color: _____ Odor: Y / N _____

Approx. Flow Rate: _____ gpm.

Sediment Description: _____

Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos/cm}$ - μs)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-G/BTEX+MTBE/ETBE/DIPE/ TAME/TBA(8260)

COMMENTS: Insufficient water

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9-22-08 (inclusive)
 Sampler: SR

Well ID PZ-6
 Well Diameter 3/4 in.
 Total Depth 9.61 ft.
 Depth to Water 7.75 ft.
1.86 xVF .02 = .03

Date Monitored: 9-22-08

Volume Factor (VF)	3/4"= 0.02 4"= 0.66	1"= 0.04 5"= 1.02	2"= 0.17 6"= 1.50	3"= 0.38 12"= 5.80
--------------------	------------------------	----------------------	----------------------	-----------------------

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.12

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)

Time Completed: _____ (2400 hrs)

Depth to Product: _____ ft

Depth to Water: _____ ft

Hydrocarbon Thickness: _____ ft

Visual Confirmation/Description: _____

Skimmer / Absorbant Sock (circle one)

Amt Removed from Skimmer: _____ gal

Amt Removed from Well: _____ gal

Water Removed: _____

Product Transferred to: _____

Start Time (purge): _____

Weather Conditions: _____

Sample Time/Date: 1158 / 9-22-08

Water Color: drk. gray Odor: Y (N)

Approx. Flow Rate: _____ gpm.

Sediment Description: heavy

Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 7.75

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos/cm}$ - μs)	Temperature (C / F)	D.O. (mg/l)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>PZ-6</u>	<u>3</u> x vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)</u>

COMMENTS: no purge sample

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9.22.06 (inclusive)
 Sampler: SR

Well ID PZ-7
 Well Diameter 3/4 in.
 Total Depth 9.93 ft.
 Depth to Water 8.11 ft.
1.82 xVF .02 = .03

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 8.47

Purge Equipment:
 Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	<u>2400 hrs</u>
Time Completed:	<u>2400 hrs</u>
Depth to Product:	<u>ft</u>
Depth to Water:	<u>ft</u>
Hydrocarbon Thickness:	<u>ft</u>
Visual Confirmation/Description:	
Skimmer / Absorbant Sock (circle one)	
Amt Removed from Skimmer:	gal
Amt Removed from Well:	gal
Water Removed:	
Product Transferred to:	

Start Time (purge): 11
 Sample Time/Date: 1125 19.22.06
 Approx. Flow Rate: _____ gpm.
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 8.11

Time (2400 hr.)	Volume (gal.)	pH	Conductivity ($\mu\text{mhos/cm}$ - μs)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>PZ-7</u>	<u>3</u> x vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-G/BTEX+MTBE/ETBE/DIPE/TAME/TBA(8260)</u>

COMMENTS: no purge sample

Add/Replaced Lock: _____

Add/Replaced Plug: _____

Add/Replaced Bolt: _____



Report Number : 64936

Date : 09/29/2008

Geoffrey Risse
Gettler-Ryan Inc.
3140 Gold Camp Dr. Suite 170
Rancho Cordova, CA 95670

Subject : 6 Water Samples
Project Name : Can-Am Plumbing
Project Number : 25-948162.5

Dear Mr. Risse,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff".

Joel Kiff



Report Number : 64936

Date : 09/29/2008

Subject : 6 Water Samples
Project Name : Can-Am Plumbing
Project Number : 25-948162.5

Case Narrative

Matrix Spike/Matrix Spike Duplicate results associated with sample W-1 for the analyte Methyl-t-butyl ether were affected by the analyte concentrations already present in the un-spiked sample.



Report Number : 64936

Date : 09/29/2008

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.5**

Sample : **QA**

Matrix : Water

Lab Number : 64936-01

Sample Date : 09/22/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/25/2008
1,2-Dichloroethane-d4 (Surr)	99.3		% Recovery	EPA 8260B	09/25/2008
Toluene - d8 (Surr)	97.0		% Recovery	EPA 8260B	09/25/2008



Report Number : 64936

Date : 09/29/2008

Project Name : Can-Am Plumbing

Project Number : 25-948162.5

Sample : MW-3

Matrix : Water

Lab Number : 64936-02

Sample Date : 09/22/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Methyl-t-butyl ether (MTBE)	60	0.50	ug/L	EPA 8260B	09/26/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/26/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/26/2008
1,2-Dichloroethane-d4 (Surr)	99.0		% Recovery	EPA 8260B	09/26/2008
Toluene - d8 (Surr)	97.4		% Recovery	EPA 8260B	09/26/2008



Report Number : 64936

Date : 09/29/2008

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.5**

Sample : **MW-4**

Matrix : Water

Lab Number : 64936-03

Sample Date : 09/22/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Methyl-t-butyl ether (MTBE)	180	0.50	ug/L	EPA 8260B	09/27/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Tert-amyl methyl ether (TAME)	2.3	0.50	ug/L	EPA 8260B	09/27/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/27/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/27/2008
1,2-Dichloroethane-d4 (Surr)	96.7		% Recovery	EPA 8260B	09/27/2008
Toluene - d8 (Surr)	98.7		% Recovery	EPA 8260B	09/27/2008



Report Number : 64936

Date : 09/29/2008

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.5**

Sample : **W-1**

Matrix : Water

Lab Number : 64936-04

Sample Date : 09/22/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Methyl-t-butyl ether (MTBE)	1.2	0.50	ug/L	EPA 8260B	09/26/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/26/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/26/2008
1,2-Dichloroethane-d4 (Surr)	97.2		% Recovery	EPA 8260B	09/26/2008
Toluene - d8 (Surr)	99.5		% Recovery	EPA 8260B	09/26/2008



Report Number : 64936

Date : 09/29/2008

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.5**

Sample : **PZ-6**

Matrix : Water

Lab Number : 64936-05

Sample Date : 09/22/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Methyl-t-butyl ether (MTBE)	63	0.50	ug/L	EPA 8260B	09/29/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Tert-amyl methyl ether (TAME)	0.93	0.50	ug/L	EPA 8260B	09/29/2008
Tert-Butanol	10	5.0	ug/L	EPA 8260B	09/29/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/29/2008
1,2-Dichloroethane-d4 (Surr)	99.6		% Recovery	EPA 8260B	09/29/2008
Toluene - d8 (Surr)	99.6		% Recovery	EPA 8260B	09/29/2008



Report Number : 64936

Date : 09/29/2008

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.5**

Sample : **PZ-7**

Matrix : Water

Lab Number : 64936-06

Sample Date : 09/22/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Methyl-t-butyl ether (MTBE)	0.93	0.50	ug/L	EPA 8260B	09/27/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/27/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/27/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/27/2008
1,2-Dichloroethane-d4 (Surr)	98.8		% Recovery	EPA 8260B	09/27/2008
Toluene - d8 (Surr)	94.2		% Recovery	EPA 8260B	09/27/2008

Report Number : 64936

QC Report : Method Blank DataProject Name : **Can-Am Plumbing**Project Number : **25-948162.5**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/26/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/26/2008
1,2-Dichloroethane-d4 (Surr)	98.1		%	EPA 8260B	09/26/2008
Toluene - d8 (Surr)	96.8		%	EPA 8260B	09/26/2008
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/25/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/25/2008
1,2-Dichloroethane-d4 (Surr)	97.5		%	EPA 8260B	09/25/2008
Toluene - d8 (Surr)	98.8		%	EPA 8260B	09/25/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/26/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/26/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/26/2008
1,2-Dichloroethane-d4 (Surr)	96.5		%	EPA 8260B	09/26/2008
Toluene - d8 (Surr)	99.2		%	EPA 8260B	09/26/2008
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/29/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/29/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/29/2008
1,2-Dichloroethane-d4 (Surr)	102		%	EPA 8260B	09/29/2008
Toluene - d8 (Surr)	99.6		%	EPA 8260B	09/29/2008

KIFF ANALYTICAL, LLC

2795 2nd Street, Suite 300 Davis, CA 95618 530-297-4800

Report Number : 64936

Date : 09/29/2008

QC Report : Method Blank Data

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.5**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/25/2008
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/25/2008
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/25/2008
1,2-Dichloroethane-d4 (Surr)	100		%	EPA 8260B	09/25/2008
Toluene - d8 (Surr)	97.3		%	EPA 8260B	09/25/2008

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
-----------	----------------	------------------------	-------	-----------------	---------------

QC Report : Matrix Spike/ Matrix Spike Duplicate

Date : 09/29/2008

Project Name : **Can-Am Plumbing**Project Number : **25-948162.5**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	64942-09	1.1	39.5	39.5	38.2	38.3	ug/L	EPA 8260B	9/26/08	94.0	94.2	0.125	70-130	25
Methyl-t-butyl ether	64942-09	0.53	39.4	39.4	37.2	36.6	ug/L	EPA 8260B	9/26/08	93.1	91.6	1.63	70-130	25
Tert-Butanol	64942-09	<5.0	197	197	202	194	ug/L	EPA 8260B	9/26/08	103	98.8	3.90	70-130	25
Toluene	64942-09	1.3	38.9	38.9	37.7	37.5	ug/L	EPA 8260B	9/26/08	93.6	92.9	0.709	70-130	25
Benzene	64966-07	<0.50	40.1	40.1	40.2	40.4	ug/L	EPA 8260B	9/25/08	100	101	0.683	70-130	25
Methyl-t-butyl ether	64966-07	200	40.1	40.1	227	244	ug/L	EPA 8260B	9/25/08	57.2	100	54.9	70-130	25
Tert-Butanol	64966-07	74	200	200	271	287	ug/L	EPA 8260B	9/25/08	98.7	107	7.93	70-130	25
Toluene	64966-07	<0.50	39.5	39.5	38.9	39.4	ug/L	EPA 8260B	9/25/08	98.5	99.8	1.29	70-130	25
Benzene	64990-01	<0.50	40.1	40.1	40.0	40.6	ug/L	EPA 8260B	9/26/08	99.7	101	1.32	70-130	25
Methyl-t-butyl ether	64990-01	<0.50	40.1	40.1	34.7	36.4	ug/L	EPA 8260B	9/26/08	86.6	90.8	4.65	70-130	25
Tert-Butanol	64990-01	<5.0	200	200	200	210	ug/L	EPA 8260B	9/26/08	100	105	4.54	70-130	25
Toluene	64990-01	<0.50	39.5	39.5	38.9	38.7	ug/L	EPA 8260B	9/26/08	98.5	98.0	0.502	70-130	25
Benzene	65008-04	<0.50	40.1	40.1	38.4	37.4	ug/L	EPA 8260B	9/29/08	95.6	93.2	2.56	70-130	25
Methyl-t-butyl ether	65008-04	15	40.1	40.1	55.8	53.9	ug/L	EPA 8260B	9/29/08	100	95.8	4.76	70-130	25
Tert-Butanol	65008-04	68	200	200	257	251	ug/L	EPA 8260B	9/29/08	94.5	91.4	3.29	70-130	25
Toluene	65008-04	0.53	39.5	39.5	38.2	37.2	ug/L	EPA 8260B	9/29/08	95.3	92.8	2.56	70-130	25
Benzene	64972-03	28	40.1	40.1	75.8	75.2	ug/L	EPA 8260B	9/25/08	120	118	1.28	70-130	25
Methyl-t-butyl ether	64972-03	<0.50	40.1	40.1	36.3	36.4	ug/L	EPA 8260B	9/25/08	90.5	90.7	0.263	70-130	25

Report Number : 64936

QC Report : Matrix Spike/ Matrix Spike Duplicate

Date : 09/29/2008

Project Name : **Can-Am Plumbing**Project Number : **25-948162.5**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Tert-Butanol	64972-03	<5.0	200	200	197	196	ug/L	EPA 8260B	9/25/08	98.4	98.0	0.349	70-130	25
Toluene	64972-03	0.83	39.5	39.5	39.7	39.5	ug/L	EPA 8260B	9/25/08	98.3	97.7	0.636	70-130	25

KIFF ANALYTICAL, LLC

2795 2nd Street, Suite 300 Davis, CA 95618 530-297-4800

Project Name : **Can-Am Plumbing**Project Number : **25-948162.5**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.1	ug/L	EPA 8260B	9/26/08	94.6	70-130
Methyl-t-butyl ether	40.1	ug/L	EPA 8260B	9/26/08	92.7	70-130
Tert-Butanol	200	ug/L	EPA 8260B	9/26/08	100	70-130
Toluene	39.5	ug/L	EPA 8260B	9/26/08	93.8	70-130
Benzene	40.1	ug/L	EPA 8260B	9/25/08	106	70-130
Methyl-t-butyl ether	40.2	ug/L	EPA 8260B	9/25/08	88.8	70-130
Tert-Butanol	200	ug/L	EPA 8260B	9/25/08	107	70-130
Toluene	40.1	ug/L	EPA 8260B	9/25/08	105	70-130
Benzene	40.1	ug/L	EPA 8260B	9/26/08	105	70-130
Methyl-t-butyl ether	40.2	ug/L	EPA 8260B	9/26/08	86.7	70-130
Tert-Butanol	200	ug/L	EPA 8260B	9/26/08	107	70-130
Toluene	40.1	ug/L	EPA 8260B	9/26/08	103	70-130
Benzene	40.0	ug/L	EPA 8260B	9/29/08	97.5	70-130
Methyl-t-butyl ether	40.1	ug/L	EPA 8260B	9/29/08	105	70-130
Tert-Butanol	200	ug/L	EPA 8260B	9/29/08	101	70-130
Toluene	40.0	ug/L	EPA 8260B	9/29/08	97.5	70-130
Benzene	40.1	ug/L	EPA 8260B	9/25/08	95.4	70-130

Report Number : 64936

QC Report : Laboratory Control Sample (LCS)

Date : 09/29/2008

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.5**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Methyl-t-butyl ether	40.1	ug/L	EPA 8260B	9/25/08	88.5	70-130
Tert-Butanol	200	ug/L	EPA 8260B	9/25/08	97.4	70-130
Toluene	39.5	ug/L	EPA 8260B	9/25/08	95.9	70-130

KIFF ANALYTICAL, LLC

2795 2nd Street, Suite 300 Davis, CA 95618 530-297-4800

64936 Chain-of-Custody-Record

Yes
 No

Direct Bill To: Geoffrey Risse Gettler-Ryan Inc. 3140 Gold Camp Dr. Rancho Cordova, CA 95670	Facility: Can-Am Plumbing Global ID#: T0600156201 Facility Address: 151 Wyoming Street, Pleasanton Consultant Project #: 25-948162.5 Consultant Name: GETTLER-RYAN INC. Address: 3140 Gold Camp Dr., Suite 170, Rancho Cordova, CA 95670 Project Contact: (Name) Geoffrey Risse (Phone) 916-631-1316x12 (Fax) 916-631-1317					Contact:	(Name) Geoffrey Risse (Phone) 916-631-1316x12
	Laboratory Name:	Kiff Analytical					
	Laboratory Service Order:						
	Laboratory Service Code:						
	Samples Collected by: (Name)	Jim Heran					
	Signature:						

Sample Number	Number of Containers	Matrix	S = Soil A = Air W = Water	Sample Preservation	Date/Time	State Method:	<input checked="" type="checkbox"/> CA <input type="checkbox"/> OR <input type="checkbox"/> WA <input type="checkbox"/> NW Series					Remarks
							TPH-G/BTEX/Y/MTBE (8260)	TPH-G/BTEX/Y/MTBE/E/ETBE/DIPE/TAME/TBA (8260)				
QA	2	W	HCl	9/21/08		X						Lab Sample No.
MW-3	3			1055		X						01
MW-4	3			1148		X						02
W-1	3			1141		X						03
PZ-6	3			1158		X						04
PZ-7	3	↓	V	↓1125		X						05
												06

SAMPLE RECEIPT
 Temp °C 24.0 Therm. ID# JKT
 Initial AKP Date 092308
 Time 0751 Coolant present: Yes / No

Relinquished By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	Iced (Y/N)	Turn Around Time (Circle Choice)
	<u>GR INC</u>	<u>9/21/08 1300</u>		<u>GR INC</u>	<u>09-23-08 0950</u>		~ 24 Hrs. 48 Hrs. 5 Days 10 Days As Contracted
Relinquished By (Signature)	Organization	Date/Time	Received By (Signature)	Organization	Date/Time	Iced (Y/N)	
	<u>GR INC</u>	<u>09-23-08 0950</u>					
Relinquished By (Signature)	Organization	Date/Time	Received For Laboratory By (Signature)	Organization	Date/Time	Iced (Y/N)	
					<u>092308 0950</u>		