



November 16, 2009

Mr. Jerry Wickham
Alameda County Environmental Health Department
1131 Harbor Bay Parkway, Ste. 250
Alameda, California 94502

RECEIVED

10:42 am, Nov 19, 2009

Alameda County
Environmental Health

**Subject: 3rd Quarter 2009 Groundwater Monitoring and Sampling Report
Can-Am Plumbing, 151 Wyoming Street, Pleasanton, California
Alameda County Site #R00002425**

Mr. Wickham,

On behalf of Can-Am Plumbing Inc., Gettler-Ryan Inc. (GR) has prepared this third quarter 2009 groundwater monitoring and sampling report for the above-referenced property. This report describes the field and analytical methods, provides a summary of groundwater monitoring results, and presents conclusions and recommendations regarding groundwater conditions at the site.

Site Location and Description

The subject site is located at 151 Wyoming Street in Pleasanton, California (Figure 1). Topography in the vicinity of the subject site is relatively flat at an elevation of approximately 361 feet above mean sea level. The closest surface water is Arroyo Del Valle, which is approximately 640 feet south of the site. Regional groundwater flow direction is to the north. Below ground facilities consisted of two 1,000-gallon gasoline underground storage tanks (USTs). The USTs were reportedly installed in 1972 and in use until June 1999 when they were removed. Pertinent site features and the location of the former USTs are shown on Figure 2.

For site background and a summary of previous environmental investigation, please refer to GR report No. 25-948162.8, *Well Installation Report*, dated March 6, 2009.

Groundwater Monitoring

GR personnel conducted quarterly groundwater monitoring of ten wells (MW-1, MW-1A, MW-2, MW-2A, MW-3, MW-3A, and MW-4 through MW-7), seven piezometers (PZ-1 through PZ-7), and tank backfill well W-1. Work at the site included measuring static groundwater levels, evaluating groundwater in the wells for the presence of petroleum hydrocarbons, and purging and sampling the wells (as required by the current semi-annual sampling schedule) for laboratory analysis. Groundwater monitoring and sampling were performed in accordance with GR Field Methods and Procedures (attached).

On September 24, 2009, GR personnel collected depth to groundwater measurements in the ten monitoring wells, the seven piezometers, and tank backfill well W-1 and checked groundwater for the presence of separate-phase hydrocarbons (SPH). SPH were not present in any of the site wells or piezometers. Water level data, groundwater elevations, and separate-phase hydrocarbon thicknesses (if any) are presented in attached Table 1. Field data sheets for this event are attached.

Groundwater monitoring wells MW-1, MW-2, MW-3, piezometers PZ-1 through PZ-7 and tank backfill well W-1 were monitored only and are sampled semi-annually during the second and fourth quarters of the year. Zone C monitoring wells MW-1A, MW-2A, MW-3A, MW-4, MW-5, MW-6 and MW-7 were monitored and not sampled due to insufficient water.

Results

Due to seasonal low groundwater levels, insufficient groundwater elevation data points were available for groundwater Zones A, B and C, and therefore no reliable groundwater flow direction could be determined in these groundwater zones. As a result, Potentiometric Maps for the groundwater Zones A, B and C could not be generated. Therefore, Groundwater Elevation Maps for Zones A, B and C are presented as Figures 3, 4 and 5.


Conclusions and Recommendations

Based on the results of this monitoring and sampling event, GR concludes the following:


- The trend of decreasing groundwater occurrence and elevation present since early 2008 continues to be observed at the site;
- Groundwater in quantities necessary for sampling continues to be absent in offsite wells MW-6 and MW-7, located downgradient of the site, and;
- GR recommends continuing the current groundwater monitoring and sampling program for all wells to further evaluate groundwater quality trends and plume stability over time.

If you have any questions, please feel free to contact our Rancho Cordova office at (916) 631-1300.


Sincerely,
Gettler-Ryan Inc.



Geoffrey D. Risse
Staff Geologist



Douglas J. Lee
Senior Geologist
P.G. No. 6882



Attachments: Table 1, Groundwater Monitoring Results
Table 2, Groundwater Monitoring Results-Oxygenate Compounds
Figure 1, Vicinity Map
Figure 2, Site Plan
Figure 3, Groundwater Elevation Map-Zone A
Figure 4, Groundwater Elevation Map-Zone B
Figure 5, Groundwater Elevation Map-Zone C
GR Field Methods and Procedures
Field Data Sheets

CC: Marty O'Gara, Can-Am Plumbing Inc.

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|---------|---------------|------------------|--------------------|------------------|----------------------------------|-----------------------|------------------|---------------|
| Well MW-5 | | | | | | | | | |
| (con't) | 3/13/09 | 48.82 | 307.14 | <200 | <2.0 | <2.0 | <2.0 | <2.0 | 960 |
| | 6/18/09 | Dry | | | | Not Sampled | | | |
| | 9/24/09 | Dry | | | | Not Sampled | | | |
| Well MW-6 | | | | | | | | | |
| 354.62 [@] | 1/19/09 | Dry | | | | Not Sampled | | | |
| | 3/13/09 | Dry | | | | Not Sampled | | | |
| | 6/18/09 | Dry | | | | Not Sampled | | | |
| | 9/24/09 | Dry | | | | Not Sampled | | | |
| Well MW-7 | | | | | | | | | |
| 354.82 [@] | 1/19/09 | 50.17 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 3/13/09 | 49.76 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 6/18/09 | 50.24 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 9/24/09 | 50.42 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| UST Pit Casing W-1 | | | | | | | | | |
| | 1/24/00 | 7.1 | -- | | | Not Sampled | | | |
| | 1/27/00 | 6.55 | -- | 8,300 ³ | ND ² | ND ² | 110 | 630 | 1,900 |
| | 2/18/00 | 7.18 | -- | | | Not Sampled | | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------|---------------|------------------|--------------------|------------------|------------------|-----------------------|------------------|----------------------|
| UST Pit Casing W-1 | | | | | | | | | |
| (con't) | 2/24/00 | 7.69 | -- | 7,800 ³ | ND ² | ND ² | 81 | 820 | 1,300 |
| | 5/11/00 | 7.58 | -- | 130 ¹ | 3.5 | ND ² | ND ² | 0.97 | 600/730 ⁴ |
| | 3/1/01 | 6.25 | -- | 310 ³ | <2.5 | <2.5 | 2.7 | 11 | 81 |
| | 6/27/02 | 2.64 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 13 |
| | 9/30/02 | 6.95 | -- | <50 | 0.67 | <0.50 | <0.50 | <0.50 | 19 |
| 351.87* | 12/26/02 | 3.17 | 348.70 | <50 | <0.50 | <0.50 | <0.50 | 0.50 | 12 |
| | 11/5/03 | 5.02 | 346.85 | 61 | <0.50 | <0.50 | <0.50 | <1.0 | 72 |
| | 12/20/05 | 4.75 | 347.12 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 8.2 |
| | 6/9/06 | 4.02 | 350.33 | | | | Not Sampled | | |
| | 9/5/06 | 4.37 | 349.98 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 23 |
| | 12/15/06 | 4.31 | 350.04 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 3/16/07 | 4.61 | 349.74 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.1 |
| 354.35~ | 4/20/07 | 5.03 | 349.32 | | | | Not Sampled | | |
| | 6/15/07 | 5.67 | 348.68 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 6.4 |
| | 9/13/07 | 6.53 | 347.82 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 12/28/07 | 6.41 | 347.94 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 7.6 |
| | 3/28/08 | 5.64 | 348.71 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 32 |
| | 6/27/08 | 6.58 | 347.77 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 9/22/08 | 7.68 | 346.67 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.2 |
| | 12/30/08 | 7.11 | 347.24 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.5 |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------------|---------------|------------------|---------------|------------------|------------------|---|------------------|---------------|
| UST Pit Casing W-1 | | | | | | | | | |
| (con't) | 1/19/09 | 7.22 | 347.13 | | | | Not Sampled | | |
| | 3/13/09 | 6.01 | 348.34 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.65 |
| | 6/18/09 | 6.65 | 347.70 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.73 |
| | 9/24/09 | 7.85 | 346.50 | | | | Monitored Only - Sampled Semi-Annually | | |
| PZ-1 | | | | | | | | | |
| 354.54~ | 6/9/06 | 6.08 | 348.46 | | | | Not Sampled | | |
| | 9/5/06 | 6.35 | 348.19 | <50 | 0.67 | <0.50 | <0.50 | <0.50 | 57 |
| | 12/15/06 | 6.51 | 348.03 | | | | Obstruction in well @ 6.53'-Unable to sample well | | |
| | 3/16/07 | 6.28 | 348.26 | | | | Insufficient water - Not Sampled | | |
| | 4/20/07 | 6.45 | 348.09 | | | | Not Sampled | | |
| | 6/15/07 | 6.31 | 348.23 | | | | Insufficient water - Not Sampled | | |
| | 9/13/07 | Dry | | | | | Not Sampled | | |
| | 12/28/07 | Dry | | | | | Not Sampled | | |
| | 3/28/08 | Dry | | | | | Not Sampled | | |
| | 6/27/08 | Dry | | | | | Not Sampled | | |
| | 9/22/08 | Dry | | | | | Not Sampled | | |
| | 12/30/08 | Dry | | | | | Not Sampled | | |
| | 1/19/09 | Dry | | | | | Not Sampled | | |
| | 3/13/09 | Dry | | | | | Not Sampled | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------|---------------|------------------|---------------|------------------|------------------|-----------------------|------------------|---------------|
| PZ-1 | | | | | | | | | |
| (con't) | 6/18/09 | Dry | | | | | | | |
| | 9/24/09 | Dry | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| PZ-2 | | | | | | | | | |
| 354.35~ | 6/9/06 | 3.91 | 350.44 | | | | | | |
| | 9/5/06 | 4.57 | 349.78 | 150 | <0.50 | <0.50 | <0.50 | <0.50 | 52 |
| | 12/15/06 | 4.30 | 350.05 | 160 | <0.50 | <0.50 | <0.50 | <0.50 | 11 |
| | 3/16/07 | 4.60 | 349.75 | 4,000 | <0.50 | <0.50 | <0.50 | <0.50 | 1.6 |
| | 4/20/07 | 5.03 | 349.32 | | | | | | |
| | 6/15/07 | 5.65 | 348.70 | 180 | <0.50 | <0.50 | <0.50 | <0.50 | 2.8 |
| | 9/13/07 | 6.54 | 347.81 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 34 |
| | 12/28/07 | 6.38 | 347.97 | | | | | | |
| | 3/28/08 | 5.62 | 348.73 | 160 | <0.50 | <0.50 | <0.50 | <0.50 | 8.6 |
| | 6/27/08 | 6.59 | 347.76 | | | | | | |
| | 9/22/08 | 8.90 | -- ⁹ | | | | | | |
| | 12/30/08 | 6.56 | 347.79 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.7 |
| | 1/19/09 | 6.97 | 347.38 | | | | | | |
| | 3/13/09 | 6.02 | 348.33 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.4 |
| | 6/18/09 | 6.73 | 347.62 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 20 |
| | 9/24/09 | Dry | | | | | | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------|---------------|------------------|------------------|------------------|------------------|------------------------|------------------|---------------|
| Well MW-1 | | | | | | | | | |
| | 1/24/00 | 28.50 | -- | | | | Not Sampled | | |
| | 1/26/00 | 28.16 | -- | | | | Not Sampled | | |
| | 1/27/00 | 30.48 | -- | | | | Not Sampled | | |
| | 1/28/00 | 30.03 | -- | | | | Not Sampled | | |
| | 1/31/00 | 28.45 | -- | ND | ND | ND | ND | ND | ND |
| | 2/18/00 | 21.31 | -- | | | | Not Sampled | | |
| | 2/24/00 | 21.12 | -- | | | | Not Sampled | | |
| | 5/11/00 | 22.01 | -- | ND | ND | ND | ND | ND | ND |
| | 3/1/01 | 21.45 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| | 6/27/02 | 24.94 | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 9/30/02 | Dry | -- | | | | Well Dry - Not Sampled | | |
| 352.87* | 12/26/02 | 12.28 | 340.59 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.61 |
| | 5/01/03 | 21.45 | 331.33 | 320 ⁷ | <10 | <10 | <10 | <10 | 2,100 |
| | 11/5/03 | 21.91 | 330.96 | <50 | <0.50 | <0.50 | <0.50 | <1.0 | 17 |
| | 12/20/05 | 21.23 | 331.64 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 355.33~ | 6/9/06 | 21.62 | 333.71 | | | | Not Sampled | | |
| | 9/5/06 | 23.19 | 332.14 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 12/15/06 | 21.37 | 333.96 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 3/16/07 | 21.43 | 333.90 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 4/20/07 | 22.49 | 332.84 | | | | Not Sampled | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) | |
|-----------------------------------|----------------|-----------------------|--------------------------|---|--------------------------|--------------------------|-------------------------------|--------------------------|-----------------------|--|
| Well MW-1 | | | | | | | | | | |
| (con't) | 6/15/07 | 23.40 | 331.93 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 9/13/07 | 26.48 | 328.85 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.65 | |
| | 12/28/07 | 21.83 | 333.50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 3/28/08 | 21.99 | 333.34 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 6/27/08 | 28.80 | 326.53 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.52 | |
| | 9/22/08 | 30.84 | -- ⁹ | Insufficient Water - Not Sampled | | | | | | |
| | 12/30/08 | 21.78 | 333.55 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 1/19/09 | 23.59 | 331.74 | Not Sampled | | | | | | |
| | 3/13/09 | 21.22 | 334.11 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 6/18/09 | 27.53 | 327.80 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 9/24/09 | 31.04 | -- ⁹ | Monitored Only - Sampled Semi-Annually | | | | | | |
| Well MW-1A | | | | | | | | | | |
| 355.40~ | 6/9/06 | 31.22 | 324.18 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.3 | |
| | 9/5/06 | 44.40 | 311.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 12/15/06 | 39.05 | 316.35 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 240 | |
| | 3/16/07 | 31.91 | 323.49 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 170 | |
| | 4/20/07 | 35.85 | 319.55 | Not Sampled | | | | | | |
| | 6/15/07 | 40.56 | 314.84 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 29 | |
| | 9/13/07 | 45.64 | 309.76 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------------|---------------|------------------|-----------------|------------------|----------------------------------|-----------------------|------------------|----------------------------|
| Well MW-1A | | | | | | | | | |
| (con't) | 12/28/07 | 37.98 | 317.42 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 95 |
| | 3/28/08 | 33.83 | 321.57 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 60 |
| | 6/27/08 | 44.12 | 311.28 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 9/22/08 | Dry | | | | Not Sampled | | | |
| | 12/30/08 | Dry | | | | Not Sampled | | | |
| | 1/19/09 | 48.88 | -- ⁹ | | | Not Sampled | | | |
| | 3/13/09 | 38.80 | 316.60 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 210 |
| | 6/18/09 | Dry | | | | Not Sampled | | | |
| | 6/24/09 | Dry | | | | Not Sampled | | | |
| Well MW-2 | | | | | | | | | |
| | 1/24/00 | Dry | | | | Well Dry - Not Sampled | | | |
| | 1/31/00 | Dry | | | | Well Dry - Not Sampled | | | |
| | 2/18/00 | 25.74 | | | | Not Sampled | | | |
| | 2/24/00 | 22.05 | | | | Not Sampled | | | |
| | 5/11/00 | 25.42 | -- | ND ² | ND ² | ND ² | ND ² | ND ² | 11,000/12,000 ⁴ |
| | 3/1/01 | 25.24 | -- | 90 ⁵ | <0.50 | <0.50 | <0.50 | <0.50 | 14,000 |
| | 6/27/02 | 30.26 | -- | 16,000 | <5.0 | <5.0 | <5.0 | <5.0 | 19,000 |
| | 9/30/02 | 31.03 | -- | | | Insufficient Water - Not Sampled | | | |
| | 12/26/02 | 21.91 | 330.04 | <10,000 | <100 | <100 | <100 | <100 | 16,000 |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|------------|---------------|------------------|---------------------|---|----------------------------------|-----------------------|------------------|---------------|
| Well MW-2 (con't) | | | | | | | | | |
| 351.95* | 5/01/03 | 25.86 | 326.09 | 16,000 ⁷ | <100 | <100 | <100 | <100 | 16,000 |
| | 11/5/03 | 31.08 | 320.87 | | | Insufficient Water - Not Sampled | | | |
| | 12/20/05 | 28.44 | 323.51 | <2,000 | <20 | <20 | <20 | <20 | 9,400 |
| 354.44~ | 6/9/06 | 22.84 | 331.60 | | | Not Sampled | | | |
| | 9/5/06 | 30.54 | 323.90 | <900 | <9.0 | <9.0 | <9.0 | <9.0 | 5,300 |
| | 12/15/06 | 27.73 | 326.71 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 3,100 |
| | 3/16/07 | 21.71 | 332.73 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 4,800 |
| | 4/20/07 | 27.75 | 326.69 | Not Sampled | | | | | |
| | 6/15/07 | 30.96 | 323.48 | <400 | <4.0 | <4.0 | <4.0 | <4.0 | 2,600 |
| | 9/13/07 | 31.55 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 12/28/07 | 27.72 | 326.72 | <90 | <0.90 | <0.90 | <0.90 | <0.90 | 510 |
| | 3/28/08 | 22.50 | 331.94 | <90 | <0.90 | <0.90 | <0.90 | <0.90 | 2,300 |
| | 6/27/08 | 30.96 | 323.48 | <90 | <0.90 | <0.90 | <0.90 | <0.90 | 560 |
| | 9/22/08 | 31.52 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 12/30/08 | 29.59 | 324.85 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 54 |
| | 1/19/09 | 29.58 | 324.86 | | | Not Sampled | | | |
| | 3/13/09 | 21.36 | 333.08 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2,400 |
| | 6/18/09 | 30.98 | 323.46 | <90 | <0.90 | <0.90 | <0.90 | <0.90 | 570 |
| 9/24/09 | Dry | | | | Monitored Only - Sampled Semi-Annually | | | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|-----------------------------------|-----------------------|-----------------------|--------------------------|-----------------------|--------------------------|----------------------------------|-------------------------------|--------------------------|-----------------------|
| Well MW-2A | | | | | | | | | |
| 354.43~ | 6/9/06 | 31.22 | 323.21 | <900 | <9.0 | <9.0 | <9.0 | <9.0 | 5,300 |
| | 9/5/06 | 46.35 | 308.08 | <900 | <9.0 | <9.0 | <9.0 | <9.0 | 4,500 |
| | 12/15/06 | 40.38 | 314.05 | <900 | <9.0 | <9.0 | <9.0 | <9.0 | 7,300 |
| | 3/16/07 | 32.91 | 321.52 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 2,300 |
| | 4/20/07 | 37.03 | 317.40 | | | Not Sampled | | | |
| | 6/15/07 | 42.08 | 312.35 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 7,300 |
| | 9/13/07 | 47.03 | 307.40 | <1,500 | <15 | <15 | <15 | <15 | 8,800 |
| | 12/28/07 | 38.77 | 315.66 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 3,800 |
| | 3/28/08 | 34.13 | 320.30 | <150 | <1.5 | <1.5 | <1.5 | <1.5 | 760 |
| | 6/27/08 | 44.28 | 310.15 | <1,500 | <15 | <15 | <15 | <15 | 7,000 |
| | 9/22/08 | 49.40 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 12/30/08 | Dry | | | | Not Sampled | | | |
| | 1/19/09 | Dry | | | | Not Sampled | | | |
| | 3/13/09 | 38.40 | 316.03 | <400 | <4.0 | <4.0 | <4.0 | <4.0 | 2,100 |
| | 6/18/09 | Dry | | | | Not Sampled | | | |
| | 9/24/09 | Dry | | | | Not Sampled | | | |
| Well MW-3 | | | | | | | | | |
| 352.29* | 12/26/02 ⁶ | 21.99 | 330.30 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 66 |
| | 5/01/03 | 22.11 | 330.18 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 47 |

Table 1 - Groundwater Monitoring Results
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MTBE (ppb) |
|---------------------------|------|---------------|------------------|---------------|------------------|------------------|-----------------------|------------------|---------------|
|---------------------------|------|---------------|------------------|---------------|------------------|------------------|-----------------------|------------------|---------------|

| | | | | | | | | | |
|----------------------|----------|--------|--------|-------|-------|-------|-------|--|----------------------------------|
| Well MW-3 354.76~ | 11/5/03 | 23.76 | 328.53 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | Insufficient Water - Not Sampled |
| | 12/20/05 | 22.59 | 329.70 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 35 |
| | 6/9/06 | 22.18 | 332.58 | | | | | | Not Sampled |
| | 9/5/06 | 23.12 | 331.64 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 31 |
| | 12/15/06 | 22.42 | 332.34 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 28 |
| | 3/16/07 | 21.83 | 332.93 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 37 |
| | 4/20/07 | 22.69 | 332.07 | | | | | | Not Sampled |
| | 6/15/07 | 23.31 | 331.45 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 30 |
| | 9/13/07 | 23.53 | 331.23 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 28 |
| | 12/28/07 | 22.39 | 332.37 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 52 |
| | 3/28/08 | 22.24 | 332.52 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 90 |
| | 6/27/08 | 23.34 | 331.42 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 72 |
| 9/22/08 | 23.44 | 331.32 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 60 | |
| 12/30/08 | 22.74 | 332.02 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 71 | |
| 1/19/09 | 24.36 | 330.40 | | | | | | Not Sampled | |
| 3/13/09 | 21.68 | 333.08 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 89 | |
| 6/18/09 | 23.35 | 331.41 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 77 | |
| 9/24/09 | 23.76 | 331.00 | | | | | | Monitored Only - Sampled Semi-Annually | |
| 6/9/06 | 33.60 | 320.92 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.9 | |
| 354.52~ | | | | | | | | | Well MW-3A |

Table 1 - Groundwater Monitoring Results
Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Well ID/ TOC (ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MTBE (ppb) |
|------------------------------------|----------|---------------|------------------|---------------|------------------|------------------|-----------------------|------------------|---------------|
| Well MW-3A (cont) | 9/5/06 | 46.86 | 307.66 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.7 |
| | 12/15/06 | 43.02 | 311.50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 9.9 |
| | 3/16/07 | 32.73 | 321.79 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.4 |
| | 4/20/07 | 38.03 | 316.49 | <50 | <0.50 | <0.50 | <0.50 | Not Sampled | 6.4 |
| | 6/15/07 | 43.42 | 311.10 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 10 |
| | 9/13/07 | 47.73 | 306.79 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 36 |
| | 12/28/07 | 39.80 | 314.72 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 33 |
| | 3/28/08 | 34.53 | 319.99 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 9.5 |
| | 6/27/08 | 45.04 | 309.48 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 37 |
| | 9/22/08 | 49.65 | -- ⁹ | | | | | | |
| | 12/30/08 | 47.87 | 306.65 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| | 1/19/09 | 49.66 | -- ⁹ | | | | | | |
| | 3/13/09 | 37.32 | 317.20 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 12 |
| | 6/18/09 | 49.72 | -- ⁹ | | | | | | |
| | 6/24/09 | 49.90 | -- ⁹ | | | | | | |
| Well MW-4 354.81# | 4/20/07 | 35.12 | 319.69 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 1,700 |
| | 6/15/07 | 41.62 | 313.19 | <90 | <0.90 | <0.90 | <0.90 | <0.90 | 840 |
| | 9/13/07 | 45.89 | 308.92 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 220 |

Table 1 - Groundwater Monitoring Results
 Can-Arm Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MTBE (ppb) |
|---------------------------|------|---------------|------------------|---------------|------------------|------------------|-----------------------|------------------|---------------|
|---------------------------|------|---------------|------------------|---------------|------------------|------------------|-----------------------|------------------|---------------|

Well MW-4
(cont)

| | | | | | | | | | |
|----------|-------|-----------------|----------------------------------|-------|-------|-------|-------|-------|-------|
| 12/28/07 | 38.92 | 315.89 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 340 |
| 3/28/08 | 34.94 | 319.87 | 75 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 2,800 |
| 6/27/08 | 43.84 | 310.97 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 570 |
| 9/22/08 | 50.11 | 304.70 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 180 |
| 12/30/08 | 48.72 | 306.09 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 24 |
| 1/19/09 | 48.15 | 306.66 | Not Sampled | | | | | | |
| 3/13/09 | 39.28 | 315.53 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.7 |
| 6/18/09 | 49.76 | 305.05 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.6 |
| 9/24/09 | 52.55 | -- ⁹ | Insufficient Water - Not sampled | | | | | | |

Well MW-5
355.96#

| | | | | | | | | | |
|----------|-------|-----------------|----------------------------------|-------|-------|-------|-------|-------|-------|
| 4/20/07 | 40.88 | 315.08 | <400 | <4.0 | <4.0 | <4.0 | <4.0 | <4.0 | 1,800 |
| 6/15/07 | 45.58 | 310.38 | <200 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | 1,100 |
| 9/13/07 | 49.93 | 306.03 | <90 | <0.90 | <0.90 | <0.90 | <0.90 | <0.90 | 680 |
| 12/28/07 | 44.59 | 311.37 | <100 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | 520 |
| 3/28/08 | 38.83 | 317.13 | <100 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | 520 |
| 6/27/08 | 46.96 | 309.00 | <100 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | 1,400 |
| 9/22/08 | 52.20 | -- ⁹ | Insufficient Water - Not Sampled | | | | | | |
| 12/30/08 | Dry | | Not Sampled | | | | | | |
| 1/19/09 | Dry | | Not Sampled | | | | | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------------|---------------|------------------|---|---------------------|------------------|-----------------------|------------------|---------------|
| PZ-4 | | | | | | | | | |
| (con't) | 12/15/06 | 4.17 | 350.05 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 3/16/07 | 4.58 | 349.64 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 4/20/07 | 4.90 | 349.32 | Not Sampled | | | | | |
| | 6/15/07 | 5.53 | 348.69 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 98 |
| | 9/13/07 | 6.44 | 347.78 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 7.8 |
| | 12/28/07 | 6.32 | 347.90 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.52 |
| | 3/28/08 | 5.59 | 348.63 | <50 | <0.50 ¹⁰ | <0.50 | <0.50 | <0.50 | 4.7 |
| | 6/27/08 | 6.52 | 347.70 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 30 |
| | 9/22/08 | 7.90 | 346.32 | Not Sampled-Unable to collect water with pin bailer | | | | | |
| | 12/30/08 | 6.69 | 347.53 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 1/19/09 | 6.78 | 347.44 | Not Sampled | | | | | |
| | 3/13/09 | 6.01 | 348.21 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.1 |
| | 6/18/09 | 6.62 | 347.60 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 6.2 |
| | 9/24/09 | 6.90 | 347.32 | Monitored Only - Sampled Semi-Annually | | | | | |
| PZ-5 | | | | | | | | | |
| 354.95~ | 6/9/06 | 6.46 | 348.49 | Not Sampled | | | | | |
| | 9/5/06 | 8.70 | 346.25 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 2,900 |
| | 12/15/06 | 8.51 | 346.44 | <500 | <5.0 | <5.0 | <5.0 | <5.0 | 2,600 |
| | 3/16/07 | 8.89 | 346.06 | Insufficient Water - Not Sampled | | | | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------------|---------------|-----------------------|---------------|------------------|---|-----------------------|------------------|---------------|
| PZ-5 | | | | | | | | | |
| (con't) | 4/20/07 | 8.80 | 346.15 | | | | Not Sampled | | |
| | 6/15/07 | 9.16 | 345.79 | | | Insufficient Water - Not Sampled | | | |
| | 9/13/07 | Dry | -- | | | Not Sampled | | | |
| | 12/28/07 | Dry | -- | | | Not Sampled | | | |
| | 3/28/08 | 9.57 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 6/27/08 | 8.83 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 9/22/08 | 9.13 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 12/30/08 | 9.20 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 1/19/09 | 9.20 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 3/13/09 | 9.21 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 6/18/09 | 9.22 | -- ⁹ | | | Insufficient Water - Not Sampled | | | |
| | 9/24/09 | 9.37 | --⁹ | | | Monitored Only - Sampled Semi-Annually | | | |
| PZ-6 | | | | | | | | | |
| 354.39~ | 6/9/06 | 4.04 | 350.35 | | | Not Sampled | | | |
| | 9/5/06 | 4.67 | 349.72 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 62 |
| | 12/15/06 | 4.38 | 350.01 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 2.7 |
| | 3/16/607 | 4.70 | 349.69 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 7.4 |
| | 4/20/07 | 5.13 | 349.26 | | | Not Sampled | | | |
| | 6/15/07 | 5.74 | 348.65 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 88 |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|-----------------------------------|----------------------|-----------------------|--------------------------|-----------------------|--------------------------|---|-------------------------------|--------------------------|-----------------------|
| PZ-6 (con't) | 9/13/07 ⁸ | 6.67 | 347.72 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 51 |
| | 12/28/07 | 6.46 | 347.93 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 33 |
| | 3/28/08 | 5.71 | 348.68 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 130 |
| | 6/27/08 | 6.58 | 347.81 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 24 |
| | 9/22/08 | 7.75 | 346.64 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 63 |
| | 12/30/08 | 7.22 | 347.17 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 12 |
| | 1/19/09 | 7.36 | 347.03 | | | Not Sampled | | | |
| | 3/13/09 | 6.12 | 348.27 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.7 |
| | 6/18/09 | 6.75 | 347.64 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 5.3 |
| | 9/24/09 | 7.91 | 346.48 | | | Monitored Only - Sampled Semi-Annually | | | |
| PZ-7 354.45~ | 6/9/06 | 4.05 | 350.40 | | | Not Sampled | | | |
| | 9/5/06 | 4.65 | 349.80 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 1.4 |
| | 12/15/06 | 4.32 | 350.13 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 3/16/07 | 4.68 | 349.77 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 4/20/07 | 5.12 | 349.33 | | | Not Sampled | | | |
| | 6/15/07 | 5.73 | 348.72 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 9/13/07 | 6.63 | 347.82 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.68 |
| | 12/28/07 | 6.45 | 348.00 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.85 |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|-----------------------------------|----------------------|-----------------------|--------------------------|-----------------------|--------------------------|---|-------------------------------|--------------------------|-----------------------|
| PZ-7 | | | | | | | | | |
| (con't) | 3/28/08 | 5.72 | 348.73 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 6/27/08 | 6.67 | 347.78 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.59 |
| | 9/22/08 | 8.11 | 346.34 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.93 |
| | 12/30/08 | 7.20 | 347.25 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 1/19/09 | 7.31 | 347.14 | | | Not Sampled | | | |
| | 3/13/09 | 6.13 | 348.32 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 6/18/09 | 6.72 | 347.73 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.94 |
| | 9/24/09 | 7.87 | 346.58 | | | Monitored Only - Sampled Semi-Annually | | | |
| QA | | | | | | | | | |
| | 9/5/06 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 12/15/06 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 3/16/07 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 6/15/07 ⁸ | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 9/13/07 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 12/28/07 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 3/28/08 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 6/27/08 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 9/22/08 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 12/30/08 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|---------|---------------|------------------|---------------|------------------|------------------|-----------------------|------------------|---------------|
| QA (con't) | 3/13/09 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 6/18/09 | -- | -- | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |

EXPLANATION:

ppb = parts per billion

ND = Not Detected

-- = not measured or analyzed

DTW = depth to water measured from top of box/grade

GWE = Groundwater Elevation

TPHg = Total Petroleum Hydrocarbons as gasoline

MtBE = Methyl tertiary butyl ether according

QA = Trip Blank

¹ = Laboratory reported an unidentified hydrocarbon C6-C12.

² = Elevated detection limit.

³ = Chromatogram pattern: Gasoline C6-C12.

⁴ = MtBE by EPA Method 8260.

⁵ = Discrete Peaks

⁶ = Well Development Performed

⁷ = Discrete Peak @ MtBE

⁸ = Samples were analyzed by EPA Method 8260B using bottles that contained headspace bubbles greater than 1/4-inch in diameter

ANALYTICAL LABORATORY:

Sequoia Analytical (ELAP #1271)

Severn Trent Laboratory (ELAP #2496)

Kiff Analytical (ELAP #2236)

ANALYTICAL METHODS:

TPHg/BTEX/MtBE by EPA Method 8260B

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

EXPLANATION: (con't)

⁹ = Insufficient water to determine GWE

¹⁰ Matrix Spike/Matrix Spike Duplicate Results associated with these samples for the analyte Benzene were affected by the analyte concentrations already present in the un-spiked sample.

* Top of Casing (TOC) elevations surveyed to Mean Sea Level (MSL) by Virgil Chavez Land Surveying,
California-Licensed Land Surveyor No. 6323

~ Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 6/6/06

Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 4/17/07

@ Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS#5161) on 1/27/09

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|------------|-------------|-----------|------------|---|----------------------------------|------------|---------------|-----------|---------------|--|
| MW-1 | 3/1/01 | <50 | <2.0 | <2.0 | <2.0 | <2.0 | --- | --- | <500 | |
| | 6/27/02 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <50 | |
| | 9/30/02 | | | | Well Dry - Not Sampled | | | | | |
| | 12/26/02 | <5.0 | 0.61 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <50 | |
| | 5/01/03 | 540 | 2,100 | <100 | <10 | <10 | <10 | <10 | <1,000 | |
| | 11/5/03 | <5.0 | 17 | <1.0 | <0.50 | <0.50 | <0.50 | <0.50 | --- | |
| | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/15/06 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/16/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/13/07 | <5.0 | 0.65 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/28/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/28/08 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/27/08 | <5.0 | 0.52 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/22/08 | | | | Insufficient Water - Not Sampled | | | | | |
| | 12/30/08 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 1/19/09 | | | | Not Sampled | | | | | |
| | 3/13/09 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 6/18/09 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | | |
| 9/24/09 | | | | Monitored Only - Sampled Semi-Annually | | | | | | |
| MW-1A | 6/9/06 | <5.0 | 5.3 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/5/06 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/15/06 | 9.3 J | 240 | <0.50 | <0.50 | 3.7 | -- | -- | -- | |
| | 3/16/07 | <5.0 | 170 | <0.50 | <0.50 | 3.0 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | <5.0 | 29 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/13/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|------------------|-------------|-----------|------------|------------|----------------------------------|------------|---------------|-----------|---------------|--|
| MW-1A (con't) | 12/28/07 | 5.1 | 95 | <0.50 | <0.50 | 1.1 | -- | -- | -- | |
| | 3/28/08 | <5.0 | 60 | <0.50 | <0.50 | 0.60 | -- | -- | -- | |
| | 6/27/08 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/22/08 | | | | Insufficient Water - Not Sampled | | | | | |
| | 12/30/08 | | | | Not Sampled | | | | | |
| | 1/19/09 | | | | Not Sampled | | | | | |
| | 3/13/09 | 7.3 J | 210 | <0.50 | <0.50 | 2.7 | -- | -- | -- | |
| | 6/18/09 | | | | Not Sampled | | | | | |
| | 9/24/09 | | | | Not Sampled | | | | | |
| MW-2 | 3/1/01 | 2,800 | 14,000 | <100 | <100 | 190 | --- | --- | <25,000 | |
| | 6/27/02 | 3,100 | 19,000 | 7.0 | <5.0 | 260 | <5.0 | <5.0 | <500 | |
| | 9/30/02 | | | | Insufficient Water - Not Sampled | | | | | |
| | 12/26/02 | <1,000 | 16,000 | <100 | <100 | 220 | <100 | <100 | <10,000 | |
| | 5/01/03 | 4,100 | 16,000 | <100 | <100 | 240 | <100 | <100 | <10,000 | |
| | 11/5/03 | | | | Insufficient Water - Not Sampled | | | | | |
| | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | 390 | 5,300 | <9.0 | <9.0 | 56 | -- | -- | -- | |
| | 12/15/06 | <25 | 3,100 | <5.0 | <5.0 | 25 | -- | -- | -- | |
| | 3/16/07 | 660 | 4,800 | <5.0 | <5.0 | 76 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | 34 J | 2,600 | <4.0 | <4.0 | 31 | -- | -- | -- | |
| | 9/13/07 | | | | Insufficient Water - Not Sampled | | | | | |
| | 12/28/07 | <5.0 | 510 | <0.90 | <0.90 | 4.1 | -- | -- | -- | |
| | 3/28/08 | 71 J | 2,300 | <0.90 | <0.90 | 31 | -- | -- | -- | |
| | 6/27/08 | <5.0 | 560 | <0.90 | <0.90 | 5.5 | -- | -- | -- | |
| | 9/22/08 | | | | Insufficient Water - Not Sampled | | | | | |
| 12/30/08 | <5.0 | 54 | <0.50 | <0.50 | 0.62 | -- | -- | -- | | |
| 3/13/09 | 200 | 2,400 | <0.50 | <0.50 | 29 | -- | -- | -- | | |
| 6/18/09 | <5.0 | 570 | <0.90 | <0.90 | 8.1 | -- | -- | -- | | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|-----------------|-------------|---|------------|-------------|----------------------------------|------------|---------------|-----------|---------------|--|
| MW-2 (con't) | 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | |
| MW-2A | 6/9/06 | 860 | 5,300 | <9.0 | <9.0 | 61 | -- | -- | -- | |
| | 9/5/06 | 600 | 4,500 | <9.0 | <9.0 | 56 | -- | -- | -- | |
| | 12/15/06 | 1,000 | 7,300 | <9.0 | <9.0 | 99 | -- | -- | -- | |
| | 3/16/07 | 270 | 2,300 | <5.0 | <5.0 | 32 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | 780 | 7,300 | <5.0 | <5.0 | 86 | -- | -- | -- | |
| | 9/13/07 | 830 | 8,800 | <15 | <15 | 140 | -- | -- | -- | |
| | 12/28/07 | 300 | 3,800 | <5.0 | <5.0 | 54 | -- | -- | -- | |
| | 3/28/08 | 45 | 760 | <1.5 | <1.5 | 11 | -- | -- | -- | |
| | 6/27/08 | 100 J | 7,000 | <15 | <15 | 130 | -- | -- | -- | |
| | 9/22/08 | | | | Insufficient Water - Not Sampled | | | | | |
| | 12/30/08 | | | | Not Sampled | | | | | |
| | 1/19/09 | | | | Not Sampled | | | | | |
| | 3/13/09 | 20 J | 2,100 | <4.0 | <4.0 | 22 | -- | -- | -- | |
| | 6/18/09 | | | | Not Sampled | | | | | |
| 9/24/09 | | | | Not Sampled | | | | | | |
| MW-3 | 12/26/02 | <5.0 | 66 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <50 | |
| | 5/01/03 | <5.0 | 47 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <50 | |
| | 11/5/03 | | | | Insufficient Water - Not Sampled | | | | | |
| | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | <5.0 | 31 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/15/06 | <5.0 | 28 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/16/07 | <5.0 | 37 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | <5.0 | 30 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 9/13/07 | <5.0 | 28 | <0.50 | <0.50 | <0.50 | -- | -- | -- | | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|---------------------|---|---|------------|------------|------------|------------|---------------|-----------|---------------|--|
| MW-3 (con't) | 12/28/07 | <5.0 | 52 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/28/08 | <5.0 | 90 | <0.50 | <0.50 | 0.83 | -- | -- | -- | |
| | 6/27/08 | <5.0 | 72 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/22/08 | <5.0 | 60 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/30/08 | <5.0 | 71 | <0.50 | <0.50 | 0.51 | -- | -- | -- | |
| | 3/13/09 | <5.0 | 89 | <0.50 | <0.50 | 0.63 | -- | -- | -- | |
| | 6/18/09 | <5.0 | 77 | <0.50 | <0.50 | 0.58 | -- | -- | -- | |
| | 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | |
| MW-3A | 6/9/06 | <5.0 | 3.9 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/5/06 | <5.0 | 4.7 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/15/06 | <5.0 | 9.9 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/16/07 | <5.0 | 5.4 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | <5.0 | 6.4 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/13/07 | <5.0 | 10 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/28/07 | <5.0 | 36 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/28/08 | <5.0 | 33 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/27/08 | <5.0 | 9.5 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/22/08 | Insufficient Water - Not Sampled | | | | | | | | |
| | 12/30/08 | <5.0 | 37 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 1/19/09 | Not Sampled | | | | | | | | |
| | 3/13/09 | <5.0 | 12 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/18/09 | Insufficient Water - Not Sampled | | | | | | | | |
| 9/24/09 | Insufficient Water - Not Sampled | | | | | | | | | |
| MW-4 | 4/20/07 | 300 | 1,700 | <5.0 | <5.0 | 31 | -- | -- | -- | |
| | 6/15/07 | 60 | 840 | <0.90 | <0.90 | 10 | -- | -- | -- | |
| | 9/13/07 | 16 | 220 | <0.50 | <0.50 | 3.0 | -- | -- | -- | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) |
|---------------------|----------------|---|------------|------------|------------|------------|---------------|-----------|---------------|
| MW-4 (con't) | 12/28/07 | 39 | 340 | <0.50 | <0.50 | 4.8 | -- | -- | -- |
| | 3/28/08 | 280 | 2,800 | <0.50 | <0.50 | 44 | -- | -- | -- |
| | 6/27/08 | 7.7 J | 570 | <0.50 | <0.50 | 8.3 | -- | -- | -- |
| | 9/22/08 | <5.0 | 180 | <0.50 | <0.50 | 2.3 | -- | -- | -- |
| | 12/30/08 | <5.0 | 24 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 1/19/09 | Not Sampled | | | | | | | |
| | 3/13/09 | <5.0 | 5.7 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 6/18/08 | <5.0 | 1.6 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 9/24/09 | Insufficient Water - Not Sampled | | | | | | | |
| MW-5 | 4/20/07 | 130 | 1,800 | <4.0 | <4.0 | 22 | -- | -- | -- |
| | 6/15/07 | 67 | 1,100 | <2.0 | <2.0 | 21 | -- | -- | -- |
| | 9/13/07 | <5.0 | 680 | <0.90 | <0.90 | 7.1 | -- | -- | -- |
| | 12/28/07 | <5.0 | 520 | <1.0 | <1.0 | 3.6 | -- | -- | -- |
| | 3/28/08 | <5.0 | 520 | <1.0 | <1.0 | 3.8 | -- | -- | -- |
| | 6/27/08 | 8.1 J | 1,400 | <1.0 | <1.0 | 19 | -- | -- | -- |
| | 9/22/08 | Insufficient Water - Not Sampled | | | | | | | |
| | 12/30/08 | Not Sampled | | | | | | | |
| | 1/19/09 | Not Sampled | | | | | | | |
| | 3/13/09 | <9.0 | 960 | <2.0 | <2.0 | 14 | -- | -- | -- |
| | 6/18/09 | Not Sampled | | | | | | | |
| | 9/24/09 | Not Sampled | | | | | | | |
| MW-6 | 1/19/09 | Not Sampled | | | | | | | |
| | 3/13/09 | Not Sampled | | | | | | | |
| | 6/18/09 | Not Sampled | | | | | | | |
| | 9/24/09 | Not Sampled | | | | | | | |
| MW-7 | 1/19/09 | Insufficient Water - Not Sampled | | | | | | | |
| | 3/13/09 | Insufficient Water - Not Sampled | | | | | | | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) |
|------------|-------------|---|------------|------------|------------|------------|---------------|-----------|---------------|
| MW-7 | 6/18/09 | Insufficient Water - Not Sampled | | | | | | | |
| (con't) | 9/24/09 | Insufficient Water - Not Sampled | | | | | | | |
| W-1 | 3/1/01 | <50 | 81 | <2.0 | <2.0 | <2.0 | --- | --- | <500 |
| | 6/27/02 | <5.0 | 13 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <50 |
| | 9/30/02 | <5.0 | 19 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <50 |
| | 12/26/02 | <5.0 | 12 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <50 |
| | 5/01/03 | --- | --- | --- | --- | --- | --- | --- | --- |
| | 11/5/03 | 10 | 72 | <1.0 | <0.50 | <0.50 | <0.50 | <0.50 | --- |
| | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- |
| | 9/5/06 | <5.0 | 23 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 12/15/06 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 3/16/07 | <5.0 | 1.1 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- |
| | 6/15/07 | <5.0 | 6.4 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 9/13/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 12/28/07 | <5.0 | 7.6 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 3/28/08 | <5.0 | 32 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 6/27/08 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 9/22/08 | <5.0 | 1.2 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 12/30/08 | <5.0 | 1.5 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 1/19/09 | Not Sampled | | | | | | | |
| | 3/13/09 | <5.0 | 0.65 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 6/18/09 | <5.0 | 0.73 | <0.50 | <0.50 | <0.50 | -- | -- | -- |
| | 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | |
| PZ-1 | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- |
| | 9/5/06 | 5.6 | 57 | <0.50 | <0.50 | 2.8 | -- | -- | -- |
| | 12/15/06 | Obstruction in well @ 6.53'-Unable to sample well | | | | | | | |
| | 3/16/07 | Insufficient Water - Not Sampled | | | | | | | |

Table 1 - Groundwater Monitoring Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Well ID/ TOC (Ft. MSL) | Date | DTW (feet) | GWE (ft. MSL) | TPHg (ppb) | Benzene (ppb) | Toluene (ppb) | Ethylbenzene (ppb) | Xylenes (ppb) | MtBE (ppb) |
|---------------------------|----------|---------------|------------------|---|---------------------|------------------|-----------------------|------------------|---------------|
| PZ-3 | | | | | | | | | |
| 354.14~ | 6/9/06 | 3.77 | 350.37 | | | | Not Sampled | | |
| | 9/5/06 | 4.30 | 349.84 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 29 |
| | 12/15/06 | 3.99 | 350.15 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 35 |
| | 3/16/07 | 4.33 | 349.81 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 8.6 |
| | 4/20/07 | 5.06 | 349.08 | | | | Not Sampled | | |
| | 6/15/07 | 6.08 | 348.06 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 130 |
| | 9/13/07 | 7.52 | 346.62 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 19 |
| | 12/28/07 | 6.31 | 347.83 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 3/28/08 | 6.33 | 347.81 | <50 | <0.50 ¹⁰ | <0.50 | <0.50 | <0.50 | 0.74 |
| | 6/27/08 | 7.23 | 346.91 | Not Sampled-bailer sticking to side of casing prevented sample collection | | | | | |
| | 9/22/08 | 8.27 | -- ⁹ | Not Sampled-Unable to collect water with pin bailer | | | | | |
| | 12/30/08 | 5.49 | 348.65 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 1/19/09 | 6.80 | 347.34 | | | | Not Sampled | | |
| | 3/13/09 | 5.64 | 348.50 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| | 6/18/09 | 7.25 | 346.89 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 4.3 |
| | 9/24/09 | 8.55 | -- ⁹ | Monitored Only - Sampled Semi-Annually | | | | | |
| PZ-4 | | | | | | | | | |
| 354.22~ | 6/9/06 | 3.62 | 350.60 | | | | Not Sampled | | |
| | 9/5/06 | 4.44 | 349.78 | <50 | <0.50 | <0.50 | <0.50 | <0.50 | 32 |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|-------------------------|---|---|------------|-------------|-------------|------------|---------------|-----------|---------------|--|
| PZ-1 (con't) | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | | | | Not Sampled | | | | | |
| | 9/13/07 | | | | Not Sampled | | | | | |
| | 12/28/07 | | | | Not Sampled | | | | | |
| | 3/28/08 | | | | Not Sampled | | | | | |
| | 6/27/08 | | | | Not Sampled | | | | | |
| | 9/22/08 | | | | Not Sampled | | | | | |
| | 12/30/08 | | | | Not Sampled | | | | | |
| | 1/19/09 | | | | Not Sampled | | | | | |
| | 3/13/09 | | | | Not Sampled | | | | | |
| 6/18/09 | | | | Not Sampled | | | | | | |
| 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | | |
| PZ-2 | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | 6.8 | 52 | <0.50 | <0.50 | 1.3 | -- | -- | -- | |
| | 12/15/06 | <5.0 | 11 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/16/07 | <5.0 | 1.6 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | <5.0 | 2.8 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/13/07 | 5.5 | 34 | <0.50 | <0.50 | 1.0 | -- | -- | -- | |
| | 12/28/07 | Not Sampled - bailer sticking to side of casing prevented sample collection | | | | | | | | |
| | 3/28/08 | <5.0 | 8.6 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/27/08 | Not Sampled - bailer sticking to side of casing prevented sample collection | | | | | | | | |
| | 9/22/08 | Not Sampled - Unable to collect water with pin bailer | | | | | | | | |
| | 12/30/08 | <5.0 | 1.7 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 1/19/09 | Not Sampled | | | | | | | | |
| | 3/13/09 | <5.0 | 4.4 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/18/09 | <5.0 | 20 | <0.50 | <0.50 | 0.61 | -- | -- | -- | |
| 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|----------------|---|---|------------|------------|------------|------------|---------------|-----------|---------------|--|
| PZ-3 | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | 5.1 | 29 | <0.50 | <0.50 | 0.53 | -- | -- | -- | |
| | 12/15/06 | <5.0 | 35 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/16/07 | <5.0 | 8.6 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | 15 | 130 | <0.50 | <0.50 | 2.5 | -- | -- | -- | |
| | 9/13/07 | <0.50 | 19 | <0.50 | <0.50 | 0.56 | -- | -- | -- | |
| | 12/28/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/28/08 | <5.0 | 0.74 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/27/08 | Not Sampled - Bailer sticking to side of casing prevented sample collection | | | | | | | | |
| | 9/22/08 | Not Sampled - Unable to collect water with pin bailer | | | | | | | | |
| | 12/30/08 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 1/19/09 | Not Sampled | | | | | | | | |
| | 3/13/09 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/18/09 | <5.0 | 4.3 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | | |
| PZ-4 | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | 6.4 | 32 | <0.50 | <0.50 | 0.54 | -- | -- | -- | |
| | 12/15/06 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/16/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | 6.4 | 98 | <0.50 | <0.50 | 1.1 | -- | -- | -- | |
| | 9/13/07 | <5.0 | 7.8 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 12/28/07 | <5.0 | 0.52 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/28/08 | <5.0 | 4.7 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/27/08 | <5.0 | 30 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/22/08 | Not Sampled - Unable to collect water with pin bailer | | | | | | | | |
| | 12/30/08 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 1/19/09 | Not Sampled | | | | | | | | | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|------------------------|----------------|---|------------|------------|----------------------------------|------------|---------------|-----------|---------------|--|
| PZ-4 (con't) | 3/13/09 | <5.0 | 2.1 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/18/09 | <5.0 | 6.2 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | |
| PZ-5 | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | 490 | 2,900 | <5.0 | <5.0 | 19 | -- | -- | -- | |
| | 12/15/06 | 280 | 2,600 | <5.0 | <5.0 | 17 | -- | -- | -- | |
| | 3/16/07 | | | | Insufficient Water - Not Sampled | | | | | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | | | | Insufficient Water - Not Sampled | | | | | |
| | 9/13/07 | | | | Not Sampled | | | | | |
| | 12/28/07 | | | | Not Sampled | | | | | |
| | 3/28/08 | | | | Insufficient Water - Not Sampled | | | | | |
| | 6/27/08 | | | | Insufficient Water - Not Sampled | | | | | |
| | 9/22/08 | | | | Insufficient Water - Not Sampled | | | | | |
| | 12/30/08 | | | | Not Sampled | | | | | |
| | 1/19/09 | | | | Not Sampled | | | | | |
| | 3/13/09 | | | | Insufficient Water - Not Sampled | | | | | |
| | 6/18/09 | | | | Insufficient Water - Not Sampled | | | | | |
| | 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | |
| PZ-6 | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 9/5/06 | 5.9 | 62 | <0.50 | <0.50 | 0.85 | -- | -- | -- | |
| | 12/15/06 | <5.0 | 2.7 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/16/07 | <5.0 | 7.4 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 4/20/07 | -- | -- | -- | -- | -- | -- | -- | -- | |
| | 6/15/07 | 21 | 88 | <0.50 | <0.50 | 1.6 | -- | -- | -- | |
| | 9/13/07 | 10 | 51 | <0.50 | <0.50 | 0.91 | -- | -- | -- | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) | |
|---------------------|---|---|------------|------------|------------|------------|---------------|-----------|---------------|----|
| PZ-6 (con't) | 12/28/07 | <5.0 | 33 | <0.50 | <0.50 | 0.52 | -- | -- | -- | |
| | 3/28/08 | 15 | 130 | <0.50 | <0.50 | 1.9 | -- | -- | -- | |
| | 6/27/08 | <5.0 | 24 | <0.50 | <0.50 | 0.52 | -- | -- | -- | |
| | 9/22/08 | 10 | 63 | <0.50 | <0.50 | 0.93 | -- | -- | -- | |
| | 12/30/08 | <5.0 | 12 | <0.50 | <0.50 | 0.93 | -- | -- | -- | |
| | 1/19/09 | Not Sampled | | | | | | | | |
| | 3/13/09 | <5.0 | 1.7 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 6/18/09 | <5.0 | 5.3 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | |
| | PZ-7 | 6/9/06 | -- | -- | -- | -- | -- | -- | -- | -- |
| 9/5/06 | | <5.0 | 1.4 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 12/15/06 | | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 3/16/07 | | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 4/20/07 | | -- | -- | -- | -- | -- | -- | -- | -- | |
| 6/15/07 | | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 9/13/07 | | <5.0 | 0.68 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 12/28/07 | | <5.0 | 0.85 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 3/28/08 | | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 6/27/08 | | <5.0 | 0.59 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 9/22/08 | | <5.0 | 0.93 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 12/30/08 | | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 1/19/09 | | Not Sampled | | | | | | | | |
| 3/13/09 | | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 6/18/09 | | <5.0 | 0.94 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| 9/24/09 | Monitored Only - Sampled Semi-Annually | | | | | | | | | |
| QA | 12/28/07 | <5.0 | <0.50 | <0.50 | <0.50 | <0.50 | -- | -- | -- | |
| | 3/28/08 | -- | <0.50 | -- | -- | -- | -- | -- | -- | |
| | 6/27/08 | -- | <0.50 | -- | -- | -- | -- | -- | -- | |

Table 2 - Groundwater Monitoring Results - Oxygenate Compounds

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

| Sample No. | Sample Date | TBA (ppb) | MTBE (ppb) | DIPE (ppb) | ETBE (ppb) | TAME (ppb) | 1,2-DCA (ppb) | EDB (ppb) | Ethanol (ppb) |
|------------|-------------|-----------|------------|------------|------------|------------|---------------|-----------|---------------|
| QA | 9/22/08 | -- | <0.50 | -- | -- | -- | -- | -- | -- |
| (con't) | 12/30/08 | -- | <0.50 | -- | -- | -- | -- | -- | -- |
| | 3/13/09 | -- | <0.50 | -- | -- | -- | -- | -- | -- |
| | 6/18/09 | -- | <0.50 | -- | -- | -- | -- | -- | -- |

EXPLANATIONS:

TBA = Tert-Butanol
 MTBE = Methyl tert-butyl ether
 DIPE = Di-isopropyl ether
 ETBE = Ethyl tert-butyl ether
 TAME = tert-Amyl methyl ether
 1,2-DCA = 1,2-Dichloroethane
 EDB = Ethylene dibromide
 ppb = parts per billion
 --- = Not Analyzed
 QA = Trip Blank

ANALYTICAL METHOD:




Oxygenates by EPA Method 8260B
 1,2-DCA and EDB by EPA Method 8260B

ANALYTICAL LABORATORY:

Sequoia Analytical CA DHS (ELAP #1271)
 Severn Trent Laboratory CA DHS (ELAP #2496)
 Kiff Analytical (ELAP #2236)

NOTES:

Tert-Butanol results for sample MW-2, MW-2A, MW-4 and MW-5 may be biased slightly high and are flagged with a "J". A fraction of MtBE (typically less than 1%) converts to Tert-Butanol during the analysis of water samples. The laboratory consider this conversion effect to be mathematically significant in samples that contain MtBE/Tert-Butanol in ratio of over 20:1.



Source: Microsoft Streets 2005




GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

VICINITY MAP
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

FIGURE
1

| | | | |
|----------------|-------------|-------|--------------|
| PROJECT NUMBER | REVIEWED BY | DATE | REVISED DATE |
| 948162.04 | | 01/06 | |



EXPLANATION

- ◆ Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- Geoprobe Boring
- ◇ CPT Boring
- Hydropunch

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568
 (925) 551-7555

EXTENDED SITE PLAN
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California


DATE: JANUARY 19, 2009

REVISED DATE

PROJECT NUMBER: 948162
 .../Environmental/CAD drawings/Can-Am Plumbing/VIC-Can-Am Plumbing 9-20-07.dwg/Ext.SitePlan05-27

EXPLANATION

- ◆ Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ⊠ Insufficient water to determine GWE



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

GROUNDWATER ELEVATION MAP - ZONE A
 Can-Am Plumbing Inc.
 151 Wyoming Street
 Pleasanton, California

FIGURE
3

JOB NUMBER
 948162


REVIEWED BY

DATE
 September 24, 2009

REVISED DATE

EXPLANATION

- ◆ Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ⊠ Insufficient water to determine GWE




Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.

GETTLER - RYAN Inc.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

GROUNDWATER ELEVATION MAP - ZONE B
 Can-Am Plumbing Inc.
 151 Wyoming Street
 Pleasanton, California

FIGURE
4

| | | | |
|-------------------------------|-------------|-----------------------------------|--------------|
| JOB NUMBER 948162.4 | REVIEWED BY | DATE September 24, 2009 | REVISED DATE |
|-------------------------------|-------------|-----------------------------------|--------------|



EXPLANATION

- ◆ Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- Geoprobe Boring
- ◇ CPT Boring
- Hydropunch
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ⊞ Insufficient water to determine GWE

GROUNDWATER ELEVATION MAP - ZONE C

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

GETTLER-RYAN INC.

6747 Sierra Court, Suite J
Dublin, CA 94568
(925) 551-7555

PROJECT NUMBER
948162

REVIEWED BY

DATE
September 24, 2009

REVISED DATE

Source: Figure modified from drawing provided by XXXXXX.

STANDARD OPERATING PROCEDURE - QUARTERLY GROUNDWATER SAMPLING

Gettler-Ryan field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analyses by the analytical laboratory. Prior to sample collection, the type of analyses to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analyses is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using a MMC flexi-dip interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is recorded in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH, and electrical conductivity are measured a minimum of three times during purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include job number, sample identification, collection date and time, analyses, preservative (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4 °C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivery to the laboratory.

The chain of custody includes the job number, type of preservation, if any, analyses requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory-supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

WELL CONDITION STATUS SHEET

Client/Facility #: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job # 25-948162.5
 Event Date: 09 / 24 / 09
 Sampler: HAIG KEVORK

| WELL ID | Vault Frame Condition | Gasket/O-Ring (M)missing | BOLTS (M) Missing (R) Replaced | Bolt Flanges B= Broken S= Stripped R=Retap | APRON Condition C=Cracked B=Broken G=Gone | Grout Seal (Deficient) inches from TOC | Casing (Condition prevents tight cap seal) | REPLACE LOCK Y/N | REPLACE CAP Y/N | WELL VAULT Manufacture/Size/ # of Bolts | Pictures Taken Yes / No |
|---------|-----------------------|--------------------------|--------------------------------|--|---|--|--|------------------|-----------------|---|-------------------------|
| MW-1A | OK | | | | | | → OK | N | N | EMCO 12" / 2 | NO |
| MW-2A | OK | | | | | | → OK | | | ↓ | |
| MW-3A | OK | | | | | | → OK | | | | |
| MW-1 | OK | M | OK | OK | OK | OK | OK | | | | BOARTL. 8" / 3 |
| MW-2 | OK | OK | OK | 3-S | OK | OK | OK | | | ↓ | |
| MW-3 | OK | OK | OK | 1-S | OK | OK | OK | | | | |
| MW-4 | OK | | | | | | → OK | | | EMCO 12" / 2 | |
| MW-5 | OK | | | | | | → OK | | | ↓ | |
| MW-6 | OK | | | | | | → OK | | | | |
| MW-7 | OK | | | | | | → OK | | | | |
| W-1 | OK | N/A | N/A | N/A | OK | OK | OK | | | BUCKEYE SHILDS HARPER 12" / NO BOLTS | |
| PZ-1 | OK | | | | | | → OK | | | MORRISON 7" / 2 | |
| PZ-2 | OK | OK | OK * | OK * | OK | OK | OK | | | | YES |
| PZ-3 | OK | | | | | | → OK | | | | NO |
| PZ-4 | OK | | | | | | → OK | ↓ | ↓ | | NO |

Comments PAGE 1 OF 2
* PZ-2 (WELL LID BROKEN AT BOTH HOLE LOCATIONS - SEE PHOTO)

WELL CONDITION STATUS SHEET

Client/Facility #: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job # 25-948162.5
 Event Date: 09 / 24 / 09
 Sampler: HAIG KEVORK

| WELL ID | Vault Frame Condition | Gasket/O-Ring (M)missing | BOLTS (M) Missing (R) Replaced | Bolt Flanges B= Broken S= Stripped R=Retap | APRON Condition C=Cracked B=Broken G=Gone | Grout Seal (Deficient) inches from TOC | Casing (Condition prevents tight cap seal) | REPLACE LOCK Y/N | REPLACE CAP Y/N | WELL VAULT Manufacture/Size/ # of Bolts | Pictures Taken Yes / No |
|---------|-----------------------|--------------------------|--------------------------------|--|---|--|--|------------------|-----------------|---|-------------------------|
| PZ-5 | OK | OK | OK | 1-S | OK | OK | OK | N | N | MORRISON 7"/2 | NO |
| PZ-6 | OK | | | | | | →OK | N | N | ↓ | ↓ |
| PZ-7 | OK | | | | | | →OK | N | N | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Comments PAGE 2 OF 2.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: MW-1A
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 49.34 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

| | |
|---------------------------------------|------------------|
| Time Started: | _____ (2400 hrs) |
| Time Completed: | _____ (2400 hrs) |
| Depth to Product: | _____ ft |
| Depth to Water: | _____ ft |
| Hydrocarbon Thickness: | _____ ft |
| Visual Confirmation/Description: | _____ |
| Skimmer / Absorbent Sock (circle one) | _____ |
| Amt Removed from Skimmer: | _____ gal |
| Amt Removed from Well: | _____ gal |
| Water Removed: | _____ gal |
| Product Transferred to: | _____ |

Start Time (purge): _____
 Sample Time/Date: N/A / _____
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: DRY

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: MW-2A
 Well Diameter: 3/4 (2 1/4) in.
 Total Depth: 49.45 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

| | |
|---------------------------------------|------------------|
| Time Started: | _____ (2400 hrs) |
| Time Completed: | _____ (2400 hrs) |
| Depth to Product: | _____ ft |
| Depth to Water: | _____ ft |
| Hydrocarbon Thickness: | <u>0</u> ft |
| Visual Confirmation/Description: | _____ |
| Skimmer / Absorbent Sock (circle one) | _____ |
| Amt Removed from Skimmer: | _____ gal |
| Amt Removed from Well: | _____ gal |
| Water Removed: | _____ gal |
| Product Transferred to: | _____ |

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/PBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: DRY

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: MW-3A
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 50.25 ft.
 Depth to Water: 49.90 ft.
0.35 xVF

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Discrete Bailer _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Did well de-water? _____ if yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|----|------------------------------|---------------------|-------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/PBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: NOT SAMPLED (INSUFFICIENT H2O 0.35' < 0.50')

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: MW-1
 Well Diameter: 3 1/4 (2) 4 in.
 Total Depth: 31.53 ft.
 Depth to Water: 31.04 ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

M / O

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|----|------------------------------|---------------------|-------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: MW-2
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 31.87 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

M / O

| | |
|---------------------------------------|------------------|
| Time Started: | _____ (2400 hrs) |
| Time Completed: | _____ (2400 hrs) |
| Depth to Product: | _____ ft |
| Depth to Water: | _____ ft |
| Hydrocarbon Thickness: | <u>Ø</u> ft |
| Visual Confirmation/Description: | _____ |
| Skimmer / Absorbant Sock (circle one) | _____ |
| Amt Removed from Skimmer: | _____ gal |
| Amt Removed from Well: | _____ gal |
| Water Removed: | _____ gal |
| Product Transferred to: | _____ |

Start Time (purge): _____ Weather Conditions: SUNNY
 Sample Time/Date: N/A Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: MW-3
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 25.02 ft.
 Depth to Water: 23.76 ft.
1.26 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

M / O

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: SUNNY
 Sample Time/Date: N/A Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K

Well ID: MW-4
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 53.28 ft.
 Depth to Water: 52.55 ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A
 $0.73 \times VF 0.17 = 0.1$ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(6260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: NOT SAMPLED DUE TO INSUFFICIENT H2O (0.13' < 0.75')

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K

Well ID: MW-5
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 52.14 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): N/A

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Discrete Bailer _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: DRY

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K

Well ID: MW-6
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 49.84 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

| | |
|---------------------------------------|------------------|
| Time Started: | _____ (2400 hrs) |
| Time Completed: | _____ (2400 hrs) |
| Depth to Product: | _____ ft |
| Depth to Water: | _____ ft |
| Hydrocarbon Thickness: | <u>Ø</u> ft |
| Visual Confirmation/Description: | _____ |
| Skimmer / Absorbant Sock (circle one) | _____ |
| Amt Removed from Skimmer: | _____ gal |
| Amt Removed from Well: | _____ gal |
| Water Removed: | _____ gal |
| Product Transferred to: | _____ gal |

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| _____ | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/PBA(8260) |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

COMMENTS: DRY

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: MW-7
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 50.46 ft.
 Depth to Water: 50.42 ft.
0.34 xVF = _____

Date Monitored: 9/24/09

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/FBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: NOT SAMPLED (INSUFFICIENT H2O 0.34' < 0.50')

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K

Well ID: W-1
 Well Diameter: 3/4 / 2 (4) in.
 Total Depth: 8.89 ft.
 Depth to Water: 7.85 ft.
1.04 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: M / O

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: SUNNY
 Sample Time/Date: N/A Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIEF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.5
 Site Address: 151 Wyoming Street Event Date: 9/24/09 (inclusive)
 City: Pleasanton, CA Sampler: HAIG K

Well ID: PZ-1 Date Monitored: 9/24/09
 Well Diameter: 3/4" 2/4 in.
 Total Depth: 6.81 ft.
 Depth to Water: DRY ft. Check if water column is less than 0.50 ft.

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

M/O

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: SUNNY
 Sample Time/Date: N/A Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|----|------------------------------|---------------------|-------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG R

Well ID: PZ-2
 Well Diameter: 3/4" 2/4 in.
 Total Depth: 9.26 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/24/09

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): N/A

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Discrete Bailer _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

M/O

| | |
|---------------------------------------|------------------|
| Time Started: | _____ (2400 hrs) |
| Time Completed: | _____ (2400 hrs) |
| Depth to Product: | _____ ft |
| Depth to Water: | _____ ft |
| Hydrocarbon Thickness: | _____ ft |
| Visual Confirmation/Description: | _____ |
| Skimmer / Absorbent Sock (circle one) | |
| Amt Removed from Skimmer: | _____ gal |
| Amt Removed from Well: | _____ gal |
| Water Removed: | _____ gal |
| Product Transferred to: | _____ |

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8280) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M/O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K.

Well ID: PZ-3
 Well Diameter: (3/4) 2 1/4 in.
 Total Depth: 8.96 ft.
 Depth to Water: 8.55 ft.
0.41 xVF = _____

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): N/A

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Discrete Bailer _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

M / O

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: SUNNY
 Sample Time/Date: N/A Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|----|------------------------------|---------------------|-------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K

Well ID: PZ-4
 Well Diameter: 3/4" 2/4 in.
 Total Depth: 9.15 ft.
 Depth to Water: 6.90 ft.
2.25 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

M / O

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: SUNNY
 Sample Time/Date: N/A Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - FS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| _____ | x voa vial | YES | HCL | KIFE | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG R.

Well ID: PZ-5
 Well Diameter: 3/4" / 2 1/4 in.
 Total Depth: 9.70 ft.
 Depth to Water: 9.37 ft.
0.33 xVF = _____

Date Monitored: 9/24/09

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A
 x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

M / O

| | |
|---------------------------------------|------------------|
| Time Started: | _____ (2400 hrs) |
| Time Completed: | _____ (2400 hrs) |
| Depth to Product: | _____ ft |
| Depth to Water: | _____ ft |
| Hydrocarbon Thickness: | _____ ft |
| Visual Confirmation/Description: | _____ |
| Skimmer / Absorbent Sock (circle one) | _____ |
| Amt Removed from Skimmer: | _____ gal |
| Amt Removed from Well: | _____ gal |
| Water Removed: | _____ gal |
| Product Transferred to: | _____ |

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|-----------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/PBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K

Well ID: PZ-6
 Well Diameter: (3/4) 2 1/4 in.
 Total Depth: 9.01 ft.
 Depth to Water: 7.91 ft.
1.10 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/24/09

| | | | | |
|-------------|------------|----------|----------|-----------|
| Volume | 3/4"= 0.02 | 1"= 0.04 | 2"= 0.17 | 3"= 0.38 |
| Factor (VF) | 4"= 0.66 | 5"= 1.02 | 6"= 1.50 | 12"= 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): N/A

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: M/D

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____ gal
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|----|------------------------------|---------------------|-------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M/D

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.5
 Event Date: 9/24/09 (inclusive)
 Sampler: HAIG K

Well ID: PZ-7
 Well Diameter: 3/4" / 2 1/4 in.
 Total Depth: 9.90 ft.
 Depth to Water: 7.87 ft.
2.03 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/24/09

| | | | | |
|-------------|-------------|-----------|-----------|------------|
| Volume | 3/4" = 0.02 | 1" = 0.04 | 2" = 0.17 | 3" = 0.38 |
| Factor (VF) | 4" = 0.66 | 5" = 1.02 | 6" = 1.50 | 12" = 5.80 |

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): N/A

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

M / O

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____
 Sample Time/Date: N/A
 Approx. Flow Rate: _____ gpm.
 Did well de-water? _____ If yes, Time: _____

Weather Conditions: SUNNY
 Water Color: _____ Odor: Y / N
 Sediment Description: _____
 Volume: _____ gal. DTW @ Sampling: N/A

| Time (2400 hr.) | Volume (gal.) | pH | Conductivity (µmhos/cm - µS) | Temperature (C / F) | D.O. (mg/L) | ORP (mV) |
|-----------------|---------------|-------|------------------------------|---------------------|-------------|----------|
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | _____ |

LABORATORY INFORMATION

| SAMPLE ID | (#) CONTAINER | REFRIG. | PRESERV. TYPE | LABORATORY | ANALYSES |
|-----------|---------------|---------|---------------|------------|--|
| | x voa vial | YES | HCL | KIFF | TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/PBA(8260) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

COMMENTS: M / O

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____