



May 12, 2010

Mr. Jerry Wickham  
Alameda County Environmental Health Department  
1131 Harbor Bay Parkway, Ste. 250  
Alameda, California 94502

**RECEIVED**

2:13 pm, May 13, 2010

Alameda County  
Environmental Health

**Subject: 1st Quarter 2010 Groundwater Monitoring and Sampling Report  
Can-Am Plumbing, 151 Wyoming Street, Pleasanton, California  
Alameda County Site #R00002425**

Mr. Wickham,

On behalf of Can-Am Plumbing Inc., Gettler-Ryan Inc. (GR) has prepared this first quarter 2010 groundwater monitoring and sampling report for the above-referenced property. This report describes the field and analytical methods, provides a summary of groundwater monitoring results, and presents conclusions and recommendations regarding groundwater conditions at the site.

#### **Site Location and Description**

The subject site is located at 151 Wyoming Street in Pleasanton, California (Figure 1). Topography in the vicinity of the subject site is relatively flat at an elevation of approximately 361 feet above mean sea level. The closest surface water is Arroyo Del Valle, which is approximately 640 feet south of the site. Regional groundwater flow direction is to the north. Below ground facilities consisted of two 1,000-gallon gasoline underground storage tanks (USTs). The USTs were reportedly installed in 1972 and in use until June 1999 when they were removed. Pertinent site features and the location of the former USTs are shown on Figure 2.

For site background and a summary of previous environmental investigation, please refer to GR report No. 25-948162.8, *Well Installation Report*, dated March 6, 2009.

#### **Groundwater Monitoring**

GR personnel conducted quarterly groundwater monitoring of ten wells (MW-1, MW-1A, MW-2, MW-2A, MW-3, MW-3A, and MW-4 through MW-7), seven piezometers (PZ-1 through PZ-7), and tank backfill well W-1. Work at the site included measuring static groundwater levels, evaluating groundwater in the wells for the presence of petroleum hydrocarbons, and purging and sampling the wells (as required by the current semi-annual sampling schedule) for laboratory analysis. Groundwater monitoring and sampling were performed in accordance with GR Field Methods and Procedures (attached).

On March 22, 2010, GR personnel collected depth to groundwater measurements in the ten monitoring wells, the seven piezometers, and tank backfill well W-1 and checked groundwater for the presence of separate-phase hydrocarbons (SPH). SPH were not present in any of the site wells or piezometers. Water level data, groundwater elevations, and separate-phase hydrocarbon thicknesses (if any) are presented in attached Table 1. Field data sheets for this event are attached.

Groundwater monitoring wells MW-1, MW-2, MW-3, piezometers PZ-1 through PZ-7 and tank backfill well W-1 were monitored only and are sampled semi-annually during the second and fourth quarters of the year. Zone C monitoring wells MW-1A, MW-2A, MW-3A, MW-4, MW-5, and MW-7 were purged and sampled on March 22, 2010. Monitoring well MW-6 was monitored and not sampled due to insufficient water. Groundwater samples were submitted under chain-of-custody protocol to Kiff Analytical (ELAP #2236) of Davis, California. A copy of the laboratory analytical report and chain-of-custody document are attached.

## **Results**

### Groundwater Conditions

On March 22, 2010, the groundwater flow direction in the A zone was towards the east with gradients varying from 0.02 ft/ft to 0.05 ft/ft as shown on Figure 3. The groundwater flow direction in the B zone was towards the north-northwest at a gradient of 0.02 ft/ft (Figure 4). The flow direction in the C zone was towards the north-northeast with gradients varying from 0.1 ft/ft to 0.5 ft/ft (Figure 5).

### Analytical Results

Groundwater samples were analyzed for Total Petroleum Hydrocarbons as gasoline (TPHg), benzene, toluene, ethylbenzene, and xylenes (BTEX), Methyl tert-Butyl Ether (MtBE), Ethyl tert-Butyl Ether (ETBE), Di-Isopropyl Ether (DIPE), Tert-Amyl Methyl Ether (TAME), and Tert-Butanol (TBA) by EPA Method 8260B. Groundwater chemical analytical results for this event are presented in Tables 1 and 2.

TPHg, BTEX, DIPE, ETBE, and TBA concentrations were below the laboratory reporting limits in the sampled Zone C wells. MtBE was detected in four wells at concentrations ranging from 23 ppb in well MW-2A to 190 ppb in well MW-1A and reported as below the laboratory reporting limit in wells MW-4 and MW-7 as shown on Figure 6. TAME was detected in well MW-1A at a concentration of 2.6 ppb and reported as below the laboratory reporting limits in well MW-2A, MW-3A, MW-4, MW-5, and MW-7.


## **Conclusions and Recommendations**

Based on the results of this monitoring and sampling event, GR concludes the following:


- The groundwater flow direction in Zone A was to the east. Groundwater flow direction in Zone A tends to vary from event to event;
- The north-northwesterly groundwater flow direction in Zone B is generally consistent with previously observed groundwater conditions;
- The north-northeasterly groundwater flow direction in Zone C is generally consistent with previously observed groundwater conditions;
- Groundwater continues to be absent in offsite well MW-6;
- MtBE was not detected in offsite well MW-7, located laterally downgradient of the site; and
- GR recommends continuing the current groundwater monitoring and sampling program for all wells to further evaluate groundwater quality trends and plume stability over time.

If you have any questions, please feel free to contact our Rancho Cordova office at (916) 631-1300.


Sincerely,  
**Gettler-Ryan Inc.**



Geoffrey D. Risse  
Staff Geologist



Douglas J. Lee  
Senior Geologist  
P.G. No. 6882



Attachments:   Table 1, Groundwater Monitoring Results  
                  Table 2, Groundwater Monitoring Results-Oxygenate Compounds  
                  Figure 1, Vicinity Map  
                  Figure 2, Site Plan  
                  Figure 3, Potentiometric Map-Zone A  
                  Figure 4, Potentiometric Map-Zone B  
                  Figure 5, Potentiometric Map-Zone C  
                  Figure 6, MtBE Concentration Map-Zone C  
                  GR Field Methods and Procedures  
                  Field Data Sheets  
                  Laboratory Analytical Report and Chain of Custody

CC:     Marty O'Gara, Can-Am Plumbing Inc.

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>Well MW-1</b>									
	1/24/00	28.50	--				Not Sampled		
	1/26/00	28.16	--				Not Sampled		
	1/27/00	30.48	--				Not Sampled		
	1/28/00	30.03	--				Not Sampled		
	1/31/00	28.45	--	ND	ND	ND	ND	ND	ND
	2/18/00	21.31	--				Not Sampled		
	2/24/00	21.12	--				Not Sampled		
	5/11/00	22.01	--	ND	ND	ND	ND	ND	ND
	3/1/01	21.45	--	<50	<0.50	<0.50	<0.50	<0.50	<2.0
	6/27/02	24.94	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/30/02	Dry	--				Well Dry - Not Sampled		
<b>352.87*</b>	12/26/02	12.28	340.59	<50	<0.50	<0.50	<0.50	<0.50	0.61
	5/01/03	21.45	331.33	320 <sup>7</sup>	<10	<10	<10	<10	2,100
	11/5/03	21.91	330.96	<50	<0.50	<0.50	<0.50	<1.0	17
	12/20/05	21.23	331.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50
<b>355.33~</b>	6/9/06	21.62	333.71				Not Sampled		
	9/5/06	23.19	332.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	21.37	333.96	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	21.43	333.90	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	4/20/07	22.49	332.84				Not Sampled		

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

<b>Well ID/ TOC (Ft. MSL)</b>	<b>Date</b>	<b>DTW (feet)</b>	<b>GWE (ft. MSL)</b>	<b>TPHg (ppb)</b>	<b>Benzene (ppb)</b>	<b>Toluene (ppb)</b>	<b>Ethylbenzene (ppb)</b>	<b>Xylenes (ppb)</b>	<b>MtBE (ppb)</b>	
<b>Well MW-1</b>										
<b>(con't)</b>	6/15/07	23.40	331.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50	
	9/13/07	26.48	328.85	<50	<0.50	<0.50	<0.50	<0.50	0.65	
	12/28/07	21.83	333.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	
	3/28/08	21.99	333.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50	
	6/27/08	28.80	326.53	<50	<0.50	<0.50	<0.50	<0.50	0.52	
	9/22/08	30.84	-- <sup>9</sup>	Insufficient Water - Not Sampled						
	12/30/08	21.78	333.55	<50	<0.50	<0.50	<0.50	<0.50	<0.50	
	1/19/09	23.59	331.74	Not Sampled						
	3/13/09	21.22	334.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50	
	6/18/09	27.53	327.80	<50	<0.50	<0.50	<0.50	<0.50	<0.50	
	9/24/09	31.04	-- <sup>9</sup>	Monitored Only - Sampled Semi-Annually						
	12/16/09	21.46	333.87	<50	<0.50	<0.50	<0.50	<0.50	0.74	
	<b>3/22/10</b>	<b>21.95</b>	<b>333.38</b>	<b>Monitored Only - Sampled Semi-Annually</b>						
<b>Well MW-1A</b>										
<b>355.40~</b>	6/9/06	31.22	324.18	<50	<0.50	<0.50	<0.50	<0.50	5.3	
	9/5/06	44.40	311.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	
	12/15/06	39.05	316.35	<50	<0.50	<0.50	<0.50	<0.50	240	
	3/16/07	31.91	323.49	<50	<0.50	<0.50	<0.50	<0.50	170	
	4/20/07	35.85	319.55	Not Sampled						

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

<b>Well ID/ TOC (Ft. MSL)</b>	<b>Date</b>	<b>DTW (feet)</b>	<b>GWE (ft. MSL)</b>	<b>TPHg (ppb)</b>	<b>Benzene (ppb)</b>	<b>Toluene (ppb)</b>	<b>Ethylbenzene (ppb)</b>	<b>Xylenes (ppb)</b>	<b>MtBE (ppb)</b>
<b>Well MW-1A</b>									
<b>(con't)</b>	6/15/07	40.56	314.84	<50	<0.50	<0.50	<0.50	<0.50	29
	9/13/07	45.64	309.76	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	37.98	317.42	<50	<0.50	<0.50	<0.50	<0.50	95
	3/28/08	33.83	321.57	<50	<0.50	<0.50	<0.50	<0.50	60
	6/27/08	44.12	311.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/22/08	Dry				Not Sampled			
	12/30/08	Dry				Not Sampled			
	1/19/09	48.88	-- <sup>9</sup>			Not Sampled			
	3/13/09	38.80	316.60	<50	<0.50	<0.50	<0.50	<0.50	210
	6/18/09	Dry				Not Sampled			
	6/24/09	Dry				Not Sampled			
	12/16/09	Dry				Not Sampled			
	<b>3/22/10</b>	<b>40.15</b>	<b>315.25</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>190</b>
<b>Well MW-2</b>									
	1/24/00	Dry				Well Dry - Not Sampled			
	1/31/00	Dry				Well Dry - Not Sampled			
	2/18/00	25.74				Not Sampled			
	2/24/00	22.05				Not Sampled			
	5/11/00	25.42	--	ND <sup>2</sup>	ND <sup>2</sup>	ND <sup>2</sup>	ND <sup>2</sup>	ND <sup>2</sup>	11,000/12,000 <sup>4</sup>

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>Well MW-2</b>									
<b>(con't)</b>	3/1/01	25.24	--	90 <sup>5</sup>	<0.50	<0.50	<0.50	<0.50	14,000
	6/27/02	30.26	--	16,000	<5.0	<5.0	<5.0	<5.0	19,000
	9/30/02	31.03	--			Insufficient Water - Not Sampled			
	12/26/02	21.91	330.04	<10,000	<100	<100	<100	<100	16,000
<b>351.95*</b>	5/01/03	25.86	326.09	16,000 <sup>7</sup>	<100	<100	<100	<100	16,000
	11/5/03	31.08	320.87			Insufficient Water - Not Sampled			
	12/20/05	28.44	323.51	<2,000	<20	<20	<20	<20	9,400
<b>354.44~</b>	6/9/06	22.84	331.60			Not Sampled			
	9/5/06	30.54	323.90	<900	<9.0	<9.0	<9.0	<9.0	5,300
	12/15/06	27.73	326.71	<500	<5.0	<5.0	<5.0	<5.0	3,100
	3/16/07	21.71	332.73	<500	<5.0	<5.0	<5.0	<5.0	4,800
	4/20/07	27.75	326.69			Not Sampled			
	6/15/07	30.96	323.48	<400	<4.0	<4.0	<4.0	<4.0	2,600
	9/13/07	31.55	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	12/28/07	27.72	326.72	<90	<0.90	<0.90	<0.90	<0.90	510
	3/28/08	22.50	331.94	<90	<0.90	<0.90	<0.90	<0.90	2,300
	6/27/08	30.96	323.48	<90	<0.90	<0.90	<0.90	<0.90	560
	9/22/08	31.52	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	12/30/08	29.59	324.85	<50	<0.50	<0.50	<0.50	<0.50	54
	1/19/09	29.58	324.86			Not Sampled			

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>Well MW-2</b>									
<b>(con't)</b>	3/13/09	21.36	333.08	<50	<0.50	<0.50	<0.50	<0.50	2,400
	6/18/09	30.98	323.46	<90	<0.90	<0.90	<0.90	<0.90	570
	9/24/09	Dry			Monitored Only - Sampled Semi-Annually				
	12/16/09	29.75	324.69	<150	<1.5	<1.5	<1.5	<1.5	700
	<b>3/22/10</b>	<b>21.94</b>	<b>332.50</b>		<b>Monitoring Only - Sampled Semi-Annually</b>				
<b>Well MW-2A</b>									
<b>354.43~</b>	6/9/06	31.22	323.21	<900	<9.0	<9.0	<9.0	<9.0	5,300
	9/5/06	46.35	308.08	<900	<9.0	<9.0	<9.0	<9.0	4,500
	12/15/06	40.38	314.05	<900	<9.0	<9.0	<9.0	<9.0	7,300
	3/16/07	32.91	321.52	<500	<5.0	<5.0	<5.0	<5.0	2,300
	4/20/07	37.03	317.40		Not Sampled				
	6/15/07	42.08	312.35	<500	<5.0	<5.0	<5.0	<5.0	7,300
	9/13/07	47.03	307.40	<1,500	<15	<15	<15	<15	8,800
	12/28/07	38.77	315.66	<500	<5.0	<5.0	<5.0	<5.0	3,800
	3/28/08	34.13	320.30	<150	<1.5	<1.5	<1.5	<1.5	760
	6/27/08	44.28	310.15	<1,500	<15	<15	<15	<15	7,000
	9/22/08	49.40	-- <sup>9</sup>		Insufficient Water - Not Sampled				
	12/30/08	Dry			Not Sampled				
	1/19/09	Dry			Not Sampled				



**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

<b>Well ID/ TOC (Ft. MSL)</b>	<b>Date</b>	<b>DTW (feet)</b>	<b>GWE (ft. MSL)</b>	<b>TPHg (ppb)</b>	<b>Benzene (ppb)</b>	<b>Toluene (ppb)</b>	<b>Ethylbenzene (ppb)</b>	<b>Xylenes (ppb)</b>	<b>MtBE (ppb)</b>
<b>Well MW-2A</b>									
<b>(con't)</b>	3/13/09	38.40	316.03	<400	<4.0	<4.0	<4.0	<4.0	2,100
	6/18/09	Dry				Not Sampled			
	9/24/09	Dry				Not Sampled			
	12/16/09	Dry				Not Sampled			
	<b>3/22/10</b>	<b>37.57</b>	<b>316.86</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>23</b>
<b>Well MW-3</b>									
<b>352.29*</b>	12/26/02 <sup>6</sup>	21.99	330.30	<50	<0.50	<0.50	<0.50	<0.50	66
	5/01/03	22.11	330.18	<50	<0.50	<0.50	<0.50	<0.50	47
	11/5/03	23.76	328.53			Insufficient Water - Not Sampled			
	12/20/05	22.59	329.70	<50	<0.50	<0.50	<0.50	<0.50	35
	6/9/06	22.18	332.58			Not Sampled			
<b>354.76~</b>	9/5/06	23.12	331.64	<50	<0.50	<0.50	<0.50	<0.50	31
	12/15/06	22.42	332.34	<50	<0.50	<0.50	<0.50	<0.50	28
	3/16/07	21.83	332.93	<50	<0.50	<0.50	<0.50	<0.50	37
	4/20/07	22.69	332.07			Not Sampled			
	6/15/07	23.31	331.45	<50	<0.50	<0.50	<0.50	<0.50	30
	9/13/07	23.53	331.23	<50	<0.50	<0.50	<0.50	<0.50	28
	12/28/07	22.39	332.37	<50	<0.50	<0.50	<0.50	<0.50	52
	3/28/08	22.24	332.52	<50	<0.50	<0.50	<0.50	<0.50	90

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

<b>Well ID/ TOC (Ft. MSL)</b>	<b>Date</b>	<b>DTW (feet)</b>	<b>GWE (ft. MSL)</b>	<b>TPHg (ppb)</b>	<b>Benzene (ppb)</b>	<b>Toluene (ppb)</b>	<b>Ethylbenzene (ppb)</b>	<b>Xylenes (ppb)</b>	<b>MtBE (ppb)</b>	
<b>Well MW-3</b>										
<b>(con't)</b>	6/27/08	23.34	331.42	<50	<0.50	<0.50	<0.50	<0.50	72	
	9/22/08	23.44	331.32	<50	<0.50	<0.50	<0.50	<0.50	60	
	12/30/08	22.74	332.02	<50	<0.50	<0.50	<0.50	<0.50	71	
	1/19/09	24.36	330.40	Not Sampled						
	3/13/09	21.68	333.08	<50	<0.50	<0.50	<0.50	<0.50	89	
	6/18/09	23.35	331.41	<50	<0.50	<0.50	<0.50	<0.50	77	
	9/24/09	23.76	331.00	Monitored Only - Sampled Semi-Annually						
	12/16/09	22.80	331.96	<50	<0.50	<0.50	<0.50	<0.50	74	
	<b>3/22/10</b>	<b>22.35</b>	<b>332.41</b>	<b>Monitored Only - Sampled Semi-Annually</b>						
<b>Well MW-3A</b>										
<b>354.52~</b>	6/9/06	33.60	320.92	<50	<0.50	<0.50	<0.50	<0.50	3.9	
	9/5/06	46.86	307.66	<50	<0.50	<0.50	<0.50	<0.50	4.7	
	12/15/06	43.02	311.50	<50	<0.50	<0.50	<0.50	<0.50	9.9	
	3/16/07	32.73	321.79	<50	<0.50	<0.50	<0.50	<0.50	5.4	
	4/20/07	38.03	316.49	Not Sampled						
	6/15/07	43.42	311.10	<50	<0.50	<0.50	<0.50	<0.50	6.4	
	9/13/07	47.73	306.79	<50	<0.50	<0.50	<0.50	<0.50	10	
	12/28/07	39.80	314.72	<50	<0.50	<0.50	<0.50	<0.50	36	
	3/28/08	34.53	319.99	<50	<0.50	<0.50	<0.50	<0.50	33	

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

<b>Well ID/ TOC (Ft. MSL)</b>	<b>Date</b>	<b>DTW (feet)</b>	<b>GWE (ft. MSL)</b>	<b>TPHg (ppb)</b>	<b>Benzene (ppb)</b>	<b>Toluene (ppb)</b>	<b>Ethylbenzene (ppb)</b>	<b>Xylenes (ppb)</b>	<b>MtBE (ppb)</b>
<b>Well MW-3A</b>									
<b>(con't)</b>	6/27/08	45.04	309.48	<50	<0.50	<0.50	<0.50	<0.50	9.5
	9/22/08	49.65	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	12/30/08	47.87	306.65	<50	<0.50	<0.50	<0.50	<0.50	37
	1/19/09	49.66	-- <sup>9</sup>			Not Sampled			
	3/13/09	37.32	317.20	<50	<0.50	<0.50	<0.50	<0.50	12
	6/18/09	49.72	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	9/24/09	49.90	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	12/16/09	48.57	305.95	<50	<0.50	<0.50	<0.50	<0.50	48
	<b>3/22/10</b>	<b>35.90</b>	<b>318.62</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>34</b>
<b>Well MW-4</b>									
<b>354.81<sup>#</sup></b>	4/20/07	35.12	319.69	<500	<5.0	<5.0	<5.0	<5.0	1,700
	6/15/07	41.62	313.19	<90	<0.90	<0.90	<0.90	<0.90	840
	9/13/07	45.89	308.92	<50	<0.50	<0.50	<0.50	<0.50	220
	12/28/07	38.92	315.89	<50	<0.50	<0.50	<0.50	<0.50	340
	3/28/08	34.94	319.87	75	<0.50	<0.50	<0.50	<0.50	2,800
	6/27/08	43.84	310.97	<50	<0.50	<0.50	<0.50	<0.50	570
	9/22/08	50.11	304.70	<50	<0.50	<0.50	<0.50	<0.50	180
	12/30/08	48.72	306.09	<50	<0.50	<0.50	<0.50	<0.50	24
	1/19/09	48.15	306.66			Not Sampled			

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>Well MW-4</b>									
(con't)	3/13/09	39.28	315.53	<50	<0.50	<0.50	<0.50	<0.50	5.7
	6/18/09	49.76	305.05	<50	<0.50	<0.50	<0.50	<0.50	1.6
	9/24/09	52.55	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	12/16/09	52.85	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	3/22/10	42.39	312.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50
<b>Well MW-5</b>									
355.96 <sup>#</sup>	4/20/07	40.88	315.08	<400	<4.0	<4.0	<4.0	<4.0	1,800
	6/15/07	45.58	310.38	<200	<2.0	<2.0	<2.0	<2.0	1,100
	9/13/07	49.93	306.03	<90	<0.90	<0.90	<0.90	<0.90	680
	12/28/07	44.59	311.37	<100	<1.0	<1.0	<1.0	<1.0	520
	3/28/08	38.83	317.13	<100	<1.0	<1.0	<1.0	<1.0	520
	6/27/08	46.96	309.00	<100	<1.0	<1.0	<1.0	<1.0	1,400
	9/22/08	52.20	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	12/30/08	Dry				Not Sampled			
	1/19/09	Dry				Not Sampled			
	3/13/09	48.82	307.14	<200	<2.0	<2.0	<2.0	<2.0	960
	6/18/09	Dry				Not Sampled			
	9/24/09	Dry				Not Sampled			
	12/16/09	Dry				Not Sampled			

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

<b>Well ID/ TOC (Ft. MSL)</b>	<b>Date</b>	<b>DTW (feet)</b>	<b>GWE (ft. MSL)</b>	<b>TPHg (ppb)</b>	<b>Benzene (ppb)</b>	<b>Toluene (ppb)</b>	<b>Ethylbenzene (ppb)</b>	<b>Xylenes (ppb)</b>	<b>MtBE (ppb)</b>
<b>Well MW-5</b>									
<b>(con't)</b>	<b>3/22/10</b>	<b>50.22</b>	<b>305.74</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>100</b>
<b>Well MW-6</b>									
<b>354.62<sup>@</sup></b>	1/19/09	Dry				Not Sampled			
	3/13/09	Dry				Not Sampled			
	6/18/09	Dry				Not Sampled			
	9/24/09	Dry				Not Sampled			
	12/16/09	Dry				Not Sampled			
	<b>3/22/10</b>	<b>Dry</b>				<b>Not Sampled</b>			
<b>Well MW-7</b>									
<b>354.82<sup>@</sup></b>	1/19/09	50.17	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	3/13/09	49.76	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	6/18/09	50.24	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	9/24/09	50.42	-- <sup>9</sup>			Insufficient Water - Not Sampled			
	12/16/09	48.58	306.24	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	<b>3/22/10</b>	<b>45.85</b>	<b>308.97</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>
<b>UST Pit Casing W-1</b>									
	1/24/00	7.1	--			Not Sampled			

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>UST Pit Casing W-1</b>									
(con't)	1/27/00	6.55	--	8,300 <sup>3</sup>	ND <sup>2</sup>	ND <sup>2</sup>	110	630	1,900
	2/18/00	7.18	--			Not Sampled			
	2/24/00	7.69	--	7,800 <sup>3</sup>	ND <sup>2</sup>	ND <sup>2</sup>	81	820	1,300
	5/11/00	7.58	--	130 <sup>1</sup>	3.5	ND <sup>2</sup>	ND <sup>2</sup>	0.97	600/730 <sup>4</sup>
	3/1/01	6.25	--	310 <sup>3</sup>	<2.5	<2.5	2.7	11	81
	6/27/02	2.64	--	<50	<0.50	<0.50	<0.50	<0.50	13
	9/30/02	6.95	--	<50	0.67	<0.50	<0.50	<0.50	19
<b>351.87*</b>	12/26/02	3.17	348.70	<50	<0.50	<0.50	<0.50	0.50	12
	11/5/03	5.02	346.85	61	<0.50	<0.50	<0.50	<1.0	72
	12/20/05	4.75	347.12	<50	<0.50	<0.50	<0.50	<0.50	8.2
	6/9/06	4.02	350.33			Not Sampled			
	9/5/06	4.37	349.98	<50	<0.50	<0.50	<0.50	<0.50	23
	12/15/06	4.31	350.04	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	4.61	349.74	<50	<0.50	<0.50	<0.50	<0.50	1.1
<b>354.35~</b>	4/20/07	5.03	349.32			Not Sampled			
	6/15/07	5.67	348.68	<50	<0.50	<0.50	<0.50	<0.50	6.4
	9/13/07	6.53	347.82	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	6.41	347.94	<50	<0.50	<0.50	<0.50	<0.50	7.6
	3/28/08	5.64	348.71	<50	<0.50	<0.50	<0.50	<0.50	32
	6/27/08	6.58	347.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>UST Pit Casing W-1</b>									
(con't)	9/22/08	7.68	346.67	<50	<0.50	<0.50	<0.50	<0.50	1.2
	12/30/08	7.11	347.24	<50	<0.50	<0.50	<0.50	<0.50	1.5
	1/19/09	7.22	347.13			Not Sampled			
	3/13/09	6.01	348.34	<50	<0.50	<0.50	<0.50	<0.50	0.65
	6/18/09	6.65	347.70	<50	<0.50	<0.50	<0.50	<0.50	0.73
	9/24/09	7.85	346.50			Monitored Only - Sampled Semi-Annually			
	12/16/09	4.39	349.96	<50	<0.50	<0.50	<0.50	<0.50	0.63
	<b>3/22/10</b>	<b>6.39</b>	<b>347.96</b>			<b>Monitored Only - Sampled Semi-Annually</b>			
<b>PZ-1</b>									
354.54~	6/9/06	6.08	348.46			Not Sampled			
	9/5/06	6.35	348.19	<50	0.67	<0.50	<0.50	<0.50	57
	12/15/06	6.51	348.03			Obstruction in well @ 6.53'-Unable to sample well			
	3/16/07	6.28	348.26			Insufficient water - Not Sampled			
	4/20/07	6.45	348.09			Not Sampled			
	6/15/07	6.31	348.23			Insufficient water - Not Sampled			
	9/13/07	Dry				Not Sampled			
	12/28/07	Dry				Not Sampled			
	3/28/08	Dry				Not Sampled			
	6/27/08	Dry				Not Sampled			

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>PZ-1</b>									
(con't)	9/22/08	Dry				Not Sampled			
	12/30/08	Dry				Not Sampled			
	1/19/09	Dry				Not Sampled			
	3/13/09	Dry				Not Sampled			
	6/18/09	Dry				Not Sampled			
	9/24/09	Dry			Monitored Only-Sampled Semi-Annually				
	12/16/09	Dry				Not Sampled			
	<b>3/22/10</b>	<b>Dry</b>			<b>Monitored Only-Sampled Semi-Annually</b>				
<b>PZ-2</b>									
354.35~	6/9/06	3.91	350.44			Not Sampled			
	9/5/06	4.57	349.78	150	<0.50	<0.50	<0.50	<0.50	52
	12/15/06	4.30	350.05	160	<0.50	<0.50	<0.50	<0.50	11
	3/16/07	4.60	349.75	4,000	<0.50	<0.50	<0.50	<0.50	1.6
	4/20/07	5.03	349.32			Not Sampled			
	6/15/07	5.65	348.70	180	<0.50	<0.50	<0.50	<0.50	2.8
	9/13/07	6.54	347.81	<50	<0.50	<0.50	<0.50	<0.50	34
	12/28/07	6.38	347.97	Not Sampled-bailer sticking to side of casing prevented sample collection					
	3/28/08	5.62	348.73	160	<0.50	<0.50	<0.50	<0.50	8.6
	6/27/08	6.59	347.76	Not Sampled-bailer sticking to side of casing prevented sample collection					



**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>PZ-2</b>									
(con't)	9/22/08	8.90	-- <sup>9</sup>		Not Sampled-Unable to collect water with pin bailer				
	12/30/08	6.56	347.79	<50	<0.50	<0.50	<0.50	<0.50	1.7
	1/19/09	6.97	347.38		Not Sampled				
	3/13/09	6.02	348.33	<50	<0.50	<0.50	<0.50	<0.50	4.4
	6/18/09	6.73	347.62	<50	<0.50	<0.50	<0.50	<0.50	20
	9/24/09	Dry			Monitored Only - Sampled Semi-Annually				
	12/16/09	4.40	349.95	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	<b>3/22/10</b>	<b>6.05</b>	<b>348.30</b>		<b>Monitored Only - Sampled Semi-Annually</b>				
<b>PZ-3</b>									
<b>354.14~</b>	6/9/06	3.77	350.37		Not Sampled				
	9/5/06	4.30	349.84	<50	<0.50	<0.50	<0.50	<0.50	29
	12/15/06	3.99	350.15	<50	<0.50	<0.50	<0.50	<0.50	35
	3/16/07	4.33	349.81	<50	<0.50	<0.50	<0.50	<0.50	8.6
	4/20/07	5.06	349.08		Not Sampled				
	6/15/07	6.08	348.06	<50	<0.50	<0.50	<0.50	<0.50	130
	9/13/07	7.52	346.62	<50	<0.50	<0.50	<0.50	<0.50	19
	12/28/07	6.31	347.83	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/28/08	6.33	347.81	<50	<0.50 <sup>10</sup>	<0.50	<0.50	<0.50	0.74
	6/27/08	7.23	346.91		Not Sampled-bailer sticking to side of casing prevented sample collection				

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>PZ-3 (con't)</b>	9/22/08	8.27	-- <sup>9</sup>		Not Sampled-Unable to collect water with pin bailer				
	12/30/08	5.49	348.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	1/19/09	6.80	347.34		Not Sampled				
	3/13/09	5.64	348.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/18/09	7.25	346.89	<50	<0.50	<0.50	<0.50	<0.50	4.3
	9/24/09	8.55	-- <sup>9</sup>		Monitored Only - Sampled Semi-Annually				
	12/16/09	4.40	349.74	<50	<0.05	<0.50	<0.50	<0.50	<0.50
	<b>3/22/10</b>	<b>6.06</b>	<b>348.08</b>		<b>Monitored Only - Sampled Semi-Annually</b>				
<b>PZ-4 354.22~</b>	6/9/06	3.62	350.60		Not Sampled				
	9/5/06	4.44	349.78	<50	<0.50	<0.50	<0.50	<0.50	32
	12/15/06	4.17	350.05	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	4.58	349.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	4/20/07	4.90	349.32		Not Sampled				
	6/15/07	5.53	348.69	<50	<0.50	<0.50	<0.50	<0.50	98
	9/13/07	6.44	347.78	<50	<0.50	<0.50	<0.50	<0.50	7.8
	12/28/07	6.32	347.90	<50	<0.50	<0.50	<0.50	<0.50	0.52
	3/28/08	5.59	348.63	<50	<0.50 <sup>10</sup>	<0.50	<0.50	<0.50	4.7
	6/27/08	6.52	347.70	<50	<0.50	<0.50	<0.50	<0.50	30

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>PZ-4</b>									
(con't)	9/22/08	7.90	346.32		Not Sampled-Unable to collect water with pin bailer				
	12/30/08	6.69	347.53	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	1/19/09	6.78	347.44		Not Sampled				
	3/13/09	6.01	348.21	<50	<0.50	<0.50	<0.50	<0.50	2.1
	6/18/09	6.62	347.60	<50	<0.50	<0.50	<0.50	<0.50	6.2
	9/24/09	6.90	347.32		Monitored Only - Sampled Semi-Annually				
	12/16/09	4.39	349.83	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	<b>3/22/10</b>	<b>6.07</b>	<b>348.15</b>		<b>Monitored Only - Sampled Semi-Annually</b>				
<b>PZ-5</b>									
354.95~	6/9/06	6.46	348.49		Not Sampled				
	9/5/06	8.70	346.25	<500	<5.0	<5.0	<5.0	<5.0	2,900
	12/15/06	8.51	346.44	<500	<5.0	<5.0	<5.0	<5.0	2,600
	3/16/07	8.89	346.06		Insufficient Water - Not Sampled				
	4/20/07	8.80	346.15		Not Sampled				
	6/15/07	9.16	345.79		Insufficient Water - Not Sampled				
	9/13/07	Dry	--		Not Sampled				
	12/28/07	Dry	--		Not Sampled				
	3/28/08	9.57	-- <sup>9</sup>		Insufficient Water - Not Sampled				
	6/27/08	8.83	-- <sup>9</sup>		Insufficient Water - Not Sampled				

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>PZ-5</b>									
(con't)	9/22/08	9.13	-- <sup>9</sup>						Insufficient Water - Not Sampled
	12/30/08	9.20	-- <sup>9</sup>						Insufficient Water - Not Sampled
	1/19/09	9.20	-- <sup>9</sup>						Insufficient Water - Not Sampled
	3/13/09	9.21	-- <sup>9</sup>						Insufficient Water - Not Sampled
	6/18/09	9.22	-- <sup>9</sup>						Insufficient Water - Not Sampled
	9/24/09	9.37	-- <sup>9</sup>						Monitored Only - Sampled Semi-Annually
	12/16/09	9.25	-- <sup>9</sup>						Insufficient Water - Not Sampled
	<b>3/22/10</b>	<b>Dry</b>							<b>Monitored Only - Sampled Annually</b>
<b>PZ-6</b>									
354.39~	6/9/06	4.04	350.35						Not Sampled
	9/5/06	4.67	349.72	<50	<0.50	<0.50	<0.50	<0.50	62
	12/15/06	4.38	350.01	<50	<0.50	<0.50	<0.50	<0.50	2.7
	3/16/607	4.70	349.69	<50	<0.50	<0.50	<0.50	<0.50	7.4
	4/20/07	5.13	349.26						Not Sampled
	6/15/07	5.74	348.65	<50	<0.50	<0.50	<0.50	<0.50	88
	9/13/07 <sup>8</sup>	6.67	347.72	<50	<0.50	<0.50	<0.50	<0.50	51
	12/28/07	6.46	347.93	<50	<0.50	<0.50	<0.50	<0.50	33
	3/28/08	5.71	348.68	<50	<0.50	<0.50	<0.50	<0.50	130
	6/27/08	6.58	347.81	<50	<0.50	<0.50	<0.50	<0.50	24

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

<b>Well ID/ TOC (Ft. MSL)</b>	<b>Date</b>	<b>DTW (feet)</b>	<b>GWE (ft. MSL)</b>	<b>TPHg (ppb)</b>	<b>Benzene (ppb)</b>	<b>Toluene (ppb)</b>	<b>Ethylbenzene (ppb)</b>	<b>Xylenes (ppb)</b>	<b>MtBE (ppb)</b>
<b>PZ-6 (con't)</b>	9/22/08	7.75	346.64	<50	<0.50	<0.50	<0.50	<0.50	63
	12/30/08	7.22	347.17	<50	<0.50	<0.50	<0.50	<0.50	12
	1/19/09	7.36	347.03				Not Sampled		
	3/13/09	6.12	348.27	<50	<0.50	<0.50	<0.50	<0.50	1.7
	6/18/09	6.75	347.64	<50	<0.50	<0.50	<0.50	<0.50	5.3
	9/24/09	7.91	346.48				Monitored Only - Sampled Semi-Annually		
	12/16/09	4.49	349.90	<50	<0.50	<0.50	<0.50	<0.50	1.0
	<b>3/22/10</b>	<b>6.47</b>	<b>347.92</b>				<b>Monitored Only - Sampled Semi-Annually</b>		
<b>PZ-7 354.45~</b>	6/9/06	4.05	350.40				Not Sampled		
	9/5/06	4.65	349.80	<50	<0.50	<0.50	<0.50	<0.50	1.4
	12/15/06	4.32	350.13	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	4.68	349.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	4/20/07	5.12	349.33				Not Sampled		
	6/15/07	5.73	348.72	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/13/07	6.63	347.82	<50	<0.50	<0.50	<0.50	<0.50	0.68
	12/28/07	6.45	348.00	<50	<0.50	<0.50	<0.50	<0.50	0.85
	3/28/08	5.72	348.73	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/27/08	6.67	347.78	<50	<0.50	<0.50	<0.50	<0.50	0.59

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
<b>PZ-7</b>									
<b>(con't)</b>									
	9/22/08	8.11	346.34	<50	<0.50	<0.50	<0.50	<0.50	0.93
	12/30/08	7.20	347.25	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	1/19/09	7.31	347.14	Not Sampled					
	3/13/09	6.13	348.32	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/18/09	6.72	347.73	<50	<0.50	<0.50	<0.50	<0.50	0.94
	9/24/09	7.87	346.58	Monitored Only - Sampled Semi-Annually					
	12/16/09	4.48	349.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	<b>3/22/10</b>	<b>6.15</b>	<b>348.30</b>	<b>Monitored Only - Sampled Semi-Annually</b>					
<b>QA</b>									
	9/5/06	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/16/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/15/07 <sup>8</sup>	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/13/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/28/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/27/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	9/22/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50

**Table 1 - Groundwater Monitoring Results**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Well ID/ TOC (Ft. MSL)	Date	DTW (feet)	GWE (ft. MSL)	TPHg (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Xylenes (ppb)	MtBE (ppb)
QA (con't)	12/30/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/13/09	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/18/09	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/16/09	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/22/10	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50

**EXPLANATION:**

ppb = parts per billion

ND = Not Detected

-- = not measured or analyzed

DTW = depth to water measured from top of box/grade

GWE = Groundwater Elevation

TPHg = Total Petroleum Hydrocarbons as gasoline

MtBE = Methyl tertiary butyl ether according

QA = Trip Blank

**NOTES:**

<sup>1</sup> = Laboratory reported an unidentified hydrocarbon C6-C12.

<sup>2</sup> = Elevated detection limit.

<sup>3</sup> = Chromatogram pattern: Gasoline C6-C12.

**ANALYTICAL LABORATORY:**

Sequoia Analytical (ELAP #1271)

Severn Trent Laboratory (ELAP #2496)

Kiff Analytical (ELAP #2236)

**ANALYTICAL METHODS:**

TPHg/BTEX/MtBE by EPA Method 8260B

## Table 1 - Groundwater Monitoring Results

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

### NOTES: (con't)

<sup>4</sup> = MtBE by EPA Method 8260.

<sup>5</sup> = Discrete Peaks

<sup>6</sup> = Well Development Performed

<sup>7</sup> = Discrete Peak @ MtBE

<sup>8</sup> = Samples were analyzed by EPA Method 8260B using bottles that contained headspace bubbles greater than 1/4-inch in diameter

<sup>9</sup> = Insufficient water to determine GWE

<sup>10</sup> Matrix Spike/Matrix Spike Duplicate Results associated with these samples for the analyte Benzene were affected by the analyte concentrations already present in the un-spiked sample.

\* Top of Casing (TOC) elevations surveyed to Mean Sea Level (MSL) by Virgil Chavez Land Surveying,  
California-Licensed Land Surveyor No. 6323

~ Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 6/6/06

# Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 4/17/07

@ Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS#5161) on 1/27/09

---



**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)	
MW-1	3/1/01	<50	<2.0	<2.0	<2.0	<2.0	---	---	<500	
	6/27/02	<5.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<50	
	9/30/02	Well Dry - Not Sampled								
	12/26/02	<5.0	0.61	<0.50	<0.50	<0.50	<0.50	<0.50	<50	
	5/01/03	540	2,100	<100	<10	<10	<10	<10	<1,000	
	11/5/03	<5.0	17	<1.0	<0.50	<0.50	<0.50	<0.50	---	
	6/9/06	--	--	--	--	--	--	--	--	
	9/5/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	3/16/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	4/20/07	--	--	--	--	--	--	--	--	
	6/15/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	9/13/07	<5.0	0.65	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	3/28/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	6/27/08	<5.0	0.52	<0.50	<0.50	<0.50	--	--	--	
	9/22/08	Insufficient Water - Not Sampled								
	12/30/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	1/19/09	Not Sampled								
	3/13/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
6/18/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--		
9/24/09	Monitored Only - Sampled Semi-Annually									
12/16/09	<5.0	0.74	<0.50	<0.50	<0.50	--	--	--		
3/22/10	Monitored Only - Sampled Semi-Annually									
MW-1A	6/9/06	<5.0	5.3	<0.50	<0.50	<0.50	--	--	--	
	9/5/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	12/15/06	9.3 J	240	<0.50	<0.50	3.7	--	--	--	
	3/16/07	<5.0	170	<0.50	<0.50	3.0	--	--	--	
	4/20/07	--	--	--	--	--	--	--	--	

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)	
<b>MW-1A (con't)</b>	6/15/07	<5.0	29	<0.50	<0.50	<0.50	--	--	--	
	9/13/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	5.1	95	<0.50	<0.50	1.1	--	--	--	
	3/28/08	<5.0	60	<0.50	<0.50	0.60	--	--	--	
	6/27/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	9/22/08	Insufficient Water - Not Sampled								
	12/30/08	Not Sampled								
	1/19/09	Not Sampled								
	3/13/09	7.3 J	210	<0.50	<0.50	2.7	--	--	--	
	6/18/09	Not Sampled								
	9/24/09	Not Sampled								
	12/16/09	Not Sampled								
	<b>3/22/10</b>	<b>&lt;5.0</b>	<b>190</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>2.6</b>	--	--	--	
	<b>MW-2</b>	3/1/01	2,800	14,000	<100	<100	190	---	---	<25,000
6/27/02		3,100	19,000	7.0	<5.0	260	<5.0	<5.0	<500	
9/30/02		Insufficient Water - Not Sampled								
12/26/02		<1,000	16,000	<100	<100	220	<100	<100	<10,000	
5/01/03		4,100	16,000	<100	<100	240	<100	<100	<10,000	
11/5/03		Insufficient Water - Not Sampled								
6/9/06		--	--	--	--	--	--	--	--	
9/5/06		390	5,300	<9.0	<9.0	56	--	--	--	
12/15/06		<25	3,100	<5.0	<5.0	25	--	--	--	
3/16/07		660	4,800	<5.0	<5.0	76	--	--	--	
4/20/07		--	--	--	--	--	--	--	--	
6/15/07		34 J	2,600	<4.0	<4.0	31	--	--	--	
9/13/07		Insufficient Water - Not Sampled								
12/28/07		<5.0	510	<0.90	<0.90	4.1	--	--	--	
3/28/08	71 J	2,300	<0.90	<0.90	31	--	--	--		
6/27/08	<5.0	560	<0.90	<0.90	5.5	--	--	--		

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
<b>MW-2 (con't)</b>	9/22/08	Insufficient Water - Not Sampled							
	12/30/08	<5.0	54	<0.50	<0.50	0.62	--	--	--
	3/13/09	200	2,400	<0.50	<0.50	29	--	--	--
	6/18/09	<5.0	570	<0.90	<0.90	8.1	--	--	--
	9/24/09	Monitored Only - Sampled Semi-Annually							
	12/16/09	12 J	700	<1.5	<1.5	9.2	--	--	--
	3/22/10	Monitored Only - Sampled Semi-Annually							
<b>MW-2A</b>	6/9/06	860	5,300	<9.0	<9.0	61	--	--	--
	9/5/06	600	4,500	<9.0	<9.0	56	--	--	--
	12/15/06	1,000	7,300	<9.0	<9.0	99	--	--	--
	3/16/07	270	2,300	<5.0	<5.0	32	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	780	7,300	<5.0	<5.0	86	--	--	--
	9/13/07	830	8,800	<15	<15	140	--	--	--
	12/28/07	300	3,800	<5.0	<5.0	54	--	--	--
	3/28/08	45	760	<1.5	<1.5	11	--	--	--
	6/27/08	100 J	7,000	<15	<15	130	--	--	--
	9/22/08	Insufficient Water - Not Sampled							
	12/30/08	Not Sampled							
	1/19/09	Not Sampled							
	3/13/09	20 J	2,100	<4.0	<4.0	22	--	--	--
	6/18/09	Not Sampled							
	9/24/09	Not Sampled							
	12/16/09	Not Sampled							
3/22/10	<5.0	23	<0.50	<0.50	<0.50	--	--	--	
<b>MW-3</b>	12/26/02	<5.0	66	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	5/01/03	<5.0	47	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	11/5/03	Insufficient Water - Not Sampled							

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)	
<b>MW-3 (con't)</b>	6/9/06	--	--	--	--	--	--	--	--	
	9/5/06	<5.0	31	<0.50	<0.50	<0.50	--	--	--	
	12/15/06	<5.0	28	<0.50	<0.50	<0.50	--	--	--	
	3/16/07	<5.0	37	<0.50	<0.50	<0.50	--	--	--	
	4/20/07	--	--	--	--	--	--	--	--	
	6/15/07	<5.0	30	<0.50	<0.50	<0.50	--	--	--	
	9/13/07	<5.0	28	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	<5.0	52	<0.50	<0.50	<0.50	--	--	--	
	3/28/08	<5.0	90	<0.50	<0.50	0.83	--	--	--	
	6/27/08	<5.0	72	<0.50	<0.50	<0.50	--	--	--	
	9/22/08	<5.0	60	<0.50	<0.50	<0.50	--	--	--	
	12/30/08	<5.0	71	<0.50	<0.50	0.51	--	--	--	
	3/13/09	<5.0	89	<0.50	<0.50	0.63	--	--	--	
	6/18/09	<5.0	77	<0.50	<0.50	0.58	--	--	--	
	9/24/09	Monitored Only - Sampled Semi-Annually								
	12/16/09	<5.0	74	<0.50	<0.50	0.54	--	--	--	
3/22/10	Monitored Only - Sampled Semi-Annually									
<b>MW-3A</b>	6/9/06	<5.0	3.9	<0.50	<0.50	<0.50	--	--	--	
	9/5/06	<5.0	4.7	<0.50	<0.50	<0.50	--	--	--	
	12/15/06	<5.0	9.9	<0.50	<0.50	<0.50	--	--	--	
	3/16/07	<5.0	5.4	<0.50	<0.50	<0.50	--	--	--	
	4/20/07	--	--	--	--	--	--	--	--	
	6/15/07	<5.0	6.4	<0.50	<0.50	<0.50	--	--	--	
	9/13/07	<5.0	10	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	<5.0	36	<0.50	<0.50	<0.50	--	--	--	
	3/28/08	<5.0	33	<0.50	<0.50	<0.50	--	--	--	
	6/27/08	<5.0	9.5	<0.50	<0.50	<0.50	--	--	--	
9/22/08	Insufficient Water - Not Sampled									

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
<b>MW-3A (con't)</b>	12/30/08	<5.0	37	<0.50	<0.50	<0.50	--	--	--
	1/19/09				Not Sampled				
	3/13/09	<5.0	12	<0.50	<0.50	<0.50	--	--	--
	6/18/09				Insufficient Water - Not Sampled				
	9/24/09				Insufficient Water - Not Sampled				
	12/16/09	<5.0	48	<0.50	<0.50	<0.50	--	--	--
	<b>3/22/10</b>	<b>&lt;5.0</b>	<b>34</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--
<b>MW-4</b>	4/20/07	300	1,700	<5.0	<5.0	31	--	--	--
	6/15/07	60	840	<0.90	<0.90	10	--	--	--
	9/13/07	16	220	<0.50	<0.50	3.0	--	--	--
	12/28/07	39	340	<0.50	<0.50	4.8	--	--	--
	3/28/08	280	2,800	<0.50	<0.50	44	--	--	--
	6/27/08	7.7 J	570	<0.50	<0.50	8.3	--	--	--
	9/22/08	<5.0	180	<0.50	<0.50	2.3	--	--	--
	12/30/08	<5.0	24	<0.50	<0.50	<0.50	--	--	--
	1/19/09				Not Sampled				
	3/13/09	<5.0	5.7	<0.50	<0.50	<0.50	--	--	--
	6/18/08	<5.0	1.6	<0.50	<0.50	<0.50	--	--	--
	9/24/09				Insufficient Water - Not Sampled				
	12/16/09				Insufficient Water - Not Sampled				
	<b>3/22/10</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--
<b>MW-5</b>	4/20/07	130	1,800	<4.0	<4.0	22	--	--	--
	6/15/07	67	1,100	<2.0	<2.0	21	--	--	--
	9/13/07	<5.0	680	<0.90	<0.90	7.1	--	--	--
	12/28/07	<5.0	520	<1.0	<1.0	3.6	--	--	--
	3/28/08	<5.0	520	<1.0	<1.0	3.8	--	--	--
	6/27/08	8.1 J	1,400	<1.0	<1.0	19	--	--	--
	9/22/08				Insufficient Water - Not Sampled				

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
<b>MW-5 (con't)</b>	12/30/08				Not Sampled				
	1/19/09				Not Sampled				
	3/13/09	<9.0	960	<2.0	<2.0	14	--	--	--
	6/18/09				Not Sampled				
	9/24/09				Not Sampled				
	12/16/09				Not Sampled				
	<b>3/22/10</b>	<b>&lt;5.0</b>	<b>100</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--
<b>MW-6</b>	1/19/09				Not Sampled				
	3/13/09				Not Sampled				
	6/18/09				Not Sampled				
	9/24/09				Not Sampled				
	12/16/09				Not Sampled				
	<b>3/22/10</b>				<b>Not Sampled</b>				
<b>MW-7</b>	1/19/09				Insufficient Water - Not Sampled				
	3/13/09				Insufficient Water - Not Sampled				
	6/18/09				Insufficient Water - Not Sampled				
	9/24/09				Insufficient Water - Not Sampled				
	12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	<b>3/22/10</b>	<b>&lt;5.0</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--
<b>W-1</b>	3/1/01	<50	81	<2.0	<2.0	<2.0	---	---	<500
	6/27/02	<5.0	13	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	9/30/02	<5.0	19	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	12/26/02	<5.0	12	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	5/01/03	---	---	---	---	---	---	---	---
	11/5/03	10	72	<1.0	<0.50	<0.50	<0.50	<0.50	---
	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	<5.0	23	<0.50	<0.50	<0.50	--	--	--

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)	
<b>W-1</b> <b>(con't)</b>	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	3/16/07	<5.0	1.1	<0.50	<0.50	<0.50	--	--	--	
	4/20/07	--	--	--	--	--	--	--	--	
	6/15/07	<5.0	6.4	<0.50	<0.50	<0.50	--	--	--	
	9/13/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	<5.0	7.6	<0.50	<0.50	<0.50	--	--	--	
	3/28/08	<5.0	32	<0.50	<0.50	<0.50	--	--	--	
	6/27/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	9/22/08	<5.0	1.2	<0.50	<0.50	<0.50	--	--	--	
	12/30/08	<5.0	1.5	<0.50	<0.50	<0.50	--	--	--	
	1/19/09				Not Sampled					
	3/13/09	<5.0	0.65	<0.50	<0.50	<0.50	--	--	--	
	6/18/09	<5.0	0.73	<0.50	<0.50	<0.50	--	--	--	
	9/24/09			Monitored Only - Sampled Semi-Annually						
	12/16/09	<5.0	0.63	<0.50	<0.50	<0.50	--	--	--	
	<b>3/22/10</b>			<b>Monitored Only - Sampled Semi-Annually</b>						
<b>PZ-1</b>	6/9/06	--	--	--	--	--	--	--	--	
	9/5/06	5.6	57	<0.50	<0.50	2.8	--	--	--	
	12/15/06			Obstruction in well @ 6.53'-Unable to sample well						
	3/16/07			Insufficient Water - Not Sampled						
	4/20/07	--	--	--	--	--	--	--	--	
	6/15/07			Not Sampled						
	9/13/07			Not Sampled						
	12/28/07			Not Sampled						
	3/28/08			Not Sampled						
	6/27/08			Not Sampled						
	9/22/08			Not Sampled						
12/30/08			Not Sampled							
1/19/09			Not Sampled							

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
<b>PZ-1 (con't)</b>	3/13/09					Not Sampled			
	6/18/09					Not Sampled			
	9/24/09					Monitored Only - Sampled Semi-Annually			
	12/16/09					Not Sampled			
	<b>3/22/10</b>					<b>Monitored Only - Sampled Semi-Annually</b>			
<b>PZ-2</b>	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	6.8	52	<0.50	<0.50	1.3	--	--	--
	12/15/06	<5.0	11	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	1.6	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	<5.0	2.8	<0.50	<0.50	<0.50	--	--	--
	9/13/07	5.5	34	<0.50	<0.50	1.0	--	--	--
	12/28/07								
	3/28/08	<5.0	8.6	<0.50	<0.50	<0.50	--	--	--
	6/27/08								
	9/22/08								
	12/30/08	<5.0	1.7	<0.50	<0.50	<0.50	--	--	--
	1/19/09								
	3/13/09	<5.0	4.4	<0.50	<0.50	<0.50	--	--	--
	6/18/09	<5.0	20	<0.50	<0.50	0.61	--	--	--
	9/24/09								
12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
<b>3/22/10</b>									
<b>PZ-3</b>	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	5.1	29	<0.50	<0.50	0.53	--	--	--
	12/15/06	<5.0	35	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	8.6	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--



**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
<b>PZ-3 (con't)</b>	6/15/07	15	130	<0.50	<0.50	2.5	--	--	--
	9/13/07	<0.50	19	<0.50	<0.50	0.56	--	--	--
	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	0.74	<0.50	<0.50	<0.50	--	--	--
	6/27/08	Not Sampled - Bailer sticking to side of casing prevented sample collection							
	9/22/08	Not Sampled - Unable to collect water with pin bailer							
	12/30/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	1/19/09	Not Sampled							
	3/13/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	6/18/09	<5.0	4.3	<0.50	<0.50	<0.50	--	--	--
	9/24/09	Monitored Only - Sampled Semi-Annually							
	12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	<b>3/22/10</b>	<b>Monitored Only - Sampled Semi-Annually</b>							
	<b>PZ-4</b>	6/9/06	--	--	--	--	--	--	--
9/5/06		6.4	32	<0.50	<0.50	0.54	--	--	--
12/15/06		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
3/16/07		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
4/20/07		--	--	--	--	--	--	--	--
6/15/07		6.4	98	<0.50	<0.50	1.1	--	--	--
9/13/07		<5.0	7.8	<0.50	<0.50	<0.50	--	--	--
12/28/07		<5.0	0.52	<0.50	<0.50	<0.50	--	--	--
3/28/08		<5.0	4.7	<0.50	<0.50	<0.50	--	--	--
6/27/08		<5.0	30	<0.50	<0.50	<0.50	--	--	--
9/22/08		Not Sampled - Unable to collect water with pin bailer							
12/30/08		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
1/19/09		Not Sampled							
3/13/09		<5.0	2.1	<0.50	<0.50	<0.50	--	--	--
6/18/09	<5.0	6.2	<0.50	<0.50	<0.50	--	--	--	
9/24/09	Monitored Only - Sampled Semi-Annually								

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Sample No.
<b>PZ-4 (con't)</b>	12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	<b>3/22/10</b>	<b>Monitored Only - Sampled Semi-Annually</b>							
<b>PZ-5</b>	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	490	2,900	<5.0	<5.0	19	--	--	--
	12/15/06	280	2,600	<5.0	<5.0	17	--	--	--
	3/16/07	Insufficient Water - Not Sampled							
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	Insufficient Water - Not Sampled							
	9/13/07	Not Sampled							
	12/28/07	Not Sampled							
	3/28/08	Insufficient Water - Not Sampled							
	6/27/08	Insufficient Water - Not Sampled							
	9/22/08	Insufficient Water - Not Sampled							
	12/30/08	Not Sampled							
	1/19/09	Not Sampled							
	3/13/09	Insufficient Water - Not Sampled							
	6/18/09	Insufficient Water - Not Sampled							
	9/24/09	Monitored Only - Sampled Semi-Annually							
	12/16/09	Insufficient Water - Not Sampled							
<b>3/22/10</b>	<b>Monitored Only - Sampled Semi-Annually</b>								
<b>PZ-6</b>	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	5.9	62	<0.50	<0.50	0.85	--	--	--
	12/15/06	<5.0	2.7	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	7.4	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	21	88	<0.50	<0.50	1.6	--	--	--

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)	
<b>PZ-6 (con't)</b>	9/13/07	10	51	<0.50	<0.50	0.91	--	--	--	
	12/28/07	<5.0	33	<0.50	<0.50	0.52	--	--	--	
	3/28/08	15	130	<0.50	<0.50	1.9	--	--	--	
	6/27/08	<5.0	24	<0.50	<0.50	0.52	--	--	--	
	9/22/08	10	63	<0.50	<0.50	0.93	--	--	--	
	12/30/08	<5.0	12	<0.50	<0.50	0.93	--	--	--	
	1/19/09	Not Sampled								
	3/13/09	<5.0	1.7	<0.50	<0.50	<0.50	--	--	--	
	6/18/09	<5.0	5.3	<0.50	<0.50	<0.50	--	--	--	
	9/24/09	Monitored Only - Sampled Semi-Annually								
	12/16/09	<5.0	1.0	<0.50	<0.50	<0.50	--	--	--	
	<b>03/22/10</b>	<b>Monitored Only - Sampled Semi-Annually</b>								
	<b>PZ-7</b>	6/9/06	--	--	--	--	--	--	--	--
		9/5/06	<5.0	1.4	<0.50	<0.50	<0.50	--	--	--
12/15/06		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
3/16/07		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
4/20/07		--	--	--	--	--	--	--	--	
6/15/07		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
9/13/07		<5.0	0.68	<0.50	<0.50	<0.50	--	--	--	
12/28/07		<5.0	0.85	<0.50	<0.50	<0.50	--	--	--	
3/28/08		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
6/27/08		<5.0	0.59	<0.50	<0.50	<0.50	--	--	--	
9/22/08		<5.0	0.93	<0.50	<0.50	<0.50	--	--	--	
12/30/08		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
1/19/09		Not Sampled								
3/13/09		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
6/18/09		<5.0	0.94	<0.50	<0.50	<0.50	--	--	--	
9/24/09		Monitored Only - Sampled Semi-Annually								
12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--		

**Table 2 - Groundwater Monitoring Results - Oxygenate Compounds**

Can-Am Plumbing  
151 Wyoming Street  
Pleasanton, California

Sample No.	Sample Date	TBA (ppb)	MTBE (ppb)	DIPE (ppb)	ETBE (ppb)	TAME (ppb)	1,2-DCA (ppb)	EDB (ppb)	Ethanol (ppb)
PZ-7 (con't)	3/22/10	Monitored Only - Sampled Semi-Annually							
QA	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/28/08	--	<0.50	--	--	--	--	--	--
	6/27/08	--	<0.50	--	--	--	--	--	--
	9/22/08	--	<0.50	--	--	--	--	--	--
	12/30/08	--	<0.50	--	--	--	--	--	--
	3/13/09	--	<0.50	--	--	--	--	--	--
	6/18/09	--	<0.50	--	--	--	--	--	--
	12/16/09	--	<0.50	--	--	--	--	--	--
	3/22/10	--	<0.50	--	--	--	--	--	--

**EXPLANATIONS:**

TBA = Tert-Butanol  
 MTBE = Methyl tert-butyl ether  
 DIPE = Di-isopropyl ether  
 ETBE = Ethyl tert-butyl ether  
 TAME = tert-Amyl methyl ether  
 1,2-DCA = 1,2-Dichloroethane  
 EDB = Ethylene dibromide  
 ppb = parts per billion  
 --- = Not Analyzed  
 QA = Trip Blank

**ANALYTICAL METHOD:**




Oxygenates by EPA Method 8260B  
 1,2-DCA and EDB by EPA Method 8260B

**ANALYTICAL LABORATORY:**

Sequoia Analytical CA DHS (ELAP #1271)  
 Severn Trent Laboratory CA DHS (ELAP #2496)  
 Kiff Analytical (ELAP #2236)

**NOTES:**

Tert-Butanol results for sample MW-2, MW-2A, MW-4 and MW-5 may be biased slightly high and are flagged with a "J". A fraction of MtBE (typically less than 1%) converts to Tert-Butanol during the analysis of water samples. The laboratory consider this conversion effect to be mathematically significant in samples that contain MtBE/Tert-Butanol in ratio of over 20:1.




Source: Microsoft Streets 2005

**GETTLER - RYAN INC.**  
 6747 Sierra Court, Suite J  
 Dublin, CA 94568 (925) 551-7555

**VICINITY MAP**  
 Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California


FIGURE  
**1**

PROJECT NUMBER	REVIEWED BY	DATE	REVISED DATE
948162.04		01/06	



**EXPLANATION**

- ◆ Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- Geoprobe Boring
- ◇ CPT Boring
- Hydropunch



EXTENDED SITE PLAN  
 Can-Am Plumbing  
 151 Wyoming Street  
 Pleasanton, California


**GETTLER - RYAN INC.**  
 6747 Sierra Court, Suite J  
 Dublin, CA 94568  
 (925) 551-7555

**EXPLANATION**

- ◆ Groundwater monitoring well
- ⊙ Existing tank backfill casing
- ⊗ Piezometer

99.99 Groundwater elevation in feet referenced to Mean Sea Level

--99.99-- Groundwater elevation contour, dashed where inferred



Catch Basin

Approximate groundwater flow direction at a gradient of 0.02 to 0.05 Ft./Ft.

Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.



**GETTLER - RYAN INC.**

6747 Sierra Court, Suite J  
Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP - ZONE A**  
Can-Am Plumbing Inc.  
151 Wyoming Street  
Pleasanton, California

FIGURE


**3**

JOB NUMBER  
948162

REVIEWED BY

DATE  
March 22, 2010

REVISED DATE



**GETTLER - RYAN INC.**  
 6747 Sierra Court, Suite J  
 Dublin, CA 94568 (925) 551-7555

**POTENTIOMETRIC MAP - ZONE B**  
 Can-Am Plumbing Inc.  
 151 Wyoming Street  
 Pleasanton, California

FIGURE  
**4**


JOB NUMBER  
**948162**

REVIEWED BY

DATE  
**March 22, 2010**

REVISED DATE





**EXPLANATION**

- ◆ Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- Geoprobe Boring
- ◆ CPT Boring
- Hydropunch
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- - - 99.99 - - - Groundwater elevation contour, dashed where inferred

**POTENTIOMETRIC MAP - ZONE C**

Can-Am Plumbing, Inc.  
151 Wyoming Street  
Pleasanton, California

DATE: March 22, 2010  
REVISED DATE:


**GETTLER - RYAN INC.**

8364 Bluffton Circle, Suite B2  
Bettendorf, IA 52008  
(563) 956-9384 (908) 889-3800

PROJECT NUMBER: 948162  
REVIEWED BY:

FILE NAME: P:\Enviro\Can-Am Plumbing\010C-Can-Am Plumbing.dwg | Layout Tab: Pot1-C

Source: Figure modified from drawing provided by XXXXXX.



**EXPLANATION**

- ◆ Groundwater monitoring well
- ◇ Existing tank backfill casing
- ⊗ Piezometer
- Geoprobe Boring
- ◆ CPT Boring
- Hydropunch
- 200 MTBE concentration in µg/L

Source: Figure modified from drawing provided by XXXXXX.

**MTBE CONCENTRATION MAP - ZONE C**

Can-Am Plumbing, Inc.  
 151 Wyoming Street  
 Pleasanton, California

**GETTLER - RYAN INC.**

5387 Blandford Drive, Suite B2  
 Redwood City, CA 94061  
 (415) 889-3888



## STANDARD OPERATING PROCEDURE - QUARTERLY GROUNDWATER SAMPLING

Gettler-Ryan field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analyses by the analytical laboratory. Prior to sample collection, the type of analyses to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analyses is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using a MMC flexi-dip interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is recorded in the field notes. In addition, static water level measurements are collected with the interface probe and are also recorded in the field notes.

After water levels are collected and prior to sampling, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or polyvinyl chloride bailers. Temperature, pH, and electrical conductivity are measured a minimum of three times during purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include job number, sample identification, collection date and time, analyses, preservative (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4 °C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivery to the laboratory.

The chain of custody includes the job number, type of preservation, if any, analyses requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory-supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

## WELL CONDITION STATUS SHEET

Client/Facility #: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job # 25-948162.4  
 Event Date: 3/22/2010  
 Sampler: HAI G KEVORK

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1A	OK						→ OK	N	N	EMCO 12" / 2	NO
MW-2A	OK						→ OK				
MW-3A	OK						→ OK				
MW-1	OK	M	OK	OK	OK	OK	OK			B.L. 8" / 3	
MW-2	OK	M	OK	3-5	OK	OK	OK				
MW-3	OK	M	OK	1-5	OK	OK	OK				
MW-4	OK						→ OK			EMCO 12" / 2	
MW-5	OK						→ OK				
MW-6	OK						→ OK				
MW-7	OK						→ OK				
W-1	OK	N/A	N/A	N/A	OK	OK	OK			BUCKEYE (SHIELDS ECO) 12" NO BOLTS	
PZ-1	OK						→ OK			MORRISON 7" / 2	
PZ-2	OK						→ OK			*	
PZ-3	OK						→ OK				
PZ-4	OK						→ OK				

Comments PAGE 1 OF 2.

\* PZ-2 LID BROKEN AT BOTH HOLE LOCATIONS (REPORTED DURING PREVIOUS EVENTS).





# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4  
 Site Address: 151 Wyoming Street Event Date: 3/22/10 (inclusive)  
 City: Pleasanton, CA Sampler: HAIG K

Well ID: MW-1A  
 Well Diameter: 3/4 (2) 4 in.  
 Total Depth: 49.29 ft.  
 Depth to Water: 40.15 ft.

Date Monitored: 3/22/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): 41.9  
 xVF 0.17 = 1.6 x3 case volume = Estimated Purge Volume: 5 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1105 Weather Conditions: SUNNY  
 Sample Time/Date: 1125/3/22/10 Water Color: CLEAR Odor: Y/N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? No If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 40.85

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1110</u>	<u>2</u>	<u>7.51</u>	<u>664</u>	<u>17.9</u>		
<u>1115</u>	<u>3.5</u>	<u>7.43</u>	<u>672</u>	<u>18.2</u>		
<u>1119</u>	<u>5</u>	<u>7.40</u>	<u>675</u>	<u>18.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1A</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAG R

Well ID: MW-2A  
 Well Diameter: 3/4 (2) 1/4 in.  
 Total Depth: 49.95 ft.  
 Depth to Water: 37.57 ft.

Date Monitored: 3/22/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 39.94  
 xVF 0.17 = 2 x3 case volume = Estimated Purge Volume: 6 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 6 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1023 Weather Conditions: SUNNY  
 Sample Time/Date: 1055 3/22/10 Water Color: CLEAR Odor: YTN  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 38.60

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25°C)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1028</u>	<u>2</u>	<u>7.60</u>	<u>180</u>	<u>18.0</u>	<u>/</u>	<u>/</u>
<u>1034</u>	<u>4</u>	<u>7.55</u>	<u>192</u>	<u>18.4</u>	<u>/</u>	<u>/</u>
<u>1040</u>	<u>6</u>	<u>7.52</u>	<u>198</u>	<u>18.3</u>	<u>/</u>	<u>/</u>

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2A</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4  
 Site Address: 151 Wyoming Street Event Date: 3/22/10 (inclusive)  
 City: Pleasanton, CA Sampler: HAIG R

Well ID: MW-3A Date Monitored: 3/22/10

Well Diameter: 3 1/4 (2) 4 in.  
 Total Depth: 50.21 ft.  
 Depth to Water: 35.90 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 38.76  
 xVF = 0.17 = 2 x3 case volume = Estimated Purge Volume: 6 gal.

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0942 Weather Conditions: SUNNY  
 Sample Time/Date: 1005 3/22/10 Water Color: CLEAR Odor: Y/N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 36.49

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0948</u>	<u>2</u>	<u>7.45</u>	<u>120</u>	<u>17.2</u>		
<u>0953</u>	<u>4</u>	<u>7.40</u>	<u>132</u>	<u>17.5</u>		
<u>0958</u>	<u>6</u>	<u>7.37</u>	<u>136</u>	<u>17.6</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3A</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)</u>

COMMENTS: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_





# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG K

Well ID: MW-1  
 Well Diameter: 3/4" @ 4 in.  
 Total Depth: 31.54 ft.  
 Depth to Water: 21.95 ft.  
9.59 xVF = \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Date Monitored: 3/22/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: N/A  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions: Sunny  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: M / O

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG K

Well ID: MW-2  
 Well Diameter: 3/4 (2) 4 in.  
 Total Depth: 31.84 ft.  
 Depth to Water: 21.94 ft.  
9.93 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Date Monitored: 3/22/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

**Purge Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: Sunny  
 Sample Time/Date: N/A Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm pS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: M / O

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG K

Well ID: MW-3  
 Well Diameter: 3/4 (2) 4 in.  
 Total Depth: 25.02 ft.  
 Depth to Water: 22.35 ft.

Date Monitored: 3/22/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A  
 xVF 0.17 = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____ gal

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: N/A  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions: Sunny  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: N/A

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4  
 Site Address: 151 Wyoming Street Event Date: 3/22/10 (inclusive)  
 City: Pleasanton, CA Sampler: HAIG K

Well ID: MW-4 Date Monitored: 3/22/10

Well Diameter: 3/4 (2) 4 in.  
 Total Depth: 53.25 ft.  
 Depth to Water: 42.39 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): 44.56  
 $10.86 \times VF 0.17 = 1.8$  x3 case volume = Estimated Purge Volume: 5.5 gal.

### Purge Equipment:

- Disposable Bailer
- Stainless Steel Bailer
- Stack Pump
- Suction Pump
- Grundfos
- Peristaltic Pump
- QED Bladder Pump
- Other:

### Sampling Equipment:

- Disposable Bailer
- Pressure Bailer
- Discrete Bailer
- Peristaltic Pump
- QED Bladder Pump
- Other:

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1138 Weather Conditions: SUNNY  
 Sample Time/Date: 205, 3/22/10 Water Color: CLOUDY Odor: Y/N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 43.18

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25°C)	Temperature (C) (F)	D.O. (mg/L)	ORP (mV)
<u>1144</u>	<u>2</u>	<u>7.53</u>	<u>790</u>	<u>19.3</u>		
<u>1149</u>	<u>3.5</u>	<u>7.48</u>	<u>804</u>	<u>19.6</u>		
<u>1154</u>	<u>5.5</u>	<u>7.42</u>	<u>810</u>	<u>19.5</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>3 x voa vial</u>	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4  
 Site Address: 151 Wyoming Street Event Date: 3/22/10 (inclusive)  
 City: Pleasanton, CA Sampler: HAI G K

Well ID: MW-5 Date Monitored: 3/22/10  
 Well Diameter: 3 1/4 (2) 4 in.  
 Total Depth: 52.13 ft.  
 Depth to Water: 50.22 ft.  Check if water column is less than 0.50 ft.

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 50.60  
 xVF 0.17 = 0.32 x3 case volume = Estimated Purge Volume: 1 gal.

**Purge Equipment:**  
 Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0.0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 1230 Weather Conditions: SUNNY  
 Sample Time/Date: 1250 / 3/22/10 Water Color: CLEAR Odor: Y/N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 50.48

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>1233</u>	<u>0.5</u>	<u>7.52</u>	<u>830</u>	<u>19.2</u>		
<u>1235</u>	<u>0.75</u>	<u>7.49</u>	<u>838</u>	<u>19.4</u>		
<u>1238</u>	<u>1</u>	<u>7.45</u>	<u>840</u>	<u>19.5</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-5</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG R

Well ID: MW-6  
 Well Diameter: 3/4 (2) 4 in.  
 Total Depth: 49.83 ft.  
 Depth to Water: DRY ft.

Date Monitored: 3/22/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: \_\_\_\_\_

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: N/A  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions: SUNNY  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: \_\_\_\_\_

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(9260)

COMMENTS: DRY AT 49.83'

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG K

Well ID: MW-7  
 Well Diameter: 3/4 (2) 4 in.  
 Total Depth: 50.77 ft.  
 Depth to Water: 45.85 ft.

Date Monitored: 3/22/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 46.87  
 $4.92 \times VF 0.17 = 0.8$  x3 case volume = Estimated Purge Volume: 2.5 gal.

### Purge Equipment:

Disposable Bailer   
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer   
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbant Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): 0900 Weather Conditions: SUNNY  
 Sample Time/Date: 0920, 3/22/10 Water Color: CLEAR Odor: YLN  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? NO If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: 46.32

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25°)	Temperature (C F)	D.O. (mg/L)	ORP (mV)
<u>0904</u>	<u>1</u>	<u>7.56</u>	<u>830</u>	<u>15.9</u>		
<u>0907</u>	<u>2</u>	<u>7.49</u>	<u>812</u>	<u>16.1</u>		
<u>0910</u>	<u>2.5</u>	<u>7.47</u>	<u>818</u>	<u>16.1</u>		

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-7</u>	<u>3 x vov vial</u>	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)</u>

COMMENTS: \_\_\_\_\_

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAG K

Well ID: W-1  
 Well Diameter: 3/4 (2/4) in.  
 Total Depth: 8.84 ft.  
 Depth to Water: 6.39 ft.  
2.45 xVF = \_\_\_\_\_

Date Monitored: 3/22/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

**Purge Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0.0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_ gal  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: Sunny  
 Sample Time/Date: N/A Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: M/O

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_





# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4  
 Site Address: 151 Wyoming Street Event Date: 3/22/10 (inclusive)  
 City: Pleasanton, CA Sampler: HAIG K

Well ID: PZ-1 Date Monitored: 3/22/10

Well Diameter: 8 1/2 in.

Total Depth: 6.80 ft.

Depth to Water: DRY ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A  
 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): N/A Weather Conditions: Sunny  
 Sample Time/Date: N/A Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: N/A DRY AT 6.80'

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG K

Well ID: PZ-2  
 Well Diameter: 3/4" / 2 1/4 in.  
 Total Depth: 9.25 ft.  
 Depth to Water: 6.05 ft.  
3.20 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Date Monitored: 3/22/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: N/A  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions: Sunny  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: N/A

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG K

Well ID: PZ-3  
 Well Diameter: 3/4" / 2 1/4 in.  
 Total Depth: 8.94 ft.  
 Depth to Water: 6.06 ft.  
2.88 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Date Monitored: 3/22/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge ((Height of Water Column x 0.20) + DTW): N/A

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: N/A  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions: Summer  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: M / 10

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4  
 Site Address: 151 Wyoming Street Event Date: 3/22/10 (inclusive)  
 City: Pleasanton, CA Sampler: HAIG R

Well ID: PZ-4 Date Monitored: 3/22/10  
 Well Diameter: 3/4" x 1/4" in.  
 Total Depth: 9.16 ft.  
 Depth to Water: 6.07 ft.  Check if water column is less than 0.50 ft.  
3.09 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

**Purge Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

**Sampling Equipment:**  
 Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: \_\_\_\_\_ ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_ Weather Conditions: Sunny  
 Sample Time/Date: N/A Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: N/A

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4  
 Site Address: 151 Wyoming Street Event Date: 3/22/10 (inclusive)  
 City: Pleasanton, CA Sampler: HAIG K

Well ID: PZ-5 Date Monitored: 3/22/10  
 Well Diameter: 3/4 2/4 in.  
 Total Depth: 9.50 ft.  
 Depth to Water: DRY ft.  Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A  
 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

- Purge Equipment:**
- Disposable Bailer \_\_\_\_\_
  - Stainless Steel Bailer \_\_\_\_\_
  - Stack Pump \_\_\_\_\_
  - Suction Pump \_\_\_\_\_
  - Grundfos \_\_\_\_\_
  - Peristaltic Pump \_\_\_\_\_
  - QED Bladder Pump \_\_\_\_\_
  - Other: \_\_\_\_\_

- Sampling Equipment:**
- Disposable Bailer \_\_\_\_\_
  - Pressure Bailer \_\_\_\_\_
  - Discrete Bailer \_\_\_\_\_
  - Peristaltic Pump \_\_\_\_\_
  - QED Bladder Pump \_\_\_\_\_
  - Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal
Product Transferred to:	_____

Start Time (purge): N/A Weather Conditions: Sunny  
 Sample Time/Date: N/A Water Color: \_\_\_\_\_ Odor: Y / N  
 Approx. Flow Rate: \_\_\_\_\_ gpm. Sediment Description: \_\_\_\_\_  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_ Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: N/A DRY AT 9.50'

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER - RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIG B

Well ID: PZ-6  
 Well Diameter: 3/4" 2/4 in.  
 Total Depth: 9.02 ft.  
 Depth to Water: 6.47 ft.

Date Monitored: 3/22/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

### Purge Equipment:

Disposable Bailer \_\_\_\_\_  
 Stainless Steel Bailer \_\_\_\_\_  
 Stack Pump \_\_\_\_\_  
 Suction Pump \_\_\_\_\_  
 Grundfos \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

### Sampling Equipment:

Disposable Bailer \_\_\_\_\_  
 Pressure Bailer \_\_\_\_\_  
 Discrete Bailer \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_  
 QED Bladder Pump \_\_\_\_\_  
 Other: \_\_\_\_\_

Time Started: \_\_\_\_\_ (2400 hrs)  
 Time Completed: \_\_\_\_\_ (2400 hrs)  
 Depth to Product: \_\_\_\_\_ ft  
 Depth to Water: \_\_\_\_\_ ft  
 Hydrocarbon Thickness: 0 ft  
 Visual Confirmation/Description: \_\_\_\_\_  
 Skimmer / Absorbent Sock (circle one)  
 Amt Removed from Skimmer: \_\_\_\_\_ gal  
 Amt Removed from Well: \_\_\_\_\_ gal  
 Water Removed: \_\_\_\_\_  
 Product Transferred to: \_\_\_\_\_

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: N/A  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions: SUNNY  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: N/A

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



# GETTLER-RYAN INC.

## WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing  
 Site Address: 151 Wyoming Street  
 City: Pleasanton, CA

Job Number: 25-948162.4  
 Event Date: 3/22/10 (inclusive)  
 Sampler: HAIGER

Well ID: PZ-7  
 Well Diameter: 3/4" 2/4 in.  
 Total Depth: 9.87 ft.  
 Depth to Water: 6.15 ft.  
3.72 xVF \_\_\_\_\_ = \_\_\_\_\_ x3 case volume = Estimated Purge Volume: \_\_\_\_\_ gal.

Date Monitored: 3/22/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: N/A

### Purge Equipment:

- Disposable Bailer \_\_\_\_\_
- Stainless Steel Bailer \_\_\_\_\_
- Stack Pump \_\_\_\_\_
- Suction Pump \_\_\_\_\_
- Grundfos \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

### Sampling Equipment:

- Disposable Bailer \_\_\_\_\_
- Pressure Bailer \_\_\_\_\_
- Discrete Bailer \_\_\_\_\_
- Peristaltic Pump \_\_\_\_\_
- QED Bladder Pump \_\_\_\_\_
- Other: \_\_\_\_\_

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	_____ ft
Visual Confirmation/Description:	_____
Skimmer / Absorbent Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____
Product Transferred to:	_____

Start Time (purge): \_\_\_\_\_  
 Sample Time/Date: N/A  
 Approx. Flow Rate: \_\_\_\_\_ gpm.  
 Did well de-water? \_\_\_\_\_ If yes, Time: \_\_\_\_\_

Weather Conditions: Sunny  
 Water Color: \_\_\_\_\_ Odor: Y / N  
 Sediment Description: \_\_\_\_\_  
 Volume: \_\_\_\_\_ gal. DTW @ Sampling: N/A

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

### LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: N/A

Add/Replaced Lock: \_\_\_\_\_ Add/Replaced Plug: \_\_\_\_\_ Add/Replaced Bolt: \_\_\_\_\_



## Laboratory Results

Geoffrey Risse  
Gettler-Ryan Inc.  
3140 Gold Camp Dr. Suite 170  
Rancho Cordova, CA 95670

Subject : 7 Water Samples  
Project Name : Can-Am Plumbing  
Project Number : 25-948162.4

Dear Mr. Risse,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed. Testing procedures comply with the 2003 NELAC standard. All soil samples are reported on a total weight (wet weight) basis unless noted otherwise in the case narrative. Laboratory results relate only to the samples tested. This report may be freely reproduced in full, but may only be reproduced in part with the express permission of Kiff Analytical, LLC. Kiff Analytical, LLC is certified by the State of California under the National Environmental Laboratory Accreditation Program (NELAP), lab # 08263CA. If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff





Report Number : 72442

Date : 03/25/2010

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **QA**

Matrix : Water

Lab Number : 72442-01

Sample Date :03/22/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Toluene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Ethylbenzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Total Xylenes</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Methyl-t-butyl ether (MTBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>TPH as Gasoline</b>	< 50	50	ug/L	EPA 8260B	03/24/2010
1,2-Dichloroethane-d4 (Surr)	99.2		% Recovery	EPA 8260B	03/24/2010
Toluene - d8 (Surr)	107		% Recovery	EPA 8260B	03/24/2010



Report Number : 72442

Date : 03/25/2010

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **MW-1A**

Matrix : Water

Lab Number : 72442-02

Sample Date :03/22/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Toluene</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Ethylbenzene</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Total Xylenes</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Methyl-t-butyl ether (MTBE)</b>	<b>190</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Diisopropyl ether (DIPE)</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Ethyl-t-butyl ether (ETBE)</b>	<b>&lt; 0.50</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Tert-amyl methyl ether (TAME)</b>	<b>2.6</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Tert-Butanol</b>	<b>&lt; 5.0</b>	5.0	ug/L	EPA 8260B	03/24/2010
<b>TPH as Gasoline</b>	<b>&lt; 50</b>	50	ug/L	EPA 8260B	03/24/2010
1,2-Dichloroethane-d4 (Surr)	98.1		% Recovery	EPA 8260B	03/24/2010
Toluene - d8 (Surr)	108		% Recovery	EPA 8260B	03/24/2010

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **MW-2A**

Matrix : Water

Lab Number : 72442-03

Sample Date :03/22/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Toluene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethylbenzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Total Xylenes</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Methyl-t-butyl ether (MTBE)</b>	23	0.50	ug/L	EPA 8260B	03/25/2010
<b>Diisopropyl ether (DIPE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethyl-t-butyl ether (ETBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-amyl methyl ether (TAME)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-Butanol</b>	< 5.0	5.0	ug/L	EPA 8260B	03/25/2010
<b>TPH as Gasoline</b>	< 50	50	ug/L	EPA 8260B	03/25/2010
1,2-Dichloroethane-d4 (Surr)	98.9		% Recovery	EPA 8260B	03/25/2010
Toluene - d8 (Surr)	105		% Recovery	EPA 8260B	03/25/2010

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **MW-3A**

Matrix : Water

Lab Number : 72442-04

Sample Date :03/22/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Toluene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Ethylbenzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Total Xylenes</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Methyl-t-butyl ether (MTBE)</b>	<b>34</b>	0.50	ug/L	EPA 8260B	03/24/2010
<b>Diisopropyl ether (DIPE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Ethyl-t-butyl ether (ETBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Tert-amyl methyl ether (TAME)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
<b>Tert-Butanol</b>	< 5.0	5.0	ug/L	EPA 8260B	03/24/2010
<b>TPH as Gasoline</b>	< 50	50	ug/L	EPA 8260B	03/24/2010
1,2-Dichloroethane-d4 (Surr)	95.1		% Recovery	EPA 8260B	03/24/2010
Toluene - d8 (Surr)	107		% Recovery	EPA 8260B	03/24/2010



Report Number : 72442

Date : 03/25/2010

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **MW-4**

Matrix : Water

Lab Number : 72442-05

Sample Date :03/22/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Toluene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethylbenzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Total Xylenes</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Methyl-t-butyl ether (MTBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Diisopropyl ether (DIPE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethyl-t-butyl ether (ETBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-amyl methyl ether (TAME)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-Butanol</b>	< 5.0	5.0	ug/L	EPA 8260B	03/25/2010
<b>TPH as Gasoline</b>	< 50	50	ug/L	EPA 8260B	03/25/2010
1,2-Dichloroethane-d4 (Surr)	97.6		% Recovery	EPA 8260B	03/25/2010
Toluene - d8 (Surr)	108		% Recovery	EPA 8260B	03/25/2010

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **MW-5**

Matrix : Water

Lab Number : 72442-06

Sample Date :03/22/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Toluene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethylbenzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Total Xylenes</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Methyl-t-butyl ether (MTBE)</b>	<b>100</b>	0.50	ug/L	EPA 8260B	03/25/2010
<b>Diisopropyl ether (DIPE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethyl-t-butyl ether (ETBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-amyl methyl ether (TAME)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-Butanol</b>	< 5.0	5.0	ug/L	EPA 8260B	03/25/2010
<b>TPH as Gasoline</b>	< 50	50	ug/L	EPA 8260B	03/25/2010
1,2-Dichloroethane-d4 (Surr)	100		% Recovery	EPA 8260B	03/25/2010
Toluene - d8 (Surr)	106		% Recovery	EPA 8260B	03/25/2010

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **MW-7**

Matrix : Water

Lab Number : 72442-07

Sample Date :03/22/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
<b>Benzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Toluene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethylbenzene</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Total Xylenes</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Methyl-t-butyl ether (MTBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Diisopropyl ether (DIPE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Ethyl-t-butyl ether (ETBE)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-amyl methyl ether (TAME)</b>	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
<b>Tert-Butanol</b>	< 5.0	5.0	ug/L	EPA 8260B	03/25/2010
<b>TPH as Gasoline</b>	< 50	50	ug/L	EPA 8260B	03/25/2010
1,2-Dichloroethane-d4 (Surr)	96.7		% Recovery	EPA 8260B	03/25/2010
Toluene - d8 (Surr)	108		% Recovery	EPA 8260B	03/25/2010

**QC Report : Method Blank Data**

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	03/24/2010
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	03/24/2010
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/24/2010
1,2-Dichloroethane-d4 (Surr)	97.6		%	EPA 8260B	03/24/2010
Toluene - d8 (Surr)	107		%	EPA 8260B	03/24/2010
Benzene	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
Toluene	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	03/25/2010
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	03/25/2010
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	03/25/2010
1,2-Dichloroethane-d4 (Surr)	95.3		%	EPA 8260B	03/25/2010
Toluene - d8 (Surr)	107		%	EPA 8260B	03/25/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
-----------	----------------	------------------------	-------	-----------------	---------------



## QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **Can-Am Plumbing**Project Number : **25-948162.4**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	72445-12	<0.50	40.0	40.0	39.2	38.4	ug/L	EPA 8260B	3/24/10	97.9	95.9	2.02	80-120	25
Diisopropyl ether	72445-12	<0.50	39.5	39.5	35.4	35.4	ug/L	EPA 8260B	3/24/10	89.8	89.6	0.160	80-120	25
Ethyl-tert-butyl ether	72445-12	<0.50	39.9	39.9	35.2	34.9	ug/L	EPA 8260B	3/24/10	88.2	87.5	0.881	76.5-120	25
Ethylbenzene	72445-12	<0.50	40.0	40.0	40.6	41.1	ug/L	EPA 8260B	3/24/10	101	103	1.21	80-120	25
Methyl-t-butyl ether	72445-12	71	40.2	40.2	108	109	ug/L	EPA 8260B	3/24/10	92.7	94.0	1.31	69.7-121	25
O-Xylene	72445-12	<0.50	40.0	40.0	39.1	39.5	ug/L	EPA 8260B	3/24/10	97.8	98.7	0.917	79.7-120	25
P + M Xylene	72445-12	<0.50	40.0	40.0	39.1	39.6	ug/L	EPA 8260B	3/24/10	97.7	99.1	1.48	76.8-120	25
Tert-Butanol	72445-12	<5.0	199	199	193	189	ug/L	EPA 8260B	3/24/10	96.7	94.9	1.81	80-120	25
Tert-amyl-methyl ether	72445-12	1.6	40.8	40.8	42.1	42.3	ug/L	EPA 8260B	3/24/10	99.2	99.8	0.646	78.9-120	25
Toluene	72445-12	<0.50	40.0	40.0	42.3	41.3	ug/L	EPA 8260B	3/24/10	106	103	2.44	80-120	25

## QC Report : Matrix Spike/ Matrix Spike Duplicate

Project Name : **Can-Am Plumbing**Project Number : **25-948162.4**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	72345-07	<0.50	40.0	40.0	38.2	37.8	ug/L	EPA 8260B	3/25/10	95.6	94.5	1.17	80-120	25
Diisopropyl ether	72345-07	<0.50	39.5	39.5	33.1	34.0	ug/L	EPA 8260B	3/25/10	83.9	86.2	2.73	80-120	25
Ethyl-tert-butyl ether	72345-07	<0.50	39.9	39.9	33.0	34.5	ug/L	EPA 8260B	3/25/10	82.6	86.5	4.62	76.5-120	25
Ethylbenzene	72345-07	<0.50	40.0	40.0	41.3	41.7	ug/L	EPA 8260B	3/25/10	103	104	0.948	80-120	25
Methyl-t-butyl ether	72345-07	<0.50	40.2	40.2	32.2	33.6	ug/L	EPA 8260B	3/25/10	80.1	83.7	4.45	69.7-121	25
O-Xylene	72345-07	<0.50	40.0	40.0	39.6	40.5	ug/L	EPA 8260B	3/25/10	99.0	101	2.30	79.7-120	25
P + M Xylene	72345-07	<0.50	40.0	40.0	39.4	39.9	ug/L	EPA 8260B	3/25/10	98.6	99.8	1.18	76.8-120	25
Tert-Butanol	72345-07	<5.0	199	199	194	193	ug/L	EPA 8260B	3/25/10	97.3	96.6	0.727	80-120	25
Tert-amyl-methyl ether	72345-07	<0.50	40.8	40.8	38.0	39.7	ug/L	EPA 8260B	3/25/10	93.0	97.2	4.42	78.9-120	25

**QC Report : Matrix Spike/ Matrix Spike Duplicate**

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Toluene	72345-07	<0.50	40.0	40.0	42.1	41.6	ug/L	EPA 8260B	3/25/10	105	104	1.18	80-120	25

**QC Report : Laboratory Control Sample (LCS)**Project Name : **Can-Am Plumbing**Project Number : **25-948162.4**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	3/24/10	96.5	80-120
Diisopropyl ether	39.5	ug/L	EPA 8260B	3/24/10	89.5	80-120
Ethyl-tert-butyl ether	39.9	ug/L	EPA 8260B	3/24/10	87.1	76.5-120
Ethylbenzene	40.0	ug/L	EPA 8260B	3/24/10	103	80-120
Methyl-t-butyl ether	40.2	ug/L	EPA 8260B	3/24/10	86.5	69.7-121
P + M Xylene	40.0	ug/L	EPA 8260B	3/24/10	99.4	76.8-120
TPH as Gasoline	505	ug/L	EPA 8260B	3/24/10	96.4	70.0-130
Tert-Butanol	199	ug/L	EPA 8260B	3/24/10	96.5	80-120
Tert-amyl-methyl ether	40.8	ug/L	EPA 8260B	3/24/10	98.8	78.9-120
Toluene	40.0	ug/L	EPA 8260B	3/24/10	104	80-120
Benzene	40.1	ug/L	EPA 8260B	3/25/10	96.5	80-120
Diisopropyl ether	39.6	ug/L	EPA 8260B	3/25/10	83.3	80-120
Ethyl-tert-butyl ether	40.0	ug/L	EPA 8260B	3/25/10	82.6	76.5-120
Ethylbenzene	40.1	ug/L	EPA 8260B	3/25/10	103	80-120
Methyl-t-butyl ether	40.3	ug/L	EPA 8260B	3/25/10	81.1	69.7-121
P + M Xylene	40.1	ug/L	EPA 8260B	3/25/10	98.9	76.8-120
TPH as Gasoline	505	ug/L	EPA 8260B	3/25/10	102	70.0-130
Tert-Butanol	200	ug/L	EPA 8260B	3/25/10	97.2	80-120
Tert-amyl-methyl ether	40.9	ug/L	EPA 8260B	3/25/10	91.3	78.9-120
Toluene	40.1	ug/L	EPA 8260B	3/25/10	107	80-120



