



Pleasanton • Gilroy • Stockton • Sacramento

151 Wyoming Street • Pleasanton, CA 94566-6277
(925) 846-1833 • FAX (925) 846-2243
License 286411

RECEIVED

9:47 am, Nov 24, 2010

Alameda County
Environmental Health

November 15, 2010

Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

**Subject: Can-Am Plumbing Inc.
151 Wyoming Street
Pleasanton, California.**

I have reviewed the attached routine groundwater monitoring report dated November 12, 2010.

I agree with the conclusions and recommendation presented in the referenced report. The information in this report is accurate to the best of my knowledge. This report was prepared by Gettler-Ryan Inc. I relied upon their expertise, assistance and advice.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

CAN-AM PLUMBING INC.

Martin O'Gara
Chief Financial Officer



November 12, 2010

Mr. Jerry Wickham
Alameda County Environmental Health Department
1131 Harbor Bay Parkway, Ste. 250
Alameda, California 94502

**Subject: 3rd Quarter 2010 Groundwater Monitoring and Sampling Report
Can-Am Plumbing, 151 Wyoming Street, Pleasanton, California
Alameda County Site #R00002425**

Mr. Wickham,

On behalf of Can-Am Plumbing Inc., Gettler-Ryan Inc. (GR) has prepared this third quarter 2010 groundwater monitoring and sampling report for the above-referenced property. This report describes the field and analytical methods, provides a summary of groundwater monitoring results, and presents conclusions and recommendations regarding groundwater conditions at the site.

SITE LOCATION AND DESCRIPTION

The subject site is located at 151 Wyoming Street in Pleasanton, California (Figure 1). Topography in the vicinity of the subject site is relatively flat at an elevation of approximately 361 feet above mean sea level. The closest surface water is Arroyo Del Valle, which is approximately 640 feet south of the site. Regional groundwater flow direction is to the north. Below ground facilities consisted of two 1,000-gallon gasoline underground storage tanks (USTs). The USTs were reportedly installed in 1972 and in use until June 1999 when they were removed. Pertinent site features and the location of the former USTs are shown on Figure 2.

For site background and a summary of previous environmental investigation, please refer to GR report No. 25-948162.8, *Well Installation Report*, dated March 6, 2009.

GROUNDWATER MONITORING

GR personnel conducted quarterly groundwater monitoring of ten wells (MW-1, MW-1A, MW-2, MW-2A, MW-3, MW-3A, and MW-4 through MW-7), seven piezometers (PZ-1 through PZ-7), and tank backfill well W-1. Work at the site included measuring static groundwater levels, evaluating groundwater in the wells for the presence of petroleum hydrocarbons, and purging and sampling the wells (if required by the current sampling schedule) for laboratory analysis. Groundwater monitoring and sampling were performed in accordance with GR Field Methods and Procedures (attached).

On September 28, 2010, GR personnel collected depth to groundwater measurements in the ten monitoring wells, the seven piezometers, and tank backfill well W-1 and checked groundwater for the presence of separate-phase hydrocarbons (SPH). SPH were not present in any of the wells or piezometers. Water level data, groundwater elevations, and separate-phase hydrocarbon thicknesses (if any) are presented in attached Table 1. Field data sheets for this event are attached.

Groundwater monitoring wells MW-1, MW-2, MW-3, piezometers PZ-1 through PZ-7 and tank backfill well W-1 were monitored only and are sampled semi-annually during the second and fourth quarters of the year. Zone C monitoring wells MW-1A, MW-2A, MW-3A, MW-5, MW-6 and MW-7 were monitored and not sampled due to insufficient water. A no purge sample was collected from MW-4 due to insufficient water present for purging. The groundwater sample from MW-4 was submitted under chain-of-custody protocol to Kiff Analytical (ELAP #2236) of Davis, California. A copy of the laboratory analytical report and chain-of-custody document are attached.

RESULTS

Groundwater Conditions

On September 28, 2010, the groundwater flow direction in the A zone was towards the south at a gradient of 0.1 ft/ft as shown on Figure 3. Due to seasonal low groundwater levels, insufficient groundwater elevation data points were present for Zone B and Zone C. Therefore no Potentiometric Maps could be generated. In place of the Potentiometric Maps, Groundwater Elevation Maps for Zone B and Zone C are presented as Figures 4 and 5, respectively.

Analytical Results

The Groundwater sample from MW-4 was analyzed for Total Petroleum Hydrocarbons as gasoline (TPHg), Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX), Methyl tert-Butyl Ether (MtBE), Ethyl tert-Butyl Ether (ETBE), Di-Isopropyl Ether (DIPE), Tert-Amyl Methyl Ether (TAME), and Tert-Butanol (TBA) by EPA Method 8260B. Groundwater chemical analytical results for this event and previous events are presented in Tables 1 and 2.

TPHg, BTEX, DIPE, ETBE, TAME and TBA concentrations were below the laboratory reporting limits in Zone C well MW-4. MtBE was detected in well MW-4 at a concentration of 0.63 ppb, as shown on Figure 6.


CONCLUSIONS AND RECOMMENDATIONS

Based on the results of this monitoring and sampling event, GR concludes the following:


- The groundwater flow direction in Zone A was to the south. Groundwater flow direction in Zone A varies from event to event;
- Due to seasonal low groundwater levels, groundwater was absent in Zone C wells MW-1A and MW-2A and in offsite Zone C wells MW-5 through MW-7. A quantity of groundwater insufficient for sampling was present in well MW-3A;
- In Zone C well MW-4, all constituents analyzed were below the laboratory reporting limits, except for MtBE detected at a concentration of 0.63 ppb; and
- GR recommends continuing the current groundwater monitoring and sampling program for all wells to further evaluate groundwater quality trends and plume stability over time.

If you have any questions, please feel free to contact me in our Dublin office at (925) 551-7555.

Sincerely,
Gettler-Ryan Inc.



Douglas J. Lee
Project Manager
P.G. No. 6882



Attachments: Table 1, Groundwater Monitoring Data and Analytical Results
Table 2, Groundwater Analytical Results-Oxygenate Compounds
Figure 1, Vicinity Map
Figure 2, Site Plan
Figure 3, Potentiometric Map-Zone A
Figure 4, Groundwater Elevation Map-Zone B
Figure 5, Groundwater Elevation Map-Zone C
Figure 6, MtBE Concentration Map-Zone C
GR Field Methods and Procedures
Field Data Sheets
Laboratory Analytical Report and Chain of Custody

CC: Marty O’Gara, Can-Am Plumbing Inc.

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THP _g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	MTBE (µg/L)
MW-1	01/24/00	28.50	--				Not Sampled		
	01/26/00	28.16	--				Not Sampled		
	01/27/00	30.48	--				Not Sampled		
	01/28/00	30.03	--				Not Sampled		
	01/31/00	28.45	--	ND	ND	ND	ND	ND	ND
	02/18/00	21.31	--				Not Sampled		
	02/24/00	21.12	--				Not Sampled		
	05/11/00	22.01	--	ND	ND	ND	ND	ND	ND
	03/01/01	21.45	--	<50	<0.50	<0.50	<0.50	<0.50	<2.0
	06/01/02	24.94	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/30/02	Dry	--				Well Dry - Not Sampled		
352.87*	12/26/02	12.28	340.59	<50	<0.50	<0.50	<0.50	<0.50	0.61
	05/01/03	21.45	331.33	320 ⁷	<10	<10	<10	<10	2,100
	11/05/03	21.91	330.96	<50	<0.50	<0.50	<0.50	<1.0	17
	12/20/05	21.23	331.64	<50	<0.50	<0.50	<0.50	<0.50	<0.50
355.33~	06/09/06	21.62	333.71				Not Sampled		
	09/05/06	23.19	332.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	21.37	333.96	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/16/07	21.43	333.90	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	04/20/07	22.49	332.84				Not Sampled		
	06/15/07	23.40	331.93	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/13/07	26.48	328.85	<50	<0.50	<0.50	<0.50	<0.50	0.65
	12/28/07	21.83	333.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/28/08	21.99	333.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/27/08	28.80	326.53	<50	<0.50	<0.50	<0.50	<0.50	0.52
	09/22/08	30.84	-- ⁹				Insufficient Water - Not Sampled		
	12/30/08	21.78	333.55	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	01/19/09	23.59	331.74				Not Sampled		
	03/13/09	21.22	334.11	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/18/09	27.53	327.80	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/24/09	31.04	-- ⁹				Monitored Only - Sampled Semi-Annually		
	12/16/09	21.46	333.87	<50	<0.50	<0.50	<0.50	<0.50	0.74
	03/22/10	21.95	333.38				Monitored Only - Sampled Semi-Annually		
	06/21/10	25.72	329.61	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/28/10	31.13	--⁹				Monitored Only - Sampled Semi-Annually		

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THPg (µg/L)	Benzène (µg/L)	Toluène (µg/L)	Ethylbenzene (µg/L)	Xylène (µg/L)	MTBE (µg/L)
MW-1A									
355.40~	06/09/06	31.22	324.18	<50	<0.50	<0.50	<0.50	<0.50	5.3
	09/05/06	44.40	311.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	39.05	316.35	<50	<0.50	<0.50	<0.50	<0.50	240
	3/16/07	31.91	323.49	<50	<0.50	<0.50	<0.50	<0.50	170
	04/20/07	35.85	319.55				Not Sampled		
	06/15/07	40.56	314.84	<50	<0.50	<0.50	<0.50	<0.50	29
	09/13/07	45.64	309.76	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	37.98	317.42	<50	<0.50	<0.50	<0.50	<0.50	95
	03/28/08	33.83	321.57	<50	<0.50	<0.50	<0.50	<0.50	60
	06/27/08	44.12	311.28	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/22/08	Dry					Not Sampled		
	12/30/08	Dry					Not Sampled		
	01/19/09	48.88	-- ⁹				Not Sampled		
	03/13/09	38.80	316.60	<50	<0.50	<0.50	<0.50	<0.50	210
	06/18/09	Dry					Not Sampled		
	06/24/09	Dry					Not Sampled		
	12/16/09	Dry					Not Sampled		
	03/22/10	40.15	315.25	<50	<0.50	<0.50	<0.50	<0.50	190
	06/21/10	Dry					Not Sampled		
	09/28/10	Dry					Not Sampled		
MW-2									
	01/24/00	Dry	--				Well Dry - Not Sampled		
	01/31/00	Dry	--				Well Dry - Not Sampled		
	02/18/00	25.74	--				Not Sampled		
	02/24/00	22.05					Not Sampled		
	05/11/00	25.42	--	ND ²	ND ²	ND ²	ND ²	ND ²	11,000/12,000 ⁴
	03/01/01	25.24	--	90 ⁵	<0.50	<0.50	<0.50	<0.50	14,000
	06/01/02	30.26	--	16,000	<5.0	<5.0	<5.0	<5.0	19,000
	09/30/02	31.03	--				Insufficient Water - Not Sampled		
	12/26/02	21.91	330.04	<10,000	<100	<100	<100	<100	16,000
351.95*	05/01/03	25.86	326.09	16,000 ⁷	<100	<100	<100	<100	16,000
	11/05/03	31.08	320.87				Insufficient Water - Not Sampled		
	12/20/05	28.44	323.51	<2,000	<20	<20	<20	<20	9,400
354.44~	06/09/06	22.84	331.60				Not Sampled		

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THPg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	MTBE (µg/L)	
MW-2 (con't)	09/05/06	30.54	323.90	<900	<9.0	<9.0	<9.0	<9.0	5,300	
	12/15/06	27.73	326.71	<500	<5.0	<5.0	<5.0	<5.0	3,100	
	03/16/07	21.71	332.73	<500	<5.0	<5.0	<5.0	<5.0	4,800	
	04/20/07	27.75	326.69				Not Sampled			
	06/15/07	30.96	323.48	<400	<4.0	<4.0	<4.0	<4.0	2,600	
	09/13/07	31.55	-- ⁹				Insufficient Water - Not Sampled			
	12/28/07	27.72	326.72	<90	<0.90	<0.90	<0.90	<0.90	510	
	03/28/08	22.50	331.94	<90	<0.90	<0.90	<0.90	<0.90	2,300	
	06/27/08	30.96	323.48	<90	<0.90	<0.90	<0.90	<0.90	560	
	09/22/08	31.52	-- ⁹				Insufficient Water - Not Sampled			
	12/30/08	29.59	324.85	<50	<0.50	<0.50	<0.50	<0.50	54	
	01/19/09	29.58	324.86				Not Sampled			
	03/13/09	21.36	333.08	<50	<0.50	<0.50	<0.50	<0.50	2,400	
	06/18/09	30.98	323.46	<90	<0.90	<0.90	<0.90	<0.90	570	
	09/24/09	Dry					Monitored Only - Sampled Semi-Annually			
	12/16/09	29.75	324.69	<150	<1.5	<1.5	<1.5	<1.5	700	
	03/22/10	21.94	332.50				Monitoring Only - Sampled Semi-Annually			
	06/21/10	29.72	324.72	<150	<1.5	<1.5	<1.5	<1.5	990	
		09/28/10	31.08	323.36				Monitoring Only - Sampled Semi-Annually		
	MW-2A 354.43~	06/09/06	31.22	323.21	<900	<9.0	<9.0	<9.0	<9.0	5,300
09/05/06		46.35	308.08	<900	<9.0	<9.0	<9.0	<9.0	4,500	
12/15/06		40.38	314.05	<900	<9.0	<9.0	<9.0	<9.0	7,300	
03/16/07		32.91	321.52	<500	<5.0	<5.0	<5.0	<5.0	2,300	
04/20/07		37.03	317.40				Not Sampled			
06/15/07		42.08	312.35	<500	<5.0	<5.0	<5.0	<5.0	7,300	
09/13/07		47.03	307.40	<1,500	<15	<15	<15	<15	8,800	
12/28/07		38.77	315.66	<500	<5.0	<5.0	<5.0	<5.0	3,800	
03/28/08		34.13	320.30	<150	<1.5	<1.5	<1.5	<1.5	760	
06/27/08		44.28	310.15	<1,500	<15	<15	<15	<15	7,000	
09/22/08		49.40	-- ⁹				Insufficient Water - Not Sampled			
12/30/08		Dry					Not Sampled			
01/19/09		Dry					Not Sampled			
03/13/09		38.40	316.03	<400	<4.0	<4.0	<4.0	<4.0	2,100	
06/18/09		Dry					Not Sampled			

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THPg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	MTBE (µg/L)
MW-2A (con't)	09/24/09	Dry					Not Sampled		
	12/16/09	Dry					Not Sampled		
	03/22/10	37.57	316.86	<50	<0.50	<0.50	<0.50	<0.50	23
	06/21/10	Dry					Not Sampled		
	09/28/10	Dry					Not Sampled		
MW-3 352.29*	12/26/02 ⁶	21.99	330.30	<50	<0.50	<0.50	<0.50	<0.50	66
	05/01/03	22.11	330.18	<50	<0.50	<0.50	<0.50	<0.50	47
354.76~	11/05/03	23.76	328.53			Insufficient Water - Not Sampled			
	12/20/05	22.59	329.70	<50	<0.50	<0.50	<0.50	<0.50	35
	06/09/06	22.18	332.58			Not Sampled			
	09/05/06	23.12	331.64	<50	<0.50	<0.50	<0.50	<0.50	31
	12/15/06	22.42	332.34	<50	<0.50	<0.50	<0.50	<0.50	28
	03/16/07	21.83	332.93	<50	<0.50	<0.50	<0.50	<0.50	37
	04/20/07	22.69	332.07			Not Sampled			
	06/15/07	23.31	331.45	<50	<0.50	<0.50	<0.50	<0.50	30
	09/13/07	23.53	331.23	<50	<0.50	<0.50	<0.50	<0.50	28
	12/28/07	22.39	332.37	<50	<0.50	<0.50	<0.50	<0.50	52
	03/28/08	22.24	332.52	<50	<0.50	<0.50	<0.50	<0.50	90
	06/27/08	23.34	331.42	<50	<0.50	<0.50	<0.50	<0.50	72
	09/22/08	23.44	331.32	<50	<0.50	<0.50	<0.50	<0.50	60
	12/30/08	22.74	332.02	<50	<0.50	<0.50	<0.50	<0.50	71
	01/19/09	24.36	330.40			Not Sampled			
	03/13/09	21.68	333.08	<50	<0.50	<0.50	<0.50	<0.50	89
	06/18/09	23.35	331.41	<50	<0.50	<0.50	<0.50	<0.50	77
	09/24/09	23.76	331.00			Monitored Only - Sampled Semi-Annually			
	12/16/09	22.80	331.96	<50	<0.50	<0.50	<0.50	<0.50	74
	03/22/10	22.35	332.41			Monitored Only - Sampled Semi-Annually			
06/21/10	22.99	331.77	<50	<0.50	<0.50	<0.50	<0.50	120	
09/28/10	24.45	--⁹			Monitored Only - Sampled Semi-Annually				

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THPg (µg/L)	Benzène (µg/L)	Toluène (µg/L)	Ethylbenzene (µg/L)	Xylène (µg/L)	MTBE (µg/L)
MW-3A									
354.52~	06/09/06	33.60	320.92	<50	<0.50	<0.50	<0.50	<0.50	3.9
	09/05/06	46.86	307.66	<50	<0.50	<0.50	<0.50	<0.50	4.7
	12/15/06	43.02	311.50	<50	<0.50	<0.50	<0.50	<0.50	9.9
	03/16/07	32.73	321.79	<50	<0.50	<0.50	<0.50	<0.50	5.4
	04/20/07	38.03	316.49				Not Sampled		
	06/15/07	43.42	311.10	<50	<0.50	<0.50	<0.50	<0.50	6.4
	09/13/07	47.73	306.79	<50	<0.50	<0.50	<0.50	<0.50	10
	12/28/07	39.80	314.72	<50	<0.50	<0.50	<0.50	<0.50	36
	03/28/08	34.53	319.99	<50	<0.50	<0.50	<0.50	<0.50	33
	06/27/08	45.04	309.48	<50	<0.50	<0.50	<0.50	<0.50	9.5
	09/22/08	49.65	-- ⁹				Insufficient Water - Not Sampled		
	12/30/08	47.87	306.65	<50	<0.50	<0.50	<0.50	<0.50	37
	01/19/09	49.66	-- ⁹				Not Sampled		
	03/13/09	37.32	317.20	<50	<0.50	<0.50	<0.50	<0.50	12
	06/18/09	49.72	-- ⁹				Insufficient Water - Not Sampled		
	09/24/09	49.90	-- ⁹				Insufficient Water - Not Sampled		
	12/16/09	48.57	305.95	<50	<0.50	<0.50	<0.50	<0.50	48
	03/22/10	35.90	318.62	<50	<0.50	<0.50	<0.50	<0.50	34
	06/21/10	49.78	-- ⁹				Insufficient Water - Not Sampled		
	09/28/10	49.81	--⁹				Insufficient Water - Not Sampled		
MW-4									
354.81 [#]	04/20/07	35.12	319.69	<500	<5.0	<5.0	<5.0	<5.0	1,700
	06/15/07	41.62	313.19	<90	<0.90	<0.90	<0.90	<0.90	840
	09/13/07	45.89	308.92	<50	<0.50	<0.50	<0.50	<0.50	220
	12/28/07	38.92	315.89	<50	<0.50	<0.50	<0.50	<0.50	340
	03/28/08	34.94	319.87	75	<0.50	<0.50	<0.50	<0.50	2,800
	06/27/08	43.84	310.97	<50	<0.50	<0.50	<0.50	<0.50	570
	09/22/08	50.11	304.70	<50	<0.50	<0.50	<0.50	<0.50	180
	12/30/08	48.72	306.09	<50	<0.50	<0.50	<0.50	<0.50	24
	01/19/09	48.15	306.66				Not Sampled		
	03/13/09	39.28	315.53	<50	<0.50	<0.50	<0.50	<0.50	5.7
	06/18/09	49.76	305.05	<50	<0.50	<0.50	<0.50	<0.50	1.6
	09/24/09	52.55	-- ⁹				Insufficient Water - Not Sampled		
	12/16/09	52.85	-- ⁹				Insufficient Water - Not Sampled		

Table 1
Groundwater Monitoring and Analytical Results
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THPg (µg/L)	Benzène (µg/L)	Toluène (µg/L)	Ethylbenzene (µg/L)	Xylène (µg/L)	MTBE (µg/L)
MW-4 (con't)	03/22/10	42.39	312.42	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/21/10	49.76	305.05	<50	<0.50	<0.50	<0.50	<0.50	1.4
	09/28/10	52.36	302.45	<50	<0.50	<0.50	<0.50	<0.50	0.63
MW-5 355.96[#]	04/20/07	40.88	315.08	<400	<4.0	<4.0	<4.0	<4.0	1,800
	06/15/07	45.58	310.38	<200	<2.0	<2.0	<2.0	<2.0	1,100
	09/13/07	49.93	306.03	<90	<0.90	<0.90	<0.90	<0.90	680
	12/28/07	44.59	311.37	<100	<1.0	<1.0	<1.0	<1.0	520
	03/28/08	38.83	317.13	<100	<1.0	<1.0	<1.0	<1.0	520
	06/27/08	46.96	309.00	<100	<1.0	<1.0	<1.0	<1.0	1,400
	09/22/08	52.20	-- ⁹				Insufficient Water - Not Sampled		
	12/30/08	Dry					Not Sampled		
	01/19/09	Dry					Not Sampled		
	03/13/09	48.82	307.14	<200	<2.0	<2.0	<2.0	<2.0	960
	06/18/09	Dry					Not Sampled		
	09/24/09	Dry					Not Sampled		
	12/16/09	Dry					Not Sampled		
	03/22/10	50.22	305.74	<50	<0.50	<0.50	<0.50	<0.50	100
	06/21/10	Dry					Not Sampled		
09/28/10	Dry					Not Sampled			
MW-6 354.62[@]	01/19/09	Dry				Not Sampled			
	03/13/09	Dry				Not Sampled			
	06/18/09	Dry				Not Sampled			
	09/24/09	Dry				Not Sampled			
	12/16/09	Dry				Not Sampled			
	03/22/10	Dry				Not Sampled			
	06/21/10	Dry				Not Sampled			
	09/28/10	Dry				Not Sampled			

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THP _g (µg/L)	Benzène (µg/L)	Toluène (µg/L)	Ethylbenzene (µg/L)	Xylène (µg/L)	MTBE (µg/L)
UST Pit Casing W-1 (con't)	06/18/09	6.65	347.70	<50	<0.50	<0.50	<0.50	<0.50	0.73
	09/24/09	7.85	346.50			Monitored Only - Sampled Semi-Annually			
	12/16/09	4.39	349.96	<50	<0.50	<0.50	<0.50	<0.50	0.63
	03/22/10	6.39	347.96			Monitored Only - Sampled Semi-Annually			
	06/21/10	5.10	349.25	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/28/10	6.68	347.67			Monitored Only - Sampled Semi-Annually			
PZ-1 354.54~	06/09/06	6.08	348.46			Not Sampled			
	09/05/06	6.35	348.19	<50	0.67	<0.50	<0.50	<0.50	57
	12/15/06	6.51	348.03			Obstruction in well @ 6.53'-Unable to sample well			
	03/16/07	6.28	348.26			Insufficient water - Not Sampled			
	04/20/07	6.45	348.09			Not Sampled			
	06/15/07	6.31	348.23			Insufficient water - Not Sampled			
	09/13/07	Dry				Not Sampled			
	12/28/07	Dry				Not Sampled			
	03/28/08	Dry				Not Sampled			
	06/27/08	Dry				Not Sampled			
	09/22/08	Dry				Not Sampled			
	12/30/08	Dry				Not Sampled			
	01/19/09	Dry				Not Sampled			
	03/13/09	Dry				Not Sampled			
	06/18/09	Dry				Not Sampled			
	09/24/09	Dry				Monitored Only-Sampled Semi-Annually			
	12/16/09	Dry				Not Sampled			
	03/22/10	Dry				Monitored Only-Sampled Semi-Annually			
	06/21/10	Dry				Not Sampled			
	09/28/10	Dry				Monitored Only-Sampled Semi-Annually			
PZ-2 354.35~	06/09/06	3.91	350.44			Not Sampled			
	9/5/06	4.57	349.78	150	<0.50	<0.50	<0.50	<0.50	52
	12/15/06	4.30	350.05	160	<0.50	<0.50	<0.50	<0.50	11
	3/16/07	4.60	349.75	4,000	<0.50	<0.50	<0.50	<0.50	1.6
	04/20/07	5.03	349.32			Not Sampled			

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft)	DATE	DTW (ft)	GWE (msl)	THPg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	MTBE (µg/L)
PZ-2 (con't)	6/15/07	5.65	348.70	180	<0.50	<0.50	<0.50	<0.50	2.8
	09/13/07	6.54	347.81	<50	<0.50	<0.50	<0.50	<0.50	34
	12/28/07	6.38	347.97		Not Sampled-bailer sticking to side of casing prevented sample collection				
	03/28/08	5.62	348.73	160	<0.50	<0.50	<0.50	<0.50	8.6
	6/27/08	6.59	347.76		Not Sampled-bailer sticking to side of casing prevented sample collection				
	09/22/08	8.90	-- ⁹		Not Sampled-Unable to collect water with pin bailer				
	12/30/08	6.56	347.79	<50	<0.50	<0.50	<0.50	<0.50	1.7
	01/19/09	6.97	347.38		Not Sampled				
	03/13/09	6.02	348.33	<50	<0.50	<0.50	<0.50	<0.50	4.4
	06/18/09	6.73	347.62	<50	<0.50	<0.50	<0.50	<0.50	20
	09/24/09	Dry			Monitored Only - Sampled Semi-Annually				
	12/16/09	4.40	349.95	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	3/22/10	6.05	348.30		Monitored Only - Sampled Semi-Annually				
	6/21/10	5.12	349.23	<50	<0.50	<0.50	<0.50	<0.50	3.2
	09/28/10	6.85	347.50		Monitored Only - Sampled Semi-Annually				
PZ-3 354.14~	6/9/06	3.77	350.37		Not Sampled				
	09/05/06	4.30	349.84	<50	<0.50	<0.50	<0.50	<0.50	29
	12/15/06	3.99	350.15	<50	<0.50	<0.50	<0.50	<0.50	35
	03/16/07	4.33	349.81	<50	<0.50	<0.50	<0.50	<0.50	8.6
	04/20/07	5.06	349.08		Not Sampled				
	06/15/07	6.08	348.06	<50	<0.50	<0.50	<0.50	<0.50	130
	09/13/07	7.52	346.62	<50	<0.50	<0.50	<0.50	<0.50	19
	12/28/07	6.31	347.83	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/28/08	6.33	347.81	<50	<0.50 ¹⁰	<0.50	<0.50	<0.50	0.74
	06/27/08	7.23	346.91		Not Sampled-bailer sticking to side of casing prevented sample collection				
	09/22/08	8.27	-- ⁹		Not Sampled-Unable to collect water with pin bailer				
	12/30/08	5.49	348.65	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	01/19/09	6.80	347.34		Not Sampled				
	03/13/09	5.64	348.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/18/09	7.25	346.89	<50	<0.50	<0.50	<0.50	<0.50	4.3
09/24/09	8.55	-- ⁹		Monitored Only - Sampled Semi-Annually					
12/16/09	4.40	349.74	<50	<0.05	<0.50	<0.50	<0.50	<0.50	

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THP _g (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	MTBE (µg/L)
PZ-5 (con't)	03/28/08	9.57	-- ⁹						
	06/27/08	8.83	-- ⁹			Insufficient Water - Not Sampled			
	09/22/08	9.13	-- ⁹			Insufficient Water - Not Sampled			
	12/30/08	9.20	-- ⁹			Insufficient Water - Not Sampled			
	01/19/09	9.20	-- ⁹			Insufficient Water - Not Sampled			
	03/13/09	9.21	-- ⁹			Insufficient Water - Not Sampled			
	06/18/09	9.22	-- ⁹			Insufficient Water - Not Sampled			
	09/24/09	9.37	-- ⁹			Monitored Only - Sampled Semi-Annually			
	12/16/09	9.25	-- ⁹			Insufficient Water - Not Sampled			
	03/22/10	Dry				Monitored Only - Sampled Annually			
	06/21/10	9.41	-- ⁹			Insufficient Water - Not Sampled			
	09/28/10	9.25	--⁹			Monitored Only - Sampled Semi-Annually			
PZ-6 354.39~	06/09/06	4.04	350.35						
	09/05/06	4.67	349.72	<50	<0.50	<0.50	<0.50	<0.50	62
	12/15/06	4.38	350.01	<50	<0.50	<0.50	<0.50	<0.50	2.7
	3/16/07	4.70	349.69	<50	<0.50	<0.50	<0.50	<0.50	7.4
	04/20/07	5.13	349.26						
	06/15/07	5.74	348.65	<50	<0.50	<0.50	<0.50	<0.50	88
	9/13/07 ^s	6.67	347.72	<50	<0.50	<0.50	<0.50	<0.50	51
	12/28/07	6.46	347.93	<50	<0.50	<0.50	<0.50	<0.50	33
	03/28/08	5.71	348.68	<50	<0.50	<0.50	<0.50	<0.50	130
	06/27/08	6.58	347.81	<50	<0.50	<0.50	<0.50	<0.50	24
	09/22/08	7.75	346.64	<50	<0.50	<0.50	<0.50	<0.50	63
	12/30/08	7.22	347.17	<50	<0.50	<0.50	<0.50	<0.50	12
	01/19/09	7.36	347.03						
	03/13/09	6.12	348.27	<50	<0.50	<0.50	<0.50	<0.50	1.7
	06/18/09	6.75	347.64	<50	<0.50	<0.50	<0.50	<0.50	5.3
	09/24/09	7.91	346.48						
	12/16/09	4.49	349.90	<50	<0.50	<0.50	<0.50	<0.50	1.0
03/22/10	6.47	347.92							
06/21/10	5.19	349.20	<50	<0.50	<0.50	<0.50	<0.50	6.3	
09/28/10	6.98	347.41							

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft.)	DATE	DTW (ft.)	GWE (msl)	THPg (µg/L)	Benzène (µg/L)	Toluène (µg/L)	Ethylbenzene (µg/L)	Xylène (µg/L)	MTBE (µg/L)
PZ-7									
354.45~	06/09/06	4.05	350.40				Not Sampled		
	09/05/06	4.65	349.80	<50	<0.50	<0.50	<0.50	<0.50	1.4
	12/15/06	4.32	350.13	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/16/07	4.68	349.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	04/20/07	5.12	349.33				Not Sampled		
	06/15/07	5.73	348.72	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/13/07	6.63	347.82	<50	<0.50	<0.50	<0.50	<0.50	0.68
	12/28/07	6.45	348.00	<50	<0.50	<0.50	<0.50	<0.50	0.85
	03/28/08	5.72	348.73	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/27/08	6.67	347.78	<50	<0.50	<0.50	<0.50	<0.50	0.59
	09/22/08	8.11	346.34	<50	<0.50	<0.50	<0.50	<0.50	0.93
	12/30/08	7.20	347.25	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	01/19/09	7.31	347.14				Not Sampled		
	03/13/09	6.13	348.32	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/18/09	6.72	347.73	<50	<0.50	<0.50	<0.50	<0.50	0.94
	09/24/09	7.87	346.58				Monitored Only - Sampled Semi-Annually		
	12/16/09	4.48	349.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/22/10	6.15	348.30				Monitored Only - Sampled Semi-Annually		
	06/21/10	5.20	349.25	<50	<0.50	<0.50	<0.50	<0.50	0.50
	09/28/10	6.77	347.68				Monitored Only - Sampled Semi-Annually		
QA									
	09/05/06	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/15/06	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/16/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	6/15/07 ^s	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/13/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/28/07	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/28/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/27/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/22/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/30/08	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	03/13/09	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	06/18/09	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	12/16/09	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID/ TOC*(ft)	DATE	DTW (ft)	GWE (msl)	THPg (µg/L)	Benzène (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	MTBE (µg/L)
QA	03/22/10	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
(con't)	06/21/10	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.50
	09/28/10	--	--	<50	<0.50	<0.50	<0.50	<0.50	<0.5

Table 1
Groundwater Monitoring and Analytical Results

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

EXPLANATION:

TOC = Top of Casing
(ft.) = Feet

DTW = depth to water measured from top of box/grade

GWE = Groundwater Elevation

(msl) = Mean sea level

TPHg = Total Petroleum Hydrocarbons as gasoline

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

ND = Not Detected

-- = not measured or analyzed

QA = Trip Blank

ANALYTICAL LABORATORY:

Sequoia Analytical (ELAP #1271)

Severn Trent Laboratory (ELAP #2496)

Kiff Analytical (ELAP #2236)

TPHg/BTEX/MTBE by EPA Method 8260B

* Top of Casing (TOC) elevations surveyed to Mean Sea Level (MSL) by Virgil Chavez Land Surveying,
California-Licensed Land Surveyor No. 6323

~ Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 6/6/06

Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS# 5161) on 4/17/07

@ Top of casing (TOC) elevation surveyed to Mean Sea Level (MSL) by Morrow Surveying (PLS#5161) on 1/27/09

¹ Laboratory reported an unidentified hydrocarbon C6-C12.

² Elevated detection limit.

³ Chromatogram pattern: Gasoline C6-C12.

⁴ MtBE by EPA Method 8260.

⁵ Discrete Peaks

⁶ Well Development Performed

⁷ Discrete Peak at MtBE

⁸ Samples were analyzed by EPA Method 8260B using bottles that contained headspace bubbles greater than 1/4-inch in diameter

⁹ Insufficient water to determine GWE

¹⁰ Matrix Spike/Matrix Spike Duplicate Results associated with these samples for the analyte Benzene were affected by the analyte concentrations already present in the un-spiked sample.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)	
MW-1	03/01/01	<50	<2.0	<2.0	<2.0	<2.0	---	---	<500	
	06/27/02	<5.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<50	
	09/30/02				Well Dry - Not Sampled					
	12/26/02	<5.0	0.61	<0.50	<0.50	<0.50	<0.50	<0.50	<50	
	05/01/03	540	2,100	<100	<10	<10	<10	<10	<1,000	
	11/05/03	<5.0	17	<1.0	<0.50	<0.50	<0.50	<0.50	---	
	06/09/06	--	--	--	--	--	--	--	--	
	09/05/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	03/16/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	04/20/07	--	--	--	--	--	--	--	--	
	06/15/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	09/13/07	<5.0	0.65	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	03/28/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	06/27/08	<5.0	0.52	<0.50	<0.50	<0.50	--	--	--	
	09/22/08				Insufficient Water - Not Sampled					
	12/30/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	01/19/09				Not Sampled					
	03/13/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	06/18/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	09/24/09				Monitored Only - Sampled Semi-Annually					
	12/16/09	<5.0	0.74	<0.50	<0.50	<0.50	--	--	--	
03/22/10				Monitored Only - Sampled Semi-Annually						
06/21/10	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--		
09/28/10				Monitored Only - Sampled Semi-Annually						
MW-1A	06/09/06	<5.0	5.3	<0.50	<0.50	<0.50	--	--	--	
	09/05/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	12/15/06	9.3 J	240	<0.50	<0.50	3.7	--	--	--	
	03/16/07	<5.0	170	<0.50	<0.50	3.0	--	--	--	
	04/20/07	--	--	--	--	--	--	--	--	
	06/15/07	<5.0	29	<0.50	<0.50	<0.50	--	--	--	
	09/13/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	5.1	95	<0.50	<0.50	1.1	--	--	--	
	03/28/08	<5.0	60	<0.50	<0.50	0.60	--	--	--	
	06/27/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
MW-1A (con't)	09/22/08					Insufficient Water - Not Sampled			
	12/30/08					Not Sampled			
	01/19/09					Not Sampled			
	03/13/09	7.3 J	210	<0.50	<0.50	2.7	--	--	--
	06/18/09					Not Sampled			
	09/24/09					Not Sampled			
	12/16/09					Not Sampled			
	03/22/10	<5.0	190	<0.50	<0.50	2.6	--	--	--
	06/21/10					Not Sampled			
	09/28/10					Not Sampled			
MW-2	03/01/01	2,800	14,000	<100	<100	190	---	---	<25,000
	06/27/02	3,100	19,000	7.0	<5.0	260	<5.0	<5.0	<500
	09/30/02					Insufficient Water - Not Sampled			
	12/26/02	<1,000	16,000	<100	<100	220	<100	<100	<10,000
	05/01/03	4,100	16,000	<100	<100	240	<100	<100	<10,000
	11/05/03					Insufficient Water - Not Sampled			
	06/09/06	--	--	--	--	--	--	--	--
	09/05/06	390	5,300	<9.0	<9.0	56	--	--	--
	12/15/06	<25	3,100	<5.0	<5.0	25	--	--	--
	03/16/07	660	4,800	<5.0	<5.0	76	--	--	--
	04/20/07	--	--	--	--	--	--	--	--
	06/15/07	34 J	2,600	<4.0	<4.0	31	--	--	--
	09/13/07					Insufficient Water - Not Sampled			
	12/28/07	<5.0	510	<0.90	<0.90	4.1	--	--	--
	03/28/08	71 J	2,300	<0.90	<0.90	31	--	--	--
	06/27/08	<5.0	560	<0.90	<0.90	5.5	--	--	--
	09/22/08					Insufficient Water - Not Sampled			
	12/30/08	<5.0	54	<0.50	<0.50	0.62	--	--	--
	03/13/09	200	2,400	<0.50	<0.50	29	--	--	--
	06/18/09	<5.0	570	<0.90	<0.90	8.1	--	--	--
	09/24/09					Monitored Only - Sampled Semi-Annually			
12/16/09	12 J	700	<1.5	<1.5	9.2	--	--	--	
03/22/10					Monitored Only - Sampled Semi-Annually				
06/21/10	<7.0	990	<1.5	<1.5	11	--	--	--	
09/28/10					Monitored Only - Sampled Semi-Annually				

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)	
MW-2A	06/09/06	860	5,300	<9.0	<9.0	61	--	--	--	
	09/05/06	600	4,500	<9.0	<9.0	56	--	--	--	
	12/15/06	1,000	7,300	<9.0	<9.0	99	--	--	--	
	03/16/07	270	2,300	<5.0	<5.0	32	--	--	--	
	04/20/07	--	--	--	--	--	--	--	--	
	06/15/07	780	7,300	<5.0	<5.0	86	--	--	--	
	09/13/07	830	8,800	<15	<15	140	--	--	--	
	12/28/07	300	3,800	<5.0	<5.0	54	--	--	--	
	03/28/08	45	760	<1.5	<1.5	11	--	--	--	
	06/27/08	100 J	7,000	<15	<15	130	--	--	--	
	09/22/08					Insufficient Water - Not Sampled				
	12/30/08					Not Sampled				
	01/19/09					Not Sampled				
	03/13/09	20 J	2,100	<4.0	<4.0	22	--	--	--	
	06/18/09					Not Sampled				
	09/24/09					Not Sampled				
	12/16/09					Not Sampled				
	03/22/10	<5.0	23	<0.50	<0.50	<0.50	--	--	--	
	06/21/10					Not Sampled				
09/28/10					Not Sampled					
MW-3	12/26/02	<5.0	66	<0.50	<0.50	<0.50	<0.50	<0.50	<50	
	5/01/03	<5.0	47	<0.50	<0.50	<0.50	<0.50	<0.50	<50	
	11/5/03					Insufficient Water - Not Sampled				
	6/9/06	--	--	--	--	--	--	--	--	
	9/5/06	<5.0	31	<0.50	<0.50	<0.50	--	--	--	
	12/15/06	<5.0	28	<0.50	<0.50	<0.50	--	--	--	
	3/16/07	<5.0	37	<0.50	<0.50	<0.50	--	--	--	
	4/20/07	--	--	--	--	--	--	--	--	
	06/15/07	<5.0	30	<0.50	<0.50	<0.50	--	--	--	
	09/13/07	<5.0	28	<0.50	<0.50	<0.50	--	--	--	
	12/28/07	<5.0	52	<0.50	<0.50	<0.50	--	--	--	
	03/28/08	<5.0	90	<0.50	<0.50	0.83	--	--	--	
	06/27/08	<5.0	72	<0.50	<0.50	<0.50	--	--	--	
	09/22/08	<5.0	60	<0.50	<0.50	<0.50	--	--	--	
	12/30/08	<5.0	71	<0.50	<0.50	0.51	--	--	--	
03/13/09	<5.0	89	<0.50	<0.50	0.63	--	--	--		

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
MW-3 (con't)	06/18/09	<5.0	77	<0.50	<0.50	0.58	--	--	--
	09/24/09				Monitored Only - Sampled Semi-Annually				
	12/16/09	<5.0	74	<0.50	<0.50	0.54	--	--	--
	03/22/10				Monitored Only - Sampled Semi-Annually				
	06/21/10	<5.0	120	<0.50	<0.50	0.78	--	--	--
	09/28/10				Monitored Only - Sampled Semi-Annually				
MW-3A	06/09/06	<5.0	3.9	<0.50	<0.50	<0.50	--	--	--
	09/05/06	<5.0	4.7	<0.50	<0.50	<0.50	--	--	--
	12/15/06	<5.0	9.9	<0.50	<0.50	<0.50	--	--	--
	03/16/07	<5.0	5.4	<0.50	<0.50	<0.50	--	--	--
	04/20/07	--	--	--	--	--	--	--	--
	06/15/07	<5.0	6.4	<0.50	<0.50	<0.50	--	--	--
	09/13/07	<5.0	10	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	36	<0.50	<0.50	<0.50	--	--	--
	03/28/08	<5.0	33	<0.50	<0.50	<0.50	--	--	--
	06/27/08	<5.0	9.5	<0.50	<0.50	<0.50	--	--	--
	09/22/08				Insufficient Water - Not Sampled				
	12/30/08	<5.0	37	<0.50	<0.50	<0.50	--	--	--
	01/19/09				Not Sampled				
	03/13/09	<5.0	12	<0.50	<0.50	<0.50	--	--	--
	06/18/09				Insufficient Water - Not Sampled				
	09/24/09				Insufficient Water - Not Sampled				
	12/16/09	<5.0	48	<0.50	<0.50	<0.50	--	--	--
	03/22/10	<5.0	34	<0.50	<0.50	<0.50	--	--	--
	06/21/10				Insufficient Water - Not Sampled				
		09/28/10				Insufficient Water - Not Sampled			
MW-4	04/20/07	300	1,700	<5.0	<5.0	31	--	--	--
	06/15/07	60	840	<0.90	<0.90	10	--	--	--
	09/13/07	16	220	<0.50	<0.50	3.0	--	--	--
	12/28/07	39	340	<0.50	<0.50	4.8	--	--	--
	03/28/08	280	2,800	<0.50	<0.50	44	--	--	--
	06/27/08	7.7 J	570	<0.50	<0.50	8.3	--	--	--
	09/22/08	<5.0	180	<0.50	<0.50	2.3	--	--	--
	12/30/08	<5.0	24	<0.50	<0.50	<0.50	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
MW-4	01/19/09					Not Sampled			
(con't)	03/13/09	<5.0	5.7	<0.50	<0.50	<0.50	--	--	--
	06/18/08	<5.0	1.6	<0.50	<0.50	<0.50	--	--	--
	09/24/09					Insufficient Water - Not Sampled			
	12/16/09					Insufficient Water - Not Sampled			
	03/22/10	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	06/21/10	<5.0	1.4	<0.50	<0.50	<0.50	--	--	--
	09/28/10	<5.0	0.63	<0.50	<0.50	<0.50	--	--	--
MW-5	04/20/07	130	1,800	<4.0	<4.0	22	--	--	--
	06/15/07	67	1,100	<2.0	<2.0	21	--	--	--
	09/13/07	<5.0	680	<0.90	<0.90	7.1	--	--	--
	12/28/07	<5.0	520	<1.0	<1.0	3.6	--	--	--
	03/28/08	<5.0	520	<1.0	<1.0	3.8	--	--	--
	06/27/08	8.1 J	1,400	<1.0	<1.0	19	--	--	--
	09/22/08					Insufficient Water - Not Sampled			
	12/30/08					Not Sampled			
	01/19/09					Not Sampled			
	03/13/09	<9.0	960	<2.0	<2.0	14	--	--	--
	06/18/09					Not Sampled			
	09/24/09					Not Sampled			
	12/16/09					Not Sampled			
	03/22/10	<5.0	100	<0.50	<0.50	<0.50	--	--	--
	06/21/10					Not Sampled			
	09/28/10					Not Sampled			
MW-6	01/19/09					Not Sampled			
	03/13/09					Not Sampled			
	06/18/09					Not Sampled			
	09/24/09					Not Sampled			
	12/16/09					Not Sampled			
	03/22/10					Not Sampled			
	06/21/10					Not Sampled			
	09/28/10					Not Sampled			

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
MW-7	01/19/09								
	03/13/09								
	06/18/09								
	09/24/09								
	12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	03/22/10	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	06/21/10								
	09/28/10								
W-1	03/01/01	<50	81	<2.0	<2.0	<2.0	---	---	<500
	06/27/02	<5.0	13	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	09/30/02	<5.0	19	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	12/26/02	<5.0	12	<0.50	<0.50	<0.50	<0.50	<0.50	<50
	05/01/03	---	---	---	---	---	---	---	---
	11/05/03	10	72	<1.0	<0.50	<0.50	<0.50	<0.50	---
	06/09/06	--	--	--	--	--	--	--	--
	09/05/06	<5.0	23	<0.50	<0.50	<0.50	--	--	--
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	03/16/07	<5.0	1.1	<0.50	<0.50	<0.50	--	--	--
	04/20/07	--	--	--	--	--	--	--	--
	06/15/07	<5.0	6.4	<0.50	<0.50	<0.50	--	--	--
	09/13/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	7.6	<0.50	<0.50	<0.50	--	--	--
	03/28/08	<5.0	32	<0.50	<0.50	<0.50	--	--	--
	06/27/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	09/22/08	<5.0	1.2	<0.50	<0.50	<0.50	--	--	--
	12/30/08	<5.0	1.5	<0.50	<0.50	<0.50	--	--	--
	01/19/09								
	03/13/09	<5.0	0.65	<0.50	<0.50	<0.50	--	--	--
	06/18/09	<5.0	0.73	<0.50	<0.50	<0.50	--	--	--
	09/24/09								
	12/16/09	<5.0	0.63	<0.50	<0.50	<0.50	--	--	--
	03/22/10								
	06/12/10	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	09/28/10								

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
PZ-1	06/09/06	--	--	--	--	--	--	--	--
	09/05/06	5.6	57	<0.50	<0.50	2.8	--	--	--
	12/15/06	Obstruction in well @ 6.53'-Unable to sample well							
	03/16/07	Insufficient Water - Not Sampled							
	04/20/07	--	--	--	--	--	--	--	--
	06/15/07	Not Sampled							
	09/13/07	Not Sampled							
	12/28/07	Not Sampled							
	03/28/08	Not Sampled							
	06/27/08	Not Sampled							
	09/22/08	Not Sampled							
	12/30/08	Not Sampled							
	01/19/09	Not Sampled							
	03/13/09	Not Sampled							
	06/18/09	Not Sampled							
	09/24/09	Monitored Only - Sampled Semi-Annually							
	12/16/09	Not Sampled							
	03/22/10	Monitored Only - Sampled Semi-Annually							
	06/21/10	Not Sampled							
09/28/10	Monitored Only - Sampled Semi-Annually								
PZ-2	06/09/06	--	--	--	--	--	--	--	--
	09/05/06	6.8	52	<0.50	<0.50	1.3	--	--	--
	12/15/06	<5.0	11	<0.50	<0.50	<0.50	--	--	--
	03/16/07	<5.0	1.6	<0.50	<0.50	<0.50	--	--	--
	04/20/07	--	--	--	--	--	--	--	--
	06/15/07	<5.0	2.8	<0.50	<0.50	<0.50	--	--	--
	09/13/07	5.5	34	<0.50	<0.50	1.0	--	--	--
	12/28/07	Not Sampled - bailer sticking to side of casing prevented sample collection							
	03/28/08	<5.0	8.6	<0.50	<0.50	<0.50	--	--	--
	06/27/08	Not Sampled - bailer sticking to side of casing prevented sample collection							
	09/22/08	Not Sampled - Unable to collect water with pin bailer							
	12/30/08	<5.0	1.7	<0.50	<0.50	<0.50	--	--	--
	01/19/09	Not Sampled							
	03/13/09	<5.0	4.4	<0.50	<0.50	<0.50	--	--	--
	09/24/09	Monitored Only - Sampled Semi-Annually							
12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--	

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
PZ-2 (con't)	03/22/10								
	06/21/10	<5.0	3.2	<0.50	<0.50	<0.50	--	--	--
	09/28/10								
PZ-3	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	5.1	29	<0.50	<0.50	0.53	--	--	--
	12/15/06	<5.0	35	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	8.6	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	06/15/07	15	130	<0.50	<0.50	2.5	--	--	--
	09/13/07	<0.50	19	<0.50	<0.50	0.56	--	--	--
	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	03/28/08	<5.0	0.74	<0.50	<0.50	<0.50	--	--	--
	06/27/08								
	09/22/08								
	12/30/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	01/19/09								
	03/13/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	06/18/09	<5.0	4.3	<0.50	<0.50	<0.50	--	--	--
	09/24/09								
	12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	03/22/10								
	06/21/10	<5.0	40	<0.50	<0.50	0.68	--	--	--
	09/28/10								
PZ-4	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	6.4	32	<0.50	<0.50	0.54	--	--	--
	12/15/06	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07	6.4	98	<0.50	<0.50	1.1	--	--	--
	9/13/07	<5.0	7.8	<0.50	<0.50	<0.50	--	--	--
	12/28/07	<5.0	0.52	<0.50	<0.50	<0.50	--	--	--
	3/28/08	<5.0	4.7	<0.50	<0.50	<0.50	--	--	--
	06/27/08	<5.0	30	<0.50	<0.50	<0.50	--	--	--
	09/22/08								

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
PZ-4 (con't)	12/30/08	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	01/19/09				Not Sampled				
	03/13/09	<5.0	2.1	<0.50	<0.50	<0.50	--	--	--
	06/18/09	<5.0	6.2	<0.50	<0.50	<0.50	--	--	--
	09/24/09				Monitored Only - Sampled Semi-Annually				
	12/16/09	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	03/22/10				Monitored Only - Sampled Semi-Annually				
	06/21/10	<5.0	5.8	<0.50	<0.50	<0.50	--	--	--
	09/28/10				Monitored Only - Sampled Semi-Annually				
PZ-5	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	490	2,900	<5.0	<5.0	19	--	--	--
	12/15/06	280	2,600	<5.0	<5.0	17	--	--	--
	3/16/07				Insufficient Water - Not Sampled				
	4/20/07	--	--	--	--	--	--	--	--
	6/15/07				Insufficient Water - Not Sampled				
	09/13/07				Not Sampled				
	12/28/07				Not Sampled				
	03/28/08				Insufficient Water - Not Sampled				
	06/27/08				Insufficient Water - Not Sampled				
	09/22/08				Insufficient Water - Not Sampled				
	12/30/08				Not Sampled				
	01/19/09				Not Sampled				
	03/13/09				Insufficient Water - Not Sampled				
	06/18/09				Insufficient Water - Not Sampled				
	09/24/09				Monitored Only - Sampled Semi-Annually				
	12/16/09				Insufficient Water - Not Sampled				
	03/22/10				Monitored Only - Sampled Semi-Annually				
	06/21/10				Insufficient Water - Not Sampled				
	09/28/10				Monitored Only - Sampled Semi-Annually				
PZ-6	6/9/06	--	--	--	--	--	--	--	--
	9/5/06	5.9	62	<0.50	<0.50	0.85	--	--	--
	12/15/06	<5.0	2.7	<0.50	<0.50	<0.50	--	--	--
	3/16/07	<5.0	7.4	<0.50	<0.50	<0.50	--	--	--
	4/20/07	--	--	--	--	--	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
PZ-6 (con't)	6/15/07	21	88	<0.50	<0.50	1.6	--	--	--
	09/13/07	10	51	<0.50	<0.50	0.91	--	--	--
	12/28/07	<5.0	33	<0.50	<0.50	0.52	--	--	--
	03/28/08	15	130	<0.50	<0.50	1.9	--	--	--
	06/27/08	<5.0	24	<0.50	<0.50	0.52	--	--	--
	09/22/08	10	63	<0.50	<0.50	0.93	--	--	--
	12/30/08	<5.0	12	<0.50	<0.50	0.93	--	--	--
	01/19/09					Not Sampled			
	03/13/09	<5.0	1.7	<0.50	<0.50	<0.50	--	--	--
	06/18/09	<5.0	5.3	<0.50	<0.50	<0.50	--	--	--
	09/24/09					Monitored Only - Sampled Semi-Annually			
	12/16/09	<5.0	1.0	<0.50	<0.50	<0.50	--	--	--
	03/22/10					Monitored Only - Sampled Semi-Annually			
	06/21/10	<5.0	6.3	<0.50	<0.50	<0.50	--	--	--
	09/28/10					Monitored Only - Sampled Semi-Annually			
	PZ-7	6/9/06	--	--	--	--	--	--	--
9/5/06		<5.0	1.4	<0.50	<0.50	<0.50	--	--	--
12/15/06		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
03/16/07		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
04/20/07		--	--	--	--	--	--	--	--
06/15/07		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
09/13/07		<5.0	0.68	<0.50	<0.50	<0.50	--	--	--
12/28/07		<5.0	0.85	<0.50	<0.50	<0.50	--	--	--
03/28/08		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
06/27/08		<5.0	0.59	<0.50	<0.50	<0.50	--	--	--
09/22/08		<5.0	0.93	<0.50	<0.50	<0.50	--	--	--
12/30/08		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
01/19/09						Not Sampled			
03/13/09		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
06/18/09		<5.0	0.94	<0.50	<0.50	<0.50	--	--	--
09/24/09						Monitored Only - Sampled Semi-Annually			
12/16/09		<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
03/22/10						Monitored Only - Sampled Semi-Annually			
06/21/10		<5.0	0.50	<0.50	<0.50	<0.50	--	--	--
09/28/10					Monitored Only - Sampled Semi-Annually				

Table 2
Groundwater Analytical Results - Oxygenate Compounds

Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California

WELL ID	DATE	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	1,2-DCA (µg/L)	EDB (µg/L)	ETHANOL (µg/L)
QA	12/28/07	<5.0	<0.50	<0.50	<0.50	<0.50	--	--	--
	03/28/08	--	<0.50	--	--	--	--	--	--
	06/27/08	--	<0.50	--	--	--	--	--	--
	09/22/08	--	<0.50	--	--	--	--	--	--
	12/30/08	--	<0.50	--	--	--	--	--	--
	03/13/09	--	<0.50	--	--	--	--	--	--
	06/18/09	--	<0.50	--	--	--	--	--	--
	12/16/09	--	<0.50	--	--	--	--	--	--
	03/22/10	--	<0.50	--	--	--	--	--	--
	06/21/10	--	<0.50	--	--	--	--	--	--
	09/28/10	--	<0.50	--	--	--	--	--	--

Table 2
Groundwater Analytical Results - Oxygenate Compounds

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

EXPLANATIONS:

TBA = t-Butyl alcohol
MTBE = Methyl Tertiary Butyl Ether
DIPE = di-Isopropyl ether
ETBE = Ethyl t-butyl ether
TAME = t-Amyl methyl ether

1,2-DCA = 1,2-Dichloroethane
EDB = 1,2-Dibromoethane
(µg/L) = Micrograms per liter
--- = Not Analyzed
QA = Trip Blank

ANALYTICAL METHOD:




Oxygenates by EPA Method 8260B
1,2-DCA and EDB by EPA Method 8260B

ANALYTICAL LABORATORY:

Sequoia Analytical CA DHS (ELAP #1271)
Severn Trent Laboratory CA DHS (ELAP #2496)
Kiff Analytical (ELAP #2236)

NOTES:

Tert-Butanol results for sample MW-2, MW-2A, MW-4 and MW-5 may be biased slightly high and are flagged with a "J". A fraction of MTBE (typically less than 1%) converts to Tert-Butanol during the analysis of water samples. The laboratory consider this conversion effect to be mathematically significant in samples that contain MTBE/Tert-Butanol in ratio of over 20:1.



Source: Microsoft Streets 2005

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

VICINITY MAP
 Can-Am Plumbing
 151 Wyoming Street
 Pleasanton, California


FIGURE
1

PROJECT NUMBER
 948162.04

REVIEWED BY


DATE
 01/06

REVISED DATE



EXPLANATION

- Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- - - 99.99 Groundwater elevation contour, dashed where inferred
- ⊠ Insufficient water to determine GWE



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555


POTENTIOMETRIC MAP – ZONE A
 Can-Am Plumbing Inc.
 151 Wyoming Street
 Pleasanton, California

FIGURE
3

JOB NUMBER 948162	REVIEWED BY	DATE September 28, 2010	REVISED DATE
----------------------	-------------	----------------------------	--------------

EXPLANATION

- Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ⊠ Insufficient water to determine GWE



Source: Figure modified from drawing provided by Morrow Surveying, Dated: 6/6/06.


GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

GROUNDWATER ELEVATION MAP - ZONE B
 Can-Am Plumbing Inc.
 151 Wyoming Street
 Pleasanton, California

FIGURE


4

JOB NUMBER 948162.4	REVIEWED BY	DATE September 28, 2010	REVISED DATE
------------------------	-------------	----------------------------	--------------



EXPLANATION

- Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- Geoprobe Boring
- ◊ CPT Boring
- Hydropunch
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- ⊠ Insufficient water to determine GWE



Source: Figure modified from drawing provided by XXXXXX.

FIGURE

5


GROUNDWATER ELEVATION MAP - ZONE C

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

GETTLER - RYAN INC.


6747 Sierra Court, Suite J
Dublin, CA 94568
(925) 551-7555





EXPLANATION

- Groundwater monitoring well
- ⊕ Existing tank backfill casing
- ⊗ Piezometer
- Geoprobe Boring
- ◊ CPT Boring
- Hydropunch
- 200 MTBE concentrations in µg/L
- NS Not Sampled



Source: Figure modified from drawing provided by XXXXXX.

FIGURE

6

MTBE CONCENTRATION MAP - ZONE C

Can-Am Plumbing
151 Wyoming Street
Pleasanton, California

GETTLER - RYAN INC.

6747 Sierra Court, Suite J
Dublin, CA 94568
(925) 551-7555



GR FIELD METHODS AND PROCEDURES - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

WELL CONDITION STATUS SHEET

Client/Facility #: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job # 25-948162.4
 Event Date: 9/28/10
 Sampler: KE

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
m-5	OK	—————	—————	—————	—————	—————	—————	n	n	Emco 1/2/2	
PZ-5	OK	—————	—————	—————	—————	—————	—————	n	n	morisson 8/2	
PZ-6	OK	—————	—————	—————	—————	—————	—————	n	n	" "	
PZ-4	OK	—————	—————	—————	—————	—————	—————	n	n	" "	yes
w-1	OK	NA	NA	NA	OK	—————	—————	n	n	Shields & Harper 1/2	
PZ-7	OK	—————	—————	—————	—————	—————	—————	n	n	morisson 8/2	
mu-2A	OK	—————	—————	2(R)	OK	—————	—————	y	y	Emco 1/2/2	
mu-2	OK	—————	—————	3(S)	OK	—————	—————	n	n	Boatlongood 8/3	
PZ-1	OK	—————	—————	—————	—————	—————	—————	n	n	morisson 8/2	yes
PZ-2	OK	M	OK	—————	—————	—————	—————	n	n	" "	
PZ-3	OK	—————	—————	—————	—————	—————	—————	n	n	" "	
mu-1A	OK	—————	—————	2(R)	OK	—————	—————	n	n		
mu-1	OK	—————	—————	—————	—————	—————	—————	n	n	Boat Longood 8/3	
mu-3	OK	—————	—————	1(S)	OK	—————	—————	n	n	" "	

Comments Eyelit broken on PZ-4 , 2 Eyelits broken on PZ-2

WELL CONDITION STATUS SHEET

Client/Facility #: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job # 25-948162.4
 Event Date: 9/28/10
 Sampler: KE

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges <i>B= Broken S= Stripped R=Retap</i>	APRON Condition <i>C=Cracked B=Broken G=Gone</i>	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
mu-6	OK							Y	N	Emco 6x2x2	
mu-7	OK							Y	N	" "	
mu-3A	OK			(S) (R)	OK			Y	Y	" "	
mu-4	OK							Y	Y	" "	

Comments _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: mw-1A Date Monitored: 9/28/10
 Well Diameter: 3/4 (2) 1/4 in.
 Total Depth: 49.51 ft.
 Depth to Water: DRY ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

$xVF = \text{_____} = \text{_____}$ x3 case volume = Estimated Purge Volume: _____ gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

- Disposable Bailer _____
- Stainless Steel Bailer _____
- Stack Pump _____
- Suction Pump _____
- Grundfos _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Sampling Equipment:

- Disposable Bailer _____
- Pressure Bailer _____
- Discrete Bailer _____
- Peristaltic Pump _____
- QED Bladder Pump _____
- Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: DRY at 49.51 Retapped

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: mw-2A
 Well Diameter: 3/4 (2) D4 in.
 Total Depth: 49.67 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/28/10

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: 9/28/10 Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: DRY at 49.67 Retapped

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: mw-3A Date Monitored: 9/28/10
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 50.21 ft.
 Depth to Water: 49.81 ft. Check if water column is less than 0.50 ft.
.40 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

- Purge Equipment:**
- Disposable Bailer _____
 - Stainless Steel Bailer _____
 - Stack Pump _____
 - Suction Pump _____
 - Grundfos _____
 - Peristaltic Pump _____
 - QED Bladder Pump _____
 - Other: _____
- Sampling Equipment:**
- Disposable Bailer _____
 - Pressure Bailer _____
 - Discrete Bailer _____
 - Peristaltic Pump _____
 - QED Bladder Pump _____
 - Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: Insuff. water

Add/Replaced Lock: X1 Add/Replaced Plug: 2" Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: MW-1
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 31.54 ft.
 Depth to Water: 31.13 ft.
.41 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: m/10

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: mu-2
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 31.87 ft.
 Depth to Water: 31.08 ft.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: .79 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KZ

Well ID: mw-3
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 25.02 ft.
 Depth to Water: 24.45 ft.
0.57 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: mw-4
 Well Diameter: 3/4 (2) D4 in.
 Total Depth: 53.25 ft.
 Depth to Water: 52.36 ft.
0.89 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: Sunny
 Sample Time/Date: 1020 / 9/28/10 Water Color: Cloudy Odor: YIN
 Approx. Flow Rate: _____ gpm. Sediment Description: Heavy
 Did well de-water? — If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 52.36

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° / F)	D.O. (mg/L)	ORP (mV)
<u>1020</u>	<u>—</u>	<u>7.33</u>	<u>587</u>	<u>25.7</u>	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>mw-4</u>	<u>3</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>KIFF</u>	<u>TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

COMMENTS: Due to low water volume no purge
Sample taken

Add/Replaced Lock: 41 Add/Replaced Plug: 24 Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: mu-5
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 52.31 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: Dry at 52.31

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: ma-6
 Well Diameter: 3/4 (2) 1/4 in.
 Total Depth: 49.85 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ if yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: DRY at 49.85

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: mw-7
 Well Diameter: 3/4 (2) 4 in.
 Total Depth: 50.33 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____
 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: DRY at 50.33

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: W-1
 Well Diameter: 3/4 / 2 / 4 in.
 Total Depth: 8.84 ft.
 Depth to Water: 6.68 ft.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

2.16 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm; µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: PZ-1
 Well Diameter: 3/4" 2 1/4 in.
 Total Depth: 6.87 ft.
 Depth to Water: DRY ft.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: DRY at 6.87 m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: PZ-2
 Well Diameter: 3/4" / 2 / 4 in.
 Total Depth: 9.75 ft.
 Depth to Water: 6.85 ft.
2.40 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
Factor (VF)	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: PZ-3
 Well Diameter: (3/4) 2 1/4 in.
 Total Depth: 8.94 ft.
 Depth to Water: 7.96 ft.
1.98 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: PZ-4
 Well Diameter: 3/4" / 2 1/4 in.
 Total Depth: 9.16 ft.
 Depth to Water: 6.62 ft.
2.54 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: PZ-5
 Well Diameter: (3/4) 2 1/4 in.
 Total Depth: 9.70 ft.
 Depth to Water: 9.25 ft.
.45 xVF = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: / Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (umhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/DIPE/TAME/TBA(8260)

COMMENTS: m/d

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing Job Number: 25-948162.4
 Site Address: 151 Wyoming Street Event Date: 9/28/10 (inclusive)
 City: Pleasanton, CA Sampler: KE

Well ID: P2-6 Date Monitored: 9/28/10
 Well Diameter: (3/4) 2 1/4 in.
 Total Depth: 9.02 ft.
 Depth to Water: 6.98 ft. Check if water column is less than 0.50 ft.
2.04 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbent Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: m/o

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Can-Am Plumbing
 Site Address: 151 Wyoming Street
 City: Pleasanton, CA

Job Number: 25-948162.4
 Event Date: 9/28/10 (inclusive)
 Sampler: KE

Well ID: PZ-7
 Well Diameter: (3/4) 2 1/4 in.
 Total Depth: 9.87 ft.
 Depth to Water: 6.77 ft.
3.10 xVF _____ = _____ x3 case volume = Estimated Purge Volume: _____ gal.

Date Monitored: 9/28/10

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: _____

Purge Equipment:
 Disposable Bailer _____
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer _____
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): _____ Weather Conditions: _____
 Sample Time/Date: _____ / _____ Water Color: _____ Odor: Y / N _____
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? _____ If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: _____

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
	x voa vial	YES	HCL	KIFF	TPH-GRO/BTEX/MTBE/ETBE/ DIPE/TAME/TBA(8260)

COMMENTS: M/D

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



Laboratory Results

Doug Lee
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, CA 94568

Subject : 2 Water Samples
Project Name : Can-Am Plumbing
Project Number : 25-948162.4

Dear Mr. Lee,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed. Testing procedures comply with the 2003 NELAC standard. All soil samples are reported on a total weight (wet weight) basis unless noted otherwise in the case narrative. Laboratory results relate only to the samples tested. This report may be freely reproduced in full, but may only be reproduced in part with the express permission of Kiff Analytical, LLC. Kiff Analytical, LLC is certified by the State of California under the National Environmental Laboratory Accreditation Program (NELAP), lab # 08263CA. If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,



Joel Kiff

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **QA**

Matrix : Water

Lab Number : 74730-01

Sample Date :09/28/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/30/10 23:01
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/30/10 23:01
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/30/10 23:01
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/30/10 23:01
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/30/10 23:01
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/30/10 23:01
1,2-Dichloroethane-d4 (Surr)	100		% Recovery	EPA 8260B	09/30/10 23:01
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	09/30/10 23:01

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Sample : **MW-4**

Matrix : Water

Lab Number : 74730-02

Sample Date :09/28/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date/Time Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/01/10 02:17
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/01/10 02:17
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/01/10 02:17
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/01/10 02:17
Methyl-t-butyl ether (MTBE)	0.63	0.50	ug/L	EPA 8260B	10/01/10 02:17
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	10/01/10 02:17
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	10/01/10 02:17
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	10/01/10 02:17
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	10/01/10 02:17
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/01/10 02:17
1,2-Dichloroethane-d4 (Surr)	99.8		% Recovery	EPA 8260B	10/01/10 02:17
Toluene - d8 (Surr)	99.9		% Recovery	EPA 8260B	10/01/10 02:17

QC Report : Method Blank Data

Project Name : **Can-Am Plumbing**

Project Number : **25-948162.4**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
Toluene	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
Diisopropyl ether (DIPE)	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
Ethyl-t-butyl ether (ETBE)	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
Tert-Butanol	< 5.0	5.0	ug/L	EPA 8260B	09/30/2010
Tert-amyl methyl ether (TAME)	< 0.50	0.50	ug/L	EPA 8260B	09/30/2010
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	09/30/2010
1,2-Dichloroethane-d4 (Surr)	101		%	EPA 8260B	09/30/2010
Toluene - d8 (Surr)	100		%	EPA 8260B	09/30/2010

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
-----------	----------------	------------------------	-------	-----------------	---------------

QC Report : Matrix Spike/ Matrix Spike DuplicateProject Name : **Can-Am Plumbing**Project Number : **25-948162.4**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	74752-01	<0.50	40.0	40.0	40.0	38.7	ug/L	EPA 8260B	9/30/10	99.9	96.8	3.19	80-120	25
Diisopropyl ether	74752-01	<0.50	40.1	40.1	41.0	39.0	ug/L	EPA 8260B	9/30/10	102	97.3	4.93	80-120	25
Ethyl-tert-butyl ether	74752-01	<0.50	40.1	40.1	40.7	39.4	ug/L	EPA 8260B	9/30/10	102	98.4	3.30	76.5-120	25
Ethylbenzene	74752-01	<0.50	40.0	40.0	40.8	39.5	ug/L	EPA 8260B	9/30/10	102	98.8	3.16	80-120	25
Methyl-t-butyl ether	74752-01	<0.50	40.0	40.0	41.0	39.2	ug/L	EPA 8260B	9/30/10	102	98.1	4.32	69.7-121	25
O-Xylene	74752-01	<0.50	40.0	40.0	40.7	39.3	ug/L	EPA 8260B	9/30/10	102	98.3	3.51	79.7-120	25
P + M Xylene	74752-01	<0.50	40.0	40.0	39.6	38.5	ug/L	EPA 8260B	9/30/10	99.0	96.3	2.72	76.8-120	25
Tert-Butanol	74752-01	6.8	200	200	210	208	ug/L	EPA 8260B	9/30/10	101	101	0.701	80-120	25
Tert-amyl-methyl ether	74752-01	<0.50	40.2	40.2	40.0	38.4	ug/L	EPA 8260B	9/30/10	99.4	95.5	3.92	78.9-120	25
Toluene	74752-01	<0.50	40.0	40.0	39.7	38.1	ug/L	EPA 8260B	9/30/10	99.3	95.2	4.26	80-120	25

QC Report : Laboratory Control Sample (LCS)Project Name : **Can-Am Plumbing**Project Number : **25-948162.4**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	39.8	ug/L	EPA 8260B	9/30/10	98.9	80-120
Diisopropyl ether	39.9	ug/L	EPA 8260B	9/30/10	100	80-120
Ethyl-tert-butyl ether	39.9	ug/L	EPA 8260B	9/30/10	101	76.5-120
Ethylbenzene	39.8	ug/L	EPA 8260B	9/30/10	100	80-120
Methyl-t-butyl ether	39.8	ug/L	EPA 8260B	9/30/10	102	69.7-121
P + M Xylene	39.8	ug/L	EPA 8260B	9/30/10	97.0	76.8-120
TPH as Gasoline	504	ug/L	EPA 8260B	9/30/10	104	70.0-130
Tert-Butanol	199	ug/L	EPA 8260B	9/30/10	100	80-120
Tert-amyl-methyl ether	40.0	ug/L	EPA 8260B	9/30/10	97.0	78.9-120
Toluene	39.8	ug/L	EPA 8260B	9/30/10	98.5	80-120

SAMPLE RECEIPT CHECKLIST

RECEIVER
TJB
Initials

SRG#: 74730 Date: 092910
Project ID: Can-Am Plumbing
Method of Receipt: Courier Over-the-counter Shipper

COC Inspection

Is COC present? Yes No

Custody seals on shipping container? Intact Broken Not present N/A

Is COC Signed by Relinquisher? Yes No Dated? Yes No

Is sampler name legibly indicated on COC? Yes No

Is analysis or hold requested for all samples? Yes No

Is the turnaround time indicated on COC? Yes No

Is COC free of whiteout and uninitialed cross-outs? Yes No, Whiteout No, Cross-outs

Sample Inspection

Coolant Present: Yes No (includes water)

Temperature °C 1.2 Therm. ID# IR-5 Initial TJB Date/Time 092910/1700 N/A

Are there custody seals on sample containers? Intact Broken Not present

Do containers match COC? Yes No No, COC lists absent sample(s) No, Extra sample(s) present

Are there samples matrices other than soil, water, air or carbon? Yes No

Are any sample containers broken, leaking or damaged? Yes No

Are preservatives indicated? Yes, on sample containers Yes, on COC Not indicated N/A

Are preservatives correct for analyses requested? Yes No N/A

Are samples within holding time for analyses requested? Yes No

Are the correct sample containers used for the analyses requested? Yes No

Is there sufficient sample to perform testing? Yes No

Does any sample contain product, have strong odor or are otherwise suspected to be hot? Yes No

Receipt Details

Matrix WA Container type VDA # of containers received 5

Matrix _____ Container type _____ # of containers received _____

Matrix _____ Container type _____ # of containers received _____

Date and Time Sample Put into Temp Storage Date: 092910 Time: 1740 1704

Quicklog

Are the Sample ID's indicated: On COC On sample container(s) On Both Not indicated

If Sample ID's are listed on both COC and containers, do they all match? Yes No N/A

Is the Project ID indicated: On COC On sample container(s) On Both Not indicated

If project ID is listed on both COC and containers, do they all match? Yes No N/A

Are the sample collection dates indicated: On COC On sample container(s) On Both Not indicated

If collection dates are listed on both COC and containers, do they all match? Yes No N/A

Are the sample collection times indicated: On COC On sample container(s) On Both Not indicated

If collection times are listed on both COC and containers, do they all match? Yes No N/A

COMMENTS:
