

**ExxonMobil**  
**Refining & Supply Company**  
Global Remediation  
2300 Clayton Road, Suite 1250  
Concord, CA. 94520  
(925) 246-8747 Telephone  
(925) 246-8798 Facsimile  
gene.n.ortega@exxonmobil.com

PO 2727  
**Gene N. Ortega**  
Territory Manager  
Global Remediation -- U.S. Retail

December 6, 2002

**ExxonMobil**  
*Refining & Supply*

**Alameda County**  
**DEC 10 2002**  
**Environmental Health**

Mr. Scott Seery  
Alameda County Environmental Health Department  
Environmental Protection Division  
1131 Harbor Bay Parkway, Room 250  
Alameda, California 94502

Subject: Former Mobil Station 04-H6J, 1024 Main Street, Pleasanton, California

Dear Mr. Seery:

Attached for your review and comment is a copy of the *Fourth Quarter 2002 Groundwater Monitoring Report* for the above-referenced site. The report, prepared by TRC of Concord, California, details the results of the October 16, 2002 sampling event.

If you have any questions or comments, please call me at (925) 246-8747.

Sincerely,



Gene Ortega  
Territory Manager

Attachment: Fourth Quarter 2002 Groundwater Monitoring Report

cc: Mr. Chuck Headlee, Regional Water Quality Control Board, San Francisco Bay Region  
Mr. Gary Lee, Pleasanton Department of Public Works  
Mr. Matthew Katen, Alameda County Flood Control and Water Conservation District  
Mount Diablo National Bank  
Mr. Paul L. Hulme, Pleasanton on Main LLC



Customer-Focused Solutions

December 6, 2002

Project No. 30-0065

Mr. Scott Seery  
Alameda County Environmental Health Department  
Environmental Protection Division  
1131 Harbor Bay Parkway, Room 250  
Alameda, California 94502

RE: FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Dear Mr. Seery:

Please find enclosed the *Fourth Quarter 2002 Groundwater Monitoring Report* for the subject location, prepared by TRC for ExxonMobil Oil Corporation. The contents of this report include:

Quarterly Groundwater Monitoring Report Summary Sheet

- Exhibit 1: Sampling Schedule
- Exhibit 2: Summary of Groundwater Monitoring and Analysis
- Exhibit 3: Figures 1 through 3 (Vicinity Map, Groundwater Elevation Contour Map, and Dissolved-Phase Benzene Concentrations)
- Exhibit 4: Well Purging and Groundwater Sampling Protocol
- Exhibit 5: Monitoring Well Sampling Forms
- Exhibit 6: Analytical Laboratory Data Sheets

If you have questions regarding this report, please call me at (925) 688-2473. You may also call Mr. Gene Ortega, ExxonMobil Environmental Engineer, at (925) 246-8747.

Sincerely,

Tracy L. Walker, RG  
Associate

- cc: Mr. Gene Ortega, ExxonMobil Refining and Supply Company, Global Remediation—U.S. Retail Projects  
Mr. Chuck Headlee, Regional Water Quality Control Board, San Francisco Bay Region  
Mr. Gary Lee, Pleasanton Department of Public Works  
Mr. Matthew Katen, Alameda County Flood Control and Water Conservation District  
Mount Diablo National Bank  
Mr. Paul L. Hulme, Pleasanton on Main LLC



TRC

Quarterly Progress Report Summary Sheet  
Fourth Quarter 2002

**Mobil Service Station 04-H6J**  
**1024 Main Street**  
**Pleasanton, California**

CRWQCB Case # N/A  
BAAQMD # 14053  
DSRSD sewer discharge permit # 95010


Number of water zones:		1	This Page	1
FIELD ACTIVITY:		Date Sampled: 16-Oct-02		
Number of ground water wells on-site:	16	Groundwater Wells monitored:	19	
Number of ground water wells off-site:	3	Groundwater Wells sampled:	8	
Phase of Investigation: Vadose Zone:	Post-Remediation Monitoring	Groundwater Wells with Free Product:	0	
		Groundwater Phase:	Post-Remediation Monitoring	
SITE HYDROGEOLOGY:				
Approximate depth to ground water below ground surface:		37.60 ft		
Approximate elevation of potentiometric surface above Mean Sea Level:		312.94 ft		
Average Increase/Decrease in ground water elevations since last sampling episode:		Increase:	1.46 ft	
Approximate flow direction and hydraulic gradient:		East at:	0.76 ft/ft	
GROUND WATER CONTAMINATION (BENZENE MCL=1.0 ppb):				
Wells containing free product:	0	Range in Thickness of Free Product:	N/A	
Number of wells with concentrations below MCL:	4	Volume of Free Product Recovered This Period:	0	
Number of wells with concentrations at or above MCL:	4	Volume of Free Product Recovered To Date:	0	
Nature of contamination:	Gasoline	Range in Concentrations:	Benzene: ND<0.50 to 973 ppb TPH-G: ND<50.0 to 10,700 ppb	
ADDITIONAL INFORMATION:				
gals = gallons lbs = pounds ppmv = parts per million per volume Groundwater samples were collected in accordance with the RWQCB guidelines for no-purge groundwater sampling. Mass of hydrocarbons recovered based on an average hydrocarbon density of 6.26 pounds per gallon.				

Prepared by: Richard H. Evans Richard H. Evans  
Project Manager

Project No: 30-0065

Approved by: Tracy L. Walker Tracy L. Walker, RG  
California Registered Geologist No. 6808 Associate

Date Submitted: 12/06/02



MONITORING WELL SAMPLING SCHEDULE 2002  
Former Mobil Station 04-H6J

Well Number	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
MW-1	X	X	X	X
MW-2	X	X	X	X
MW-3*				
MW-4	X	X	X	X
MW-5*				
MW-6	X	X	X	X
MW-7*				
MW-8*				
MW-10	X			
MW-11	X	X	X	X
MW-12	X			
RW-1	X	X	X	X
RW-2	X	X	X	X
RW-3	X	X	X	X
RW-4	X	X	X	X
VMW-1*				
VMW-2*				
VMW-3*				
VMW-4*				

NOTES: X = well scheduled for sampling  
\* = well historically dry; screened above water table

**EXHIBIT 2**

**SUMMARY OF GROUNDWATER MONITORING AND CHEMICAL ANALYSIS**

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)									
MW-1	04/12/90	348.03	0.00	43.57	304.46	3,600	—	73	13	3	180	—	—	—
MW-1	10/18/90	348.03	0.00	43.18	304.85	5,000	ND	700	360	170	480	—	—	—
MW-1	08/06/91	348.03	0.00	38.65	309.38	2,600	—	310	340	110	340	—	—	—
MW-1	01/08/92	348.03	0.00	38.68	309.35	2,400	—	270	370	18	340	—	—	—
MW-1	04/30/92	348.03	0.00	39.93	308.10	1,300	—	150	120	12	160	—	—	—
MW-1	07/31/92	348.03	0.00	43.05	304.98	ND	—	ND	ND	ND	ND	—	—	—
MW-1	10/27/92	348.03	0.00	42.86	305.17	2,700	—	320	310	84	310	—	—	—
MW-1	01/22/93	348.03	0.00	34.88	313.15	2,800	—	190	340	87	320	—	—	—
MW-1	04/05/93	348.03	0.00	33.71	314.32	6,000	—	410	460	51	500	—	—	—
MW-1	07/06/93	348.03	0.00	35.46	312.57	2,200	—	140	240	32	180	—	—	—
MW-1	11/30/93	348.03	0.00	37.81	310.22	450	—	68	34	ND	48	—	—	—
MW-1	01/27/94	348.03	0.00	42.10	305.93	1,000	—	270	330	44	190	—	—	—
MW-1	04/25/94	348.03	0.00	40.33	307.70	—	—	—	—	—	—	—	—	—
MW-1	04/26/94	348.03	—	—	—	3,500	—	310	370	22	320	—	—	—
MW-1	07/08/94	348.03	0.00	41.39	306.64	640	—	120	87	15	43	—	—	—
MW-1	10/05/94	348.03	0.00	42.19	305.84	970	—	110	140	21	90	—	—	—
MW-1	02/21/95	348.03	0.00	34.73	313.30	3,500	—	200	270	24	100	—	—	—
MW-1	05/03/95	348.03	0.00	34.67	313.36	160	—	7.8	12	4.5	20	—	—	—
MW-1	08/04/95	348.03	0.00	37.00	311.03	1,900	—	99	330	40	570	10	—	—
MW-1	11/10/95	348.03	0.00	39.66	308.37	610	—	150	56	22	89	—	—	—
MW-1	02/12/96	348.03	0.00	36.19	311.84	470	—	3.0	37	7.8	140	1.3	—	—
MW-1	05/17/96	348.03	0.00	35.82	312.21	ND	—	ND	ND	ND	ND	ND	—	—
MW-1	08/12/96	348.03	0.00	38.44	309.59	ND	—	ND	ND	ND	ND	ND	—	—
MW-1	11/08/96	348.03	0.00	40.07	307.96	ND	—	ND	ND	ND	ND	ND	—	—
MW-1	02/12/97	348.03	0.00	34.27	313.76	—	—	—	—	—	—	—	—	—
MW-1†	03/17/97	348.03	0.00	37.07	310.96	ND	—	ND	ND	ND	ND	ND	—	—
MW-1†	05/13/97	348.03	0.00	37.76	310.27	ND	—	ND	ND	ND	ND	ND	—	—
MW-1†	08/12/97	348.03	0.00	40.68	307.35	ND	—	ND	ND	ND	ND	ND	—	—
MW-1†	10/31/97	348.03	0.00	40.90	307.13	740	—	17	62	7.9	150	ND	—	—
MW-1†	01/21/98	348.03	0.00	41.05	306.98	ND	—	ND	ND	ND	ND	ND	—	—
MW-1†	04/24/98	348.03	0.00	36.71	311.32	ND	—	ND	ND	ND	ND	ND	—	4.67
MW-1†	07/20/98	348.03	0.00	39.38	308.65	ND	—	ND	ND	ND	ND	ND	—	1.43
MW-1†	10/21/98	348.03	0.00	42.31	305.72	ND	—	0.3	ND	ND	ND	ND	—	2.19
MW-1†	02/22/99	348.03	0.00	42.70	305.33	840	—	40	17	5.4	94	ND	—	2.17
MW-1†	05/27/99	348.03	0.00	41.51	306.52	ND	—	ND	ND	ND	ND	ND	—	2.03
MW-1†	09/16/99	348.03	0.00	43.56	304.47	ND	—	ND	ND	ND	ND	ND	—	0.89
MW-1†	11/15/99	348.03	0.00	43.87	304.16	ND	—	ND	ND	ND	ND	ND	—	4.97
MW-1†	03/02/00	348.03	0.00	40.88	307.15	<50	—	<0.30	<0.30	<0.30	<0.60	<10	—	4.17

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Ethyl- Total MTBE MTBE Dissolved								
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	benzene (ppb)	Xylenes (ppb)	8020 (ppb)	8260 (ppb)	Oxygen (mg/L)
MW-1†	06/06/00	348.03	0.00	42.83	305.20	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.96
MW-1†	08/29/00	348.03	0.00	44.82	303.21	<50	—	<0.30	<0.30	<0.30	<0.60	<10	—	1.90
MW-1†	11/07/00	348.03	0.00	43.35	304.68	<20	—	0.25	<0.20	0.25	<0.60	<0.30	—	2.04
MW-1**	01/30/01	348.03	—	—	—	—	—	—	—	—	—	—	—	—
MW-1†	04/19/01	348.03	0.00	43.87	304.16	<20	—	<0.20	<0.20	0.28	<0.60	<0.30	—	2.65
MW-1†	07/27/01	348.03	0.00	43.96	304.07	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	1.14
MW-1†	10/19/01	348.03	0.00	44.52	303.51	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	—
MW-1	11/28/01	350.42	Well resurveyed^^		—	—	—	—	—	—	—	—	—	—
MW-1†	01/15/02	350.42	0.00	43.13	307.29	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—
MW-1†	04/09/02	350.42	0.00	45.23	305.19	127	—	3.30	0.60	<0.50	<0.50	2.30	—	—
MW-1†	07/23/02	350.42	0.00	45.87	304.55	80.1	—	2.10	<0.50	<0.50	<0.50	0.90	—	—
MW-1†	10/16/02	350.42	0.00	43.49	306.93	<50.0	—	<0.5	<0.5	<0.5	<0.5	<0.5	—	—
MW-2	04/12/90	348.45	0.00	44.14	304.31	64,000	—	5,500	7,600	1,900	7,800	—	—	—
MW-2	10/18/90	348.45	0.00	43.18	305.27	83,000	10,000	6,800	9,100	2,400	11,000	—	—	—
MW-2	08/06/91	348.45	0.00	39.19	309.26	160,000	—	16,000	25,000	4,300	19,000	—	—	—
MW-2	01/08/92	348.45	0.02	39.40	309.07	—	—	—	—	—	—	—	—	—
MW-2	04/30/92	348.45	0.00	40.50	307.95	71,000	—	9,200	19,000	3,700	15,000	—	—	—
MW-2	07/31/92	348.45	0.15	43.64	304.92	—	—	—	—	—	—	—	—	—
MW-2	10/27/92	348.45	Trace	43.53	304.92	—	—	—	—	—	—	—	—	—
MW-2	01/22/93	348.45	Trace	35.55	312.90	—	—	—	—	—	—	—	—	—
MW-2	04/05/93	348.45	Trace	34.41	314.04	—	—	—	—	—	—	—	—	—
MW-2	07/06/93	348.45	Trace	35.98	312.47	—	—	—	—	—	—	—	—	—
MW-2	11/30/93	348.45	0.48	38.78	310.03	—	—	—	—	—	—	—	—	—
MW-2	01/27/94	348.45	0.01	42.50	305.96	—	—	—	—	—	—	—	—	—
MW-2	04/25/94	348.45	Trace	40.32	308.13	—	—	—	—	—	—	—	—	—
MW-2	07/08/94	348.45	Trace	42.46	305.99	—	—	—	—	—	—	—	—	—
MW-2	10/05/94	348.45	Trace	42.78	305.67	—	—	—	—	—	—	—	—	—
MW-2	02/21/95	348.45	0.12	34.88	313.66	—	—	—	—	—	—	—	—	—
MW-2	05/03/95	348.45	0.62	35.30	313.62	—	—	—	—	—	—	—	—	—
MW-2	08/04/95	348.45	0.20	37.21	311.39	—	—	—	—	—	—	—	—	—
MW-2	11/10/95	348.45	0.24	39.87	308.76	—	—	—	—	—	—	—	—	—
MW-2	02/12/96	348.45	Trace	36.16	312.29	—	—	—	—	—	—	—	—	—
MW-2	05/17/96	348.45	0.00	35.95	312.50	57,000	—	950	3,000	940	6,500	ND	—	—
MW-2	08/12/96	348.45	0.00	38.45	310.00	86,000	—	18,000	16,000	1,700	10,000	ND	—	—
MW-2	11/08/96	348.45	0.01	40.27	308.19	—	—	—	—	—	—	—	—	—
MW-2	02/12/97	348.45	0.00	34.37	314.08	—	—	—	—	—	—	—	—	—
MW-2**	03/17/97	348.45	—	—	—	—	—	—	—	—	—	—	—	—

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing	Product	Depth to Groundwater		Ethyl- Total MTBE MTBE Dissolved								
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	benzene (ppb)	Xylenes (ppb)	8020 (ppb)	8260 (ppb)	Oxygen (mg/L)
MW-2†	05/13/97	348.45	0.00	37.74	310.71	87,000	—	12,000	14,000	1,300	8,100	ND	—	—
MW-2	08/12/97	348.45	0.04	40.73	307.75	—	—	—	—	—	—	—	—	—
MW-2†	10/31/97	348.45	0.00	41.12	307.33	11,000	—	320	450	300	760	280	—	—
MW-2†	01/21/98	348.45	0.00	40.75	307.70	27,000	—	300	750	180	2,500	ND	ND	—
MW-2†	04/24/98	348.45	0.00	36.48	311.97	11,000	—	37	110	110	1,300	72	—	4.40
MW-2†	07/20/98	348.45	0.00	39.38	309.07	23,000	—	3,200	2,500	510	1,800	ND	—	0.58
MW-2	10/21/98	348.45	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-2†	02/22/99	348.45	0.00	41.26	307.19	14,000	—	660	370	250	1,000	ND	—	3.16
MW-2†	05/27/99	348.45	0.00	41.57	306.88	12,000	—	930	460	350	1,300	ND	ND	2.86
MW-2†	09/16/99	348.45	0.00	43.61	304.84	13,000	—	220	100	300	300	99	—	0.26
MW-2†	11/15/99	348.45	0.00	43.71	304.74	8,800	—	ND<100	ND<50	86	140	49	ND<5	2.82
MW-2†	03/02/00	348.45	0.00	40.90	307.55	11,000	—	250	180	220	1,200	<50	—	1.60
MW-2†	06/06/00	348.45	0.00	42.68	305.77	8,400	—	290	68	250	100	<10	—	0.31
MW-2†	08/29/00	348.45	0.00	44.98	303.47	14,000	—	170	86	440	250	<10	—	1.50
MW-2†	11/07/00	348.45	0.00	43.46	304.99	18,000	—	120	43	250	150	110	<5	0.92
MW-2†	01/30/01	348.45	0.00	44.73	303.72	18,000	—	220	74	690	240	<250	—	0.32
MW-2†	04/19/01	348.45	0.00	43.95	304.50	19,000	—	150	37	440	80	<200	<5	1.26
MW-2†	07/27/01	348.45	0.00	44.10	304.35	6,900	—	37	<20	220	20	<5.0	—	0.62
MW-2†	10/19/01	348.45	0.00	44.67	303.78	13,000	—	110	24	600	72	<3.0	—	—
MW-2	11/28/01	350.39	Well resurveyed^^		—	—	—	—	—	—	—	—	—	—
MW-2†	01/15/02	350.39	0.00	43.14	307.25	7,280	—	390	230	210	450	150	<0.5	—
MW-2†	04/09/02	350.39	0.00	45.34	305.05	11,200	—	152	42.0	411	104	206	<2.5	—
MW-2†	07/23/02	350.39	0.00	45.91	304.48	18,700	—	107	15.5	383	54	112	<1.0	—
MW-2†	10/16/02	350.39	0.00	43.59	306.80	1,270	—	17.7	8.6	12.2	28.5	12.8	<0.50	—
MW-3	04/12/90	347.97	0.00	23.18	324.79	2,100	—	32	56	31	170	—	—	—
MW-3	10/18/90	347.97	0.00	14.28	333.69	110	ND	3	3	1	5	—	—	—
MW-3	08/06/91	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	01/08/92	347.97	0.00	32.36	315.61	680	—	8.9	26	8.5	72	—	—	—
MW-3	04/30/92	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	07/31/92	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	10/27/92	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	01/22/93	347.97	0.00	27.30	320.67	2,600	—	240	300	170	440	—	—	—
MW-3	04/05/93	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	07/06/93	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	11/30/93	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	01/27/94	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-3	04/25/94	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—



## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Product Thickness (feet)	Water (feet)											
MW-3	07/08/94	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	02/21/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	05/03/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	08/04/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	11/10/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	02/12/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	05/17/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	08/12/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	11/08/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3	02/12/97	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-3†	03/17/97	347.97	0.00	22.39	325.58	ND	—	ND	ND	ND	ND	ND	—	—	
MW-3†	05/13/97	347.97	0.00	22.18	325.79	ND	—	ND	ND	ND	ND	ND	—	—	
MW-3†	08/12/97	347.97	0.00	18.56	329.41	ND	—	ND	ND	ND	ND	ND	—	—	
MW-3	10/31/97	347.97	0.00	17.81	330.16	—	—	—	—	—	—	—	—	—	
MW-3	01/21/98	347.97	0.00	18.81	329.16	—	—	—	—	—	—	—	—	—	
MW-3	04/24/98	347.97	0.00	16.81	331.16	—	—	—	—	—	—	—	—	1.47	
MW-3	07/20/98	347.97	0.00	18.00	329.97	—	—	—	—	—	—	—	—	2.76	
MW-3	10/21/98	347.97	0.00	19.37	328.60	—	—	—	—	—	—	—	—	2.30	
MW-3	02/22/99	347.97	0.00	19.82	328.15	—	—	—	—	—	—	—	—	2.42	
MW-3	05/27/99	347.97	0.00	18.34	329.63	—	—	—	—	—	—	—	—	1.16	
MW-3	09/16/99	347.97	0.00	18.53	329.44	—	—	—	—	—	—	—	—	0.78	
MW-3	11/15/99	347.97	0.00	20.40	327.57	—	—	—	—	—	—	—	—	1.32	
MW-3	03/02/00	347.97	0.00	18.02	329.95	—	—	—	—	—	—	—	—	1.07	
MW-3	06/06/00	347.97	0.00	18.33	329.64	—	—	—	—	—	—	—	—	0.92	
MW-3	08/29/00	347.97	0.00	17.31	330.66	—	—	—	—	—	—	—	—	3.30	
MW-3	11/07/00	347.97	0.00	17.67	330.30	—	—	—	—	—	—	—	—	0.95	
MW-3	01/30/01	347.97	0.00	16.61	331.36	—	—	—	—	—	—	—	—	0.32	
MW-3	04/19/01	347.97	0.00	16.52	331.45	—	—	—	—	—	—	—	—	3.10	
MW-3	07/27/01	347.97	0.00	16.52	331.45	—	—	—	—	—	—	—	—	0.85	
MW-3	10/19/01	347.97	0.00	16.75	331.22	—	—	—	—	—	—	—	—	—	
MW-3	11/28/01	350.56	Well resurveyed <sup>AA</sup>												
MW-3	01/15/02	350.56	0.00	16.66	333.90	—	—	—	—	—	—	—	—	—	
MW-3	04/09/02	350.56	0.00	14.83	335.73	—	—	—	—	—	—	—	—	—	
MW-3	07/23/02	350.56	0.00	17.60	332.96	—	—	—	—	—	—	—	—	—	
MW-3	10/16/02	350.56	0.00	18.24	332.32	—	—	—	—	—	—	—	—	—	
MW-4	10/18/90	348.07	0.00	43.16	304.91	9,600	2,000	180	500	200	1,200	—	—	—	
MW-4	08/06/91	348.07	0.00	38.65	309.42	8,600	—	320	420	220	650	—	—	—	

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)									
MW-4	01/08/92	348.07	0.00	38.65	309.42	3,400	—	600	880	220	1,100	—	—	—
MW-4	04/30/92	348.07	0.00	39.88	308.19	7,200	—	650	1,200	210	1,200	—	—	—
MW-4	07/31/92	348.07	0.00	43.07	305.00	3,800	—	320	340	120	360	—	—	—
MW-4	10/27/92	348.07	0.00	42.78	305.29	9,000	—	440	750	190	900	—	—	—
MW-4	01/22/93	348.07	0.00	34.76	313.31	12,000	—	540	1,200	320	1,900	—	—	—
MW-4	04/05/93	348.07	0.00	33.61	314.46	1,100	—	34	18	12	31	—	—	—
MW-4	07/06/93	348.07	0.00	35.37	312.70	4,000	—	220	300	43	440	—	—	—
MW-4	11/30/93	348.07	0.00	37.78	310.29	1,400	—	140	83	54	110	—	—	—
MW-4	01/27/94	348.07	0.00	42.10	305.97	910	—	140	75	24	94	—	—	—
MW-4	04/25/94	348.07	0.00	40.28	307.79	—	—	—	—	—	—	—	—	—
MW-4	04/26/94	348.07	—	—	—	27,000	—	1,200	1,800	580	2,500	—	—	—
MW-4	07/08/94	348.07	0.00	41.38	306.69	540	—	57	47	17	43	—	—	—
MW-4	10/05/94	348.07	0.00	42.17	305.90	3,200	—	230	280	73	210	—	—	—
MW-4	02/21/95	348.07	0.02	34.87	313.22	—	—	—	—	—	—	—	—	—
MW-4	05/03/95	348.07	0.00	34.81	313.26	—	—	—	—	—	—	—	—	—
MW-4	05/04/95	348.07	—	—	—	1,700	—	100	200	50	240	—	—	—
MW-4	08/04/95	348.07	0.00	37.18	310.89	2,500	—	92	67	49	150	12	—	—
MW-4	11/10/95	348.07	0.00	39.86	308.21	11,000	—	1,100	590	420	1,200	—	—	—
MW-4	02/12/96	348.07	0.00	36.38	311.69	77	—	4.5	2.4	ND	2.8	17	—	—
MW-4	05/17/96	348.07	0.00	36.00	312.07	470	—	50	ND	ND	8.9	ND	—	—
MW-4	08/12/96	348.07	0.00	38.63	309.44	4,000	—	830	180	160	250	ND	—	—
MW-4	11/08/96	348.07	0.00	40.28	307.79	1,100	—	160	35	41	110	ND	—	—
MW-4	02/12/97	348.07	0.00	34.45	313.62	—	—	—	—	—	—	—	—	—
MW-4†	03/17/97	348.07	0.00	37.25	310.82	2,100	—	200	40	54	74	ND	—	—
MW-4†	05/13/97	348.07	0.00	37.92	310.15	2,200	—	320	72	67	100	ND	—	—
MW-4†	08/12/97	348.07	0.00	40.87	307.20	2,200	—	310	31	59	68	ND	—	—
MW-4†	10/31/97	348.07	0.00	41.21	306.86	1,000	—	160	ND	15	28	ND	—	—
MW-4†	01/21/98	348.07	0.00	41.20	306.87	610	—	17	2.4	27	5.3	ND	—	—
MW-4†	04/24/98	348.07	0.00	36.90	311.17	460	—	5.0	1.2	3.0	ND	ND	—	4.05
MW-4†	07/20/98	348.07	0.00	39.56	308.51	1,700	—	79	12	40	16	ND	—	0.73
MW-4†	10/21/98	348.07	0.00	40.51	307.56	2,000	—	200	59	51	90	ND	—	0.21
MW-4†	02/22/99	348.07	0.00	41.46	306.61	920	—	45	21	6.3	100	ND	—	0.74
MW-4†	05/27/99	348.07	0.00	41.71	306.36	670	—	67	9.0	4.7	40	ND	—	0.98
MW-4†	09/16/99	348.07	0.00	43.71	304.36	3,000	—	150	34	6.2	150	ND	—	0.36
MW-4†	11/15/99	348.07	0.00	44.15	303.92	ND	—	ND	ND	ND	ND	ND	—	2.87
MW-4†	03/02/00	348.07	0.00	41.08	306.99	240	—	10	0.69	<0.30	6.5	<10	—	3.02
MW-4†	06/06/00	348.07	0.00	43.09	304.98	<20	—	<0.20	0.26	<0.20	<0.60	<0.30	—	0.48
MW-4†	08/29/00	348.07	0.00	45.05	303.02	620	—	16	14	12	20	<10	—	0.20

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)											
MW-4†	11/07/00	348.07	0.00	43.65	304.42	410	—	10	5.2	7.7	51	<5.0	—	1.58	
MW-4†	01/30/01	348.07	0.00	44.81	303.26	350	—	15	5.4	16	56	<1.0	—	0.74	
MW-4†	04/19/01	348.07	0.00	44.10	303.97	330	—	12	3.4	11	50	<5.0	—	3.70	
MW-4†	07/27/01	348.07	0.00	44.20	303.87	420	—	24	5.8	7.6	77	<0.30	—	0.59	
MW-4†	10/19/01	348.07	0.00	44.75	303.32	680	—	22	9.2	23	130	<0.30	—	—	
MW-4	11/28/01	350.69	Well resurveyed^^												
MW-4†	01/15/02	350.69	0.00	43.35	307.34	420	—	9.10	4.20	7.90	56.0	1.00	<0.5	—	
MW-4†	04/09/02	350.69	0.00	45.47	305.22	626	—	15.2	8.50	13.8	94.1	0.90	—	—	
MW-4†	07/23/02	350.69	0.00	46.09	304.60	775	—	18.4	9.60	17.2	88.7	2.10	—	—	
MW-4†	10/16/02	350.69	0.00	43.71	306.98	480	—	16.6	7.5	3.8	76.4	<0.5	—	—	
MW-5	10/18/90	347.97	—	**	—	—	—	—	—	—	—	—	—	—	
MW-5	08/06/91	347.97	0.00	34.25	313.72	—	—	—	—	—	—	—	—	—	
MW-5	01/08/92	347.97	0.00	34.22	313.75	—	—	—	—	—	—	—	—	—	
MW-5	04/30/92	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	07/31/92	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	10/27/92	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	01/22/93	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	04/05/93	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	07/06/93	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	11/30/93	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	01/27/94	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	04/25/94	347.97	0.00	34.23	313.74	—	—	—	—	—	—	—	—	—	
MW-5	07/08/94	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	02/21/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	05/03/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	08/04/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	11/10/95	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	02/12/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	05/17/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	08/12/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	11/08/96	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	02/12/97	347.97	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-5	03/17/97	347.97	0.00	34.21	313.76	—	—	—	—	—	—	—	—	—	
MW-5	05/13/97	347.97	—	—	—	—	—	—	—	—	—	—	—	—	
MW-5***	08/12/97	347.97	0.00	34.22	313.75	—	—	—	—	—	—	—	—	—	
MW-5	10/31/97	347.97	0.00	34.19	313.78	—	—	—	—	—	—	—	—	—	
MW-5	01/21/98	347.97	0.00	31.25	316.72	—	—	—	—	—	—	—	—	—	

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing	Product	Depth to Groundwater		Ethyl- Total MTBE MTBE Dissolved								
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	benzene (ppb)	Xylenes (ppb)	8020 (ppb)	8260 (ppb)	Oxygen (mg/L)
MW-5	04/24/98	347.97	0.00	34.21	313.76	—	—	—	—	—	—	—	—	3.43
MW-5	07/20/98	347.97	0.00	34.21	313.76	—	—	—	—	—	—	—	—	0.55
MW-5	10/21/98	347.97	0.00	34.20	313.77	—	—	—	—	—	—	—	—	3.07
MW-5	02/22/99	347.97	0.00	34.25	313.72	—	—	—	—	—	—	—	—	3.45
MW-5	05/27/99	347.97	0.00	34.01	313.96	—	—	—	—	—	—	—	—	3.14
MW-5	09/16/99	347.97	0.00	34.10	313.87	—	—	—	—	—	—	—	—	5.48
MW-5	11/15/99	347.97	0.00	35.21	312.76	—	—	—	—	—	—	—	—	3.44
MW-5**	03/02/00	347.97	—	—	—	—	—	—	—	—	—	—	—	—
MW-5**	06/06/00	347.97	—	—	—	—	—	—	—	—	—	—	—	—
MW-5	08/29/00	347.97	0.00	33.95	314.02	—	—	—	—	—	—	—	—	2.40
MW-5	11/07/00	347.97	0.00	33.99	313.98	—	—	—	—	—	—	—	—	0.91
MW-5	01/30/01	347.97	0.00	33.84	314.13	—	—	—	—	—	—	—	—	0.49
MW-5	04/19/01	347.97	0.00	33.62	314.35	—	—	—	—	—	—	—	—	2.59
MW-5	07/27/01	347.97	0.00	33.65	314.32	—	—	—	—	—	—	—	—	2.40
MW-5	10/19/01	347.97	0.00	33.75	314.22	—	—	—	—	—	—	—	—	—
MW-5^^	01/15/02	—	0.00	33.80	—	—	—	—	—	—	—	—	—	—
MW-5	02/21/02	350.61	Well resurveyed^^		—	—	—	—	—	—	—	—	—	—
MW-5	04/09/02	350.61	0.00	33.47	317.14	—	—	—	—	—	—	—	—	—
MW-5	07/23/02	350.61	0.00	34.05	316.56	—	—	—	—	—	—	—	—	—
MW-5	10/16/02	350.61	0.00	34.11	316.50	—	—	—	—	—	—	—	—	—
MW-6	10/18/90	348.23	0.00	43.60	304.63	3,000	ND	1,300	150	120	85	—	—	—
MW-6	08/06/91	348.23	0.00	39.07	309.16	1,600	—	220	10	5.2	14	—	—	—
MW-6	01/08/92	348.23	0.00	39.18	309.05	370	—	81	3.9	4.5	2.9	—	—	—
MW-6	04/30/92	348.23	0.00	40.46	307.77	610	—	180	8.4	6.8	3.3	—	—	—
MW-6	07/31/92	348.23	0.00	43.61	304.62	96	—	1,500	1,500	370	1,100	—	—	—
MW-6	10/27/92	348.23	0.00	43.68	304.55	9,400	—	27	ND	6	10	—	—	—
MW-6	01/22/93	348.23	0.00	35.66	312.57	250	—	12	2.4	1.4	1.9	—	—	—
MW-6	04/05/93	348.23	0.00	34.41	313.82	190	—	2.3	0.99	ND	0.5	—	—	—
MW-6	07/06/93	348.23	0.00	36.01	312.22	99	—	1.4	0.54	ND	ND	—	—	—
MW-6	11/30/93	348.23	0.00	38.36	309.87	86	—	9.1	ND	ND	ND	—	—	—
MW-6	01/27/94	348.23	0.00	42.57	305.66	140	—	1.7	ND	ND	ND	—	—	—
MW-6	04/25/94	348.23	0.00	40.77	307.46	—	—	—	—	—	—	—	—	—
MW-6	04/26/94	348.23	—	—	—	330	—	40	ND	ND	ND	—	—	—
MW-6	07/08/94	348.23	0.00	41.82	306.41	170	—	8.8	9.2	3.5	12	—	—	—
MW-6	10/05/94	348.23	0.00	42.64	305.59	600	—	100	5.6	11	12	—	—	—
MW-6	02/21/95	348.23	0.01	35.55	312.69	—	—	—	—	—	—	—	—	—
MW-6	05/03/95	348.23	0.00	35.47	312.76	—	—	—	—	—	—	—	—	—

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing				Product				Depth to Groundwater				Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)									
MW-6	05/04/95	348.23	—	—	—	350	—	6.8	1.8	7.4	7.1	—	—	—				
MW-6	08/04/95	348.23	0.00	37.72	310.51	150	—	3.8	1.7	ND	1.1	6.5	—	—				
MW-6	11/10/95	348.23	0.00	40.31	307.92	130	—	6.6	0.96	1.6	1.7	—	—	—				
MW-6	02/12/96	348.23	0.00	36.92	311.31	65	—	2.8	1.6	0.57	1.3	5.2	—	—				
MW-6	05/17/96	348.23	0.00	36.56	311.67	91	—	2.8	ND	ND	ND	ND	—	—				
MW-6	08/12/96	348.23	0.00	39.12	309.11	75	—	4.6	2.6	ND	1.7	ND	—	—				
MW-6	11/08/96	348.23	0.00	40.69	307.54	60	—	2.5	0.60	0.50	0.68	ND	—	—				
MW-6	02/12/97	348.23	0.00	34.99	313.24	—	—	—	—	—	—	—	—	—				
MW-6†	03/17/97	348.23	0.00	37.76	310.47	ND	—	ND	ND	ND	ND	ND	—	—				
MW-6†	05/13/97	348.23	0.00	38.45	309.78	ND	—	ND	ND	ND	ND	ND	—	—				
MW-6†	08/12/97	348.23	0.00	41.33	306.90	68	—	1.3	ND	ND	ND	ND	—	—				
MW-6†	10/31/97	348.23	0.00	41.68	306.55	ND	—	ND	ND	ND	ND	ND	—	—				
MW-6†	01/21/98	348.23	0.00	41.62	306.61	180	—	2.1	ND	0.4	ND	ND	—	—				
MW-6†	04/24/98	348.23	0.00	37.42	310.81	100	—	1.0	ND	ND	ND	ND	—	4.51				
MW-6†	07/20/98	348.23	0.00	40.01	308.22	280	—	1.5	6.0	1.2	1.2	ND	—	1.86				
MW-6†	10/21/98	348.23	0.00	42.93	305.30	590	—	9.1	7.7	ND	1.1	ND	—	4.63				
MW-6†	02/22/99	348.23	0.00	41.83	306.40	170	—	ND	4.4	ND	ND	ND	—	3.79				
MW-6†	05/27/99	348.23	0.00	42.13	306.10	160	—	ND	3.7	ND	0.9	ND	—	1.11				
MW-6†	09/16/99	348.23	0.00	44.27	303.96	70	—	ND	ND	ND	ND	ND	—	1.70				
MW-6†	11/15/99	348.23	0.00	44.65	303.58	ND	—	ND	ND	ND	ND	ND	—	3.17				
MW-6†	03/02/00	348.23	0.00	41.50	306.73	<50	—	<0.30	<0.30	<0.30	<0.60	<10	—	3.12				
MW-6†	06/06/00	348.23	0.00	44.48	303.75	58	—	<1.0	1.8	<0.20	<0.60	<0.30	—	1.48				
MW-6†	08/29/00	348.23	0.00	45.43	302.80	150	—	<0.30	4.1	<0.30	0.64	<10	—	0.30				
MW-6†	11/07/00	348.23	0.00	44.05	304.18	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.97				
MW-6†	01/30/01	348.23	0.00	45.12	303.11	30	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.36				
MW-6†	04/19/01	348.23	0.00	44.48	303.75	51	—	<0.20	0.32	0.66	1.2	<5.0	—	2.10				
MW-6†	07/27/01	348.23	0.00	44.59	303.64	95	—	<1.0	<1.0	0.48	0.80	<1.0	—	0.45				
MW-6†	10/19/01	348.23	0.00	45.19	303.04	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	—				
MW-6	11/28/01	350.90	Well resurveyed^^															
MW-6†	01/15/02	350.90	0.00	43.74	307.16	287	—	17.9	4.40	18.5	61.7	2.00	<0.5	—				
MW-6†	04/09/02	350.90	0.00	47.66	303.24	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—				
MW-6†	07/23/02	350.90	0.00	49.09	301.81	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—				
MW-6†	10/16/02	350.90	0.00	44.18	306.72	831	—	26.7	2.8	46.2	73.4	<0.5	—	—				
MW-7	10/18/90	347.90	0.00	9.26	338.64	ND	ND	0	0.5	ND	0.8	—	—	—				
MW-7	08/06/91	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—				
MW-7	01/08/92	347.90	0.00	23.79	324.11	220	—	7.8	1.7	ND	0.55	—	—	—				
MW-7	04/30/92	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—				

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)											
MW-7	07/31/92	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	10/27/92	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	01/22/93	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	04/05/93	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	07/06/93	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	11/30/93	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	01/27/94	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	04/25/94	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	07/08/94	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	02/21/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	05/03/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	08/04/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	11/10/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	02/12/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	05/17/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	08/12/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	11/08/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	02/12/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	03/17/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	05/13/97	347.90	—	—	—	—	—	—	—	—	—	—	—	—	
MW-7	08/12/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	10/31/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	01/21/98	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	04/24/98	347.90	0.00	24.44	323.46	—	—	—	—	—	—	—	—	0.45	
MW-7	07/20/98	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	10/21/98	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	02/22/99	347.90	0.00	23.69	324.21	—	—	—	—	—	—	—	—	—	
MW-7	05/27/99	347.90	0.00	23.67	324.23	—	—	—	—	—	—	—	—	1.30	
MW-7	09/16/99	347.90	0.00	23.19	324.71	—	—	—	—	—	—	—	—	0.64	
MW-7	11/15/99	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	
MW-7	03/02/00	347.90	0.00	18.10	329.80	—	—	—	—	—	—	—	—	1.73	
MW-7	06/06/00	347.90	0.00	24.19	323.71	—	—	—	—	—	—	—	—	0.73	
MW-7	08/29/00	347.90	0.00	19.40	328.50	—	—	—	—	—	—	—	—	1.10	
MW-7	11/07/00	347.90	0.00	20.20	327.70	—	—	—	—	—	—	—	—	1.05	
MW-7	01/30/01	347.90	0.00	18.77	329.13	—	—	—	—	—	—	—	—	0.31	
MW-7	04/19/01	347.90	0.00	17.26	330.64	—	—	—	—	—	—	—	—	2.57	
MW-7	07/27/01	347.90	0.00	18.98	328.92	—	—	—	—	—	—	—	—	0.97	
MW-7	10/19/01	347.90	0.00	17.27	330.63	—	—	—	—	—	—	—	—	—	

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)									
MW-7	11/28/01	350.47	Well resurveyed^^											
MW-7	01/15/02	350.47	0.00	17.21	333.26	—	—	—	—	—	—	—	—	—
MW-7	04/09/02	350.47	0.00	15.46	335.01	—	—	—	—	—	—	—	—	—
MW-7	07/23/02	350.47	0.00	18.40	332.07	—	—	—	—	—	—	—	—	—
MW-7	10/16/02	350.47	0.00	19.23	331.24	—	—	—	—	—	—	—	—	—
MW-8	10/18/90	348.90	0.00	11.30	337.60	900	ND	3	5	7	62	—	—	—
MW-8	08/06/91	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	01/08/92	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	04/30/92	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	07/31/92	348.90	0.00	12.04	336.86	270*	—	ND	ND	ND	1.3	—	—	—
MW-8	10/27/92	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	01/22/93	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	04/05/93	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	07/06/93	348.90	0.00	7.48	341.42	ND	—	ND	ND	ND	ND	—	—	—
MW-8	11/30/93	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	01/27/94	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	04/25/94	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	07/08/94	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	10/05/94	348.90	—	—	—	—	—	—	—	—	—	—	—	—
MW-8	02/21/95	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	05/03/95	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	08/04/95	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	11/10/95	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	02/12/96	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	05/17/96	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	08/12/96	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	11/08/96	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	02/12/97	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	03/17/97	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	05/13/97	348.90	—	—	—	—	—	—	—	—	—	—	—	—
MW-8	08/12/97	348.90	—	Dry	—	—	—	—	—	—	—	—	—	—
MW-8	10/31/97	348.90	0.00	18.88	330.02	—	—	—	—	—	—	—	—	—
MW-8	01/21/98	348.90	0.00	19.50	329.40	—	—	—	—	—	—	—	—	—
MW-8	04/24/98	348.90	0.00	18.53	330.37	—	—	—	—	—	—	—	—	1.98
MW-8	07/20/98	348.90	0.00	19.22	329.68	—	—	—	—	—	—	—	—	5.25
MW-8	10/21/98	348.90	0.00	20.19	328.71	—	—	—	—	—	—	—	—	4.28
MW-8	02/22/99	348.90	0.00	20.64	328.26	—	—	—	—	—	—	—	—	4.71

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)									
MW-8	05/27/99	348.90	0.00	20.53	328.37	—	—	—	—	—	—	—	—	4.53
MW-8	09/16/99	348.90	0.00	18.10	330.80	—	—	—	—	—	—	—	—	2.34
MW-8	11/15/99	348.90	0.00	19.52	329.38	—	—	—	—	—	—	—	—	1.62
MW-8	03/02/00	348.90	0.00	17.42	331.48	—	—	—	—	—	—	—	—	4.28
MW-8	06/06/00	348.90	0.00	18.02	330.88	—	—	—	—	—	—	—	—	2.38
MW-8	08/29/00	348.90	0.00	16.90	332.00	—	—	—	—	—	—	—	—	0.70
MW-8	11/07/00	348.90	0.00	17.45	331.45	—	—	—	—	—	—	—	—	0.61
MW-8	01/30/01	348.90	0.00	16.61	332.29	—	—	—	—	—	—	—	—	0.27
MW-8	04/19/01	348.90	0.00	16.81	332.09	—	—	—	—	—	—	—	—	2.45
MW-8	07/27/01	348.90	0.00	16.61	332.29	—	—	—	—	—	—	—	—	0.88
MW-8	10/19/01	348.90	0.00	16.69	332.21	—	—	—	—	—	—	—	—	—
MW-8	11/28/01	351.45	Well resurveyed^^											
MW-8	01/15/02	351.45	0.00	16.75	334.70	—	—	—	—	—	—	—	—	—
MW-8	04/09/02	351.45	0.00	15.63	335.82	—	—	—	—	—	—	—	—	—
MW-8	07/23/02	351.45	0.00	17.86	333.59	—	—	—	—	—	—	—	—	—
MW-8	10/16/02	351.45	0.00	18.58	332.87	—	—	—	—	—	—	—	—	—
MW-9	02/04/92	348.53	0.00	43.54	304.99	16,000	—	3,000	740	1,200	2,500	—	—	—
MW-9	04/30/92	348.53	0.00	42.83	305.70	5,600	—	1,000	120	410	350	—	—	—
MW-9	07/31/92	348.53	0.00	47.36	301.17	93	—	1,800	1,900	620	940	—	—	—
MW-9	10/27/92	348.53	0.00	48.32	300.21	13,000	—	2,400	1,600	680	1,100	—	—	—
MW-9	01/22/93	348.53	0.00	39.11	309.42	5,600	—	1,200	200	510	350	—	—	—
MW-9	04/05/93	348.53	0.00	37.10	311.43	7,900	—	1,300	510	620	670	—	—	—
MW-9	07/06/93	348.53	0.00	39.21	309.32	3,200	—	510	46	170	150	—	—	—
MW-9	11/30/93	348.53	0.00	40.58	307.95	2,800	—	610	28	220	65	—	—	—
MW-9	01/27/94	348.53	0.00	44.32	304.21	11,000	—	1,400	130	230	700	—	—	—
MW-9	04/25/94	348.53	0.00	43.05	305.48	—	—	—	—	—	—	—	—	—
MW-9	04/26/94	348.53	—	—	—	3,900	—	460	56	160	220	—	—	—
MW-9	07/08/94	348.53	0.00	45.72	302.81	2,600	—	340	82	96	220	—	—	—
(Abandoned 08/01/94)														
MW-10	11/30/93	347.95	0.00	37.97	309.98	ND	—	ND	ND	ND	ND	—	—	—
MW-10	01/27/94	347.95	0.00	42.16	305.79	ND	—	ND	ND	ND	1.2	—	—	—
MW-10	04/25/94	347.95	0.00	40.39	307.56	—	—	—	—	—	—	—	—	—
MW-10	04/26/94	347.95	—	—	—	810	—	17	0.84	ND	ND	—	—	—
MW-10	07/08/94	347.95	0.00	41.45	306.50	110	—	18	12	3.7	14	—	—	—
MW-10	10/05/94	347.95	0.00	42.28	305.67	87	—	8.0	5.0	0.85	4.5	—	—	—
MW-10	02/21/95	347.95	0.00	35.14	312.81	70	—	3.6	12	1.8	9.5	—	—	—



## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)											
MW-10	05/03/95	347.95	0.00	35.07	312.88	ND	—	ND	ND	ND	ND	—	—	—	
MW-10	08/04/95	347.95	0.00	37.42	310.53	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10	11/10/95	347.95	0.00	39.95	308.00	ND	—	ND	ND	ND	ND	—	—	—	
MW-10	02/12/96	347.95	0.00	36.57	311.38	ND	—	ND	1.9	ND	1.2	1.2	—	—	
MW-10	05/17/96	347.95	0.00	36.18	311.77	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10	08/12/96	347.95	0.00	38.76	309.19	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10	11/08/96	347.95	0.00	40.35	307.60	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10	02/12/97	347.95	0.00	34.62	313.33	—	—	—	—	—	—	—	—	—	
MW-10†	03/17/97	347.95	0.00	37.40	310.55	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10†	05/13/97	347.95	0.00	38.08	309.87	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10†	08/12/97	347.95	0.00	40.97	306.98	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10†	10/31/97	347.95	0.00	41.29	306.66	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10†	01/21/98	347.95	0.00	41.88	306.07	ND	—	ND	ND	ND	ND	ND	—	—	
MW-10†	04/24/98	347.95	0.00	37.06	310.89	ND	—	ND	ND	ND	ND	ND	—	3.34	
MW-10†	07/20/98	347.95	0.00	39.62	308.33	ND	—	ND	ND	ND	ND	ND	—	0.96	
MW-10†	10/21/98	347.95	0.00	42.39	305.56	ND	—	ND	ND	ND	ND	ND	—	5.31	
MW-10	02/22/99	347.95	0.00	41.51	306.44	—	—	—	—	—	—	—	—	4.97	
MW-10	05/27/99	347.95	0.00	41.78	306.17	—	—	—	—	—	—	—	—	5.38	
MW-10	09/16/99	347.95	0.00	43.82	304.13	—	—	—	—	—	—	—	—	3.17	
MW-10	11/15/99	347.95	0.00	42.35	305.60	—	—	—	—	—	—	—	—	2.86	
MW-10	03/02/00	347.95	0.00	41.20	306.75	—	—	—	—	—	—	—	—	4.57	
MW-10	06/06/00	347.95	0.00	43.15	304.80	—	—	—	—	—	—	—	—	3.02	
MW-10	08/29/00	347.95	0.00	45.17	302.78	—	—	—	—	—	—	—	—	3.10	
MW-10	11/07/00	347.95	0.00	43.71	304.24	—	—	—	—	—	—	—	—	5.74	
MW-10†	01/30/01	347.95	0.00	44.77	303.18	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.68	
MW-10	04/19/01	347.95	0.00	44.16	303.79	—	—	—	—	—	—	—	—	2.68	
MW-10	07/27/01	347.95	0.00	44.26	303.69	—	—	—	—	—	—	—	—	3.60	
MW-10	10/19/01	347.95	0.00	44.84	303.11	—	—	—	—	—	—	—	—	—	
MW-10	11/28/01	350.60	Well resurveyed^^			—	—	—	—	—	—	—	—	—	
MW-10†	01/15/02	350.60	0.00	43.40	307.20	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	
MW-10	04/09/02	350.60	0.00	45.56	305.04	—	—	—	—	—	—	—	—	—	
MW-10	07/23/02	350.60	0.00	46.21	304.39	—	—	—	—	—	—	—	—	—	
MW-10	10/16/02	350.60	0.00	43.80	306.80	—	—	—	—	—	—	—	—	—	
MW-11	11/30/93	347.56	0.00	38.41	309.15	ND	—	ND	ND	ND	1.6	—	—	—	
MW-11	01/27/94	347.56	0.00	38.02	309.54	ND	—	ND	ND	ND	ND	—	—	—	
MW-11	04/25/94	347.56	0.00	38.77	308.79	—	—	—	—	—	—	—	—	—	
MW-11	04/26/94	347.56	—	—	—	ND	—	ND	ND	ND	1.7	—	—	—	

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing				Product				Depth to Groundwater				Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)					
MW-11	07/08/94	347.56	0.00	41.70	305.86	120	—	23	18	4.0	15	—	—	—				
MW-11	10/05/94	347.56	0.00	44.49	303.07	130	—	12	19	4.6	24	—	—	—				
MW-11	02/21/95	347.56	0.00	41.74	305.82	300	—	27	64	7.3	36	—	—	—				
MW-11	05/03/95	347.56	0.00	34.64	312.92	ND	—	ND	ND	ND	ND	—	—	—				
MW-11	08/04/95	347.56	0.00	35.28	312.28	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11	11/10/95	347.56	0.00	36.85	310.71	ND	—	ND	0.88	ND	0.88	—	—	—				
MW-11	02/12/96	347.56	0.00	36.18	311.38	ND	—	ND	1.7	ND	1.2	1.3	—	—				
MW-11	05/17/96	347.56	0.00	34.39	313.17	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11	08/12/96	347.56	0.00	35.64	311.92	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11	11/08/96	347.56	0.00	37.34	310.22	ND	—	ND	ND	ND	0.81	ND	—	—				
MW-11	02/12/97	347.56	0.00	35.37	312.19	—	—	—	—	—	—	—	—	—				
MW-11†	03/17/97	347.56	0.00	35.11	312.45	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11†	05/13/97	347.56	0.00	36.19	311.37	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11†	08/12/97	347.56	0.00	37.73	309.83	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11†	10/31/97	347.56	0.00	40.48	307.08	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11†	01/21/98	347.56	0.00	38.28	309.28	ND	—	ND	ND	ND	ND	ND	—	—				
MW-11†	04/24/98	347.56	0.00	34.50	313.06	ND	—	ND	ND	ND	ND	ND	—	5.03				
MW-11†	07/20/98	347.56	0.00	40.21	307.35	ND	—	ND	ND	ND	ND	ND	—	4.71				
MW-11†	10/21/98	347.56	0.00	43.07	304.49	ND	—	ND	ND	ND	ND	ND	—	5.15				
MW-11	02/22/99	347.56	0.00	42.32	305.24	—	—	—	—	—	—	—	—	5.24				
MW-11	05/27/99	347.56	0.00	42.27	305.29	—	—	—	—	—	—	—	—	4.89				
MW-11	09/16/99	347.56	0.00	43.91	303.65	—	—	—	—	—	—	—	—	4.91				
MW-11**	11/15/99	347.56	—	—	—	—	—	—	—	—	—	—	—	—				
MW-11	03/02/00	347.56	—	Dry	—	—	—	—	—	—	—	—	—	—				
MW-11	06/06/00	347.56	0.00	44.06	303.50	—	—	—	—	—	—	—	—	4.98				
MW-11**	08/29/00	347.56	—	—	—	—	—	—	—	—	—	—	—	—				
MW-11**	11/07/00	347.56	—	—	—	—	—	—	—	—	—	—	—	—				
MW-11**	01/30/01	347.56	—	—	—	—	—	—	—	—	—	—	—	—				
MW-11	02/16/01	347.56	—	—	—	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	—				
MW-11	04/19/01	347.56	0.00	39.14	308.42	—	—	—	—	—	—	—	—	2.98				
MW-11†	07/27/01	347.56	0.00	43.82	303.74	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.37				
MW-11	10/19/01	347.56	0.00	43.18	304.38	—	—	—	—	—	—	—	—	—				
MW-11	11/28/01	350.16	Well resurveyed <sup>AA</sup>			—	—	—	—	—	—	—	—	—				
MW-11†	01/15/02	350.16	0.00	37.10	313.06	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—				
MW-11	04/09/02	350.16	0.00	43.80	306.36	—	—	—	—	—	—	—	—	—				
MW-11†	07/23/02	350.16	0.00	43.88	306.28	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—				
MW-11	10/16/02	350.16	0.00	43.87	306.29	—	—	—	—	—	—	—	—	—				

**Summary of Groundwater Monitoring and Chemical Analysis**  
Former Mobil Station 04-H6J

Sample ID	Date	Casing				Product				Depth to Groundwater				Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)									
MW-12	11/30/93	347.15	0.00	37.97	309.18	55	—	1.8	4.3	2.5	11	—	—	—				
MW-12	01/27/94	347.15	0.00	44.02	303.13	ND	—	ND	ND	ND	ND	—	—	—				
MW-12	04/25/94	347.15	0.00	42.27	304.88	—	—	—	—	—	—	—	—	—				
MW-12	04/26/94	347.15	—	—	—	ND	—	ND	ND	ND	1.4	—	—	—				
MW-12	07/08/94	347.15	0.00	43.26	303.89	53	—	8.4	7.4	1.9	7.1	—	—	—				
MW-12	10/05/94	347.15	0.00	44.32	302.83	350	—	27	56	13	67	—	—	—				
MW-12	02/21/95	347.15	0.00	37.83	309.32	ND	—	4.0	4.0	0.77	3.6	—	—	—				
MW-12	05/03/95	347.15	0.00	37.24	309.91	ND	—	ND	ND	ND	ND	—	—	—				
MW-12	08/04/95	347.15	0.00	39.07	308.08	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12	11/10/95	347.15	0.00	41.24	305.91	ND	—	ND	ND	ND	ND	—	—	—				
MW-12	02/12/96	347.15	0.00	38.19	308.96	ND	—	ND	2.1	ND	1.3	2.5	—	—				
MW-12**	05/17/96	347.15	—	—	—	—	—	—	—	—	—	—	—	—				
MW-12	08/12/96	347.15	0.00	40.32	306.83	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12	11/08/96	347.15	0.00	41.32	305.83	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12	02/12/97	347.15	0.00	35.98	311.17	—	—	—	—	—	—	—	—	—				
MW-12†	03/17/97	347.15	0.00	38.67	308.48	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12†	05/13/97	347.15	0.00	39.68	307.47	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12†	08/12/97	347.15	0.00	42.81	304.34	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12†	10/31/97	347.15	0.00	43.28	303.87	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12†	01/21/98	347.15	0.00	43.10	304.05	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12†	04/24/98	347.15	0.00	38.23	308.92	ND	—	ND	ND	ND	ND	ND	—	2.80				
MW-12†	07/20/98	347.15	0.00	41.09	306.06	ND	—	ND	ND	ND	ND	ND	—	—				
MW-12†	10/21/98	347.15	0.00	44.23	302.92	ND	—	ND	ND	ND	ND	ND	—	4.87				
MW-12**	02/22/99	347.15	0.00	—	—	—	—	—	—	—	—	—	—	—				
MW-12	05/27/99	347.15	0.00	43.18	303.97	—	—	—	—	—	—	—	—	2.81				
MW-12	09/16/99	347.15	0.00	46.29	300.86	—	—	—	—	—	—	—	—	5.26				
MW-12**	11/15/99	347.15	0.00	—	—	—	—	—	—	—	—	—	—	—				
MW-12†	03/02/00	347.15	0.00	43.93	303.22	<50	—	<0.30	<0.30	<0.30	<0.60	<10	—	3.46				
MW-12	06/06/00	347.15	0.00	44.93	302.22	—	—	—	—	—	—	—	—	5.03				
MW-12	08/29/00	347.15	0.00	48.06	299.09	—	—	—	—	—	—	—	—	1.70				
MW-12	11/07/00	347.15	0.00	47.77	299.38	—	—	—	—	—	—	—	—	1.04				
MW-12†	01/30/01	347.15	0.00	48.85	298.30	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.31				
MW-12	04/19/01	347.15	0.00	47.09	300.06	—	—	—	—	—	—	—	—	3.14				
MW-12	07/27/01	347.15	0.00	47.52	299.63	—	—	—	—	—	—	—	—	0.29				
MW-12	10/19/01	347.15	0.00	48.22	298.93	—	—	—	—	—	—	—	—	—				
MW-12	11/28/01	349.74	Well resurveyed <sup>AA</sup>			—	—	—	—	—	—	—	—	—				
MW-12†	01/15/02	349.74	0.00	46.69	303.05	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—				
MW-12	04/09/02	349.74	0.00	48.78	300.96	—	—	—	—	—	—	—	—	—				

**Summary of Groundwater Monitoring and Chemical Analysis**  
Former Mobil Station 04-H6J

Sample ID	Date	Casing				Product				Depth to Groundwater				Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)									
MW-12	07/23/02	349.74	0.00	49.42	300.32	—	—	—	—	—	—	—	—	—	—	—	—	—
MW-12	10/16/02	349.74	0.00	47.24	302.50	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	11/30/93	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	01/27/94	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	04/25/94	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	07/08/94	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	10/05/94	348.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	02/21/95	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	05/03/95	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	08/04/95	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	11/10/95	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	02/12/96	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	05/17/96	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	08/12/96	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	11/08/96	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	02/12/97	348.05	0.00	30.60	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	03/17/97	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	05/13/97	348.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	08/12/97	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	10/31/97	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	01/21/98	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	04/24/98	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	07/20/98	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	10/21/98	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	02/22/99	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	05/27/99	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	09/16/99	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	11/15/99	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	03/02/00	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	06/06/00	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	08/29/00	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	11/07/00	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	01/30/01	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	04/19/01	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	07/27/01	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	10/19/01	348.05	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-1	11/28/01	350.58	—	Well resurveyed <sup>AA</sup>	—	—	—	—	—	—	—	—	—	—	—	—	—	—

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing				Product				Depth to Groundwater				Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)									
VMW-1	01/15/02	350.58	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-1	04/09/02	350.58	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-1	07/23/02	350.58	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-1	10/16/02	350.58	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	11/30/93	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	01/27/94	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	04/25/94	347.90	0.00	33.82	314.08	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	07/08/94	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	02/21/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	05/03/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	08/04/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	11/10/95	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	02/12/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	05/17/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	08/12/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	11/08/96	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	02/12/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	03/17/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	05/13/97	347.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	08/12/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	10/31/97	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	01/21/98	347.90	0.00	27.85	320.05	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	04/24/98	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	07/20/98	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	10/21/98	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	02/22/99	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	05/27/99	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	09/16/99	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	11/15/99	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2**	03/02/00	347.90	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	06/06/00	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	08/29/00	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	11/07/00	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	01/30/01	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	04/19/01	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	07/27/01	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-2	10/19/01	347.90	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)											
VMW-2	11/28/01	350.42	Well resurveyed^^												
VMW-2	01/15/02	350.42	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-2	04/09/02	350.42	0.00	25.78	324.64	—	—	—	—	—	—	—	—	—	
VMW-2	07/23/02	350.42	0.00	27.21	323.21	—	—	—	—	—	—	—	—	—	
VMW-2	10/16/02	350.42	0.00	26.75	323.67	—	—	—	—	—	—	—	—	—	
VMW-3	11/30/93	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	01/27/94	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	04/25/94	348.10	Trace	31.23	316.87	—	—	—	—	—	—	—	—	—	
VMW-3	07/08/94	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	02/21/95	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	05/03/95	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	08/04/95	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	11/10/95	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	02/12/96	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	05/17/96	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	08/12/96	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	11/08/96	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	02/12/97	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	03/17/97	348.10	0.00	31.29	316.81	—	—	—	—	—	—	—	—	—	
VMW-3	05/13/97	348.10	—	—	—	—	—	—	—	—	—	—	—	—	
VMW-3	08/12/97	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	10/31/97	348.10	0.00	31.21	316.89	—	—	—	—	—	—	—	—	—	
VMW-3	01/21/98	348.10	0.00	31.25	316.85	—	—	—	—	—	—	—	—	—	
VMW-3	04/24/98	348.10	0.00	31.21	316.89	—	—	—	—	—	—	—	—	0.34	
VMW-3	07/20/98	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	10/21/98	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	02/22/99	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	05/27/99	348.10	0.00	36.14	311.96	—	—	—	—	—	—	—	—	1.84	
VMW-3	09/16/99	348.10	0.00	31.32	316.78	—	—	—	—	—	—	—	—	1.32	
VMW-3	11/15/99	348.10	0.00	31.21	316.89	—	—	—	—	—	—	—	—	1.71	
VMW-3	03/02/00	348.10	0.00	31.14	316.96	—	—	—	—	—	—	—	—	5.93	
VMW-3	06/06/00	348.10	0.00	31.18	316.92	—	—	—	—	—	—	—	—	1.11	
VMW-3	08/29/00	348.10	0.00	31.20	316.90	—	—	—	—	—	—	—	—	0.40	
VMW-3	11/07/00	348.10	0.00	31.20	316.90	—	—	—	—	—	—	—	—	2.02	
VMW-3	01/30/01	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	
VMW-3	04/19/01	348.10	0.00	31.16	316.94	—	—	—	—	—	—	—	—	2.39	
VMW-3	07/27/01	348.10	0.00	31.29	316.81	—	—	—	—	—	—	—	—	0.71	

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing				Product				Depth to Groundwater				Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)									
VMW-3	10/19/01	348.10	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-3	11/28/01	350.77	Well resurveyed^^				—	—	—	—	—	—	—	—	—	—	—	—
VMW-3	01/15/02	350.77	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-3	04/09/02	350.77	0.00	30.79	319.98	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-3	07/23/02	350.77	0.00	31.21	319.56	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-3	10/16/02	350.77	0.00	31.19	319.58	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	11/30/93	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	01/27/94	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	04/25/94	347.95	—	31.41	316.54	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	07/08/94	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	02/21/95	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	05/03/95	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	08/04/95	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	11/10/95	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	02/12/96	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	05/17/96	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	08/12/96	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	11/08/96	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	02/12/97	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	03/17/97	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	05/13/97	347.95	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	08/12/97	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	10/31/97	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	01/21/98	347.95	0.00	10.95	337.00	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	04/24/98	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	07/20/98	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	10/21/98	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	02/22/99	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	05/27/99	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	09/16/99	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	11/15/99	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	03/02/00	347.95	0.00	10.13	337.82	—	—	—	—	—	—	—	—	—	—	—	—	2.49
VMW-4	06/06/00	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	08/29/00	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	11/07/00	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	01/30/01	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VMW-4	04/19/01	347.95	—	Dry	—	—	—	—	—	—	—	—	—	—	—	—	—	—

**Summary of Groundwater Monitoring and Chemical Analysis**  
Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Ethyl- Total MTBE MTBE Dissolved							
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	benzene (ppb)	Xylenes (ppb)	8020 (ppb)	8260 (ppb)
VMW-4	07/27/01	347.95	—	Dry	—	—	—	—	—	—	—	—	—
VMW-4	10/19/01	347.95	—	Dry	—	—	—	—	—	—	—	—	—
VMW-4	11/28/01	350.32	Well resurveyed^^										
VMW-4	01/15/02	350.32	—	Dry	—	—	—	—	—	—	—	—	—
VMW-4	04/09/02	350.32	—	Dry	—	—	—	—	—	—	—	—	—
VMW-4	07/23/02	350.32	—	Dry	—	—	—	—	—	—	—	—	—
VMW-4	10/16/02	350.32	—	Dry	—	—	—	—	—	—	—	—	—
RW-1	11/30/93	347.89	Trace	37.75	310.14	—	—	—	—	—	—	—	—
RW-1	01/27/94	347.89	Trace	42.00	305.89	—	—	—	—	—	—	—	—
RW-1	04/25/94	347.89	0.02	40.24	307.67	—	—	—	—	—	—	—	—
RW-1	07/08/94	347.89	0.15	41.41	306.59	—	—	—	—	—	—	—	—
RW-1	10/05/94	347.89	Trace	42.18	305.71	—	—	—	—	—	—	—	—
RW-1	02/21/95	347.89	Trace	34.94	312.95	110,000	—	16,000	29,000	2,200	14,000	—	—
RW-1	05/03/95	347.89	0.01	34.83	313.07	—	—	—	—	—	—	—	—
RW-1	08/04/95	347.89	Trace	37.11	310.78	—	—	—	—	—	—	—	—
RW-1	11/10/95	347.89	0.02	39.74	308.17	—	—	—	—	—	—	—	—
RW-1	02/12/96	347.89	0.00	47.29	300.60	41,000	—	4,400	12,000	960	6,900	120	—
RW-1	05/17/96	347.89	0.00	47.53	300.36	81,000	—	2,700	8,600	1,100	6,300	ND	—
RW-1	08/12/96	347.89	0.00	39.75	308.14	140,000	—	12,000	25,000	2,200	15,000	ND	—
RW-1	11/08/96	347.89	—	—	—	81,000	—	5,300	11,000	1,300	8,900	ND	—
RW-1	02/12/97	347.89	0.00	46.50	301.39	—	—	—	—	—	—	—	—
RW-1†	03/17/97	347.89	0.00	49.30	298.59	38,000	—	3,600	12,000	710	7,400	ND	—
RW-1†	05/13/97	347.89	0.00	37.86	310.03	130,000	—	7,300	20,000	1,500	12,000	ND	—
RW-1†	08/12/97	347.89	0.00	40.77	307.12	72,000	—	9,200	19,000	1,300	7,000	1,000	ND
RW-1†	10/31/97	347.89	0.00	47.54	300.35	45,000	—	4,500	11,000	530	6,800	630	ND
RW-1†	01/21/98	347.89	0.00	46.71	301.18	23,000	—	570	1,300	120	2,500	ND	ND
RW-1†	04/24/98	347.89	0.00	—	—	28,000	—	1,300	3,400	250	4,000	ND	—
RW-1†	07/20/98	347.89	0.00	45.54	302.35	21,000	—	1,400	3,500	530	2,700	ND	ND
RW-1†	10/21/98	347.89	0.00	42.41	305.48	35,000	—	3,500	5,700	660	4,100	ND	25
RW-1†	02/22/99	347.89	0.00	41.25	306.64	28,000	—	1,100	1,700	220	3,000	ND	ND
RW-1†	05/27/99	347.89	0.00	41.39	306.50	23,000	—	1,400	1,800	320	3,000	ND	—
RW-1†	09/16/99	347.89	0.00	44.23	303.66	34,000	—	910	5,000	1,000	3,800	ND	—
RW-1†	11/15/99	347.89	0.00	43.28	304.61	11,000	—	66	98	29	1,000	34	—
RW-1†	03/02/00	347.89	0.00	41.02	306.87	26,000	—	870	1,500	490	3,000	120	<10
RW-1	06/06/00	347.89	—	Dry	—	—	—	—	—	—	—	—	—
RW-1†	08/29/00	347.89	0.00	45.10	302.79	11,000	—	480	250	380	720	<10	—
RW-1†	11/07/00	347.89	0.00	43.63	304.26	16,000	—	590	230	350	980	<100	—



**Summary of Groundwater Monitoring and Chemical Analysis**  
Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)									
RW-1†	01/30/01	347.89	0.00	44.81	303.08	9,900	—	390	89	340	240	<100	—	0.67
RW-1†	04/19/01	347.89	0.00	44.02	303.87	10,000	—	600	130	350	440	<100	<7	1.31
RW-1†	07/27/01	347.89	0.00	44.15	303.74	11,000	—	640	200	280	640	<5.0	—	0.59
RW-1†	10/19/01	347.89	0.00	44.72	303.17	12,000	—	810	130	500	580	<5.0	5	—
RW-1	11/28/01	350.43	Well resurveyed^^											
RW-1†	01/15/02	350.43	0.00	43.25	307.18	16,100	—	1,020	290	572	964	124	6.9	—
RW-1†	04/09/02	350.43	0.00	45.44	304.99	10,100	—	786	102	523	366	79.0	—	—
RW-1†	07/23/02	350.43	0.00	45.98	304.45	9,300	—	974	93	573	390	57.0	—	—
RW-1†	10/16/02	350.43	0.00	43.73	306.70	10,700	—	971	150	490	653	<5.0	—	—
RW-2	10/05/94	347.82	0.00	43.33	304.49	41,000	—	6,500	6,300	1,000	5,400	—	—	—
RW-2	02/21/95	347.82	0.00	35.05	312.77	45,000	—	6,200	2,600	1,400	5,600	—	—	—
RW-2	05/03/95	347.82	0.00	35.11	312.71	30,000	—	3,600	2,000	1,000	5,700	—	—	—
RW-2	08/04/95	347.82	0.00	37.35	310.47	21,000	—	4,100	1,400	810	3,200	ND	—	—
RW-2	11/10/95	347.82	0.00	41.02	306.80	26,000	—	2,600	990	810	2,700	—	—	—
RW-2	02/12/96	347.82	0.00	38.63	309.19	10,000	—	600	600	230	1,900	ND	—	—
RW-2	05/17/96	347.82	0.00	48.56	299.26	4,000	—	300	64	86	470	10	—	—
RW-2	08/12/96	347.82	0.00	44.74	303.08	5,400	—	1,100	36	320	190	ND	—	—
RW-2	11/08/96	347.82	—	—	—	3,500	—	480	48	150	150	ND	—	—
RW-2	02/12/97	347.82	0.00	48.10	299.72	—	—	—	—	—	—	—	—	—
RW-2†	03/17/97	347.82	0.00	50.90	296.92	1,100	—	180	21	42	56	ND	—	—
RW-2†	05/13/97	347.82	0.00	38.11	309.71	3,500	—	680	93	150	300	ND	—	—
RW-2†	08/12/97	347.82	0.00	44.22	303.60	1,200	—	180	6.7	44	27	ND	—	—
RW-2†	10/31/97	347.82	0.00	49.13	298.69	440	—	8.9	3.6	1.5	90	ND	—	—
RW-2†	01/21/98	347.82	0.00	49.39	298.43	ND	—	ND	ND	ND	ND	ND	—	—
RW-2†	04/24/98	347.82	—	—	—	3,000	—	100	12	46	77	28	ND	—
RW-2†	07/20/98	347.82	0.00	47.16	300.66	480	—	20	6.9	7.7	9.6	ND	—	1.72
RW-2†	10/21/98	347.82	0.00	46.08	301.74	780	—	4.4	6.1	2.8	3.9	ND	—	2.18
RW-2†	02/22/99	347.82	0.00	44.31	303.51	2,300	—	87	11	33	27	ND	—	3.07
RW-2†	05/27/99	347.82	0.00	44.15	303.67	310	—	1.4	4.5	0.6	1.7	ND	—	2.83
RW-2†	09/16/99	347.82	0.00	47.97	299.85	260	—	ND	ND	ND	ND	ND	—	1.87
RW-2†	11/15/99	347.82	0.00	49.44	298.38	ND	—	ND	ND	ND	ND	ND	—	1.78
RW-2†	03/02/00	347.82	0.00	45.70	302.12	180	—	<1.0	<1.0	<1.0	<0.60	<10	—	3.49
RW-2†	06/06/00	347.82	0.00	45.62	302.20	250	—	7.2	6.9	5.1	24	<0.30	—	1.73
RW-2†	08/29/00	347.82	0.00	50.69	297.13	<50	—	0.38	1.0	<0.30	<0.60	<10	—	0.90
RW-2†	11/07/00	347.82	0.00	48.40	299.42	<20	—	0.32	0.32	0.22	<0.60	<0.30	—	1.32
RW-2†	01/30/01	347.82	0.00	50.37	297.45	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.62
RW-2†	04/19/01	347.82	0.00	48.06	299.76	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	2.30

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing				Product				Depth to Groundwater				Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)									
RW-2†	07/27/01	347.82	0.00	48.82	299.00	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.56				
RW-2†	10/19/01	347.82	0.00	50.24	297.58	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	—				
RW-2	11/28/01	350.42	Well resurveyed^^															
RW-2†	01/15/02	350.42	0.00	46.88	303.54	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—				
RW-2†	04/09/02	350.42	0.00	50.86	299.56	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—				
RW-2	07/23/02	350.42	0.00	51.77	298.65	—	—	—	—	—	—	—	—	—				
RW-2†	10/16/02	350.42	0.00	47.01	303.41	<50.0	—	<0.5	<0.5	<0.5	<0.5	<0.5	—	—				
RW-3	10/05/94	347.92	0.00	44.66	303.26	1,600	—	120	180	26	170	—	—	—				
RW-3	02/21/95	347.92	0.00	39.85	308.07	620	—	67	30	12	48	—	—	—				
RW-3	05/03/95	347.92	0.00	40.12	307.80	780	—	31	28	6.0	40	—	—	—				
RW-3	08/04/95	347.92	0.00	41.84	306.08	190	—	37	14	ND	19	8.1	—	—				
RW-3	11/10/95	347.92	0.00	44.45	303.47	160	—	19	5.0	ND	4.4	—	—	—				
RW-3	02/12/96	347.92	0.00	42.62	305.30	ND	—	0.78	2.0	ND	2.0	1.4	—	—				
RW-3	05/17/96	347.92	0.00	48.90	299.02	52	—	2.8	0.5	ND	ND	3.6	—	—				
RW-3	08/12/96	347.92	0.00	43.71	304.21	ND	—	0.87	ND	ND	ND	ND	—	—				
RW-3	11/08/96	347.92	—	—	—	110	—	28	3.3	1.2	4.5	ND	—	—				
RW-3	02/12/97	347.92	0.00	48.82	299.10	—	—	—	—	—	—	—	—	—				
RW-3†	03/17/97	347.92	0.00	51.61	296.31	ND	—	ND	ND	ND	ND	ND	—	—				
RW-3†	05/13/97	347.92	0.00	38.22	309.70	960	—	180	190	6.8	79	ND	—	—				
RW-3†	08/12/97	347.92	0.00	44.15	303.77	160	—	20	11	2.1	17	4.8	—	—				
RW-3†	10/31/97	347.92	0.00	48.18	299.74	330	—	11	14	4.4	32	10	—	—				
RW-3†	01/21/98	347.92	0.00	46.31	301.61	50	—	1.4	0.9	0.4	2.1	ND	—	—				
RW-3†	04/24/98	347.92	—	—	—	ND	—	ND	ND	ND	ND	ND	—	—				
RW-3†	07/20/98	347.92	0.00	46.81	301.11	80	—	0.6	1.0	ND	ND	ND	—	2.87				
RW-3	10/21/98	347.92	—	Dry	—	—	—	—	—	—	—	—	—	—				
RW-3†	02/22/99	347.92	0.00	44.17	303.75	ND	—	ND	ND	ND	ND	ND	—	3.42				
RW-3†	05/27/99	347.92	0.00	44.40	303.52	ND	—	ND	ND	ND	ND	ND	—	3.18				
RW-3†^	09/16/99	347.92	0.00	44.58	303.34	45,000	—	960	5,700	1,200	5,000	200	—	8.45				
RW-3†^	10/04/99	347.92	—	—	—	ND	—	ND	0.6	ND	ND	ND	—	—				
RW-3†	11/15/99	347.92	0.00	48.32	299.60	93	—	ND	ND	1.2	3.3	ND	—	3.88				
RW-3†	03/02/00	347.92	0.00	47.60	300.32	<50	—	<0.30	<0.30	<0.30	<0.60	<10	—	2.22				
RW-3†	06/06/00	347.92	0.00	45.58	302.34	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	6.83				
RW-3†	08/29/00	347.92	0.00	47.72	300.20	<50	—	<0.30	0.47	<0.30	<0.60	<10	—	0.30				
RW-3†	11/07/00	347.92	0.00	47.18	300.74	<20	—	<0.20	<0.20	<0.20	<0.60	1.8	—	1.78				
RW-3†	01/30/01	347.92	0.00	47.72	300.20	33	—	<0.20	<0.20	<0.20	<0.60	4.3	<5	0.80				
RW-3†	04/19/01	347.92	0.00	45.73	302.19	<20	—	<0.20	<0.20	0.34	<0.60	0.33	—	3.15				
RW-3†	07/27/01	347.92	0.00	46.61	301.31	<50	—	<0.20	<0.20	<0.20	<0.60	1.3	<2	0.81				

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)									
RW-3†	10/19/01	347.92	0.00	46.96	300.96	<50	—	<0.20	<0.20	<0.20	<0.60	1.5	<2	—
RW-3	11/28/01	350.53	Well resurveyed^^											
RW-3†	01/15/02	350.53	0.00	44.98	305.55	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—
RW-3†	04/09/02	350.53	0.00	46.80	303.73	<50.0	—	<0.50	<0.50	<0.50	<0.50	1.00	—	—
RW-3†	07/23/02	350.53	0.00	47.42	303.11	<50.0	—	<0.50	<0.50	<0.50	<0.50	1.90	—	—
RW-3†	10/16/02	350.53	0.00	46.42	304.11	<50.0	—	<0.5	<0.5	<0.5	<0.5	1.0	—	—
RW-4	10/05/94	348.29	0.00	42.62	305.67	130	—	11	4.9	1.5	9.2	—	—	—
RW-4	02/21/95	348.29	0.02	35.40	312.91	—	—	—	—	—	—	—	—	—
RW-4	05/03/95	348.29	0.00	35.03	313.26	—	—	—	—	—	—	—	—	—
RW-4	05/04/95	348.29	—	—	—	2,900	—	330	130	120	410	—	—	—
RW-4	08/04/95	348.29	0.00	37.62	310.67	520	—	63	ND	14	2.1	6.1	—	—
RW-4	11/10/95	348.29	0.00	40.26	308.03	450	—	94	28	31	43	—	—	—
RW-4	02/12/96	348.29	0.00	36.84	311.45	52	—	1.5	2.0	2.9	2.4	4.0	—	—
RW-4	05/17/96	348.29	0.00	36.58	311.71	160	—	7.7	2.3	26	1.4	ND	—	—
RW-4	08/12/96	348.29	0.00	38.96	309.33	ND	—	ND	ND	ND	ND	ND	—	—
RW-4	11/08/96	348.29	—	—	—	ND	—	ND	ND	ND	ND	ND	—	—
RW-4	02/12/97	348.29	0.00	34.95	313.34	—	—	—	—	—	—	—	—	—
RW-4†	03/17/97	348.29	0.00	37.75	310.54	ND	—	ND	ND	ND	ND	ND	—	—
RW-4†	05/13/97	348.29	0.00	38.36	309.93	ND	—	ND	ND	ND	ND	ND	—	—
RW-4†	08/12/97	348.29	0.00	41.28	307.01	ND	—	ND	ND	ND	ND	ND	—	—
RW-4†	10/31/97	348.29	0.00	41.75	306.54	ND	—	ND	ND	ND	ND	ND	—	—
RW-4†	01/21/98	348.29	0.00	41.61	306.68	ND	—	ND	ND	ND	ND	ND	—	—
RW-4†	04/24/98	348.29	—	—	—	ND	—	ND	ND	ND	ND	ND	—	—
RW-4†	07/20/98	348.29	0.00	49.94	298.35	ND	—	ND	ND	ND	ND	ND	—	1.93
RW-4	10/21/98	348.29	—	Dry	—	—	—	—	—	—	—	—	—	—
RW-4†	02/22/99	348.29	0.00	41.80	306.49	ND	—	ND	ND	ND	ND	ND	—	2.98
RW-4†	05/27/99	348.29	0.00	42.06	306.23	ND	—	ND	ND	ND	ND	ND	—	2.43
RW-4†	09/16/99	348.29	0.00	44.87	303.42	ND	—	ND	ND	ND	ND	ND	—	1.94
RW-4†	11/15/99	348.29	0.00	44.60	303.69	ND	—	ND	ND	ND	ND	ND	—	2.20
RW-4†	03/02/00	348.29	0.00	41.48	306.81	<50	—	<0.30	<0.30	<0.30	<0.60	<10	—	2.18
RW-4†	06/06/00	348.29	0.00	43.41	304.88	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	1.63
RW-4†	08/29/00	348.29	0.00	45.38	302.91	<50	—	<0.30	<0.30	<0.30	<0.60	<10	—	1.20
RW-4†	11/07/00	348.29	0.00	43.99	304.30	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	1.68
RW-4†	01/30/01	348.29	0.00	45.12	303.17	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	0.74
RW-4†	04/19/01	348.29	0.00	44.42	303.87	<20	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	3.47
RW-4†	07/27/01	348.29	0.00	44.54	303.75	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	4.35
RW-4†	10/19/01	348.29	0.00	45.09	303.20	<50	—	<0.20	<0.20	<0.20	<0.60	<0.30	—	—

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				Elevation (feet)	TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)											
RW-4	11/28/01	350.92	Well resurveyed^^												
RW-4†	01/15/02	350.92	0.00	43.68	307.24	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	
RW-4†	04/09/02	350.92	0.00	45.79	305.13	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	
RW-4†	07/23/02	350.92	0.00	46.43	304.49	<50.0	—	<0.50	<0.50	<0.50	<0.50	<0.50	—	—	
RW-4†	10/16/02	350.92	0.00	44.06	306.86	<50.0	—	<0.5	<0.5	<0.5	<0.5	<0.5	—	—	

### FORMER UNOCAL STATION #0543 WELLS

MW-1#	12/16/92	351.18	—	—	—	ND	ND	ND	ND	ND	ND	—	—	—
MW-1#	02/02/93	351.18	0.00	37.76	313.42	—	—	—	—	—	—	—	—	—
MW-1#	03/01/93	351.18	0.00	36.26	314.92	—	—	—	—	—	—	—	—	—
MW-1#	04/14/93	351.18	0.00	36.56	314.62	ND	ND	ND	ND	ND	ND	—	—	—
MW-1#	05/14/93	351.18	0.00	37.27	313.91	—	—	—	—	—	—	—	—	—
MW-1#	06/15/93	351.18	0.00	38.02	313.16	—	—	—	—	—	—	—	—	—
MW-1#	07/06/93	351.18	0.00	38.06	313.12	ND	ND	ND	ND	ND	ND	—	—	—
MW-1#	11/30/93	350.78	—	—	—	—	—	—	—	—	—	—	—	—
MW-1#	01/27/94	350.78	0.00	43.41	307.37	ND	—	ND	ND	ND	ND	—	—	—
MW-1#	04/25/94	350.78	0.00	45.32	305.46	ND	—	ND	3.5	ND	3.4	—	—	—
MW-1#	07/08/94	350.78	0.00	46.26	304.52	ND	—	ND	ND	ND	ND	—	—	—
MW-1#	10/05/94	350.78	0.00	47.26	303.52	ND	—	ND	ND	ND	ND	—	—	—
MW-1#	01/04/95	350.78	0.00	44.98	305.80	ND	—	ND	ND	ND	ND	—	—	—
MW-1#	05/03/95	350.78	0.00	36.75	314.03	—	—	—	—	—	—	—	—	—
MW-1#	08/04/95	350.78	0.00	38.54	312.24	—	—	—	—	—	—	—	—	—
MW-1#	11/10/95	350.78	0.00	40.97	309.81	—	—	—	—	—	—	—	—	—
MW-1#	02/12/96	350.78	0.00	37.58	313.20	—	—	—	—	—	—	—	—	—
MW-1#	08/19/96	350.78	0.00	39.01	311.77	—	—	—	—	—	—	—	—	—
MW-1#	02/12/97	350.78	0.00	36.25	314.53	—	—	—	—	—	—	—	—	—
MW-2#	12/16/92	349.83	—	—	—	1,600	—	28	ND	5.1	5.6	—	—	—
MW-2#	02/02/93	349.83	0.00	39.18	310.65	—	—	—	—	—	—	—	—	—
MW-2#	03/01/93	349.83	0.00	34.33	315.50	—	—	—	—	—	—	—	—	—
MW-2#	04/14/93	349.83	0.00	37.56	312.27	4,300	—	7.2	5.8	13	10	—	—	—
MW-2#	05/14/93	349.83	0.00	37.49	312.34	—	—	—	—	—	—	—	—	—
MW-2#	06/15/93	349.83	0.00	39.34	310.49	—	—	—	—	—	—	—	—	—
MW-2#	07/06/93	349.83	0.00	37.82	312.01	4,700	—	17	15	30	28	—	—	—
MW-2#	11/30/93	349.51	—	—	—	—	—	—	—	—	—	—	—	—
MW-2#	01/27/94	349.51	0.00	43.15	306.36	1,500	—	28	9.0	ND	20	—	—	—
MW-2#	04/25/94	349.51	0.00	41.90	307.61	1,100	—	19	1.7	2.5	8.8	—	—	—

## Summary of Groundwater Monitoring and Chemical Analysis

Former Mobil Station 04-H6J

Sample ID	Date	Casing Product Depth to Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl-benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Elevation (feet)	Thickness (feet)	Water (feet)	Elevation (feet)									
MW-2#	07/08/94	349.51	0.00	42.75	306.76	1,100	—	17	ND	ND	6	—	—	—
MW-2#	10/05/94	349.51	0.00	43.50	306.01	240	—	4.7	2.5	0.52	2.6	—	—	—
MW-2#	01/04/95	349.51	0.00	44.75	304.76	2,000	—	23	ND	ND	ND	—	—	—
MW-2#	05/03/95	349.51	0.00	36.98	312.53	—	—	—	—	—	—	—	—	—
MW-2#	08/04/95	349.51	0.00	39.15	310.36	2,000	—	40	ND	17	43	—	—	—
MW-2#	11/10/95	349.51	0.00	41.45	308.06	1,400	—	13	2.8	2.7	4.0	—	—	—
MW-2#	02/12/96	349.51	0.00	38.11	311.40	3,200	—	66	9.2	27	35	ND	—	—
MW-2#	08/19/96	349.51	0.00	40.39	309.12	—	—	—	—	—	—	—	—	—
MW-2#	02/12/97	349.51	0.00	36.37	313.14	—	—	—	—	—	—	—	—	—
MW-3#	12/16/92	351.35	—	—	—	ND	—	ND	ND	ND	ND	—	—	—
MW-3#	02/02/93	351.35	0.00	40.62	310.73	—	—	—	—	—	—	—	—	—
MW-3#	03/01/93	351.35	0.00	35.70	315.65	—	—	—	—	—	—	—	—	—
MW-3#	04/14/93	351.35	0.00	38.97	312.38	ND	—	ND	ND	ND	ND	—	—	—
MW-3#	05/14/93	351.35	0.00	39.07	312.28	—	—	—	—	—	—	—	—	—
MW-3#	06/15/93	351.35	0.00	40.68	310.67	—	—	—	—	—	—	—	—	—
MW-3#	07/06/93	351.35	0.00	37.82	313.53	ND	—	ND	ND	ND	ND	—	—	—
MW-3#	11/30/93	351.04	—	—	—	—	—	—	—	—	—	—	—	—
MW-3#	01/27/94	351.04	0.00	44.25	306.79	ND	—	ND	ND	ND	ND	—	—	—
MW-3#	04/25/94	351.04	0.00	43.23	307.81	ND	—	ND	1.4	ND	1.8	—	—	—
MW-3#	07/08/94	351.04	0.00	44.01	307.03	ND	—	ND	ND	ND	ND	—	—	—
MW-3#	10/05/94	351.04	0.00	44.66	306.38	ND	—	ND	ND	ND	ND	—	—	—
MW-3#	01/04/95	351.04	0.00	44.90	306.14	ND	—	ND	ND	ND	ND	—	—	—
MW-3#	05/03/95	351.04	0.00	38.61	312.43	—	—	—	—	—	—	—	—	—
MW-3#	08/04/95	351.04	0.00	40.75	310.29	—	—	—	—	—	—	—	—	—
MW-3#	11/10/95	351.04	0.00	42.68	308.36	—	—	—	—	—	—	—	—	—
MW-3#	02/12/96	351.04	0.00	39.54	311.50	—	—	—	—	—	—	—	—	—
MW-3#	08/19/96	351.04	0.00	41.80	309.24	—	—	—	—	—	—	—	—	—
MW-3#	02/12/97	351.04	0.00	37.74	313.30	—	—	—	—	—	—	—	—	—
MW-4#	01/27/94	350.14	0.00	43.37	306.77	ND	—	ND	ND	ND	ND	—	—	—
MW-4#	04/25/94	350.14	0.00	42.28	307.86	ND	—	ND	1.2	ND	1.5	—	—	—
MW-4#	07/08/94	350.14	0.00	43.20	306.94	ND	—	ND	ND	ND	ND	—	—	—
MW-4#	10/05/94	350.14	0.00	43.97	306.17	ND	—	ND	ND	ND	ND	—	—	—
MW-4#	01/04/95	350.14	0.00	44.96	305.18	ND	—	ND	ND	ND	ND	—	—	—
MW-4#	05/03/95	350.14	0.00	36.06	314.08	—	—	—	—	—	—	—	—	—
MW-4#	08/04/95	350.14	0.00	38.10	312.04	63	—	0.77	1.1	1.9	15	—	—	—
MW-4#	11/10/95	350.14	0.00	40.61	309.53	—	—	—	—	—	—	—	—	—

## Summary of Groundwater Monitoring and Chemical Analysis


Former Mobil Station 04-H6J

Sample ID	Date	Groundwater				TPH-G (ppb)	TPH-D (ppb)	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	MTBE 8020 (ppb)	MTBE 8260 (ppb)	Dissolved Oxygen (mg/L)
		Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Elevation (feet)									
MW-4#	02/12/96	350.14	0.00	37.24	312.90	ND	—	ND	0.98	ND	0.67	—	—	—
MW-4#	08/19/96	350.14	0.00	39.08	311.06	—	—	—	—	—	—	—	—	—
MW-4#	02/12/97	350.14	0.00	35.51	314.63	—	—	—	—	—	—	—	—	—
MW-5#	01/27/94	349.33	0.00	44.76	304.57	320	—	1.8	1.3	2.6	4.5	—	—	—
MW-5#	04/25/94	349.33	0.00	44.30	305.03	160	—	ND	1.9	1.4	1.9	—	—	—
MW-5#	07/08/94	349.33	0.00	45.17	304.16	120	—	ND	ND	1.1	1.8	—	—	—
MW-5#	10/05/94	349.33	0.00	46.07	303.26	83	—	0.73	0.90	ND	3.0	—	—	—
MW-5#	01/04/95	349.33	0.00	46.38	302.95	210	—	ND	0.74	ND	0.90	—	—	—
MW-5#	05/03/95	349.33	0.00	36.64	312.69	580	—	6.9	1.5	1.6	1.7	—	—	—
MW-5#	08/04/95	349.33	0.00	39.00	310.33	550	—	5.4	0.76	1.2	11	—	—	—
MW-5#	11/10/95	349.33	0.00	42.59	306.74	300	—	0.99	1.2	0.98	0.58	—	—	—
MW-5#	02/12/96	349.33	0.00	37.25	312.08	420	—	8.2	2.1	1.7	1.2	—	—	—
MW-5#	08/19/96	349.33	0.00	39.90	309.43	—	—	—	—	—	—	—	—	—
MW-5#	02/12/97	349.33	0.00	35.93	313.40	—	—	—	—	—	—	—	—	—

**NOTES:**

ppb = parts per billion  
 mg/L = milligrams per liter  
 TPH-G = total petroleum hydrocarbons as gasoline  
 TPH-D = total petroleum hydrocarbons as diesel  
 ND = not detected at or above method detection limits  
 — = not measured/not analyzed  
 Trace = product present but too thin to be measured

\* = reported by laboratory as non-gasoline mixture  
 \*\* = well inaccessible  
 \*\*\* = insufficient amount of water for sample collection  
 # = wells installed by Kaprealian Engineering at former Unocal Station #0543;  
 resurveyed by Kier & Wright Civil Engineers & Surveyors, Inc. on 9/20/93.  
 † = sampled using no-purge method  
 ^ = Due to an anomalous analytical result on 9/16/99, RW-3 was resampled on 10/4/99.  
 ^^ = All wells except MW-5 resurveyed on 11/28/01 by Doble Thomas Associates;  
 MW-5 resurveyed on 2/21/02 by Doble Thomas Associates.



1 MILE    3/4    1/2    1/4    0    1 MILE



SCALE 1 : 24,000



SOURCE:

United States Geological Survey  
7.5 Minute Topographic Maps:  
Dublin and Livermore Quadrangles





**VICINITY MAP**


Former Mobil Station 04-H6J  
1024 Main Street  
Pleasanton, California





**FIGURE 1**

**LEGEND**


- MW-10  Groundwater Monitoring Well
- MW-9  Abandoned Well
- VMW-4  Soil Vapor Extraction Well
- RW-3  Vapor Extraction / Groundwater Recovery Well

306.93  Groundwater Elevation in Feet Above Mean Sea Level (NGVD-1929)


310  Groundwater Elevation Contour Line

 General Direction of Groundwater Gradient

**NOTE:** Site plan updated per well survey by Doble Thomas Associates on 11/28/01 (all wells except MW-5) and 2/21/02 (MW-5).



**NOTES:**  
 Contour lines are interpretive based on fluid-level measurements collected October 16, 2002. Contour interval = 10 feet. \* = Dry well.




**GROUNDWATER ELEVATION  
 CONTOUR MAP**  
 October 16, 2002  
 Former Mobil Station 04-H6J  
 1024 Main Street  
 Pleasanton, California

**TRC** **FIGURE 2**




LEGEND	
MW-10	Groundwater Monitoring Well
MW-9	Abandoned Well
VMW-4	Soil Vapor Extraction Well
RW-3	Vapor Extraction / Groundwater Recovery Well
<0.50	Dissolved-Phase Benzene Concentration (ppb)

NOTE: Site plan updated per well survey by Doble Thomas Associates on 11/28/01 (all wells except MW-5) and 2/21/02 (MW-5).



NOTES:  
 Results are based on laboratory analysis of groundwater samples collected on October 16, 2002. ppb = parts per billion; < = not detected at or above the stated method detection limit. \* = dry well; \*\* = well not scheduled for sampling.



**DISSOLVED-PHASE BENZENE CONCENTRATIONS**  
**October 16, 2002**  
 Former Mobil Station 04-H6J  
 1024 Main Street  
 Pleasanton, California

**EXHIBIT 4**

**WELL PURGING AND GROUNDWATER SAMPLING PROTOCOL**

## WELL PURGING AND GROUNDWATER SAMPLING PROTOCOL

### FLUID LEVEL MONITORING

Fluid levels are monitored in the wells using an electronic interface probe with conductance sensors. The presence of liquid-phase hydrocarbons is verified using a hydrocarbon-reactive paste. The depth to liquid-phase hydrocarbons and water is measured to the nearest 0.01 foot relative to the well box top or top of casing. Well box or casing elevations are surveyed to within 0.02 foot relative to a county or city benchmark.

### GROUNDWATER SAMPLING

Currently, 'pre-purge' and 'non-purge' methods of sampling both comply with regulatory standards.

#### *NON-PURGE METHOD:*

TRC utilizes the 'non-purge' method of sampling for all qualifying groundwater monitoring wells. Groundwater samples are collected by lowering a 1.5-inch-diameter, bottom-fill, disposable polyethylene bailer just below the static water level in the well. The samples are carefully transferred from the check-valve-equipped bailer to 1-liter and 40-milliliter glass containers. The sample containers are filled to zero headspace and fitted with Teflon-sealed caps. Each sample is labeled with the project number, well number, sample date, and sampler's initials. Samples remain chilled at approximately 4 degrees Centigrade prior to analysis by a state-certified laboratory.

The following criteria necessary for a well to qualify for 'non-purge' sampling are taken from a letter issued by San Francisco Bay Regional Water Quality Control Board on January 31, 1997:

1. The non-purging approach shall be used only for monitoring wells where groundwater has been impacted by petroleum hydrocarbons, BTEX, and MTBE.
2. Non-purge sampling shall be utilized for unconfined aquifers only.
3. The monitoring well shall be properly permitted, constructed (in this case, screened across the water table), and developed.
4. The well is presently in use for groundwater or soil vapor extraction.
5. The well does not contain free product.
6. For new wells or wells brought into monitoring for the first time, the first round of groundwater sampling performed at a site shall be with both non-purged and purged samples. The purging and sampling method used shall be documented. This shall include the rate of purge and sampling details. For these wells we require measurements of dissolved oxygen, specific conductance, pH, and temperature whether purged or not purged. Also, if biodegradation is being tracked at the well, our requirements do not preclude the measurement of other parameters.
7. Existing wells which have already been routinely purged in previous sampling events immediate to being switched to a non-purging mode do not require an initial duplicate non-purged and purged sample.

8. Monitoring data frequency shall be as required by the appropriate regulatory oversight agency.
9. Should site closure be requested where the non-purged approach has been used, the final confirmation sampling event shall include both non-purged and purged samples from each well or as agreed upon with the appropriate regulatory oversight agency.

*PURGE METHOD:*

Groundwater monitoring wells that do not qualify for the 'non-purge' method are purged and sampled in accordance with standard regulatory protocol. Typically, monitoring wells that contain no liquid-phase hydrocarbons are purged of groundwater prior to sampling so that fluids sampled are representative of fluids within the formation. Temperature, pH, and specific conductance are typically measured after each well casing volume has been removed. Purging is considered complete when these parameters vary less than 10% from the previous readings, or when four casing volumes of fluid have been removed. Samples are collected without further purging if the well does not recharge within two hours to 80% of its volume before purging.

The purged water is either pumped directly into a licensed vacuum truck or temporarily stored in labeled drums prior to transport to an appropriate treatment or recycling facility. If an automatic recovery system (ARS) is operating at the site, purged water may be pumped into the ARS for treatment.

Groundwater samples are collected by lowering a 1.5-inch-diameter, bottom-fill, disposable polyethylene bailer just below the static water level in the well. The samples are carefully transferred from the check-valve-equipped bailer to 1-liter and 40-milliliter glass containers. The sample containers are filled to zero headspace and fitted with Teflon-sealed caps. Each sample is labeled with the project number, well number, sample date, and sampler's initials. Samples remain chilled at approximately 4 degrees Centigrade prior to analysis by a state-certified laboratory.

**EXHIBIT 5**  
**MONITORING WELL SAMPLING FORMS**

FLUID MEASUREMENT FIELD FORM

Project No.: 30006576

TRC Alton Personnel: J. Chidester

Station No.: 04-H6J

Date: 10/16/02

Well Number	Screen Interval	Depth to Water	Depth to Product	Free Product Thickness (ft)	Free Product Recovery	Total Depth	Dissolved O <sub>2</sub> (mg/L)	Comments
MW-8		18.58						
MW-5		34.11						
MW-3		18.24						
MW-7		19.23						
VMW-1		DRY				30.05		
VMW-2		26.75						
VMW-3		31.19				31.80		
VMW-4		DRY				12.47		
MW-10		43.80						
MW-11		43.87						
MW-12		47.24						
* MW-6		44.18						
* RW-4		44.06						
* RW-2		47.01						
* RW-3		46.42						
* MW-1		43.49				49.80		
* MW-4		43.71						
* MW-2		43.59						
* RW-1		43.73						







**EXHIBIT 6**

**ANALYTICAL LABORATORY DATA SHEETS**

# TestAmerica

INCORPORATED

10/26/02

TRC ALTON 3879  
CHRIS BROWN  
5052 COMMERCIAL CIRCLE  
CONCORD, CA 94520

This report includes the analytical certificates of analysis for all samples listed below. These samples relate to your project EXXONMOBIL 04-H6J. The Laboratory Project number is 305571.

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report.

Page 1

Sample Identification	Lab Number	Collection Date
MW-6	02-A171718	10/16/02
RW-4	02-A171719	10/16/02
RW-2	02-A171720	10/16/02
RW-3	02-A171721	10/16/02
MW-1	02-A171722	10/16/02
MW-4	02-A171723	10/16/02
MW-2	02-A171724	10/16/02
RW-1	02-A171725	10/16/02

These results relate only to the items tested.  
This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By: Roxanne L Connor

Report Date: 10/23/02

Paul E. Lane, Jr., Lab Director  
Michael H. Dunn, M.S., Technical Director  
Johnny A. Mitchell, Dir. Technical Serv.  
Eric S. Smith, Assistant Technical Director  
Roxanne L. Connor, Technical Services

Gail A. Lage, Technical Serv.  
Glenn L. Norton, Technical Serv.  
Kelly S. Comstock, Technical Serv.  
Pamela A. Langford, Technical Serv.

Laboratory Certification Number: 01168CA

## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171718  
 Sample ID: MW-6  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 10:50  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	26.7	ug/L	0.5	1.0	10/22/02	11:35	D. Yeager	8021B	9623
Ethylbenzene	46.2	ug/L	0.5	1.0	10/22/02	11:35	D. Yeager	8021B	9623
Toluene	2.8	ug/L	0.5	1.0	10/22/02	11:35	D. Yeager	8021B	9623
Xylenes (Total)	73.4	ug/L	0.5	1.0	10/22/02	11:35	D. Yeager	8021B	9623
Methyl-t-butylether	ND	ug/L	0.5	1.0	10/22/02	11:35	D. Yeager	8021B	9623
TPH (Gasoline Range)	831.	ug/L	50.0	1.0	10/22/02	11:35	D. Yeager	8015B	9623

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	89.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171719  
 Sample ID: RW-4  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 11:05  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	10/23/02	0:07	D. Yeager	8021B	9623
Ethylbenzene	ND	ug/L	0.5	1.0	10/23/02	0:07	D. Yeager	8021B	9623
Toluene	ND	ug/L	0.5	1.0	10/23/02	0:07	D. Yeager	8021B	9623
Xylenes (Total)	ND	ug/L	0.5	1.0	10/23/02	0:07	D. Yeager	8021B	9623
Methyl-t-butylether	ND	ug/L	0.5	1.0	10/23/02	0:07	D. Yeager	8021B	9623
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	10/23/02	0:07	D. Yeager	8015B	9623

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	107.	69. - 132.

**LABORATORY COMMENTS:**

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171720  
 Sample ID: RW-2  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 11:20  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
<b>*ORGANIC PARAMETERS*</b>									
Benzene	ND	ug/L	0.5	1.0	10/23/02	0:39	D.Yeager	8021B	9623
Ethylbenzene	ND	ug/L	0.5	1.0	10/23/02	0:39	D.Yeager	8021B	9623
Toluene	ND	ug/L	0.5	1.0	10/23/02	0:39	D.Yeager	8021B	9623
Xylenes (Total)	ND	ug/L	0.5	1.0	10/23/02	0:39	D.Yeager	8021B	9623
Methyl-t-butylether	ND	ug/L	0.5	1.0	10/23/02	0:39	D.Yeager	8021B	9623
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	10/23/02	0:39	D.Yeager	8015B	9623

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	109.	69. - 132.

**LABORATORY COMMENTS:**

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171721  
 Sample ID: RW-3  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 11:40  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report	Dil	Analysis		Analyst	Method	Batch
			Limit		Factor	Date			
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	10/23/02	2:14	D. Yeager	8021B	9623
Ethylbenzene	ND	ug/L	0.5	1.0	10/23/02	2:14	D. Yeager	8021B	9623
Toluene	ND	ug/L	0.5	1.0	10/23/02	2:14	D. Yeager	8021B	9623
Xylenes (Total)	ND	ug/L	0.5	1.0	10/23/02	2:14	D. Yeager	8021B	9623
Methyl-t-butylether	1.0	ug/L	0.5	1.0	10/23/02	2:14	D. Yeager	8021B	9623
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	10/23/02	2:14	D. Yeager	8015B	9623

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TPT	107.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171722  
 Sample ID: MW-1  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 12:00  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report	Dil	Analysis		Analyst	Method	Batch
			Limit		Factor	Date			
*ORGANIC PARAMETERS*									
Benzene	ND	ug/L	0.5	1.0	10/23/02	2:45	D.Yeager	8021B	9623
Ethylbenzene	ND	ug/L	0.5	1.0	10/23/02	2:45	D.Yeager	8021B	9623
Toluene	ND	ug/L	0.5	1.0	10/23/02	2:45	D.Yeager	8021B	9623
Xylenes (Total)	ND	ug/L	0.5	1.0	10/23/02	2:45	D.Yeager	8021B	9623
Methyl-t-butylether	ND	ug/L	0.5	1.0	10/23/02	2:45	D.Yeager	8021B	9623
TPH (Gasoline Range)	ND	ug/L	50.0	1.0	10/23/02	2:45	D.Yeager	8015B	9623

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TPT	106.	69. - 132.

**LABORATORY COMMENTS:**

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171723  
 Sample ID: MW-4  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 12:20  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	16.6	ug/L	0.5	1.0	10/23/02	3:17	D.Yeager	8021B	9623
Ethylbenzene	3.8	ug/L	0.5	1.0	10/23/02	3:17	D.Yeager	8021B	9623
Toluene	7.5	ug/L	0.5	1.0	10/23/02	3:17	D.Yeager	8021B	9623
Xylenes (Total)	76.4	ug/L	0.5	1.0	10/23/02	3:17	D.Yeager	8021B	9623
Methyl-t-butylether	ND	ug/L	0.5	1.0	10/23/02	3:17	D.Yeager	8021B	9623
TPH (Gasoline Range)	480.	ug/L	50.0	1.0	10/23/02	3:17	D.Yeager	8015B	9623

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TPT	98.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.



## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171724  
 Sample ID: MW-2  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 12:40  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
<b>*ORGANIC PARAMETERS*</b>									
Benzene	17.7	ug/L	0.5	1.0	10/23/02	3:49	D. Yeager	8021B	9623
Ethylbenzene	12.2	ug/L	0.5	1.0	10/23/02	3:49	D. Yeager	8021B	9623
Toluene	8.6	ug/L	0.5	1.0	10/23/02	3:49	D. Yeager	8021B	9623
Xylenes (Total)	28.5	ug/L	0.5	1.0	10/23/02	3:49	D. Yeager	8021B	9623
Methyl-t-butylether	12.8	ug/L	0.5	1.0	10/23/02	3:49	D. Yeager	8021B	9623
TPH (Gasoline Range)	1270	ug/L	50.0	1.0	10/23/02	3:49	D. Yeager	8015B	9623
<b>*VOLATILE ORGANICS*</b>									
Methyl-t-butyl ether	ND	ug/L	0.50	1.0	10/24/02	13:31	S. Udeze	8260B	4869

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	90.	69. - 132.
VOA Surr 1,2-DCA-d4	116.	73. - 133.
VOA Surr Toluene-d8	85.	80. - 121.
VOA Surr, 4-BFB	122.	80. - 128.
VOA Surr, DBFM	103.	81. - 121.

Sample report continued . . .

## ANALYTICAL REPORT

Laboratory Number: 02-A171724

Sample ID: MW-2

Project:

Page 2

### LABORATORY COMMENTS:

ND = Not detected at the report limit.

B = Analyte was detected in the method blank.

J = Estimated Value below Report Limit.

E = Estimated Value above the calibration limit of the instrument.

# = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

## ANALYTICAL REPORT

TRC ALTON 3879  
 CHRIS BROWN  
 5052 COMMERCIAL CIRCLE  
 CONCORD, CA 94520

Lab Number: 02-A171725  
 Sample ID: RW-1  
 Sample Type: Water  
 Site ID: 04-H6J

Project:  
 Project Name: EXXONMOBIL 04-H6J  
 Sampler: JAMES CHIDESTER

Date Collected: 10/16/02  
 Time Collected: 13:00  
 Date Received: 10/18/02  
 Time Received: 9:00  
 Page: 1

Analyte	Result	Units	Report Limit	Dil Factor	Analysis Date	Analysis Time	Analyst	Method	Batch
*ORGANIC PARAMETERS*									
Benzene	971.	ug/L	5.0	10.0	10/23/02	11:44	D. Yeager	8021B	2824
Ethylbenzene	490.	ug/L	5.0	10.0	10/23/02	11:44	D. Yeager	8021B	2824
Toluene	150.	ug/L	5.0	10.0	10/23/02	11:44	D. Yeager	8021B	2824
Xylenes (Total)	653.	ug/L	5.0	10.0	10/23/02	11:44	D. Yeager	8021B	2824
Methyl-t-butylether	ND	ug/L	5.0	10.0	10/23/02	11:44	D. Yeager	8021B	2824
TPH (Gasoline Range)	10700	ug/L	500.	10.0	10/23/02	11:44	D. Yeager	8015B	2824

Surrogate	% Recovery	Target Range
BTEX/GRO Surr., a,a,a-TFT	86.	69. - 132.

### LABORATORY COMMENTS:

- ND = Not detected at the report limit.
- B = Analyte was detected in the method blank.
- J = Estimated Value below Report Limit.
- E = Estimated Value above the calibration limit of the instrument.
- # = Recovery outside Laboratory historical or method prescribed limits.

End of Sample Report.

**PROJECT QUALITY CONTROL DATA**

**Project Number:**

**Page: 1**

Matrix Spike Recovery

Analyte	units	Orig. Val.	MS Val	Spike Conc	Recovery	Target Range	Q.C. Batch	Spike Sample
**UST ANALYSIS**								
Benzene	mg/l	< 0.0005	0.0484	0.0500	97	74. - 129.	2824	blank
Benzene	mg/l	< 0.0005	0.0515	0.0500	103	74. - 129.	9623	02-A171298
Toluene	mg/l	< 0.0005	0.0486	0.0500	97	74. - 128.	2824	blank
Toluene	mg/l	< 0.0005	0.0517	0.0500	103	74. - 128.	9623	02-A171298
Ethylbenzene	mg/l	< 0.0005	0.0487	0.0500	97	75. - 128.	2824	blank
Ethylbenzene	mg/l	< 0.0005	0.0518	0.0500	104	75. - 128.	9623	02-A171298
Xylenes (Total)	mg/l	< 0.0005	0.0965	0.100	96	72. - 126.	2824	blank
Xylenes (Total)	mg/l	< 0.0005	0.102	0.100	102	72. - 126.	9623	02-A171298
Methyl-t-butylether	mg/l	< 0.0005	0.0437	0.0500	87	64. - 133.	2824	blank
Methyl-t-butylether	mg/l	< 0.0005	0.0443	0.0500	89	64. - 133.	9623	02-A171298
TPH (Gasoline Range)	mg/l	< 0.0500	0.877	1.00	88	59. - 128.	2824	blank
TPH (Gasoline Range)	mg/l	< 0.0500	0.912	1.00	91	59. - 128.	9623	02-A171298
BTEX/GRO Surr., a,a,a-TFT	% Recovery				101	69. - 132.	2824	
BTEX/GRO Surr., a,a,a-TFT	% Recovery				100	69. - 132.	9623	

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch
**UST PARAMETERS**						
Benzene	mg/l	0.0484	0.0496	2.45	15.	2824
Benzene	mg/l	0.0515	0.0540	4.74	15.	9623
Toluene	mg/l	0.0486	0.0498	2.44	15.	2824
Toluene	mg/l	0.0517	0.0541	4.54	15.	9623
Ethylbenzene	mg/l	0.0487	0.0498	2.23	15.	2824
Ethylbenzene	mg/l	0.0518	0.0540	4.16	15.	9623
Xylenes (Total)	mg/l	0.0965	0.0984	1.95	19.	2824
Xylenes (Total)	mg/l	0.102	0.106	3.85	19.	9623
Methyl-t-butylether	mg/l	0.0437	0.0442	1.14	23.	2824
Methyl-t-butylether	mg/l	0.0443	0.0461	3.98	23.	9623

Project QC continued . . .

**PROJECT QUALITY CONTROL DATA**

**Project Number:**

**Page: 2**

Matrix Spike Duplicate

Analyte	units	Orig. Val.	Duplicate	RPD	Limit	Q.C. Batch
TPH (Gasoline Range)	mg/l	0.877	0.856	2.42	22.	2824
TPH (Gasoline Range)	mg/l	0.912	0.856	6.33	22.	9623
BTEX/GRO Surr., a,a,a-TFT	% Recovery		101.			2824
BTEX/GRO Surr., a,a,a-TFT	% Recovery		100.			9623

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
**UST PARAMETERS**						
Benzene	mg/l	0.100	0.0968	97	74 - 124	2824
Benzene	mg/l	0.100	0.0933	93	74 - 124	9623
Toluene	mg/l	0.100	0.0951	95	74 - 121	2824
Toluene	mg/l	0.100	0.0910	91	74 - 121	9623
Ethylbenzene	mg/l	0.100	0.0946	95	75 - 123	2824
Ethylbenzene	mg/l	0.100	0.0905	90	75 - 123	9623
Xylenes (Total)	mg/l	0.200	0.188	94	72 - 120	2824
Xylenes (Total)	mg/l	0.200	0.179	90	72 - 120	9623
Methyl-t-butylether	mg/l	0.100	0.0855	86	64 - 128	2824
Methyl-t-butylether	mg/l	0.100	0.0826	83	64 - 128	9623
TPH (Gasoline Range)	mg/l	1.00	0.877	88	61 - 139	2824
TPH (Gasoline Range)	mg/l	1.00	0.912	91	61 - 139	9623
BTEX/GRO Surr., a,a,a-TFT	% Recovery			96	69 - 132	2824
BTEX/GRO Surr., a,a,a-TFT	% Recovery			97	69 - 132	9623

Laboratory Control Data

Analyte	units	Known Val.	Analyzed Val	% Recovery	Target Range	Q.C. Batch
**VOA PARAMETERS**						
Methyl-t-butyl ether	mg/l	0.0500	0.0589	118	66 - 137	4869

Project QC continued . . .

**PROJECT QUALITY CONTROL DATA**

**Project Number:**

**Page: 3**

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
*****					
**UST PARAMETERS**					
Benzene	< 0.0005	mg/l	9623	10/22/02	15:39
Benzene	< 0.0005	mg/l	2824	10/23/02	9:06
Toluene	< 0.0005	mg/l	9623	10/22/02	15:39
Toluene	< 0.0005	mg/l	2824	10/23/02	9:06
Ethylbenzene	< 0.0005	mg/l	9623	10/22/02	15:39
Ethylbenzene	< 0.0005	mg/l	2824	10/23/02	9:06
Xylenes (Total)	< 0.0005	mg/l	9623	10/22/02	15:39
Xylenes (Total)	< 0.0005	mg/l	2824	10/23/02	9:06
Methyl-t-butylether	< 0.0005	mg/l	9623	10/22/02	15:39
Methyl-t-butylether	< 0.0005	mg/l	2824	10/23/02	9:06
TPH (Gasoline Range)	< 0.0500	mg/l	9623	10/22/02	15:39
TPH (Gasoline Range)	< 0.0500	mg/l	2824	10/23/02	9:06

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
*****					
**UST PARAMETERS**					
BTEX/GRO Surr., a,a,a-TFT	107.	% Recovery	9623	10/22/02	15:39
BTEX/GRO Surr., a,a,a-TFT	107.	% Recovery	2824	10/23/02	9:06

Blank Data

Analyte	Blank Value	Units	Q.C. Batch	Date Analyzed	Time Analyzed
*****					
**VOA PARAMETERS**					
Methyl-t-butyl ether	< 0.00050	mg/l	4869	10/24/02	12:30

Project QC continued . . .

## PROJECT QUALITY CONTROL DATA

Project Number:

Page: 4

VOA Surr 1,2-DCA-d4	119.	% Rec	4869	10/24/02	12:30
VOA Surr Toluene-d8	91.	% Rec	4869	10/24/02	12:30
VOA Surr, 4-BFB	104.	% Rec	4869	10/24/02	12:30
VOA Surr, DBFM	103.	% Rec	4869	10/24/02	12:30

# = Value outside Laboratory historical or method prescribed QC limits.

End of Report for Project 305571

