

**ExxonMobil**  
**Refining & Supply Company**  
Global Remediation

4096 Piedmont Avenue #194  
Oakland, CA 94611  
510 547 8196  
510 547 8706 FAX  
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek  
Project Manager

**ExxonMobil**  
*Refining & Supply*

December 15, 2005

**RECEIVED**  
*By lopprojectop at 8:34 am, Dec 19, 2005*

Mr. Jerry T. Wickham  
Alameda County Health Care Services Agency  
1311 Harbor Bay Parkway  
Alameda, California 94501

Subject: Former Mobil Station 04-H6J, 1024 Main Street, Pleasanton, California  
ACHCSA File No. RO-2427

Dear Mr. Wickham:

Attached for your review and comment is a copy of the *Report of Groundwater Monitoring, Fourth Quarter 2005* for the above-referenced site. The report, prepared by ETIC Engineering, Inc. of Pleasant Hill, California, details the results of the October 2005 sampling event.

Upon information and belief, I declare, under penalty of perjury, that the information contained in the attached report is true and correct.

If you have any questions or comments, please contact me at 510.547.8196.


Sincerely,



Jennifer C. Sedlachek  
Project Manager

Attachment: ETIC Groundwater Monitoring Report dated December 2005

- c: w/ attachment:  
Mr. Chuck Headlee - California Regional Water Quality Control Board, San Francisco Bay Region  
Mr. Abbas Masjedi - Pleasanton Utility Planning  
Mr. Matthew Katen - Alameda County Flood Control and Water Conservation District  
Mr. Paul L. Hulme - Pleasanton on Main, LLC  
Mount Diablo National Bank
- c: w/o attachment:  
Ms. Christa Marting - ETIC Engineering, Inc.



**RECEIVED**

By loprojectop at 8:35 am, Dec 19, 2005

## Report of Groundwater Monitoring Fourth Quarter 2005

**Former Mobil Station 04-H6J  
1024 Main Street  
Pleasanton, California**

Prepared for

ExxonMobil Oil Corporation  
4096 Piedmont Avenue #194  
Oakland, California 94611

Prepared by

ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

Hamidou Barry,  
Project Manager


12/15/05

Date

Elyse D. Heilshorn, P.E. # C 36567  
Senior Engineer

Dec 15, 2005

Date



December 2005

## SITE CONTACTS

Station Number: Former Mobil Station 04-H6J

Station Address: 1024 Main Street  
Pleasanton, California

ExxonMobil Project Manager: Jennifer C. Sedlachek  
ExxonMobil Refining and Supply Company  
4096 Piedmont Avenue #194  
Oakland, California 94611  
(510) 547-8196

Consultant to ExxonMobil: ETIC Engineering, Inc.  
2285 Morello Avenue  
Pleasant Hill, California 94523  
(925) 602-4710

ETIC Project Manager: Hamidou Barry

Regulatory Oversight: Jerry T. Wickham  
Alameda County Health Care Services Agency  
1131 Harbor Bay Parkway  
Alameda, California 94501-6577  
(510) 567-6700

Abbas Masjedi  
Pleasanton Utility Planning  
P.O. Box 520  
Pleasanton, California 94566  
(925) 931-5508

Matthew Katen  
Zone 7 Water Agency  
100 North Canyons Parkway  
Livermore, California 94551  
(925) 454-5000

## INTRODUCTION

At the request of ExxonMobil Oil Corporation, ETIC Engineering, Inc. has prepared this quarterly groundwater monitoring report for former Mobil Station 04-H6J. This report presents the results for the most recent groundwater monitoring conducted at the site and summarizes recent site activities. This report covers site activities from 14 July 2005, the date of the last monitoring event, until 17 October 2005, the date of the recent monitoring event. Groundwater monitoring results, well construction details, and a groundwater monitoring plan are provided in the attached figures and tables. Groundwater monitoring protocols, field data, and analytical results are provided in the attached appendixes.

## GENERAL SITE INFORMATION

<b>Site name:</b>	Former Mobil Station 04-H6J
<b>Site address:</b>	1024 Main Street, Pleasanton, California
<b>Current property owner:</b>	Paul Hulme, Pleasanton on Main LLC
<b>Current site use:</b>	Vacant lot
<b>Current phase of project:</b>	Groundwater monitoring
<b>Tanks at site:</b>	None (four underground storage tanks removed 1989)
<b>Number of wells:</b>	19 (14 onsite, 5 offsite)

## GROUNDWATER MONITORING SUMMARY

<b>Gauging and sampling date:</b>	17 October 2005
<b>Wells gauged and sampled:</b>	MW1, MW2, MW4, MW6, RW1-RW4
<b>Wells gauged only:</b>	MW3, MW5, MW7, MW8, MW10-MW12, VMW1-VMW4
<b>Groundwater flow direction:</b>	North
<b>Groundwater gradient:</b>	0.005
<b>Well screens submerged:</b>	MW3, MW7, VMW3, VMW4
<b>Well screens not submerged:</b>	MW1, MW2, MW4-MW6, MW8, MW10-MW12, RW1-RW4, VMW1-VMW2
<b>Liquid-phase hydrocarbons:</b>	Not observed or detected
<b>Laboratory:</b>	TestAmerica, Inc., Nashville, Tennessee

### Analyses performed:

- Total Petroleum Hydrocarbons as gasoline by EPA Method 8015B
- Benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8021B
- Methyl t-butyl ether, ethyl t-butyl ether, t-amyl methyl ether, t-butyl alcohol, 1,2-dibromoethane, 1,2-dichloroethane, and diisopropyl ether by EPA Method 8260B

**Additional comments:**

Groundwater samples were collected without purging wells.

**ADDITIONAL ACTIVITIES PERFORMED AT SITE**

No additional activities were performed at the site.

**WORK PROPOSED FOR NEXT QUARTER**

Groundwater will be monitored in accordance with the attached groundwater monitoring plan.

**Attachments:**

Figure 1: Site Plan Showing Groundwater Elevations and Analytical Results

Table 1: Well Construction Details

Table 2: Groundwater Monitoring Data

Table 3: Groundwater Analytical Results for Oxygenates and Additives

Table 4: Groundwater Monitoring Plan

Appendix A: Field Protocols

Appendix B: Field Documents

Appendix C: Laboratory Analytical Reports

## Figures



Approximate  
Groundwater Flow Direction  
Gradient = 0.005

**LEGEND:**

- Groundwater monitoring well
- Recovery well
- Destroyed monitoring well
- Soil vapor extraction well

(342.53) Groundwater elevation (feet)  
TPH-g Total Petroleum Hydrocarbons as gasoline  
MTBE Methyl tertiary butyl ether

Concentrations in micrograms per liter (ug/L)

Notes: Wells MW4, MW6, and MW10 used to calculate direction and gradient

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5



Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	<0.5
TPH-g	<50
MTBE (8260)	<0.5

Benzene	54.6
Toluene	4.93
Ethylbenzene	52.7
Xylenes	15.5
TPH-g	1,740
MTBE (8260)	<0.5

Benzene	<0.5
Toluene	0.55
Ethylbenzene	1.20
Xylenes	1.34
TPH-g	80.1
MTBE (8260)	<0.5

Benzene	<0.5
Toluene	<0.5
Ethylbenzene	<0.5
Xylenes	0.64
TPH-g	95.3
MTBE (8260)	<0.5

Benzene	6.86
Toluene	3.52
Ethylbenzene	1.03
Xylenes	3.36
TPH-g	554
MTBE (8260)	<0.5



SITE PLAN SHOWING GROUNDWATER ELEVATIONS  
AND ANALYTICAL RESULTS, FORMER MOBIL STATION 04-H6J  
1024 MAIN STREET, PLEASANTON, CALIFORNIA  
17 OCTOBER 2005

FIGURE:

**1**

FILENAME: 4-2005.DWG 11/10/05



## **Tables**



TABLE 1 WELL CONSTRUCTION DETAILS, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
MW1	a 03/21/90	350.42	PVC	55	55	9	4	35 - 55	0.020	30 - 55	No. 3 Monterey Sand
MW2	a 03/22/90	350.39	PVC	56.5	55	9	2	30 - 55	0.020	30 - 55	No. 3 Monterey Sand
MW3	a 03/23/90	350.56	PVC	36.5	35	8	2	12 - 35	0.20	12 - 35	No. 3 Monterey Sand
MW4	a 10/08/90	350.69	PVC	50	49	10	4	29 - 49	0.020	27 - 49	No. 3 Monterey Sand
MW5	b 10/08/90	350.61	PVC	35	34	10	4	14 - 34	0.020	12 - 35	No. 3 Monterey Sand
MW6	a 10/09/90	350.90	PVC	55	53	10	4	35 - 53	0.020	33 - 53	No. 3 Monterey Sand
MW7	a 10/10/90	350.47	PVC	30	30	8	2	10 - 30	0.020	8 - 30	No. 3 Monterey Sand
MW8	a 10/09/90	351.45	PVC	25	25	8	2	5 - 25	0.020	4 - 25	No. 3 Monterey Sand
MW9	c 01/31/92	348.53	PVC	56	55	12	4	25 - 55	0.010	23 - 56	No. 3 Monterey Sand
MW10	a 11/17/93	350.60	PVC	56.5	55	10.25	4	25 - 55	0.020	23 - 56.5	No. 8 Sri Supreme Sand
MW11	a 11/18/93	350.16	PVC	44.5	44	10.25	4	24 - 44	0.020	23 - 44.5	No. 8 Sri Supreme Sand
MW12	a 11/17/93	349.74	PVC	58	55	10.25	4	25 - 55	0.020	23 - 58	No. 8 Sri Supreme Sand
RW1	a 11/15/93	350.43	PVC	56.5	55	--	6	25 - 55	0.020	23 - 56.5	No. 3 Monterey Sand
RW2	a 08/30/94	350.42	PVC	56.5	54	12	6	23 - 54	0.020	22 - 56.5	No. 3 Monterey Sand

TABLE 1 WELL CONSTRUCTION DETAILS, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Well Installation Date	Elevation TOC (feet)	Casing Material	Total Depth (feet)	Well Depth (feet)	Borehole Diameter (inches)	Casing Diameter (inches)	Screened Interval (feet)	Slot Size (inches)	Filter Pack Interval (feet)	Filter Pack Material
RW3	a 08/30/94	350.53	PVC	56.5	54	12	6	24 - 54	0.020	22 - 56.5	No. 3 Monterey Sand
RW4	a 08/30/94	350.92	PVC	54	51	12	6	21 - 51	0.020	21 - 54	No. 3 Monterey Sand
VMW1	a 11/15/93	350.58	PVC	35	35	10.25	4	13 - 35	0.030	13 - 35	Medium/Coarse Aquarium Sand
VMW2	a 11/15/93	350.42	PVC	35	35	10.25	4	15 - 35	0.030	14 - 35	Coarse Aquarium Sand
VMW3	a 11/16/03	350.77	PVC	36.5	32	10.25	4	15 - 32	0.030	14 - 32	Medium Aquarium Sand
VMW4	a 11/16/03	350.32	PVC	36.5	35	10.25	4	12 - 35	0.030	11 - 35	Medium Aquarium Sand

a Well surveyed on 28 November 2001 by Doble Thomas Associates.

b Well surveyed on 21 February 2002 by Doble Thomas Associates.

c Well destroyed.

PVC Polyvinyl chloride.

TOC Top of casing.

-- Information not available.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW1	04/12/90	348.03	0.00	43.57	304.46	73	13	3	180	3,600	--	--	--
MW1	10/18/90	348.03	0.00	43.18	304.85	700	360	170	480	5,000	ND	--	--
MW1	08/06/91	348.03	0.00	38.65	309.38	310	340	110	340	2,600	--	--	--
MW1	01/08/92	348.03	0.00	38.68	309.35	270	370	18	340	2,400	--	--	--
MW1	04/30/92	348.03	0.00	39.93	308.10	150	120	12	160	1,300	--	--	--
MW1	07/31/92	348.03	0.00	43.05	304.98	ND	ND	ND	ND	ND	--	--	--
MW1	10/27/92	348.03	0.00	42.86	305.17	320	310	84	310	2,700	--	--	--
MW1	01/22/93	348.03	0.00	34.88	313.15	190	340	87	320	2,800	--	--	--
MW1	04/05/93	348.03	0.00	33.71	314.32	410	460	51	500	6,000	--	--	--
MW1	07/06/93	348.03	0.00	35.46	312.57	140	240	32	180	2,200	--	--	--
MW1	11/30/93	348.03	0.00	37.81	310.22	68	34	ND	48	450	--	--	--
MW1	01/27/94	348.03	0.00	42.10	305.93	270	330	44	190	1,000	--	--	--
MW1	04/25/94	348.03	0.00	40.33	307.70	--	--	--	--	--	--	--	--
MW1	04/26/94	348.03	--	--	--	310	370	22	320	3,500	--	--	--
MW1	07/08/94	348.03	0.00	41.39	306.64	120	87	15	43	640	--	--	--
MW1	10/05/94	348.03	0.00	42.19	305.84	110	140	21	90	970	--	--	--
MW1	02/21/95	348.03	0.00	34.73	313.30	200	270	24	100	3,500	--	--	--
MW1	05/03/95	348.03	0.00	34.67	313.36	7.8	12	4.5	20	160	--	--	--
MW1	08/04/95	348.03	0.00	37.00	311.03	99	330	40	570	1,900	--	10	--
MW1	11/10/95	348.03	0.00	39.66	308.37	150	56	22	89	610	--	--	--
MW1	02/12/96	348.03	0.00	36.19	311.84	3.0	37	7.8	140	470	--	1.3	--
MW1	05/17/96	348.03	0.00	35.82	312.21	ND	ND	ND	ND	ND	--	ND	--
MW1	08/12/96	348.03	0.00	38.44	309.59	ND	ND	ND	ND	ND	--	ND	--
MW1	11/08/96	348.03	0.00	40.07	307.96	ND	ND	ND	ND	ND	--	ND	--
MW1	02/12/97	348.03	0.00	34.27	313.76	--	--	--	--	--	--	--	--
MW1 <sup>a</sup>	03/17/97	348.03	0.00	37.07	310.96	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	05/13/97	348.03	0.00	37.76	310.27	ND	ND	ND	ND	ND	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW1 <sup>a</sup>	08/12/97	348.03	0.00	40.68	307.35	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	10/31/97	348.03	0.00	40.90	307.13	17	62	7.9	150	740	--	ND	--
MW1 <sup>a</sup>	01/21/98	348.03	0.00	41.05	306.98	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	04/24/98	348.03	0.00	36.71	311.32	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	07/20/98	348.03	0.00	39.38	308.65	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	10/21/98	348.03	0.00	42.31	305.72	0.3	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	02/22/99	348.03	0.00	42.70	305.33	40	17	5.4	94	840	--	ND	--
MW1 <sup>a</sup>	05/27/99	348.03	0.00	41.51	306.52	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	09/16/99	348.03	0.00	43.56	304.47	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	11/15/99	348.03	0.00	43.87	304.16	ND	ND	ND	ND	ND	--	ND	--
MW1 <sup>a</sup>	03/02/00	348.03	0.00	40.88	307.15	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW1 <sup>a</sup>	06/06/00	348.03	0.00	42.83	305.20	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW1 <sup>a</sup>	08/29/00	348.03	0.00	44.82	303.21	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW1 <sup>a</sup>	11/07/00	348.03	0.00	43.35	304.68	0.25	<0.20	0.25	<0.60	<20	--	<0.30	--
MW1 <sup>c</sup>	01/30/01	348.03	--	--	--	--	--	--	--	--	--	--	--
MW1 <sup>a</sup>	04/19/01	348.03	0.00	43.87	304.16	<0.20	<0.20	0.28	<0.60	<20	--	<0.30	--
MW1 <sup>a</sup>	07/27/01	348.03	0.00	43.96	304.07	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW1 <sup>a</sup>	10/19/01	348.03	0.00	44.52	303.51	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW1 <sup>a</sup>	01/15/02	350.42	0.00	43.13	307.29	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW1 <sup>a</sup>	04/09/02	350.42	0.00	45.23	305.19	3.30	0.60	<0.50	<0.50	127	--	2.30	--
MW1 <sup>a</sup>	07/23/02	350.42	0.00	45.87	304.55	2.10	<0.50	<0.50	<0.50	80.1	--	0.90	--
MW1 <sup>a</sup>	10/16/02	350.42	0.00	43.49	306.93	<0.5	<0.5	<0.5	<0.5	<50.0	--	<0.5	--
MW1 <sup>a</sup>	01/09/03	350.42	0.00	41.41	309.01	1.1	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW1 <sup>a</sup>	04/14/03	350.42	0.00	43.64	306.78	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW1 <sup>a</sup>	07/09/03	350.42	0.00	43.34	307.08	1.40	1.0	<0.5	1.1	<50	--	<0.5	<0.5
MW1 <sup>a</sup>	10/01/03	350.42	0.00	44.04	306.38	1.00	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5
MW1 <sup>a</sup>	01/19/04	350.42	0.00	44.22	306.20	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW1 <sup>a</sup>	04/01/04	350.42	0.00	43.82	306.60	<1.0	6.0	1.0	7.8	<100	--	--	<0.5
MW1 <sup>a</sup>	07/07/04	350.42	0.00	44.06	306.36	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW1 <sup>a</sup>	10/12/04	350.42	0.00	44.74	305.68	<0.5	2.9	0.6	4.5	82.4	--	--	<0.5
MW1 <sup>a</sup>	01/05/05	350.42	0.00	44.40	306.02	<0.5	<0.5	<0.5	<0.5	52.3	--	--	<0.5
MW1 <sup>a</sup>	04/14/05	350.42	0.00	40.24	310.18	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW1 <sup>a</sup>	07/14/05	350.42	0.00	43.01	307.41	111	--	1.60	0.7	1.2	<0.5	--	<0.5
<b>MW1<sup>a</sup></b>	<b>10/17/05</b>	<b>350.42</b>	<b>0.00</b>	<b>43.91</b>	<b>306.51</b>	<b>&lt;0.5</b>	<b>0.55</b>	<b>1.20</b>	<b>1.34</b>	<b>80.1</b>	--	--	<b>&lt;0.5</b>
MW2	04/12/90	348.45	0.00	44.14	304.31	5,500	7,600	1,900	7,800	64,000	--	--	--
MW2	10/18/90	348.45	0.00	43.18	305.27	6,800	9,100	2,400	11,000	83,000	10,000	--	--
MW2	08/06/91	348.45	0.00	39.19	309.26	16,000	25,000	4,300	19,000	160,000	--	--	--
MW2	01/08/92	348.45	0.02	39.40	309.07	--	--	--	--	--	--	--	--
MW2	04/30/92	348.45	0.00	40.50	307.95	9,200	19,000	3,700	15,000	71,000	--	--	--
MW2	07/31/92	348.45	0.15	43.64	304.92	--	--	--	--	--	--	--	--
MW2	10/27/92	348.45	Trace	43.53	304.92	--	--	--	--	--	--	--	--
MW2	01/22/93	348.45	Trace	35.55	312.90	--	--	--	--	--	--	--	--
MW2	04/05/93	348.45	Trace	34.41	314.04	--	--	--	--	--	--	--	--
MW2	07/06/93	348.45	Trace	35.98	312.47	--	--	--	--	--	--	--	--
MW2	11/30/93	348.45	0.48	38.78	310.03	--	--	--	--	--	--	--	--
MW2	01/27/94	348.45	0.01	42.50	305.96	--	--	--	--	--	--	--	--
MW2	04/25/94	348.45	Trace	40.32	308.13	--	--	--	--	--	--	--	--
MW2	07/08/94	348.45	Trace	42.46	305.99	--	--	--	--	--	--	--	--
MW2	10/05/94	348.45	Trace	42.78	305.67	--	--	--	--	--	--	--	--
MW2	02/21/95	348.45	0.12	34.88	313.66	--	--	--	--	--	--	--	--
MW2	05/03/95	348.45	0.62	35.30	313.62	--	--	--	--	--	--	--	--
MW2	08/04/95	348.45	0.20	37.21	311.39	--	--	--	--	--	--	--	--
MW2	11/10/95	348.45	0.24	39.87	308.76	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW2	02/12/96	348.45	Trace	36.16	312.29	--	--	--	--	--	--	--	--
MW2	05/17/96	348.45	0.00	35.95	312.50	950	3,000	940	6,500	57,000	--	ND	--
MW2	08/12/96	348.45	0.00	38.45	310.00	18,000	16,000	1,700	10,000	86,000	--	ND	--
MW2	11/08/96	348.45	0.01	40.27	308.19	--	--	--	--	--	--	--	--
MW2	02/12/97	348.45	0.00	34.37	314.08	--	--	--	--	--	--	--	--
MW2 <sup>c</sup>	03/17/97	348.45	--	--	--	--	--	--	--	--	--	--	--
MW2 <sup>a</sup>	05/13/97	348.45	0.00	37.74	310.71	12,000	14,000	1,300	8,100	87,000	--	ND	--
MW2	08/12/97	348.45	0.04	40.73	307.75	--	--	--	--	--	--	--	--
MW2 <sup>a</sup>	10/31/97	348.45	0.00	41.12	307.33	320	450	300	760	11,000	--	280	--
MW2 <sup>a</sup>	01/21/98	348.45	0.00	40.75	307.70	300	750	180	2,500	27,000	--	ND	ND
MW2 <sup>a</sup>	04/24/98	348.45	0.00	36.48	311.97	37	110	110	1,300	11,000	--	72	--
MW2 <sup>a</sup>	07/20/98	348.45	0.00	39.38	309.07	3,200	2,500	510	1,800	23,000	--	ND	--
MW2	10/21/98	348.45	--	Dry	--	--	--	--	--	--	--	--	--
MW2 <sup>a</sup>	02/22/99	348.45	0.00	41.26	307.19	660	370	250	1,000	14,000	--	ND	--
MW2 <sup>a</sup>	05/27/99	348.45	0.00	41.57	306.88	930	460	350	1,300	12,000	--	ND	ND
MW2 <sup>a</sup>	09/16/99	348.45	0.00	43.61	304.84	220	100	300	300	13,000	--	99	--
MW2 <sup>a</sup>	11/15/99	348.45	0.00	43.71	304.74	<100	<50	86	140	8,800	--	49	<5
MW2 <sup>a</sup>	03/02/00	348.45	0.00	40.90	307.55	250	180	220	1,200	11,000	--	<50	--
MW2 <sup>a</sup>	06/06/00	348.45	0.00	42.68	305.77	290	68	250	100	8,400	--	<10	--
MW2 <sup>a</sup>	08/29/00	348.45	0.00	44.98	303.47	170	86	440	250	14,000	--	<10	--
MW2 <sup>a</sup>	11/07/00	348.45	0.00	43.46	304.99	120	43	250	150	18,000	--	110	<5
MW2 <sup>a</sup>	01/30/01	348.45	0.00	44.73	303.72	220	74	690	240	18,000	--	<250	--
MW2 <sup>a</sup>	04/19/01	348.45	0.00	43.95	304.50	150	37	440	80	19,000	--	<200	<5
MW2 <sup>a</sup>	07/27/01	348.45	0.00	44.10	304.35	37	<20	220	20	6,900	--	<5.0	--
MW2 <sup>a</sup>	10/19/01	348.45	0.00	44.67	303.78	110	24	600	72	13,000	--	<3.0	--
MW2 <sup>a</sup>	01/15/02	350.39	0.00	43.14	307.25	390	230	210	450	7,280	--	150	<0.5
MW2 <sup>a</sup>	04/09/02	350.39	0.00	45.34	305.05	152	42.0	411	104	11,200	--	206	<2.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW2 <sup>a</sup>	07/23/02	350.39	0.00	45.91	304.48	107	15.5	383	54	18,700	--	112	<1.0
MW2 <sup>a</sup>	10/16/02	350.39	0.00	43.59	306.80	17.7	8.6	12.2	28.5	1,270	--	12.8	<0.50
MW2 <sup>a</sup>	01/09/03	350.39	0.00	41.46	308.93	256.0	371.0	506	1,250.0	11,800	--	--	<0.50
MW2 <sup>a</sup>	04/14/03	350.39	0.00	43.73	306.66	89.0	9.5	143	11.0	4,940	--	--	<0.50
MW2 <sup>a</sup>	07/09/03	350.39	0.00	43.35	307.04	22.8	8.6	20.4	8.1	1,100	--	15.7	<0.5
MW2 <sup>a</sup>	10/01/03	350.39	0.00	44.16	306.23	43.7	6.0	51.2	6.8	3,280	--	33.4	<0.5
MW2 <sup>a</sup>	01/19/04	350.39	0.00	44.26	306.13	87.9	8.3	144	11.4	4,330	--	--	<0.5
MW2 <sup>a</sup>	04/01/04	350.39	0.00	43.76	306.63	7.00	3.2	7.7	5.2	494	--	--	<0.5
MW2 <sup>a</sup>	07/07/04	350.39	0.00	44.10	306.29	36.5	4.6	9.1	5.6	2,300	--	--	<0.5
MW2 <sup>a</sup>	10/12/04	350.39	0.00	44.52	305.87	31.6	14.1	12.1	12.5	2,770	--	--	<0.5
MW2 <sup>a</sup>	01/05/05	350.39	0.00	43.83	306.56	84.9	27.2	32.0	37.7	19,300	--	--	<0.5
MW2 <sup>a</sup>	04/14/05	350.39	0.00	40.23	310.16	4.20	<0.5	14.3	6.7	1,250	--	--	<0.5
MW2 <sup>a</sup>	07/14/05	350.39	0.00	43.01	307.38	1,150	--	41.5	3.3	116	27.0	--	<0.5
<b>MW2<sup>a</sup></b>	<b>10/17/05</b>	<b>350.39</b>	<b>0.00</b>	<b>43.41</b>	<b>306.98</b>	<b>6.86</b>	<b>3.52</b>	<b>1.03</b>	<b>3.36</b>	<b>554</b>	<b>--</b>	<b>--</b>	<b>&lt;0.5</b>
MW3	04/12/90	347.97	0.00	23.18	324.79	32	56	31	170	2,100	--	--	--
MW3	10/18/90	347.97	0.00	14.28	333.69	3	3	1	5	110	ND	--	--
MW3	08/06/91	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/08/92	347.97	0.00	32.36	315.61	8.9	26	8.5	72	680	--	--	--
MW3	04/30/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/31/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	10/27/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/22/93	347.97	0.00	27.30	320.67	240	300	170	440	2,600	--	--	--
MW3	04/05/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/06/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/30/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	01/27/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW3	04/25/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	07/08/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/21/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	05/03/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	08/04/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/10/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	05/17/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	08/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	11/08/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3	02/12/97	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW3 <sup>a</sup>	03/17/97	347.97	0.00	22.39	325.58	ND	ND	ND	ND	ND	--	ND	--
MW3 <sup>a</sup>	05/13/97	347.97	0.00	22.18	325.79	ND	ND	ND	ND	ND	--	ND	--
MW3 <sup>a</sup>	08/12/97	347.97	0.00	18.56	329.41	ND	ND	ND	ND	ND	--	ND	--
MW3	10/31/97	347.97	0.00	17.81	330.16	--	--	--	--	--	--	--	--
MW3	01/21/98	347.97	0.00	18.81	329.16	--	--	--	--	--	--	--	--
MW3	04/24/98	347.97	0.00	16.81	331.16	--	--	--	--	--	--	--	--
MW3	07/20/98	347.97	0.00	18.00	329.97	--	--	--	--	--	--	--	--
MW3	10/21/98	347.97	0.00	19.37	328.60	--	--	--	--	--	--	--	--
MW3	02/22/99	347.97	0.00	19.82	328.15	--	--	--	--	--	--	--	--
MW3	05/27/99	347.97	0.00	18.34	329.63	--	--	--	--	--	--	--	--
MW3	09/16/99	347.97	0.00	18.53	329.44	--	--	--	--	--	--	--	--
MW3	11/15/99	347.97	0.00	20.40	327.57	--	--	--	--	--	--	--	--
MW3	03/02/00	347.97	0.00	18.02	329.95	--	--	--	--	--	--	--	--
MW3	06/06/00	347.97	0.00	18.33	329.64	--	--	--	--	--	--	--	--
MW3	08/29/00	347.97	0.00	17.31	330.66	--	--	--	--	--	--	--	--
MW3	11/07/00	347.97	0.00	17.67	330.30	--	--	--	--	--	--	--	--



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW3	01/30/01	347.97	0.00	16.61	331.36	--	--	--	--	--	--	--	--
MW3	04/19/01	347.97	0.00	16.52	331.45	--	--	--	--	--	--	--	--
MW3	07/27/01	347.97	0.00	16.52	331.45	--	--	--	--	--	--	--	--
MW3	10/19/01	347.97	0.00	16.75	331.22	--	--	--	--	--	--	--	--
MW3	01/15/02	350.56	0.00	16.66	333.90	--	--	--	--	--	--	--	--
MW3	04/09/02	350.56	0.00	14.83	335.73	--	--	--	--	--	--	--	--
MW3	07/23/02	350.56	0.00	17.60	332.96	--	--	--	--	--	--	--	--
MW3	10/16/02	350.56	0.00	18.24	332.32	--	--	--	--	--	--	--	--
MW3	01/09/03	350.56	0.00	17.83	332.73	--	--	--	--	--	--	--	--
MW3	04/14/03	350.56	0.00	14.98	335.58	--	--	--	--	--	--	--	--
MW3	07/09/03	350.56	0.00	15.79	334.77	--	--	--	--	--	--	--	--
MW3	10/01/03	350.56	0.00	14.89	335.67	--	--	--	--	--	--	--	--
MW3	01/19/04	350.56	0.00	13.56	337.00	--	--	--	--	--	--	--	--
MW3	04/01/04	350.56	0.00	29.62	320.94	--	--	--	--	--	--	--	--
MW3	07/07/04	350.56	0.00	11.63	338.93	--	--	--	--	--	--	--	--
MW3	10/12/04	350.56	0.00	10.38	340.18	--	--	--	--	--	--	--	--
MW3	01/05/05	350.56	0.00	10.01	340.55	--	--	--	--	--	--	--	--
MW3	04/14/05	350.56	0.00	9.70	340.86	--	--	--	--	--	--	--	--
MW3	07/14/05	350.56	0.00	9.74	340.82	--	--	--	--	--	--	--	--
<b>MW3</b>	<b>10/17/05</b>	<b>350.56</b>	<b>0.00</b>	<b>10.04</b>	<b>340.52</b>	--	--	--	--	--	--	--	--
MW4	10/18/90	348.07	0.00	43.16	304.91	180	500	200	1,200	9,600	2,000	--	--
MW4	08/06/91	348.07	0.00	38.65	309.42	320	420	220	650	8,600	--	--	--
MW4	01/08/92	348.07	0.00	38.65	309.42	600	880	220	1,100	3,400	--	--	--
MW4	04/30/92	348.07	0.00	39.88	308.19	650	1,200	210	1,200	7,200	--	--	--
MW4	07/31/92	348.07	0.00	43.07	305.00	320	340	120	360	3,800	--	--	--
MW4	10/27/92	348.07	0.00	42.78	305.29	440	750	190	900	9,000	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW4	01/22/93	348.07	0.00	34.76	313.31	540	1,200	320	1,900	12,000	--	--	--
MW4	04/05/93	348.07	0.00	33.61	314.46	34	18	12	31	1,100	--	--	--
MW4	07/06/93	348.07	0.00	35.37	312.70	220	300	43	440	4,000	--	--	--
MW4	11/30/93	348.07	0.00	37.78	310.29	140	83	54	110	1,400	--	--	--
MW4	01/27/94	348.07	0.00	42.10	305.97	140	75	24	94	910	--	--	--
MW4	04/25/94	348.07	0.00	40.28	307.79	--	--	--	--	--	--	--	--
MW4	04/26/94	348.07	--	--	--	1,200	1,800	580	2,500	27,000	--	--	--
MW4	07/08/94	348.07	0.00	41.38	306.69	57	47	17	43	540	--	--	--
MW4	10/05/94	348.07	0.00	42.17	305.90	230	280	73	210	3,200	--	--	--
MW4	02/21/95	348.07	0.02	34.87	313.22	--	--	--	--	--	--	--	--
MW4	05/03/95	348.07	0.00	34.81	313.26	--	--	--	--	--	--	--	--
MW4	05/04/95	348.07	--	--	--	100	200	50	240	1,700	--	--	--
MW4	08/04/95	348.07	0.00	37.18	310.89	92	67	49	150	2,500	--	12	--
MW4	11/10/95	348.07	0.00	39.86	308.21	1,100	590	420	1,200	11,000	--	--	--
MW4	02/12/96	348.07	0.00	36.38	311.69	4.5	2.4	ND	2.8	77	--	17	--
MW4	05/17/96	348.07	0.00	36.00	312.07	50	ND	ND	8.9	470	--	ND	--
MW4	08/12/96	348.07	0.00	38.63	309.44	830	180	160	250	4,000	--	ND	--
MW4	11/08/96	348.07	0.00	40.28	307.79	160	35	41	110	1,100	--	ND	--
MW4	02/12/97	348.07	0.00	34.45	313.62	--	--	--	--	--	--	--	--
MW4 <sup>a</sup>	03/17/97	348.07	0.00	37.25	310.82	200	40	54	74	2,100	--	ND	--
MW4 <sup>a</sup>	05/13/97	348.07	0.00	37.92	310.15	320	72	67	100	2,200	--	ND	--
MW4 <sup>a</sup>	08/12/97	348.07	0.00	40.87	307.20	310	31	59	68	2,200	--	ND	--
MW4 <sup>a</sup>	10/31/97	348.07	0.00	41.21	306.86	160	ND	15	28	1,000	--	ND	--
MW4 <sup>a</sup>	01/21/98	348.07	0.00	41.20	306.87	17	2.4	27	5.3	610	--	ND	--
MW4 <sup>a</sup>	04/24/98	348.07	0.00	36.90	311.17	5.0	1.2	3.0	ND	460	--	ND	--
MW4 <sup>a</sup>	07/20/98	348.07	0.00	39.56	308.51	79	12	40	16	1,700	--	ND	--
MW4 <sup>a</sup>	10/21/98	348.07	0.00	40.51	307.56	200	59	51	90	2,000	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW4 <sup>a</sup>	02/22/99	348.07	0.00	41.46	306.61	45	21	6.3	100	920	--	ND	--
MW4 <sup>a</sup>	05/27/99	348.07	0.00	41.71	306.36	67	9.0	4.7	40	670	--	ND	--
MW4 <sup>a</sup>	09/16/99	348.07	0.00	43.71	304.36	150	34	6.2	150	3,000	--	ND	--
MW4 <sup>a</sup>	11/15/99	348.07	0.00	44.15	303.92	ND	ND	ND	ND	ND	--	ND	--
MW4 <sup>a</sup>	03/02/00	348.07	0.00	41.08	306.99	10	0.69	<0.30	6.5	240	--	<10	--
MW4 <sup>a</sup>	06/06/00	348.07	0.00	43.09	304.98	<0.20	0.26	<0.20	<0.60	<20	--	<0.30	--
MW4 <sup>a</sup>	08/29/00	348.07	0.00	45.05	303.02	16	14	12	20	620	--	<10	--
MW4 <sup>a</sup>	11/07/00	348.07	0.00	43.65	304.42	10	5.2	7.7	51	410	--	<5.0	--
MW4 <sup>a</sup>	01/30/01	348.07	0.00	44.81	303.26	15	5.4	16	56	350	--	<1.0	--
MW4 <sup>a</sup>	04/19/01	348.07	0.00	44.10	303.97	12	3.4	11	50	330	--	<5.0	--
MW4 <sup>a</sup>	07/27/01	348.07	0.00	44.20	303.87	24	5.8	7.6	77	420	--	<0.30	--
MW4 <sup>a</sup>	10/19/01	348.07	0.00	44.75	303.32	22	9.2	23	130	680	--	<0.30	--
MW4 <sup>a</sup>	01/15/02	350.69	0.00	43.35	307.34	9.10	4.20	7.90	56.0	420	--	1.00	<0.5
MW4 <sup>a</sup>	04/09/02	350.69	0.00	45.47	305.22	15.2	8.50	13.8	94.1	626	--	0.90	--
MW4 <sup>a</sup>	07/23/02	350.69	0.00	46.09	304.60	18.4	9.60	17.2	88.7	775	--	2.10	--
MW4 <sup>a</sup>	10/16/02	350.69	0.00	43.71	306.98	16.6	7.5	3.8	76.4	480	--	<0.5	--
MW4 <sup>a</sup>	01/09/03	350.69	0.00	41.63	309.06	23.3	20.4	15.8	132.0	1,120	--	--	<0.50
MW4 <sup>a</sup>	04/14/03	350.89	0.00	43.85	307.04	23.0	13.6	8.6	106.0	783	--	--	<0.50
MW4 <sup>a</sup>	07/09/03	350.89	0.00	43.56	307.33	49.5	27.6	21.3	227	1,570	--	3.1	<0.5
MW4 <sup>a</sup>	10/01/03	350.89	0.00	44.27	306.62	33.2	7.8	5.4	75.9	823	--	1.1	<0.5
MW4 <sup>a</sup>	01/19/04	350.89	0.00	44.48	306.41	75.3	15.3	2.3	233	2,360	--	--	<0.5
MW4 <sup>a</sup>	04/01/04	350.89	0.00	44.06	306.83	78.8	20.0	22.5	218	2,700	--	--	<0.5
MW4 <sup>a</sup>	07/07/04	350.89	0.00	44.30	306.59	70.2	6.9	18.7	146	1,410	--	--	<0.5
MW4 <sup>a</sup>	10/12/04	350.89	0.00	44.98	305.91	35.4	3.6	1.0	8.1	734	--	--	<0.5
MW4 <sup>a</sup>	01/05/05	350.89	0.00	44.58	306.31	45.8	11.2	1.0	68.1	1,100	--	--	<0.5
MW4 <sup>a</sup>	04/14/05	350.89	0.00	40.44	310.45	2.00	1.3	0.6	15.1	193	--	--	<0.5
MW4 <sup>a</sup>	07/14/05	350.89	0.00	43.25	307.64	85.0	--	1.70	<0.5	<0.5	<0.5	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW4 <sup>a</sup>	10/17/05	350.89	0.00	44.12	306.77	<0.5	<0.5	<0.5	0.64	95.3	--	--	<0.5
MW5	10/18/90	347.97	--	c	--	--	--	--	--	--	--	--	--
MW5	08/06/91	347.97	0.00	34.25	313.72	--	--	--	--	--	--	--	--
MW5	01/08/92	347.97	0.00	34.22	313.75	--	--	--	--	--	--	--	--
MW5	04/30/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	07/31/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	10/27/92	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	01/22/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	04/05/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	07/06/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/30/93	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	01/27/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	04/25/94	347.97	0.00	34.23	313.74	--	--	--	--	--	--	--	--
MW5	07/08/94	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/21/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	05/03/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	08/04/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/10/95	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	05/17/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	08/12/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	11/08/96	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	02/12/97	347.97	--	Dry	--	--	--	--	--	--	--	--	--
MW5	03/17/97	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	05/13/97	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5 <sup>d</sup>	08/12/97	347.97	0.00	34.22	313.75	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW5	10/31/97	347.97	0.00	34.19	313.78	--	--	--	--	--	--	--	--
MW5	01/21/98	347.97	0.00	31.25	316.72	--	--	--	--	--	--	--	--
MW5	04/24/98	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	07/20/98	347.97	0.00	34.21	313.76	--	--	--	--	--	--	--	--
MW5	10/21/98	347.97	0.00	34.20	313.77	--	--	--	--	--	--	--	--
MW5	02/22/99	347.97	0.00	34.25	313.72	--	--	--	--	--	--	--	--
MW5	05/27/99	347.97	0.00	34.01	313.96	--	--	--	--	--	--	--	--
MW5	09/16/99	347.97	0.00	34.10	313.87	--	--	--	--	--	--	--	--
MW5	11/15/99	347.97	0.00	35.21	312.76	--	--	--	--	--	--	--	--
MW5 <sup>c</sup>	03/02/00	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5 <sup>c</sup>	06/06/00	347.97	--	--	--	--	--	--	--	--	--	--	--
MW5	08/29/00	347.97	0.00	33.95	314.02	--	--	--	--	--	--	--	--
MW5	11/07/00	347.97	0.00	33.99	313.98	--	--	--	--	--	--	--	--
MW5	01/30/01	347.97	0.00	33.84	314.13	--	--	--	--	--	--	--	--
MW5	04/19/01	347.97	0.00	33.62	314.35	--	--	--	--	--	--	--	--
MW5	07/27/01	347.97	0.00	33.65	314.32	--	--	--	--	--	--	--	--
MW5	10/19/01	347.97	0.00	33.75	314.22	--	--	--	--	--	--	--	--
MW5 <sup>c</sup>	01/15/02	--	0.00	33.80	--	--	--	--	--	--	--	--	--
MW5	04/09/02	350.61	0.00	33.47	317.14	--	--	--	--	--	--	--	--
MW5	07/23/02	350.61	0.00	34.05	316.56	--	--	--	--	--	--	--	--
MW5	10/16/02	350.61	0.00	34.11	316.50	--	--	--	--	--	--	--	--
MW5	01/09/03	350.61	0.00	34.02	316.59	--	--	--	--	--	--	--	--
MW5	04/14/03	350.61	0.00	33.38	317.23	--	--	--	--	--	--	--	--
MW5	07/09/03	350.61	0.00	33.43	317.18	--	--	--	--	--	--	--	--
MW5	10/01/03	350.61	0.00	33.42	317.19	--	--	--	--	--	--	--	--
MW5	01/19/04	350.61	0.00	33.34	317.27	--	--	--	--	--	--	--	--
MW5	04/01/04	350.61	0.00	33.31	317.30	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW5	07/07/04	350.61	0.00	33.18	317.43	--	--	--	--	--	--	--	--
MW5	10/12/04	350.61	0.00	33.14	317.47	--	--	--	--	--	--	--	--
MW5	01/05/05	350.61	0.00	33.19	317.42	--	--	--	--	--	--	--	--
MW5	04/14/05	350.61	0.00	33.15	317.46	--	--	--	--	--	--	--	--
MW5	07/14/05	350.61	0.00	33.02	317.59	--	--	--	--	--	--	--	--
<b>MW5</b>	<b>10/17/05</b>	<b>350.61</b>	<b>0.00</b>	<b>33.12</b>	<b>317.49</b>	--	--	--	--	--	--	--	--
MW6	10/18/90	348.23	0.00	43.60	304.63	1,300	150	120	85	3,000	ND	--	--
MW6	08/06/91	348.23	0.00	39.07	309.16	220	10	5.2	14	1,600	--	--	--
MW6	01/08/92	348.23	0.00	39.18	309.05	81	3.9	4.5	2.9	370	--	--	--
MW6	04/30/92	348.23	0.00	40.46	307.77	180	8.4	6.8	3.3	610	--	--	--
MW6	07/31/92	348.23	0.00	43.61	304.62	1,500	1,500	370	1,100	96	--	--	--
MW6	10/27/92	348.23	0.00	43.68	304.55	27	ND	6	10	9,400	--	--	--
MW6	01/22/93	348.23	0.00	35.66	312.57	12	2.4	1.4	1.9	250	--	--	--
MW6	04/05/93	348.23	0.00	34.41	313.82	2.3	0.99	ND	0.5	190	--	--	--
MW6	07/06/93	348.23	0.00	36.01	312.22	1.4	0.54	ND	ND	99	--	--	--
MW6	11/30/93	348.23	0.00	38.36	309.87	9.1	ND	ND	ND	86	--	--	--
MW6	01/27/94	348.23	0.00	42.57	305.66	1.7	ND	ND	ND	140	--	--	--
MW6	04/25/94	348.23	0.00	40.77	307.46	--	--	--	--	--	--	--	--
MW6	04/26/94	348.23	--	--	--	40	ND	ND	ND	330	--	--	--
MW6	07/08/94	348.23	0.00	41.82	306.41	8.8	9.2	3.5	12	170	--	--	--
MW6	10/05/94	348.23	0.00	42.64	305.59	100	5.6	11	12	600	--	--	--
MW6	02/21/95	348.23	0.01	35.55	312.69	--	--	--	--	--	--	--	--
MW6	05/03/95	348.23	0.00	35.47	312.76	--	--	--	--	--	--	--	--
MW6	05/04/95	348.23	--	--	--	6.8	1.8	7.4	7.1	350	--	--	--
MW6	08/04/95	348.23	0.00	37.72	310.51	3.8	1.7	ND	1.1	150	--	6.5	--
MW6	11/10/95	348.23	0.00	40.31	307.92	6.6	0.96	1.6	1.7	130	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW6	02/12/96	348.23	0.00	36.92	311.31	2.8	1.6	0.57	1.3	65	--	5.2	--
MW6	05/17/96	348.23	0.00	36.56	311.67	2.8	ND	ND	ND	91	--	ND	--
MW6	08/12/96	348.23	0.00	39.12	309.11	4.6	2.6	ND	1.7	75	--	ND	--
MW6	11/08/96	348.23	0.00	40.69	307.54	2.5	0.60	0.50	0.68	60	--	ND	--
MW6	02/12/97	348.23	0.00	34.99	313.24	--	--	--	--	--	--	--	--
MW6 <sup>a</sup>	03/17/97	348.23	0.00	37.76	310.47	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	05/13/97	348.23	0.00	38.45	309.78	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	08/12/97	348.23	0.00	41.33	306.90	1.3	ND	ND	ND	68	--	ND	--
MW6 <sup>a</sup>	10/31/97	348.23	0.00	41.68	306.55	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	01/21/98	348.23	0.00	41.62	306.61	2.1	ND	0.4	ND	180	--	ND	--
MW6 <sup>a</sup>	04/24/98	348.23	0.00	37.42	310.81	1.0	ND	ND	ND	100	--	ND	--
MW6 <sup>a</sup>	07/20/98	348.23	0.00	40.01	308.22	1.5	6.0	1.2	1.2	280	--	ND	--
MW6 <sup>a</sup>	10/21/98	348.23	0.00	42.93	305.30	9.1	7.7	ND	1.1	590	--	ND	--
MW6 <sup>a</sup>	02/22/99	348.23	0.00	41.83	306.40	ND	4.4	ND	ND	170	--	ND	--
MW6 <sup>a</sup>	05/27/99	348.23	0.00	42.13	306.10	ND	3.7	ND	0.9	160	--	ND	--
MW6 <sup>a</sup>	09/16/99	348.23	0.00	44.27	303.96	ND	ND	ND	ND	70	--	ND	--
MW6 <sup>a</sup>	11/15/99	348.23	0.00	44.65	303.58	ND	ND	ND	ND	ND	--	ND	--
MW6 <sup>a</sup>	03/02/00	348.23	0.00	41.50	306.73	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW6 <sup>a</sup>	06/06/00	348.23	0.00	44.48	303.75	<1.0	1.8	<0.20	<0.60	58	--	<0.30	--
MW6 <sup>a</sup>	08/29/00	348.23	0.00	45.43	302.80	<0.30	4.1	<0.30	0.64	150	--	<10	--
MW6 <sup>a</sup>	11/07/00	348.23	0.00	44.05	304.18	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW6 <sup>a</sup>	01/30/01	348.23	0.00	45.12	303.11	<0.20	<0.20	<0.20	<0.60	30	--	<0.30	--
MW6 <sup>a</sup>	04/19/01	348.23	0.00	44.48	303.75	<0.20	0.32	0.66	1.2	51	--	<5.0	--
MW6 <sup>a</sup>	07/27/01	348.23	0.00	44.59	303.64	<1.0	<1.0	0.48	0.80	95	--	<1.0	--
MW6 <sup>a</sup>	10/19/01	348.23	0.00	45.19	303.04	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW6 <sup>a</sup>	01/15/02	350.90	0.00	43.74	307.16	17.9	4.40	18.5	61.7	287	--	2.00	<0.5
MW6 <sup>a</sup>	04/09/02	350.90	0.00	47.66	303.24	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW6 <sup>a</sup>	07/23/02	350.90	0.00	49.09	301.81	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW6 <sup>a</sup>	10/16/02	350.90	0.00	44.18	306.72	26.7	2.8	46.2	73.4	831	--	<0.5	--
MW6 <sup>a</sup>	01/09/03	350.90	0.00	42.09	308.81	2.3	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW6 <sup>a</sup>	04/14/03	350.90	0.00	44.25	306.65	<0.50	<0.50	<0.50	<0.50	73.9	--	--	<0.50
MW6 <sup>a</sup>	07/09/03	350.90	0.00	43.94	306.96	0.70	1.3	0.5	1.3	138	--	2.0	<0.5
MW6 <sup>a</sup>	10/01/03	350.90	0.00	44.65	306.25	0.80	<0.5	<0.5	0.6	96.5	--	2.0	<0.5
MW6 <sup>a</sup>	01/19/04	350.90	0.00	44.81	306.09	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	04/01/04	350.90	0.00	44.40	306.50	<1.0	1.9	<1.0	4.7	<100	--	--	<0.5
MW6 <sup>a</sup>	07/07/04	350.90	0.00	44.65	306.25	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	10/12/04	350.90	0.00	45.33	305.57	<0.5	2.4	<0.5	3.4	<50	--	--	<0.5
MW6 <sup>a</sup>	01/05/05	350.90	0.00	45.00	305.90	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	04/14/05	350.90	0.00	40.85	310.05	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW6 <sup>a</sup>	07/14/05	350.90	0.00	43.58	307.32	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
<b>MW6<sup>a</sup></b>	<b>10/17/05</b>	<b>350.90</b>	<b>0.00</b>	<b>44.45</b>	<b>306.45</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>--</b>	<b>--</b>	<b>&lt;0.5</b>
MW7	10/18/90	347.90	0.00	9.26	338.64	0	0.5	ND	0.8	ND	ND	--	--
MW7	08/06/91	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/08/92	347.90	0.00	23.79	324.11	7.8	1.7	ND	0.55	220	--	--	--
MW7	04/30/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/31/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/27/92	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/22/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/05/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	07/06/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/30/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/27/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/25/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW7	07/08/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/21/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/03/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	08/04/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/10/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/17/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	08/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	11/08/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	03/17/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	05/13/97	347.90	--	--	--	--	--	--	--	--	--	--	--
MW7	08/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/31/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	01/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	04/24/98	347.90	0.00	24.44	323.46	--	--	--	--	--	--	--	--
MW7	07/20/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	10/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	02/22/99	347.90	0.00	23.69	324.21	--	--	--	--	--	--	--	--
MW7	05/27/99	347.90	0.00	23.67	324.23	--	--	--	--	--	--	--	--
MW7	09/16/99	347.90	0.00	23.19	324.71	--	--	--	--	--	--	--	--
MW7	11/15/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
MW7	03/02/00	347.90	0.00	18.10	329.80	--	--	--	--	--	--	--	--
MW7	06/06/00	347.90	0.00	24.19	323.71	--	--	--	--	--	--	--	--
MW7	08/29/00	347.90	0.00	19.40	328.50	--	--	--	--	--	--	--	--
MW7	11/07/00	347.90	0.00	20.20	327.70	--	--	--	--	--	--	--	--
MW7	01/30/01	347.90	0.00	18.77	329.13	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW7	04/19/01	347.90	0.00	17.26	330.64	--	--	--	--	--	--	--	--
MW7	07/27/01	347.90	0.00	18.98	328.92	--	--	--	--	--	--	--	--
MW7	10/19/01	347.90	0.00	17.27	330.63	--	--	--	--	--	--	--	--
MW7	01/15/02	350.47	0.00	17.21	333.26	--	--	--	--	--	--	--	--
MW7	04/09/02	350.47	0.00	15.46	335.01	--	--	--	--	--	--	--	--
MW7	07/23/02	350.47	0.00	18.40	332.07	--	--	--	--	--	--	--	--
MW7	10/16/02	350.47	0.00	19.23	331.24	--	--	--	--	--	--	--	--
MW7	01/09/03	350.47	0.00	18.68	331.79	--	--	--	--	--	--	--	--
MW7	04/14/03	350.47	0.00	12.93	337.54	--	--	--	--	--	--	--	--
MW7	07/09/03	350.47	0.00	15.68	334.79	--	--	--	--	--	--	--	--
MW7	10/01/03	350.47	0.00	13.04	337.43	--	--	--	--	--	--	--	--
MW7	01/19/04	350.47	0.00	11.65	338.82	--	--	--	--	--	--	--	--
MW7	04/01/04	350.47	0.00	13.33	337.14	--	--	--	--	--	--	--	--
MW7	07/07/04	350.47	0.00	10.97	339.50	--	--	--	--	--	--	--	--
MW7	10/12/04	350.47	0.00	8.72	341.75	--	--	--	--	--	--	--	--
MW7	01/05/05	350.47	0.00	8.19	342.28	--	--	--	--	--	--	--	--
MW7	04/14/05	350.47	0.00	7.50	342.97	--	--	--	--	--	--	--	--
MW7	07/14/05	350.47	0.00	7.59	342.88	--	--	--	--	--	--	--	--
<b>MW7</b>	<b>10/17/05</b>	<b>350.47</b>	<b>0.00</b>	<b>7.94</b>	<b>342.53</b>	--	--	--	--	--	--	--	--
MW8	10/18/90	348.90	0.00	11.30	337.60	3	5	7	62	900	ND	--	--
MW8	08/06/91	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/08/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/30/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/31/92	348.90	0.00	12.04	336.86	ND	ND	ND	1.3	270 <sup>e</sup>	--	--	--
MW8	10/27/92	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/22/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW8	04/05/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/06/93	348.90	0.00	7.48	341.42	ND	ND	ND	ND	ND	--	--	--
MW8	11/30/93	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	01/27/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	04/25/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	07/08/94	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	10/05/94	348.90	--	--	--	--	--	--	--	--	--	--	--
MW8	02/21/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/03/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	08/04/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	11/10/95	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	02/12/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/17/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	08/12/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	11/08/96	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	02/12/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	03/17/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	05/13/97	348.90	--	--	--	--	--	--	--	--	--	--	--
MW8	08/12/97	348.90	--	Dry	--	--	--	--	--	--	--	--	--
MW8	10/31/97	348.90	0.00	18.88	330.02	--	--	--	--	--	--	--	--
MW8	01/21/98	348.90	0.00	19.50	329.40	--	--	--	--	--	--	--	--
MW8	04/24/98	348.90	0.00	18.53	330.37	--	--	--	--	--	--	--	--
MW8	07/20/98	348.90	0.00	19.22	329.68	--	--	--	--	--	--	--	--
MW8	10/21/98	348.90	0.00	20.19	328.71	--	--	--	--	--	--	--	--
MW8	02/22/99	348.90	0.00	20.64	328.26	--	--	--	--	--	--	--	--
MW8	05/27/99	348.90	0.00	20.53	328.37	--	--	--	--	--	--	--	--
MW8	09/16/99	348.90	0.00	18.10	330.80	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)							
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	MTBE (8020 or 8021)	MTBE (8260)
MW8	11/15/99	348.90	0.00	19.52	329.38	--	--	--	--	--	--	--	--
MW8	03/02/00	348.90	0.00	17.42	331.48	--	--	--	--	--	--	--	--
MW8	06/06/00	348.90	0.00	18.02	330.88	--	--	--	--	--	--	--	--
MW8	08/29/00	348.90	0.00	16.90	332.00	--	--	--	--	--	--	--	--
MW8	11/07/00	348.90	0.00	17.45	331.45	--	--	--	--	--	--	--	--
MW8	01/30/01	348.90	0.00	16.61	332.29	--	--	--	--	--	--	--	--
MW8	04/19/01	348.90	0.00	16.81	332.09	--	--	--	--	--	--	--	--
MW8	07/27/01	348.90	0.00	16.61	332.29	--	--	--	--	--	--	--	--
MW8	10/19/01	348.90	0.00	16.69	332.21	--	--	--	--	--	--	--	--
MW8	01/15/02	351.45	0.00	16.75	334.70	--	--	--	--	--	--	--	--
MW8	04/09/02	351.45	0.00	15.63	335.82	--	--	--	--	--	--	--	--
MW8	07/23/02	351.45	0.00	17.86	333.59	--	--	--	--	--	--	--	--
MW8	10/16/02	351.45	0.00	18.58	332.87	--	--	--	--	--	--	--	--
MW8	01/09/03	351.45	0.00	17.70	333.75	--	--	--	--	--	--	--	--
MW8	04/14/03	351.45	0.00	14.87	336.58	--	--	--	--	--	--	--	--
MW8	07/09/03	351.45		Well not located		--	--	--	--	--	--	--	--
MW8	10/01/03	351.45		Well not located		--	--	--	--	--	--	--	--
MW8	01/19/04	351.45	0.00	13.90	337.55	--	--	--	--	--	--	--	--
MW8	04/01/04	351.45	0.00	13.62	337.83	--	--	--	--	--	--	--	--
MW8	07/07/04	351.45	0.00	12.40	339.05	--	--	--	--	--	--	--	--
MW8	10/12/04	351.45	0.00	10.99	340.46	--	--	--	--	--	--	--	--
MW8	01/05/05	351.45	0.00	10.81	340.64	--	--	--	--	--	--	--	--
MW8	04/14/05	351.45	0.00	10.20	341.25	--	--	--	--	--	--	--	--
MW8	07/14/05	351.45	0.00	10.06	341.39	--	--	--	--	--	--	--	--
<b>MW8</b>	<b>10/17/05</b>	<b>351.45</b>	<b>0.00</b>	<b>10.42</b>	<b>341.03</b>	--	--	--	--	--	--	--	--
MW9	02/04/92	348.53	0.00	43.54	304.99	3,000	740	1,200	2,500	16,000	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW9	04/30/92	348.53	0.00	42.83	305.70	1,000	120	410	350	5,600	--	--	--
MW9	07/31/92	348.53	0.00	47.36	301.17	1,800	1,900	620	940	93	--	--	--
MW9	10/27/92	348.53	0.00	48.32	300.21	2,400	1,600	680	1,100	13,000	--	--	--
MW9	01/22/93	348.53	0.00	39.11	309.42	1,200	200	510	350	5,600	--	--	--
MW9	04/05/93	348.53	0.00	37.10	311.43	1,300	510	620	670	7,900	--	--	--
MW9	07/06/93	348.53	0.00	39.21	309.32	510	46	170	150	3,200	--	--	--
MW9	11/30/93	348.53	0.00	40.58	307.95	610	28	220	65	2,800	--	--	--
MW9	01/27/94	348.53	0.00	44.32	304.21	1,400	130	230	700	11,000	--	--	--
MW9	04/25/94	348.53	0.00	43.05	305.48	--	--	--	--	--	--	--	--
MW9	04/26/94	348.53	--	--	--	460	56	160	220	3,900	--	--	--
MW9	07/08/94	348.53	0.00	45.72	302.81	340	82	96	220	2,600	--	--	--
Well destroyed													
MW10	11/30/93	347.95	0.00	37.97	309.98	ND	ND	ND	ND	ND	--	--	--
MW10	01/27/94	347.95	0.00	42.16	305.79	ND	ND	ND	1.2	ND	--	--	--
MW10	04/25/94	347.95	0.00	40.39	307.56	--	--	--	--	--	--	--	--
MW10	04/26/94	347.95	--	--	--	17	0.84	ND	ND	810	--	--	--
MW10	07/08/94	347.95	0.00	41.45	306.50	18	12	3.7	14	110	--	--	--
MW10	10/05/94	347.95	0.00	42.28	305.67	8.0	5.0	0.85	4.5	87	--	--	--
MW10	02/21/95	347.95	0.00	35.14	312.81	3.6	12	1.8	9.5	70	--	--	--
MW10	05/03/95	347.95	0.00	35.07	312.88	ND	ND	ND	ND	ND	--	--	--
MW10	08/04/95	347.95	0.00	37.42	310.53	ND	ND	ND	ND	ND	--	ND	--
MW10	11/10/95	347.95	0.00	39.95	308.00	ND	ND	ND	ND	ND	--	--	--
MW10	02/12/96	347.95	0.00	36.57	311.38	ND	1.9	ND	1.2	ND	--	1.2	--
MW10	05/17/96	347.95	0.00	36.18	311.77	ND	ND	ND	ND	ND	--	ND	--
MW10	08/12/96	347.95	0.00	38.76	309.19	ND	ND	ND	ND	ND	--	ND	--
MW10	11/08/96	347.95	0.00	40.35	307.60	ND	ND	ND	ND	ND	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW10	02/12/97	347.95	0.00	34.62	313.33	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	03/17/97	347.95	0.00	37.40	310.55	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	05/13/97	347.95	0.00	38.08	309.87	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	08/12/97	347.95	0.00	40.97	306.98	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	10/31/97	347.95	0.00	41.29	306.66	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	01/21/98	347.95	0.00	41.88	306.07	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	04/24/98	347.95	0.00	37.06	310.89	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	07/20/98	347.95	0.00	39.62	308.33	ND	ND	ND	ND	ND	--	ND	--
MW10 <sup>a</sup>	10/21/98	347.95	0.00	42.39	305.56	ND	ND	ND	ND	ND	--	ND	--
MW10	02/22/99	347.95	0.00	41.51	306.44	--	--	--	--	--	--	--	--
MW10	05/27/99	347.95	0.00	41.78	306.17	--	--	--	--	--	--	--	--
MW10	09/16/99	347.95	0.00	43.82	304.13	--	--	--	--	--	--	--	--
MW10	11/15/99	347.95	0.00	42.35	305.60	--	--	--	--	--	--	--	--
MW10	03/02/00	347.95	0.00	41.20	306.75	--	--	--	--	--	--	--	--
MW10	06/06/00	347.95	0.00	43.15	304.80	--	--	--	--	--	--	--	--
MW10	08/29/00	347.95	0.00	45.17	302.78	--	--	--	--	--	--	--	--
MW10	11/07/00	347.95	0.00	43.71	304.24	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/30/01	347.95	0.00	44.77	303.18	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW10	04/19/01	347.95	0.00	44.16	303.79	--	--	--	--	--	--	--	--
MW10	07/27/01	347.95	0.00	44.26	303.69	--	--	--	--	--	--	--	--
MW10	10/19/01	347.95	0.00	44.84	303.11	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/15/02	350.60	0.00	43.40	307.20	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW10	04/09/02	350.60	0.00	45.56	305.04	--	--	--	--	--	--	--	--
MW10	07/23/02	350.60	0.00	46.21	304.39	--	--	--	--	--	--	--	--
MW10	10/16/02	350.60	0.00	43.80	306.80	--	--	--	--	--	--	--	--
MW10	01/09/03	350.60	0.00	41.71	308.89	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	0.60
MW10	04/14/03	350.60	0.00	43.91	306.69	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW10	07/09/03	350.60	0.00	43.61	306.99	--	--	--	--	--	--	--	--
MW10	10/01/03	350.60	0.00	44.34	306.26	--	--	--	--	--	--	--	--
MW10 <sup>a</sup>	01/19/04	350.60	0.00	44.50	306.10	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW10	04/01/04	350.60	0.00	44.07	306.53	--	--	--	--	--	--	--	--
MW10	07/07/04	350.60	0.00	44.35	306.25	--	--	--	--	--	--	--	--
MW10	10/12/04	350.60	0.00	45.04	305.56	--	--	--	--	--	--	--	--
MW10	01/05/05	350.60	0.00	44.66	305.94	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW10	04/14/05	350.60	0.00	40.51	310.09	--	--	--	--	--	--	--	--
MW10	07/14/05	350.60	0.00	43.24	307.36	--	--	--	--	--	--	--	--
<b>MW10</b>	<b>10/17/05</b>	<b>350.60</b>	<b>0.00</b>	<b>44.13</b>	<b>306.47</b>	--	--	--	--	--	--	--	--
MW11	11/30/93	347.56	0.00	38.41	309.15	ND	ND	ND	1.6	ND	--	--	--
MW11	01/27/94	347.56	0.00	38.02	309.54	ND	ND	ND	ND	ND	--	--	--
MW11	04/25/94	347.56	0.00	38.77	308.79	--	--	--	--	--	--	--	--
MW11	04/26/94	347.56	--	--	--	ND	ND	ND	1.7	ND	--	--	--
MW11	07/08/94	347.56	0.00	41.70	305.86	23	18	4.0	15	120	--	--	--
MW11	10/05/94	347.56	0.00	44.49	303.07	12	19	4.6	24	130	--	--	--
MW11	02/21/95	347.56	0.00	41.74	305.82	27	64	7.3	36	300	--	--	--
MW11	05/03/95	347.56	0.00	34.64	312.92	ND	ND	ND	ND	ND	--	--	--
MW11	08/04/95	347.56	0.00	35.28	312.28	ND	ND	ND	ND	ND	--	ND	--
MW11	11/10/95	347.56	0.00	36.85	310.71	ND	0.88	ND	0.88	ND	--	--	--
MW11	02/12/96	347.56	0.00	36.18	311.38	ND	1.7	ND	1.2	ND	--	1.3	--
MW11	05/17/96	347.56	0.00	34.39	313.17	ND	ND	ND	ND	ND	--	ND	--
MW11	08/12/96	347.56	0.00	35.64	311.92	ND	ND	ND	ND	ND	--	ND	--
MW11	11/08/96	347.56	0.00	37.34	310.22	ND	ND	ND	0.81	ND	--	ND	--
MW11	02/12/97	347.56	0.00	35.37	312.19	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	03/17/97	347.56	0.00	35.11	312.45	ND	ND	ND	ND	ND	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW11 <sup>a</sup>	05/13/97	347.56	0.00	36.19	311.37	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	08/12/97	347.56	0.00	37.73	309.83	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	10/31/97	347.56	0.00	40.48	307.08	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	01/21/98	347.56	0.00	38.28	309.28	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	04/24/98	347.56	0.00	34.50	313.06	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	07/20/98	347.56	0.00	40.21	307.35	ND	ND	ND	ND	ND	--	ND	--
MW11 <sup>a</sup>	10/21/98	347.56	0.00	43.07	304.49	ND	ND	ND	ND	ND	--	ND	--
MW11	02/22/99	347.56	0.00	42.32	305.24	--	--	--	--	--	--	--	--
MW11	05/27/99	347.56	0.00	42.27	305.29	--	--	--	--	--	--	--	--
MW11	09/16/99	347.56	0.00	43.91	303.65	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	11/15/99	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11	03/02/00	347.56	--	Dry	--	--	--	--	--	--	--	--	--
MW11	06/06/00	347.56	0.00	44.06	303.50	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	08/29/00	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	11/07/00	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11 <sup>c</sup>	01/30/01	347.56	--	--	--	--	--	--	--	--	--	--	--
MW11	02/16/01	347.56	--	--	--	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW11	04/19/01	347.56	0.00	39.14	308.42	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/27/01	347.56	0.00	43.82	303.74	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
MW11	10/19/01	347.56	0.00	43.18	304.38	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/15/02	350.16	0.00	37.10	313.06	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW11	04/09/02	350.16	0.00	43.80	306.36	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/23/02	350.16	0.00	43.88	306.28	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW11	10/16/02	350.16	0.00	43.87	306.29	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/09/03	350.16	0.00	36.13	314.03	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW11	04/14/03	350.16	0.00	38.41	311.75	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/09/03	350.16	0.00	42.84	307.32	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW11	10/01/03	350.16	0.00	43.85	306.31	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	01/19/04	350.16	0.00	38.42	311.74	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW11	04/01/04	350.16	0.00	42.32	307.84	--	--	--	--	--	--	--	--
MW11 <sup>a</sup>	07/07/04	350.16	0.00	43.70	306.46	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW11	10/12/04	350.16	0.00	43.79	306.37	--	--	--	--	--	--	--	--
MW11	01/05/05	350.16	0.00	41.98	308.18	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW11	04/14/05	350.16	0.00	35.13	315.03	--	--	--	--	--	--	--	--
MW11	07/14/05	350.16	0.00	42.45	307.71	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
<b>MW11</b>	<b>10/17/05</b>	<b>350.16</b>	<b>0.00</b>	<b>35.03</b>	<b>315.13</b>	--	--	--	--	--	--	--	--
MW12	11/30/93	347.15	0.00	37.97	309.18	1.8	4.3	2.5	11	55	--	--	--
MW12	01/27/94	347.15	0.00	44.02	303.13	ND	ND	ND	ND	ND	--	--	--
MW12	04/25/94	347.15	0.00	42.27	304.88	--	--	--	--	--	--	--	--
MW12	04/26/94	347.15	--	--	--	ND	ND	ND	1.4	ND	--	--	--
MW12	07/08/94	347.15	0.00	43.26	303.89	8.4	7.4	1.9	7.1	53	--	--	--
MW12	10/05/94	347.15	0.00	44.32	302.83	27	56	13	67	350	--	--	--
MW12	02/21/95	347.15	0.00	37.83	309.32	4.0	4.0	0.77	3.6	ND	--	--	--
MW12	05/03/95	347.15	0.00	37.24	309.91	ND	ND	ND	ND	ND	--	--	--
MW12	08/04/95	347.15	0.00	39.07	308.08	ND	ND	ND	ND	ND	--	ND	--
MW12	11/10/95	347.15	0.00	41.24	305.91	ND	ND	ND	ND	ND	--	--	--
MW12	02/12/96	347.15	0.00	38.19	308.96	ND	2.1	ND	1.3	ND	--	2.5	--
MW12 <sup>c</sup>	05/17/96	347.15	--	--	--	--	--	--	--	--	--	--	--
MW12	08/12/96	347.15	0.00	40.32	306.83	ND	ND	ND	ND	ND	--	ND	--
MW12	11/08/96	347.15	0.00	41.32	305.83	ND	ND	ND	ND	ND	--	ND	--
MW12	02/12/97	347.15	0.00	35.98	311.17	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	03/17/97	347.15	0.00	38.67	308.48	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	05/13/97	347.15	0.00	39.68	307.47	ND	ND	ND	ND	ND	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW12 <sup>a</sup>	08/12/97	347.15	0.00	42.81	304.34	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	10/31/97	347.15	0.00	43.28	303.87	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	01/21/98	347.15	0.00	43.10	304.05	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	04/24/98	347.15	0.00	38.23	308.92	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	07/20/98	347.15	0.00	41.09	306.06	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>a</sup>	10/21/98	347.15	0.00	44.23	302.92	ND	ND	ND	ND	ND	--	ND	--
MW12 <sup>c</sup>	02/22/99	347.15	0.00	--	--	--	--	--	--	--	--	--	--
MW12	05/27/99	347.15	0.00	43.18	303.97	--	--	--	--	--	--	--	--
MW12	09/16/99	347.15	0.00	46.29	300.86	--	--	--	--	--	--	--	--
MW12 <sup>c</sup>	11/15/99	347.15	0.00	--	--	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	03/02/00	347.15	0.00	43.93	303.22	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
MW12	06/06/00	347.15	0.00	44.93	302.22	--	--	--	--	--	--	--	--
MW12	08/29/00	347.15	0.00	48.06	299.09	--	--	--	--	--	--	--	--
MW12	11/07/00	347.15	0.00	47.77	299.38	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/30/01	347.15	0.00	48.85	298.30	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
MW12	04/19/01	347.15	0.00	47.09	300.06	--	--	--	--	--	--	--	--
MW12	07/27/01	347.15	0.00	47.52	299.63	--	--	--	--	--	--	--	--
MW12	10/19/01	347.15	0.00	48.22	298.93	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/15/02	349.74	0.00	46.69	303.05	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
MW12	04/09/02	349.74	0.00	48.78	300.96	--	--	--	--	--	--	--	--
MW12	07/23/02	349.74	0.00	49.42	300.32	--	--	--	--	--	--	--	--
MW12	10/16/02	349.74	0.00	47.24	302.50	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/09/03	349.74	0.00	44.99	304.75	<0.50	<0.50	<0.50	<0.50	<50.0	--	--	<0.50
MW12	04/14/03	349.74	0.00	46.37	303.37	--	--	--	--	--	--	--	--
MW12	07/09/03	349.74	0.00	45.91	303.83	--	--	--	--	--	--	--	--
MW12	10/01/03	349.74	0.00	46.91	302.83	--	--	--	--	--	--	--	--
MW12 <sup>a</sup>	01/19/04	349.74	0.00	46.77	302.97	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
MW12	04/01/04	349.74	0.00	46.20	303.54	--	--	--	--	--	--	--	--
MW12	07/07/04	349.74	0.00	46.58	303.16	--	--	--	--	--	--	--	--
MW12	10/12/04	349.74	0.00	47.73	302.01	--	--	--	--	--	--	--	--
MW12	01/05/05	349.74	0.00	47.39	302.35	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
MW12	04/14/05	349.74	0.00	42.61	307.13	--	--	--	--	--	--	--	--
MW12	07/14/05	349.74	0.00	44.98	304.76	--	--	--	--	--	--	--	--
<b>MW12</b>	<b>10/17/05</b>	<b>349.74</b>	<b>0.00</b>	<b>45.55</b>	<b>304.19</b>	--	--	--	--	--	--	--	--
VMW1	11/30/93	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/27/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/25/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/08/94	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/05/94	348.05	--	--	--	--	--	--	--	--	--	--	--
VMW1	02/21/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/03/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/04/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/10/95	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/12/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/17/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/12/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/08/96	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/12/97	348.05	0.00	30.60	--	--	--	--	--	--	--	--	--
VMW1	03/17/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/13/97	348.05	--	--	--	--	--	--	--	--	--	--	--
VMW1	08/12/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/31/97	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/21/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW1	04/24/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/20/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/21/98	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	02/22/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	05/27/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	09/16/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/15/99	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	03/02/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	06/06/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	08/29/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	11/07/00	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/30/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/19/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/27/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/19/01	348.05	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/15/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/09/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/23/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/16/02	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/09/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/14/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/09/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/01/03	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	01/19/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/01/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/07/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	10/12/04	350.58	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW1	01/05/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	04/14/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
VMW1	07/14/05	350.58	--	Dry	--	--	--	--	--	--	--	--	--
<b>VMW1</b>	<b>10/17/05</b>	<b>350.58</b>	--	<b>Dry</b>	--	--	--	--	--	--	--	--	--
VMW2	11/30/93	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/27/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/25/94	347.90	0.00	33.82	314.08	--	--	--	--	--	--	--	--
VMW2	07/08/94	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/21/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/03/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/04/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/10/95	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/17/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/12/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/08/96	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	03/17/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	05/13/97	347.90	--	--	--	--	--	--	--	--	--	--	--
VMW2	08/12/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/31/97	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/21/98	347.90	0.00	27.85	320.05	--	--	--	--	--	--	--	--
VMW2	04/24/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	07/20/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/21/98	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	02/22/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW2	05/27/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	09/16/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/15/99	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2 <sup>c</sup>	03/02/00	347.90	--	--	--	--	--	--	--	--	--	--	--
VMW2	06/06/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	08/29/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	11/07/00	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/30/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/19/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	07/27/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	10/19/01	347.90	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	01/15/02	350.42	--	Dry	--	--	--	--	--	--	--	--	--
VMW2	04/09/02	350.42	0.00	25.78	324.64	--	--	--	--	--	--	--	--
VMW2	07/23/02	350.42	0.00	27.21	323.21	--	--	--	--	--	--	--	--
VMW2	10/16/02	350.42	0.00	26.75	323.67	--	--	--	--	--	--	--	--
VMW2	01/09/02	350.42	0.00	26.26	324.16	--	--	--	--	--	--	--	--
VMW2	04/14/03	350.42	0.00	25.44	324.98	--	--	--	--	--	--	--	--
VMW2	07/09/03	350.42	0.00	25.54	324.88	--	--	--	--	--	--	--	--
VMW2	10/01/03	350.42	0.00	25.29	325.13	--	--	--	--	--	--	--	--
VMW2	01/19/04	350.42	0.00	23.42	327.00	--	--	--	--	--	--	--	--
VMW2	04/01/04	350.42	0.00	22.78	327.64	--	--	--	--	--	--	--	--
VMW2	07/07/04	350.42	0.00	21.92	328.50	--	--	--	--	--	--	--	--
VMW2	10/12/04	350.42	0.00	21.38	329.04	--	--	--	--	--	--	--	--
VMW2	01/05/05	350.42	0.00	20.68	329.74	--	--	--	--	--	--	--	--
VMW2	04/14/05	350.42	0.00	19.61	330.81	--	--	--	--	--	--	--	--
VMW2	07/14/05	350.42	0.00	18.52	331.90	--	--	--	--	--	--	--	--
<b>VMW2</b>	<b>10/17/05</b>	<b>350.42</b>	<b>0.00</b>	<b>21.00</b>	<b>329.42</b>	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW3	11/30/93	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	01/27/94	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/25/94	348.10	Trace	31.23	316.87	--	--	--	--	--	--	--	--
VMW3	07/08/94	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/21/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/03/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	08/04/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	11/10/95	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/12/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/17/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	08/12/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	11/08/96	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/12/97	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	03/17/97	348.10	0.00	31.29	316.81	--	--	--	--	--	--	--	--
VMW3	05/13/97	348.10	--	--	--	--	--	--	--	--	--	--	--
VMW3	08/12/97	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	10/31/97	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	01/21/98	348.10	0.00	31.25	316.85	--	--	--	--	--	--	--	--
VMW3	04/24/98	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	07/20/98	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	10/21/98	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	02/22/99	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	05/27/99	348.10	0.00	36.14	311.96	--	--	--	--	--	--	--	--
VMW3	09/16/99	348.10	0.00	31.32	316.78	--	--	--	--	--	--	--	--
VMW3	11/15/99	348.10	0.00	31.21	316.89	--	--	--	--	--	--	--	--
VMW3	03/02/00	348.10	0.00	31.14	316.96	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW3	06/06/00	348.10	0.00	31.18	316.92	--	--	--	--	--	--	--	--
VMW3	08/29/00	348.10	0.00	31.20	316.90	--	--	--	--	--	--	--	--
VMW3	11/07/00	348.10	0.00	31.20	316.90	--	--	--	--	--	--	--	--
VMW3	01/30/01	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/19/01	348.10	0.00	31.16	316.94	--	--	--	--	--	--	--	--
VMW3	07/27/01	348.10	0.00	31.29	316.81	--	--	--	--	--	--	--	--
VMW3	10/19/01	348.10	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	01/15/02	350.77	--	Dry	--	--	--	--	--	--	--	--	--
VMW3	04/09/02	350.77	0.00	30.79	319.98	--	--	--	--	--	--	--	--
VMW3	07/23/02	350.77	0.00	31.21	319.56	--	--	--	--	--	--	--	--
VMW3	10/16/02	350.77	0.00	31.19	319.58	--	--	--	--	--	--	--	--
VMW3	01/09/03	350.77	0.00	31.20	319.57	--	--	--	--	--	--	--	--
VMW3	04/14/03	350.77	0.00	30.10	320.67	--	--	--	--	--	--	--	--
VMW3	07/09/03	350.77	0.00	30.62	320.15	--	--	--	--	--	--	--	--
VMW3	10/01/03	350.77	0.00	29.78	320.99	--	--	--	--	--	--	--	--
VMW3	01/19/04	350.77	0.00	29.60	321.17	--	--	--	--	--	--	--	--
VMW3	04/01/04	350.77	0.00	29.62	321.15	--	--	--	--	--	--	--	--
VMW3	07/07/04	350.77	0.00	28.84	321.93	--	--	--	--	--	--	--	--
VMW3	10/12/04	350.77	0.00	27.57	323.20	--	--	--	--	--	--	--	--
VMW3	01/05/05	350.77	0.00	25.81	324.96	--	--	--	--	--	--	--	--
VMW3	04/14/05	350.77	0.00	21.51	329.26	--	--	--	--	--	--	--	--
VMW3	07/14/05	350.77	0.00	13.37	337.40	--	--	--	--	--	--	--	--
<b>VMW3</b>	<b>10/17/05</b>	<b>350.77</b>	<b>0.00</b>	<b>13.05</b>	<b>337.72</b>	--	--	--	--	--	--	--	--
VMW4	11/30/93	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/27/94	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/25/94	347.95	--	31.41	316.54	--	--	--	--	--	--	--	--



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW4	07/08/94	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/21/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/03/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/04/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/10/95	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/12/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/17/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/12/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/08/96	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/12/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	03/17/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/13/97	347.95	--	--	--	--	--	--	--	--	--	--	--
VMW4	08/12/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/31/97	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/21/98	347.95	0.00	10.95	337.00	--	--	--	--	--	--	--	--
VMW4	04/24/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/20/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/21/98	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	02/22/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	05/27/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	09/16/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/15/99	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	03/02/00	347.95	0.00	10.13	337.82	--	--	--	--	--	--	--	--
VMW4	06/06/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	08/29/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	11/07/00	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/30/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
VMW4	04/19/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/27/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/19/01	347.95	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/15/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/09/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	07/23/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/16/02	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/09/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/14/03	350.32	--	9.60	340.72	--	--	--	--	--	--	--	--
VMW4	07/09/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	10/01/03	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	01/19/04	350.32	--	Dry	--	--	--	--	--	--	--	--	--
VMW4	04/01/04	350.32	0.00	12.63	337.69	--	--	--	--	--	--	--	--
VMW4	07/07/04	350.32	0.00	10.10	340.22	--	--	--	--	--	--	--	--
VMW4	10/12/04	350.32	0.00	8.83	341.49	--	--	--	--	--	--	--	--
VMW4	01/05/05	350.32	0.00	8.24	342.08	--	--	--	--	--	--	--	--
VMW4	04/14/05	350.32	0.00	8.40	341.92	--	--	--	--	--	--	--	--
VMW4	07/14/05	350.32	0.00	8.40	341.92	--	--	--	--	--	--	--	--
<b>VMW4</b>	<b>10/17/05</b>	<b>350.32</b>	<b>0.00</b>	<b>8.41</b>	<b>341.91</b>	--	--	--	--	--	--	--	--
RW1	11/30/93	347.89	Trace	37.75	310.14	--	--	--	--	--	--	--	--
RW1	01/27/94	347.89	Trace	42.00	305.89	--	--	--	--	--	--	--	--
RW1	04/25/94	347.89	0.02	40.24	307.67	--	--	--	--	--	--	--	--
RW1	07/08/94	347.89	0.15	41.41	306.59	--	--	--	--	--	--	--	--
RW1	10/05/94	347.89	Trace	42.18	305.71	--	--	--	--	--	--	--	--
RW1	02/21/95	347.89	Trace	34.94	312.95	16,000	29,000	2,200	14,000	110,000	--	--	--
RW1	05/03/95	347.89	0.01	34.83	313.07	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
RW1	08/04/95	347.89	Trace	37.11	310.78	--	--	--	--	--	--	--	--
RW1	11/10/95	347.89	0.02	39.74	308.17	--	--	--	--	--	--	--	--
RW1	02/12/96	347.89	0.00	47.29	300.60	4,400	12,000	960	6,900	41,000	--	120	--
RW1	05/17/96	347.89	0.00	47.53	300.36	2,700	8,600	1,100	6,300	81,000	--	ND	--
RW1	08/12/96	347.89	0.00	39.75	308.14	12,000	25,000	2,200	15,000	140,000	--	ND	--
RW1	11/08/96	347.89	--	--	--	5,300	11,000	1,300	8,900	81,000	--	ND	--
RW1	02/12/97	347.89	0.00	46.50	301.39	--	--	--	--	--	--	--	--
RW1 <sup>a</sup>	03/17/97	347.89	0.00	49.30	298.59	3,600	12,000	710	7,400	38,000	--	ND	--
RW1 <sup>a</sup>	05/13/97	347.89	0.00	37.86	310.03	7,300	20,000	1,500	12,000	130,000	--	ND	--
RW1 <sup>a</sup>	08/12/97	347.89	0.00	40.77	307.12	9,200	19,000	1,300	7,000	72,000	--	1,000	ND
RW1 <sup>a</sup>	10/31/97	347.89	0.00	47.54	300.35	4,500	11,000	530	6,800	45,000	--	630	ND
RW1 <sup>a</sup>	01/21/98	347.89	0.00	46.71	301.18	570	1,300	120	2,500	23,000	--	ND	ND
RW1 <sup>a</sup>	04/24/98	347.89	0.00	--	--	1,300	3,400	250	4,000	28,000	--	ND	--
RW1 <sup>a</sup>	07/20/98	347.89	0.00	45.54	302.35	1,400	3,500	530	2,700	21,000	--	ND	ND
RW1 <sup>a</sup>	10/21/98	347.89	0.00	42.41	305.48	3,500	5,700	660	4,100	35,000	--	ND	25
RW1 <sup>a</sup>	02/22/99	347.89	0.00	41.25	306.64	1,100	1,700	220	3,000	28,000	--	ND	ND
RW1 <sup>a</sup>	05/27/99	347.89	0.00	41.39	306.50	1,400	1,800	320	3,000	23,000	--	ND	--
RW1 <sup>a</sup>	09/16/99	347.89	0.00	44.23	303.66	910	5,000	1,000	3,800	34,000	--	ND	--
RW1 <sup>a</sup>	11/15/99	347.89	0.00	43.28	304.61	66	98	29	1,000	11,000	--	34	--
RW1 <sup>a</sup>	03/02/00	347.89	0.00	41.02	306.87	870	1,500	490	3,000	26,000	--	120	<10
RW1	06/06/00	347.89	--	Dry	--	--	--	--	--	--	--	--	--
RW1 <sup>a</sup>	08/29/00	347.89	0.00	45.10	302.79	480	250	380	720	11,000	--	<10	--
RW1 <sup>a</sup>	11/07/00	347.89	0.00	43.63	304.26	590	230	350	980	16,000	--	<100	--
RW1 <sup>a</sup>	01/30/01	347.89	0.00	44.81	303.08	390	89	340	240	9,900	--	<100	--
RW1 <sup>a</sup>	04/19/01	347.89	0.00	44.02	303.87	600	130	350	440	10,000	--	<100	<7
RW1 <sup>a</sup>	07/27/01	347.89	0.00	44.15	303.74	640	200	280	640	11,000	--	<5.0	--
RW1 <sup>a</sup>	10/19/01	347.89	0.00	44.72	303.17	810	130	500	580	12,000	--	<5.0	5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
RW1 <sup>a</sup>	01/15/02	350.43	0.00	43.25	307.18	1,020	290	572	964	16,100	--	124	6.9
RW1 <sup>a</sup>	04/09/02	350.43	0.00	45.44	304.99	786	102	523	366	10,100	--	79.0	--
RW1 <sup>a</sup>	07/23/02	350.43	0.00	45.98	304.45	974	93	573	390	9,300	--	57.0	--
RW1 <sup>a</sup>	10/16/02	350.43	0.00	43.73	306.70	971	150	490	653	10,700	--	<5.0	--
RW1 <sup>a</sup>	01/09/03	350.43	0.00	41.57	308.86	990	298	510	1,130	16,000	--	--	6.60
RW1 <sup>a</sup>	04/14/03	350.43	0.00	43.87	306.56	1,250	103	598	815	10,700	--	--	4.60
RW1 <sup>a</sup>	07/09/03	350.43	0.00	43.40	307.03	1,390	109	660	820	11,100	--	53.3	4.20
RW1 <sup>a</sup>	10/01/03	350.43	0.00	44.19	306.24	1,440	54.0	582	490	10,600	--	78.0	3.20
RW1 <sup>a</sup>	01/19/04	350.43	0.00	44.33	306.10	722	27.3	168	199	6,860	--	--	3.20
RW1 <sup>a</sup>	04/01/04	350.43	0.00	43.90	306.53	760	37.7	180	130	6,450	--	--	2.40
RW1 <sup>a</sup>	07/07/04	350.43	0.00	44.25	306.18	663	51.1	180	183	4,760	--	--	2.60
RW1 <sup>a</sup>	10/12/04	350.43	0.00	44.75	305.68	691	30.0	139	158	6,670	--	--	<0.5
RW1 <sup>a</sup>	01/05/05	350.43	0.00	44.57	305.86	299	29.7	107	81.3	5,750	--	--	0.90
RW1 <sup>a</sup>	04/14/05	350.43	0.00	40.10	310.33	99.7	134	187	600	7,520	--	--	<0.5
RW1 <sup>a</sup>	07/14/05	350.43	0.00	42.87	307.56	2,730	--	116	7.3	109	21.8	--	<0.5
<b>RW1<sup>a</sup></b>	<b>10/17/05</b>	<b>350.43</b>	<b>0.00</b>	<b>43.46</b>	<b>306.97</b>	<b>54.6</b>	<b>4.93</b>	<b>52.7</b>	<b>15.5</b>	<b>1,740</b>	--	--	<b>&lt;0.5</b>
RW2	10/05/94	347.82	0.00	43.33	304.49	6,500	6,300	1,000	5,400	41,000	--	--	--
RW2	02/21/95	347.82	0.00	35.05	312.77	6,200	2,600	1,400	5,600	45,000	--	--	--
RW2	05/03/95	347.82	0.00	35.11	312.71	3,600	2,000	1,000	5,700	30,000	--	--	--
RW2	08/04/95	347.82	0.00	37.35	310.47	4,100	1,400	810	3,200	21,000	--	ND	--
RW2	11/10/95	347.82	0.00	41.02	306.80	2,600	990	810	2,700	26,000	--	--	--
RW2	02/12/96	347.82	0.00	38.63	309.19	600	600	230	1,900	10,000	--	ND	--
RW2	05/17/96	347.82	0.00	48.56	299.26	300	64	86	470	4,000	--	10	--
RW2	08/12/96	347.82	0.00	44.74	303.08	1,100	36	320	190	5,400	--	ND	--
RW2	11/08/96	347.82	--	--	--	480	48	150	150	3,500	--	ND	--
RW2	02/12/97	347.82	0.00	48.10	299.72	--	--	--	--	--	--	--	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
RW2 <sup>a</sup>	03/17/97	347.82	0.00	50.90	296.92	180	21	42	56	1,100	--	ND	--
RW2 <sup>a</sup>	05/13/97	347.82	0.00	38.11	309.71	680	93	150	300	3,500	--	ND	--
RW2 <sup>a</sup>	08/12/97	347.82	0.00	44.22	303.60	180	6.7	44	27	1,200	--	ND	--
RW2 <sup>a</sup>	10/31/97	347.82	0.00	49.13	298.69	8.9	3.6	1.5	90	440	--	ND	--
RW2 <sup>a</sup>	01/21/98	347.82	0.00	49.39	298.43	ND	ND	ND	ND	ND	--	ND	--
RW2 <sup>a</sup>	04/24/98	347.82	--	--	--	100	12	46	77	3,000	--	28	ND
RW2 <sup>a</sup>	07/20/98	347.82	0.00	47.16	300.66	20	6.9	7.7	9.6	480	--	ND	--
RW2 <sup>a</sup>	10/21/98	347.82	0.00	46.08	301.74	4.4	6.1	2.8	3.9	780	--	ND	--
RW2 <sup>a</sup>	02/22/99	347.82	0.00	44.31	303.51	87	11	33	27	2,300	--	ND	--
RW2 <sup>a</sup>	05/27/99	347.82	0.00	44.15	303.67	1.4	4.5	0.6	1.7	310	--	ND	--
RW2 <sup>a</sup>	09/16/99	347.82	0.00	47.97	299.85	ND	ND	ND	ND	260	--	ND	--
RW2 <sup>a</sup>	11/15/99	347.82	0.00	49.44	298.38	ND	ND	ND	ND	ND	--	ND	--
RW2 <sup>a</sup>	03/02/00	347.82	0.00	45.70	302.12	<1.0	<1.0	<1.0	<0.60	180	--	<10	--
RW2 <sup>a</sup>	06/06/00	347.82	0.00	45.62	302.20	7.2	6.9	5.1	24	250	--	<0.30	--
RW2 <sup>a</sup>	08/29/00	347.82	0.00	50.69	297.13	0.38	1.0	<0.30	<0.60	<50	--	<10	--
RW2 <sup>a</sup>	11/07/00	347.82	0.00	48.40	299.42	0.32	0.32	0.22	<0.60	<20	--	<0.30	--
RW2 <sup>a</sup>	01/30/01	347.82	0.00	50.37	297.45	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW2 <sup>a</sup>	04/19/01	347.82	0.00	48.06	299.76	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW2 <sup>a</sup>	07/27/01	347.82	0.00	48.82	299.00	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW2 <sup>a</sup>	10/19/01	347.82	0.00	50.24	297.58	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW2 <sup>a</sup>	01/15/02	350.42	0.00	46.88	303.54	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW2 <sup>a</sup>	04/09/02	350.42	0.00	50.86	299.56	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW2	07/23/02	350.42	0.00	51.77	298.65	--	--	--	--	--	--	--	--
RW2 <sup>a</sup>	10/16/02	350.42	0.00	47.01	303.41	<0.5	<0.5	<0.5	<0.5	<50.0	--	<0.5	--
RW2 <sup>a</sup>	01/09/03	350.42	0.00	43.42	307.00	17	30.1	51.9	110	1,020	--	--	<0.50
RW2 <sup>a</sup>	04/14/03	350.42	0.00	46.45	303.97	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	<0.50
RW2 <sup>a</sup>	07/09/03	350.42	0.00	46.12	304.30	<0.5	0.7	<0.5	0.7	76.6	--	<0.5	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
RW2 <sup>a</sup>	10/01/03	350.42	0.00	47.15	303.27	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5
RW2 <sup>a</sup>	01/19/04	350.42	0.00	46.35	304.07	<0.5	<0.5	<0.5	<0.5	57.8	--	--	<0.5
RW2 <sup>a</sup>	04/01/04	350.42	0.00	45.71	304.71	<1.0	<1.0	<1.0	<3.0	<100	--	--	<0.5
RW2 <sup>a</sup>	07/07/04	350.42	0.00	44.92	305.50	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW2 <sup>a</sup>	10/12/04	350.42	0.00	40.83	309.59	<0.5	2.7	0.6	4.4	<50	--	--	<0.5
RW2 <sup>a</sup>	01/05/05	350.42	0.00	41.01	309.41	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW2 <sup>a</sup>	04/14/05	350.42	0.00	39.14	311.28	<0.5	<0.5	<0.5	1.1	<50	--	--	<0.5
RW2 <sup>a</sup>	07/14/05	350.42	0.00	39.20	311.22	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
<b>RW2<sup>a</sup></b>	<b>10/17/05</b>	<b>350.42</b>	<b>0.00</b>	<b>38.99</b>	<b>311.43</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>--</b>	<b>--</b>	<b>&lt;0.5</b>
RW3	10/05/94	347.92	0.00	44.66	303.26	120	180	26	170	1,600	--	--	--
RW3	02/21/95	347.92	0.00	39.85	308.07	67	30	12	48	620	--	--	--
RW3	05/03/95	347.92	0.00	40.12	307.80	31	28	6.0	40	780	--	--	--
RW3	08/04/95	347.92	0.00	41.84	306.08	37	14	ND	19	190	--	8.1	--
RW3	11/10/95	347.92	0.00	44.45	303.47	19	5.0	ND	4.4	160	--	--	--
RW3	02/12/96	347.92	0.00	42.62	305.30	0.78	2.0	ND	2.0	ND	--	1.4	--
RW3	05/17/96	347.92	0.00	48.90	299.02	2.8	0.5	ND	ND	52	--	3.6	--
RW3	08/12/96	347.92	0.00	43.71	304.21	0.87	ND	ND	ND	ND	--	ND	--
RW3	11/08/96	347.92	--	--	--	28	3.3	1.2	4.5	110	--	ND	--
RW3	02/12/97	347.92	0.00	48.82	299.10	--	--	--	--	--	--	--	--
RW3 <sup>a</sup>	03/17/97	347.92	0.00	51.61	296.31	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	05/13/97	347.92	0.00	38.22	309.70	180	190	6.8	79	960	--	ND	--
RW3 <sup>a</sup>	08/12/97	347.92	0.00	44.15	303.77	20	11	2.1	17	160	--	4.8	--
RW3 <sup>a</sup>	10/31/97	347.92	0.00	48.18	299.74	11	14	4.4	32	330	--	10	--
RW3 <sup>a</sup>	01/21/98	347.92	0.00	46.31	301.61	1.4	0.9	0.4	2.1	50	--	ND	--
RW3 <sup>a</sup>	04/24/98	347.92	--	--	--	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	07/20/98	347.92	0.00	46.81	301.11	0.6	1.0	ND	ND	80	--	ND	--

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
RW3	10/21/98	347.92	--	Dry	--	--	--	--	--	--	--	--	--
RW3 <sup>a</sup>	02/22/99	347.92	0.00	44.17	303.75	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	05/27/99	347.92	0.00	44.40	303.52	ND	ND	ND	ND	ND	--	ND	--
RW3 <sup>a,f</sup>	09/16/99	347.92	0.00	44.58	303.34	960	5,700	1,200	5,000	45,000	--	200	--
RW3 <sup>a,f</sup>	10/04/99	347.92	--	--	--	ND	0.6	ND	ND	ND	--	ND	--
RW3 <sup>a</sup>	11/15/99	347.92	0.00	48.32	299.60	ND	ND	1.2	3.3	93	--	ND	--
RW3 <sup>a</sup>	03/02/00	347.92	0.00	47.60	300.32	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
RW3 <sup>a</sup>	06/06/00	347.92	0.00	45.58	302.34	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW3 <sup>a</sup>	08/29/00	347.92	0.00	47.72	300.20	<0.30	0.47	<0.30	<0.60	<50	--	<10	--
RW3 <sup>a</sup>	11/07/00	347.92	0.00	47.18	300.74	<0.20	<0.20	<0.20	<0.60	<20	--	1.8	--
RW3 <sup>a</sup>	01/30/01	347.92	0.00	47.72	300.20	<0.20	<0.20	<0.20	<0.60	33	--	4.3	<5
RW3 <sup>a</sup>	04/19/01	347.92	0.00	45.73	302.19	<0.20	<0.20	0.34	<0.60	<20	--	0.33	--
RW3 <sup>a</sup>	07/27/01	347.92	0.00	46.61	301.31	<0.20	<0.20	<0.20	<0.60	<50	--	1.3	<2
RW3 <sup>a</sup>	10/19/01	347.92	0.00	46.96	300.96	<0.20	<0.20	<0.20	<0.60	<50	--	1.5	<2
RW3 <sup>a</sup>	01/15/02	350.53	0.00	44.98	305.55	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW3 <sup>a</sup>	04/09/02	350.53	0.00	46.80	303.73	<0.50	<0.50	<0.50	<0.50	<50.0	--	1.00	--
RW3 <sup>a</sup>	07/23/02	350.53	0.00	47.42	303.11	<0.50	<0.50	<0.50	<0.50	<50.0	--	1.90	--
RW3 <sup>a</sup>	10/16/02	350.53	0.00	46.42	304.11	<0.5	<0.5	<0.5	<0.5	<50.0	--	1.0	--
RW3 <sup>a</sup>	01/09/03	350.53	0.00	44.02	306.51	<0.5	<0.5	<0.5	<0.5	<50.0	--	--	<0.5
RW3 <sup>a</sup>	04/14/03	350.53	0.00	44.97	305.56	<0.5	<0.5	<0.5	<0.5	<50.0	--	--	<0.5
RW3 <sup>a</sup>	07/09/03	350.53	0.00	44.96	305.57	<0.5	0.6	<0.5	<0.5	<50	--	<0.5	<0.5
RW3 <sup>a</sup>	10/01/03	350.53	0.00	45.81	304.72	<0.5	<0.5	<0.5	<0.5	<50	--	0.6	<0.5
RW3 <sup>a</sup>	01/19/04	350.53	0.00	44.81	305.72	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW3 <sup>a</sup>	04/01/04	350.53	0.00	45.10	305.43	<1.0	2.5	<1.0	5.1	<100	--	--	<0.5
RW3 <sup>a</sup>	07/07/04	350.53	0.00	45.57	304.96	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW3 <sup>a</sup>	10/12/04	350.53	0.00	45.79	304.74	<0.5	3.5	0.8	5.9	<50	--	--	<0.5
RW3 <sup>a</sup>	01/05/05	350.53	0.00	45.63	304.90	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE	
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d	(8020 or 8021)	MTBE (8260)
RW3 <sup>a</sup>	04/14/05	350.53	0.00	41.91	308.62	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW3 <sup>a</sup>	07/14/05	350.53	0.00	44.37	306.16	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
<b>RW3<sup>a</sup></b>	<b>10/17/05</b>	<b>350.53</b>	<b>0.00</b>	<b>43.57</b>	<b>306.96</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	--	--	<b>&lt;0.5</b>
RW4	10/05/94	348.29	0.00	42.62	305.67	11	4.9	1.5	9.2	130	--	--	--
RW4	02/21/95	348.29	0.02	35.40	312.91	--	--	--	--	--	--	--	--
RW4	05/03/95	348.29	0.00	35.03	313.26	--	--	--	--	--	--	--	--
RW4	05/04/95	348.29	--	--	--	330	130	120	410	2,900	--	--	--
RW4	08/04/95	348.29	0.00	37.62	310.67	63	ND	14	2.1	520	--	6.1	--
RW4	11/10/95	348.29	0.00	40.26	308.03	94	28	31	43	450	--	--	--
RW4	02/12/96	348.29	0.00	36.84	311.45	1.5	2.0	2.9	2.4	52	--	4.0	--
RW4	05/17/96	348.29	0.00	36.58	311.71	7.7	2.3	26	1.4	160	--	ND	--
RW4	08/12/96	348.29	0.00	38.96	309.33	ND	ND	ND	ND	ND	--	ND	--
RW4	11/08/96	348.29	--	--	--	ND	ND	ND	ND	ND	--	ND	--
RW4	02/12/97	348.29	0.00	34.95	313.34	--	--	--	--	--	--	--	--
RW4 <sup>a</sup>	03/17/97	348.29	0.00	37.75	310.54	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	05/13/97	348.29	0.00	38.36	309.93	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	08/12/97	348.29	0.00	41.28	307.01	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	10/31/97	348.29	0.00	41.75	306.54	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	01/21/98	348.29	0.00	41.61	306.68	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	04/24/98	348.29	--	--	--	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	07/20/98	348.29	0.00	49.94	298.35	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	10/21/98	348.29	--	Dry	--	--	--	--	--	--	--	--	--
RW4 <sup>a</sup>	02/22/99	348.29	0.00	41.80	306.49	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	05/27/99	348.29	0.00	42.06	306.23	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	09/16/99	348.29	0.00	44.87	303.42	ND	ND	ND	ND	ND	--	ND	--
RW4 <sup>a</sup>	11/15/99	348.29	0.00	44.60	303.69	ND	ND	ND	ND	ND	--	ND	--



TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)						MTBE (8020 or 8021)	MTBE (8260)
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d		
RW4 <sup>a</sup>	03/02/00	348.29	0.00	41.48	306.81	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
RW4 <sup>a</sup>	06/06/00	348.29	0.00	43.41	304.88	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW4 <sup>a</sup>	08/29/00	348.29	0.00	45.38	302.91	<0.30	<0.30	<0.30	<0.60	<50	--	<10	--
RW4 <sup>a</sup>	11/07/00	348.29	0.00	43.99	304.30	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW4 <sup>a</sup>	01/30/01	348.29	0.00	45.12	303.17	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW4 <sup>a</sup>	04/19/01	348.29	0.00	44.42	303.87	<0.20	<0.20	<0.20	<0.60	<20	--	<0.30	--
RW4 <sup>a</sup>	07/27/01	348.29	0.00	44.54	303.75	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW4 <sup>a</sup>	10/19/01	348.29	0.00	45.09	303.20	<0.20	<0.20	<0.20	<0.60	<50	--	<0.30	--
RW4 <sup>a</sup>	01/15/02	350.92	0.00	43.68	307.24	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW4 <sup>a</sup>	04/09/02	350.92	0.00	45.79	305.13	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW4 <sup>a</sup>	07/23/02	350.92	0.00	46.43	304.49	<0.50	<0.50	<0.50	<0.50	<50.0	--	<0.50	--
RW4 <sup>a</sup>	10/16/02	350.92	0.00	44.06	306.86	<0.5	<0.5	<0.5	<0.5	<50.0	--	<0.5	--
RW4 <sup>a</sup>	01/09/03	350.92	0.00	41.97	308.95	0.70	<0.5	<0.5	<0.5	64.9	--	--	<0.50
RW4 <sup>a</sup>	04/14/03	350.92	0.00	44.17	306.75	<0.5	<0.5	<0.5	<0.5	<50.0	--	--	<0.50
RW4 <sup>a</sup>	07/09/03	350.92	0.00	43.83	307.09	<0.5	0.7	<0.5	<0.5	<50	--	<0.5	<0.5
RW4 <sup>a</sup>	10/01/03	350.92	0.00	44.60	306.32	<0.5	<0.5	<0.5	<0.5	<50	--	<0.5	<0.5
RW4 <sup>a</sup>	01/19/04	350.92	0.00	44.73	306.19	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	04/01/04	350.92	0.00	44.34	306.58	<1.0	2.1	<1.0	4.5	<100	--	--	<0.5
RW4 <sup>a</sup>	07/07/04	350.92	0.00	44.61	306.31	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	10/12/04	350.92	0.00	45.27	305.65	<0.5	2.7	0.5	3.8	<50	--	--	<0.5
RW4 <sup>a</sup>	01/05/05	350.92	0.00	44.91	306.01	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	04/14/05	350.92	0.00	40.77	310.15	<0.5	<0.5	<0.5	<0.5	<50	--	--	<0.5
RW4 <sup>a</sup>	07/14/05	350.92	0.00	43.54	307.38	<50	--	<0.5	<0.5	<0.5	<0.5	--	<0.5
<b>RW4<sup>a</sup></b>	<b>10/17/05</b>	<b>350.92</b>	<b>0.00</b>	<b>44.36</b>	<b>306.56</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;50</b>	<b>--</b>	<b>--</b>	<b>&lt;0.5</b>

a Sampled using no-purge method.

c Well inaccessible.

TABLE 2 GROUNDWATER MONITORING DATA, FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Casing Elevation (feet)	Product Thickness (feet)	Depth to Water (feet)	Groundwater Elevation (feet)	Concentrations (µg/L)					
						Benzene	Toluene	Ethyl-benzene	Total Xylenes	TPH-g	TPH-d

- d Insufficient amount of water for sample collection.
- e Reported by laboratory as non-gasoline mixture.
- f Due to an anomalous analytical result on 9/16/99, RW3 was resampled on 10/4/99.

- TPH-d Total Petroleum Hydrocarbons as diesel.
- TPH-g Total Petroleum Hydrocarbons as gasoline.
- ND Not detected at or above laboratory reporting limit.
- Trace Product present but too thin to be measured.
- µg/L Micrograms per liter.
- Not measured/not analyzed.

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,  
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
MW1 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW1 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW1 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>d</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW1 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>MW1<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
MW2 <sup>a</sup>	01/21/98	ND	--	--	--	--	--	--
MW2 <sup>a</sup>	05/27/99	ND	--	--	--	--	--	--
MW2 <sup>a</sup>	11/15/99	<5	--	--	--	--	--	--
MW2 <sup>a</sup>	11/07/00	<5	--	--	--	--	--	--
MW2 <sup>a</sup>	04/19/01	<5	--	--	--	--	--	--
MW2 <sup>a</sup>	01/15/02	<0.5	--	--	--	--	--	--
MW2 <sup>a</sup>	04/09/02	<2.5	--	--	--	--	--	--
MW2 <sup>a</sup>	07/23/02	<1.0	--	--	--	--	--	--
MW2 <sup>a</sup>	10/16/02	<0.50	--	--	--	--	--	--
MW2 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW2 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW2 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,  
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
MW2 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW2 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>MW2<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
MW4 <sup>d</sup>	01/15/02	<0.5	--	--	--	--	--	--
MW4 <sup>d</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	1.2	<0.50
MW4 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW4 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	0.60	<0.5
MW4 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW4 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>MW4<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
MW6 <sup>a</sup>	01/15/02	<0.5	--	--	--	--	--	--
MW6 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW6 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW6 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>d</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,  
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
MW6 <sup>d</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW6 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>MW6<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
MW10	01/09/03	0.60	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW10 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW10 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW11 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>d</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW11 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW12 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
MW12 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
MW12 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	08/12/97	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	10/31/97	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	01/21/98	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	07/20/98	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	10/21/98	25	--	--	--	--	--	--
RW1 <sup>a</sup>	02/22/99	ND	--	--	--	--	--	--
RW1 <sup>a</sup>	03/02/00	<10	--	--	--	--	--	--
RW1 <sup>a</sup>	04/19/01	<7	--	--	--	--	--	--

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,  
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
RW1 <sup>a</sup>	10/19/01	5	--	--	--	--	--	--
RW1 <sup>a</sup>	01/15/02	6.9	--	--	--	--	--	--
RW1 <sup>a</sup>	01/09/03	6.60	<0.50	<0.50	197	<0.50	<0.50	<0.50
RW1 <sup>a</sup>	04/14/03	4.60	<0.50	<0.50	93.2	<0.50	<0.50	<0.50
RW1 <sup>a</sup>	07/09/03	4.20	<0.5	<0.5	87.9	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	10/01/03	3.20	<0.5	<0.5	64.1	<0.5	27.4	<0.5
RW1 <sup>a</sup>	01/19/04	3.20	<0.5	<0.5	122	<0.5	<0.5	<0.5
RW1 <sup>d</sup>	04/01/04	2.40	<0.5	4.30	27.0	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	07/07/04	2.60	<0.5	<0.5	148	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW1 <sup>d</sup>	01/05/05	0.90	<0.5	<0.5	40.4	<0.5	<0.5	<0.5
RW1 <sup>a</sup>	04/14/05	<0.5	<0.5	1.20	42.4	<0.5	1.80	<0.5
RW1 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>RW1<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
RW2 <sup>a</sup>	04/24/98	ND	--	--	--	--	--	--
RW2 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	1.7	<0.50
RW2 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW2 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	1.10	<0.5
RW2 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW2 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>RW2<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,  
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether
RW3 <sup>a</sup>	01/30/01	<5	--	--	--	--	--	--
RW3 <sup>a</sup>	07/27/01	<2	--	--	--	--	--	--
RW3 <sup>a</sup>	10/19/01	<2	--	--	--	--	--	--
RW3 <sup>a</sup>	01/09/03	<0.5	<0.50	<0.50	<10	<0.50	3.2	<0.50
RW3 <sup>a</sup>	04/14/03	<0.5	<0.50	<0.50	<10	<0.50	3.2	<0.50
RW3 <sup>a</sup>	07/09/03	<0.5	<0.50	<0.50	<10	<0.50	3.40	<0.50
RW3 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	4.10	<0.5
RW3 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	3.40	<0.5
RW3 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW3 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	4.80	<0.5
RW3 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	4.70	<0.5
RW3 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	4.60	<0.5
RW3 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW3 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>RW3<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>
RW4 <sup>a</sup>	01/09/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW4 <sup>a</sup>	04/14/03	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50
RW4 <sup>a</sup>	07/09/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	10/01/03	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	01/19/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	04/01/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	07/07/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	10/12/04	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	01/05/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	04/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
RW4 <sup>a</sup>	07/14/05	<0.5	<0.5	<0.5	<10	<0.5	<0.5	<0.5
<b>RW4<sup>a</sup></b>	<b>10/17/05</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;20</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>	<b>&lt;0.5</b>

TABLE 3 GROUNDWATER ANALYTICAL RESULTS FOR OXYGENATES AND ADDITIVES,  
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Sample ID	Date	Concentrations (µg/L)						
		Methyl t-butyl ether	Ethyl t-butyl ether	t-Amyl methyl ether	t-Butyl alcohol	1,2-Dibromo-ethane	1,2-Dichloro-ethane	Diisopropyl ether

a            Sampled using no-purge method.  
 ND          Not detected at or above laboratory reporting limits.  
 --          Not analyzed.  
 µg/L        Micrograms per liter.



TABLE 4 GROUNDWATER MONITORING PLAN,  
FORMER MOBIL STATION 04-H6J, 1024 MAIN STREET, PLEASANTON, CALIFORNIA

Well Number	Groundwater Gauging Frequency	Groundwater Sampling and Analysis Frequency		
		BTEX and TPH-g	MTBE	Other Oxygenates and Additives
MW1	Q	Q	Q	Q
MW2	Q	Q	Q	Q
MW3	Q	--	--	--
MW4	Q	Q	Q	Q
MW5	Q	--	--	--
MW6	Q	Q	Q	Q
MW7	Q	--	--	--
MW8	Q	--	--	--
MW10	Q	A	A	A
MW11	Q	SA	SA	SA
MW12	Q	A	A	A
RW1	Q	Q	Q	Q
RW2	Q	Q	Q	Q
RW3	Q	Q	Q	Q
RW4	Q	Q	Q	Q
VMW1	Q	--	--	--
VMW2	Q	--	--	--
VMW3	Q	--	--	--
VMW4	Q	--	--	--

Q = Quarterly.

A = Annually (during the first quarter of each year).

SA = Semi-annually (during the first and third quarters of each year).

-- = Not sampled.

BTEX = Benzene, toluene, ethylbenzene, total xylenes.

MTBE = Methyl tertiary butyl ether.

TPH-g = Total Petroleum Hydrocarbons as gasoline.

Oxygenates and additives include diisopropyl ether, t-butyl alcohol, tert-amyl methyl ether, ethyl tert-butyl ether, 1,2-dibromoethane, and 1,2-dichloroethane.

**Appendix A**  
**Field Protocols**

## **PROTOCOLS FOR QUARTERLY GROUNDWATER MONITORING**

### **GROUNDWATER GAUGING**

Wells are opened prior to gauging to allow the groundwater level in the wells to equilibrate with atmospheric pressure. The depth to groundwater and depth to liquid-phase hydrocarbons, if present, are then measured to the nearest 0.01 feet using an electronic water level meter or optical interface probe. The measurements are made from a permanent reference point at the top of the well casing. If less than 1 foot of water is measured in a well, the well is considered "dry." Wells with a sheen or measurable liquid-phase hydrocarbons are generally not sampled.

### **WELL PURGING**

Wells at this site meet the criteria for a no purge alternative for quarterly groundwater monitoring. Therefore no purging of wells is completed at this site.

### **GROUNDWATER SAMPLING**

Groundwater in each well is sampled using a factory-cleaned disposable bailer. Samples from extraction wells are typically collected from sample ports associated with the groundwater remediation system. Samples collected for volatile organic analysis are placed in Teflon septum-sealed 40-milliliter glass vials. Samples collected for diesel analysis are placed in 1-liter amber glass bottles. Each sample bottle is labeled with the site name, well number, date, sampler's initials, and preservative. The samples are placed in a cooler with ice for delivery to a state-certified laboratory. The information for each sample is entered on a chain-of-custody form prior to transport to the laboratory.

**Appendix B**  
**Field Documents**



MONITORING WELL DATA FORM

Client: ExxonMobil

Date: 10/17/05

Project Number: UP04H6J.1

Station Number: 04-H6J

Site Location:  
1024 Main Street, Pleasanton, California

Samplers: CUI / AA

MONITORING WELL NUMBER	DEPTH TO WATER (TOC)	DEPTH TO PRODUCT (TOC)	APPARENT PRODUCT THICKNESS	AMOUNT OF PRODUCT REMOVED	Well Completion Depth (Feet)	DEPTH TO BOTTOM (TOC)	WELL CASING DIAMETER
MW1	43.91					50.08	4"
MW2	43.41					48.58	2"
MW3	10.04					33.16	2"
MW4	44.12					48.63	4"
MW5	33.12					34.68	4"
MW6	44.45					54.23	4"
MW7	7.94					24.41	2"
MW8	10.42					28.61	2"
MW10	44.13					54.64	4"
MW11	35.03					44.65	4"
MW12	45.55					54.67	4"
RW1	43.46					48.63	6"
RW2	38.99					52.18	6"
RW3	43.57					52.93	6"
RW4	44.36					49.31	6"
VMW1	30.27	dry				30.27	4"
VMW2	21.00					27.71	4"
VMW3	13.05					31.96	4"
VMW4	8.41					12.62	4"



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: MW1	Date: 10/17/03
Project No: UP04H6J.1	Personnel: Eric R.	

<b>GAUGING DATA</b>									
Water Level Measuring Method: WLM	Measuring Point Description: TOC								
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	-	-	X	1	2	4	6	-	
				0.04	0.16	0.64	1.44		

<b>PURGING DATA</b>						
Purge Method:	non-purge , sample by bailer	Purge Depth:	Screen	Purge Rate:		(gpm)
Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

<b>SAMPLING DATA</b>	
Time Sampled: 1255	Approximate Depth to Water During Sampling: 44 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW1	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons)	Disposal: N/A
Weather Conditions: OK	
Condition of Well Box and Casing at Time of Sampling: Replace box	
Well Head Conditions Requiring Correction: Y	
Problems Encountered During Purging and Sampling: N	
Comments:	



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: MW2	Date: 10/17/03
Project No: UP04H6J.1	Personnel: R. Dale R	

### GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		⊖	=	⊗	1 0.04	2 0.16	4 0.64	6 1.44	

### PURGING DATA

Purge Method: non-purge, sample by bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 1217      Approximate Depth to Water During Sampling: 44 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW2	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: — (gallons)

Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: V-PVC broken on top

Problems Encountered During Purging and Sampling: N

Comments:



**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Mobil 04-H6J Well No: MW4 Date: 10/17/05  
 Project No: UP04H6J.1 Personnel: Rick R

**GAUGING DATA**

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
		-	-	X	1 0.04	2 0.16	4 0.64	6 1.44	=

**PURGING DATA**

Purge Method: non-purge, sample by bailer Purge Depth: Screen Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

**NO PURGE / GRAB SAMPLE ONLY**

**SAMPLING DATA**

Time Sampled: 1300

Approximate Depth to Water During Sampling: 44 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW4	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: ✓ (gallons)

Disposal: N/A

Weather Conditions:

OK

Condition of Well Box and Casing at Time of Sampling:

Replace well box

Well Head Conditions Requiring Correction:

N

Problems Encountered During Purging and Sampling:

N

Comments:





**GROUNDWATER PURGE AND SAMPLE**

Project Name: Former Mobil 04-H6J	Well No: MW6	Date: 10/17/05
Project No: UP04H6J.1	Personnel: Bill R	

<b>GAUGING DATA</b>									
Water Level Measuring Method: WLM				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	-	=	X	1	2	4	6	=	
				0.04	0.16	0.64	1.44		

<b>PURGING DATA</b>						
Purge Method:	non-purge , sample by bailer	Purge Depth:	Screen	Purge Rate:	(gpm)	
Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

**NO PURGE / GRAB SAMPLE ONLY**

<b>SAMPLING DATA</b>	
Time Sampled: 1130	Approximate Depth to Water During Sampling: 49 (feet)
Comments:	

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
MW6	6	Voac	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: \_\_\_\_\_ (gallons)      Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: Missina Bill

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: RW1	Date: 10/17/09
Project No: UP04H6J.1	Personnel: Rice	

<b>GAUGING DATA</b>									
Water Level Measuring Method: WLM	Measuring Point Description: TOC								
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	-	-	X	1	2	4	6	-	
				0.04	0.16	0.64	1.44		

<b>PURGING DATA</b>						
Purge Method: non-purge , sample by bailer	Purge Depth: Screen	Purge Rate: _____	(gpm)			
Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						
Comments/Observations:						
<b>NO PURGE / GRAB SAMPLE ONLY</b>						

<b>SAMPLING DATA</b>						
Time Sampled: 1247	Approximate Depth to Water During Sampling: 43 (feet)					
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
RW1	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: _____ (gallons)	Disposal: N/A
Weather Conditions: OK	
Condition of Well Box and Casing at Time of Sampling: OK	
Well Head Conditions Requiring Correction: N	
Problems Encountered During Purging and Sampling: N	
Comments:	



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: <u>RW2</u>	Date: <u>10/17/08</u>
Project No: UP04H6J.1	Personnel: <u>ETIC R.</u>	

<b>GAUGING DATA</b>									
Water Level Measuring Method: WLM				Measuring Point Description: TOC					
WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	-	=	X	1	2	4	6	=	
				0.04	0.16	0.64	1.44		

<b>PURGING DATA</b>						
Purge Method:	non-purge , sample by bailer		Purge Depth:	Screen	Purge Rate:	(gpm)
Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						
Comments/Observations:						
<b>NO PURGE / GRAB SAMPLE ONLY</b>						

<b>SAMPLING DATA</b>						
Time Sampled:	<u>1150</u>		Approximate Depth to Water During Sampling:	<u>39</u> (feet)		
Comments:						
Sample Number	Number of Containers	Container Type	Preservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>RW2</u>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume:	-	(gallons)	Disposal:	N/A
Weather Conditions: <u>OK</u>				
Condition of Well Box and Casing at Time of Sampling: <u>NEEDS LOCK</u>				
Well Head Conditions Requiring Correction: <u>N</u>				
Problems Encountered During Purging and Sampling: <u>N</u>				
Comments:				



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: RW3	Date: 10/17/05
Project No: UP04H6J.1	Personnel: Rick R.	

### GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter:				Casing Volume (gal)	Total Purge Volume (gal)
		⊖	=	⊗	1 0.04	2 0.16	4 0.64	6 1.44	⊖

### PURGING DATA

Purge Method: non-purge, sample by bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time						
Volume Purge (gal)						
Temperature (C)						
pH						
Spec. Cond. (umhos)						
Turbidity/Color						
Odor (Y/N)						
Dewatered (Y/N)						

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 1230

Approximate Depth to Water During Sampling: 44 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
RW3	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume: \_\_\_\_\_ (gallons)

Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:



## GROUNDWATER PURGE AND SAMPLE

Project Name: Former Mobil 04-H6J	Well No: <u>ZW4</u>	Date: <u>10/17/05</u>
Project No: UP04H6J.1	Personnel: <u>Rick R.</u>	

### GAUGING DATA

Water Level Measuring Method: WLM

Measuring Point Description: TOC

WELL PURGE VOLUME CALCULATION	Total Depth (feet)	Depth to Water (feet)	Water Column (feet)	Multiplier for Casing Diameter				Casing Volume (gal)	Total Purge Volume (gal)
	⊖	=	⊗	1	2	4	6	⊕	
				0.04	0.16	0.64	1.44		

### PURGING DATA

Purge Method: non-purge, sample by bailer      Purge Depth: Screen      Purge Rate: (gpm)

Time					
Volume Purge (gal)					
Temperature (C)					
pH					
Spec. Cond. (umhos)					
Turbidity/Color					
Odor (Y/N)					
Dewatered (Y/N)					

Comments/Observations:

NO PURGE / GRAB SAMPLE ONLY

### SAMPLING DATA

Time Sampled: 1201      Approximate Depth to Water During Sampling: 44 (feet)

Comments:

Sample Number	Number of Containers	Container Type	Perservative	Volume Filled (mL or L)	Turbidity/ Color	Analysis Method
<u>ZW4</u>	6	Voa	HCL	40 ml	/	TPH-g, BTEX, MTBE

Total Purge Volume:      (gallons)      Disposal: N/A

Weather Conditions: OK

Condition of Well Box and Casing at Time of Sampling: OK

Well Head Conditions Requiring Correction: N

Problems Encountered During Purging and Sampling: N

Comments:

## **Appendix C**

### **Laboratory Analytical Reports**

November 01, 2005

Client: ETIC Engineering Pleasant Hill (10236)  
2285 Morello Avenue  
Pleasant Hill, CA 94523  
Attn: Hamidou Barry

Work Order: NOJ2393  
Project Name: Exxon 04-H6J PO:4505802524  
Project Nbr: 04-H6J  
Date Received: 10/21/05

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
MW1	NOJ2393-01	10/17/05 12:55
MW2	NOJ2393-02	10/17/05 12:17
MW4	NOJ2393-03	10/17/05 13:00
MW6	NOJ2393-04	10/17/05 11:30
RW1	NOJ2393-05	10/17/05 12:47
RW2	NOJ2393-06	10/17/05 12:50
RW3	NOJ2393-07	10/17/05 12:30
RW4	NOJ2393-08	10/17/05 12:01

RECEIVED

NOV 09 2005

ETIC ENGINEERING

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

Report Approved By:



Roxanne Connor  
Senior Project Manager

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NOJ2393-01 (MW1 - Water) Sampled: 10/17/05 12:55</b>									
Volatile Organic Compounds by EPA Method 8021B									
Benzene	ND		ug/L	0.50	1	10/25/05 16:56	SW846 8021B	kc	5103789
Ethylbenzene	1.20		ug/L	0.50	1	10/25/05 16:56	SW846 8021B	kc	5103789
Toluene	0.55		ug/L	0.50	1	10/25/05 16:56	SW846 8021B	kc	5103789
Xylenes, total	1.34		ug/L	0.50	1	10/25/05 16:56	SW846 8021B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	109 %					10/25/05 16:56	SW846 8021B	kc	5103789
Oxygenates by EPA 8260B									
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	10/28/05 10:32	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/05 10:32	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/05 10:32	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 10:32	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0.500	1	10/28/05 10:32	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 10:32	SW846 8260B	MJH	5103929
Tertiary Butyl Alcohol	ND		ug/L	20.0	1	10/28/05 10:32	SW846 8260B	MJH	5103929
Surrogate: 1,2-Dichloroethane-d4 (70-130%)	97 %					10/28/05 10:32	SW846 8260B	MJH	5103929
Surrogate: Dibromofluoromethane (79-122%)	91 %					10/28/05 10:32	SW846 8260B	MJH	5103929
Surrogate: Toluene-d8 (78-121%)	90 %					10/28/05 10:32	SW846 8260B	MJH	5103929
Surrogate: 4-Bromofluorobenzene (78-126%)	89 %					10/28/05 10:32	SW846 8260B	MJH	5103929
Purgeable Petroleum Hydrocarbons									
GRO as Gasoline	80.1		ug/L	50.0	1	10/25/05 16:56	SW846 8015B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	109 %					10/25/05 16:56	SW846 8015B	kc	5103789
<b>Sample ID: NOJ2393-02 (MW2 - Water) Sampled: 10/17/05 12:17</b>									
Volatile Organic Compounds by EPA Method 8021B									
Benzene	6.86		ug/L	0.50	1	10/25/05 17:26	SW846 8021B	kc	5103789
Ethylbenzene	1.03		ug/L	0.50	1	10/25/05 17:26	SW846 8021B	kc	5103789
Toluene	3.52		ug/L	0.50	1	10/25/05 17:26	SW846 8021B	kc	5103789
Xylenes, total	3.36		ug/L	0.50	1	10/25/05 17:26	SW846 8021B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	110 %					10/25/05 17:26	SW846 8021B	kc	5103789
Oxygenates by EPA 8260B									
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	10/28/05 11:02	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/05 11:02	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/05 11:02	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 11:02	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0.500	1	10/28/05 11:02	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 11:02	SW846 8260B	MJH	5103929
Tertiary Butyl Alcohol	ND		ug/L	20.0	1	10/28/05 11:02	SW846 8260B	MJH	5103929
Surrogate: 1,2-Dichloroethane-d4 (70-130%)	96 %					10/28/05 11:02	SW846 8260B	MJH	5103929
Surrogate: Dibromofluoromethane (79-122%)	92 %					10/28/05 11:02	SW846 8260B	MJH	5103929
Surrogate: Toluene-d8 (78-121%)	88 %					10/28/05 11:02	SW846 8260B	MJH	5103929
Surrogate: 4-Bromofluorobenzene (78-126%)	88 %					10/28/05 11:02	SW846 8260B	MJH	5103929
Purgeable Petroleum Hydrocarbons									
GRO as Gasoline	554		ug/L	50.0	1	10/25/05 17:26	SW846 8015B	kc	5103789



Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NOJ2393-02 (MW2 - Water) - cont. Sampled: 10/17/05 12:17</b>									
Purgeable Petroleum Hydrocarbons - cont.									
Surrogate a.a.a-Trifluorotoluene (63-134%)	110 %					10/25/05 17:26	SW846 8015B	kc	5103789
<b>Sample ID: NOJ2393-03 (MW4 - Water) Sampled: 10/17/05 13:00</b>									
Volatile Organic Compounds by EPA Method 8021B									
Benzene	ND		ug/L	0.50	1	10/25/05 17:56	SW846 8021B	kc	5103789
Ethylbenzene	ND		ug/L	0.50	1	10/25/05 17:56	SW846 8021B	kc	5103789
Toluene	ND		ug/L	0.50	1	10/25/05 17:56	SW846 8021B	kc	5103789
Xylenes, total	0.64		ug/L	0.50	1	10/25/05 17:56	SW846 8021B	kc	5103789
Surrogate a.a.a-Trifluorotoluene (63-134%)	109 %					10/25/05 17:56	SW846 8021B	kc	5103789
Oxygenates by EPA 8260B									
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	10/28/05 05:12	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/05 05:12	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/05 05:12	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 05:12	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0.500	1	10/28/05 05:12	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 05:12	SW846 8260B	MJH	5103929
Tertiary Butyl Alcohol	ND		ug/L	20.0	1	10/28/05 05:12	SW846 8260B	MJH	5103929
Surrogate 1,2-Dichloroethane-d4 (70-130%)	96 %					10/28/05 05:12	SW846 8260B	MJH	5103929
Surrogate Dibromofluoromethane (79-122%)	92 %					10/28/05 05:12	SW846 8260B	MJH	5103929
Surrogate Toluene-d8 (78-121%)	90 %					10/28/05 05:12	SW846 8260B	MJH	5103929
Surrogate 4-Bromofluorobenzene (78-126%)	87 %					10/28/05 05:12	SW846 8260B	MJH	5103929
Purgeable Petroleum Hydrocarbons									
GRO as Gasoline	95.3		ug/L	50.0	1	10/25/05 17:56	SW846 8015B	kc	5103789
Surrogate a.a.a-Trifluorotoluene (63-134%)	109 %					10/25/05 17:56	SW846 8015B	kc	5103789
<b>Sample ID: NOJ2393-04 (MW6 - Water) Sampled: 10/17/05 11:30</b>									
Volatile Organic Compounds by EPA Method 8021B									
Benzene	ND		ug/L	0.50	1	10/25/05 18:10	SW846 8021B	kc	5103789
Ethylbenzene	ND		ug/L	0.50	1	10/25/05 18:10	SW846 8021B	kc	5103789
Toluene	ND		ug/L	0.50	1	10/25/05 18:10	SW846 8021B	kc	5103789
Xylenes, total	ND		ug/L	0.50	1	10/25/05 18:10	SW846 8021B	kc	5103789
Surrogate a.a.a-Trifluorotoluene (63-134%)	111 %					10/25/05 18:10	SW846 8021B	kc	5103789
Oxygenates by EPA 8260B									
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	10/28/05 11:31	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/05 11:31	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/05 11:31	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 11:31	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0.500	1	10/28/05 11:31	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 11:31	SW846 8260B	MJH	5103929
Tertiary Butyl Alcohol	ND		ug/L	20.0	1	10/28/05 11:31	SW846 8260B	MJH	5103929
Surrogate 1,2-Dichloroethane-d4 (70-130%)	96 %					10/28/05 11:31	SW846 8260B	MJH	5103929
Surrogate Dibromofluoromethane (79-122%)	92 %					10/28/05 11:31	SW846 8260B	MJH	5103929
Surrogate Toluene-d8 (78-121%)	93 %					10/28/05 11:31	SW846 8260B	MJH	5103929

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Bary

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NOJ2393-04 (MW6 - Water) - cont. Sampled: 10/17/05 11:30</b>									
Oxygenates by EPA 8260B - cont.									
Surrogate: 4-Bromofluorobenzene (78-126%)	89 %					10/28/05 11:31	SW846 8260B	MJH	5103929
Purgeable Petroleum Hydrocarbons									
GRO as Gasoline	ND		ug/L	50.0	1	10/25/05 18:10	SW846 8015B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	111 %					10/25/05 18:10	SW846 8015B	kc	5103789
<b>Sample ID: NOJ2393-05 (RW1 - Water) Sampled: 10/17/05 12:47</b>									
Volatile Organic Compounds by EPA Method 8021B									
Benzene	54.6		ug/L	0.50	1	10/25/05 18:25	SW846 8021B	kc	5103789
Ethylbenzene	52.7		ug/L	0.50	1	10/25/05 18:25	SW846 8021B	kc	5103789
Toluene	4.93		ug/L	0.50	1	10/25/05 18:25	SW846 8021B	kc	5103789
Xylenes, total	15.5		ug/L	0.50	1	10/25/05 18:25	SW846 8021B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	107 %					10/25/05 18:25	SW846 8021B	kc	5103789
Oxygenates by EPA 8260B									
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	10/28/05 12:00	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/05 12:00	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/05 12:00	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 12:00	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0.500	1	10/28/05 12:00	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 12:00	SW846 8260B	MJH	5103929
Tertiary Butyl Alcohol	ND		ug/L	20.0	1	10/28/05 12:00	SW846 8260B	MJH	5103929
Surrogate: 1,2-Dichloroethane-d4 (70-130%)	96 %					10/28/05 12:00	SW846 8260B	MJH	5103929
Surrogate: Dibromofluoromethane (79-122%)	92 %					10/28/05 12:00	SW846 8260B	MJH	5103929
Surrogate: Toluene-d8 (78-121%)	88 %					10/28/05 12:00	SW846 8260B	MJH	5103929
Surrogate: 4-Bromofluorobenzene (78-126%)	90 %					10/28/05 12:00	SW846 8260B	MJH	5103929
Purgeable Petroleum Hydrocarbons									
GRO as Gasoline	1740		ug/L	50.0	1	10/25/05 18:25	SW846 8015B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	107 %					10/25/05 18:25	SW846 8015B	kc	5103789
<b>Sample ID: NOJ2393-06 (RW2 - Water) Sampled: 10/17/05 12:50</b>									
Volatile Organic Compounds by EPA Method 8021B									
Benzene	ND		ug/L	0.50	1	10/25/05 18:40	SW846 8021B	kc	5103789
Ethylbenzene	ND		ug/L	0.50	1	10/25/05 18:40	SW846 8021B	kc	5103789
Toluene	ND		ug/L	0.50	1	10/25/05 18:40	SW846 8021B	kc	5103789
Xylenes, total	ND		ug/L	0.50	1	10/25/05 18:40	SW846 8021B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	111 %					10/25/05 18:40	SW846 8021B	kc	5103789
Oxygenates by EPA 8260B									
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	10/28/05 12:29	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/05 12:29	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/05 12:29	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 12:29	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0.500	1	10/28/05 12:29	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 12:29	SW846 8260B	MJH	5103929

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Bary

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NOJ2393-06 (RW2 - Water) - cont. Sampled: 10/17/05 12:50</b>									
Oxygenates by EPA 8260B - cont.									
Tertiary Butyl Alcohol	ND		ug/L	20 0	1	10/28/05 12:29	SW846 8260B	MJH	5103929
Surrogate: 1,2-Dichloroethane-d4 (70-130%)	93 %					10/28/05 12:29	SW846 8260B	MJH	5103929
Surrogate: Dibromofluoromethane (79-122%)	90 %					10/28/05 12:29	SW846 8260B	MJH	5103929
Surrogate: Toluene-d8 (78-121%)	97 %					10/28/05 12:29	SW846 8260B	MJH	5103929
Surrogate: 4-Bromofluorobenzene (78-126%)	90 %					10/28/05 12:29	SW846 8260B	MJH	5103929
Purgeable Petroleum Hydrocarbons									
GRO as Gasoline	ND		ug/L	50 0	1	10/25/05 18:40	SW846 8015B	kc	5103789
Surrogate: a.a.a-Trifluorotoluene (63-134%)	111 %					10/25/05 18:40	SW846 8015B	kc	5103789
<b>Sample ID: NOJ2393-07 (RW3 - Water) Sampled: 10/17/05 12:30</b>									
Volatile Organic Compounds by EPA Method 8021B									
Benzene	ND		ug/L	0 50	1	10/25/05 18:55	SW846 8021B	kc	5103789
Ethylbenzene	ND		ug/L	0 50	1	10/25/05 18:55	SW846 8021B	kc	5103789
Toluene	ND		ug/L	0 50	1	10/25/05 18:55	SW846 8021B	kc	5103789
Xylenes, total	ND		ug/L	0 50	1	10/25/05 18:55	SW846 8021B	kc	5103789
Surrogate: a.a.a-Trifluorotoluene (63-134%)	107 %					10/25/05 18:55	SW846 8021B	kc	5103789
Oxygenates by EPA 8260B									
Tert-Amyl Methyl Ether	ND		ug/L	0 500	1	10/28/05 12:58	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0 500	1	10/28/05 12:58	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0 500	1	10/28/05 12:58	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0 500	1	10/28/05 12:58	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0 500	1	10/28/05 12:58	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0 500	1	10/28/05 12:58	SW846 8260B	MJH	5103929
Tertiary Butyl Alcohol	ND		ug/L	20 0	1	10/28/05 12:58	SW846 8260B	MJH	5103929
Surrogate: 1,2-Dichloroethane-d4 (70-130%)	94 %					10/28/05 12:58	SW846 8260B	MJH	5103929
Surrogate: Dibromofluoromethane (79-122%)	90 %					10/28/05 12:58	SW846 8260B	MJH	5103929
Surrogate: Toluene-d8 (78-121%)	96 %					10/28/05 12:58	SW846 8260B	MJH	5103929
Surrogate: 4-Bromofluorobenzene (78-126%)	91 %					10/28/05 12:58	SW846 8260B	MJH	5103929
Purgeable Petroleum Hydrocarbons									
GRO as Gasoline	ND		ug/L	50 0	1	10/25/05 18:55	SW846 8015B	kc	5103789
Surrogate: a.a.a-Trifluorotoluene (63-134%)	107 %					10/25/05 18:55	SW846 8015B	kc	5103789

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NOJ2393-08 (RW4 - Water) Sampled: 10/17/05 12:01</b>									
<b>Volatile Organic Compounds by EPA Method 8021B</b>									
Benzene	ND		ug/L	0.50	1	10/25/05 19:10	SW846 8021B	kc	5103789
Ethylbenzene	ND		ug/L	0.50	1	10/25/05 19:10	SW846 8021B	kc	5103789
Toluene	ND		ug/L	0.50	1	10/25/05 19:10	SW846 8021B	kc	5103789
Xylenes, total	ND		ug/L	0.50	1	10/25/05 19:10	SW846 8021B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	113 %					10/25/05 19:10	SW846 8021B	kc	5103789
<b>Oxygenates by EPA 8260B</b>									
Tert-Amyl Methyl Ether	ND		ug/L	0.500	1	10/28/05 13:28	SW846 8260B	MJH	5103929
1,2-Dibromoethane (EDB)	ND		ug/L	0.500	1	10/28/05 13:28	SW846 8260B	MJH	5103929
1,2-Dichloroethane	ND		ug/L	0.500	1	10/28/05 13:28	SW846 8260B	MJH	5103929
Ethyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 13:28	SW846 8260B	MJH	5103929
Isopropyl Ether	ND		ug/L	0.500	1	10/28/05 13:28	SW846 8260B	MJH	5103929
Methyl tert-Butyl Ether	ND		ug/L	0.500	1	10/28/05 13:28	SW846 8260B	MJH	5103929
Tertiary Butyl Alcohol	ND		ug/L	20.0	1	10/28/05 13:28	SW846 8260B	MJH	5103929
Surrogate: 1,2-Dichloroethane-d4 (70-130%)	95 %					10/28/05 13:28	SW846 8260B	MJH	5103929
Surrogate: Dibromofluoromethane (79-122%)	91 %					10/28/05 13:28	SW846 8260B	MJH	5103929
Surrogate: Toluene-d8 (78-121%)	97 %					10/28/05 13:28	SW846 8260B	MJH	5103929
Surrogate: 4-Bromofluorobenzene (78-126%)	90 %					10/28/05 13:28	SW846 8260B	MJH	5103929
<b>Purgeable Petroleum Hydrocarbons</b>									
GRO as Gasoline	ND		ug/L	50.0	1	10/25/05 19:10	SW846 8015B	kc	5103789
Surrogate: a,a,a-Trifluorotoluene (63-134%)	113 %					10/25/05 19:10	SW846 8015B	kc	5103789

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

**PROJECT QUALITY CONTROL DATA**  
**Blank**

Analyte	Blank Value	Q	Units	Q C Batch	Lab Number	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>						
<b>5103789-BLK1</b>						
Benzene	<0.19		ug/L	5103789	5103789-BLK1	10/25/05 12:35
Ethylbenzene	<0.20		ug/L	5103789	5103789-BLK1	10/25/05 12:35
Toluene	<0.20		ug/L	5103789	5103789-BLK1	10/25/05 12:35
Xylenes, total	<0.50		ug/L	5103789	5103789-BLK1	10/25/05 12:35
Surrogate: <i>a,a,a</i> -Trifluorotoluene	111%			5103789	5103789-BLK1	10/25/05 12:35
<b>5103789-BLK2</b>						
Benzene	<0.19		ug/L	5103789	5103789-BLK2	10/25/05 12:50
Ethylbenzene	<0.20		ug/L	5103789	5103789-BLK2	10/25/05 12:50
Toluene	<0.20		ug/L	5103789	5103789-BLK2	10/25/05 12:50
Xylenes, total	<0.50		ug/L	5103789	5103789-BLK2	10/25/05 12:50
Surrogate: <i>a,a,a</i> -Trifluorotoluene	112%			5103789	5103789-BLK2	10/25/05 12:50
<b>Oxygenates by EPA 8260B</b>						
<b>5103929-BLK1</b>						
Tert-Amyl Methyl Ether	<0.200		ug/L	5103929	5103929-BLK1	10/28/05 04:14
1,2-Dibromoethane (EDB)	<0.250		ug/L	5103929	5103929-BLK1	10/28/05 04:14
1,2-Dichloroethane	<0.390		ug/L	5103929	5103929-BLK1	10/28/05 04:14
Ethyl tert-Butyl Ether	<0.200		ug/L	5103929	5103929-BLK1	10/28/05 04:14
Isopropyl Ether	<0.200		ug/L	5103929	5103929-BLK1	10/28/05 04:14
Methyl tert-Butyl Ether	<0.200		ug/L	5103929	5103929-BLK1	10/28/05 04:14
Tertiary Butyl Alcohol	<5.06		ug/L	5103929	5103929-BLK1	10/28/05 04:14
Surrogate: <i>1,2</i> -Dichloroethane- <i>d4</i>	95%			5103929	5103929-BLK1	10/28/05 04:14
Surrogate: <i>Dibromofluoromethane</i>	92%			5103929	5103929-BLK1	10/28/05 04:14
Surrogate: <i>Toluene-d8</i>	91%			5103929	5103929-BLK1	10/28/05 04:14
Surrogate: <i>4-Bromofluorobenzene</i>	92%			5103929	5103929-BLK1	10/28/05 04:14
<b>Purgeable Petroleum Hydrocarbons</b>						
<b>5103789-BLK1</b>						
GRO as Gasoline	<33.0		ug/L	5103789	5103789-BLK1	10/25/05 12:35
Surrogate: <i>a,a,a</i> -Trifluorotoluene	111%			5103789	5103789-BLK1	10/25/05 12:35
<b>5103789-BLK2</b>						
GRO as Gasoline	<33.0		ug/L	5103789	5103789-BLK2	10/25/05 12:50
Surrogate: <i>a,a,a</i> -Trifluorotoluene	112%			5103789	5103789-BLK2	10/25/05 12:50

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

**PROJECT QUALITY CONTROL DATA**  
**LCS**

Analyte	Known Val	Analyzed Val	Q	Units	% Rec	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>								
<b>5103789-BS1</b>								
Benzene	100	90.3		ug/L	90%	72 - 118	5103789	10/26/05 15:30
Ethylbenzene	100	90.4		ug/L	90%	71 - 119	5103789	10/26/05 15:30
Toluene	100	87.1		ug/L	87%	72 - 119	5103789	10/26/05 15:30
Xylenes, total	200	177		ug/L	88%	70 - 117	5103789	10/26/05 15:30
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	33.3			111%	63 - 134	5103789	10/26/05 15:30
<b>Oxygenates by EPA 8260B</b>								
<b>5103929-BS1</b>								
Tert-Amyl Methyl Ether	50.0	44.1		ug/L	88%	56 - 145	5103929	10/28/05 02:47
1,2-Dibromoethane (EDB)	50.0	53.0		ug/L	106%	75 - 128	5103929	10/28/05 02:47
1,2-Dichloroethane	50.0	49.4		ug/L	99%	74 - 131	5103929	10/28/05 02:47
Ethyl tert-Butyl Ether	50.0	44.3		ug/L	89%	64 - 141	5103929	10/28/05 02:47
Isopropyl Ether	50.0	50.0		ug/L	100%	73 - 135	5103929	10/28/05 02:47
Methyl tert-Butyl Ether	50.0	42.8		ug/L	86%	66 - 142	5103929	10/28/05 02:47
Tertiary Butyl Alcohol	500	441		ug/L	88%	42 - 154	5103929	10/28/05 02:47
Surrogate: <i>1,2-Dichloroethane-d4</i>	25.0	22.2			89%	70 - 130	5103929	10/28/05 02:47
Surrogate: <i>Dibromofluoromethane</i>	25.0	22.5			90%	79 - 122	5103929	10/28/05 02:47
Surrogate: <i>Toluene-d8</i>	25.0	22.4			90%	78 - 121	5103929	10/28/05 02:47
Surrogate: <i>4-Bromofluorobenzene</i>	25.0	23.5			94%	78 - 126	5103929	10/28/05 02:47
<b>Purgeable Petroleum Hydrocarbons</b>								
<b>5103789-BS2</b>								
GRO as Gasoline	1000	928		ug/L	93%	64 - 130	5103789	10/26/05 16:00
Surrogate: <i>a,a,a-Trifluorotoluene</i>	30.0	34.0			113%	63 - 134	5103789	10/26/05 16:00

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike**

Analyte	Orig Val	MS Val	Q	Units	Spike Conc	% Rec	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>										
<b>5103789-MS1</b>										
Benzene	ND	48.4		ug/L	50.0	97%	50 - 160	5103789	NOJ2393-01	10/26/05 14:31
Ethylbenzene	1.20	49.4		ug/L	50.0	96%	47 - 159	5103789	NOJ2393-01	10/26/05 14:31
Toluene	0.546	46.6		ug/L	50.0	92%	51 - 157	5103789	NOJ2393-01	10/26/05 14:31
Xylenes, total	1.34	94.9		ug/L	100	94%	51 - 152	5103789	NOJ2393-01	10/26/05 14:31
Surrogate: a,a,a-Trifluorotoluene		33.3		ug/L	30.0	111%	63 - 134	5103789	NOJ2393-01	10/26/05 14:31
<b>Oxygenates by EPA 8260B</b>										
<b>5103929-MS1</b>										
Tert-Amyl Methyl Ether	ND	41.5		ug/L	50.0	83%	45 - 155	5103929	NOJ2393-03	10/28/05 13:57
1,2-Dibromoethane (EDB)	ND	49.3		ug/L	50.0	99%	71 - 138	5103929	NOJ2393-03	10/28/05 13:57
1,2-Dichloroethane	ND	48.2		ug/L	50.0	96%	70 - 140	5103929	NOJ2393-03	10/28/05 13:57
Ethyl tert-Butyl Ether	ND	43.4		ug/L	50.0	87%	57 - 148	5103929	NOJ2393-03	10/28/05 13:57
Isopropyl Ether	ND	47.9		ug/L	50.0	96%	67 - 143	5103929	NOJ2393-03	10/28/05 13:57
Methyl tert-Butyl Ether	ND	41.8		ug/L	50.0	84%	55 - 152	5103929	NOJ2393-03	10/28/05 13:57
Tertiary Butyl Alcohol	ND	273		ug/L	500	55%	19 - 183	5103929	NOJ2393-03	10/28/05 13:57
Surrogate: 1,2-Dichloroethane-d4		22.8		ug/L	25.0	91%	70 - 130	5103929	NOJ2393-03	10/28/05 13:57
Surrogate: Dibromofluoromethane		23.1		ug/L	25.0	92%	79 - 122	5103929	NOJ2393-03	10/28/05 13:57
Surrogate: Toluene-d8		24.3		ug/L	25.0	97%	78 - 121	5103929	NOJ2393-03	10/28/05 13:57
Surrogate: 4-Bromofluorobenzene		23.2		ug/L	25.0	93%	78 - 126	5103929	NOJ2393-03	10/28/05 13:57
<b>Purgeable Petroleum Hydrocarbons</b>										
<b>5103789-MS2</b>										
GRO as Gasoline	146	1080		ug/L	1000	93%	43 - 150	5103789	NOJ2201-02	10/26/05 15:00
Surrogate: a,a,a-Trifluorotoluene		34.0		ug/L	30.0	113%	63 - 134	5103789	NOJ2201-02	10/26/05 15:00

Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike Dup**

Analyte	Orig Val	Duplicate	Q	Units	Spike Conc	% Rec	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8021B</b>												
<b>5103789-MSD1</b>												
Benzene	ND	47.9		ug/L	50.0	96%	50 - 160	1	30	5103789	NOJ2393-01	10/26/05 14:45
Ethylbenzene	1.20	45.2		ug/L	50.0	88%	47 - 159	9	38	5103789	NOJ2393-01	10/26/05 14:45
Toluene	0.546	42.5		ug/L	50.0	84%	51 - 157	9	37	5103789	NOJ2393-01	10/26/05 14:45
Xylenes, total	1.34	84.2		ug/L	100	83%	51 - 152	12	33	5103789	NOJ2393-01	10/26/05 14:45
Surrogate <i>a,a,a</i> -Trifluorotoluene		32.8		ug/L	30.0	109%	63 - 134			5103789	NOJ2393-01	10/26/05 14:45
<b>Oxygenates by EPA 8260B</b>												
<b>5103929-MSD1</b>												
Tert-Amyl Methyl Ether	ND	50.1		ug/L	50.0	100%	45 - 155	19	24	5103929	NOJ2393-03	10/28/05 14:26
1,2-Dibromoethane (EDB)	ND	57.8		ug/L	50.0	116%	71 - 138	16	27	5103929	NOJ2393-03	10/28/05 14:26
1,2-Dichloroethane	ND	55.4		ug/L	50.0	111%	70 - 140	14	21	5103929	NOJ2393-03	10/28/05 14:26
Ethyl tert-Butyl Ether	ND	52.0		ug/L	50.0	104%	57 - 148	18	22	5103929	NOJ2393-03	10/28/05 14:26
Isopropyl Ether	ND	56.1		ug/L	50.0	112%	67 - 143	16	22	5103929	NOJ2393-03	10/28/05 14:26
Methyl tert-Butyl Ether	ND	49.7		ug/L	50.0	99%	55 - 152	17	27	5103929	NOJ2393-03	10/28/05 14:26
Tertiary Butyl Alcohol	ND	330		ug/L	500	66%	19 - 183	19	39	5103929	NOJ2393-03	10/28/05 14:26
Surrogate <i>1,2</i> -Dichloroethane- <i>d4</i>		22.0		ug/L	25.0	88%	70 - 130			5103929	NOJ2393-03	10/28/05 14:26
Surrogate <i>Dibromofluoromethane</i>		22.5		ug/L	25.0	90%	79 - 122			5103929	NOJ2393-03	10/28/05 14:26
Surrogate <i>Toluene-d8</i>		22.2		ug/L	25.0	89%	78 - 121			5103929	NOJ2393-03	10/28/05 14:26
Surrogate <i>4</i> -Bromofluorobenzene		23.8		ug/L	25.0	95%	78 - 126			5103929	NOJ2393-03	10/28/05 14:26
<b>Purgeable Petroleum Hydrocarbons</b>												
<b>5103789-MSD2</b>												
GRO as Gasoline	146	1120		ug/L	1000	97%	43 - 150	4	27	5103789	NOJ2201-02	10/26/05 15:15
Surrogate <i>a,a,a</i> -Trifluorotoluene		34.5		ug/L	30.0	115%	63 - 134			5103789	NOJ2201-02	10/26/05 15:15



Client ETIC Engineering Pleasant Hill (10236)  
 2285 Morello Avenue  
 Pleasant Hill, CA 94523  
 Attn Hamidou Barry

Work Order: NOJ2393  
 Project Name: Exxon 04-H6J PO:4505802524  
 Project Number: 04-H6J  
 Received: 10/21/05 08:30

### CERTIFICATION SUMMARY

#### TestAmerica Analytical - Nashville

Method	Matrix	AIHA	Nelac	California
NA	Water			
SW846 8015B	Water	N/A	X	X
SW846 8021B	Water	N/A	X	X
SW846 8260B	Water	N/A	X	X

---

Client ETIC Engineering Pleasant Hill (10236)  
2285 Morello Avenue  
Pleasant Hill, CA 94523  
Attn Hamidou Barry

Work Order: NOJ2393  
Project Name: Exxon 04-H6J PO:4505802524  
Project Number: 04-H6J  
Received: 10/21/05 08:30

---

## NELAC CERTIFICATION SUMMARY

TestAmerica Analytical - Nashville does not hold NELAC certifications for the following analytes included in this report

Method

Matrix

Analyte



