

GETTLER-RYAN Inc.

RECEIVED
2:24 pm, Aug 25, 2008
Alameda County
Environmental Health

TRANSMITTAL

August 25, 2008
G-R #386895

TO: Ms. Charlotte Evans
Conestoga-Rovers & Associates
5900 Hollis Street, Suite A
Emeryville, CA 94608

CC: Mr. Aaron Costa
Chevron EMC
6111 Bollinger Canyon Road
Room 3660
San Ramon, California 94583
(VIA PDF)

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc.
6747 Sierra Court, Suite J
Dublin, California 94568

**RE: Chevron Service Station
#9-3600
2200 Telegraph Avenue
Oakland, California
RO 0002435**

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DATED	DESCRIPTION
1	August 18, 2008	Groundwater Monitoring and Sampling Report Third Quarter Event of July 21, 2008

COMMENTS:

Pursuant to your request, we are providing you with a copy of the above referenced report for **your use and distribution to the following (via PDF):**

Mr. Steven Plunkett, Alameda County Health Care Services, Dept. of Environmental Health, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502-6577
(Distributed by Conestoga-Rovers & Associates via PDF)

Enclosures

trans/9-3600-AC

WELL CONDITION STATUS SHEET

Client/Facility #: Chevron #9-3600
 Site Address: 2200 Telegraph Avenue
 City: Oakland, CA

Job # 386895
 Event Date: 7-21-08
 Sampler: AW

WELL ID	Vault Frame Condition	Gasket/O-Ring (M)missing	BOLTS (M) Missing (R) Replaced	Bolt Flanges B= Broken S= Stripped R=Retap	APRON Condition C=Cracked B=Broken G=Gone	Grout Seal (Deficient) inches from TOC	Casing (Condition prevents tight cap seal)	REPLACE LOCK Y/N	REPLACE CAP Y/N	WELL VAULT Manufacture/Size/ # of Bolts	Pictures Taken Yes / No
MW-1	OK	→	→	1B/1S	OK	→	→	N	N	Pemco 1/2"/2	N
MW-2	OK	→					→	N	N	↓	↓
MW-3	OK	→					→	N	N		

Comments _____



Aaron Costa
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
6111 Bollinger Canyon Road
San Ramon, CA 94583
Tel (925) 543-2961
Fax (925) 543-2324
acosta@chevron.com

August 22, 2008

Alameda County Health Care Services
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Re: Chevron Service Station No. 9-3600
Address 2200 Telegraph Ave.

I have reviewed the attached routine groundwater monitoring report dated August 25, 2008.

I agree with the conclusions and recommendations presented in the referenced report. The information in this report is accurate to the best of my knowledge and all local Agency/Regional Board guidelines have been followed. This report was prepared by Gettler-Ryan Inc., upon whose assistance and advice I have relied.

This letter is submitted pursuant to the requirements of California Water Code Section 13267(b)(1) and the regulating implementation entitled Appendix A pertaining thereto.

I declare under penalty of perjury that the foregoing is true and correct.

Sincerely,

A handwritten signature in black ink that reads "Aaron Costa". The signature is written in a cursive, flowing style.

Aaron Costa
Project Manager

Attachment: Report



GETTLER - RYAN INC.

August 18, 2008
G-R Job #386895

Mr. Aaron Costa
Chevron Environmental Management Company
6111 Bollinger Canyon Road, Room 3660
San Ramon, CA 94583

RE: Third Quarter Event of July 21, 2008
Groundwater Monitoring & Sampling Report
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

Dear Mr. Costa:

This report documents the most recent groundwater monitoring and sampling event performed by Gettler-Ryan Inc. (G-R) at the referenced site. All field work was conducted in accordance with G-R Standard Operating Procedure - Groundwater Sampling (attached).


Static groundwater levels were measured and the wells were checked for the presence of separate-phase hydrocarbons. Static water level data, groundwater elevations, and separate-phase hydrocarbon thickness (if any) are presented in the attached Table 1. A Potentiometric Map is included as Figure 1.

Groundwater samples were collected from the monitoring wells and submitted to a state certified laboratory for analyses. The field data sheets for this event are attached. Analytical results are presented in the table(s) listed below. The chain of custody document and laboratory analytical report are also attached. All groundwater and decontamination water generated during sampling activities was removed from the site, per the Standard Operating Procedure.

Please call if you have any questions or comments regarding this report. Thank you.

Sincerely,


Deanna L. Harding
Project Coordinator


Douglas J. Lee
Senior Geologist, P.G. No. 6882





Figure 1: Potentiometric Map
Table 1: Groundwater Monitoring Data and Analytical Results
Table 2: Groundwater Analytical Results - Oxygenate Compounds
Attachments: Standard Operating Procedure - Groundwater Sampling
Field Data Sheets
Chain of Custody Document and Laboratory Analytical Reports

TELEGRAPH AVENUE



EXPLANATION


- Groundwater monitoring well
- 99.99 Groundwater elevation in feet referenced to Mean Sea Level
- 99.99--- Groundwater elevation contour, dashed where inferred



Approximate groundwater flow direction at a gradient of 0.005 Ft./Ft.

WEST GRAND AVENUE

22ND STREET



Source: Figure modified from drawing provided by Morrow Surveying April 17, 2002

GETTLER - RYAN INC.
 6747 Sierra Court, Suite J
 Dublin, CA 94568 (925) 551-7555

POTENTIOMETRIC MAP
 Chevron Service Station #9-3600
 2200 Telegraph Avenue
 Oakland, California

FIGURE

1

PROJECT NUMBER
386895

REVIEWED BY

DATE
July 21, 2008

REVISED DATE

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (ft.)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-1									
04/05/02 ¹	17.07	11.68	5.39	2,000	5.0	<1.0	14	8.4	310/370 ²
07/01/02	17.07	12.01	5.06	2,000	8.9	<1.0	97	31	370/420 ²
10/08/02	17.07	12.20	4.87	1,400	9.2	<10	75	20	440/360 ²
01/11/03	17.07	11.13	5.94	1,600	7.1	0.51	53	13	280/270 ²
04/01/03	17.07	11.53	5.54	1,800	5.2	0.6	25	9.1	210/210 ²
07/01/03 ³	17.07	11.95	5.12	2,000	4	<0.5	31	12	170
10/02/03 ³	17.07	12.25	4.82	480	<5	<5	<5	<5	9,800
01/05/04 ³	17.07	11.05	6.02	1,700	3	<0.5	27	4	140
04/05/04 ³	17.07	11.63	5.44	1,500	2	<0.5	21	0.6	120
07/01/04 ³	17.07	12.08	4.99	1,500	1	<0.5	3	<0.5	130
10/05/04 ³	17.07	12.21	4.86	1,400	<0.5	<0.5	1	0.5	130
01/04/05 ³	17.07	11.15	5.92	1,500	<0.5	<0.5	<0.5	<0.5	<0.5
04/14/05 ³	17.07	11.20	5.87	2,100	<0.5	<0.5	4	0.5	61
07/08/05 ³	17.07	11.38	5.69	1,800	<0.5	<0.5	0.8	<0.5	71
10/27/05 ³	17.07	12.24	4.83	800	<0.5	<0.5	<0.5	<0.5	76
01/12/06 ³	17.07	11.10	5.97	1,600	<0.5	<0.5	4	<0.5	47
04/13/06 ³	17.07	10.81	6.26	1,500	<0.5	<0.5	1	<0.5	36
07/13/06 ³	17.07	11.18	5.89	990	<0.5	<0.5	<0.5	<0.5	44
10/16/06 ³	17.07	12.18	4.89	780	<0.5	<0.5	<0.5	<0.5	59
01/20/07 ³	17.07	11.91	5.16	890	<0.5	<0.5	<0.5	<0.5	47
04/11/07 ³	17.07	11.87	5.20	1,900	<0.5	<0.5	4	<0.5	39
07/27/07 ³	17.07	11.91	5.16	1,500	<0.5	<0.5	0.6	<0.5	56
10/22/07 ³	17.07	-- ⁴	--	610	<0.5	<0.5	<0.5	<0.5	65
11/26/07	17.07	11.96	5.11	--	--	--	--	--	--
01/21/08 ³	17.07	11.78	5.29	1,100	<0.5	<0.5	0.8	<0.5	48
04/04/08 ³	17.07	11.83	5.24	1,600	<0.5	<0.5	<0.5	<0.5	53
07/21/08³	17.07	12.10	4.97	950	<0.5	<0.5	<0.5	<0.5	72
MW-2									
04/05/02 ¹	16.82	11.17	5.65	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ²
07/01/02	16.82	11.36	5.46	<50	<0.50	0.57	0.52	<1.5	<2.5/<2 ²
10/08/02	16.82	11.57	5.25	<100	<2.0	<2.0	<2.0	<5.0	<10/<2 ²
01/11/03	16.82	10.94	5.88	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ²

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (ft.)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-2 (cont)									
04/01/03	16.82	11.03	5.79	<50	<0.5	<0.5	<0.5	<1.5	<2.5/<0.5 ²
07/01/03 ³	16.82	11.30	5.52	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/02/03 ³	16.82	11.63	5.19	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/05/04 ³	16.82	10.82	6.00	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/05/04 ³	16.82	11.21	5.61	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/01/04 ³	16.82	11.46	5.36	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/05/04 ³	16.82	11.57	5.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/04/05 ³	16.82	10.87	5.95	<50	0.5	<0.5	8	0.9	87
04/14/05 ³	16.82	10.72	6.10	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/08/05 ³	16.82	11.16	5.66	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/27/05 ³	16.82	11.59	5.23	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/12/06 ³	16.82	10.68	6.14	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/13/06 ³	16.82	10.37	6.45	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 ³	16.82	10.68	6.14	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/16/06 ³	16.82	11.48	5.34	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/20/07 ³	16.82	11.27	5.55	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/11/07 ³	16.82	11.20	5.62	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/27/07 ³	16.82	11.27	5.55	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/22/07 ³	16.82	-- ⁴	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/07	16.82	11.31	5.51	--	--	--	--	--	--
01/21/08 ³	16.82	11.08	5.74	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/04/08 ³	16.82	11.12	5.70	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/21/08³	16.82	11.56	5.26	<50	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3									
04/05/02 ¹	16.52	11.29	5.23	<50	<0.50	0.59	<0.50	<1.5	<2.5/<2 ²
07/01/02	16.52	11.55	4.97	<50	<0.50	0.60	<0.50	<1.5	<2.5/<2 ²
10/08/02	16.52	11.62	4.90	<100	<2.0	<2.0	<2.0	<5.0	<10/<2 ²
01/11/03	16.52	11.09	5.43	<50	<0.50	<0.50	<0.50	<1.5	<2.5/<2 ²
04/01/03	16.52	11.25	5.27	<50	<0.5	<0.5	<0.5	<1.5	<2.5/<0.5 ²
07/01/03 ³	16.52	11.42	5.10	<50	<0.5	<0.5	<0.5	<0.5	2
10/02/03 ³	16.52	11.74	4.78	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/05/04 ³	16.52	11.06	5.46	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (ft.)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-3 (cont)									
04/05/04 ³	16.52	11.40	5.12	<50	<0.5	<0.5	<0.5	<0.5	0.6
07/01/04 ³	16.52	11.58	4.94	<50	<0.5	<0.5	<0.5	<0.5	0.8
10/05/04 ³	16.52	11.60	4.92	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/04/05 ³	16.52	10.95	5.57	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/14/05 ³	16.52	11.10	5.42	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/08/05 ³	16.52	11.29	5.23	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/27/05 ³	16.52	11.68	4.84	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/12/06 ³	16.52	10.83	5.69	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/13/06 ³	16.52	10.65	5.87	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 ³	16.52	11.03	5.49	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/16/06 ³	16.52	11.46	5.06	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/20/07 ³	16.52	11.39	5.13	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/11/07 ³	16.52	11.27	5.25	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/27/07 ³	16.52	11.38	5.14	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/22/07 ³	16.52	-- ⁴	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
11/26/07	16.52	11.35	5.17	--	--	--	--	--	--
01/21/08 ³	16.52	11.16	5.36	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/04/08 ³	16.52	11.15	5.37	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/21/08 ³	16.52	11.38	5.14	<50	<0.5	<0.5	<0.5	<0.5	<0.5
TRIP BLANK									
QA									
04/05/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/01/02	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
10/08/02	--	--	--	<100	<2.0	<2.0	<2.0	<5.0	<10
01/11/03	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/01/03	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
07/01/03 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/02/03 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/05/04 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/05/04 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/01/04 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/05/04 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

WELL ID/ DATE	TOC* (ft.)	DTW (ft.)	GWE (ft.)	TPH-G (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)									
01/04/05 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/14/05 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/08/05 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/27/05 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/12/06 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/13/06 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/16/06 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/20/07 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/11/07 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/27/07 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/22/07 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/21/08 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/04/08 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/21/08 ³	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

EXPLANATIONS:

TOC = Top of Casing

(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

($\mu\text{g/L}$) = Micrograms per liters

-- = Not Measured/Not Analyzed

QA = Quality Assurance/Trip Blank

* TOC elevations were surveyed on April 17, 2002, by Morrow Surveying. The elevations are based on a City of Oakland Benchmark No. 37JC, (Benchmark Elevation = 17.68 Feet).

¹ Well development performed.

² MTBE by EPA Method 8260.

³ BTEX and MTBE by EPA Method 8260.

⁴ DTW measurements were not recorded correctly.

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

WELL ID	DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-1	04/05/02	--	200	370	<2	<2	10
	07/01/02	--	190	420	<2	<2	9
	10/08/02	--	110	360	<2	<2	8
	01/11/03	--	<100	270	<2	<2	7
	04/01/03	--	22	210	<0.5	<0.5	5
	07/01/03	<50	26	170	<0.5	<0.5	5
	10/02/03	<500	2,600	9,800	<5	<5	6
	01/05/04	<50	21	140	<0.5	<0.5	3
	04/05/04	<50	17	120	<0.5	<0.5	3
	07/01/04	<50	13	130	<0.5	<0.5	2
	10/05/04	<50	14	130	<0.5	<0.5	2
	01/04/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	04/14/05	<50	15	61	<0.5	<0.5	1
	07/08/05	<50	15	71	<0.5	<0.5	1
	10/27/05	<50	10	76	<0.5	<0.5	1
	01/12/06	<50	12	47	<0.5	<0.5	<0.5
	04/13/06	<50	8	36	<0.5	<0.5	0.6
	07/13/06	<50	7	44	<0.5	<0.5	0.7
	10/16/06	<50	6	59	<0.5	<0.5	1
	01/20/07	<50	8	47	<0.5	<0.5	0.8
	04/11/07	<50	9	39	<0.5	<0.5	0.7
	07/27/07	<50	8	56	<0.5	<0.5	0.8
	10/22/07	<50	5	65	<0.5	<0.5	0.7
01/21/08	<50	5	48	<0.5	<0.5	0.7	
04/04/08	<50	6	53	<0.5	<0.5	0.6	
07/21/08	<50	11	72	<0.5	<0.5	0.7	
MW-2	04/05/02	--	<100	<2	<2	<2	<2
	07/01/02	--	<100	<2	<2	<2	<2
	10/08/02	--	<100	<2	<2	<2	<2
	01/11/03	--	<100	<2	<2	<2	<2
	04/01/03	<50	<5	<0.5	<0.5	<0.5	<0.5
	07/01/03	<50	<5	<0.5	<0.5	<0.5	<0.5
	10/02/03	<50	<5	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

WELL ID	DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-2 (cont)	01/05/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	04/05/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	07/01/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	10/05/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	01/04/05	<50	14	87	<0.5	<0.5	2
	04/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	07/08/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	10/27/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	01/12/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	04/13/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	07/13/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	10/16/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	01/20/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	04/11/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	07/25/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	10/22/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	01/21/08	<50	<2	<0.5	<0.5	<0.5	<0.5
	04/04/08	<50	<2	<0.5	<0.5	<0.5	<0.5
07/21/08	<50	<2	<0.5	<0.5	<0.5	<0.5	<0.5
MW-3	04/05/02	--	<100	<2	<2	<2	<2
	07/01/02	--	<100	<2	<2	<2	<2
	10/08/02	--	<100	<2	<2	<2	<2
	01/11/03	--	<100	<2	<2	<2	<2
	04/01/03	--	<5	<0.5	<0.5	<0.5	<0.5
	07/01/03	<50	<5	2	<0.5	<0.5	<0.5
	10/02/03	<50	<5	<0.5	<0.5	<0.5	<0.5
	01/05/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	04/05/04	<50	<5	0.6	<0.5	<0.5	<0.5
	07/01/04	<50	<5	0.8	<0.5	<0.5	<0.5
	10/05/04	<50	<5	<0.5	<0.5	<0.5	<0.5
	01/04/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	04/14/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	07/08/05	<50	<5	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

WELL ID	DATE	ETHANOL (µg/L)	TBA (µg/L)	MTBE (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)
MW-3 (cont)	10/27/05	<50	<5	<0.5	<0.5	<0.5	<0.5
	01/12/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	04/13/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	07/13/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	10/16/06	<50	<5	<0.5	<0.5	<0.5	<0.5
	01/20/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	04/11/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	07/27/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	10/22/07	<50	<2	<0.5	<0.5	<0.5	<0.5
	01/21/08	<50	<2	<0.5	<0.5	<0.5	<0.5
	04/04/08	<50	<2	<0.5	<0.5	<0.5	<0.5
	07/21/08	<50	<2	<0.5	<0.5	<0.5	<0.5

Table 2
Groundwater Analytical Results - Oxygenate Compounds
Chevron Service Station #9-3600
2200 Telegraph Avenue
Oakland, California

EXPLANATIONS:

TBA = t-Butyl alcohol
MTBE = Methyl Tertiary Butyl Ether
DIPE = di-Isopropyl ether
ETBE = Ethyl t-butyl ether
TAME = t-Amyl methyl ether
($\mu\text{g/L}$) = Micrograms per liters
-- = Not Analyzed

ANALYTICAL METHOD:

EPA Method 8260 for Oxygenate Compounds

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. Prior to sample collection, the type of analysis to be performed is determined. Loss prevention of volatile compounds is controlled and sample preservation for subsequent analysis is maintained.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, suction, Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging. Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used when possible. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. For sampling sets greater than 20 samples, 5% trip blanks are included. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by IWM to Chemical Waste Management located in Kettleman Hills, California.



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-3600 Job Number: 386895
 Site Address: 2200 Telegraph Avenue Event Date: 7-21-08 (inclusive)
 City: Oakland, CA Sampler: AW

Well ID: MW-1 Date Monitored: 7-21-08
 Well Diameter: 2 in.
 Total Depth: 20.21 ft.
 Depth to Water: 12.10 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.72
 $8.11 \times VF .17 = 1.37$ x3 case volume = Estimated Purge Volume: 4.5 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): ~~0930~~ 0935 Weather Conditions: Cloudy
 Sample Time/Date: 1005 / 7-21-08 Water Color: Gray Odor: COIN / Slight
 Approx. Flow Rate: N gpm. Sediment Description: Cloudy
 Did well de-water? N If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 13.55

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - US)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
0940	1.5	6.65	832	19.5		
0945	3.0	6.78	844	19.6		
0950	4.5	6.79	849	19.5		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-1	6 x vov vial	YES	HCL	LANCASTER	TPH-G(8015)/BTX+MTBE(8260)/ 5 OXYS+ETHANOL (8260)

COMMENTS: SMLO 1B/15

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-3600 Job Number: 386895
 Site Address: 2200 Telegraph Avenue Event Date: 7-21-08 (inclusive)
 City: Oakland, CA Sampler: AW

Well ID: MW-2 Date Monitored: 7-21-08
 Well Diameter: 2 in.
 Total Depth: 20.19 ft.
 Depth to Water: 11.56 ft.
 Volume 3/4" = 0.02 1" = 0.04 2" = 0.17 3" = 0.38
 Factor (VF) 4" = 0.66 5" = 1.02 6" = 1.50 12" = 5.80
 Check if water column is less than 0.50 ft.
 $4.63 \times VF \ 1.7 = 1.46$ x3 case volume = Estimated Purge Volume: 4.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.28

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0855 Weather Conditions: Cloudy
 Sample Time/Date: 0920 / 7-21-08 Water Color: Clear Odor: Y/B
 Approx. Flow Rate: _____ gpm. Sediment Description: Light
 Did well de-water? N If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 12.87

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (° F)	D.O. (mg/L)	ORP (mV)
0900	1.5	6.67	1168	19.4		
0905	3.0	6.77	1152	19.2		
0910	4.5	6.67	1145	19.1		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW-2	6 x voa vial	YES	HCL	LANCASTER	TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL (8260)

COMMENTS:

Panco 12" / 2 - 0/K

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #9-3600 Job Number: 386895
 Site Address: 2200 Telegraph Avenue Event Date: 7-21-08 (inclusive)
 City: Oakland, CA Sampler: AW

Well ID: MW-3 Date Monitored: 7-21-08
 Well Diameter: 2 in.
 Total Depth: 20.13 ft.
 Depth to Water: 11.38 ft. Check if water column is less than 0.50 ft.
8.75 xVF .17 = 1.48 x3 case volume = Estimated Purge Volume: 4.5 gal.
 Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.13

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Discrete Bailer _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: _____ ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____
 Product Transferred to: _____

Start Time (purge): 0815 Weather Conditions: Cloudy
 Sample Time/Date: 0845 / 7-21-08 Water Color: Clear Odor: Y 100
 Approx. Flow Rate: _____ gpm. Sediment Description: Clear
 Did well de-water? N If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 12.71

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm @ 25°C)	Temperature (°F)	D.O. (mg/L)	ORP (mV)
<u>0820</u>	<u>1.5</u>	<u>6.71</u>	<u>926</u>	<u>17.5</u>		
<u>0825</u>	<u>3.0</u>	<u>6.81</u>	<u>843</u>	<u>19.3</u>		
<u>0830</u>	<u>4.5</u>	<u>6.85</u>	<u>845</u>	<u>19.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-G(8015)/BTEX+MTBE(8260)/ 5 OXYS+ETHANOL (8260)</u>

COMMENTS: Pemco 12" / 2 OK

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



For Lancaster Laboratories use only

Acct. #: 10904 Sample # 5430445-48 Group #: 003543

072108-04

1101652

Facility #: <u>SS#9-3600-OMD G-R#386895 Global ID#T0600161613</u> Site Address: <u>2200 TELEGRAPH AVENUE, OAKLAND, CA</u> Chevron PM: <u>AC</u> Lead Consultant: <u>GRACE</u> Consultant/Office: <u>G-R, Inc., 6747 Sierra Court, Suite J, Dublin, Ca. 94568</u> Consultant Prj. Mgr.: <u>Deanna L. Harding (deanna@grinc.com)</u> Consultant Phone # <u>925-551-7555</u> Fax #: <u>925-551-7899</u> Sampler: <u>Alex Wong</u>				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="10">Preservation Codes</th> </tr> <tr> <td style="text-align: center;">H</td><td style="text-align: center;">H</td><td></td><td></td><td></td><td></td><td></td><td style="text-align: center;">H</td><td></td><td></td><td style="text-align: center;">H</td> </tr> <tr> <td colspan="10" style="font-size: 0.8em;"> BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRC TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan 5 Oxygenates (8760) Total Lead Method Dissolved Lead Method ETHANOL (8760) </td> </tr> </table>										Preservation Codes										H	H						H			H	BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRC TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan 5 Oxygenates (8760) Total Lead Method Dissolved Lead Method ETHANOL (8760)										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits	
Preservation Codes																																																
H	H						H			H																																						
BTEX + MTBE 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRC TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan 5 Oxygenates (8760) Total Lead Method Dissolved Lead Method ETHANOL (8760)																																																
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX + MTBE 8260	TPH 8015 MOD GRC	TPH 8015 MOD DRO	8260 full scan	5 Oxygenates (8760)	Total Lead Method	Dissolved Lead Method	ETHANOL (8760)	Comments / Remarks																														
QA	7-21-08	—	X			X			2	X	X			X			X																															
MW-1	↓	1005	X			X			6	X	X			X			X																															
MW-2	↓	0920	X			X			6	X	X			X			X																															
MW-3	↓	0845	X			X			6	X	X			X			X																															

Turnaround Time Requested (TAT) (please circle)

24 hour 72 hour 48 hour
 4 day 5 day

Relinquished by: [Signature] Date: 7-21-08 Time: 1035 Received by: [Signature] Date: 07-21-08 Time: 1100

Relinquished by: [Signature] Date: 07-21-08 Time: 1100 Received by: [Signature] Date: 21 JUL 08 Time: 1336

Data Package Options (please circle if required)

QC Summary Type I - Full
 Type VI (Raw Data)
 WIP (RWQCB)
 Disk
 Coelit Deliverable not needed **EDF/EDD**

Relinquished by: [Signature] Date: 21 JUL 08 Time: 1636 Received by: [Signature] Date: _____ Time: _____

Relinquished by Commercial Carrier: _____ Received by: [Signature] Date: 7/21/08 Time: 1000

UPS _____ FedEx _____ Other: DHL Temperature Upon Receipt: 13-4-0 °C Custody Seals Intact? Yes No

ANALYTICAL RESULTS

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

925-842-8582

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

RECEIVED

JUL 30 2008

GETTLER-RYAN INC.
GENERAL CONTRACTORSSAMPLE GROUP

The sample group for this submittal is 1101652. Samples arrived at the laboratory on Tuesday, July 22, 2008. The PO# for this group is 0015025028 and the release number is COSTA.

Client DescriptionQA-T-080721 NA Water
MW-1-W-080721 Grab Water
MW-2-W-080721 Grab Water
MW-3-W-080721 Grab WaterLancaster Labs Number5420445
5420446
5420447
5420448ELECTRONIC CRA c/o Gettler-Ryan
COPY TO

Attn: Cheryl Hansen



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Questions? Contact your Client Services Representative
Angela M Miller at (717) 656-2300

Respectfully Submitted,

A handwritten signature in black ink that reads "Marla S. Lord".

Marla S. Lord
Senior Specialist



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5420445

Group No. 1101652

QA-T-080721 NA Water
Facility# 93600 Job# 386895 GRD
2200 Telegraph-Oakland T0600161613 QA
Collected: 07/21/2008

Account Number: 10904

Submitted: 07/22/2008 10:00
Reported: 07/29/2008 at 15:49
Discard: 08/29/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

3600Q

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method		Dilution Factor
				Detection Limit	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	50.	ug/l	1
06054	BTEX+MTBE by 8260B					
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/25/2008 11:19	Carrie E Youtzy	1
06054	BTEX+MTBE by 8260B	SW-846 8260B	1	07/24/2008 14:47	Ginelle L Feister	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/25/2008 11:19	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/24/2008 14:47	Ginelle L Feister	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW5420446

Group No. 1101652

MW-1-W-080721 Grab Water
Facility# 93600 Job# 386895 GRD
2200 Telegraph-Oakland T0600161613 MW-1
Collected: 07/21/2008 10:05 by AW

Account Number: 10904

Submitted: 07/22/2008 10:00
Reported: 07/29/2008 at 15:49
Discard: 08/29/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

36001

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	950.	Detection Limit 50.	ug/l	1
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	72.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	0.7	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	11.	2.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis			Dilution Factor
			Trial#	Date and Time	Analyst	
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/25/2008 12:57	Carrie E Youtzy	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	07/24/2008 03:57	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/25/2008 12:57	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/24/2008 03:57	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Lancaster Laboratories Sample No. WW5420447

Group No. 1101652

MW-2-W-080721 Grab Water

Facility# 93600 Job# 386895 GRD

2200 Telegraph-Oakland T0600161613 MW-2

Collected: 07/21/2008 09:20 by AW

Account Number: 10904

Submitted: 07/22/2008 10:00

Reported: 07/29/2008 at 15:49

Discard: 08/29/2008

Chevron

6001 Bollinger Canyon Rd L4310

San Ramon CA 94583

36002

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	2.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis		Analyst	Dilution Factor
			Trial#	Date and Time		
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/25/2008 13:08	Carrie E Youtzy	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	07/24/2008 04:21	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/25/2008 13:08	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/24/2008 04:21	Michael A Ziegler	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Lancaster Laboratories Sample No. WW5420448

Group No. 1101652

MW-3-W-080721 Grab Water
Facility# 93600 Job# 386895 GRD
2200 Telegraph-Oakland T0600161613 MW-3
Collected: 07/21/2008 08:45 by AW

Account Number: 10904

Submitted: 07/22/2008 10:00
Reported: 07/29/2008 at 15:49
Discard: 08/29/2008

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

36003

CAT No.	Analysis Name	CAS Number	As Received Result	As Received		Dilution Factor
				Method	Units	
01728	TPH-GRO - Waters	n.a.	N.D.	Detection Limit 50.	ug/l	1
06059	BTEX+5 Oxygenates+ETOH					
01587	Ethanol	64-17-5	N.D.	50.	ug/l	1
02010	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.5	ug/l	1
02011	di-Isopropyl ether	108-20-3	N.D.	0.5	ug/l	1
02013	Ethyl t-butyl ether	637-92-3	N.D.	0.5	ug/l	1
02014	t-Amyl methyl ether	994-05-8	N.D.	0.5	ug/l	1
02015	t-Butyl alcohol	75-65-0	N.D.	2.	ug/l	1
05401	Benzene	71-43-2	N.D.	0.5	ug/l	1
05407	Toluene	108-88-3	N.D.	0.5	ug/l	1
05415	Ethylbenzene	100-41-4	N.D.	0.5	ug/l	1
06310	Xylene (Total)	1330-20-7	N.D.	0.5	ug/l	1

State of California Lab Certification No. 2116

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Chronicle

CAT No.	Analysis Name	Method	Analysis			Dilution Factor
			Trial#	Date and Time	Analyst	
01728	TPH-GRO - Waters	SW-846 8015B modified	1	07/25/2008 13:19	Carrie E Youtzy	1
06059	BTEX+5 Oxygenates+ETOH	SW-846 8260B	1	07/24/2008 04:45	Michael A Ziegler	1
01146	GC VOA Water Prep	SW-846 5030B	1	07/25/2008 13:19	Carrie E Youtzy	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	07/24/2008 04:45	Michael A Ziegler	1

Quality Control Summary

Client Name: Chevron

Group Number: 1101652

Reported: 07/29/08 at 03:49 PM

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD_Max</u>
Batch number: 08207A20A TPH-GRO - Waters	N.D.	50.	Sample number(s): 5420446,5420448 ug/l	117	117	75-135	1	30
Batch number: 08207B20A TPH-GRO - Waters	N.D.	50.	Sample number(s): 5420445,5420447 ug/l	110	112	75-135	2	30
Batch number: Z082053AA	Sample number(s): 5420446-5420448							
Ethanol	N.D.	50.	ug/l	101		31-166		
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	109		73-119		
di-Isopropyl ether	N.D.	0.5	ug/l	106		70-123		
Ethyl t-butyl ether	N.D.	0.5	ug/l	107		74-120		
t-Amyl methyl ether	N.D.	0.5	ug/l	110		79-113		
t-Butyl alcohol	N.D.	2.	ug/l	96		74-117		
Benzene	N.D.	0.5	ug/l	104		78-119		
Toluene	N.D.	0.5	ug/l	106		85-115		
Ethylbenzene	N.D.	0.5	ug/l	105		82-119		
Xylene (Total)	N.D.	0.5	ug/l	106		83-113		
Batch number: Z082062AA	Sample number(s): 5420445							
Methyl Tertiary Butyl Ether	N.D.	0.5	ug/l	110		73-119		
Benzene	N.D.	0.5	ug/l	107		78-119		
Toluene	N.D.	0.5	ug/l	107		85-115		
Ethylbenzene	N.D.	0.5	ug/l	110		82-119		
Xylene (Total)	N.D.	0.5	ug/l	109		83-113		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 08207A20A TPH-GRO - Waters	Sample number(s): 5420446,5420448 UNSPK: P420433								
	114		63-154						
Batch number: 08207B20A TPH-GRO - Waters	Sample number(s): 5420445,5420447 UNSPK: P420434								
	100		63-154						
Batch number: Z082053AA	Sample number(s): 5420446-5420448 UNSPK: P419393								
Ethanol	105	104	32-164	0	30				
Methyl Tertiary Butyl Ether	109	114	69-127	4	30				
di-Isopropyl ether	109	109	68-129	0	30				
Ethyl t-butyl ether	104	113	78-119	8	30				
t-Amyl methyl ether	102	114	72-125	11	30				
t-Butyl alcohol	97	99	70-121	2	30				

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Chevron
 Reported: 07/29/08 at 03:49 PM

Group Number: 1101652

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Benzene	110	112	83-128	3	30				
Toluene	111	114	83-127	3	30				
Ethylbenzene	110	112	82-129	1	30				
Xylene (Total)	109	112	82-130	3	30				

Batch number: Z082062AA	Sample number(s): 5420445	UNSPK: P419446
Methyl Tertiary Butyl Ether	113	113
Benzene	116	115
Toluene	114	115
Ethylbenzene	117	114
Xylene (Total)	115	115

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: TPH-GRO - Waters
 Batch number: 08207A20A
 Trifluorotoluene-F

5420446	91
5420448	77
Blank	79
LCS	110
LCSD	105
MS	99

Limits: 63-135

 Analysis Name: TPH-GRO - Waters
 Batch number: 08207B20A
 Trifluorotoluene-F

5420445	86
5420447	87
Blank	86
LCS	114
LCSD	114
MS	101

Limits: 63-135

 Analysis Name: BTEX+5 Oxygenates+ETOH
 Batch number: Z082053AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5420446	92	89	94	95
5420447	93	91	93	89
5420448	93	90	94	92

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 07/29/08 at 03:49 PM

Group Number: 1101652

Surrogate Quality Control

Blank	92	90	94	91
LCS	92	93	94	92
MS	92	92	94	93
MSD	93	94	94	92
<hr/>				
Limits:	80-116	77-113	80-113	78-113
Analysis Name: BTEX+MTBE by 8260B				
Batch number: Z082062AA				
	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
5420445	106	97	106	101
Blank	107	96	105	103
LCS	105	98	106	104
MS	106	98	105	104
MSD	107	99	106	105
<hr/>				
Limits:	80-116	77-113	80-113	78-113

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Lancaster Laboratories Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

N.D.	none detected	BMQL	Below Minimum Quantitation Level
TNTC	Too Numerous To Count	MPN	Most Probable Number
IU	International Units	CP Units	cobalt-chloroplatinate units
umhos/cm	micromhos/cm	NTU	nephelometric turbidity units
C	degrees Celsius	F	degrees Fahrenheit
Cal	(diet) calories	lb.	pound(s)
meq	milliequivalents	kg	kilogram(s)
g	gram(s)	mg	milligram(s)
ug	microgram(s)	l	liter(s)
ml	milliliter(s)	ul	microliter(s)
m3	cubic meter(s)	fib >5 um/ml	fibers greater than 5 microns in length per ml
<	less than – The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million – One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture.		

U.S. EPA data qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is <CRDL, but ≥IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike amount not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
J Estimated value	U Compound was not detected
N Presumptive evidence of a compound (TICs only)	W Post digestion spike out of control limits
P Concentration difference between primary and confirmation columns >25%	* Duplicate analysis not within control limits
U Compound was not detected	+ Correlation coefficient for MSA <0.995
X,Y,Z Defined in case narrative	

Analytical test results for methods listed on the laboratories' accreditation scope meet all requirements of NELAC unless otherwise noted under the individual analysis.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY – In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions of Lancaster Laboratories and we hereby object to any conflicting terms contained in any acceptance or order submitted by client.