



Atlantic Richfield Company
(a BP affiliated company)

P.O. Box 1257
San Ramon, CA 94583
Phone: (925) 275-3801
Fax: (925) 275-3815

October 25, 2008

Re: Third Quarter, 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #4977
2770 Castro Valley Boulevard
Castro Valley, California
ACEH Case No. RO0002436

“I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.”

Submitted by:

Paul Supple
Environmental Business Manager

RECEIVED

11:02 am, Oct 31, 2008

Alameda County
Environmental Health



Third Quarter, 2008 Ground-Water Monitoring Report
Atlantic Richfield Company Station #4977
2770 Castro Valley Boulevard
Castro Valley, California

Prepared for

Mr. Paul Supple
Environmental Business Manager
Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212
Chico, California 95926
(530) 566-1400
www.broadbentinc.com

October 2008

Project No. 06-02-625

October 25, 2008

Project No. 06-02-625

Atlantic Richfield Company
P.O. Box 1257
San Ramon, California 94583
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: Third Quarter, 2008 Ground-Water Monitoring Report, Atlantic Richfield Company (a BP affiliated company) Station #4977, 2770 Castro Valley Boulevard, Castro Valley, CA. ACEH Case No. RO0002436.

Dear Mr. Supple:

Provided herein is the *Third Quarter, 2008 Ground-Water Monitoring Report* for Atlantic Richfield Company Station #4977 (herein referred to as Station #4977) located at 2770 Castro Valley Boulevard, Castro Valley, CA (Property). This report presents a summary of Third Quarter, 2008 ground-water monitoring results.


Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.



Matthew G. Herrick, P.G., C.HG.
Senior Hydrogeologist



Robert H. Miller, P.G., C.HG.
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (submitted via ACEH ftp site)

STATION #4977 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #4977 Address: 2770 Castro Valley Boulevard, Castro Valley, CA
Station #4977 Environmental Business
Manager: Mr. Paul Supple
Consulting Co./Contact Persons: Broadbent & Associates, Inc. (BAI) / Rob Miller & Matt Herrick
Consultant Project No.: 06-02-625
Facility Permits/Permitting Agency.: NA

WORK PERFORMED THIS QUARTER (Third Quarter, 2008):

1. Submitted Second Quarter, 2008 Ground-Water Monitoring Report. Work performed by BAI.
2. Conducted ground-water monitoring/sampling for Third Quarter, 2008. Work performed by Stratus Environmental, Inc.

WORK PROPOSED FOR NEXT QUARTER (Fourth Quarter, 2008):

1. Submit Third Quarter, 2008 Ground-Water Monitoring Report (contained herein).
2. Conduct quarterly ground-water monitoring/sampling for Fourth Quarter, 2008.

QUARTERLY RESULTS SUMMARY:

Current phase of project:	Ground-water monitoring/sampling
Frequency of ground-water sampling:	Wells MW-1 through MW-3: Quarterly
Frequency of ground-water monitoring:	Quarterly
Is free product (FP) present on-site:	No
Current remediation techniques:	None
Depth to ground water (below TOC):	7.25 (MW-2) to 9.15 (MW-1) feet
General ground-water flow direction:	South
Approximate hydraulic gradient:	0.026 Feet per foot

DISCUSSION:

Gasoline range organics (GRO) were detected in MW-2 and MW-3 at 13,000 micrograms per liter ($\mu\text{g/L}$) and 97 $\mu\text{g/L}$, respectively. Benzene was detected in MW-2 at 440 $\mu\text{g/L}$. Ethylbenzene was detected in MW-2 at 690 $\mu\text{g/L}$. Xylenes were detected in MW-2 at 240 $\mu\text{g/L}$. Methyl tert-butyl ether (MTBE) was detected in MW-1, MW-2, and MW-3 at concentrations ranging from 5.6 $\mu\text{g/L}$ (MW-1) to 91 $\mu\text{g/L}$ (MW-2). No other analytes were detected in ground-water samples collected during Third Quarter, 2008.

Analytes detected during Third Quarter, 2008 were all within the historic minimum and maximum concentration ranges recorded for each well, with the following exceptions: Gasoline range organics in MW-2 and MW-3, ethylbenzene in MW-2, and MTBE in MW-3 are the lowest concentrations historically detected in each well. Ground-water elevations measured during Third Quarter, 2008 were within historic minimum and maximum ranges for each well.

Drawing 1 depicts the ground-water elevation contour and analytical summary map for the Third Quarter, 2008. Table 1 includes a summary of ground-water monitoring data including relative water elevations and laboratory analyses. Table 2 provides a summary of fuel additives analytical data. Table 3 presents historical ground-water flow direction and gradient.

CLOSURE:

The findings presented in this report are based upon: observations of Stratus Environmental, Inc. and/or their subcontractor(s) field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, CA). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

ATTACHMENTS:

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, Station #4977, Castro Valley, CA
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #4977, Castro Valley, CA
- Table 2. Summary of Fuel Additives Analytical Data, Station #4977, Castro Valley, CA
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #4977, Castro Valley, CA
- Appendix A. Stratus Environmental, Inc. Ground-Water Sampling Data Package (Includes Field Data Sheets, Non-Hazardous Waste Data Form, Chain of Custody Documentation, Certified Analytical Results, and Field Procedures for Ground-water Sampling)
- Appendix B. GeoTracker Upload Confirmation




Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-1															
4/19/2002	--		161.11	5.0	15.0	11.21	149.90	660	12	1.3	4.3	0.8	38	--	--
9/27/2002	--		161.11	5.0	15.0	9.29	151.82	130	7.7	0.87	5.4	0.79	39	1.7	6.9
12/16/2002	--	a	161.11	5.0	15.0	8.55	152.56	77	1.8	<0.50	0.69	<1.0	42	1.6	6.9
3/11/2003	--		161.11	5.0	15.0	8.07	153.04	140	9.8	<0.50	5.6	<0.50	20	1.4	7.4
6/17/2003	--		161.11	5.0	15.0	8.31	152.80	510	60	1.4	81	<1.0	23	2.2	7
9/18/2003	--	b	161.11	5.0	15.0	9.45	151.66	72	2.4	1.4	1.6	1.5	39	2.7	7
12/11/2003	P		161.11	5.0	15.0	8.80	152.31	79	1.5	<0.50	1.5	4.4	48	2.1	7.0
03/11/2004	P		163.44	5.0	15.0	7.61	155.83	<50	1.3	<0.50	0.77	1.3	17	1.4	6.8
06/02/2004	P		163.44	5.0	15.0	8.95	154.49	53	1.4	<0.50	0.93	<0.50	39	2.3	7.1
09/22/2004	P		163.44	5.0	15.0	9.42	154.02	70	<0.50	<0.50	<0.50	<0.50	48	1.7	6.8
12/15/2004	P		163.44	5.0	15.0	7.88	155.56	63	<0.50	<0.50	<0.50	<0.50	45	1.8	6.9
03/07/2005	P		163.44	5.0	15.0	7.02	156.42	<50	<0.50	<0.50	<0.50	<0.50	4.0	2.4	6.8
06/27/2005	P		163.44	5.0	15.0	7.53	155.91	52	2.0	<0.50	1.9	0.78	8.1	2.8	7.1
09/16/2005	P		163.44	5.0	15.0	9.20	154.24	<50	<0.50	<0.50	<0.50	0.76	14	1.82	6.9
12/27/2005	P		163.44	5.0	15.0	7.60	155.84	<50	1.3	<0.50	1.5	<0.50	9.4	2.02	7.87
03/16/2006	P		163.44	5.0	15.0	6.97	156.47	71	3.0	<0.50	3.5	<0.50	3.4	1.6	7.1
6/26/2006	P		163.44	5.0	15.0	8.58	154.86	71	0.69	<0.50	1.1	3.5	3.2	2.2	6.9
9/29/2006	P		163.44	5.0	15.0	8.85	154.59	<50	<0.50	<0.50	<0.50	<0.50	5.2	2.35	6.7
12/19/2006	P		163.44	5.0	15.0	8.00	155.44	<50	<0.50	<0.50	<0.50	<0.50	4.3	4.80	7.21
3/29/2007	P		163.44	5.0	15.0	7.70	155.74	<50	<0.50	<0.50	<0.50	<0.50	2.3	3.44	7.18
6/5/2007	P		163.44	5.0	15.0	8.77	154.67	<50	<0.50	<0.50	<0.50	<0.50	3.2	3.45	7.29
9/25/2007	P		163.44	5.0	15.0	9.18	154.26	<50	<0.50	<0.50	<0.50	<0.50	5.3	2.61	7.41
12/26/2007	P		163.44	5.0	15.0	8.45	154.99	<50	<0.50	<0.50	<0.50	<0.50	2.9	5.57	7.43
3/25/2008	P		163.44	5.0	15.0	8.29	155.15	<50	<0.50	<0.50	<0.50	<0.50	0.94	3.52	7.80
6/10/2008	P		163.44	5.0	15.0	9.17	154.27	<50	<0.50	<0.50	<0.50	<0.50	1.3	3.38	7.01
9/2/2008	P		163.44	5.0	15.0	9.15	154.29	<50	<0.50	<0.50	<0.50	<0.50	5.6	2.30	6.81
MW-2															
4/19/2002	--		161.87	5.0	15.0	6.59	155.28	28,000	970	120	860	6,900	760	--	--
9/27/2002	--		161.87	5.0	15.0	7.18	154.69	17,000	1,400	<50	1,200	3,700	1,400	1.5	6.8
12/16/2002	--	a	161.87	5.0	15.0	7.31	154.56	17,000	1,000	<50	980	3,300	980	1.9	6.8

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses

Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-2 Cont.															
3/11/2003	--		161.87	5.0	15.0	6.02	155.85	24,000	1,600	70	1,300	4,300	920	1.7	7.4
6/17/2003	--		161.87	5.0	15.0	6.31	155.56	28,000	1,300	55	1,300	4,500	610	1.4	6.9
9/18/2003	--		161.87	5.0	15.0	7.61	154.26	19,000	960	63	1,100	3,100	580	2.7	6.8
12/11/2003	P		161.87	5.0	15.0	6.50	155.37	29,000	710	53	1,300	3,800	490	2.0	7.0
03/11/2004	P		164.29	5.0	15.0	6.02	158.27	19,000	830	49	1,500	4,000	410	0.8	6.5
06/02/2004	P		164.29	5.0	15.0	7.14	157.15	25,000	680	<50	1,300	3,900	240	4.3	7.1
09/22/2004	--		164.29	5.0	15.0	7.63	156.66	15,000	980	<25	980	940	390	--	6.7
12/15/2004	P	c	164.29	5.0	15.0	6.48	157.81	22,000	610	26	1,300	3,200	290	0.3	6.9
03/07/2005	P		164.29	5.0	15.0	6.08	158.21	25,000	570	33	1,400	3,900	120	2.3	6.8
06/27/2005	P		164.29	5.0	15.0	6.90	157.39	24,000	630	32	1,200	2,900	86	2.5	7.2
09/16/2005	P		164.29	5.0	15.0	7.66	156.63	25,000	550	<25	1,400	3,000	82	1.41	7.0
12/27/2005	P		164.29	5.0	15.0	5.60	158.69	33,000	540	<25	1,300	2,700	100	2.26	7.19
03/16/2006	P	c	164.29	5.0	15.0	7.25	157.04	29,000	710	<50	1,400	2,600	78	1.4	7.1
6/26/2006	P	c	164.29	5.0	15.0	6.60	157.69	20,000	630	<25	1,200	1,100	110	0.64	6.8
9/29/2006	P		164.29	5.0	15.0	6.85	157.44	24,000	530	<25	1,300	1,800	86	1.36	6.7
12/19/2006	P		164.29	5.0	15.0	6.02	158.27	21,000	500	<25	1,400	1,700	70	1.11	7.42
3/29/2007	P		164.29	5.0	15.0	6.03	158.26	16,000	530	<25	1,100	1,100	80	2.98	7.18
6/5/2007	P		164.29	5.0	15.0	6.85	157.44	21,000	420	<25	1,100	1,100	50	2.09	7.20
9/25/2007	P		164.29	5.0	15.0	7.15	157.14	25,000	620	<25	1,400	1,200	70	3.25	7.59
12/26/2007	P		164.29	5.0	15.0	6.25	158.04	16,000	440	<5.0	760	570	80	1.84	7.66
3/25/2008	P		164.29	5.0	15.0	6.63	157.66	16,000	530	7.8	790	470	96	1.78	7.72
6/10/2008	P		164.29	5.0	15.0	7.04	157.25	14,000	480	<25	730	240	100	1.83	6.96
9/2/2008	P		164.29	5.0	15.0	7.25	157.04	13,000	440	<25	690	240	91	3.09	6.61
MW-3															
4/19/2002	--		162.14	5.0	15.0	6.94	155.20	1,200	29	1.1	43	62	1,700	--	--
9/27/2002	--		162.14	5.0	15.0	8.26	153.88	740	7.8	<2.5	6.8	4.4	1,100	1	6.7
12/16/2002	--	a	162.14	5.0	15.0	6.76	155.38	1,200	13	<10	170	88	910	2.3	6.8
3/11/2003	--		162.14	5.0	15.0	6.92	155.22	<2,500	<25	<25	<25	<25	470	1.7	7.5
6/17/2003	--		162.14	5.0	15.0	7.44	154.70	<1,000	<10	<10	14	<10	530	1.9	7
9/18/2003	--		162.14	5.0	15.0	8.43	153.71	470	4.8	<2.5	10	9.2	300	2.9	6.8

Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
MW-3 Cont.															
12/11/2003	P		162.14	5.0	15.0	6.72	155.42	<500	<5.0	<5.0	7.0	13	180	1.9	6.9
03/11/2004	P		164.53	5.0	15.0	6.09	158.44	360	1.9	<1.0	5.6	5.0	110	2.6	6.8
06/02/2004	P		164.53	5.0	15.0	7.50	157.03	380	2.8	<0.50	8.0	2.1	43	3.6	7.3
09/22/2004	P		164.53	5.0	15.0	8.00	156.53	270	<0.50	<0.50	0.54	<0.50	50	1.8	6.9
12/15/2004	P		164.53	5.0	15.0	6.43	158.10	390	3.5	<0.50	20	3.7	49	1.1	6.9
03/07/2005	P		164.53	5.0	15.0	6.12	158.41	1,900	13	<1.0	93	29	70	2.3	6.8
06/27/2005	P		164.53	5.0	15.0	7.08	157.45	830	4.0	<0.50	13	2.8	33	3.3	7.3
09/16/2005	P		164.53	5.0	15.0	7.28	157.25	320	2.1	<0.50	5.4	0.60	21	2.11	7.0
12/27/2005	P		164.53	5.0	15.0	6.47	158.06	770	6.0	<0.50	33	2.7	36	2.96	7.42
03/16/2006	P		164.53	5.0	15.0	6.10	158.43	1,600	11	<0.50	59	6.4	45	1.4	7.1
6/26/2006	P		164.53	5.0	15.0	6.92	157.61	400	<0.50	<0.50	1.6	2.1	26	2.41	7.0
9/29/2006	P		164.53	5.0	15.0	7.38	157.15	220	0.86	<0.50	2.2	0.58	14	1.95	7.0
12/19/2006	P		164.53	5.0	15.0	6.65	157.88	450	4.3	<0.50	19	1.4	19	3.68	7.30
3/29/2007	P		164.53	5.0	15.0	6.92	157.61	390	3.0	<0.50	9.1	0.60	27	1.98	7.16
6/5/2007	P		164.53	5.0	15.0	7.01	157.52	390	1.9	<0.50	6.9	<0.50	20	1.99	7.34
9/25/2007	P		164.53	5.0	15.0	7.52	157.01	260	1.3	<0.50	2.7	<0.50	12	3.44	7.41
12/26/2007	P		164.53	5.0	15.0	6.65	157.88	460	3.1	<0.50	15	0.89	17	4.05	7.46
3/25/2008	P		164.53	5.0	15.0	6.71	157.82	260	0.91	0.71	2.5	0.54	29	2.40	7.63
6/10/2008	P		164.53	5.0	15.0	7.33	157.20	120	<0.50	<0.50	2.0	<0.50	12	2.29	7.59
9/2/2008	P		164.53	5.0	15.0	7.53	157.00	97	<0.50	<0.50	<0.50	<0.50	9.3	3.28	6.81

SYMBOLS AND ABBREVIATIONS:

< = Not detected at or above specified laboratory reporting limits

-- = Not measured, sampled, analyzed, applicable

ft bgs = Feet below ground surface

DO = Dissolved oxygen

DTW = Depth to water in ft bgs

GRO = Gasoline range organics

GWE = Groundwater elevation in ft MSL

mg/L = Milligrams per liter

ft MSL = Feet above mean sea level

MTBE = Methyl tert-butyl ether analyzed by EPA Method 8021B unless otherwise noted (before 12/16/02)

P/NP = Well was purged/not purged prior to sampling

TPH-g = Total petroleum hydrocarbons as gasoline (C5-C9)

TOC = Top of casing measured in ft MSL

µg/L = Micrograms per liter

FOOTNOTES:

a = TPH, benzene, toluene, ethylbenzene, total xylenes, and MTBE analyzed by EPA Method 8260B beginning on 4th quarter sampling event (12/16/02).

b = This sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation or dilution was performed past the recommended hold time. The results may still be used for their intended purpose.

c = Sheen in well.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Wells were re-surveyed on 3/23/2004.

Values for DO and pH were field measurements.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-1									
12/16/2002	<50	<5.0	42	<0.50	<0.50	<0.50	<0.50	<0.50	
3/11/2003	<100	<20	20	<0.50	<0.50	<0.50	<0.50	<0.50	
6/17/2003	<200	<40	23	<1.0	<1.0	<1.0	<1.0	<1.0	
9/18/2003	<100	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/11/2003	<100	<20	48	<0.50	<0.50	<0.50	<0.50	<0.50	
03/11/2004	<100	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
06/02/2004	<100	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	48	<0.50	<0.50	<0.50	<0.50	<0.50	
12/15/2004	<100	<20	45	<0.50	<0.50	<0.50	<0.50	<0.50	a
03/07/2005	<100	<20	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
06/27/2005	<100	<20	8.1	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	<20	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/27/2005	<100	<20	9.4	<0.50	<0.50	<0.50	<0.50	<0.50	b
03/16/2006	<300	<20	3.4	<0.50	<0.50	<0.50	<0.50	<0.50	c
6/26/2006	<300	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/29/2006	<300	<20	5.2	<0.50	<0.50	<0.50	<0.50	<0.50	
12/9/2006	<300	<20	4.3	<0.50	<0.50	<0.50	<0.50	--	b
3/29/2007	<300	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	
6/5/2007	<300	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	5.3	<0.50	<0.50	<0.50	<0.50	<0.50	
12/26/2007	<300	<20	2.9	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	<10	0.94	<0.50	<0.50	<0.50	<0.50	<0.50	
6/10/2008	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	5.6	<0.50	<0.50	<0.50	<0.50	<0.50	
MW-2									
12/16/2002	<5,000	<500	980	<50	<50	<50	<50	<50	
3/11/2003	<10,000	<2,000	920	<50	<50	<50	<50	<50	
6/17/2003	<10,000	<2,000	610	<50	<50	<50	<50	<50	
9/18/2003	<5,000	<1,000	580	<25	<25	<25	<25	<25	
12/11/2003	<5,000	<1,000	490	<25	<25	<25	<25	<25	
03/11/2004	<2,000	<400	410	<10	<10	<10	<10	<10	

**Table 2. Summary of Fuel Additives Analytical Data
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-2 Cont.									
06/02/2004	<10,000	<2,000	240	<50	<50	<50	<50	<50	
09/22/2004	<5,000	<1,000	390	<25	<25	<25	<25	<25	
12/15/2004	<2,000	<400	290	<10	<10	<10	<10	<10	a
03/07/2005	<5,000	<1,000	120	<25	<25	<25	<25	<25	
06/27/2005	<5,000	<1,000	86	<25	<25	<25	<25	<25	
09/16/2005	<5,000	<1,000	82	<25	<25	<25	<25	<25	
12/27/2005	<5,000	<1,000	100	<25	<25	<25	<25	<25	b
03/16/2006	<30,000	<2,000	78	<50	<50	<50	<50	<50	c
6/26/2006	<15,000	<1,000	110	<25	<25	<25	<25	<25	
9/29/2006	<15,000	<1,000	86	<25	<25	<25	<25	<25	
12/9/2006	<15,000	<1,000	70	<25	<25	<25	<25	--	b
3/29/2007	<15,000	<1,000	80	<25	<25	<25	<25	<25	
6/5/2007	<15,000	<1,000	50	<25	<25	<25	<25	<25	
9/25/2007	<15,000	<1,000	70	<25	<25	<25	<25	<25	
12/26/2007	<3,000	<200	80	<5.0	<5.0	<5.0	<5.0	<5.0	
3/25/2008	<1,500	<50	96	<2.5	<2.5	<2.5	<2.5	<2.5	
6/10/2008	<15,000	<500	100	<25	<25	<25	<25	<25	
9/2/2008	<15,000	<500	91	<25	<25	<25	<25	<25	
MW-3									
12/16/2002	<1,000	<100	910	<10	<10	12	<10	<10	
3/11/2003	<5,000	<1,000	470	<25	<25	<25	<25	<25	
6/17/2003	<2,000	<400	530	<10	<10	<10	<10	<10	
9/18/2003	<500	<100	300	<2.5	<2.5	3.2	<2.5	<2.5	
12/11/2003	<1,000	<200	180	<5.0	<5.0	<5.0	<5.0	<5.0	
03/11/2004	<200	570	110	<1.0	<1.0	<1.0	<1.0	<1.0	
06/02/2004	<100	130	43	<0.50	<0.50	0.56	<0.50	<0.50	
09/22/2004	<100	28	50	<0.50	<0.50	0.51	<0.50	<0.50	
12/15/2004	<100	110	49	<0.50	0.52	0.61	<0.50	<0.50	a
03/07/2005	<200	190	70	<1.0	<1.0	<1.0	<1.0	<1.0	
06/27/2005	<100	130	33	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	44	21	<0.50	<0.50	<0.50	<0.50	<0.50	

**Table 2. Summary of Fuel Additives Analytical Data
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
MW-3 Cont.									
12/27/2005	<100	150	36	<0.50	<0.50	<0.50	<0.50	<0.50	b
03/16/2006	<300	160	45	<0.50	<0.50	0.84	<0.50	<0.50	c
6/26/2006	<300	53	26	<0.50	<0.50	<0.50	<0.50	<0.50	
9/29/2006	<300	55	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/9/2006	<300	<20	19	<0.50	<0.50	<0.50	<0.50	--	b
3/29/2007	<300	130	27	<0.50	<0.50	<0.50	<0.50	<0.50	
6/5/2007	<300	77	20	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	30	12	<0.50	<0.50	<0.50	<0.50	<0.50	
12/26/2007	<300	76	17	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	100	29	<0.50	<0.50	<0.50	<0.50	<0.50	
6/10/2008	<300	25	12	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	9.3	<0.50	<0.50	<0.50	<0.50	<0.50	

SYMBOLS AND ABBREVIATIONS:

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per liter

FOOTNOTES:

a = This sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation or dilution was performed past the recommended hold time. The results may still be used for their intended purpose.

b = Calibration verification for ethanol was within method limits but outside contract limits.

c = Possible high bias for DIPE, 1,2-DCA, and ethanol due to CCV falling outside acceptance criteria.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Date Sampled	Approximate Flow Direction	Approximate Hydraulic Gradient
4/19/2002	Southwest	0.038
9/27/2002	Southwest	0.021
12/16/2002	Southeast	0.029
3/11/2003	South	0.024
6/17/2003	South-Southwest	0.022
9/18/2003	South-Southwest	0.022
3/11/2004	South-Southwest	0.024
6/2/2004	South	0.025
9/22/2004	South	0.025
12/15/2004	South	0.020
3/7/2005	South	0.02
6/27/2005	South	0.01
9/16/2005	Southeast	0.03
12/27/2005	South-Southeast	0.02
3/16/2006	Southeast	0.02
6/26/2006	South	0.03
9/29/2006	South	0.025
12/19/2006	South	0.024
3/29/2007	South	0.020
6/5/2007	South	0.027
9/25/2007	South	0.023
12/26/2007	South	0.027
3/25/2008	South	0.026
6/10/2008	South	0.026
9/2/2008	South	0.026

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

APPENDIX A

**STRATUS ENVIRONMENTAL, INC. GROUND-WATER SAMPLING DATA PACKAGE
(INCLUDES FIELD DATA SHEETS, NON-HAZARDOUS WASTE DATA FORM, CHAIN
OF CUSTODY DOCUMENTATION, CERTIFIED ANALYTICAL RESULTS, AND
FIELD PROCEDURES FOR GROUND-WATER SAMPLING)**



3330 Cameron Park Drive, Ste 550
Cameron Park, California 95682
(530) 676-6004 ~ Fax: (530) 676-6005

September 18, 2008

Mr. Rob Miller
Broadbent & Associates, Inc.
2000 Kirman Avenue
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 4977, located at
2770 Castro Valley Road, Castro Valley, California.

General Information

Data Submittal Prepared / Reviewed by: Becky Carroll / Jay Johnson

Phone Number: (530) 676-6004

On-Site Supplier Representative: Jerry Gonzales

Sampling Date: September 2, 2008

Arrival: 10:55 *Departure:* 12:35

Weather Conditions: Clear

Unusual Field Conditions: None noted.


Scope of Work Performed: Quarterly monitoring and sampling.

Variations from Work Scope: None noted.

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

STRATUS ENVIRONMENTAL, INC.



Jay R. Johnson, P.G.
Project Manager



Attachments:

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

CC: Mr. Paul Supple, BP/ARCO

BP Alameda Portfolio
HYDROLOGIC DATA SHEET

555 An DP 1235

Gauge Date: 9/2/08

Project Name: 2770 Castro Valley Blvd, Castro Valley

Field Technician: [Signature]

Project Number: 4977

TOC = Top of Well Casing Elevation
TOS = Depth to Top of Screen
DTW = Depth to Groundwater Below TOC
DTB = Depth to Bottom of Well Casing Below TOC

DIA = Well Casing Diameter
ELEV = Groundwater Elevation
DUP = Duplicate

WELL OR LOCATION	TIME	MEASUREMENT						PURGE & SAMPLE	SHEEN CONFIRMATION (w/baller)	COMMENTS
		TOC	TOS	DTW	DTB	DIA	ELEV			
MW-1	1100			9.15	15.00	4"		Yes		
MW-2	1110			9.25	14.58	"		Yes		
MW-3	1105			7.53	14.85	4"		Yes		

FW: Nicholas Armstrong
pH/Conductivity/temperature Meter - YSI Model 63
DO Meter - YSI 55 Series (DO is always measured before purge)
Please refer to groundwater sampling field procedures

Calibration Date
pH 9.208
Conductivity 9.208
DO 9.208

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: 4977 PURGED BY: JS WELL I.D.: MW-1
 CLIENT NAME: _____ SAMPLED BY: JS SAMPLE I.D.: MW-1
 LOCATION: Castro Valley - 2770 Castro Valley Road QA SAMPLES: _____

DATE PURGED 9-2-08 START (2400hr) 11:40 END (2400hr) 11:46
 DATE SAMPLED 9-2-08 SAMPLE TIME (2400hr) 12:05
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 15.00 CASING VOLUME (gal) = 3.9
 DEPTH TO WATER (feet) = 9.15 CALCULATED PURGE (gal) = 11.7
 WATER COLUMN HEIGHT (feet) = 5.8 ACTUAL PURGE (gal) = 12.5

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>9-2-08</u>	<u>11:42</u>	<u>4</u>	<u>75.0</u>	<u>1127</u>	<u>6.81</u>	<u>clear</u>	
<u>/</u>	<u>11:44</u>	<u>8</u>	<u>74.7</u>	<u>1141</u>	<u>6.81</u>	<u>/</u>	
<u>/</u>	<u>11:46</u>	<u>12</u>	<u>74.5</u>	<u>1167</u>	<u>6.81</u>	<u>/</u>	

SAMPLE DEPTH TO WATER: 9.63 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: SWD
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 Noor-HCC

PURGING EQUIPMENT

Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____

Other: _____
 Pump Depth: 1300

SAMPLING EQUIPMENT

Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC or disposable)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____

Other: _____

WELL INTEGRITY: OK LOCK#: MW-1

REMARKS: DB 230

SIGNATURE: [Signature]

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: 4977 PURGED BY: Jc WELL I.D.: pur-2
 CLIENT NAME: _____ SAMPLED BY: Jc SAMPLE I.D.: pur-2
 LOCATION: Castro Valley - 2770 Castro Valley Road QA SAMPLES: _____

DATE PURGED 9.2.08 START (2400hr) 11:11 END (2400hr) 11:17
 DATE SAMPLED 9.2.08 SAMPLE TIME (2400hr) _____
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 145.8 CASING VOLUME (gal) = 4.9
 DEPTH TO WATER (feet) = 7.7 CALCULATED PURGE (gal) = 14.7
 WATER COLUMN HEIGHT (feet) = 3.3 ACTUAL PURGE (gal) = 15.0

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>9.2.08</u>	<u>11:13</u>	<u>5</u>	<u>75.2</u>	<u>734</u>	<u>6.69</u>	<u>clear</u>	
	<u>11:15</u>	<u>10</u>	<u>75.1</u>	<u>745</u>			
	<u>11:17</u>	<u>15</u>	<u>74.8</u>	<u>755</u>	<u>6.61</u>		

SAMPLE DEPTH TO WATER: 8.99 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: S W O
 ODOR: yes SAMPLE VESSEL / PRESERVATIVE: 6 Vol-HCl

PURGING EQUIPMENT
 Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____
 Pump Depth: 13

SAMPLING EQUIPMENT
 Bladder Pump Bailer (Teflon)
 Centrifugal Pump Bailer (PVC or disposable)
 Submersible Pump Bailer (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____

WELL INTEGRITY: good LOCK#: MASTER
 REMARKS: DO 3.09

SIGNATURE: _____ Page ____ of ____

BP ALAMEDA PORTFOLIO
WATER SAMPLE FIELD DATA SHEET

PROJECT #: 4977 PURGED BY: Jc WELL I.D.: MW-3
 CLIENT NAME: _____ SAMPLED BY: J SAMPLE I.D.: MW-3
 LOCATION: Castro Valley - 2770 Castro Valley Road QA SAMPLES: _____

DATE PURGED 9-2-08 START (2400hr) 11:25 END (2400hr) 11:31
 DATE SAMPLED 9-2-08 SAMPLE TIME (2400hr) 11:50
 SAMPLE TYPE: Groundwater Surface Water _____ Treatment Effluent _____ Other _____

CASING DIAMETER: 2" _____ 3" _____ 4" 5" _____ 6" _____ 8" _____ Other _____
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ()

DEPTH TO BOTTOM (feet) = 14.85 CASING VOLUME (gal) = 4.9
 DEPTH TO WATER (feet) = 7.53 CALCULATED PURGE (gal) = 14.7
 WATER COLUMN HEIGHT (feet) = 7.3 ACTUAL PURGE (gal) = 15.0

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>9-2-08</u>	<u>11:29</u>	<u>5</u>	<u>25.5</u>	<u>682</u>	<u>6.78</u>	<u>clear</u>	
<u>/</u>	<u>11:29</u>	<u>10</u>	<u>25.0</u>	<u>680</u>	<u>6.79</u>		
<u>/</u>	<u>11:31</u>	<u>15</u>	<u>24.6</u>	<u>680</u>	<u>6.81</u>		

SAMPLE DEPTH TO WATER: 8:71 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

10% RECHARGE: YES NO ANALYSES: SWO
 ODOR: yes SAMPLE VESSEL / PRESERVATIVE: 6 Noa-Hce

PURGING EQUIPMENT

SAMPLING EQUIPMENT

Bladder Pump Bailor (Teflon)
 Centrifugal Pump Bailor (PVC)
 Submersible Pump Bailor (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____
 Pump Depth: 14.00

Bladder Pump Bailor (Teflon)
 Centrifugal Pump Bailor (PVC or disposable)
 Submersible Pump Bailor (Stainless Steel)
 Peristaltic Pump Dedicated _____
 Other: _____

WELL INTEGRITY: good LOCK#: MW-3
 REMARKS: DO 3.28

SIGNATURE: [Signature] Page _____ of _____

NO. 672324

NON-HAZARDOUS WASTE DATA FORM

TO BE COMPLETED BY GENERATOR

SITE:

NAME BP WEST COAST PRODUCTS LLC ARCO # 4977 EPA I.D. NO. NOT REQUIRED

ADDRESS P.O. BOX 60249 PROFILE NO.

RANCHO SANTA MARGARITA

CITY, STATE, ZIP CA 92688 PHONE NO.

CONTAINERS: No. VOLUME 42 3015 WEIGHT

TYPE: TANK TRUCK DUMP TRUCK DRUMS CARTONS OTHER

WASTE DESCRIPTION NON-HAZARDOUS WATER GENERATING PROCESS WELL PURGING/DECON WATER

COMPONENTS OF WASTE			COMPONENTS OF WASTE		
	PPM	%		PPM	%
1. <u>WATER</u>	<u>99-100%</u>		5. <u> </u>		
2. <u>TPH</u>	<u><1%</u>		6. <u> </u>		
3. <u> </u>			7. <u>BEST #</u>		
4. <u> </u>			8. <u> </u>		

PROPERTIES: 7-10 SOLID LIQUID SLUDGE SLURRY OTHER

HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PROTECTIVE CLOTHING

THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.

Larry Woodhart BEST for BP DATE 9.7.08
TYPED OR PRINTED FULL NAME & SIGNATURE

TRANSPORTER

NAME Transporter #1 STRATUS ENVIRONMENTAL EPA I.D. NO.

ADDRESS 3330 CAMERON PARK DR SERVICE ORDER NO.

CITY, STATE, ZIP CAMERON PARK, CA 95582 PICKUP DATE

PHONE NO. 530-676-2031

TRUCK UNIT, I.D. NO. TYPED OR PRINTED FULL NAME & SIGNATURE Jerry Gonzalez DATE 9.7.08

TSD FACILITY

NAME INSTRAT, INC EPA I.D. NO.

ADDRESS 1105 AIRPORT RD #C DISPOSAL METHOD LANDFILL OTHER

CITY, STATE, ZIP RIO VISTA, CA 94571

PHONE NO. 530-753-1829

TYPED OR PRINTED FULL NAME & SIGNATURE DATE

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
D/O		RT/CD	HWDF	NONE

DISCREPANCY



BP affiliated company

Chain of Custody Record

Project Name: ARCO 4977
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda >
 State or Lead Regulatory Agency: _____
 Requested Due Date (mm/dd/yy): _____


On-site Time: <u>1055</u>	Temp: <u>68</u>
Off-site Time: <u>1835</u>	Temp: <u>77</u>
Sky Conditions: <u>clear</u>	
Meteorological Events: <u>none</u>	
Wind Speed: <u>0</u>	Direction: <u>---</u>

Lab Name: <u>Calscience</u>	BP/AR Facility No.: <u>4977</u>	Consultant/Contractor: <u>Stratus Environmental, Inc.</u>
Address: <u>7440 Lincoln Way</u>	BP/AR Facility Address: <u>2770 Castro Valley Road, Castro Valley</u>	Address: <u>3330 Cameron Park Drive, Suite 550</u>
<u>Garden Grove, CA 92841</u>	Site Lat/Long: _____	<u>Cameron Park, CA 95682</u>
Lab PM: <u>Linda Scharpenberg</u>	California Global ID No.: <u>T060010089</u>	Consultant/Contractor Project No.: _____
Tele/Fax: <u>714-895-5494 714-895-7501(fax)</u>	Enfos Project No.: <u>GOC2H-0021</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Provision or OOC (circle one) <u>Provision</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150</u>	Phase/WBS: <u>04-Monitoring</u>	Report Type & QC Level: <u>Level I with EDF</u>
<u>San Ramon, CA</u>	Sub Phase/Task: <u>03-Analytical</u>	E-mail EDD To: <u>bcarroll@stratusinc.net</u>
Tele/Fax: <u>925-275-3506</u>	Cost Element: <u>01-Contractor labor</u>	Invoice to: <u>Atlantic Richfield Co.</u>

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis					Sample Point Lat/Long and Comments Oxy = MIBE, TAME, ETBE, DIPE, TBA		
				Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	BTEX/Oxy* by 8260	1,2-DCA	Ethanol by 8260	EDB	GRO by 8015m			
1	MW-1	1205	9-2-08		X			6													
2	MW-2	1220	1		X			6			X										
3	MW-3	1150	1		X			6			X										
4	TB-4977	500	1		X			2			X										
5											X										HOLD
6																					
7																					
8																					
9																					
10																					

Sampler's Name: <u>Jerry Gonzalez</u>	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: <u>Douglas Env</u>						
Shipment Date: _____						
Shipment Method: _____						
Shipment Tracking No: _____						
Special Instructions: <u>Please cc results to rmiller@broadbentline.com</u>						

Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
----------------------------------	----------------------	------------------------------------	----------------------	-----------------------------------



September 16, 2008

Jay Johnson
Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 08-09-0089**
Client Reference: ARCO 4977

Dear Client:


Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 9/3/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

Calscience Environmental
Laboratories, Inc.
Linda Scharpenberg
Project Manager



Analytical Report

Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 09/03/08
 Work Order No: 08-09-0089
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 4977

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-09-0089-1-D	09/02/08 12:05	Aqueous	GC 4	09/07/08	09/08/08 00:35	080907B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	59	38-134			

MW-2	08-09-0089-2-D	09/02/08 12:20	Aqueous	GC 4	09/07/08	09/08/08 01:07	080907B01
------	----------------	----------------	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	13000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	63	38-134			


MW-3	08-09-0089-3-D	09/02/08 11:50	Aqueous	GC 4	09/07/08	09/08/08 01:40	080907B01
------	----------------	----------------	---------	------	----------	----------------	-----------


Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	97	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	62	38-134			

Method Blank	099-12-695-256	N/A	Aqueous	GC 4	09/07/08	09/07/08 12:00	080907B01
--------------	----------------	-----	---------	------	----------	----------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	59	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers





Analytical Report

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 09/03/08
Work Order No: 08-09-0089
Preparation: EPA 5030B
Method: EPA 8260B
Units: ug/L

Project: ARCO 4977

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID		
MW-1	08-09-0089-1-A	09/02/08 12:05	Aqueous	GC/MS Z	09/06/08	09/07/08 02:34	080906L02		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	5.6	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	137	73-157			Dibromofluoromethane	124	82-142		
Toluene-d8	103	82-112			1,4-Bromofluorobenzene	93	75-105		
MW-2	08-09-0089-2-A	09/02/08 12:20	Aqueous	GC/MS Z	09/06/08	09/07/08 03:06	080906L02		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	440	25	50		Methyl-t-Butyl Ether (MTBE)	91	25	50	
1,2-Dibromoethane	ND	25	50		Tert-Butyl Alcohol (TBA)	ND	500	50	
1,2-Dichloroethane	ND	25	50		Diisopropyl Ether (DIPE)	ND	25	50	
Ethylbenzene	690	25	50		Ethyl-t-Butyl Ether (ETBE)	ND	25	50	
Toluene	ND	25	50		Tert-Amyl-Methyl Ether (TAME)	ND	25	50	
Xylenes (total)	240	25	50		Ethanol	ND	15000	50	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	123	73-157			Dibromofluoromethane	114	82-142		
Toluene-d8	104	82-112			1,4-Bromofluorobenzene	98	75-105		
MW-3	08-09-0089-3-B	09/02/08 11:50	Aqueous	GC/MS Z	09/08/08	09/08/08 20:29	080908L01		
<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>	<u>Parameter</u>	<u>Result</u>	<u>RL</u>	<u>DF</u>	<u>Qual</u>
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	9.3	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	117	73-157			Dibromofluoromethane	115	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	96	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861

Date Received: 09/03/08
 Work Order No: 08-09-0089
 Preparation: EPA 5030B
 Method: EPA 8260B
 Units: ug/L

Project: ARCO 4977

Page 2 of 2


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-431	N/A	Aqueous	GC/MS Z	09/06/08	09/07/08 02:01	080906L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	131	73-157			Dibromofluoromethane	121	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	94	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-433	N/A	Aqueous	GC/MS Z	09/08/08	09/08/08 13:24	080908L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	127	73-157			Dibromofluoromethane	119	82-142		
Toluene-d8	102	82-112			1,4-Bromofluorobenzene	97	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: 09/03/08
 Work Order No: 08-09-0089
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-08-2618-1	Aqueous	GC 4	09/07/08	09/07/08	080907S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	68	72	38-134	5	0-25	

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 09/03/08
Work Order No: 08-09-0089
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-09-0111-4	Aqueous	GC/MS Z	09/06/08	09/07/08	080906S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	100	100	86-122	0	0-8	
Carbon Tetrachloride	102	101	78-138	1	0-9	
Chlorobenzene	98	97	90-120	1	0-9	
1,2-Dibromoethane	109	112	70-130	2	0-30	
1,2-Dichlorobenzene	101	99	89-119	2	0-10	
1,1-Dichloroethene	100	94	52-142	7	0-23	
Ethylbenzene	97	96	70-130	2	0-30	
Toluene	99	98	85-127	1	0-12	
Trichloroethene	96	94	78-126	2	0-10	
Vinyl Chloride	98	95	56-140	3	0-21	
Methyl-t-Butyl Ether (MTBE)	119	118	64-136	0	0-28	
Tert-Butyl Alcohol (TBA)	101	108	27-183	7	0-60	
Diisopropyl Ether (DIPE)	101	101	78-126	1	0-16	
Ethyl-t-Butyl Ether (ETBE)	105	106	67-133	1	0-21	
Tert-Amyl-Methyl Ether (TAME)	103	106	63-141	3	0-21	
Ethanol	93	92	11-167	1	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861


Date Received: 09/03/08
Work Order No: 08-09-0089
Preparation: EPA 5030B
Method: EPA 8260B

Project ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-09-0088-6	Aqueous	GC/MS Z	09/08/08	09/08/08	080908S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	99	100	86-122	1	0-8	
Carbon Tetrachloride	106	107	78-138	1	0-9	
Chlorobenzene	100	97	90-120	2	0-9	
1,2-Dibromoethane	107	110	70-130	3	0-30	
1,2-Dichlorobenzene	100	100	89-119	0	0-10	
1,1-Dichloroethene	99	100	52-142	1	0-23	
Ethylbenzene	100	99	70-130	1	0-30	
Toluene	97	98	85-127	1	0-12	
Trichloroethene	96	98	78-126	2	0-10	
Vinyl Chloride	89	93	56-140	5	0-21	
Methyl-t-Butyl Ether (MTBE)	112	115	64-136	2	0-28	
Tert-Butyl Alcohol (TBA)	107	101	27-183	6	0-60	
Diisopropyl Ether (DIPE)	97	99	78-126	2	0-16	
Ethyl-t-Butyl Ether (ETBE)	103	103	67-133	0	0-21	
Tert-Amyl-Methyl Ether (TAME)	106	107	63-141	1	0-21	
Ethanol	106	117	11-167	10	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
 3330 Cameron Park Drive, Suite 550
 Cameron Park, CA 95682-8861


Date Received: N/A
 Work Order No: 08-09-0089
 Preparation: EPA 5030B
 Method: EPA 8015B (M)

Project: ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-256	Aqueous	GC 4	09/07/08	09/07/08	080907B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	85	84	78-120	1	0-20	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-09-0089
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-431	Aqueous	GC/MS Z	09/06/08	09/06/08	080906L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	99	100	87-117	82-122	1	0-7	
Carbon Tetrachloride	103	106	78-132	69-141	3	0-8	
Chlorobenzene	97	98	88-118	83-123	1	0-8	
1,2-Dibromoethane	111	111	80-120	73-127	0	0-20	
1,2-Dichlorobenzene	99	101	88-118	83-123	1	0-8	
1,1-Dichloroethene	102	103	71-131	61-141	2	0-14	
Ethylbenzene	96	98	80-120	73-127	2	0-20	
Toluene	97	99	85-127	78-134	1	0-7	
Trichloroethene	105	108	85-121	79-127	2	0-11	
Vinyl Chloride	96	96	64-136	52-148	0	0-10	
Methyl-t-Butyl Ether (MTBE)	120	123	67-133	56-144	3	0-16	
Tert-Butyl Alcohol (TBA)	95	97	34-154	14-174	3	0-19	
Diisopropyl Ether (DIPE)	97	100	80-122	73-129	3	0-8	
Ethyl-t-Butyl Ether (ETBE)	104	108	73-127	64-136	4	0-11	
Tert-Amyl-Methyl Ether (TAME)	108	108	69-135	58-146	0	0-12	
Ethanol	88	83	34-124	19-139	6	0-44	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass

RPD - Relative Percent Difference , CL - Control Limit



Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.
3330 Cameron Park Drive, Suite 550
Cameron Park, CA 95682-8861

Date Received: N/A
Work Order No: 08-09-0089
Preparation: EPA 5030B
Method: EPA 8260B

Project: ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-433	Aqueous	GC/MS Z	09/08/08	09/08/08	080908L01		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	98	98	87-117	82-122	0	0-7	
Carbon Tetrachloride	109	109	78-132	69-141	0	0-8	
Chlorobenzene	97	98	88-118	83-123	1	0-8	
1,2-Dibromoethane	102	104	80-120	73-127	2	0-20	
1,2-Dichlorobenzene	98	99	88-118	83-123	2	0-8	
1,1-Dichloroethene	97	97	71-131	61-141	0	0-14	
Ethylbenzene	99	98	80-120	73-127	1	0-20	
Toluene	97	97	85-127	78-134	1	0-7	
Trichloroethene	96	98	85-121	79-127	2	0-11	
Vinyl Chloride	87	92	64-136	52-148	7	0-10	
Methyl-t-Butyl Ether (MTBE)	101	110	67-133	56-144	8	0-16	
Tert-Butyl Alcohol (TBA)	104	101	34-154	14-174	3	0-19	
Diisopropyl Ether (DIPE)	99	95	80-122	73-129	4	0-8	
Ethyl-t-Butyl Ether (ETBE)	98	102	73-127	64-136	4	0-11	
Tert-Amyl-Methyl Ether (TAME)	100	103	69-135	58-146	3	0-12	
Ethanol	85	98	34-124	19-139	14	0-44	


Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass


RPD - Relative Percent Difference, CL - Control Limit



Glossary of Terms and Qualifiers

Work Order Number: 08-09-0089

<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	
BA,AY	Relative percent difference out of control, matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GS	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG	Surrogate recovery below the acceptance limit.
LH	Surrogate recovery above the acceptance limit.
LM,AY	MS and/or MSD above acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LN,AY	MS and/or MSD below acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.
MB	Analyte present in the method blank.



Work Order Number: 08-09-0089

<u>Qualifier</u>	<u>Definition</u>
MG	Analyte is a suspected lab contaminate.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.





bp
A BP affiliated company

Chain of Custody Record

Project Name: ARCO 4977
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > Alameda > 4
 State or Lead Regulatory Agency: _____
 Requested Due Date (mm/dd/yy): _____

COCP


On-site Time: <u>1055</u>	Temp: <u>68</u>
Off-site Time: <u>1205</u>	Temp: <u>79</u>
Sky Conditions: <u>Clear</u>	
Meteorological Events: <u>None</u>	
Wind Speed: <u>0</u>	Direction: _____

Lab Name: <u>Calscience</u>	BP/AR Facility No.: <u>4977</u>	Consultant/Contractor: <u>Stratus Environmental, Inc.</u>
Address: <u>7440 Lincoln Way</u> <u>Garden Grove, CA 92841</u>	BP/AR Facility Address: <u>2770 Castro Valley Road, Castro Valley</u>	Address: <u>3330 Cameron Park Drive, Suite 550</u> <u>Cameron Park, CA 95682</u>
Lab PM: <u>Linda Scharpenberg</u>	Site Lat/Long: _____	Consultant/Contractor Project No.: _____
Tele/Fax: <u>714-895-5494 714-895-7501(fax)</u>	California Global ID No.: <u>T060010089</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Enfos Project No.: <u>G0C2H-0021</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150</u> <u>San Ramon, CA</u>	Provision or OOC (circle one) <u>Provision</u>	Report Type & QC Level: <u>Level 1 with EDF</u>
Tele/Fax: <u>925-275-3506</u>	Phase/WBS: <u>04-Monitoring</u>	E-mail EDD To: <u>bcarroll@stratusinc.net</u>
	Sub Phase/Task: <u>03-Analytical</u>	Invoice to: <u>Atlantic Richfield Co.</u>
	Cost Element: <u>01-Contractor labor</u>	

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis					Sample Point Lat/Long and Comments Oxy = MTBE, TAME, ETBE, DIPE, TBA	
				Soil/Solid	Water/Liquid	Air			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	Methanol	BTEX/Oxy* by 8260	1,2-DCA	Ethanol by 8260	EDB	GRO by 8015m		
1	MW-1	1205	2-2-8	X				6												
2	MW-2	1270	1	X				6				X	X	X	X	X				
3	MW-3	1150	1	X				6				X	X	X	X	X				
4	TB-4977	500	1	X				2				X	X	X	X	X				
5												X	X	X	X	X				
6																				
7																				
8																				
9																				
10																				

Sampler's Name: <u>Jerry Gonzalez</u>	Relinquished By / Affiliation: _____	Date: _____	Time: _____	Accepted By / Affiliation: _____	Date: _____	Time: _____
Sampler's Company: <u>Douglas Env</u>						
Shipment Date: _____						
Shipment Method: _____						
Shipment Tracking No: <u>106087672</u>						
Special Instructions: <u>Please cc results to rmiller@broadbentinc.com</u>						

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: _____ °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



WORK ORDER #: 08 - 09 - 0089

Cooler 1 of 1

SAMPLE RECEIPT FORM

CLIENT: Stratus Environmental, Inc.

DATE: 9/03/08

TEMPERATURE - SAMPLES RECEIVED BY:

CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
Chilled, cooler without temperature blank.
Chilled and placed in cooler with wet ice.
Ambient and placed in cooler with wet ice.
Ambient temperature (For Air & Filter only).

LABORATORY (Other than Calscience Courier):

- Temperature blank.
IR thermometer.
Ambient temperature (For Air & Filter only).

6.0 C Temperature blank.

Initial: DS

CUSTODY SEAL INTACT:

Sample(s): Cooler: No (Not Intact): Not Present: Initial: DS

SAMPLE CONDITION:

Table with 4 columns: Description, Yes, No, N/A. Rows include Chain-Of-Custody document(s), Sampler's name, Sample container label(s), Sample container(s) intact, Correct containers and volume, Proper preservation, VOA vial(s) free of headspace, Tedlar bag(s) free of condensation.

Initial: DS

COMMENTS:

Multiple horizontal lines for handwritten comments.

ATTACHMENT

FIELD PROCEDURES FOR GROUNDWATER SAMPLING

The sampling procedures for groundwater monitoring events are contained in this appendix.

Equipment Calibration

Standard groundwater sampling equipment – pH/Conductivity/Temperature meter, and dissolved oxygen (DO) meters are calibrated prior to all field work. All calibration is conducted in accordance with equipment manufacturer's recommended procedure and buffer solutions. MSDS for all buffer solutions are maintained in Stratus vehicles. Calibration is completed everyday prior to field work and also once a week. The pH probe is calibrated for a pH of 7.0 daily and for 4.0, 7.0 and 10.0 weekly. The conductivity probe is calibrated for 1413 μ s daily and 1413 μ s and 447 μ s weekly. The temperature probe is calibrated weekly with a NIST-traceable thermometer. The DO probe is calibrated for 100% oxygen daily and 0% and 100% oxygen weekly. All calibration logs are maintained in the Stratus office.

Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

Subjective Analysis of Groundwater

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

Monitoring Well Sampling

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

Groundwater Sample Labeling and Preservation

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc® type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

Sample Identification and Chain-of-Custody Procedures

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and

contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

Equipment Cleaning

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

APPENDIX B

GEOTRACKER UPLOAD CONFIRMATION

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A GEO_WELL FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GEO_WELL
<u>Submittal Title:</u>	3Q08 GEO_WELL 4977
<u>Facility Global ID:</u>	T0600100089
<u>Facility Name:</u>	ARCO #4977
<u>File Name:</u>	GEO_WELL.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	10/2/2008 10:09:41 AM
<u>Confirmation Number:</u>	4482619345

STATE WATER RESOURCES CONTROL BOARD
GEOTRACKER ESI

UPLOADING A EDF FILE

SUCCESS

Processing is complete. No errors were found!
Your file has been successfully submitted!

<u>Submittal Type:</u>	GWM_R
<u>Submittal Title:</u>	3Q08 GW Monitoring
<u>Facility Global ID:</u>	T0600100089
<u>Facility Name:</u>	ARCO #4977
<u>File Name:</u>	08090089.zip
<u>Organization Name:</u>	Broadbent & Associates, Inc.
<u>Username:</u>	BROADBENT-C
<u>IP Address:</u>	67.118.40.90
<u>Submittal Date/Time:</u>	10/2/2008 10:12:06 AM
<u>Confirmation Number:</u>	8108244955

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)