



Atlantic Richfield Company  
(a BP affiliated company)

P.O. Box 1257  
San Ramon, CA 94583  
Phone: (925) 275-3801  
Fax: (925) 275-3815

April 27, 2009

Re: First Quarter, 2009 Ground-Water Monitoring Report  
Atlantic Richfield Company Station #4977  
2770 Castro Valley Boulevard  
Castro Valley, California  
ACEH Case No. RO0002436

**RECEIVED**

10:54 am, May 01, 2009

Alameda County  
Environmental Health



“I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.”

Submitted by:

Paul Supple  
Environmental Business Manager

**First Quarter, 2009 Ground-Water Monitoring Report**  
Atlantic Richfield Company Station #4977  
2770 Castro Valley Boulevard  
Castro Valley, California

Prepared for

Mr. Paul Supple  
Environmental Business Manager  
Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212  
Chico, California 95926  
(530) 566-1400  
*www.broadbentinc.com*

April, 2009

Project No. 06-82-625

April 27, 2009

Project No. 06-82-625

Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, California 94583  
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: First Quarter, 2009 Ground-Water Monitoring Report, Atlantic Richfield Company (a BP affiliated company) Station #4977, 2770 Castro Valley Boulevard, Castro Valley, CA. ACEH Case No. RO0002436.

Dear Mr. Supple:

Provided herein is the *First Quarter, 2009 Ground-Water Monitoring Report* for Atlantic Richfield Company Station #4977 (herein referred to as Station #4977) located at 2770 Castro Valley Boulevard, Castro Valley, CA (Property). This report presents a summary of First Quarter, 2009 ground-water monitoring results.


Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,

BROADBENT & ASSOCIATES, INC.



Matthew G. Herrick, P.G., C.HG.  
Senior Hydrogeologist



Robert H. Miller, P.G., C.HG.  
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (submitted via ACEH ftp site)

## STATION #4977 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #4977 Address: 2770 Castro Valley Boulevard, Castro Valley, CA  
Station #4977 Environmental Business  
Manager: Mr. Paul Supple  
Consulting Co./Contact Persons: Broadbent & Associates, Inc. (BAI) / Rob Miller & Matt Herrick  
Consultant Project No.: 06-82-625  
Facility Permits/Permitting Agency.: NA

### WORK PERFORMED THIS QUARTER (First Quarter, 2009):

1. Submitted Fourth Quarter, 2008 Ground-Water Monitoring Report. Work performed by BAI.
2. Conducted ground-water monitoring/sampling for First Quarter, 2009. Work performed by Stratus Environmental, Inc.

### WORK PROPOSED FOR NEXT QUARTER (Second Quarter, 2009):

1. Submit First Quarter, 2009 Ground-Water Monitoring Report (contained herein).
2. Conduct quarterly ground-water monitoring/sampling for Second Quarter, 2009.

### QUARTERLY RESULTS SUMMARY:

Current phase of project:	<b>Ground-water monitoring/sampling</b>
Frequency of ground-water sampling:	<b>Wells MW-1 through MW-3: Quarterly</b>
Frequency of ground-water monitoring:	<b>Quarterly</b>
Is free product (FP) present on-site:	<b>No</b>
Current remediation techniques:	<b>None</b>
Depth to ground water (below TOC):	<b>5.21 (MW-3) to 8.05 (MW-1) feet</b>
General ground-water flow direction:	<b>South</b>
Approximate hydraulic gradient:	<b>0.037 Feet per foot</b>

### DISCUSSION:

Gasoline range organics (GRO) were detected in MW-2 and MW-3 at 16,000 micrograms per liter ( $\mu\text{g/L}$ ) and 530  $\mu\text{g/L}$ , respectively. Benzene was detected in MW-2 and MW-3 at 470  $\mu\text{g/L}$  and 3.3  $\mu\text{g/L}$ , respectively. Ethylbenzene was detected in MW-2 and MW-3 at 490  $\mu\text{g/L}$  and 22  $\mu\text{g/L}$ , respectively. Xylenes were detected in MW-2 and MW-3 at 130  $\mu\text{g/L}$  and 0.71  $\mu\text{g/L}$ , respectively. Methyl tert-butyl ether (MTBE) was detected in MW-1, MW-2, and MW-3 at concentrations ranging from 1.3  $\mu\text{g/L}$  (MW-1) to 82  $\mu\text{g/L}$  (MW-2). Tert-Butyl Alcohol (TBA) was detected in MW-3 at 98  $\mu\text{g/L}$ . No other analytes were detected in ground-water samples collected during First Quarter, 2009.

Analytes detected during First Quarter, 2009 were all within the historic minimum and maximum concentration ranges recorded for each well, with the following exception: ethylbenzene in MW-2 is the lowest concentration historically detected. Ground-water elevations measured during First Quarter, 2009 were within historic minimum and maximum ranges for each well, with the following exception: the ground-water elevation in MW-3 was the highest elevation historically measured.


Drawing 1 depicts the ground-water elevation contour and analytical summary map for the First Quarter, 2009. Table 1 includes a summary of ground-water monitoring data including relative water elevations and laboratory analyses. Table 2 provides a summary of fuel additives analytical data. Table 3 presents historical ground-water flow direction and gradient.

**CLOSURE:**

The findings presented in this report are based upon: observations of Stratus Environmental, Inc. and/or their subcontractor(s) field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, CA). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

**ATTACHMENTS:**

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, Station #4977, Castro Valley, CA
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #4977, Castro Valley, CA
- Table 2. Summary of Fuel Additives Analytical Data, Station #4977, Castro Valley, CA
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #4977, Castro Valley, CA
- Appendix A. Stratus Environmental, Inc. Ground-Water Sampling Data Package (Includes Field Data Sheets, Non-Hazardous Waste Data Form, Chain of Custody Documentation, Certified Analytical Results, and Field Procedures for Ground-water Sampling)
- Appendix B. GeoTracker Upload Confirmation



**LEGEND**


- ⊕ MONITORING WELL
- SOIL BORING

Well	WELL DESIGNATION
ELEV	GROUND-WATER ELEVATION (FT ABOVE MSL)
GRO	CONCENTRATION OF GRO, BENZENE AND MTBE IN GROUND WATER (µg/L)
BZ	
MTBE	
Q	SAMPLING FREQUENCY

- < NOT DETECTED AT OR ABOVE LABORATORY REPORTING LIMITS
- Q SAMPLED QUARTERLY
- 156 GROUND-WATER ELEVATION CONTOUR (FT ABOVE MSL)



NOTE: SITE MAP ADAPTED FROM DELTA ENVIRONMENTAL FIGURES. SITE DIMENSIONS AND FACILITY LOCATIONS NOT VERIFIED.



**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-1</b>															
4/19/2002	--		161.11	5.0	15.0	11.21	149.90	660	12	1.3	4.3	0.8	38	--	--
9/27/2002	--		161.11	5.0	15.0	9.29	151.82	130	7.7	0.87	5.4	0.79	39	1.7	6.9
12/16/2002	--	a	161.11	5.0	15.0	8.55	152.56	77	1.8	<0.50	0.69	<1.0	42	1.6	6.9
3/11/2003	--		161.11	5.0	15.0	8.07	153.04	140	9.8	<0.50	5.6	<0.50	20	1.4	7.4
6/17/2003	--		161.11	5.0	15.0	8.31	152.80	510	60	1.4	81	<1.0	23	2.2	7
9/18/2003	--	b	161.11	5.0	15.0	9.45	151.66	72	2.4	1.4	1.6	1.5	39	2.7	7
12/11/2003	P		161.11	5.0	15.0	8.80	152.31	79	1.5	<0.50	1.5	4.4	48	2.1	7.0
03/11/2004	P		163.44	5.0	15.0	7.61	155.83	<50	1.3	<0.50	0.77	1.3	17	1.4	6.8
06/02/2004	P		163.44	5.0	15.0	8.95	154.49	53	1.4	<0.50	0.93	<0.50	39	2.3	7.1
09/22/2004	P		163.44	5.0	15.0	9.42	154.02	70	<0.50	<0.50	<0.50	<0.50	48	1.7	6.8
12/15/2004	P		163.44	5.0	15.0	7.88	155.56	63	<0.50	<0.50	<0.50	<0.50	45	1.8	6.9
03/07/2005	P		163.44	5.0	15.0	7.02	156.42	<50	<0.50	<0.50	<0.50	<0.50	4.0	2.4	6.8
06/27/2005	P		163.44	5.0	15.0	7.53	155.91	52	2.0	<0.50	1.9	0.78	8.1	2.8	7.1
09/16/2005	P		163.44	5.0	15.0	9.20	154.24	<50	<0.50	<0.50	<0.50	0.76	14	1.82	6.9
12/27/2005	P		163.44	5.0	15.0	7.60	155.84	<50	1.3	<0.50	1.5	<0.50	9.4	2.02	7.87
03/16/2006	P		163.44	5.0	15.0	6.97	156.47	71	3.0	<0.50	3.5	<0.50	3.4	1.6	7.1
6/26/2006	P		163.44	5.0	15.0	8.58	154.86	71	0.69	<0.50	1.1	3.5	3.2	2.2	6.9
9/29/2006	P		163.44	5.0	15.0	8.85	154.59	<50	<0.50	<0.50	<0.50	<0.50	5.2	2.35	6.7
12/19/2006	P		163.44	5.0	15.0	8.00	155.44	<50	<0.50	<0.50	<0.50	<0.50	4.3	4.80	7.21
3/29/2007	P		163.44	5.0	15.0	7.70	155.74	<50	<0.50	<0.50	<0.50	<0.50	2.3	3.44	7.18
6/5/2007	P		163.44	5.0	15.0	8.77	154.67	<50	<0.50	<0.50	<0.50	<0.50	3.2	3.45	7.29
9/25/2007	P		163.44	5.0	15.0	9.18	154.26	<50	<0.50	<0.50	<0.50	<0.50	5.3	2.61	7.41
12/26/2007	P		163.44	5.0	15.0	8.45	154.99	<50	<0.50	<0.50	<0.50	<0.50	2.9	5.57	7.43
3/25/2008	P		163.44	5.0	15.0	8.29	155.15	<50	<0.50	<0.50	<0.50	<0.50	0.94	3.52	7.80
6/10/2008	P		163.44	5.0	15.0	9.17	154.27	<50	<0.50	<0.50	<0.50	<0.50	1.3	3.38	7.01
9/2/2008	P		163.44	5.0	15.0	9.15	154.29	<50	<0.50	<0.50	<0.50	<0.50	5.6	2.30	6.81
12/2/2008	P		163.44	5.0	15.0	8.90	154.54	<50	<0.50	<0.50	<0.50	<0.50	2.7	2.41	6.96
<b>3/5/2009</b>	<b>P</b>		<b>163.44</b>	<b>5.0</b>	<b>15.0</b>	<b>8.05</b>	<b>155.39</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>1.3</b>	<b>2.48</b>	<b>7.47</b>
<b>MW-2</b>															
4/19/2002	--		161.87	5.0	15.0	6.59	155.28	28,000	970	120	860	6,900	760	--	--

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-2 Cont.</b>															
9/27/2002	--		161.87	5.0	15.0	7.18	154.69	17,000	1,400	<50	1,200	3,700	1,400	1.5	6.8
12/16/2002	--	a	161.87	5.0	15.0	7.31	154.56	17,000	1,000	<50	980	3,300	980	1.9	6.8
3/11/2003	--		161.87	5.0	15.0	6.02	155.85	24,000	1,600	70	1,300	4,300	920	1.7	7.4
6/17/2003	--		161.87	5.0	15.0	6.31	155.56	28,000	1,300	55	1,300	4,500	610	1.4	6.9
9/18/2003	--		161.87	5.0	15.0	7.61	154.26	19,000	960	63	1,100	3,100	580	2.7	6.8
12/11/2003	P		161.87	5.0	15.0	6.50	155.37	29,000	710	53	1,300	3,800	490	2.0	7.0
03/11/2004	P		164.29	5.0	15.0	6.02	158.27	19,000	830	49	1,500	4,000	410	0.8	6.5
06/02/2004	P		164.29	5.0	15.0	7.14	157.15	25,000	680	<50	1,300	3,900	240	4.3	7.1
09/22/2004	--		164.29	5.0	15.0	7.63	156.66	15,000	980	<25	980	940	390	--	6.7
12/15/2004	P	c	164.29	5.0	15.0	6.48	157.81	22,000	610	26	1,300	3,200	290	0.3	6.9
03/07/2005	P		164.29	5.0	15.0	6.08	158.21	25,000	570	33	1,400	3,900	120	2.3	6.8
06/27/2005	P		164.29	5.0	15.0	6.90	157.39	24,000	630	32	1,200	2,900	86	2.5	7.2
09/16/2005	P		164.29	5.0	15.0	7.66	156.63	25,000	550	<25	1,400	3,000	82	1.41	7.0
12/27/2005	P		164.29	5.0	15.0	5.60	158.69	33,000	540	<25	1,300	2,700	100	2.26	7.19
03/16/2006	P	c	164.29	5.0	15.0	7.25	157.04	29,000	710	<50	1,400	2,600	78	1.4	7.1
6/26/2006	P	c	164.29	5.0	15.0	6.60	157.69	20,000	630	<25	1,200	1,100	110	0.64	6.8
9/29/2006	P		164.29	5.0	15.0	6.85	157.44	24,000	530	<25	1,300	1,800	86	1.36	6.7
12/19/2006	P		164.29	5.0	15.0	6.02	158.27	21,000	500	<25	1,400	1,700	70	1.11	7.42
3/29/2007	P		164.29	5.0	15.0	6.03	158.26	16,000	530	<25	1,100	1,100	80	2.98	7.18
6/5/2007	P		164.29	5.0	15.0	6.85	157.44	21,000	420	<25	1,100	1,100	50	2.09	7.20
9/25/2007	P		164.29	5.0	15.0	7.15	157.14	25,000	620	<25	1,400	1,200	70	3.25	7.59
12/26/2007	P		164.29	5.0	15.0	6.25	158.04	16,000	440	<5.0	760	570	80	1.84	7.66
3/25/2008	P		164.29	5.0	15.0	6.63	157.66	16,000	530	7.8	790	470	96	1.78	7.72
6/10/2008	P		164.29	5.0	15.0	7.04	157.25	14,000	480	<25	730	240	100	1.83	6.96
9/2/2008	P		164.29	5.0	15.0	7.25	157.04	13,000	440	<25	690	240	91	3.09	6.61
12/2/2008	P		164.29	5.0	15.0	6.42	157.87	31,000	490	<10	670	120	97	3.05	7.00
<b>3/5/2009</b>	<b>P</b>		<b>164.29</b>	<b>5.0</b>	<b>15.0</b>	<b>5.83</b>	<b>158.46</b>	<b>16,000</b>	<b>470</b>	<b>&lt;10</b>	<b>490</b>	<b>130</b>	<b>82</b>	<b>2.99</b>	<b>7.35</b>
<b>MW-3</b>															
4/19/2002	--		162.14	5.0	15.0	6.94	155.20	1,200	29	1.1	43	62	1,700	--	--
9/27/2002	--		162.14	5.0	15.0	8.26	153.88	740	7.8	<2.5	6.8	4.4	1,100	1	6.7



**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-3 Cont.</b>															
12/16/2002	--	a	162.14	5.0	15.0	6.76	155.38	1,200	13	<10	170	88	910	2.3	6.8
3/11/2003	--		162.14	5.0	15.0	6.92	155.22	<2,500	<25	<25	<25	<25	470	1.7	7.5
6/17/2003	--		162.14	5.0	15.0	7.44	154.70	<1,000	<10	<10	14	<10	530	1.9	7
9/18/2003	--		162.14	5.0	15.0	8.43	153.71	470	4.8	<2.5	10	9.2	300	2.9	6.8
12/11/2003	P		162.14	5.0	15.0	6.72	155.42	<500	<5.0	<5.0	7.0	13	180	1.9	6.9
03/11/2004	P		164.53	5.0	15.0	6.09	158.44	360	1.9	<1.0	5.6	5.0	110	2.6	6.8
06/02/2004	P		164.53	5.0	15.0	7.50	157.03	380	2.8	<0.50	8.0	2.1	43	3.6	7.3
09/22/2004	P		164.53	5.0	15.0	8.00	156.53	270	<0.50	<0.50	0.54	<0.50	50	1.8	6.9
12/15/2004	P		164.53	5.0	15.0	6.43	158.10	390	3.5	<0.50	20	3.7	49	1.1	6.9
03/07/2005	P		164.53	5.0	15.0	6.12	158.41	1,900	13	<1.0	93	29	70	2.3	6.8
06/27/2005	P		164.53	5.0	15.0	7.08	157.45	830	4.0	<0.50	13	2.8	33	3.3	7.3
09/16/2005	P		164.53	5.0	15.0	7.28	157.25	320	2.1	<0.50	5.4	0.60	21	2.11	7.0
12/27/2005	P		164.53	5.0	15.0	6.47	158.06	770	6.0	<0.50	33	2.7	36	2.96	7.42
03/16/2006	P		164.53	5.0	15.0	6.10	158.43	1,600	11	<0.50	59	6.4	45	1.4	7.1
6/26/2006	P		164.53	5.0	15.0	6.92	157.61	400	<0.50	<0.50	1.6	2.1	26	2.41	7.0
9/29/2006	P		164.53	5.0	15.0	7.38	157.15	220	0.86	<0.50	2.2	0.58	14	1.95	7.0
12/19/2006	P		164.53	5.0	15.0	6.65	157.88	450	4.3	<0.50	19	1.4	19	3.68	7.30
3/29/2007	P		164.53	5.0	15.0	6.92	157.61	390	3.0	<0.50	9.1	0.60	27	1.98	7.16
6/5/2007	P		164.53	5.0	15.0	7.01	157.52	390	1.9	<0.50	6.9	<0.50	20	1.99	7.34
9/25/2007	P		164.53	5.0	15.0	7.52	157.01	260	1.3	<0.50	2.7	<0.50	12	3.44	7.41
12/26/2007	P		164.53	5.0	15.0	6.65	157.88	460	3.1	<0.50	15	0.89	17	4.05	7.46
3/25/2008	P		164.53	5.0	15.0	6.71	157.82	260	0.91	0.71	2.5	0.54	29	2.40	7.63
6/10/2008	P		164.53	5.0	15.0	7.33	157.20	120	<0.50	<0.50	2.0	<0.50	12	2.29	7.59
9/2/2008	P		164.53	5.0	15.0	7.53	157.00	97	<0.50	<0.50	<0.50	<0.50	9.3	3.28	6.81
12/2/2008	P		164.53	5.0	15.0	7.38	157.15	140	<0.50	<0.50	<0.50	<0.50	8.4	3.18	7.06
<b>3/5/2009</b>	<b>P</b>		<b>164.53</b>	<b>5.0</b>	<b>15.0</b>	<b>5.21</b>	<b>159.32</b>	<b>530</b>	<b>3.3</b>	<b>&lt;0.50</b>	<b>22</b>	<b>0.71</b>	<b>18</b>	<b>3.11</b>	<b>7.46</b>

SYMBOLS AND ABBREVIATIONS:

< = Not detected at or above specified laboratory reporting limits

-- = Not measured, sampled, analyzed, applicable

ft bgs = Feet below ground surface

DO = Dissolved oxygen

DTW = Depth to water in ft bgs

GRO = Gasoline range organics

GWE = Groundwater elevation in ft MSL

mg/L = Milligrams per liter

ft MSL = Feet above mean sea level

MTBE = Methyl tert-butyl ether analyzed by EPA Method 8021B unless otherwise noted (before 12/16/02)

P/NP = Well was purged/not purged prior to sampling

TPH-g = Total petroleum hydrocarbons as gasoline (C5-C9)

TOC = Top of casing measured in ft MSL

µg/L = Micrograms per liter

FOOTNOTES:

a = TPH, benzene, toluene, ethylbenzene, total xylenes, and MTBE analyzed by EPA Method 8260B beginning on 4th quarter sampling event (12/16/02).

b = This sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation or dilution was performed past the recommended hold time. The results may still be used for their intended purpose.

c = Sheen in well.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential inclusion of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Wells were re-surveyed on 3/23/2004.

Values for DO and pH were field measurements.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

GRO analysis was completed by EPA method 8260B (C4-C12) for samples collected from the time period April 2006 through February 4, 2008. The analysis for GRO was changed to EPA method 8015B (C6-C12) for samples collected from the time period February 5, 2008 through the present.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data  
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-1</b>									
12/16/2002	<50	<5.0	42	<0.50	<0.50	<0.50	<0.50	<0.50	
3/11/2003	<100	<20	20	<0.50	<0.50	<0.50	<0.50	<0.50	
6/17/2003	<200	<40	23	<1.0	<1.0	<1.0	<1.0	<1.0	
9/18/2003	<100	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	a
12/11/2003	<100	<20	48	<0.50	<0.50	<0.50	<0.50	<0.50	
03/11/2004	<100	<20	17	<0.50	<0.50	<0.50	<0.50	<0.50	
06/02/2004	<100	<20	39	<0.50	<0.50	<0.50	<0.50	<0.50	
09/22/2004	<100	<20	48	<0.50	<0.50	<0.50	<0.50	<0.50	
12/15/2004	<100	<20	45	<0.50	<0.50	<0.50	<0.50	<0.50	a
03/07/2005	<100	<20	4.0	<0.50	<0.50	<0.50	<0.50	<0.50	
06/27/2005	<100	<20	8.1	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	<20	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/27/2005	<100	<20	9.4	<0.50	<0.50	<0.50	<0.50	<0.50	b
03/16/2006	<300	<20	3.4	<0.50	<0.50	<0.50	<0.50	<0.50	c
6/26/2006	<300	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/29/2006	<300	<20	5.2	<0.50	<0.50	<0.50	<0.50	<0.50	
12/9/2006	<300	<20	4.3	<0.50	<0.50	<0.50	<0.50	--	b
3/29/2007	<300	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	
6/5/2007	<300	<20	3.2	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	<20	5.3	<0.50	<0.50	<0.50	<0.50	<0.50	
12/26/2007	<300	<20	2.9	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	<10	0.94	<0.50	<0.50	<0.50	<0.50	<0.50	
6/10/2008	<300	<10	1.3	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	5.6	<0.50	<0.50	<0.50	<0.50	<0.50	
12/2/2008	<300	<10	2.7	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>3/5/2009</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>1.3</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	
<b>MW-2</b>									
12/16/2002	<5,000	<500	980	<50	<50	<50	<50	<50	
3/11/2003	<10,000	<2,000	920	<50	<50	<50	<50	<50	
6/17/2003	<10,000	<2,000	610	<50	<50	<50	<50	<50	
9/18/2003	<5,000	<1,000	580	<25	<25	<25	<25	<25	

**Table 2. Summary of Fuel Additives Analytical Data  
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-2 Cont.</b>									
12/11/2003	<5,000	<1,000	490	<25	<25	<25	<25	<25	
03/11/2004	<2,000	<400	410	<10	<10	<10	<10	<10	
06/02/2004	<10,000	<2,000	240	<50	<50	<50	<50	<50	
09/22/2004	<5,000	<1,000	390	<25	<25	<25	<25	<25	
12/15/2004	<2,000	<400	290	<10	<10	<10	<10	<10	a
03/07/2005	<5,000	<1,000	120	<25	<25	<25	<25	<25	
06/27/2005	<5,000	<1,000	86	<25	<25	<25	<25	<25	
09/16/2005	<5,000	<1,000	82	<25	<25	<25	<25	<25	
12/27/2005	<5,000	<1,000	100	<25	<25	<25	<25	<25	b
03/16/2006	<30,000	<2,000	78	<50	<50	<50	<50	<50	c
6/26/2006	<15,000	<1,000	110	<25	<25	<25	<25	<25	
9/29/2006	<15,000	<1,000	86	<25	<25	<25	<25	<25	
12/9/2006	<15,000	<1,000	70	<25	<25	<25	<25	--	b
3/29/2007	<15,000	<1,000	80	<25	<25	<25	<25	<25	
6/5/2007	<15,000	<1,000	50	<25	<25	<25	<25	<25	
9/25/2007	<15,000	<1,000	70	<25	<25	<25	<25	<25	
12/26/2007	<3,000	<200	80	<5.0	<5.0	<5.0	<5.0	<5.0	
3/25/2008	<1,500	<50	96	<2.5	<2.5	<2.5	<2.5	<2.5	
6/10/2008	<15,000	<500	100	<25	<25	<25	<25	<25	
9/2/2008	<15,000	<500	91	<25	<25	<25	<25	<25	
12/2/2008	<6,000	<200	97	<10	<10	<10	<10	<10	
<b>3/5/2009</b>	<b>&lt;6,000</b>	<b>&lt;200</b>	<b>82</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	<b>&lt;10</b>	
<b>MW-3</b>									
12/16/2002	<1,000	<100	910	<10	<10	12	<10	<10	
3/11/2003	<5,000	<1,000	470	<25	<25	<25	<25	<25	
6/17/2003	<2,000	<400	530	<10	<10	<10	<10	<10	
9/18/2003	<500	<100	300	<2.5	<2.5	3.2	<2.5	<2.5	
12/11/2003	<1,000	<200	180	<5.0	<5.0	<5.0	<5.0	<5.0	
03/11/2004	<200	570	110	<1.0	<1.0	<1.0	<1.0	<1.0	
06/02/2004	<100	130	43	<0.50	<0.50	0.56	<0.50	<0.50	
09/22/2004	<100	28	50	<0.50	<0.50	0.51	<0.50	<0.50	

**Table 2. Summary of Fuel Additives Analytical Data  
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

Well and Sample Date	Concentrations in (µg/L)								Comments
	Ethanol	TBA	MTBE	DIPE	ETBE	TAME	1,2-DCA	EDB	
<b>MW-3 Cont.</b>									
12/15/2004	<100	110	49	<0.50	0.52	0.61	<0.50	<0.50	a
03/07/2005	<200	190	70	<1.0	<1.0	<1.0	<1.0	<1.0	
06/27/2005	<100	130	33	<0.50	<0.50	<0.50	<0.50	<0.50	
09/16/2005	<100	44	21	<0.50	<0.50	<0.50	<0.50	<0.50	
12/27/2005	<100	150	36	<0.50	<0.50	<0.50	<0.50	<0.50	b
03/16/2006	<300	160	45	<0.50	<0.50	0.84	<0.50	<0.50	c
6/26/2006	<300	53	26	<0.50	<0.50	<0.50	<0.50	<0.50	
9/29/2006	<300	55	14	<0.50	<0.50	<0.50	<0.50	<0.50	
12/9/2006	<300	<20	19	<0.50	<0.50	<0.50	<0.50	--	b
3/29/2007	<300	130	27	<0.50	<0.50	<0.50	<0.50	<0.50	
6/5/2007	<300	77	20	<0.50	<0.50	<0.50	<0.50	<0.50	
9/25/2007	<300	30	12	<0.50	<0.50	<0.50	<0.50	<0.50	
12/26/2007	<300	76	17	<0.50	<0.50	<0.50	<0.50	<0.50	
3/25/2008	<300	100	29	<0.50	<0.50	<0.50	<0.50	<0.50	
6/10/2008	<300	25	12	<0.50	<0.50	<0.50	<0.50	<0.50	
9/2/2008	<300	<10	9.3	<0.50	<0.50	<0.50	<0.50	<0.50	
12/2/2008	<300	<10	8.4	<0.50	<0.50	<0.50	<0.50	<0.50	
<b>3/5/2009</b>	<b>&lt;300</b>	<b>98</b>	<b>18</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	

SYMBOLS AND ABBREVIATIONS:

< = Not detected at or above specified laboratory reporting limit

1,2-DCA = 1,2-Dichloroethane

DIPE = Di-isopropyl ether

EDB = 1,2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

µg/L = Micrograms per liter

FOOTNOTES:

a = This sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation or dilution was performed past the recommended hold time. The results may still be used for their intended purpose.

b = Calibration verification for ethanol was within method limits but outside contract limits.

c = Possible high bias for DIPE, 1,2-DCA, and ethanol due to CCV falling outside acceptance criteria.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient  
Station #4977, 2770 Castro Valley Blvd., Castro Valley, CA**

<b>Date Sampled</b>	<b>Approximate Flow Direction</b>	<b>Approximate Hydraulic Gradient</b>
4/19/2002	Southwest	0.038
9/27/2002	Southwest	0.021
12/16/2002	Southeast	0.029
3/11/2003	South	0.024
6/17/2003	South-Southwest	0.022
9/18/2003	South-Southwest	0.022
3/11/2004	South-Southwest	0.024
6/2/2004	South	0.025
9/22/2004	South	0.025
12/15/2004	South	0.020
3/7/2005	South	0.02
6/27/2005	South	0.01
9/16/2005	Southeast	0.03
12/27/2005	South-Southeast	0.02
3/16/2006	Southeast	0.02
6/26/2006	South	0.03
9/29/2006	South	0.025
12/19/2006	South	0.024
3/29/2007	South	0.020
6/5/2007	South	0.027
9/25/2007	South	0.023
12/26/2007	South	0.027
3/25/2008	South	0.026
6/10/2008	South	0.026
9/2/2008	South	0.026
12/2/2008	South	0.028
<b>3/5/2009</b>	<b>South</b>	<b>0.037</b>

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**APPENDIX A**

STRATUS ENVIRONMENTAL, INC. GROUND-WATER SAMPLING DATA PACKAGE  
(INCLUDES FIELD DATA SHEETS, NON-HAZARDOUS WASTE DATA FORM, CHAIN  
OF CUSTODY DOCUMENTATION, CERTIFIED ANALYTICAL RESULTS, AND  
FIELD PROCEDURES FOR GROUND-WATER SAMPLING)





3330 Cameron Park Drive, Ste 550  
Cameron Park, California 95682  
(530) 676-6004 ~ Fax: (530) 676-6005

March 11, 2009

Mr. Rob Miller  
Broadbent & Associates, Inc.  
2000 Kirman Avenue  
Reno, NV 89502

Re: Groundwater Sampling Data Package, ARCO Service Station No. 4977, located at  
2770 Castro Valley Road, Castro Valley, California.

### **General Information**

*Data Submittal Prepared / Reviewed by:* Carol Huff / Jay Johnson

*Phone Number:* (530) 676-6004

*On-Site Supplier Representative:* Roberto Heimlich and Arturo Heimlich

*Sampling Date:* March 5, 2009

*Unusual Field Conditions:* None noted.

*Scope of Work Performed:* Quarterly monitoring and sampling.

*Variations from Work Scope:* None noted.


This submittal presents the data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Mr. Rob Miller, Broadbent & Associates, Inc.  
Groundwater Sampling Data Package  
ARCO Service Station No. 4977, Castro Valley, CA  
Page 2

March 11, 2009

Sincerely,

*STRATUS ENVIRONMENTAL, INC.*

  
Jay R. Johnson, P.G.  
Project Manager



**Attachments:**

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

CC: Mr. Paul Supple, BP/ARCO



# BP ALAMEDA PORTFOLIO

## WATER SAMPLE FIELD DATA SHEET

PROJECT #: 4977 PURGED BY: RH WELL I.D.: MW-1  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: \_\_\_\_\_  
 LOCATION: Castro Valley - 2770 Castro Valley Road QA SAMPLES: MW-1

DATE PURGED 3/5/09 START (2400hr) 10:00 END (2400hr) 10:10  
 DATE SAMPLED 3/5/09 SAMPLE TIME (2400hr) 10:25  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4"  5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 14.91 CASING VOLUME (gal) = 4.5  
 DEPTH TO WATER (feet) = 8.05 CALCULATED PURGE (gal) = 13.7  
 WATER COLUMN HEIGHT (feet) = 6.8 ACTUAL PURGE (gal) = 14

### FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>3/5/09</u>	<u>10:03</u>	<u>5</u>	<u>20.4</u>	<u>2805</u>	<u>7.72</u>	<u>clear</u>	_____
<u>✓</u>	<u>10:06</u>	<u>10</u>	<u>20.1</u>	<u>1325</u>	<u>7.68</u>	<u>✓</u>	_____
<u>✓</u>	<u>10:09</u>	<u>14</u>	<u>20.6</u>	<u>1274</u>	<u>7.47</u>	<u>✓</u>	_____

### SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 9.01 SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: GW  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / HCL

#### PURGING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Bailer (Teflon)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated \_\_\_\_\_

Other: \_\_\_\_\_  
 Pump Depth: 14.50

#### SAMPLING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Bailer (Teflon)
- Bailer (  PVC or  disposable)
- Bailer (Stainless Steel)
- Dedicated \_\_\_\_\_

Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 2.48

SIGNATURE: [Signature] Page \_\_\_ of \_\_\_

# BP ALAMEDA PORTFOLIO

## WATER SAMPLE FIELD DATA SHEET

PROJECT #: 4977 PURGED BY: RH WELL I.D.: MW-2  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-2  
 LOCATION: Castro Valley - 2770 Castro Valley Road QA SAMPLES: \_\_\_\_\_

DATE PURGED 3/5/09 START (2400hr) 10:31 END (2400hr) 10:41  
 DATE SAMPLED 3/5/09 SAMPLE TIME (2400hr) 10:53  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4" ✓ 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 14.51 CASING VOLUME (gal) = 5.8  
 DEPTH TO WATER (feet) = 5.83 CALCULATED PURGE (gal) = 17.4  
 WATER COLUMN HEIGHT (feet) = 8.6 ACTUAL PURGE (gal) = 18

### FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>3/5/09</u>	<u>10:34</u>	<u>6</u>	<u>17.3</u>	<u>891</u>	<u>8.13</u>	<u>clear</u>	_____
<u>✓</u>	<u>10:36</u>	<u>12</u>	<u>18.6</u>	<u>878</u>	<u>7.46</u>	<u>✓</u>	_____
<u>✓</u>	<u>10:38</u>	<u>18</u>	<u>20.4</u>	<u>865</u>	<u>7.35</u>	<u>✓</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

### SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 8.02 SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWD  
 ODOR: YES SAMPLE VESSEL / PRESERVATIVE: 6 L VOAS/HCL

#### PURGING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Other: \_\_\_\_\_

- Bailer (Teflon)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated \_\_\_\_\_

Pump Depth: 14


#### SAMPLING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Other: \_\_\_\_\_

- Bailer (Teflon)
- Bailer (  PVC or  disposable)
- Bailer (Stainless Steel)
- Dedicated \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: NO 2.99

SIGNATURE: 

# BP ALAMEDA PORTFOLIO

## WATER SAMPLE FIELD DATA SHEET

PROJECT #: 4977 PURGED BY: RH WELL I.D.: MW-3  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-3  
 LOCATION: Castro Valley - 2770 Castro Valley Road QA SAMPLES: \_\_\_\_\_

DATE PURGED 3/5/09 START (2400hr) 10:59 END (2400hr) 11:10  
 DATE SAMPLED 3/5/09 SAMPLE TIME (2400hr) 11:25  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4"  5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 14.81 CASING VOLUME (gal) = 6.4  
 DEPTH TO WATER (feet) = 5.21 CALCULATED PURGE (gal) = 19.2  
 WATER COLUMN HEIGHT (feet) = 9.6 ACTUAL PURGE (gal) = 19.5

### FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees C)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>3/5/09</u>	<u>11:03</u>	<u>7</u>	<u>18.6</u>	<u>776</u>	<u>7.72</u>	<u>clear</u>	
<u>✓</u>	<u>11:06</u>	<u>14</u>	<u>18.7</u>	<u>776</u>	<u>7.64</u>	<u>✓</u>	
	<u>11:09</u>	<u>19.5</u>	<u>20.0</u>	<u>762</u>	<u>7.46</u>	<u>✓</u>	

### SAMPLE INFORMATION

SAMPLE DEPTH TO WATER: 8.29 SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWD  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VDAS / HCL

#### PURGING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Bailer (Teflon)
- Bailer (PVC)
- Bailer (Stainless Steel)
- Dedicated \_\_\_\_\_

Other: \_\_\_\_\_  
 Pump Depth: 14.50

#### SAMPLING EQUIPMENT

- Bladder Pump
- Centrifugal Pump
- Submersible Pump
- Peristaltic Pump
- Bailer (Teflon)
- Bailer ( \_\_\_\_\_ PVC or  disposable)
- Bailer (Stainless Steel)
- Dedicated \_\_\_\_\_

Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 3.11

SIGNATURE: [Signature] Page \_\_\_\_\_ of \_\_\_\_\_

# WELLHEAD OBSERVATION FORM



Site Name/Number: 4977

Date: 3/5/09 Technician: ROBERTO

Well I.D.	Box in Good Condition? <small>X = Yes Blank = No</small>	Lock Missing? <small>X = Yes (replaced) Blank = No</small>	Water in Wellbox? <small>X = Yes Blank = No</small>	Water Level Relative to Cap? <small>A = Above cap B = Below cap L = Level w/cap</small>	Well Cap? <small>I = Inact M = Missing or Compromised (replaced)</small>	Bolts Missing? <small>X = Yes Blank = No</small>	Bolts Stripped? <small>X = Yes Blank = No</small>	Bolt Holes Stripped? <small>X = Yes Blank = No</small>	Cracked or Broken Lid? <small>X = Yes Blank = No</small>	Cracked or Broken Box? <small>X = Yes Blank = No</small>	Grout Level more than 1ft below TOC? <small>X = Yes Blank = No</small>	Additional Comments <small>(such as missing lid, concrete needs replacement, or other - explain)</small>
MW-1	+	-	-	-	I	-	-	-	-	-	-	
MW-2	+	-	-	-	I	-	-	-	-	-	-	
MW-3	+	-	+	A	I	-	+	-	-	-	-	

**DRUM INVENTORY**

Drums on site?  Yes  No (circle)

Type and # 10 Steel:  Plastic: \_\_\_\_\_

Note whether drums are full or empty, solids or liquids:  
SOLID / FULL

Drum label info (description, date, contact info):  
NONE

**GENERAL SITE CONDITIONS**

Make notes on housekeeping conditions (such as trash around remediation system enclosure/compound, bent or missing bollards, signs missing from compound fences, graffiti on compound, etc.)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



\_\_\_\_\_

\_\_\_\_\_

(updated 3-28-08, SS)

NO. 853798

NON-HAZARDOUS WASTE DATA FORM

		1. BESI #					
2. Generator's Name and Mailing Address		Generator's Site Address (if different than mailing address)					
BP WEST COAST PRODUCTS, LLC P.O. BOX 80249 RANCHO SANTA MARGARITA, CA 92688		BP# 4977 2770 CASTRO VALLEY RD. CASTRO VALLEY					
Generator's Phone: (949) 460-5200		24-HOUR EMERGENCY PHONE: (949) 699-3706					
3. Transporter 1 Company Name		Phone #					
Stratus Environmental, Inc.		(530) 878-8000					
4. Transporter 2 Company Name		Phone #					
Gomes Excavating		(707) 374-2881					
5. Designated Facility Name and Site Address		Phone #					
INTRAT, INC. 1105 AIRPORT RD #C RIO VISTA, CA 94571		(530) 753-1829					
GENERATOR	6. Waste Shipping Name and Description	7. Containers		8. Total Quantity	9. Unit Wt/Vol	10. Profile No.	
	A.	No.	Type				
	NON-HAZARDOUS WATER	1	TT	51.5	G		
	B.						
	C.						
D.							
11. Special Handling Instructions and Additional Information							
WEAR ALL APPROPRIATE PROTECTIVE CLOTHING							
WELL PURGING / DECON WATER							
12. GENERATOR'S CERTIFICATION: I certify the materials described above on this data form are non-hazardous.							
Generator's/Officer's Printed/Typed Name		Signature		Month	Day	Year	
ROBERTO HEIMLICH				3	5	04	
TRANSPORTER	13. Transporter Acknowledgment of Receipt of Materials						
	Transporter 1 Printed/Typed Name		Signature		Month	Day	Year
	ROBERTO HEIMLICH				3	5	04
Transporter 2 Printed/Typed Name		Signature		Month	Day	Year	
FACILITY	14. Designated Facility Owner or Operator: Certification of receipt of materials covered by this data form.						
	Printed/Typed Name		Signature		Month	Day	Year

TRANSPORTER #1





# Laboratory Management Program LaMP Chain of Custody Record

BP/ARC Project Name: BP 4977

Req Due Date (mm/dd/yy): 14 Day TAT Rush TAT: Yes  No

BP/ARC Facility No: 4977

Lab Work Order Number: \_\_\_\_\_


Lab Name: CalScience	BP/ARC Facility Address: 2770 Castro Valley Rd	Consultant/Contractor: Stratus Environmental Inc.
Lab Address: 7440 Lincoln Way, Garden Grove, CA 92841	City, State, ZIP Code: Castro Valley, CA	Consultant/Contractor Project No:
Lab PM: Richard Villafania	Lead Regulatory Agency: Alameda	Address: 3330 Cameron Park Drive, #550, Cameron Park, CA 95682
Lab Phone: 714-895-5494 Fax: 714-895-7501	California Global ID No.: T0600100089	Consultant/Contractor PM: Jay Johnson
Lab Shipping Acct:	Enfos Proposal No:	Phone: 530-676-6000 Fax: 530-676-6005
Lab Bottle Order No:	Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/>	Email EDD To: <a href="mailto:chuff@stratusinc.net">chuff@stratusinc.net</a>
Other Info:	Stage: BP/ARC WBS Stage Activity: BP/ARC WBS Activity	Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor <input type="checkbox"/>

BP/ARC EBM: Paul Supple				Matrix		No. Containers / Preservative						Requested Analyses					Report Type & QC Level		
EBM Phone: (925) 275-3801 FAX: (925) 275-3815				Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	GRO by 8015M	BTEX/S FO* by 8260B	Ethanol by 8260B	EDB by 8260B	1,2-DCA by 8260B	Standard <input checked="" type="checkbox"/>	
EBM Email: <a href="mailto:paul.supple@bp.com">paul.supple@bp.com</a>																		Full Data Package <input type="checkbox"/>	
Lab No.	Sample Description	Date	Time															Comments	
MW-1		3/5/09	10:25	X			6					X	X	X	X	X			
MW-2		↓	10:53	X			6					X	X	X	X	X			
MW-3		↓	11:25	X			6					X	X	X	X	X			
TB-4977-	3/5/09-5:00	↓	5:00	X			2												ON HOLD

Sampler's Name: <u>ROBERTO HEIMLICH</u>	Relinquished By / Affiliation		Date	Time	Accepted By / Affiliation		Date	Time
Sampler's Company: Stratus Environmental Inc.			3/5/09	11:45				
Shipment Method:	Ship Date:							
Shipment Tracking No:								

Special Instructions: TB Sample ON HOLD! Cc results to [rmiller@broadbentinc.com](mailto:rmiller@broadbentinc.com)

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No	Temp Blank: Yes / No	Cooler Temp on Receipt: _____ °F/C	Trip Blank: Yes / No	MS/MSD Sample Submitted: Yes / No
--	----------------------	------------------------------------	----------------------	-----------------------------------



09-03-0521  
ARCO 4977

March 18, 2009

Jay Johnson  
Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 09-03-0521**  
**Client Reference: ARCO 4977**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 3/6/2009 and analyzed in accordance with the attached chain-of-custody.


Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.


If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Villafania".

Calscience Environmental  
Laboratories, Inc.  
Richard Villafania  
Project Manager





## Analytical Report

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/06/09  
Work Order No: 09-03-0521  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: ARCO 4977

Page 1 of 1

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	09-03-0521-1-E	03/05/09 10:25	Aqueous	GC 4	03/17/09	03/17/09 21:11	090317B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	82	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	09-03-0521-2-E	03/05/09 10:53	Aqueous	GC 4	03/17/09	03/17/09 21:44	090317B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	16000	1000	20		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	90	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	09-03-0521-3-E	03/05/09 11:25	Aqueous	GC 4	03/17/09	03/17/09 22:16	090317B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	530	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	96	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-695-477	N/A	Aqueous	GC 4	03/17/09	03/17/09 15:10	090317B01

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	85	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

## Analytical Report



Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/06/09  
Work Order No: 09-03-0521  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: ARCO 4977

Page 1 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-1</b>	<b>09-03-0521-1-A</b>	<b>03/05/09 10:25</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/16/09</b>	<b>03/17/09 01:38</b>	<b>090316L02</b>

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.3	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>
1,2-Dichloroethane-d4	103	73-145			Dibromofluoromethane	102	81-135		
Toluene-d8	102	83-119			1,4-Bromofluorobenzene	82	74-110		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-2</b>	<b>09-03-0521-2-A</b>	<b>03/05/09 10:53</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/16/09</b>	<b>03/17/09 03:10</b>	<b>090316L02</b>

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	470	10	20		Methyl-t-Butyl Ether (MTBE)	82	10	20	
1,2-Dibromoethane	ND	10	20		Tert-Butyl Alcohol (TBA)	ND	200	20	
1,2-Dichloroethane	ND	10	20		Diisopropyl Ether (DIPE)	ND	10	20	
Ethylbenzene	490	10	20		Ethyl-t-Butyl Ether (ETBE)	ND	10	20	
Toluene	ND	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	10	20	
Xylenes (total)	130	10	20		Ethanol	ND	6000	20	
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>
1,2-Dichloroethane-d4	95	73-145			Dibromofluoromethane	87	81-135		
Toluene-d8	103	83-119			1,4-Bromofluorobenzene	92	74-110		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-3</b>	<b>09-03-0521-3-A</b>	<b>03/05/09 11:25</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/16/09</b>	<b>03/17/09 03:40</b>	<b>090316L02</b>

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	3.3	0.50	1		Methyl-t-Butyl Ether (MTBE)	18	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	98	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	22	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	0.71	0.50	1		Ethanol	ND	300	1	
<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>	<b>Surrogates:</b>	<b>REC (%)</b>	<b>Control Limits</b>		<b>Qual</b>
1,2-Dichloroethane-d4	95	73-145			Dibromofluoromethane	83	81-135		
Toluene-d8	103	83-119			1,4-Bromofluorobenzene	96	74-110		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



Analytical Report

03/17/09  
11:07

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/06/09  
Work Order No: 09-03-0521  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L


Project: ARCO 4977

Page 2 of 2

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
Method Blank	099-12-703-778	N/A	Aqueous	GC/MS Z	03/16/09	03/17/09 01:07	090316L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Toluene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Xylenes (total)	ND	0.50	1		Ethanol	ND	300	1	
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	122	73-145			Dibromofluoromethane	98	81-135		
Toluene-d8	100	83-119			1,4-Bromofluorobenzene	83	74-110		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



## Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861


Date Received: 03/06/09  
Work Order No: 09-03-0521  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
09-03-0520-2	Aqueous	GC 4	03/17/09	03/17/09	090317S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	88	90	38-134	2	0-25	

RPD - Relative Percent Difference , CL - Control Limit



## Quality Control - Spike/Spike Duplicate

net c

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861


Date Received: 03/06/09  
Work Order No: 09-03-0521  
Preparation: EPA 5030B  
Method: EPA 8260B

Project ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-1	Aqueous	GC/MS Z	03/16/09	03/17/09	090316S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	110	110	86-122	1	0-8	
Carbon Tetrachloride	116	128	78-138	9	0-9	
Chlorobenzene	109	110	90-120	1	0-9	
1,2-Dibromoethane	108	106	70-130	1	0-30	
1,2-Dichlorobenzene	98	101	89-119	4	0-10	
1,1-Dichloroethene	105	116	52-142	10	0-23	
Ethylbenzene	104	108	70-130	4	0-30	
Toluene	106	109	85-127	2	0-12	
Trichloroethene	100	100	78-126	1	0-10	
Vinyl Chloride	104	121	56-140	15	0-21	
Methyl-t-Butyl Ether (MTBE)	94	106	64-136	10	0-28	
Tert-Butyl Alcohol (TBA)	99	106	27-183	7	0-60	
Diisopropyl Ether (DIPE)	97	110	78-126	12	0-16	
Ethyl-t-Butyl Ether (ETBE)	86	98	67-133	13	0-21	
Tert-Amyl-Methyl Ether (TAME)	85	86	63-141	1	0-21	
Ethanol	121	127	11-167	5	0-64	

RPD - Relative Percent Difference, CL - Control Limit



Quality Control - LCS/LCS Duplicate

net c

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861

Date Received: N/A  
 Work Order No: 09-03-0521  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)


Project: ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-477	Aqueous	GC 4	03/17/09	03/17/09	090317B01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	109	101	78-120	8	0-20	

RPD - Relative Percent Difference , CL - Control Limit





## Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: N/A  
Work Order No: 09-03-0521  
Preparation: EPA 5030B  
Method: EPA 8260B

Project: ARCO 4977

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number		
099-12-703-778	Aqueous	GC/MS Z	03/16/09	03/16/09	090316L02		
Parameter	LCS %REC	LCSD %REC	%REC CL	ME CL	RPD	RPD CL	Qualifiers
Benzene	109	105	87-117	82-122	3	0-7	
Carbon Tetrachloride	119	113	78-132	69-141	6	0-8	
Chlorobenzene	110	107	88-118	83-123	3	0-8	
1,2-Dibromoethane	108	103	80-120	73-127	5	0-20	
1,2-Dichlorobenzene	100	99	88-118	83-123	2	0-8	
1,1-Dichloroethene	108	104	71-131	61-141	4	0-14	
Ethylbenzene	106	101	80-120	73-127	4	0-20	
Toluene	106	104	85-127	78-134	3	0-7	
Trichloroethene	103	101	85-121	79-127	3	0-11	
Vinyl Chloride	113	108	64-136	52-148	5	0-10	
Methyl-t-Butyl Ether (MTBE)	98	92	67-133	56-144	5	0-16	
Tert-Butyl Alcohol (TBA)	92	90	34-154	14-174	2	0-19	
Diisopropyl Ether (DIPE)	102	94	80-122	73-129	8	0-8	
Ethyl-t-Butyl Ether (ETBE)	91	87	73-127	64-136	5	0-11	
Tert-Amyl-Methyl Ether (TAME)	86	84	69-135	58-146	2	0-12	
Ethanol	100	107	34-124	19-139	7	0-44	

Total number of LCS compounds : 16

Total number of ME compounds : 0

Total number of ME compounds allowed : 1

LCS ME CL validation result : Pass


RPD - Relative Percent Difference , CL - Control Limit

## Glossary of Terms and Qualifiers

Work Order Number: 09-03-0521

---


<u>Qualifier</u>	<u>Definition</u>
AX	Sample too dilute to quantify surrogate.
BA	There was no MS/MSD analyzed with this batch due to insufficient sample volume (NR = not reported). See Blank Spike/Blank Spike Duplicate.
BA,AY	Relative percent difference out of control, matrix interference suspected.
BB	Sample > 4x spike concentration.
BF	Reporting limits raised due to high hydrocarbon background.
BH	Reporting limits raised due to high level of non-target analytes.
BU	Sample analyzed after holding time expired.
BV	Sample received after holding time expired.
BY	Sample received at improper temperature.
CL	Initial analysis within holding time but required dilution.
CQ	Analyte concentration greater than 10 times the blank concentration.
CU	Surrogate concentration diluted to not detectable during analysis.
DF	Reporting limits elevated due to matrix interferences.
ET	Sample was extracted past end of recommended max. holding time.
EY	Result exceeds normal dynamic range; reported as a min est.
GS	Internal standard recovery is outside method recovery limit.
IB	CCV recovery above limit; analyte not detected.
IH	Calibrtn. verif. recov. below method CL for this analyte.
IJ	Calibrtn. verif. recov. above method CL for this analyte.
J,DX	J=EPA Flag -Estimated value; DX= Value < lowest standard (MQL), but > than MDL.
LA	Confirmatory analysis was past holding time.
LG	Surrogate recovery below the acceptance limit.
LH	Surrogate recovery above the acceptance limit.
LM,AY	MS and/or MSD above acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LN,AY	MS and/or MSD below acceptance limits. See Blank Spike (LCS). Matrix interference suspected.
LQ	LCS recovery above method control limits.
LR	LCS recovery below method control limits.



Work Order Number: 09-03-0521

---

<u>Qualifier</u>	<u>Definition</u>
MB	Analyte present in the method blank.
MG	Analyte is a suspected lab contaminate.
PC	Sample taken from VOA vial with air bubble > 6mm diameter.
PI	Primary and confirm results varied by > than 40% RPD.
RB	RPD exceeded method control limit; % recoveries within limits.





# Laboratory Management Program LaMP Chain of Custody Record

0521

BP/ARC Project Name: BP 4977  
 BP/ARC Facility No: 4977

Req Due Date (mm/dd/yy): 14 Day TAT Rush TAT: Yes  No   
 Lab Work Order Number: \_\_\_\_\_

Lab Name: CalScience	BP/ARC Facility Address: 2770 Castro Valley Rd	Consultant/Contractor: Stratus Environmental Inc.
Lab Address: 7440 Lincoln Way, Garden Grove, CA 92841	City, State, ZIP Code: Castro Valley, CA	Consultant/Contractor Project No:
Lab PM: Richard Villafania	Lead Regulatory Agency: Alameda	Address: 3330 Cameron Park Drive, #550, Cameron Park, CA 95682
Lab Phone: 714-895-5494 Fax: 714-895-7501	California Global ID No.: T0600100089	Consultant/Contractor PM: Jay Johnson
Lab Shipping Acct:	Enfos Proposal No:	Phone: 530-676-6000 Fax: 530-676-6005
Lab Bottle Order No:	Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/>	Email EDD To: <u>chuff@stratusinc.net</u>
Other Info:	Stage: BP/ARC WBS Stage Activity: BP/ARC WBS Activity	Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor <input type="checkbox"/>


BP/ARC EBM: Paul Supple				Matrix		No. Containers / Preservative							Requested Analyses					Report Type & QC Level	
EBM Phone: (925) 275-3801 FAX: (925) 275-3815				Soil / Solid	Water / Liquid	Air / Vapor	Total Number of Containers	Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	GRO by 8015M	BTEX45 FO* by 8260B	Ethanol by 8260B	EDB by 8260B	1,2-DCA by 8260B	Standard <input checked="" type="checkbox"/>	Full Data Package <input type="checkbox"/>
EBM Email: <u>paul.supple@bp.com</u>																		Note: If sample not collected, indicate "No Sample" in comments and single-strike out and initial any preprinted sample description. <b>Comments</b> *Oxy = MTBE, TAME, ETBE, DIPE, TBA	
Lab No.	Sample Description	Date	Time																
1	MW-1	3/5/09	10:25	X			6						X	X	X	X	X		
2	MW-2	↓	10:53	X			6						X	X	X	X	X		
3	MW-3	↓	11:25	X			6						X	X	X	X	X		
4	TB-4977-3/5/09-5:00	↓	5:00	X			2											ON HOLD	

Sampler's Name: <u>ROBERTO HEIMLICH</u>	Relinquished By / Affiliation		Date	Time	Accepted By / Affiliation		Date	Time
Sampler's Company: Stratus Environmental Inc.			3/5/09	11:45	<u>Wobath ca</u>		3/6/09	10:00
Shipment Method: _____ Ship Date: _____								
Shipment Tracking No: <u>106279926</u>								

Special Instructions: TB Sample ON HOLD! Cc results to rmler@broadbentinc.com

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes / No    Temp Blank: Yes / No    Cooler Temp on Receipt: \_\_\_\_\_ °F/C    Trip Blank: Yes / No    MS/MSD Sample Submitted: Yes / No

Page 11 of 12



WORK ORDER #: **09-03-0521**

**SAMPLE RECEIPT FORM**

Cooler 1 of 1

CLIENT: Stratus

DATE: 03/06/09

**TEMPERATURE:** (Criteria: 0.0 °C – 6.0 °C, not frozen)

Temperature 1.6 °C - 0.2 °C (CF) = 1.4 °C     Blank     Sample

Sample(s) outside temperature criteria (PM/APM contacted by: \_\_\_\_\_).

Sample(s) outside temperature criteria but received on ice/chilled on same day of sampling.

Received at ambient temperature, placed on ice for transport by Courier.

Ambient Temperature:     Air     Filter     Metals Only     PCBs Only    Initial: JP

**CUSTODY SEALS INTACT:**

Cooler     \_\_\_\_\_     No (Not Intact)     Not Present     N/A    Initial: JP

Sample     \_\_\_\_\_     No (Not Intact)     Not Present    Initial: JP

**SAMPLE CONDITION:**

	Yes	No	N/A
Chain-Of-Custody (COC) document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
COC document(s) received complete.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Analyses received within holding time.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on COC or sample container.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Volatile analysis container(s) free of headspace.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**CONTAINER TYPE:**

**Solid:**     4ozCGJ     8ozCGJ     16ozCGJ     Sleeve     EnCores®     TerraCores®     \_\_\_\_\_

**Water:**     VOA     VOAh     VOAna<sub>2</sub>     125AGB     125AGBh     125AGBpo<sub>4</sub>     1AGB     1AGBna<sub>2</sub>     1AGBs     500AGB     500AGBs     250CGB     250CGBs     1PB     500PB     500PBna     250PB     250PBn     125PB     125PBznn     100PBsterile     100PBna<sub>2</sub>     \_\_\_\_\_     \_\_\_\_\_     \_\_\_\_\_

**Air:**     Tedlar®     Summa®     \_\_\_\_\_

Container:    C:Clear    A:Amber    P:Poly/Plastic    G:Glass    J:Jar    B:Bottle

Preservative:    h:HCL    n:HNO<sub>3</sub>    na<sub>2</sub>:Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>    na:NaOH    po<sub>4</sub>:H<sub>3</sub>PO<sub>4</sub>    s:H<sub>2</sub>SO<sub>4</sub>    znn:ZnAc<sub>2</sub>+NaOH

Checked/Labeled by: JP

Reviewed by: WJC

Scanned by: JP

## ATTACHMENT

### FIELD PROCEDURES FOR GROUNDWATER SAMPLING

---

The sampling procedures for groundwater monitoring events are contained in this appendix.

#### **Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment**

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

#### **Subjective Analysis of Groundwater**

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

#### **Monitoring Well Sampling**

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These

bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

### **Groundwater Sample Labeling and Preservation**

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc<sup>®</sup> type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

### **Sample Identification and Chain-of-Custody Procedures**

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

### **Equipment Cleaning**

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.

## **APPENDIX B**

### **GEOTRACKER UPLOAD CONFIRMATION**



STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A EDF FILE

**SUCCESS**

Processing is complete. No errors were found!  
Your file has been successfully submitted!

<b><u>Submittal Type:</u></b>	EDF - Monitoring Report - Quarterly
<b><u>Submittal Title:</u></b>	1Q09 GW Monitoring
<b><u>Facility Global ID:</u></b>	T0600100089
<b><u>Facility Name:</u></b>	ARCO #4977
<b><u>File Name:</u></b>	09030521.zip
<b><u>Organization Name:</u></b>	Broadbent & Associates, Inc.
<b><u>Username:</u></b>	BROADBENT-C
<b><u>IP Address:</u></b>	67.118.40.90
<b><u>Submittal Date/Time:</u></b>	4/7/2009 3:20:10 PM
<b><u>Confirmation Number:</u></b>	<b>9129540562</b>

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A GEO\_WELL FILE

**SUCCESS**

Processing is complete. No errors were found!  
Your file has been successfully submitted!

<b><u>Submittal Type:</u></b>	GEO_WELL
<b><u>Submittal Title:</u></b>	1Q09 GEO_WELL 4977
<b><u>Facility Global ID:</u></b>	T0600100089
<b><u>Facility Name:</u></b>	ARCO #4977
<b><u>File Name:</u></b>	GEO_WELL.zip
<b><u>Organization Name:</u></b>	Broadbent & Associates, Inc.
<b><u>Username:</u></b>	BROADBENT-C
<b><u>IP Address:</u></b>	67.118.40.90
<b><u>Submittal Date/Time:</u></b>	4/7/2009 3:18:32 PM
<b><u>Confirmation Number:</u></b>	<b>3707787632</b>