


RO 2442

Advanced
GeoEnvironmental, Inc.



06 June 2003
AGE-NC Project No. 99-0556

Alameda County

JUN 25 2003

Environmental Health

Mr Ameer Johlime
Alameda County Health Care Services
Environmental Health Services
Environmental Protection
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

**Subject: Monitoring Well Sampling Report
FORMER CONTINENTAL VOLVO
4030 - 4122 East 14th Street,
Oakland, California**

Dear Mr Johlime:

At the request of Mr. Achim Ehrhardt of the former Continental Volvo, Inc., *Advanced GeoEnvironmental, Inc.* has prepared this letter to transmit the last data collected from the wells at the former Continental Volvo, Inc. at 4030 - 4122 East 14th Street, Oakland, California.

If you have any questions or comments, please contact our office at (209) 467-1006.

Sincerely,

Advanced GeoEnvironmental, Inc.

William Little
Project Geologist

CAL TECH Environmental Laboratories



3547 Riverbank Avenue, Fremont, CA 94538-1116
 Telephone: (510) 272-2700 Fax: (510) 272-2704

ANALYTICAL RESULTS*

Client Project No: CT214-0304019
Client Name: Advanced Geo Environmental, Inc.
 837 Shaw Road
 Stockton, CA 95215
Attention: Mr. Bill Little

Phone: (209) 467-1006
Fax: (209) 467-1118

Project ID:
Project Name: Continental Volvo

Date Sampled: 04/02/03 @ 10:33 am
Date Received: 04/03/03 @ 08:30 am
Date Analyzed: 04/03/03 - 04/04/03

Matrix: Water

Laboratory ID	0304-019-1	0304-019-2	0304-019-3	Method	Units:	Detection Limit
Client Sample ID	MW1	MW3	UST			
Dilution	1	1	1			
MtBE	ND	ND	ND	SW846 8021	ug/L	1
Benzene	10	ND	ND	SW846 8021	ug/L	0.5
Toluene	ND	ND	ND	SW846 8021	ug/L	0.5
Ethylbenzene	1.7	ND	ND	SW846 8021	ug/L	0.5
Total Xylene	ND	ND	ND	SW846 8021	ug/L	1
TPH - Gasoline	250	120	450	EPA 8015M	ug/L	50
TPH - Diesel	ND	ND	ND	EPA 8015M	mg/L	0.05
TPH - Oil	ND	ND	ND	EPA 8015M	mg/L	1

ND = Not Detected at the indicated Detection Limit

TO FULLY DEDICATED TO CUSTOMER SATISFACTION

CTEEL Project No.
Client Name:

CT214-0304019
Advanced Geo Environmental, Inc.
837 Shaw Road
Stockton, CA 95215

Phone:(209) 467-1006
Fax: (209) 467-1118

Attention:

Mr. Bill Little

Project ID:

Project Name:

Continental Volvo

Date Sampled:

04/02/03 @ 10:33 am

Matrix: Water

Date Received:

04/03/03 @ 08:30 am

Date Analyzed:

04/03/03 - 04/04/03

Laboratory ID:

0304-019-1

0304-019-2

0304-019-3

Method

Units:

Detection

Client Sample ID:

MW1

MW3

UST

Limit

Dilution

1

1

1

Dichlorodifluoromethane	ND	ND	ND	EPA 8260B	ug/L	1
Chloromethane	ND	ND	ND	EPA 8260B	ug/L	1
Vinyl Chloride	ND	ND	ND	EPA 8260B	ug/L	0.5
Bromomethane	ND	ND	ND	EPA 8260B	ug/L	1
Chloroethane	ND	ND	ND	EPA 8260B	ug/L	1
Trichlorofluoromethane	ND	ND	ND	EPA 8260B	ug/L	1
Iodomethane	ND	ND	ND	EPA 8260B	ug/L	1
Acetone	ND	ND	ND	EPA 8260B	ug/L	10
1,1-Dichloroethene	ND	ND	ND	EPA 8260B	ug/L	1
t-Butyl Alcohol (TBA)	ND	ND	ND	EPA 8260B	ug/L	25
Methylene Chloride	ND	ND	ND	EPA 8260B	ug/L	10
Freon 113	ND	ND	ND	EPA 8260B	ug/L	5
Carbon disulfide	ND	ND	ND	EPA 8260B	ug/L	1
trans,1,2-Dichloroethene	ND	ND	ND	EPA 8260B	ug/L	1
Methyl-tert-butyl-ether(MtBE)	ND	ND	ND	EPA 8260B	ug/L	1
1,1-Dichloroethane	2.2	ND	ND	EPA 8260B	ug/L	1
Vinyl acetate	ND	ND	ND	EPA 8260B	ug/L	50
Diisopropyl Ether (DIPE)	ND	ND	ND	EPA 8260B	ug/L	1
Methyl Ethyl Ketone	ND	ND	ND	EPA 8260B	ug/L	10
cis,1,2-Dichloroethene	58	ND	ND	EPA 8260B	ug/L	1
Bromochloromethane	ND	ND	ND	EPA 8260B	ug/L	1
Chloroform	ND	ND	ND	EPA 8260B	ug/L	1
2,2-Dichloropropane	ND	ND	ND	EPA 8260B	ug/L	1
Ethyl-t-butyl ether (ETBE)	ND	ND	ND	EPA 8260B	ug/L	1
1,1,1-Trichloroethane	ND	ND	ND	EPA 8260B	ug/L	1
1,2-Dichloroethane	7.6	ND	ND	EPA 8260B	ug/L	0.5
1,1-Dichloropropene	ND	ND	ND	EPA 8260B	ug/L	1
Carbon Tetrachloride	ND	ND	ND	EPA 8260B	ug/L	0.5
Benzene	10	ND	ND	EPA 8260B	ug/L	0.5
t-Amyl Methyl Ether (TAM)	ND	ND	ND	EPA 8260B	ug/L	1
1,2-Dichloropropane	ND	ND	ND	EPA 8260B	ug/L	1
Trichloroethene	190	24	ND	EPA 8260B	ug/L	1
Dibromomethane	ND	ND	ND	EPA 8260B	ug/L	1
Bromodichloromethane	ND	ND	ND	EPA 8260B	ug/L	1
2-Chloroethylvinylether	ND	ND	ND	EPA 8260B	ug/L	5
cis,1,3-Dichloropropene	ND	ND	ND	EPA 8260B	ug/L	1
4-Methyl-2-pentanone(MI)	ND	ND	ND	EPA 8260B	ug/L	10
trans,1,3-Dichloropropene	ND	ND	ND	EPA 8260B	ug/L	1
Toluene	ND	ND	ND	EPA 8260B	ug/L	0.5
1,1,2-Trichloroethane	ND	ND	ND	EPA 8260B	ug/L	1

(Continued)

CTEL Project No: CT214-0304019

Project ID:
Project Name: Continental Volvo

Laboratory ID: Client Sample ID:	0304-019-1 MW1	0304-019-2 MW3	0304-019-3 UST	Method	Units	Detection Limit
1,2-Dibromoethane(EDB)	ND	ND	ND	EPA 8260B	ug/L	0.5
1,3-Dichloropropane	ND	ND	ND	EPA 8260B	ug/L	1
Dibromochloromethane	ND	ND	ND	EPA 8260B	ug/L	1
2-Hexanone	ND	ND	ND	EPA 8260B	ug/L	10
Tetrachloroethene	ND	ND	ND	EPA 8260B	ug/L	1
Chlorobenzene	3.1	ND	ND	EPA 8260B	ug/L	1
1,1,1,2-Tetrachloroethane	ND	ND	ND	EPA 8260B	ug/L	1
Ethylbenzene	ND	ND	ND	EPA 8260B	ug/L	0.5
m,p-Xylene	ND	ND	ND	EPA 8260B	ug/L	0.6
Bromoform	ND	ND	ND	EPA 8260B	ug/L	1
Styrene	ND	ND	ND	EPA 8260B	ug/L	1
o-Xylene	ND	ND	ND	EPA 8260B	ug/L	0.6
1,1,1,2,2-Tetrachloroethane	ND	ND	ND	EPA 8260B	ug/L	1
1,2,3-Trichloropropane	ND	ND	ND	EPA 8260B	ug/L	1
Isopropylbenzene	ND	ND	ND	EPA 8260B	ug/L	1
Bromobenzene	ND	ND	ND	EPA 8260B	ug/L	1
2-Chlorotoluene	ND	ND	ND	EPA 8260B	ug/L	1
n-Propylbenzene	ND	ND	ND	EPA 8260B	ug/L	1
4-Chlorotoluene	ND	ND	ND	EPA 8260B	ug/L	1
1,3,5-Trimethylbenzene	ND	ND	ND	EPA 8260B	ug/L	1
tert-Butylbenzene	ND	ND	ND	EPA 8260B	ug/L	1
1,2,4-Trimethylbenzene	ND	ND	ND	EPA 8260B	ug/L	1
sec-Butylbenzene	ND	ND	ND	EPA 8260B	ug/L	1
1,3-Dichlorobenzene	ND	ND	ND	EPA 8260B	ug/L	1
1,4-Dichlorobenzene	1.4	ND	ND	EPA 8260B	ug/L	1
p-Isopropyltoluene	ND	ND	ND	EPA 8260B	ug/L	1
1,2-Dichlorobenzene	6.6	ND	2.2	EPA 8260B	ug/L	1
n-Butylbenzene	ND	ND	ND	EPA 8260B	ug/L	1
1,2-Dibromo-3-Chloropropane	ND	ND	ND	EPA 8260B	ug/L	1
1,2,4-Trichlorobenzene	ND	ND	ND	EPA 8260B	ug/L	1
Naphthalene	ND	ND	ND	EPA 8260B	ug/L	1
1,2,3-Trichlorobenzene	ND	ND	ND	EPA 8260B	ug/L	1
Hexachlorobutadiene	ND	ND	ND	EPA 8260B	ug/L	1

ND = Not Detected at the indicated Detection Limit

SURROGATE SPIKE	% SURROGATE RECOVERY			Control Limit
Dibromofluoromethane	86	87	88	70-130
1,2-Dichloromethane ⁴	120	122	116	70-130
Toluene-d8	108	109	109	70-130
Bromofluorobenzene	114	114	115	70-130


Greg Tejirian
Laboratory Director

These results are based upon the sample received.

CAL TECH Environmental Laboratories



3877 Postmans Avenue Paramount, CA 90723-1040
Telephone: (562) 392-1710 Fax: (562) 392-1713

QA/QC Report

Method: 8015M / 8021B

Matrix: Water

Date Analyzed: 4/3/03

Units: ug/L

Perimeters	LSC	LCSD	Spike Added	LCS % Rec.	LCSD % Rec.	Limits	RPD
Benzene	41	42	50	82	84	70-130	2
Toluene	40	40	50	80	80	70-130	0
Ethybenzene	36	37	50	72	74	70-130	2
Xylenes	123	127	150	82	84	70-130	2
TPH - Gasoline	970	1010	1000	97	101	60-140	3

LCS: Laboratory Control Standard

LCSD: Laboratory Control Standard Duplicate

RPD: Relative Percent Difference of LCS and LCSD

CAL TECH Environmental Laboratories



3500 Westpark Avenue, Paramount, CA 90723-2143
Phone: (562) 272-0700 Fax: (562) 272-6726

QA/QC Report

Method: 8015M

Matrix: Water

Date Analyzed: 4/4/03

Units: ug/L

Perimeters	LSC	LCSD	Spike Added	LCS % Rec.	LCSD % Rec.	Limits	RPD
TPH - Gasoline	1041	1033	1000	104	103	60-140	1
TPH - Diesel	1960	2011	2000	98	101	60-140	3

Perimeters	Blank	Limits	RPD
TPH - Gasoline	0	60-140	
TPH - Diesel	0	60-140	

LCS: Laboratory Control Standard

LCSD: Laboratory Control Standard Duplicate

RPD: Relative Percent Difference of LCS and LCSD

CAL TECH Environmental Laboratories



2200 Lakeside Avenue, Paramount, CA 90725-3146
 Telephone: (562) 272-2700 Fax: (562) 272-2727

QA/QC Report

Method: 8260B

Matrix: Water

Date Analyzed: 4/4/03

Units: ug/L

Perimeters	LSC	LCSD	Spike Added	LCS % Rec.	LCSD % Rec.	Limits	RPD
1,1-Dichloroethene	38	37	50	76	74	60-140	2
Benzene	42	40	50	84	80	60-140	4
Trichloroethene	50	51	50	100	102	60-140	2
Toluene	48	47	50	96	94	60-140	2
Chlorobenzene	47	46	50	94	92	60-140	2
m,p-Xylenes	102	105	100	102	105	60-140	3

LCS: Laboratory Control Standard

LCSD: Laboratory Control Standard Duplicate

RPD: Relative Percent Difference of LCS and LCSD

Perimeters	Blank	Limits	RPD
1,1-Dichloroethene	0	70-130	
Benzene	0	70-130	
Trichloroethene	0	70-130	
Toluene	0	70-130	
Chlorobenzene	0	70-130	
m,p-Xylenes	0	70-130	



Advanced
GeoEnvironmental, Inc.

837 Shaw Road - Stockton, California - 95215 - (209) 467-1006 - Fax (209) 467-1118

04-019

CHAIN OF CUSTODY RECORD

Date 4/2/03 Page 1 of 1

Client <u>Achim Ehrhardt</u>	Project Manager <u>Bill Little</u>	Tests Required
	Phone Number <u>(209) 467 1006</u>	
Project Name <u>Continental Volvo</u>	Samplers: (Signature) <u>Reel Mart</u>	

TPH-ALL (905)
BTEX+MTBE (905)
5-Fluor. (905)
1,2 DCA+EDB (905)
FULL (905)

Invoice:
AGE
Client

Sample Number	Location Description	Date	Time	Sample Type			Solid	No. of Conts.	Notes
				Water		Air			
				Comp.	Grab.				
MW1 / 04-02-03		4/2/03	1033		X		5	X X X X	
MW3 / 04-02-03		"	1010		X		5	X X X X	
UST / 04-02-03		"	1059		X		5	X X X X	

Relinquished by: (Signature) <u>Reel Mart</u>	Received by: (Signature)	Date/Time <u>4/2/03 1600</u>
Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Relinquished by: (Signature)	Received by Mobile Laboratory for field analysis: (Signature)	Date/Time
Dispatched by: (Signature)	Date/Time	Received for Laboratory by: <u>R. Yehon Jr</u> Laboratory Name <u>Cal Tech</u>

Method of Shipment: Cal Overnight

Special Instructions:

I hereby authorize the performance of the above indicated work.
Reel Mart

