



76 Broadway
Sacramento, California 95818

RECEIVED

2:25 pm, Jul 23, 2008

Alameda County
Environmental Health

July 21, 2008

Ms. Donna Drogos
Alameda County Health Agency
1131 Harbor Bay Parkway
Alameda, California 94502

Re: **Quarterly Monitoring and Summary Report – 2nd Quarter 2008**
76 Service Station #7124
10151 International Boulevard
Oakland, CA

Dear Ms. Drogos:

I declare under penalty of perjury that to the best of my knowledge the information and/or recommendations contained in the attached report is/are true and correct.

If you have any questions or need additional information, please contact me at (916) 558-7612.

Sincerely,

A handwritten signature in black ink that reads "Bill Borgh". The signature is written in a cursive, slightly slanted style.

Bill Borgh
Site Manager – Risk Management and Remediation

Attachment



Stantec

Stantec Consulting Corporation
3017 Kilgore Road Suite 100
Rancho Cordova CA 95670
Tel: (916) 861-0400
Fax: (916) 861-0430

Quarterly Summary Report - Second Quarter 2008
Former 76 Service Station No. 7124
10151 International Boulevard
Oakland, California

Stantec Project No.:
77CP.01634.41.0303

Submitted to:
Ms. Barbara Jakub
Alameda County Environmental Health Services
1131 Harbor Bay Parkway, Suite 250
Oakland, California 94502

(Sent Via Electronic Upload to Alameda ftp)

Submitted by:
Stantec Consulting Corporation
3017 Kilgore Road, Suite 100
Rancho Cordova, California 95670
916-861-0400

Prepared on behalf of:
ConocoPhillips Company
Mr. Bill Borgh
Site Manager
76 Broadway Sacramento, California 95818

July 21, 2008

INTRODUCTION

On behalf of ConocoPhillips, Stantec Consulting Corporation (Stantec), formerly SECOR International, is forwarding the quarterly summary report for the site located at 10151 International Boulevard, in Oakland, California.

SITE DESCRIPTION

The site is currently an active Royal Gasoline Station located on the northwest corner of the intersection of International Boulevard and 102nd Avenue in Oakland, California. Site facilities include three underground storage tanks (USTs) and associated piping and fuel dispensers. A detailed site plan is included in TRC's *Quarterly Monitoring Report April through June 2008* dated June 10, 2008 (Attachment 1).

PREVIOUS ASSESSMENT

On March 22, 2000, SECOR supervised the removal and replacement of product lines and dispensers by Balch Petroleum of Milpitas, California. Soil samples collected from beneath the dispensers and product lines revealed the presence of total petroleum hydrocarbons as gasoline (TPHg) at a maximum concentration of 6,200 milligrams per kilogram (mg/kg), methyl tertiary butyl ether (MTBE) up to 120 mg/kg, and benzene up to 7.4 mg/kg. Excavation and sampling activities were observed and approved by Inspector Gomez of the City of Oakland Fire Services Agency.

On March 27, 2000, SECOR observed the over-excavation of approximately 60 cubic yards of soil from the beneath those portions of the dispensers and product lines where soil samples with elevated concentrations of petroleum hydrocarbons were located. Areas measuring approximately 8-10 feet long by 8-10 feet wide were over-excavated to an approximate depth of 8 feet below ground surface (bgs) in each of these areas. Additional over-excavation in these areas was not possible due to their proximity to the footings of the service station canopy. TPHg was detected in two of the three samples at a concentration of 108 mg/kg; benzene was detected in one of the three samples at 0.162 mg/kg; and MTBE was detected in all three samples at maximum concentrations of up to 43.8 mg/kg. Lead was not detected at or above laboratory reporting limits in any samples.

During February 2002, SECOR supervised the installation of four on-site groundwater monitoring wells. Prior to well installation, all borings were advanced to 26.5 feet bgs, and subsurface soil samples were collected every five feet. Soil samples were analyzed for gasoline range organics (GRO), benzene, toluene, ethylbenzene, total xylenes (BTEX), and fuel oxygenates via EPA Method 8260B. The maximum reported concentrations were 42 mg/kg GRO, 0.36 mg/kg ethylbenzene, 0.26 mg/kg xylenes, and 1.2 mg/kg MTBE.

SENSITIVE RECEPTORS

During the third quarter of 2004, SECOR completed a ½-mile radius agency receptor survey and obtained an Environmental Data Resources Incorporated (EDR) radius map for the site. The agency survey identified two industrial supply wells, three cathodic protection wells, and two wells of unknown type within the search radius. The survey also identified twelve wells of unknown type that could not be located precisely because the records on file with DWR did not include this information. These wells may or may not be located within the search radius. The EDR radius map did not identify any water supply wells within the search radius, but did identify two water supply wells within one mile of the site.

MONITORING AND SAMPLING

The site has been monitored and sampled since the third quarter 2002. Currently, four wells are monitored quarterly (MW-1 through MW-4). Samples are analyzed for TPHg, BTEX, and the fuel oxygenates tert-butyl alcohol (TBA), MTBE, di-isopropyl ether (DIPE), ethyl tert-butyl ether (EtBE), tert-amyl methyl ether (TAME), and ethanol, as well as, ethylene di-bromide (EDB) by EPA Method 8260B.

DISCUSSION

During the second quarter 2008, depth to groundwater ranged between 16.17 and 18.10 feet below top of casing (toc). Historical groundwater depths have been reported between 15.11 and 18.02 feet below toc. The direction of groundwater flow is toward the southwest at a gradient of 0.01 foot/foot (Attachment 1). Historically, groundwater gradient flows to the west, southwest, and south, with a westerly gradient being the predominant direction.

The highest concentrations of petroleum hydrocarbons and MTBE continue to be detected in on-site well MW-3 (historical highs of 130,000 µg/L and 10,000 µg/L, respectively, observed in 2003). This quarter, the maximum concentrations of TPHg and MTBE were reported in well MW-3 at 1,600 µg/L, and 470 µg/L, respectively (Attachment 1). It should be noted that some of the reported TPPH concentrations may actually represent MTBE concentrations, as BC Laboratories include MTBE in their TPPH concentrations. Lack of consistently detectable levels of BTEX supports this interpretation. The downgradient/crossgradient extent of the dissolved plume remains undefined by the existing monitoring well network.

On October 14, 2004, SECOR submitted a work plan for the installation of monitoring wells offsite to delineate the dissolved phase hydrocarbons in groundwater; however, in a letter dated April 12, 2005, the Alameda County Environmental Health Services (ACEHS) disapproved the work plan stating that it was premature to install more monitoring wells without additional groundwater sampling to determine the location of the plume for optimal well locations. Therefore, an addendum to the October 14, 2004 work plan was submitted on July 22, 2005. Stantec never received approval or disapproval from the ACEHS for SECOR's addendum to the October 14, 2004 work plan.

Stantec submitted a *Work Plan for Additional Site Assessment*, dated May 21, 2008 to the ACEHS. In a June 5, 2008 letter from the ACEHS, a work plan addendum proposing confirmation and delineation soil borings prior to well installation activities was requested. Stantec submitted a *Work Plan Addendum for Additional Site Assessment*, dated July 7, 2008 to the ACEHS.

CHARACTERIZATION STATUS

None of the groundwater samples collected showed detectable levels of any BTEX components. The highest concentrations of residual TPPH and/or MTBE contamination are localized in the northeastern area of the site in the vicinity of MW-3. The extent of dissolved contamination is undefined in the downgradient (northwest) direction, but MTBE concentrations continue declining, and variable TBA levels in MW-4 may indicate active degradation of MTBE.

REMEDIATION STATUS

Currently, there is no active remediation at this site.

RECENT SUBMITTALS/CORRESPONDENCE

Submitted – *Quarterly Summary and Monitoring Report – First Quarter 2008*, dated February 27, 2008.

Submitted – *Work Plan for Additional Site Assessment*, dated May 21, 2008.

Submitted – *Work Plan Addendum for Additional Site Assessment*, dated July 7, 2008.

Received – ACEHS correspondence dated June 5, 2008.

WASTE DISPOSAL SUMMARY

The volume of purged groundwater generated and disposed of during the quarterly groundwater monitoring event is documented in TRC's *Quarterly Monitoring Report, April through June 2008*, dated June 10, 2008 (Attachment 1).

THIS QUARTER ACTIVITIES (Second Quarter 2008)

1. TRC performed quarterly groundwater monitoring and sampling event.
2. Stantec prepared and submitted a *Work Plan for Additional Site Assessment*.
3. Stantec prepared and submitted a *Work Plan Addendum for Additional Site Assessment*.

NEXT QUARTER ACTIVITIES (Third Quarter 2008)

1. TRC to perform coordinated groundwater monitoring and sampling event.
2. Stantec to prepare and submit quarterly summary and monitoring report.
3. Stantec to perform work outlined in *Work Plan Addendum for Additional Site Assessment*, dated July 7, 2008, pending regulatory approval.

LIMITATIONS


This report presents our understanding of existing conditions at the subject site located at 10151 International Boulevard, Oakland, California. Evaluations of the geologic conditions at the site for the purposes of this investigation are inherently limited due to the number of observation points. There are no representations, warranties, or guarantees that the points selected for sampling are representative of the entire site. Data from this report reflects the conditions at specific locations at a specific point in time. Stantec assumes no responsibility for work reported or performed by other consultants or contractors. Stantec makes no warranties or guarantees for the groundwater monitoring report (Attachment 1) prepared by TRC. No other interpretation, representations, warranties, guarantees, express or implied, are included or intended in the report findings.

Sincerely,

Stantec Consulting Corporation



Ben Chevlen P.G.
Associate Geologist



Attachments:

Attachment 1 - TRC's *Quarterly Monitoring Report – April through June 2008* dated June 10, 2008.

cc: Mr. Bill Borgh, ConocoPhillips (via electronic upload to Livelink only)

ATTACHMENT 1
TRC'S QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2008

Quarterly Summary Report – Second Quarter 2008
Former 76 Station 7124
10151 International Boulevard
Oakland, California



21 Technology Drive
Irvine, CA 92618

949.727.9336 PHONE
949.727.7399 FAX

www.TRCSolutions.com

DATE: June 17, 2008

TO: ConocoPhillips Company
76 Broadway
Sacramento, CA 95818

ATTN: MR. BILL BORGH

SITE: 76 STATION 7124
10151 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

RE: QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2008

Dear Mr. Borgh:

Please find enclosed our Quarterly Monitoring Report for 76 Station 7124, located at 10151 International Boulevard, Oakland, California. If you have any questions regarding this report, please call us at (949) 727-9336.

Sincerely,

TRC

A handwritten signature in black ink, appearing to read "Anju Farfan".

Anju Farfan
Groundwater Program Operations Manager

CC: Mr. Ben Chevlen, Stantec, Inc (2 copies)

Enclosures
200400/7124R19QMS doc


**QUARTERLY MONITORING REPORT
APRIL THROUGH JUNE 2008**

76 STATION 7124
10151 International Boulevard
Oakland, California

Prepared For:

Mr. Bill Borgh
CONOCOPHILLIPS COMPANY
76 Broadway
Sacramento, California 95818

By:



Senior Project Geologist, Irvine Operations

Date: 6/10/08



LIST OF ATTACHMENTS

Summary Sheet	Summary of Gauging and Sampling Activities
Tables	Table Key Contents of Tables Table 1: Current Fluid Levels and Selected Analytical Results Table 1a: Additional Current Analytical Results Table 2: Historic Fluid Levels and Selected Analytical Results Table 2a: Additional Historic Analytical Results
Figures	Figure 1: Vicinity Map Figure 2: Groundwater Elevation Contour Map Figure 2A: Groundwater Flow Direction rose Diagram Figure 3: Dissolved-Phase TPH-G (GC/MS) Concentration Map Figure 4: Dissolved-Phase Benzene Concentration Map Figure 5: Dissolved-Phase MTBE Concentration Map
Graphs	Groundwater Elevations vs. Time MTBE 8260B Concentrations vs. Time
Field Activities	General Field Procedures Field Monitoring Data Sheet – 04/04, 5/22/08 Groundwater Sampling Field Notes – 04/04, 5/22/08
Laboratory Reports	Official Laboratory Reports Quality Control Reports Chain of Custody Records
Statements	Purge Water Disposal Limitations

Summary of Gauging and Sampling Activities
April 2008 through June 2008
76 Station 7124
10151 International Boulevard
Oakland, CA

Project Coordinator: **Bill Borgh**
Telephone: **916-558-7612**

Water Sampling Contractor: **TRC**
Compiled by: **Christina Carrillo**

Date(s) of Gauging/Sampling Event: **4/4/2008, 5/22/2008**

Sample Points

Groundwater wells: **4 onsite, 0 offsite** Points gauged: **4** Points sampled: **4**
Purging method: **Submersible pump**
Purge water disposal: **Onyx/Rodeo Unit 100**
Other Sample Points: **0** Type: **n/a**

Liquid Phase Hydrocarbons (LPH)

Sample Points with LPH: **0** Maximum thickness (feet): **n/a**
LPH removal frequency: **n/a** Method: **n/a**
Treatment or disposal of water/LPH: **n/a**

Hydrogeologic Parameters

Depth to groundwater (below TOC): Minimum: **16.17 feet** Maximum: **18.1 feet**
Average groundwater elevation (relative to available local datum): **20.57 feet**
Average change in groundwater elevation since previous event: **-1.34 feet**
Interpreted groundwater gradient and flow direction:
 Current event: **0.01 ft/ft, west**
 Previous event: **0.02 ft/ft, south (1/11/2008)**

Selected Laboratory Results

Sample Points with detected **Benzene**: **0** Sample Points above MCL (1.0 µg/l): **n/a**
 Maximum reported benzene concentration: **n/a**

Sample Points with **TPH-G by GC/MS** **3** Maximum: **1,600 µg/l (MW-3)**
Sample Points with **MTBE 8260B** **3** Maximum: **470 µg/l (MW-3)**

Notes:

MW-1=Gauged on 5-22-08, MW-2=Gauged and sampled on 5-22-08, MW-3=Gauged on 5-22-08,
MW-4=Gauged and sampled on 5-22-08,

TABLES

TABLE KEY

STANDARD ABBREVIATIONS

--	=	not analyzed, measured, or collected
LPH	=	liquid-phase hydrocarbons
Trace	=	less than 0.01 foot of LPH in well
ug/l	=	micrograms per liter (approx. equivalent to parts per billion, ppb)
mg/l	=	milligrams per liter (approx. equivalent to parts per million, ppm)
ND<	=	not detected at or above laboratory detection limit
TOC	=	top of casing (surveyed reference elevation)

ANALYTES

BTEX	=	benzene, toluene, ethylbenzene, and (total) xylenes
DIPE	=	di-isopropyl ether
ETBE	=	ethyl tertiary butyl ether
MTBE	=	methyl tertiary butyl ether
PCB	=	polychlorinated biphenyls
PCE	=	tetrachloroethene
IBA	=	tertiary butyl alcohol
TCA	=	trichloroethane
TCE	=	trichloroethene
IPH-G	=	total petroleum hydrocarbons with gasoline distinction
IPH-G (GC/MS)	=	total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B
IPH-D	=	total petroleum hydrocarbons with diesel distinction
IRPH	=	total recoverable petroleum hydrocarbons
TAME	=	tertiary amyl methyl ether
1,1-DCA	=	1,1-dichloroethane
1,2-DCA	=	1,2-dichloroethane (same as EDC, ethylene dichloride)
1,1-DCE	=	1,1-dichloroethene
1,2-DCE	=	1,2-dichloroethene (cis- and trans-)

NOTES

1. Elevations are in feet above mean sea level. Depths are in feet below surveyed top-of-casing.
2. Groundwater elevations for wells with LPH are calculated as: $\text{Surface Elevation} - \text{Measured Depth to Water} + (\text{Dp} \times \text{LPH Thickness})$, where Dp is the density of the LPH, if known. A value of 0.75 is used for gasoline and when the density is not known. A value of 0.83 is used for diesel.
3. Wells with LPH are generally not sampled for laboratory analysis (see General Field Procedures).
4. Comments shown on tables are general. Additional explanations may be included in field notes and laboratory reports, both of which are included as part of this report.
5. A "J" flag indicates that a reported analytical result is an estimated concentration value between the method detection limit (MDL) and the practical quantification limit (PQL) specified by the laboratory.
6. Other laboratory flags (qualifiers) may have been reported. See the official laboratory report (attached) for a complete list of laboratory flags.
7. Concentration graphs based on tables (presented following Figures) show non-detect results prior to the Second Quarter 2000 plotted at fixed values for graphical display. Non-detect results reported since that time are plotted at reporting limits stated in the official laboratory report.
8. Groundwater vs. Time graphs may be corrected for apparent level changes due to resurvey.

REFERENCE

TRC began groundwater monitoring and sampling for 76 Station 7124 in October 2003. Historical data compiled prior to that time were provided by Gettler-Ryan Inc.

Contents of Tables 1 and 2

Site: 76 Station 7124

Current Event

Table 1	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 1a	Well/ Date	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME						

Historic Data

Table 2	Well/ Date	Depth to Water	LPH Thickness	Ground- water Elevation	Change in Elevation	TPH-G (8015M)	TPH-G (GC/MS)	Benzene	Toluene	Ethyl- benzene	Total Xylenes	MTBE (8021B)	MTBE (8260B)	Comments
Table 2a	Well/ Date	TBA	Ethanol (8015B)	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME					

Table 1
CURRENT FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
April 4, 2008
76 Station 7124

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1														
04/04/08	37.37	16.17	0.00	21.20	-1.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	Gauged on 5-22-08
MW-2														
05/22/08	37.87	17.46	0.00	20.41	-0.66	--	140	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.2	Gauged and sampled on 5-22-08
MW-3														
04/04/08	37.72	17.30	0.00	20.42	-1.46	--	1600	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	470	Gauged on 5-22-08
MW-4														
05/22/08	38.36	18.10	0.00	20.26	-1.54	--	520	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.6	Gauged and sampled on 5-22-08

Table 1 a
ADDITIONAL CURRENT ANALYTICAL RESULTS
76 Station 7124

Date Sampled	TBA	Ethanol (8260B)	Ethylene- dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-1							
04/04/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-2							
05/22/08	ND<10	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-3							
04/04/08	ND<20	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
MW-4							
05/22/08	52	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
April 2002 Through May 2008
76 Station 7124

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1														
04/08/02	37.37	14.27	0.00	23.10	--	ND<50	--	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<2.5	ND<2.0	
07/28/02	37.37	15.88	0.00	21.49	-1.61	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
11/03/02	37.37	16.75	0.00	20.62	-0.87	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/24/03	37.37	13.94	0.00	23.43	2.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
04/02/03	37.37	14.99	0.00	22.38	-1.05	--	460	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
07/01/03	37.37	15.48	0.00	21.89	-0.49	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
10/02/03	37.37	16.68	0.00	20.69	-1.20	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<2.0	
01/09/04	37.37	13.79	0.00	23.58	2.89	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1	--	ND<2	
04/26/04	37.37	15.21	0.00	22.16	-1.42	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
07/22/04	37.37	16.43	0.00	20.94	-1.22	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
10/29/04	37.37	16.14	0.00	21.23	0.29	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
01/12/05	37.37	12.83	0.00	24.54	3.31	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
06/20/05	37.37	14.38	0.00	22.99	-1.55	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
09/23/05	37.37	15.92	0.00	21.45	-1.54	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
12/13/05	37.37	16.09	0.00	21.28	-0.17	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
03/24/06	37.37	11.85	0.00	25.52	4.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
05/30/06	37.37	13.30	0.00	24.07	-1.45	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
08/22/06	37.37	15.11	0.00	22.26	-1.81	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
10/31/06	37.37	16.11	0.00	21.26	-1.00	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
01/12/07	37.37	15.55	0.00	21.82	0.56	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
04/04/07	37.37	15.31	0.00	22.06	0.24	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
07/05/07	37.37	16.21	0.00	21.16	-0.90	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	
10/01/07	37.37	17.13	0.00	20.24	-0.92	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	ND<0.50	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
April 2002 Through May 2008
76 Station 7124

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-1 continued														
01/11/08	37.37	14.48	0.00	22.89	2.65	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	
04/04/08	37.37	16.17	0.00	21.20	-1.69	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	ND<0.50	Gauged on 5-22-08
MW-2														
04/08/02	37.87	15.86	0.00	22.01	--	4400	--	ND<2.5	ND<2.5	6.4	ND<2.5	380	490	
07/28/02	37.87	17.28	0.00	20.59	-1.42	--	3200	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	170	
11/03/02	37.87	18.03	0.00	19.84	-0.75	--	3800	ND<5.0	ND<5.0	ND<5.0	ND<10	--	72	
01/24/03	37.87	15.59	0.00	22.28	2.44	--	410	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	490	
04/02/03	37.87	16.50	0.00	21.37	-0.91	--	1000	ND<5.0	ND<5.0	ND<5.0	ND<10	--	180	
07/01/03	37.87	16.94	0.00	20.93	-0.44	--	1900	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	120	
10/02/03	37.87	17.93	0.00	19.94	-0.99	--	6900	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	32	
01/09/04	37.87	15.42	0.00	22.45	2.51	--	1000	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	300	
04/26/04	37.87	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
07/22/04	37.87	--	--	--	--	--	--	--	--	--	--	--	--	Covered with asphalt
10/29/04	37.87	--	0.00	--	--	--	--	--	--	--	--	--	--	Well is paved over.
01/12/05	37.87	--	--	--	--	--	--	--	--	--	--	--	--	Well was paved over.
06/20/05	37.87	15.94	0.00	21.93	--	--	120	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	46	
09/23/05	37.87	17.29	0.00	20.58	-1.35	--	120	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	10	
12/13/05	37.87	17.41	0.00	20.46	-0.12	--	ND<50	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	11	
03/24/06	37.87	13.77	0.00	24.10	3.64	--	190	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	15	
05/30/06	37.87	15.16	0.00	22.71	-1.39	--	120	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	6.6	
08/22/06	37.87	16.49	0.00	21.38	-1.33	--	81	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.0	
10/31/06	37.87	17.15	0.00	20.72	-0.66	--	93	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2.0	
01/12/07	37.87	17.07	0.00	20.80	0.08	--	230	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	4.3	
04/04/07	37.87	17.84	0.00	20.03	-0.77	--	110	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2.5	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
April 2002 Through May 2008
76 Station 7124

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-2 continued														
07/05/07	37.87	17.51	0.00	20.36	0.33	--	150	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2.6	
10/01/07	37.87	18.25	0.00	19.62	-0.74	--	160	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	2.0	
01/11/08	37.87	16.80	0.00	21.07	1.45	--	130	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	7.7	
05/22/08	37.87	17.46	0.00	20.41	-0.66	--	140	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	4.2	Gauged and sampled on 5-22-08
MW-3														
04/08/02	37.72	15.86	0.00	21.86	--	8700	--	65	ND<25	400	ND<25	6500	8300	
07/28/02	37.72	17.22	0.00	20.50	-1.36	--	4500	ND<25	ND<25	ND<25	ND<50	--	1100	
11/03/02	37.72	17.90	0.00	19.82	-0.68	--	25000	ND<5.0	ND<5.0	25	ND<10	--	470	
01/24/03	37.72	15.57	0.00	22.15	2.33	--	6000	ND<25	ND<25	94	ND<50	--	10000	
04/02/03	37.72	16.45	0.00	21.27	-0.88	--	130000	ND<100	ND<100	ND<100	ND<200	--	4400	
07/01/03	37.72	16.88	0.00	20.84	-0.43	--	9400	ND<10	ND<10	ND<10	ND<20	--	2200	
10/02/03	37.72	17.85	0.00	19.87	-0.97	--	73000	ND<50	ND<50	ND<50	ND<100	--	460	
01/09/04	37.72	15.31	0.00	22.41	2.54	--	8700	ND<25	ND<25	98	ND<50	--	3800	
04/26/04	37.72	16.62	0.00	21.10	-1.31	--	6700	ND<25	ND<25	ND<25	ND<50	--	3900	
07/22/04	37.72	17.62	0.00	20.10	-1.00	--	13000	ND<25	ND<25	ND<25	ND<50	--	980	
10/29/04	37.72	17.29	0.00	20.43	0.33	--	4600	ND<5.0	ND<5.0	13	ND<10	--	640	
01/12/05	37.72	14.64	0.00	23.08	2.65	--	6100	0.88	0.99	30	2.2	--	6900	
06/20/05	37.72	15.91	0.00	21.81	-1.27	--	1900	ND<0.50	0.21J	0.52	0.46J	--	960	
09/23/05	37.72	17.20	0.00	20.52	-1.29	--	2400	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	160	
12/13/05	37.72	17.32	0.00	20.40	-0.12	--	2100	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	340	
03/24/06	37.72	13.86	0.00	23.86	3.46	--	2200	ND<5.0	ND<5.0	ND<5.0	ND<10	--	970	
05/30/06	37.72	15.69	0.00	22.03	-1.83	--	1500	ND<12	ND<12	ND<12	ND<25	--	760	
08/22/06	37.72	16.51	0.00	21.21	-0.82	--	1900	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	160	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
April 2002 Through May 2008
76 Station 7124

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-3 continued														
10/31/06	37.72	17.36	0.00	20.36	-0.85	--	2200	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	58	
01/12/07	37.72	16.85	0.00	20.87	0.51	--	2600	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	680	
04/04/07	37.72	16.62	0.00	21.10	0.23	--	1700	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	650	
07/05/07	37.72	17.42	0.00	20.30	-0.80	--	2400	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	160	
10/01/07	37.72	18.16	0.00	19.56	-0.74	--	1700	ND<1.0	ND<1.0	ND<1.0	ND<1.0	--	87	
01/11/08	37.72	15.84	0.00	21.88	2.32	--	2200	ND<0.50	ND<0.50	1.6	ND<1.0	--	1300	
04/04/08	37.72	17.30	0.00	20.42	-1.46	--	1600	ND<1.0	ND<1.0	ND<1.0	ND<2.0	--	470	Gauged on 5-22-08
MW-4														
04/08/02	38.36	16.59	0.00	21.77	--	13000	--	ND<5.0	ND<5.0	28	ND<5.0	790	980	
07/28/02	38.36	17.93	0.00	20.43	-1.34	--	18000	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	170	
11/03/02	38.36	18.66	0.00	19.70	-0.73	--	220	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.7	
01/24/03	38.36	16.27	0.00	22.09	2.39	--	ND<1000	ND<10	ND<10	ND<10	ND<20	--	1000	
04/02/03	38.36	17.19	0.00	21.17	-0.92	--	130000	ND<100	ND<100	ND<100	ND<200	--	ND<400	
07/01/03	38.36	17.61	0.00	20.75	-0.42	--	15000	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	170	
10/02/03	38.36	18.58	0.00	19.78	-0.97	--	7100	ND<10	ND<10	ND<10	ND<20	--	70	
01/09/04	38.36	16.15	0.00	22.21	2.43	--	18000	ND<10	ND<10	ND<10	ND<20	--	530	
04/26/04	38.36	17.20	0.00	21.16	-1.05	--	6500	ND<10	ND<10	ND<10	ND<20	--	240	
07/22/04	38.36	18.34	0.00	20.02	-1.14	--	18000	ND<10	ND<10	ND<10	ND<20	--	48	
10/29/04	38.36	18.13	0.00	20.23	0.21	--	2700	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	76	
01/12/05	38.36	15.22	0.00	23.14	2.91	--	1300	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	620	
06/20/05	38.36	16.63	0.00	21.73	-1.41	--	980	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	110	
09/23/05	38.36	17.93	0.00	20.43	-1.30	--	1500	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	34	
12/13/05	38.36	18.04	0.00	20.32	-0.11	--	3900	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	36	
03/24/06	38.36	14.48	0.00	23.88	3.56	--	1500	ND<12	ND<12	ND<12	ND<25	--	200	

Table 2
HISTORIC FLUID LEVELS AND SELECTED ANALYTICAL RESULTS
April 2002 Through May 2008
76 Station 7124

Date Sampled	TOC Elevation (feet)	Depth to Water (feet)	LPH Thickness (feet)	Ground-water Elevation (feet)	Change in Elevation (feet)	TPH-G (8015M) (µg/l)	TPH-G (GC/MS) (µg/l)	Benzene (µg/l)	Toluene (µg/l)	Ethyl-benzene (µg/l)	Total Xylenes (µg/l)	MTBE (8021B) (µg/l)	MTBE (8260B) (µg/l)	Comments
MW-4 continued														
05/30/06	38.36	15.79	0.00	22.57	-1.31	--	1200	ND<2.5	ND<2.5	ND<2.5	ND<5.0	--	130	
08/22/06	38.36	17.26	0.00	21.10	-1.47	--	980	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	33	
10/31/06	38.36	18.08	0.00	20.28	-0.82	--	1300	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	10	
01/12/07	38.36	17.57	0.00	20.79	0.51	--	820	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	28	
04/04/07	38.36	17.40	0.00	20.96	0.17	--	460	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	41	
07/05/07	38.36	18.02	0.00	20.34	-0.62	--	920	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	7.0	
10/01/07	38.36	18.89	0.00	19.47	-0.87	--	560	ND<0.50	ND<0.50	ND<0.50	ND<0.50	--	3.0	
01/11/08	38.36	16.56	0.00	21.80	2.33	--	340	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	21	
05/22/08	38.36	18.10	0.00	20.26	-1.54	--	520	ND<0.50	ND<0.50	ND<0.50	ND<1.0	--	5.6	Gauged and sampled on 5-22-08

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 7124

Date Sampled	TBA (µg/l)	Ethanol (8015B) (mg/l)	Ethanol (8260B) (µg/l)	Ethylene-dibromide (EDB) (µg/l)	1,2-DCA (EDC) (µg/l)	DIPE (µg/l)	ETBE (µg/l)	TAME (µg/l)
MW-1								
07/28/02	ND<100	ND<500	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
11/03/02	ND<100	ND<500	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/24/03	ND<100	ND<500	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
04/02/03	ND<100	ND<500	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
07/01/03	ND<100	ND<500	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
10/02/03	ND<100	--	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/09/04	ND<100	--	ND<500	ND<2	ND<2.0	ND<2	ND<2	ND<2
04/26/04	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
07/22/04	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
10/29/04	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
01/12/05	ND<5.0	--	ND<50	ND<0.50	ND<0.50	ND<1.0	ND<0.50	ND<0.50
06/20/05	ND<10	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
09/23/05	ND<10	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
12/13/05	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
03/24/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
08/22/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/31/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/12/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/05/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/01/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/11/08	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/08	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-2								
04/08/02	ND<2000	ND<10000	--	ND<40	ND<40	ND<40	ND<40	ND<40

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 7124

Date Sampled	TBA	Ethanol (8015B)	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-2 continued								
07/28/02	ND<500	ND<2500	--	ND<10	ND<10	ND<10	ND<10	ND<10
11/03/02	ND<1000	ND<5000	--	ND<20	ND<20	ND<20	ND<20	ND<20
01/24/03	ND<500	ND<2500	--	ND<10	ND<10	ND<10	ND<10	ND<10
04/02/03	ND<1000	ND<5000	--	ND<20	ND<20	ND<20	ND<20	ND<20
07/01/03	ND<500	ND<2500	--	ND<10	ND<10	ND<10	ND<10	ND<10
10/02/03	ND<100	--	ND<500	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/09/04	ND<500	--	ND<2500	ND<10	ND<10	ND<10	ND<10	ND<10
06/20/05	25	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
09/23/05	ND<10	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
12/13/05	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
03/24/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
05/30/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
08/22/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/31/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/12/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/05/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/01/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/11/08	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
05/22/08	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
MW-3								
10/02/03	ND<10000	--	ND<50000	ND<200	ND<200	ND<200	ND<200	ND<200
01/09/04	ND<5000	--	ND<25000	ND<100	ND<100	ND<100	ND<100	ND<100
04/26/04	ND<250	--	ND<2500	ND<25	ND<25	ND<50	ND<25	ND<25
07/22/04	ND<250	--	ND<2500	ND<25	ND<25	ND<50	ND<25	ND<25
10/29/04	ND<50	--	ND<500	ND<5.0	ND<5.0	ND<10	ND<5.0	ND<5.0

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 7124


Date Sampled	TBA	Ethanol (8015B)	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-3 continued								
01/12/05	1300	--	ND<2500	ND<25	ND<25	ND<50	ND<25	ND<25
06/20/05	39	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.31J
09/23/05	ND<10	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
12/13/05	ND<50	--	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
03/24/06	ND<100	--	ND<2500	ND<5.0	ND<5.0	ND<5.0	ND<5.0	ND<5.0
05/30/06	ND<250	--	ND<6200	ND<12	ND<12	ND<12	ND<12	ND<12
08/22/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/31/06	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/12/07	43	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/07	130	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/05/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/01/07	ND<20	--	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
01/11/08	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/08	ND<20	--	ND<500	ND<1.0	ND<1.0	ND<1.0	ND<1.0	ND<1.0
MW-4								
04/08/02	ND<5000	ND<25000	--	ND<100	ND<100	ND<100	ND<100	ND<100
07/28/02	ND<500	ND<2500	--	ND<10	ND<10	ND<10	ND<10	ND<10
11/03/02	ND<100	ND<500	--	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/24/03	ND<2000	ND<10000	--	ND<40	ND<40	ND<40	ND<40	ND<40
04/02/03	ND<20000	ND<100000	--	ND<400	ND<400	ND<400	ND<400	ND<400
07/01/03	ND<500	ND<2500	--	ND<10	ND<10	ND<10	ND<10	ND<10
10/02/03	ND<2000	--	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40
01/09/04	ND<2000	--	ND<10000	ND<40	ND<40	ND<40	ND<40	ND<40
04/26/04	430	--	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10
07/22/04	ND<100	--	ND<1000	ND<10	ND<10	ND<20	ND<10	ND<10
10/29/04	63	--	ND<250	ND<2.5	ND<2.5	ND<5.0	ND<2.5	ND<2.5

Table 2 a
ADDITIONAL HISTORIC ANALYTICAL RESULTS
76 Station 7124

Date Sampled	TBA	Ethanol (8015B)	Ethanol (8260B)	Ethylene-dibromide (EDB)	1,2-DCA (EDC)	DIPE	ETBE	TAME
	(µg/l)	(mg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)	(µg/l)
MW-4 continued								
01/12/05	1300	--	ND<250	ND<10	ND<2.5	ND<5.0	ND<2.5	ND<2.5
06/20/05	580	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
09/23/05	92	--	ND<1000	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
12/13/05	50	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
03/24/06	1900	--	ND<6200	ND<12	ND<12	ND<12	ND<12	ND<12
05/30/06	ND<50	--	ND<1200	ND<2.5	ND<2.5	ND<2.5	ND<2.5	ND<2.5
08/22/06	150	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/31/06	43	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/12/07	72	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
04/04/07	260	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
07/05/07	18	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
10/01/07	ND<10	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
01/11/08	140	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50
05/22/08	52	--	ND<250	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50

FIGURES

PS=1:1 L:\QMS VICINITY MAP S07124.vrn.dwg Jul 19, 2007 - 6:50am cvuong



SOURCE:

United States Geological Survey
7.5 Minute Topographic Map:
Oakland West Quadrangle

0 1/4 1/2 3/4 1 MILE



SCALE 1:24,000



QUADRANGLE
LOCATION



PROJECT: 125703


FACILITY:


76 STATION 7124
10151 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA


VICINITY MAP


FIGURE 1

LEGEND

MW-4  Monitoring Well with Groundwater Elevation (feet)

21.20  Groundwater Elevation Contour


 General Direction of Groundwater Flow



NOTES:

Contour lines are interpretive and based on fluid levels measured in monitoring wells
Elevations are in feet above mean sea level

SCALE (FEET)



L: \Graphics\QMS NORTH-SOUTH\7000\7124\7124QMS.DWG Jun 17, 2008 - 3:06pm bschmidt


MS=1:1 7124-003



PROJECT: 154771
FACILITY:
76 STATION 7124
10151 INTERNATIONAL BOULEVARD
OAKLAND, CALIFORNIA

**GROUNDWATER
ELEVATION MAP**
May 22, 2008

FIGURE 2



LEGEND

Concentric Circles Represent
 Quarterly Monitoring Events
 Conducted Since Fourth Quarter 2003.

PROJECT: 154771


**Groundwater
 Flow Direction Rose Diagram**





Former 76 Station No.7124
 10151 INTERNATIONAL BOULEVARD
 OAKLAND, CALIFORNIA

FIGURE 2A

LEGEND

MW-4  Monitoring Well with Dissolved-Phase TPH-G (GC/MS) Concentration ($\mu\text{g/l}$)

 1,000 Dissolved-Phase TPH-G (GC/MS) Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. TPH-G (GC/MS) = total petroleum hydrocarbons with gasoline distinction utilizing EPA Method 8260B. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.

SCALE (FEET)



MS=1:1 7124-003 L:\Graphics\QMS NORTH-SOUTH\X-7000\7124+7124-QMS.DWG Jun 17, 2008 - 3:06pm bschmidt





PROJECT: 154771
 FACILITY:
 76 STATION 7124
 10151 INTERNATIONAL BOULEVARD
 OAKLAND, CALIFORNIA

**DISSOLVED-PHASE TPH-G (GC/MS)
 CONCENTRATION MAP**
 April 4, 2008 & May 22, 2008

FIGURE 3

LEGEND

MW-4  Monitoring Well with Dissolved-Phase Benzene Concentration ($\mu\text{g/l}$)



MS=1:1 7124-003 L:\Graphics\QMS NORTH-SOUTH\7124-7000\7124-7124\7124QMS.DWG Jun 17, 2008 - 3:06pm bschmidt

NOTES:

$\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report.

SCALE (FEET)





PROJECT: 154771
 FACILITY:
 76 STATION 7124
 10151 INTERNATIONAL BOULEVARD
 OAKLAND, CALIFORNIA


**DISSOLVED-PHASE BENZENE
 CONCENTRATION MAP**
 April 4, 2008 & May 22, 2008

FIGURE 4

LEGEND


MW-4  Monitoring Well with Dissolved-Phase MTBE Concentration ($\mu\text{g/l}$)

 100 Dissolved-Phase MTBE Contour ($\mu\text{g/l}$)



NOTES:

Contour lines are interpretive and based on laboratory analysis results of groundwater samples. MTBE = methyl tertiary butyl ether. $\mu\text{g/l}$ = micrograms per liter. ND = not detected at limit indicated on official laboratory report. Results obtained using EPA Method 8260B.



MS=1:1 7124-003 L:\Graphics\CMS NORTH-SOUTH\X-7000\7124+7124+7124\QMS.DWG Jun 17, 2008 - 3:06pm bschmidt




PROJECT: 154771
 FACILITY:
 76 STATION 7124
 10151 INTERNATIONAL BOULEVARD
 OAKLAND, CALIFORNIA

**DISSOLVED-PHASE MTBE
 CONCENTRATION MAP**
 April 4, 2008 & May 22, 2008

FIGURE 5





GRAPHS

Groundwater Elevations vs. Time
76 Station 7124



Elevations may have been corrected for apparent changes due to resurvey

MTBE 8260B Concentrations vs Time
76 Station 7124



GENERAL FIELD PROCEDURES

Groundwater Monitoring and Sampling Assignments

For each site, TRC technicians are provided with a Technical Service Request (TSR) that specifies activities required to complete the groundwater monitoring and sampling assignment for the site. TSRs are based on client directives, instructions from the primary environmental consultant for the site, regulatory requirements, and TRC's previous experience with the site.

Fluid Level Measurements

Initial site activities include determination of well locations based on a site map provided with the TSR. Well boxes are opened and caps are removed. Indications of well or well box damage or of pressure buildup in the well are noted.

Fluid levels in each well are measured using a coated cloth tape equipped with an electronic interface probe, which distinguishes between liquid phase hydrocarbon (LPH) and water. The depth to LPH (if it is present), to water, and to the bottom of the well are measured from the top of the well casing (surveyors mark or notch if present) to the nearest 0.01 foot. Unless otherwise instructed, a well with less than 0.67 foot between the measured top of water and the measured bottom of the well casing is considered dry, and is not sampled. If the well contains 0.67 foot or more of water, an attempt is made to bail and/or sample as specified on the TSR.

Wells that are found to contain LPH are not purged or sampled. Instead, one casing volume of fluid is bailed from the well and the well is re-sealed. Bailed fluids are placed in a container separate from normal purge water, and properly disposed.

Purging and Groundwater Parameter Measurement

TSR instructions may specify that a well not be purged (no-purge sampling), be purged using low-flow methods, or be purged using conventional pump and/or bail methods. Conventional purging generally consists of pumping or bailing until a minimum of three casing volumes of water have been removed or until the well has been pumped dry. Pumping is generally accomplished using submersible electric or pneumatic diaphragm pumps.

During conventional purging, three groundwater parameters (temperature, pH, and conductivity) are measured after removal of each casing volume. Stabilization of these parameters, to within 10 percent, confirm that sufficient purging has been completed. In some cases, the TSR indicates that other parameters are also to be measured during purging. TRC commonly measures dissolved oxygen (DO), oxidation-reduction potential (ORP), and/or turbidity. Instruments used for groundwater parameter measurements are calibrated daily according to manufacturer's instructions.

Low-flow purging utilizes a bladder or peristaltic pump to remove water from the well at a low rate. Groundwater parameters specified by the TSR are measured continuously until they become stable in general accordance with EPA guidelines.

Purge water is generally collected in labeled drums for disposal. Drums may be left on site for disposal by others, or transported to a collection location for eventual transfer to a licensed treatment or recycling facility. In some cases, purge water may be collected directly from the site by a licensed vacuum truck company, or may be treated on site by an active remediation system, if so directed.

Groundwater Sample Collection

After wells are purged, or not purged, according to TSR instructions, samples are collected for laboratory analysis. For wells that have been purged using conventional pump or bail methods, sampling is conducted after the well has recovered to 80 percent of its original volume or after two hours if the well does not recover to at least 80 percent. If there is insufficient recharge of water in the well after two hours, the well is not sampled.

Samples are collected by lowering a new, disposable, ½-inch to 4-inch polyethylene bottom-fill bailer to just below the water level in the well. The bailer is retrieved and the water sample is carefully transferred to containers specified for the laboratory analytical methods indicated by the TSR. Particular care is given to containers for volatile organic analysis (VOAs) which require filling to zero headspace and fitting with Teflon-sealed caps.

After filling, all containers are labeled with project number (or site number), well designation, sample date, sample time, and the sampler's initials, and placed in an insulated chest with ice. Samples remain chilled prior to and during transport to a state-certified laboratory for analysis. Sample container descriptions and requested analyses are entered onto a chain-of-custody form in order to provide instructions to the laboratory. The chain-of-custody form accompanies the samples during transportation to provide a continuous record of possession from the field to the laboratory. If a freight or overnight carrier transports the samples, the carrier is noted on the form.

For wells that have been purged using low-flow methods, sample containers are filled from the effluent stream of the bladder or peristaltic pump. In some cases, if so specified by the TSR, samples are taken from the sample ports of actively pumping remediation wells.

Sequence of Gauging, Purging and Sampling

The sequence in which monitoring activities are conducted is specified on the TSR. In general, wells are gauged beginning with the least affected well and ending with the well that has the highest concentration based on previous analytic results. After all gauging for the site is completed, wells are purged and/or sampled from the least-affected to the most-affected well.

Decontamination

In order to reduce the possibility of cross contamination between wells, strict isolation and decontamination procedures are observed. Portable pumps are not used in wells with LPH. Technicians wear nitrile gloves during all gauging, purging, and sampling activities. Gloves are changed between wells and more often if warranted. Any equipment that could come in contact with fluids are either dedicated a particular well, decontaminated prior to each use, or discarded after a single use. Decontamination consists of washing in a solution of Liqui-nox and water and rinsing twice. The final rinse is in deionized water.

Exceptions

Additional tasks or non-standard procedures, if any, that may be requested or required for a particular site, and noted on the site TSR, are documented in field notes on the following pages.

GROUNDWATER SAMPLING FIELD NOTES

Technician: Juan

Site: 7124

Project No: 154771

Date: 4/4/08

Well No. MW-1

Purge Method: sub

Depth to Water (feet): 15.49

Depth to Product (feet): —

Total Depth (feet): 24.77

LPH & Water Recovered (gallons): —

Water Column (feet): 9.28

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 17.34

1 Well Volume (gallons): 6

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, °C)	pH	D.O. (mg/L)	ORP	Turbidity
0803			6	583.7	16.9	8.53			
			12	567.3	17.6	7.62			
	0810		18	571.7	17.8	7.33			
Static at Time Sampled			Total Gallons Purged		Sample Time				
16.64			18		0817				
Comments:									

Well No. MW-3

Purge Method: sub

Depth to Water (feet): 16.79

Depth to Product (feet): —

Total Depth (feet): 24.92

LPH & Water Recovered (gallons): —

Water Column (feet): 8.13

Casing Diameter (Inches): 4

80% Recharge Depth(feet): 18.41

1 Well Volume (gallons): 5

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, °C)	pH	D.O. (mg/L)	ORP	Turbidity
0830			5	649.2	16.5	7.11			
			10	665.5	17.9	6.97			
	0836		15	671.5	18.4	6.93			
Static at Time Sampled			Total Gallons Purged		Sample Time				
16.89			15		0843				
Comments:									

STATEMENT OF NON-COMPLETION OF JOB

DATE OF EVENT: 4/4/08 STATION NUMBER: 7124

NAME OF TECH: Juan CALLED GORDON:

CALLED PM: _____ NAME OF PM CALLED: A. Collins

WELL NUMBER: MW-2 STATEMENT FROM PM _____ OR TECH _____

well dry

WELL NUMBER: MW-4 STATEMENT FROM PM _____ OR TECH _____

well dry

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____

WELL NUMBER: _____ STATEMENT FROM PM _____ OR TECH _____

GROUNDWATER SAMPLING FIELD NOTES

Technician: JOE

Site: 7124

Project No.: 154771

Date: 05-22-08

Well No. MW-4

Purge Method: DFA

Depth to Water (feet): 18.10

Depth to Product (feet):

Total Depth (feet): 24.90

LPH & Water Recovered (gallons):

Water Column (feet): 5.20

Casing Diameter (Inches): 4"

80% Recharge Depth(feet): 20.74

1 Well Volume (gallons): 3

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	DO (mg/L)	ORP	Turbidity
<u>0558</u>			<u>3</u>	<u>609.7</u>	<u>15.9</u>	<u>6.40</u>			
			<u>6</u>	<u>609.9</u>	<u>16.4</u>	<u>6.30</u>			
	<u>0601</u>		<u>9</u>	<u>606.5</u>	<u>16.5</u>	<u>6.28</u>			
Static at Time Sampled			Total Gallons Purged		Sample Time				
<u>18.18</u>			<u>9</u>		<u>0612</u>				
Comments:									

Well No. _____

Purge Method: _____

Depth to Water (feet): _____

Depth to Product (feet): _____

Total Depth (feet): _____

LPH & Water Recovered (gallons): _____

Water Column (feet): _____

Casing Diameter (Inches): _____

80% Recharge Depth(feet): _____

1 Well Volume (gallons): _____

Time Start	Time Stop	Depth to Water (feet)	Volume Purged (gallons)	Conductivity (uS/cm)	Temperature (F, C)	pH	DO (mg/L)	ORP	Turbidity
Static at Time Sampled			Total Gallons Purged		Sample Time				
Comments:									

Date of Report: 04/16/2008


Anju Farfan

TRC
21 Technology Drive
Irvine, CA 92618

RE. 7124
BC Work Order: 0804468

Enclosed are the results of analyses for samples received by the laboratory on 04/07/2008 20:40. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Contact Person: Molly Meyers
Client Service Rep



Authorized Signature



TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/16/2008 15:58

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			Receive Date:	Sampling Date:	Sample Depth:	Sample Matrix:	Delivery Work Order:	Global ID:	Matrix:	Sample QC Type (SACode):	Cooler ID:
0804468-01	COC Number:	---		04/07/2008 20:40	04/04/2008 08:17	---	Water		T0600173591	W	CS	
	Project Number:	7124										
	Sampling Location:	MW-1										
	Sampling Point:	MW-1										
	Sampled By:	TRCI										
0804468-02	COC Number:	---		04/07/2008 20:40	04/04/2008 08:43	---	Water		T0600173591	W	CS	
	Project Number:	7124										
	Sampling Location:	MW-3										
	Sampling Point:	MW-3										
	Sampled By:	TRCI										

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TRC 21 Technology Drive Irvine, CA 92618	Project: 7124 Project Number: [none] Project Manager: Anju Farfan	Reported: 04/16/2008 15:58
--	---	----------------------------

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	0804468-01												
Client Sample Name:		7124, MW-1, MW-1, 4/4/2008 8:17:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Methyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Toluene	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Ethanol	ND	ug/L	250		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
Total Purgeable Petroleum Hydrocarbons	ND	ug/L	50		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348	ND	
1,2-Dichloroethane-d4 (Surrogate)	112	%	76 - 114 (LCL - UCL)		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348		
Toluene-d8 (Surrogate)	98.7	%	88 - 110 (LCL - UCL)		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348		
4-Bromofluorobenzene (Surrogate)	97.9	%	86 - 115 (LCL - UCL)		EPA-8260	04/08/08	04/09/08 05:55	ken	MS-V12	1	BRD0348		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.
 4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com

TRC 21 Technology Drive Irvine, CA 92618	Project: 7124 Project Number: [none] Project Manager: Anju Farfan	Reported: 04/16/2008 15:58
--	---	----------------------------

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID:	Client Sample Name: 7124, MW-3, MW-3, 4/4/2008 8:43:00AM												
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru- ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
1,2-Dibromoethane	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
1,2-Dichloroethane	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
Ethylbenzene	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
Methyl t-butyl ether	470	ug/L	5.0		EPA-8260	04/08/08	04/15/08 23:48	ken	MS-V12	10	BRD0348	ND	A01
Toluene	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
Total Xylenes	ND	ug/L	2.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
t-Amyl Methyl ether	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
t-Butyl alcohol	ND	ug/L	20		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
Diisopropyl ether	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
Ethanol	ND	ug/L	500		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
Ethyl t-butyl ether	ND	ug/L	1.0		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
Total Purgeable Petroleum Hydrocarbons	1600	ug/L	100		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348	ND	A01
1,2-Dichloroethane-d4 (Surrogate)	107	%	76 - 114 (LCL - UCL)		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348		
1,2-Dichloroethane-d4 (Surrogate)	98.2	%	76 - 114 (LCL - UCL)		EPA-8260	04/08/08	04/15/08 23:48	ken	MS-V12	10	BRD0348		
Toluene-d8 (Surrogate)	98.3	%	88 - 110 (LCL - UCL)		EPA-8260	04/08/08	04/15/08 23:48	ken	MS-V12	10	BRD0348		
Toluene-d8 (Surrogate)	98.2	%	88 - 110 (LCL - UCL)		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348		
4-Bromofluorobenzene (Surrogate)	102	%	86 - 115 (LCL - UCL)		EPA-8260	04/08/08	04/15/08 23:48	ken	MS-V12	10	BRD0348		
4-Bromofluorobenzene (Surrogate)	107	%	86 - 115 (LCL - UCL)		EPA-8260	04/08/08	04/08/08 23:05	ken	MS-V12	2	BRD0348		

TRC 21 Technology Drive Irvine, CA 92618	Project: 7124 Project Number: [none] Project Manager: Anju Farfan	Reported: 04/16/2008 15:58
--	---	----------------------------

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BRD0348	Matrix Spike	0802904-94	0	22.730	25.000	ug/L		90.9		70 - 130
		Matrix Spike Duplicate	0802904-94	0	23.360	25.000	ug/L	2.7	93.4	20	70 - 130
Toluene	BRD0348	Matrix Spike	0802904-94	0	23.940	25.000	ug/L		95.8		70 - 130
		Matrix Spike Duplicate	0802904-94	0	24.890	25.000	ug/L	3.9	99.6	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRD0348	Matrix Spike	0802904-94	ND	9.7700	10.000	ug/L		97.7		76 - 114
		Matrix Spike Duplicate	0802904-94	ND	10.180	10.000	ug/L		102		76 - 114
Toluene-d8 (Surrogate)	BRD0348	Matrix Spike	0802904-94	ND	10.070	10.000	ug/L		101		88 - 110
		Matrix Spike Duplicate	0802904-94	ND	10.200	10.000	ug/L		102		88 - 110
4-Bromofluorobenzene (Surrogate)	BRD0348	Matrix Spike	0802904-94	ND	9.8500	10.000	ug/L		98.5		86 - 115
		Matrix Spike Duplicate	0802904-94	ND	10.380	10.000	ug/L		104		86 - 115

TRC 21 Technology Drive Irvine, CA 92618	Project: 7124 Project Number: [none] Project Manager: Anju Farfan	Reported: 04/16/2008 15:58
--	---	----------------------------

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	Control Limits		Lab Quals
									RPD	Percent Recovery	
Benzene	BRD0348	BRD0348-BS1	LCS	26.280	25.000	0.50	ug/L	105		70 - 130	
Toluene	BRD0348	BRD0348-BS1	LCS	25.890	25.000	0.50	ug/L	104		70 - 130	
1,2-Dichloroethane-d4 (Surrogate)	BRD0348	BRD0348-BS1	LCS	10.230	10.000		ug/L	102		76 - 114	
Toluene-d8 (Surrogate)	BRD0348	BRD0348-BS1	LCS	10.090	10.000		ug/L	101		88 - 110	
4-Bromofluorobenzene (Surrogate)	BRD0348	BRD0348-BS1	LCS	9.8600	10.000		ug/L	98.6		86 - 115	

TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/16/2008 15:58

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
Toluene	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
Total Xylenes	BRD0348	BRD0348-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BRD0348	BRD0348-BLK1	ND	ug/L	10		
Diisopropyl ether	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
Ethanol	BRD0348	BRD0348-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BRD0348	BRD0348-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BRD0348	BRD0348-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRD0348	BRD0348-BLK1	106	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRD0348	BRD0348-BLK1	99.1	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRD0348	BRD0348-BLK1	98.1	%	86 - 115 (LCL - UCL)		



TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 04/16/2008 15:58

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected at or above the reporting limit
- PQL Practical Quantitation Limit
- RPD Relative Percent Difference
- A01 PQL's and MDL's are raised due to sample dilution.

Submission #: 0804468

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery
 BC Lab Field Service Other (Specify)

SHIPPING CONTAINER

Ice Chest None
 Box Other (Specify)

Refrigerant: Ice Blue Ice None Other Comments:

Custody Seals: Ice Chest Containers None Comments:

Intact? Yes No Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No Description(s) match COC? Yes No

COC Received
 YES NO

Ice Chest ID Red
 Temperature A.W/C 1.2 °C
 Thermometer ID: 48

Emissivity .95
 Container pe

Date/Time 4/7 2008
 Analyst Init JNW

SAMPLE CONTAINERS	SAMPLE NUMBERS									
	1	2	3	4	5	6	7	8	9	10
QT GENERAL MINERAL/ GENERAL PHYSICAL										
PT PE UNPRESERVED										
QT INORGANIC CHEMICAL METALS										
PT INORGANIC CHEMICAL METALS										
PT CYANIDE										
PT NITROGEN FORMS										
PT TOTAL SULFIDE										
2oz. NITRATE / NITRITE										
100ml TOTAL ORGANIC CARBON										
QT TOX										
PT CHEMICAL OXYGEN DEMAND										
PLA PHENOLICS										
40ml VOA VIAL TRAVEL BLANK										
40ml VOA VIAL	A.3	A.3								
QT EPA 413.1, 413.2, 418.1										
PT ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
40 ml VOA VIAL- 504										
QT EPA 508/608/8080										
QT EPA 515.1/8150										
QT EPA-525										
QT EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
QT EPA 548										
QT EPA 549										
QT EPA 632										
QT EPA 8015M										
QT QAQC										
QT AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments:
 Sample Numbering Completed By: JNW Date/Time: 4/7 2147

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
 (661) 327-4911 FAX (661) 327-1918

0804468

CHAIN OF CUSTODY

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015 TPH GAS by 8015M TPH DIESEL by 8015 8260 full list w/ oxygenates BTEX/MTBE/OXYS BY 8260B ETHANOL by 8260B TPH -G by GC/MS EDB/EDC by 8260TS	Turnaround Time Requested
Address: 10151 International Boulevard		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan				
City: oakland		4-digit site#: 7124 Workorder # 01634-4509118529				
State: CA	Zip:	Project #: 154771				
Conoco Phillips Mgr: Bill Bough		Sampler Name: Juan				


Lab#	Sample Description	Field Point Name	Date & Time Sampled																			
	- 1	MW-1	4/4/08 0817	(GW)																		
	- 2	MW-3	0843									STD										
<table border="1"> <tr> <td>CHK BY</td> <td>DISTRIBUTION</td> </tr> <tr> <td>Ann</td> <td>JRF</td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td>SUB OUT <input type="checkbox"/></td> </tr> </table>				CHK BY	DISTRIBUTION	Ann	JRF						SUB OUT <input type="checkbox"/>									
CHK BY	DISTRIBUTION																					
Ann	JRF																					
	SUB OUT <input type="checkbox"/>																					

Comments: GLOBAL ID: T0600173591	Relinquished by: (Signature)	Received by: Ross Decker	Date & Time: 4/9/08 1415
	Relinquished by: (Signature) Ross Decker 4/7/08	Received by: R. Decker	Date & Time: 4-7-08 1800
	Relinquished by: (Signature) R. Decker 4-7-08 2040	Received by: J. W. [Signature]	Date & Time: 4/7/08 2040



Laboratories, Inc.

Environmental Testing Laboratory Since 1949



Date of Report: 06/02/2008

Anju Farfan

TRC
21 Technology Drive
Irvine, CA 92618

RE: 7124
BC Work Order: 0806918

Enclosed are the results of analyses for samples received by the laboratory on 5/23/2008. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Molly Meyers
Client Service Rep

Authorized Signature


TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 06/02/2008 9:25

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Information			Receive Date:	Sampling Date:	Sample Depth:	Sample Matrix:	Delivery Work Order:	Global ID:	Matrix:	Sample QC Type (SACode):	Cooler ID:
0806918-01	COC Number:	---		05/23/2008 19:15	05/22/2008 06:08	---	Water		T0600173591	W	CS	
	Project Number:	7124										
	Sampling Location:	MW-2										
	Sampling Point:	MW-2										
	Sampled By:	TRCI										
0806918-02	COC Number:	---		05/23/2008 19:15	05/22/2008 06:12	---	Water		T0600173591	W	CS	
	Project Number:	7124										
	Sampling Location:	MW-4										
	Sampling Point:	MW-4										
	Sampled By:	TRCI										



TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 06/02/2008 9:25

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0806918-01		Client Sample Name: 7124, MW-2, MW-2, 5/22/2008 6:08:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep	Run	Analyst	Instru- ment ID	Dilution	QC	MB	Lab Quals
						Date	Date/Time				Batch ID	Bias	
Benzene	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Methyl t-butyl ether	4.2	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Toluene	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
t-Butyl alcohol	ND	ug/L	10		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Ethanol	ND	ug/L	250		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
Total Purgeable Petroleum Hydrocarbons	140	ug/L	50		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918	ND	
1,2-Dichloroethane-d4 (Surrogate)	97.4	%	76 - 114 (LCL - UCL)		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918		
Toluene-d8 (Surrogate)	102	%	88 - 110 (LCL - UCL)		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918		
4-Bromofluorobenzene (Surrogate)	104	%	86 - 115 (LCL - UCL)		EPA-8260	05/28/08	05/29/08 01:55	MGC	MS-V5	1	BRE1918		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.
4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

TRC
21 Technology Drive
Irvine, CA 92618


Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 06/02/2008 9:25

Volatile Organic Analysis (EPA Method 8260)

BCL Sample ID: 0806918-02		Client Sample Name: 7124, MW-4, MW-4, 5/22/2008 6:12:00AM											
Constituent	Result	Units	PQL	MDL	Method	Prep Date	Run Date/Time	Analyst	Instru-ment ID	Dilution	QC Batch ID	MB Bias	Lab Quals
Benzene	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
1,2-Dibromoethane	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
1,2-Dichloroethane	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Ethylbenzene	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Methyl t-butyl ether	5.6	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Toluene	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Total Xylenes	ND	ug/L	1.0		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
t-Amyl Methyl ether	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
t-Butyl alcohol	52	ug/L	10		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Diisopropyl ether	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Ethanol	ND	ug/L	250		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Ethyl t-butyl ether	ND	ug/L	0.50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
Total Purgeable Petroleum Hydrocarbons	520	ug/L	50		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918	ND	
1,2-Dichloroethane-d4 (Surrogate)	101	%	76 - 114 (LCL - UCL)		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918		
Toluene-d8 (Surrogate)	100	%	88 - 110 (LCL - UCL)		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918		
4-Bromofluorobenzene (Surrogate)	115	%	86 - 115 (LCL - UCL)		EPA-8260	05/28/08	05/29/08 02:26	MGC	MS-V5	1	BRE1918		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 06/02/2008 9:25

Volatile Organic Analysis (EPA Method 8260) Quality Control Report - Precision & Accuracy

Constituent	Batch ID	QC Sample Type	Source Sample ID	Source Result	Result	Spike Added	Units	RPD	Percent Recovery	Control Limits	
										RPD	Percent Recovery Lab Quals
Benzene	BRE1918	Matrix Spike	0806902-01	0	24.010	25.000	ug/L		96.0		70 - 130
		Matrix Spike Duplicate	0806902-01	0	25.160	25.000	ug/L	5.1	101	20	70 - 130
Toluene	BRE1918	Matrix Spike	0806902-01	0	24.730	25.000	ug/L		98.9		70 - 130
		Matrix Spike Duplicate	0806902-01	0	26.290	25.000	ug/L	6.0	105	20	70 - 130
1,2-Dichloroethane-d4 (Surrogate)	BRE1918	Matrix Spike	0806902-01	ND	10.020	10.000	ug/L		100		76 - 114
		Matrix Spike Duplicate	0806902-01	ND	10.130	10.000	ug/L		101		76 - 114
Toluene-d8 (Surrogate)	BRE1918	Matrix Spike	0806902-01	ND	9.9800	10.000	ug/L		99.8		88 - 110
		Matrix Spike Duplicate	0806902-01	ND	10.010	10.000	ug/L		100		88 - 110
4-Bromofluorobenzene (Surrogate)	BRE1918	Matrix Spike	0806902-01	ND	9.8500	10.000	ug/L		98.5		86 - 115
		Matrix Spike Duplicate	0806902-01	ND	9.6100	10.000	ug/L		96.1		86 - 115

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 06/02/2008 9:25

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Laboratory Control Sample

Constituent	Batch ID	QC Sample ID	QC Type	Result	Spike Level	PQL	Units	Percent Recovery	RPD	Control Limits		Lab Quals
										Percent Recovery	RPD	
Benzene	BRE1918	BRE1918-BS1	LCS	24.920	25.000	0.50	ug/L	99.7		70 - 130		
Toluene	BRE1918	BRE1918-BS1	LCS	25.860	25.000	0.50	ug/L	103		70 - 130		
1,2-Dichloroethane-d4 (Surrogate)	BRE1918	BRE1918-BS1	LCS	10.210	10.000		ug/L	102		76 - 114		
Toluene-d8 (Surrogate)	BRE1918	BRE1918-BS1	LCS	9.9300	10.000		ug/L	99.3		88 - 110		
4-Bromofluorobenzene (Surrogate)	BRE1918	BRE1918-BS1	LCS	9.3500	10.000		ug/L	93.5		86 - 115		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A


TRC 21 Technology Drive Irvine, CA 92618	Project: 7124 Project Number: [none] Project Manager: Anju Farfan	Reported: 06/02/2008 9:25
--	---	---------------------------

Volatile Organic Analysis (EPA Method 8260)

Quality Control Report - Method Blank Analysis

Constituent	Batch ID	QC Sample ID	MB Result	Units	PQL	MDL	Lab Quals
Benzene	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
1,2-Dibromoethane	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
1,2-Dichloroethane	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
Ethylbenzene	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
Methyl t-butyl ether	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
Toluene	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
Total Xylenes	BRE1918	BRE1918-BLK1	ND	ug/L	1.0		
t-Amyl Methyl ether	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
t-Butyl alcohol	BRE1918	BRE1918-BLK1	ND	ug/L	10		
Diisopropyl ether	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
Ethanol	BRE1918	BRE1918-BLK1	ND	ug/L	250		
Ethyl t-butyl ether	BRE1918	BRE1918-BLK1	ND	ug/L	0.50		
Total Purgeable Petroleum Hydrocarbons	BRE1918	BRE1918-BLK1	ND	ug/L	50		
1,2-Dichloroethane-d4 (Surrogate)	BRE1918	BRE1918-BLK1	100	%	76 - 114 (LCL - UCL)		
Toluene-d8 (Surrogate)	BRE1918	BRE1918-BLK1	99.4	%	88 - 110 (LCL - UCL)		
4-Bromofluorobenzene (Surrogate)	BRE1918	BRE1918-BLK1	96.0	%	86 - 115 (LCL - UCL)		

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
 All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.



TRC
21 Technology Drive
Irvine, CA 92618

Project: 7124
Project Number: [none]
Project Manager: Anju Farfan

Reported: 06/02/2008 9:25

Notes And Definitions

MDL Method Detection Limit
ND Analyte Not Detected at or above the reporting limit
PQL Practical Quantitation Limit
RPD Relative Percent Difference

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. BC Laboratories, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

4100 Atlas Court Bakersfield, CA 93308 (661) 327-4911 FAX (661) 327-1918 www.bclabs.com
Certifications: California - ELAP Certification Number 1186; Nevada Administrative Code - NAC-445A

Submission #: 0802913

Project Code:

TB Batch #

SHIPPING INFORMATION

Federal Express UPS Hand Delivery Lab Field Service Other (Specify) _____

SHIPPING CONTAINER

Ice Chest None
Box Other (Specify) _____

Refrigerant: Ice Blue Ice None Other Comments:

custody Seals: Ice Chest Containers None Comments:

Intact? Yes No

Intact? Yes No

All samples received? Yes No All samples containers intact? Yes No

Description(s) match COC? Yes No

COC Received
 YES NO

Ice Chest ID: AIC
Temperature: 3.1, 3.5 C
Thermometer ID: 48

Emissivity: .97
Container: V09

Date/Time: 5/27/08 2:11

Analyst Init: JOW

SAMPLE NUMBERS

SAMPLE CONTAINERS	1	2	3	4	5	6	7	8	9	10
GENERAL MINERAL/ GENERAL PHYSICAL										
PE UNPRESERVED										
INORGANIC CHEMICAL METALS										
INORGANIC CHEMICAL METALS										
CYANIDE										
NITROGEN FORMS										
TOTAL SULFIDE										
NITRATE/ NITRITE										
10ml TOTAL ORGANIC CARBON										
TOX										
CHEMICAL OXYGEN DEMAND										
PHENOLICS										
0ml VOA VIAL TRAVEL BLANK										
0ml VOA VIAL	A	3	A	3						
EPA 413.1, 413.2, 418.1										
ODOR										
RADIOLOGICAL										
BACTERIOLOGICAL										
0 ml VOA VIAL- 504										
EPA 508/608/8080										
EPA 515.1/8150										
EPA 525										
EPA 525 TRAVEL BLANK										
100ml EPA 547										
100ml EPA 531.1										
EPA 548										
EPA 549										
EPA 632										
EPA 8015M										
QA/QC										
AMBER										
8 OZ. JAR										
32 OZ. JAR										
SOIL SLEEVE										
PCB VIAL										
PLASTIC BAG										
FERROUS IRON										
ENCORE										

Comments: Sample Numbering Completed By: JMC Date/Time: 5/28/08 9:50

A = Actual / C = Corrected

BC LABORATORIES, INC.

4100 Atlas Court Bakersfield, CA 93308
 (661) 327-4911 FAX (661) 327-1918

CHK BY	DISTRIBUTION
<i>[Signature]</i>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
	SUB-OUT <input type="checkbox"/>

CHAIN OF CUSTODY

Analysis Requested

Bill to: Conoco Phillips/ TRC		Consultant Firm: TRC		MATRIX (GW) Ground-water (S) Soil (WW) Waste-water (SL) Sludge	BTEX/MTBE by 8021B, Gas by 8015	TPH GAS by 8015M	TPH DIESEL by 8015	8260 full list w/ oxygenates	BTEX/MTBE/OXYS BY 8260B	ETHANOL by 8260B	TPH -G by GC/MS, EDB/ENX by 8260B	Turnaround Time Requested
Address: 10151 E. 14 th		21 Technology Drive Irvine, CA 92618-2302 Attn: Anju Farfan										
City: Oakland		4-digit site#: 7124 Workorder # 01634-4509118529										
State: CA Zip:		Project #: 154771										
Conoco Phillips Mgr:		Sampler Name: Andrew Vidler										
Lab#	Sample Description	Field Point Name	Date & Time Sampled									
	-1	MW-2	05/22/08 0608	GW					X	X	X	STD
	-2	MW-4	↓ 0612	↓					X	X	X	↓

Comments: GLOBAL ID: T0600173591	Relinquished by: (Signature)	Received by:	Date & Time
	<i>[Signature]</i>	stored in fridge	05/22/08 1630
	Relinquished by: (Signature)	Received by: Ross Weckay	Date & Time 5/23/08 11:25
	Relinquished by: (Signature)	Received by: Reymund	Date & Time 5-23-08 1600

Reymund 5-23-08 1915

STATEMENTS

Purge Water Disposal

Non-hazardous groundwater produced during purging and sampling of monitoring was accumulated at TRC's groundwater monitoring facility at Concord, California, for transportation by a licensed carrier, to the ConocoPhillips Refinery at Rodeo, California. Disposal at the Rodeo facility was authorized by ConocoPhillips in accordance with "ESD Standard Operating Procedures - Water Quality and Compliance", as revised on February 7, 2003. Documentation of compliance with ConocoPhillips requirements is provided by an ESD Form R-149, which is on file at TRC's Concord Office. Purge water suspected of containing potentially hazardous material, such as liquid-phase hydrocarbons, was accumulated separately in a drum for transportation and disposal by others.

Limitations

The fluid level monitoring and groundwater sampling activities summarized in this report have been performed under the responsible charge of a California Registered Geologist or Registered Civil Engineer and have been conducted in accordance with current practice and the standard of care exercised by geologists and engineers performing similar tasks in this area. No warranty, express or implied, is made regarding the conclusions and professional opinions presented in this report. The conclusions are based solely upon an analysis of the observed conditions. If actual conditions differ from those described in this report, our office should be notified.