

WATERSTONE ENVIRONMENTAL, LLC

2712 Rawson St * Oakland, CA 94619 510/533-6710 * Fax: 510/533-7501

oflast

February 12, 1999

Ms. Susan Hugo Alameda Co. Dept. of Environmental Health 1131 Harbor Bay Parkway, STE 250 Alameda, CA 94502-6577

Dear Susan:

RE: DISCOVERY, SAMPLING AND REMEDIATION OF IMPACTED SOILS, FORMER BERKELEY FARMS PROPERTY, 4575 SAN PABLO AVENUE, EMERYVILLE, CA

INTRODUCTION

As you know, soils containing gasoline and other petroleum hydrocarbons were encountered during excavation activities associated with the building foundation at the above-referenced property. A Phase 2 investigation by Davenport & Associates in 1997 determined that impacted soils and groundwater were present in the location of a former underground storage tank (UST) tank farm. Berkeley Farms subsequently conducted soil removal in the vicinity of the former tank farms and it's contractors Paradiso Mechanical, Inc. of San Leandro, California and Geo-logic of Crockett, California in April 1998. Excavation sidewall sample results presented by Geo-logic in their June 7, 1998 report indicated that contamination associated with the USTs had been removed.

Berkeley Farms has sold the property to Harmon Management Corporation (HMC), but maintains responsibility for resolving environmental issues. HMC intends to construct a Kentucky Fried Chicken restaurant on the southern half of the property, and eventually sell the northern half to another entity. Waterstone Environmental, Inc. (Waterstone) of Oakland, California was retained by HMC to provide health and safety oversight during construction and prepare a site-specific human health risk assessment (HHRA) evaluating residual risk to restaurant and construction workers. HMC's general contractor for construction is COE Construction of Loveland, California.

Due to the presence of significant groundwater contamination from the USTs beneath the property, HMC and Waterstone prepared, obtained ACDEH approval of and recorded a Risk Management Plan for the Property on November 30, 1998. The preliminary HHRA indicated that construction workers would not be exposed to potentially unacceptable levels of petroleum hydrocarbons. All appropriate permits were obtained by HMC;

Foundation Sampling & Excavation Report February 10, 1999 Page -2-

demolition of the concrete wall along the south and eastern edges of the property and removal of the concrete/asphalt covering surficial soils began the week of November 30, 1998.

DISCOVERY

Demolition had occurred to a degree sufficient for excavation activities to initiate by December 9, 1998. On that date, trenches approximately 3-3.5 feet below ground surface (bgs) were being constructed for the various utilities that would lie beneath the building. Waterstone was onsite to monitor the airspace and construction worker breathing zones. Based on monitoring equipment readings and smell, soil samples were collected from the trench floors or sidewalls, inserted into sealable plastic baggies, and placed in the sun for 5-10 minutes. The tip of the Mini Rae Photoionization Device (PID) was then placed into the baggie, and the reading recorded. Based on those readings, the backhoe operator was directed to segregate the excavated soils.

Excavation along the southern and western edges of building foundation (see "Foundation Excavation Area", Figure 1) progressed smoothly, only one area near the center of each trench contained vapors at concentrations higher than the screening level being used to segregate the soils for later sampling. However, during removal of soils in the northern area and particularly from within the central and western portions of the building footprint, excessively high reading were obtained by the PID and the odor of weathered gasoline was clearly identifiable. Numerous metal and fiberglass pipes were observed crossing the interior of the building footprint and along the western wall. Some of the pipes, particularly those located within the central area and as well as a 3" fiberglass pipe immediately adjacent to the area over-excavated by Berkeley Farms contained liquids, which possibly could have been rainwater captured by the pipes during infiltration. The soils were covered with visqueen plastic, further activities associated with the building construction were halted and the contractor demobilized.

SAMPLING AND ANALYSIS

On December 10, 1998, after discussions with HMC, Waterstone implemented a soil sampling program to test the soils residing in the trench floors and sidewalls. Sample locations are shown on Figure 1. Soil samples were collected in the northeast and middle of the building footprint (locations NE and Mid on Figure 1) and along the western edge of the footprint (locations MW and SW on Figure 1). All locations were sampled at 2-3 feet bgs; samples in the interior and along the western edge were also sampled at five feet bgs, and a nine-foot bgs was collected near the middle of the western edge (sample location MW).

The shallower samples were collected using a sliding hand sampler by placing a clean brass or stainless steel tube within the sampler and driving the sampler several inches into the residual soil. The deeper samples were collected using the slide sampler where feasible, or by pushing the brass tube into undisturbed soils within the backhoe bucket. The sampling tubes were first covered with teflon tape and endcaps, which were then

Foundation Sampling & Excavation Report February 10, 1999 Page -3-

secured to the tube with duct tape. The sample was then labeled using a unique identifying number. Samples were sent under proper chain of custody (COC) documentation to McCampbell Analytical Laboratories in Pacheco, California. McCampbell is certified by the State of California to analyze for hazardous constituents in environmental media. Samples were submitted for 24-hour turnaround analysis of gasoline, diesel, benzene, toluene, ethylbenzene and xylenes (BTEX), MTBE and total lead. All sampling equipment was decontaminated between sample collections; the individual brass or stainless steel sampling tubes were provided by the laboratory.

Stockpile soils were also collected according to profiling requirements for landfills, and placed on hold with the laboratory. A Paradiso representative arrived onsite near the end of the day and indicated that they were taking responsibility for profiling requirements, removal of the stockpiled contaminated soils and those within the excavation area. Therefore, the stockpile samples collected by Waterstone were not analyzed.

Table 1 lists the detected concentrations from the foundation excavation area. The highest concentrations were detected at sample location SW, near the former UST area overexcavated by Berkeley Farms and adjacent to the fiberglass pipe observed to contain liquids when first excavated. Gasoline and diesel were detected at 5300 and 1400 mg/kg, while the BTEX levels were 33, 200, 110 and 600 mg/kg. The highest lead concentration (140 mg/kg) was located in shallow soils of the central footprint area. MTBE was detected at two locations above the reporting levels, but when queried, the laboratory director felt that it was quite possible that these were false positive detections, due to the analytical method being used (USEPA 8020). The ratio of benzene+toluene concentrations to ethylbenzene+toluene concentrations, plus the presence of lead, indicates that the gasoline is old and has undergone significant weathering. Sample results were provided to Paradiso and other concerned parties on December 11, 1998, and are included in Attachment 1 of this letter report for reference, along with the COCs.

SOIL EXCAVATION

On December 12, 1998, Paradiso and Geo-logic mobilized to the site for purposes of removal of soils within the new building's footprint area and those previously stockpiled. According to Geo-logic's Daily report, a 45 foot wide, 90 feet long and three feet deep excavation was implemented, which brought the excavation outside the footprint boundary of 42 feet by 85 feet (soils along the eastern edge were removed up to the sidewalk, which was reportedly adjacent to the footprint in that area). COE Construction reports that the excavation was actually 45 inches bgs.

Geo-logic reports removal of "43 [truck]loads of soil, 22-23 tons each to Forward Landfill", located in Manteca, California. The non-hazardous waste manifests from Forward Landfill indicate that a total of 702.38 tons of soil were taken to the landfill. Geo-logic's Daily Report also recorded "new fill from [19]98 overex[cavation] intersected in SW corner, numerous utility piping noted in western sidewall north of new fill."

Foundation Sampling & Excavation Report February 10, 1999 Page -4-

Geo-logic delivered a four-point composite sample to Cal Coast Analytical, Emeryville, California to be analyzed for gasoline, diesel, BTEX and total lead. The respective detected concentrations, listed in Table 1, were reported as: 13; 170; 0.410, 0.190, 0.600, and 0.630; and 41 mg/kg. Geo-logic's Daily Report and field map, Forward Landfill's manifests, Calcoast Analytical's Report and COC are included in Attachment 2 for reference.

ADDITIONAL REMEDIAL ACTIVITIES

Based on the residual concentrations of petroleum hydrocarbons in soils beneath those excavated by Paradiso, HMC and Waterstone was concerned about the long-term potential risk to commercial workers from vapors arising from soils beneath the future building. After some discussions and research, HMC decided to have COE Construction lay a vapor liner above residual soils, place slotted PVC piping above the liner, backfill the excavation with imported fill, and connect a special vapor exhaust system to the slotted PVC pipe to capture any fugitive vapors that made it past the vapor barrier.

The vapor barrier was constructed with a total thickness of 40-mil plastic. The bottom of the excavation was first covered with 2-3 inches of compacted engineered fill to protect the liner from below. A 20-mil thick layer of Paraseal GM Waterproofing & Gas membrane was then placed into the excavation. Paraseal (specifications are included in Attachment 3) consists of a layer of high density polyethylene laminated to a one pound per square foot layer of bentonite, which "together produce a self-sealing product which in the presence of water creates a gas and waterproof barrier". Overlap areas, 6-8 inches on all sides, were sealed using a Para JT joint sealing compound. COE Construction reports that two layers of 10-mil visqueen were then laid down over the Paraseal with 6-inch overlap and seams oriented perpendicular to the first layer. A 3-inch perforated flexible pipe was placed in the backfill above the vapor barrier along the inside of the foundation walls and through the interior. The piping system was brought up the inside of the wall and directed outside at the rooftop. An exhaust fan can be added in the future if necessary to capture fugitive emissions that make it through the vapor barrier.

CONCLUSIONS

The impacted soils uncovered during the initial redevelopment activities are associated with the piping and possibly tank fill structures between the former tank farm and pump island(s). Four concrete canopy supports were uncovered and removed during the excavation activities. The gasoline contains lead, and has undergone significant weathering, indicating its presence in property soils for many years. Soils were excavated to a depth below that of the foundation and various utilities and replaced with imported engineered fill, thereby eliminating potential direct exposure of construction workers to petroleum hydrocarbons.

Impacted soils remain onsite at levels of potential concern to commercial workers, and the HHRA for the Property is being revised to reflect the additional potential exposure from vapors arising from the residual soil contamination. However, the relatively thick Foundation Sampling & Excavation Report February 10, 1999 Page -5-

vapor barrier and backup exhaust system should serve admirably to eliminate this potential exposure pathway. Therefore, it is not expected that either construction or future commercial workers are actually at risk from the contaminated soils left behind after completion of the excavation activities. The updated HHRA will be submitted to ACDEH prior to occupancy of the building.

Waterstone understands that a quarterly monitoring program is being conducted at the site. This program should be resumed after site redevelopment is substantially complete, and include repair/replacement of MW-1, which was damaged during initial demolition activities. The monitoring program should be designed to evaluate whether natural attenuation of petroleum hydrocarbons is occurring at this property, and what is the downgradient, horizontal and vertical extent of the plume originating from the former tank area.

If you have any questions regarding this report, please contact me at (510) 533-6710.

Sincerely

Clifton Davenport, RG/CHG/CH

Principal Geohydrologist

Cc: Karen Bellini

LEGEND: 1 Building STORM DRAIN GRATE PHASE 2 SOIL BORING LOCATION (D&A) **OVEREXCAVATION CONFIRMATION** SOIL SAMPLING LOCATION (Geo-logic) FOUNDATION EXCAVATION SAMPLE LOCATION (Waterstone) **FOUNDATION EXCAVATION AREA UST OVEREXCAVATION AREA** SOILS REMOVED DURING **FOUNDATION EXCAVATION** Truck & Trailer Parking A.C. TRANSIT MW-3-2* MW-5-5 MW-6-9 NE-3-2* SB3-1* MID-4-3* SB3-4.5 I MID-10-5 SB3-12.5 KN 7.5' SW-1-2* SW-7-5 SB2 😉 KW 7.5' KE 7 SB1 KS 7.5 45th STREET APPROX. SCALE: (FEET)



TABLE 1 SOIL SAMPLING RESULTS (mg/kg)

Pre-Foundation Excavation Former Berkeley Farms Property 4575 San Pablo Ave., Emeryville

SAMPLE .	DEPTH	TPH/G	TPH/D	BENZENE	TOLUENE	ETHYL	XYLENES	MTBE	LEAD
ID NO	(bgs)					BENZENE			
SW-1-2 ¹	2	5300	1400	33	200	110	600	<5	15
SW-7-5	5	490	320	3.8	3.2	4.6	12	<3	9.5
NE-2-3 ¹	3	6.3	ND	0.99	0.1	0.12	0.21	ND	8.7
MW-3-2 ¹	2	360	55	10	22	6.7	32	5.7	12
MW-5-5	5	800	190	13	30	16	66	21	8.6
MW-6-9	9	540	110	6.3	16	11	47	<7	7.1
Mid-4-3 ¹	3	560	300	5.9	14	7.9	37	<4	140
Mid-10-5	5	980	250	13	27	18	77	<10	13
g-L²	4-pt Profile	13	170	0.41	0.19	0.6	0.63	NA	41

- 1- Soils removed and disposed of at Forward Landfill
- 2- Profile sample collected by geo-Logic and delivered to Calcoast Analytical

NA Not Analyzed

ATTACHMENT A

Soil Sampling Analytical Results And Daily Logs

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560
Telephone: 925-798-1620 Fax: 925-798-1622

http://www.mccampbell.com E-mail: main@mccampbell.com

Waterstone Environmental	Client Project ID: KFC, Emeryville	Date Sampled: 12/10/98					
2712 Rawson Street		Date Received: 12/10/98					
Oakland, CA 94619	Client Contact: Clif Davenport	Date Extracted: 12/10/98					
	Client P.O:	Date Analyzed: 12/10-12/11/98					

Gasoline Range (C6-C12) Volatile Hydrocarbons as Gasoline*, with Methyl tert-Butyl Ether* & BTEX*

EPA methods 5030, modified 8015, and 8020 or 602; California RWQCB (SF Bay Region) method GCFID(5030)

Lab ID	ods 5030, modified Client ID	Matrix	TPH(g) ⁺	мтве	Benzene	Toluene	Ethylben- zene	Xylenes	% Recovery Surrogate
99911	SW-1-2'	S	5300,a	ND<5	(33	200	110	600	104
99912	SW-7-5'	S	490,a	ND<3	3.8	3.2	4.6	12	#
99913	NE-2-3'	S	6.3,a	ND	0.99 0.10		0.12	0.21	115
99914	MW-3-2'	S	360,a	5.7	5.7 10 22		6.7	32	#
99915	MW-5-5'	S	800,a	21	13	30	16	66	102
99916	MW-6-9'	s	540,a	ND<7	6.3	16	11	47	100
99917	Mid-4-3'	S	560,a	ND<4	5.9	14	7.9	37	97
99918	Mid-10-5'	S	980,a	ND<10	13	27	18	77	#
,									
	ng Limit unless ise stated; ND	W	50 ug/L	5.0	0.5	0.5	0.5	0.5	
means no	t detected above porting limit	S 1.0 mg/kg		0.05	0.005	0.005	0.005	0.005	

^{*} water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP and SPLP extracts in ug/L

^{*} cluttered chromatogram; sample peak coelutes with surrogate peak

^{*}The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified gasoline is significant; b) heavier gasoline range compounds are significant(aged gasoline?); c) lighter gasoline range compounds (the most mobile fraction) are significant; d) gasoline range compounds having broad chromatographic peaks are significant; biologically altered gasoline?; e) TPH pattern that does not appear to be derived from gasoline (?); f) one to a few isolated peaks present; g) strongly aged gasoline or diesel range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment; j) no recognizable pattern.

110 2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone: 925-798-1620 Fax: 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com

Waterstone Environmental	Client Project ID: KFC, Emeryville	Date Sampled: 12/10/98						
2712 Rawson Street		Date Received: 12/10/98						
Oakland , CA 94619	Client Contact: Clif Davenport	Date Extracted: 12/10/98						
	Client P.O:	Date Analyzed: 12/10-12/11/98						

Diesel Range (C10-C23) Extractable Hydrocarbons as Diesel *

EPA methods modified 8015, and 3550 or 3510; California RWQCB (SF Bay Region) method GCFID(3550) or GCFID(3510)

1400,d,b 320,g,d,b ND 55,d,b 190,d,b 110,d,b 300,b,d,g	92 108 96 104 104 105 98
ND 55,d,b 190,d,b 110,d,b 300,b,d,g	96 104 104 105 98
55,d,b 190,d,b 110,d,b 300,b,d,g	104 104 105 98
190,d,b 110,d,b 300,b,d,g	104 105 98
110,d,b 300,b,d,g	105
300,b,d,g	98
250,d,b,g	105
	1
50.0s/I	
	50 ug/L 1.0 mg/kg

^{*} water and vapor samples are reported in ug/L, wipe samples in ug/wipe, soil and sludge samples in mg/kg, and all TCLP / STLC / SPLP extracts in ug/L

^{*} cluttered chromatogram resulting in coeluted surrogate and sample peaks, or; surrogate peak is on elevated baseline, or; surrogate has been diminished by dilution of original extract.

^{*}The following descriptions of the TPH chromatogram are cursory in nature and McCampbell Analytical is not responsible for their interpretation: a) unmodified or weakly modified diesel is significant; b) diesel range compounds are significant; no recognizable pattern; c) aged diesel? is significant); d) gasoline range compounds are significant; e) medium boiling point pattern that does not match diesel (?); f) one to a few isolated peaks present; g) oil range compounds are significant; h) lighter than water immiscible sheen is present; i) liquid sample that contains greater than ~5 vol. % sediment.

110.2nd Avenue South, #D7, Pacheco, CA 94553-5560 Telephone: 925-798-1620 Fax: 925-798-1622 http://www.mccampbell.com E-mail: main@mccampbell.com

Waterstone I	Environmental	Client	Project ID: KFC	C, Emeryville	Date Sampled: 12/10/98					
2712 Rawson	n Street		-	-	Date Receive	ed: 12/10/98				
Oakland , CA	A 94619	Client	Contact: Clif Da	avenport	Date Extract	ed: 12/10/98				
		Client	P.O:		Date Analyz	ed: 12/11/98				
T213.4	1 1 6010/2007 20		Lea	d*						
Lab ID	Client ID	Matrix	Extraction °	I	_ead*	% Recovery Surrogate				
99911	SW-1-2'	s	TTLC		15	101				
99912	SW-7-5'	S	TTLC		9.5	98				
99913	NE-2-3'	s	TTLC		8.7	98				
99914	MW-3-2'	S	TTLC		12	99				
99915	MW-5-51	S	TTLC		8.6	99				
99916	MW-6-9'	s	TTLC		7.1	101				
99917	Mid-4-3'	S	TTLC	(140	91				
99918	Mid-10-5'	S	TTLC		13	99				
Reporting Li	mit unless otherwise	S	TTLC	3.	0 mg/kg					
		1	1	i		1				

^{*} soil and sludge samples are reported in mg/kg, wipe samples in ug/wipe, and water samples and all STLC / SPLP / TCLP extracts in mg/L *Lead is analysed using EPA method 6010 (ICP)for soils, sludges, STLC & TCLP extracts and method 239.2 (AA Furnace) for water samples

TTLC

STLC,TCLP

W

0.005 mg/L

0.2 mg/L

stated; ND means not detected above

the reporting limit

^a EPA extraction methods 1311(TCLP), 3010/3020(water,TTLC), 3040(organic matrices,TTLC), 3050(solids,TTLC); STLC - CA Title 22

[#] surrogate diluted out of range; N/A means surrogate not applicable to this analysis

[&]amp; reporting limit raised due matrix interference

i) liquid sample that contains greater than ~2 vol. % sediment; this sediment is extracted with the liquid, in accordance with EPA methodologies and can significantly effect reported metal concentrations.

QC REPORT FOR HYDROCARBON ANALYSES

Date: 12/10/98

Matrix: SOIL

	Concent:	ration	(mg/kg)		% Reco	very	
Analyte	Sample			Amount			RPD
	(#97134)	MS	MSD	Spiked	MS	MSD	
	<u>-</u>				-		
TPH (gas)	0.000	1.873	2.177	2.03	92	107	15.0
Benzene	0.000	0.170	0.182	0.2	85	91	6.8
Toluene	0.000	0.178	0.198	0.2	89	99	10.6
Ethylbenzene	0.000	0.164	0.190	0.2	82	95	14.7
Xylenes	0.000	0.490	0.588	0.6	82	98	18.2
TPH(diesel)	0	315	315	300	105	105	0.1
TRPH (oil and grease)	0.0	22.7	23.3	20.8	109	112	2.6

 $RPD = (MS - MSD) / (MS + MSD) \times 2 \times 100$

[%] Rec. = (MS - Sample) / amount spiked \times 100

QC REPORT FOR ICP and/or AA METALS

Date: 12/11/98-12/12/98 Matrix: SOIL

Extraction:

TTLC

	Concent	ration			% Reco	very	
Analyte	(mg	g/kg,mg/	L)	Amount			RPD
 	Sample	MS	MSD	Spiked	MS	MSD	
Total Lead	0.0	5.05	5.04	5.0	101	101	0.3
Total Cadmium	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total Chromium	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total Nickel	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total Zinc	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Total Copper	N/A	N/A	N/A	N/A	N/A	N/A	N/A
 STLC Lead 	N/A	N/A	N/A	 N/A 	N/A	N/A	N/A

% Rec. = (MS - Sample) / amount spiked x 100

 $RPD = (MS - MSD) / (MS + MSD) \times 2 \times 100$

ZWE1

Teleph	McCA one: (925) 798	MBEL 110 2 nd PACHI	L ANA AVENUE : ECO, CA 9	LYT	I, #D7 560			. 70		1.81	***	_	T		TU	JRI	N A	C	HA	AD AIN	I O	F C					N				4	7
Report To: Clif D		0-1020		Bill T		Fax:	(925 4H)	A 12.11.1	8-10	022		_	1	_									F	US	H	24	НО	UR	48	HO	UR 5 DAY	
Company: Water		ımental		Dill I	U,	5	ATT	=		-	_	_	+	-	_	_	_	Aı	naly	sis R	eque	est					Τ	_	the		12-19-4-04205	
2712 Rawson Street								-		E												Т	Т	Tal		99910	17					
Oakland, CA. 94619							1 2		1/B&	1							. 1				1		SEAT OF SEAT									
Tele: (510) 533-6710 Fax: (510) 533-7501						8015V MTBE		Grease (5520 E&F/B&F)								0727 92707 9310		1	,	1				99911								
Project #: Project Name: KFC							13		22	8					- 1	3	5	1	1		1	Т	1		379344							
Project Location:	Emzigv.	The					***	_	_			-	-		6 (5	us (4		8		_	- 1	18	8				1		1			
Sampler Signature	e:												8020		reas	od Fa		%		ONLY		Š	2	1	18		1		1		99912	
		SAM	PLING		ITS		MA	TRI.	X	PI	METI	IOD RVED	Gas (602/8020	(8015)		Hydroc		PA 602		CB's C	8260	1	5		239.2/6						99913	
SAMPLE ID	LOCATION	Date	Time	# Containers	Type Containers	Water	Soil	Sludge	Other	Ice	HCI	HNO, Other	TPH as	TPH as Diesel (8	Total Petroleum Oil &	Total Petroleum Hydrocarbons (418.1)	EPA 601 / 8010	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's	EPA 624 / 8240 / 8260	PAH's / DNA's ha	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI		6	Tales	の記録を	999 9991	SECTION 2
. 1	SP-1	12-10-18	1:25	1	nibe		X	-	-	V	H	-	-		ī	F	Щ	<u>m</u>	ш	ш	ω (0 0	U	12	-	22	L			ï		J
. 995	SP-2	1 10	1.30	1	1	H		+	+	1	+	+	ΙX	X	-	-	_			-	1		1	1	X		1			T	TAT: 5 days	1
10	5P-3	-		1	+	\vdash	#	+	+	H	1	+	#	11											1		1	10				1
	50-4	\vdash	2:23	\vdash	₩	\vdash	1	+	-	11			11	L											II		17	200	7	5	sample	11
	Sr		2:32	11	\vdash			1		11			Ш												1				-9	PLA.	L	_a
		- N.	1	1	Ш	~		1	+	1			1	1	-	/		-	1	7	1	7	1	F	1		Y =	S.	=		CAT: 2011	-
	SW-1-2		11:55	Ш						1							1			1	1	+	t	1	H	\vdash			-	1	TAT: 24 hrs	+
	SW-7-5'		2:25															-			+	+	+	-	1	1		Н		-6		
	NE-2-3'		12120				I						1						+	-	+	+	+	-	1	-	-		_		.999	6
	1				7			1				1	1						-	+	+	+	+	-	-	\vdash			-			
	HW-3-21		12:30				1		105	Н		1	1			-	-	1200	-	4	4	-	-		-						9991	7
	MU-5-51		2:10	\vdash		\vdash	+	+	Н	+	-	+	+	+	\dashv	-	-	-	+	4	+	1	1		1					疆	9491	
	MN-6-91		2:15	+		\vdash	H	+	Н	Н	-	+	H	+	-	-		4	4	4		1			1					麵	0004	
	Middle-4-3'	-		-	-	+	+	+	Н	11	+	+	1		4		_	_	_											鑑	9991	0
	M. dolla -10-5'	-1	12:50	\vdash		-	1	-		1																				T	The state of the s	I SERVICE
	11.004-10-5	V	2:40	V	11	-	V			V	-	-	V	V	1										V				1	1	1	1
Relinquished By:	willed	Date:	Time:		ved By		oF1	2	62	5		1	Re	mar	ks:		SPI	, SZ	22	(5.5)	1	P/1	. 1.				1	A-			7	
TACA LEKA		Date: /2 10	Time:	Recei	ved By	un	21)	0	00	m	COL.	1/2	v 71	بر ا ر	posi o T	TC	1	5-0	day	TA	Tai	1 4	my	one oxile	, <u>(</u> a	iapi	pu L	toi	Quá	veys.	is bold analysis	
telinquished By:		Date:	Time:	Recei	ved By	A .		100	4	411	V/6.	11.60	24	1-41	14	11	010	all	ofte.	50	mp	45	•									

DAUGI I	IEED ACTIVITY DOG
Project Name: KFC	Project Number: 98-247
Field Activity Subject: Foundation Exc	avation
Description of Daily Activities and Events: arrived onsite 10am Checked in	nul Nick of COE. Plan tolong es
	22,0 19 wiels. Conducted PID Eurosa
around peremeter - 720 ppm from	
most of paremeter u/Exception	of west side (new AC) where Executing of utility tranches south wall, the in. One location new center of East
concentrations correspondly 2-8pp	in. One location near cente of Est
	s area pulere we could occasionally
Smill gas I dresol. Startalou S.	Fried to 1200 2 procesore last
other was mit trench PID ES-1	
trend encur tool V smollings FE	
Construction to some att in late on	iline, Second NS trans 10 west
other (FEZ) Exceler in brocker 25083	2 spor , Curs french (FM) FM-1= 5378
FM2=170 Frit transferational mo	12 My Seemels PID on one or 27000m .
FIN3-33D. Grantes Per Drumo cous p	you in traveles cut through medelle
of ceron. group of 4 2-inch metal,	•
leaguels in pages as Shown on ma	
y 100 ppm by PID -all to contaminated pil	e- Once all timber day, all pol impailed
ares (Marker M) pringues and demino	1745
Visitors on Site:	
Westher Conditions: Sunny, mild, no Greege	Telephone Calls:
Personnel on Site:	
Signature: 1 (el Caux-part	Dens: 12/9/98

	PULD ACTIVITY LOG
Manus KFC 12-10-98	Project Number:
and Activity Subject H25, soil sa	mpling .
front on-sife at 7:45 am, met ank	Of Clif shows me the site introduces me
to other people on site.	
Hart teking PID measurements around	of trencres 8815 am ple) shows high PiD readings advised sub to
her around an dal fill pipe (AU-3 son)	pa) shars right promounts garage score
not get into breathing your of that are commun yet in PU moderns around com	sker in Frenches
Danks construct say ((It sound Wisking	(cy) is conforming had and action to specific 4.000
short taking on I sounded in overs of susp	iched Puis concentrations: 11:45 am (Banda
free around and fill pipe is over-execute	d soil added to steekpile: 3pm
Made sketch of sampling aron 20th o	Liminstras: 31/5 and
Control and with soft of ship and will	wed up ale : 4:00 pm . leave sik: 4:45 pm
Covered and old 2018 electic and also	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered soil ples 20th plastic and classic and control	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered and old 27% alestic and cla	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered and old 2018 electic and also	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered and old 27% ofesti and cla	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered and old 2018 electic and also	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered and old 2018 electic and also	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered soil piles and also fished up he con	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered and old 2018 electic and also	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered and ples and also so con Soil samples over picked 40 he con	and up sile : 4:00 pm . leave sik: 4:45 pm
Covered soil piles 2018 alastic and classic and classi	wide fale : 4:00 pm : leave sik: 4:45 pm
Covered soil ples 2018 plastic and classic	und of the : 4:00 pm : leave sik: 4:45 pm
Covered soil piles 2018 alastic and classic and classi	wide fale : 4:00 pm : leave sik: 4:45 pm

ATTACHMENT B

Soil Excavation Daily Report, Manifests and Analytical Report

DAILY REPORT

₩	TAGS
	FORMS
COMPANY Paradiso Mechanical	
LOCATION Former Berkeley Farms / KFC	JOB NO. 90 98 DATE 12/12/98
4575 Sam Pablo Ave	4
Emery ville	ARRIVAL TIME A M
, ar	DEPARTURE TIME:
JOB INSTRUCTIONS: Juperise Dexcavation	of building foot print
275 x 90 by 3' deep 25'be	youd actual foot prat
JOB INSTRUCTIONS: Juperise O'excavation 245 x 90 by 3' deep, 25' be	
ansite can not Dave Chack	has a posetor) Nich Fust
Contractor for KFC), + Scott + Classing of execution 6:30-7:15 loaded from stockpile a	uton of Paradeso
6:30-7:15 leaded from stockarle a	+ SW corner
7:15-8:00 Prepping road through	mud for loading directly
west of excavation - softspe	The state of the s
8:00-4:00 loaded total of 43	
to Forward Land Fill. Took 4 p	
MATERIALS: dropped at Cal Coast An	
Notes on encavation : 4 concrete canop	
- (see map). New fill from 98 iverex. inke	sected in SW corner, promen
SUBCONTRACTORS: Dan Best Trucking	otility ping & moted
30BCONTRACTORS.	north of new hill
	HOPF OF THE STATE
EQUIPMENT:	UELUM TESTED
AIR COMPRESSOR CONCRETE SAWING	HELIUM TESTER
DUMP TRUCK STEAM CLEANER SPECIALTY TRUCK WATER/TRANSFER PUMP	HYDROCARBON SURVEYOR HORIBA
SPECIALTY TRUCK WATER/TRANSFER PUMP BACKHOE/LOADER PETRO-TITE LINE TESTER	
KOMATSU PETRO-TITE TANK TESTER	OVA
PAVING EQUIPMENT VAPOR TESTER	ELECTRONIC INTERFACE
	PROBE
FOREMAN Grey	

10- 1298 28" foundation 16_45 X3 official · spread vapor parrier . import + compact st 8 mil visqueen? APPROX.SCACE

CALCOAST ANALYTICAL

Materials Chemistry

Certified by

California Department of Heath Services
(ity of Los Advices, Dept. of Building & Safety

December 16, 1998

Post-It™ brand fax transmittal memo 7671 # of pages > 3

To Clif Davenport From J. Greggy

Co. Waterstrane

Dept. Phone # 570 7876867

Fax # 370 533 750/ Fax # 570 7871457

Geo-Logic 1140 - 5th Avenue Crockett, CA 94525

Attn: Mr. Joel Greger

Ref: Lab File No. 1214-4A/D-98

1. SAMPLE:

Four (4) soil cores which are composited into one (1) sample for analysis; Project: KFC Site; 4575 San Pablo, Emeryville

Sample: Composite

Collected:

December 12, 1998

Received:

December 12, 1998

2. ANALYSIS REQUIRED:

- A. Total Petroleum Hydrocarbons diesel (TPH-d)by Gas Chromatography (GC).
- B. Total Petroleum Hydrocarbons gasoline (TPH-g)by GC
- C. Benzene, Toluene, Ethylbenzene and Xylene (BTEX)by GC
- D. Total lead (Pb) concentration by Atomic Absorption Spectroscopy (AAS)

COATINGS • BUILDING MATERIALS • HAZARDOUS WASTE SPECTROSCOPY • CHROMATOGRAPHY • MICROSCOPY

3. METHODS OF ANALYSIS:

- A. EPA Method 8015; SW-846
- B. EPA Method 8015; SW-846
- C. EPA Method 8020; SW-846
- D. Sample Digestion EPA Method 3050; SW-846 AAS Analysis - EPA Method 7420; SW-846

4. RESULTS:

A. TPH-diesel

Sample	TPH-diesel (mg/kg)
Composite	170

Method Blank/Detection Limit = <0.1 mg/kg (none detected) Mean Spike Recovery = 106%

B. TPH-gasoline

Sample	TPH-gasoline (mg/kg)
Composite	13

Method Blank/Detection Limit = <0.1 mg/kg (none detected) Mean Spike Recovery = 103%

4. **RESULTS**:

C. BTEX

DESCRIPTION		CONCENT	ration (µg/kg)	
	BENZENE	TOLUENE	ETHYLBENZENE	XYLENE
Composite	410	190	600	630
Method Blank	< 0.005 (ND)	< 0.005 (ND)	< 0.005 (ND)	< 0.005 (ND)
Mean Spike				
Recovery	92%	105%	104%	110%

4. RESULTS con't:

D. Total Lead

Sample	Total Lead (mg/kg)
Composite	41

Method Blank/Detection Limit=<2.0mg/kg (none detected)
Mean Spike Recovery=101%

Ronald W. Shrewsbury Analytical Chemist

RWS:ki(1)

ALL SAMPLES SUBMITTED FOR TESTING WILL BE HELD 30 DAYS FROM REPORT DATE AT WHICH TIME THEY WILL BE RETURNED TO CLIENT OR DESTROYED. CLIENT WILL BE RESPONSIBLE FOR ALL SHIPPING, HANDLING, AND DISPOSAL CHARGES. SAMPLES WILL BE STORED UPON WRITTEN INSTRUCTIONS AND FEE ARRANGEMENTS.

This report was made at the request of and for the use only of the purchaser of said report. Any use of or dissemination of information contained herein or reference to Calcoast Labs, Inc. without prior written consent of Calcoast Labs, Inc. is strictly prohibited. algoral Artaly licely lice

Chain of Custody
Date 14/1/98 Page / of /

		,				4000000	are the s	No trace	5-71c5	SCA SK	Sec. 15.	S. Sin	243	akiden.	d/A	ninini	วิวัสส	FC-0	<u>के सुध</u> न्	1.4	4 12 14	, W. 4	2.5				J. 1	- 1
roj, Mgr.: 💍	100/6	regu	1. vec	logic rechan				1.45.30	V (5.5	<u> </u>	50 Y V V	33. W.S	2 4 6 3 6 4	261			8573171 	5.30	17 184 3	L GLT 125	300 15 1	1.6.4.4.27	175.514	2011				82
ompany: _	toy f	alos	180 /1	rechan	100				PURGEABLE ARCMATICS BTEX (EPA 6C2, 2020)	SX						413.1)		. ,							1		. !	אטאיאפבא OF CONTAINERS
۸ddress: _	POB	1881	<u></u>				975		CS	뛢	j	86					- 1	7. 17		.					İ	. 1	.	ļ Ķ
_	140	0, WI	//1an	100		ł	TPH - Gasolins (5030, 8015) w/ BTEX (EPA 602, 8020)	<u>(5</u>	75.T	30	89	BASEAJEUTRALS, ACIDS (EPA 625/627, 8270, 825)	罗定			曼鱼		LUFT METALS: Cd, Cr, Pb, Z		PRIORITY POLLUTANT METALS (13)				ŀ	1			Ö
	oan	lear	do	C14	CO . (1-1	-	55.77	E.G.	ည် မ	₽_	F (3)	2	iii iii		_	高翠		n:	9								.]	ង
ples (sign:	iture)	570	287	6867	Pilone No.)	2 5	7.5 7.5 7.5	32.0	E 7.	H (2)	불위	7.5	வ ம்.	FCB (EPA 509, 6030)	တ္ဆင္သ	[8 8]		77	CAMINETALS (17)	ပြို့က	O	EXTRACTION (TOLP, STUC)					. !	Œ
2 oct	11	, ,,,	•	- 0 - 7	(Can Ma)	2 C	(E)	esel 1073	년 1	를 '''		53	ដន់	m	មួយ មាល	[윤평]		C	413	2 5	<u>uj</u>	19.12	İ	j		i	,	10
/ . •					(Fax No.)	ြည္မည္က	တြည်။	8,5	용흥	GE (탈비	56.8 62.	글왕	18	5 8	문양		- 3	25	동글	דסדאו נפאס	돌					, 1	
		5	11.78	714	5-7	ᇎᇲ	17.19	Æ쫉	iğ (ji	95 E	ξ ii	19.43			語圖	TOTAL HYDRO		벌딮	ä	홅핖	Į.	[동인					ı J	<u> </u>
	and the same of	710 G (1977	10 10	1686 7 1686 7	सन्दर्भ स्थान		1~ 2	<u> </u>	n. (0	Q. 434	2 (2	111 85	1		10 33							i						
1000				Metrix &	a 7050 17	-		 	 																			
		7 15.	0.4		· 	 	[. 	36													×	1						4
mp51	/	n/nFX	A:34	5011	<u> </u>	<u> </u>	X_	X						ļ		-				ļ			 	 				1
7		7' '	,	Ì	1									<u> </u>	ļ					 	<u> </u>	 	 -					
				·]				Ì	Ì	1							<u>.</u>	<u></u>	<u> </u>	1 1		L'	
		ļ	ļ	.	- 	 -	· - 	 																			· ·]
		<u> </u>	<u> </u>	ļ	- 	 	ļ. <u></u>	 	ļ					·						 			·					
1		!		l .		<u> </u>	<u> </u>	<u> </u>			ļ			.						 -	 		├─	 				
		-	1		1	1								i	i					<u> </u>]	ļ	ļ	.			ļ <u> </u>	<u> </u>
			·	 	-	-													1	1					Ì.,	l		
		ļ <u></u> -		 	- 	-		·	 						i	1					1							
		<u> </u>				E CONTRACTO		L		<u> </u>	<u> </u>		<u></u>	.		11	<u>.</u>	.!	<u>'</u>	ــــــــــــــــــــــــــــــــــــــ	J	Reling	uiched	Rv.	<u> </u>	3		3.
基Fiblio	thiomic	Jon 👑 😁	10.75	Sample	Receipts		Reling	luished	By:					1.		uished D	3 y .				2.	(Signa	•					•••
ject Name	_		Total No.	of Contained ace od Condition To Record	rs	14	(Signa	iture)							(Signa	aturej						Tagne	ше					
KE		0.11	Head Spa	ice		.	_	/	11	-/	- ,	a 4			j							1						
ject Not/5	75 50	mable	Rec'd Go	od Condition	√Cold	-	//	00	<u>/6</u>			7			- Daint	ed Name	<u></u>					Printe	ed Narr	ie)				
11 80	nory	lle	Conforms	To Record	1 22	 	-{(Printe	ed Nam	ic)	/	1				Krami	isti ivaiiite	3)					[,				
TAT	Standard	₽	24	48	72	Other		12/	(21	dic																		
	5-Day	<u> </u>		<u>.l</u>	J				4	-10-	Ome				{Date	·			(Lime	1		(Date	<u> </u>			('Lime')	
	ctions / Co		,				[(Date	}	,		(mine	'			1,,,,,,,	,			(,		ľ	•					
Pol	ca	ado	ress.	rinu	010		13000	ved By:						1	Recei	ved By:					2	. Recei	ved By					3,
, -								veo by. ature)			_			•	(Signa	-						(Signa						
	150	= C	Sire				(Signa	7	_	_	// .	/			(6,5							-	•					
	1	-75	- 5a	Pals	Lo -		1/	In.	de	// /	M																	
	13	, , ,		. Pal	~		101	ad Mac	<u>// (/</u>	r v	<i>' //,</i> -	$\overline{\sim}$			(Print	ed Name	e)				(Date) (l'rint	ed Nan	ie)				
	81	nen	1 v. 1					ed Nan	1	И	141	Lis	·u		,						•	1						
		•	<i>ک</i> , ۔ ۱۰ ۔ ر	_			(Date			/T ·	Time	1	· • •		(Date)			(Time	:)		(Date)			(Time)	•
							Louis	$\frac{1}{2}/\sqrt{2}$	2/9	V	(Time	· (2)	Р	M	[•			-			1						
							<u> </u>	-/ (/	7 (-1.00		<u>'</u>	-														

Composite 4 parts as one



JOB ACCEPTANCE NO. 698322 GENERATOR. REQUIRED PERSONAL PROTECTIVE EQUIPMENT ☐ GLOVES ☐ GOGGLES ☐ RESPIRATOR BERKELEY FARMS ☐HARD HAT MAILING ADDRESS TY-VEK OTHER BUNEYA ELACORAO 5001 SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE 12/4/97 WASTE TYPE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL TREATMENT SOIL NON-FRIABLE ASBESTOS ☐ DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** ☐ STOCK PILE OTHER MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE GENERATING FACILITY (209) 982-1009 FAX ists san pablo ave EMERYVILLE, CA NAME TRACTOR LIC. # TRUCK NUMBER DENBESTE TRANSPORTATION ADDRESS 950 SHILOH ROAD #44 CITY, STATE, ZIP WENDSOR, CA 95492 PHONE END DUMP **BOTTOM DUMP** TRANSFER (1011 328-4487 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DŔUMS DATE ROLL-OFF(S) FLAT-BED VAN 17 98 CUBIC YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) impairs the safe and effective operation of the Landfill. Forward shall use AERATE STOCKPILE OTHER DISPOSE BIO reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on SOIL weather or other site conditions. Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. ☐ SLUDGE REMARKS NON-FRIABLE ASBESTOS FACILITY TICKET NUMBER □ wood SIGNATURE OF AUTHORIZED AGENT DATE ☐ ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL . ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL, ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298



RDOUS WASTE MAN

WASTE TREATMENT AND DISPOSAL FACILIT

JOB ACCEPTANCE NO. REQUIRED PERSONAIMPROTECTIVE/EQUIPME ☐GOGGLES ☐RESPIRATOR ☐TY-VEK OTHER 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES SLUDGE FORWARD INC. LANDFILL TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** STOCK PILE OTHER MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX 4575 SAN PABLO AVE **EMERYVILLE CA** WINDSOR, CA 95492 (707) 838-1407 FORWARD INC. LANDFIL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on SOIL weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. SLUDGE REMARKS NON-FRIABLE **ASBESTOS** WOOD ASH T

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL . ANY UNSCHEDULED LOADS AR SUBJECT TO REFUSAL UPON ARRIVAL ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY



JOB ACCEPTANCE NO. 698522

GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
SIGNATURE, OF, AUTHORIZED AGENT / TITLE DATE	
WASTE TYPE SLUDGE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY 4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE 12-12-98	TRACTOR LIC. # TRUCK NUMBER 9515393 TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS □ □ □ □
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
* 1 / 1 / 1 / 1	OTHER



NON-HAZARDOUS WASTE MANIFEST

WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	698522
GENERATOR BERKELEY FARMS MAILING ADDRESS CITY, STATE, ZIP	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
SAN FRANCISCO, CA PHONE	
CONTACT PERSON	
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
WASTE TYPE	RECEIVING FACILITY
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS O CONSTRUCTION SOIL STOCK PILE SLUDGE NON-FRIABLE ASBESTOS ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY 4575 SAN PABLO AVE EMERYVILLE.CA	(209) 982-4298 PHONE (209) 982-1009 FAX
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407	TRACTOR LIC. # TRUCK NUMBER TRAILER LIC. # # END DUMP BOTTOM DUMP TRANSFER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE * /2 /2 98	ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste	DISPOSAL, METHOD: (TO BE COMPLETED BY FORWARD)
conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	DISPOSE BIO AERATE STOCKPLE OTHER
the waste.	SLUDGE
FACILITY TICKET NUMBER	NON-FRIABLE ASBESTOS
SIGNATURE OF AUTHORIZED AGENT	0 wood 6 9.00
- ARA VII DOGU	□ ASH
a feel 1/2	OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675625



JOB ACCEPTANCE NO. 698522

<u> </u>	
GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
CITY, STATE, ZIP SAN FRANCISCO, CA PHONE	SPECIAL HANDLING PROCEDURES.
CONTACT PERSON	
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
WASTE TYPE	RECEIVING FACILITY
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE SLUDGE NON-FRIABLE ASBESTOS ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY	(209) 982-4298 PHONE
GENERALING FASIENT	· · · · · · · · · · · · · · · · · · ·
4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982 - 1009 FAX
NAME DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE	TRACTOR LIC. # < / / / / / / TRUCK NUMBER TRAILER LIC. # < / / TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL	CUBIC YARDS
	22.92
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL
the waste.	SLUDGE
REMARKS	NON-FRIABLE ASBESTOS
FACILITY TICKET NUMBER	□ wood
SIGNATURE OF AUTHORIZED AGENT	☐ ASH
* / / / / / / / / / / / / / / / / / / /	OTHER .

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675609

MANIFEST # C 675609



NON-HAZARDOUS WASTE MANIFEST

INCORPORATED	WASTE THEATMENT AND DISPUSAL FACILITY
JOB ACCEPTANCE NO.	698522
GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
CITY, STATE, ZIP SAN FRANCISCO, CA PHONE	OF EGIAL FIANDLING FAGGLEGINES.
CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
* 18 9 9 - 1 Tale Park 10/19	
WASTE TYPE	RECEIVING FACILITY
☐ TREATMENT SOIL ☐ NON-FRIABLE ASBESTOS ☐ DISPOSAL SOIL ☐ WOOD ☐ CONSTRUCTION SOIL ☐ ASH ☐ STOCK PILE ☐ OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD
GENERATING FACILITY	MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
4575 SAN PABLO AVE	(209) 982-1009 FAX
EMERYVILLE, CA	
NAME DENBESTE TRANSPORTATION	TRACTOR LIC. #9A91643 TRUCK NUMBER
NAME	TRACTOR LIC. #9A91642 TRUCK NUMBER TRAILER LIC. # G T 34367 1095 TRAILER LIC. #
NAME DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRAILER LIC. # 6734367 1095
NAME DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRAILER LIC. # GT34367 1095 TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 93492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER Forward shall have no obligation to accept the waste if weather or othe conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based or weather or other site conditions, Forward shall notify the Disposer when site	TRAILER LIC. # TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS CUBIC YARDS CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based or weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	TRAILER LIC. #
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER Forward shall have no obligation to accept the waste if weather or othe conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall us reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.	TRAILER LIC. #

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675630 MANIFEST # C 675630

OTHER



JOB ACCEPTANCE NO. 698522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT ☐ GLOVES ☐ GOGGLES ☐ RESPIRATOR BERKELEY FARMS ☐ HARD HAT MAILING ADDRESS TY-VEK ☐ OTHER 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE WASTE TYPE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL ___ TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL ASH STOCK PILE OTHER MANTECA, CALIFORNIA 95336 **GENERATING FACILITY** (209) 982-4298 PHONE (209) 982-1009 FAX 4575 SAN PABLO AVE **EMERYVILLE CA** NAME TRUCK NUMBER DENBESTE TRANSPORTATION **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP TRAILER LIC. # WINDSOR, CA 95492 **BOTTOM DUMP** PHONE TRANSFER END DUMP (707) 338-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER ROLL-OFF(S) FLAT-BED Van **DRUMS** CUBIC YARDS FORWARD INC. LANDFILI Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) impairs the safe and effective operation of the Landfill. Forward shall use DISPOSE BIO AERATE STOCKPILE OTHER reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on SOIL weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. ☐ SLUDGE REMARKS NON-FRIABLE **ASBESTOS** FACILITY TICKET NUMBER ☐ WOOD SIGNATURE OF AUTHORIZED AGENT □ ash OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL . ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY



JOB ACCEPTANCE NO 698522

GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER
CITY, STATE, ZIP	SPECIAL HANDLING PROCEDURES:
SAN FRANCISCO, CA PHONE	
CONTACT PERSON	
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
* to the Broke Tracky	
WASTE TYPE	RECEIVING FACILITY
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD
	MANTECA, CALIFORNIA 95336
GENERATING FACILITY	(209) 982-4298 PHONE
4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982-1009 FAX
款3	
NAME DENBESTE TRANSPORTATION	TRACTOR LIC. # 5166 796 TRUCK NUMBER
ADDRESS 930 SHILCH ROAD #44	TRAILER LIC. # 77750167 307
CITY, STATE, ZIP WINDSOR, CA 95492	TRAILER LIC. # 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
PHONE (707) 838-1407	END DUMP BOTTOM DUMP TRANSFER
SIGNATURE OF AUTHORIZED AGENT OR DRIVER, DATE	ROLL-OFF(S) FLAT-BED VAN DRUMS
* 12.00	₽
	CUBIC YARDS / 1
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other	22,33
conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill Forward shall use	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Ferward shall notify the Disposer when site	DISPOSE BIO AERATE STOCKPILE OTHER
conditions are expected to change such that Forward will be able to accept	
REMARKS	SLUDGE NON-FRIABLE
FACILITY TICKET NUMBER	ASBESTOS
SIGNATURE OF AUTHORIZED AGENT	WOOD
1/1 / 1/2 61/	□ ASH ×90.29
* I'M ROLL I'S	☐ OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675617

MANIFEST # C 675617.



NON-HAZARDOUS WASTE MANIFEST

WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO. 698522 REQUIRED PERSONAL PROTECTIVE EQUIPMENT GENERATOR GLOVES GOGGLES RESPIRATOR ☐ HARD HAT BERKELEY FARMS MAILING ADDRESS TTY-VEK TOTHER 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE WASTE TYPE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** STOCK PILE OTHER MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE GENERATING FACILITY (209) 982-1009 FAX 4575 SAN PABLO AVE **EMERYVILLE, CA** TRACTOR LIC. # 9035501 TRUCK NUMBER NAME DENBESTE TRANSPORTATION TRAILER LIC. # GT 34399 **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP TRAILER LIC. # WINDSOR, CA 95492 BOTTOM DUMP TRANSFER PHONE END DUMP_ (707) 338-1407/ DRUMS SIGNATURE OF AUTHORIZED/AGENT OR DRIVER ROLL-OFF(S) FLAT-BED DE-12-1949 CUBIC YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: impairs the safe and effective operation of the Landfill. Forward shall use AERATE STOCKPILE DISPOSE BIO reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on ₹SOIL weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. SLUDGE REMARKS NON-FRIABLE ASBESTOS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGE ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL ● ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 FO1 (395) 1NH) 6-96 TRANSPORTER COPY MANIFEST # C



NON-HAZARDOUS WASTE MANIFEST

WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO. 698522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT BERKELEY FARMS ☐ GLOVES ☐ GOGGLES ☐ RESPIRATOR ☐ HARD HAT MAILING ADDRESS TY-VEK TOTHER 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL ASH ☐ STOCK PILE **OTHER** MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE GENERATING FACILITY 4575 SAN PABLO AVE (209) 982-1009 FAX **EMERYVILLE, CA** TRACTOR LIC. #9835301 NAME TRUCK NUMBER DENBESTE TRANSPORTATION **ADDRESS** TRAILER LIC # GT3439 9 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 TRAILER LIC. # PHONE END DUMP **BOTTOM DUMP** TRANSFER (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DRUMS ROLL-OFF(S) FLAT-BED DEV-1298 CUBIC YARDS FORWARD INC. LANDFILL 22.25 Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: impairs the safe and effective operation of the Landfill. Forward shall use DISPOSE AERATE STOCKPILE reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on 📝 SOÍL 🐃 weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. ☐ SLUDGE REMARKS NON-FRIABLE **ASBESTOS** FACILITY TICKET NUMBER ☐ WOOD SIGNATURE OF AUTHORIZED AGENT ☐ ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL ● ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL, ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY

OTHER



JOB ACCEPTANCE NO. 698522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR ☐HARD HAT BERKELEY FARMS MAILING ADDRESS TY-VEK OTHER 2065 CANDALE AVENUE CITY, STATE, ZIP SPECIAL HANDLING PROCEDURES: SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL ☐ TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL ASH STOCK PILE OTHER MANTECA, CALIFORNIA 95336 GENERATING FACILITY (209) 982-4298 PHONE (209) 982-1009 FAX 4575 SAN PABLO AVE **EMERYVILLE, CA** NAME TRACTOR LIC. TRUCK NUMBER DENBESTE TRANSPORTATION **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE **END DUMP BOTTOM DUMP** TRANSFER (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER ROLL-OFF(S) FLAT-BED VAN DRUMS CUBIC!YARDS Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: impairs the safe and effective operation of the Landfill. Forward shall use DISPOSE AERATE STOCKPILE BIO reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on /□-SOIL weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. ☐ SLUDGE REMARKS NON-FRIABLE **ASBESTOS** FACILITY TICKET NUMBER ◯ WOOD SIGNATURE OF AUTHORIZED AGENT OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL ● ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY



JOB ACCEPTANCE NO. 698522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT ☐GLOVES ☐GOGGLES ☐RESPIRATOR ☐HARD HAT MAILING ADDRESS FARMS TY-VEK TOTHER CITY, STATE, ZIPS OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE 104 18 WASTE TYPE RECEIVING FACILITY ☐ SLUDGE FORWARD INC. LANDFILL TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** ☐ STOCK PILE OTHER MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE GENERATING FACILITY (209) 982-1009 FAX 4575 SAN PABLO AVE **EMERYVILLE, CA** NAME TRUCK NUMBER DENBESTE TRANSPORTATION **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 **BOTTOM DUMP** TRANSFER PHONE END DUMP (707) 838-1407 VAN DRUMS SIGNATURE OF AUTHORIZED AGENT ROLL-OFF(S) FLAT-BED CUBIC YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: impairs the safe and effective operation of the Landfill, Forward shall use AERATE STOCKPILE reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on SOIL weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. ☐ SLUDGE **REMARKS** NON-FRIABLE **ASBESTOS** FACILITY TICKET NUMBER ☐ WOOD SIGNATURE OF AUTHORIZED AGEN ☐ ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL . ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL, ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY



JOB ACCEPTANCE NO 698522

	TOD MODEL IMIDE NO.	
	GENERATOR BERKELEY FARMS MAILING ADDRESS	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER
	2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA	SPECIAL HANDLING PROCEDURES:
	PHONE	
NES	CONTACT PERSON	
	SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
	WASTE TYPE	DECEMBER FACILITY
	WASTE TIPE	RECEIVING FACILITY
TIGWOD AND	☐ TREATMENT SOIL ☐ DISPOSAL SOIL ☐ CONSTRUCTION SOIL ☐ STOCK PILE ☐ SLUDGE ☐ NON-FRIABLE ASBESTOS ☐ WOOD ☐ ASH ☐ OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
	GENERATING FACILITY	(209) 982-4298 PHONE
	4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982-1009 FAX
COMPLETE * * 1	DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492	TRACTOR LIC. # TRUCK NUMBER TRAILER LIC. # TRAILER LIC. #
AUT EFFILES	PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	END DUMP BOTTOM DUMP TRANSFER C
	* Dan Broton 18/2/18	
		CURIC VARRELL
FINE	FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste	CUBIC YARDS 24,43
	impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL
	conditions are expected to change such that Forward will be able to accept the waste.	
	REMARKS	SLUDGE
Ξ	and the same of th	NON-FRIABLE ASBESTOS
	FACILITY TICKET NUMBER	□ wood
₹ }	SIGNATURE OF AUTHORIZED AGENT DATE	□ ASH
	*	☐ OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 FOI (C9511NH) 6-96 TRANSPORTER COPY



IOR ACCEPTANCE NO

ODD AGGEP TANGE NO.	098322
GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER
CITY, STATE, ZIP SAN FRANCISCO, CA PHONE	SPECIAL HANDLING PROCEDURES:
CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
WASTE TYPE E A PO 1/12/98	RECEIVING FACILITY
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS OCCUPANTALICTION SOIL STOCK PILE SLUDGE NON-FRIABLE ASBESTOS ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
GENERATING FACILITY 4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 338-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRACTOR LIC. # Q R > Q 3 7 7 TRUCK NUMBER TRAILER LIC. # 2 7 2 9 1 5 2 2 TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH
The waste. REMARKS FACILITY TICKET NUMBER	NON-FRIABLE ASBESTOS WOOD



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	698522
GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE ** 1/1-/9/	
WASTE TYPE SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE GENERATING FACILITY 4375 SAN PABLO AVE EMERYVILLE CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (797) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** ** ** ** ** ** ** ** ** ** ** ** **	TRACTOR LIC. #9829377 TRUCK NUMBER TRAILER LIC. #6759152 TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER PROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SCIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675626 MANIFEST # C 675626



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	698522
GENERATOR BERLELEY FARMS MAILING ADDRESS	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER
CITY, STATE, ZIP SAN FRANCISCO, CA PHONE	SPECIAL HANDLING PROCEDURES:
CONTACT PERSON	
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE DATE / SIGNATURE OF AUTHORIZED AGENT / TITLE / SIGNATURE / SIGNATURE OF AUTHORIZED AGENT / TITLE / SIGNATURE RECEIVING FACILITY	
SLUDGE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE GENERATING FACILITY	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
4575 SAN PABLO AVE EMERYVILLE,CA NAME	TRACTOR LIC. # TRUCK NUMBER
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE 1707) £36-)407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	CUBIC YARDS Log3 DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	ASBESTOS WOOD
* ·	☐ ASH ☐ OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL, ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY MANIFEST # C 675639



MONLHAZARDOLIS WASTE MANIFEST

VARL) Orated	WASTE TREATMENT AND DISPOSAL FACILITY
JOB ACCEPTANCE NO.	698522

TOD MODEL IMMODIACS.	0,0322
ENERATOR BERKELEY FARMS AILING ADDRESS 2063 OAKDALE AVENUE TY, STATE, ZIP SAN FRANCISCO, CA	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
NONE ONTACT PERSON	
GNATURE OF AUTHORIZED AGENT / TITLE DATE	
wellt scaple for the total	
ASTE TYPE FALLING	RECEIVING FACILITY
☐ SLUDGE ☐ NON-FRIABLE ASBESTOS ☐ DISPOSAL SOIL ☐ CONSTRUCTION SOIL ☐ STOCK PILE ☐ OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
NERATING FACILITY	(209) 982-4298 PHONE
4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982-1009 FAX
ME DENBESTE TRANSPORTATION DRESS 930 SHE OH ROAD #44 IY, STATE, ZIP WINDSOR, CA 95492 ONE	TRACTOR LIC. # TRUCK NUMBER TRAILER LIC. # 57 -12 840 TRAILER LIC. #
GNATURE OF AUTHORIZED AGENT OR DRIVER DATE	END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS D D
FORWARD INC. LANDFILL	CUBIC YARDS /
Forward shall have no obligation to accept the waste if weather or other onditions impair the safe and effective disposal of the waste or if the waste pairs the safe and effective operation of the Landfill. Forward shall use asonable efforts to promptly notify Disposer of its inability to accept the aste for any reason. If Forward's refusal to accept the waste is based on eather or other site conditions, Forward shall notify the Disposer when site anditions are expected to change such that Forward will be able to accept the waste. MARKS	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SLUDGE
CILITY TICKET NUMBER	NON-FRIABLE ASBESTOS
NATURE OF AUTHORIZED AGENT DATE	WOOD
Via 110, - 24 1998	☐ ASH

DULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE ECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

CHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675513

TRANSPORTER COPY

MANIFEST # C 675613



JOB ACCEPTANCE NO. 698522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT BERKELEY FARMS ☐GLOVES ☐GOGGLES ☐RESPIRATOR HARD HAT MAILING ADDRESS TY-VEK OTHER 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL ☐ TREATMENT SOIL **NON-FRIABLE ASBESTOS** DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** ☐ STOCK PILE **OTHER** MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE GENERATING FACILITY (209) 982-1009 FAX 4575 SAN PABLO AVE **EMERYVILLE CA** NAME TRACTOR LIC. # TRUCK NUMBER DENBESTE TRANSPORTATION 9826212 **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP. WINDSOR, CA 95492 TRAILER LIC. # PHONE END DUMP BOTTOM DUMP TRANSFER (707) 338-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER VAN **DRUMS** ROLL-OFF(S) FLAT-BED CUBIC YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste (TO BE COMPLETED BY FORWARD) DISPOSAL MĚTHOD: impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the AERATE STOCKPILE DISPOSE BIO waste for any reason. If Forward's refusal to accept the waste is based on SOIL weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. SLUDGE REMARKS NON-FRIABLE **ASBESTOS** FACILITY TICKET NUMBER □ wood SIGNATURE OF AUTHORIZED AGENT ASH **OTHER**



JOB ACCEPTANCE NO. 698522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT BERKELEY FARMS ☐GLOVES ☐GOGGLES ☐RESPIRATOR ☐ HARD HAT MAILING ADDRESS TY-VEK **MOTHER** 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE RECEIVING FACILITY **SLUDGE** FORWARD INC. LANDFILL TREATMENT SOIL NON-FRIABLE ASBESTOS TI DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** ☐ STOCK PILE OTHER MANTECA, CALIFORNIA 95336 GENERATING FACILITY (209) 982-4298 PHONE (209) 982-1009 FAX 4575 SAN PABLO AVE **EMERYVILLE CA** NAME TRACTOR LIC. TRUCK NUMBER B26212 DENBESTE TRANSPORTATION **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE END DUMP **BOTTOM DUMP** TRANSFER (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DRUMS -OFF(S) VAN FLAT-BED CUBIC YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste (TO BE COMPLETED BY FORWARD) DISPOSAL/METHOD: impairs the safe and effective operation of the Landfill. Forward shall use DISPOSE AERATE STOCKPILE reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site []-SOIL conditions are expected to change such that Forward will be able to accept the waste. SLUDGE REMARKS NON-FRIABLE **ASBESTOS** FACILITY TICKET NUMBER ☐ WOOD SIGNATURE OF AUTHORIZED AGENT \square ash OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY

MANIFEST # C 6 7 5 6 4 0



JOB ACCEPTANCE NO 698522

]HARD HAT
L AD
336
336 E
Ξ
= .
JMBER (A) 11/7 ANSFER
JMBER
JMBER (A) 11/7 ANSFER
JMBER GAING ANSFER BUNS OGO
JMBER (A) 11/7 ANSFER
JMBER ANSFER BUNS OLO FORWARD)
JMBER ANSFER BUNS OLO FORWARD)
JMBER ANSFER BUNS OLO FORWARD)
JMBER ANSFER BUNS OLO FORWARD)

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 TRANSPORTER COPY

MANIFEST # C 67.5642



JOB ACCEPTANCE NO. 698522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT BERKELEY FARMS ☐GLOVES ☐GOGGLES ☐RESPIRATOR ☐ HARD HAT MAILING ADDRESS TY-VEK OTHER 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA **PHONE** CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE WASTE TYPE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL ☐ TREATMENT SOIL **NON-FRIABLE ASBESTOS** DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** ☐ STOCK PILE OTHER MANTECA, CALIFORNIA 95336 **GENERATING FACILITY** (209) 982-4298 PHONE (209) 982-1009 FAX **4575 SAN PABLO AVE EMERYVILLE, CA** TRACTOR LIC. # 9, RL/34 NAME TRUCK NUMBER DENBESTE TRANSPORTATION **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 TRAILER LIC. PHONE END DUMP (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER ROLL-OFF(S) DATE FLAT-BED CUBIC YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: impairs the safe and effective operation of the Landfill. Forward shall use DISPOSE AERATE STOCKPILE reasonable efforts to promptly notify Disposer of its inability to accept the BIO waste for any reason. If Forward's refusal to accept the waste is based on ∏.sor∟ weather-or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste: REMARKS . NON-FRIABLE ASBESTOS FACILITY TICKET NUMBER □ wood SIGNATURE OF AUTHORIZED AGENT ☐ ASH



GENERATOR GENERATOR SERKELET FAXIMS MAILING ADDRESS 2065 O-KEDALE AVENUE GITY, STARE, 207 SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE MODO CONSTRUCTOR SOIL STOCK PILE STOCK PILE 1275 SAN PASIC AVE EMERYVILLS, CA NAME DENBESTE TRANSPORTATION ADDRESS PHONE GITY, STARE, 207 GENERATING FACILITY TREATMENT SOIL OTHER TREATMENT SOIL OTHER STOCK PILE 1275 SAN PASIC AVE EMERYVILLS, CA TRACTOR LIC.	INCORPORATED	WASTE TREATMENT AND DISPOSAL FACILITY
MALING ADDRESS CITY, STATE, ZIP PHONE SIGNATURE OF AUTHORIZED AGENT / TITLE STATE AND PRANCISCO, CA CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE SIGNATURE OF AUTHORIZED AGENT / TITLE SIGNATURE OF AUTHORIZED AGENT / TITLE STATE AND PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCEDURES. FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-4298 PHONE (209) 982-1009 FAX TRACTOR LIC.* TRUCK NUMBER. SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE SIGNATURE OF AUTHORIZED AGENT OR DRIVER Weather or other conclinions impair the sales and effective deposal of the weather processor of the sale and effective deposal of the weather or other site conditions. Forward shall notify the Disposer when site concidions in process of the sales and effective deposal of the weather or other site conditions. Forward shall notify the Disposer when site concidions in process of the sales and effective deposal of the weather or other site conditions. Forward shall notify the Disposer when site concidions are exported to charge such that Forward will be able to accept the weather. SIGNATURE OF AUTHORIZED AGENT DATE SPECIAL HANDLING PROCEDURES. SPECIAL HANDLING PROCED	JOB ACCEPTANCE NO.	698522
SIGNATURE OF AUTHORIZED AGENT / TITLE	DERKELET FARMS MAILING ADDRESS 2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA PHONE	☐ GLOVES ☐ GOGGLES ☐ RESPIRATOR ☐ HARD HATE ☐ TY-VEK ☐ OTHER
TREATMENT SOIL NON-FRIABLE ASBESTOS SOID SIDEPOSAL SOIL WOOD ASH OTHER	* 7 17 Trace By like 15/0/9	-
ADDRESS DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 338-1-1-07 SIGNATURE OF AUTHORIZED AGENT OR DRIVER FOrward shall have no obligation to accept the waste in forther site conditions impair the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER (209) 982-1009 FAX (209) 982	☐ SLUDGE ☐ TREATMENT SOIL ☐ DISPOSAL SOIL ☐ CONSTRUCTION SOIL ☐ STOCK PILE ☐ OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 338-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste reasonable efforts to promptly notify Disposer of its inability to accept the waste roaver shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE TRAILER LIC. * MAT T - 6.3 TR	4575 SAN PABLO AVE	
Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) AERATE STOCKPILE OTHER SOIL SOIL NON-FRIABLE ASBESTOS WOOD SIGNATURE OF AUTHORIZED AGENT DATE	DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 338-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRAILER LIC. # WRT-63 TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
SIGNATURE OF AUTHORIZED AGENT DATE ASH	Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS
	SIGNATURE OF AUTHORIZED AGENT DATE	

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL . ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675622

OTHER



A LED WASTE TREATMENT AND DISPUSAL FACILIT

JOB ACCEPTANCE NO.	698522
GENERATOR * 3ERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE CITY, STATE, ZIP	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
WASTE TYPE	RECEIVING FACILITY
SLUDGE TREATMENT SOIL DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE DISPOSAL SOIL OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE
4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982-1009 FAX
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** ** ** ** ** ** ** ** **	TRACTOR LIC. # 94 HO 127 TRUCK NUMBER TRAILER LIC. # # # # # # # # # # # # # # # # # # #
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS	CUBIC YARDS / 20.75 DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE
FACILITY TICKET NUMBER	ASBESTOS WOOD
SIGNATURE OF AUTHORIZED AGENT DATE	☐ ASH
* Ka land 1209	OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675635



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	698522
GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT, / TITLE DATE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
WASTE TYPE SLUDGE I TREATMENT SOIL DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE GENERATING FACILITY 1575 SAN PABLO AVE EMERYVILLE CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRACTOR LIC. # QA 40 12 F TRUCK NUMBER TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	CUBIC YARDS CUBIC YARDS

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675620 MANIFEST # C 675620



WASTE TREATMENT AND DISPOSAL FACILITY

	JOB ACCEPTANCE NO.	698522
	GENERATOR BERKELEY FARMS MAILING ADDRESS	REQUIRED PERSONAL PROTECTIVE EQUIPMENT, GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER
1.110	2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA PHONE	SPECIAL HANDLING PROCEDURES:
TENETH SALE	CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE * 1/1/9/	
	WASTE TYPE SLUDGE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
	GENERATING FACILITY 4575 SAN PABLO AVE EMERYVILLE CA	(209) 982-4298 PHONE (209) 982-1009 FAX
TRANSPORTER HAULER MUST COMPLETE	DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRACTOR LIC. # 9CS1262 TRUCK NUMBER TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
ILITY REQUIREMENTS	FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER	CUBIC YARDS 22.95 DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD
FAC	SIGNATURE OF AUTHORIZED AGENT DATE 213 1	☐ ASH ☐ OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 FO1 (C9511NH) 6-96 TRANSPORTER COPY MANIFEST # C 675638



JOB ACCEPTANCE NO.

692522		

GENERATOR BERKELEY FARMS MAILING ADDRESS MAILING ADDRESS CITY, STATE, ZIP SAN FRANCISCO, CA PHONE REQUIRED PERSONAL PROTECTIVE EQUIP GLOVES GOGGLES RESPIRATOR TY-VEK OTHER SPECIAL HANDLING PROCEDURES:	
SAN FRANCISCO, CA PHONE	
SAN FRANCISCO, CA PHONE	
CONTACT PERSON	
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	•
WASTE TYPE RECEIVING FACILITY	
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS FORWARD INC. LAND OUT OF CONSTRUCTION SOIL	
CONSTRUCTION SOIL ASH	
☐ STOCK PILE OTHER MANTECA, CALIFORNIA	A 95336
GENERATING FACILITY (209) 982-4298 PH	HONE
(209) 982-1009 F	FAX
4575 SAN PABLO AVE EMERYVILLE,CA	
NAME TRACTOR LIC. # 9€5/262 TR	RUCK NUMBER
DENBESTE TRANSPORTATION	7 73
930 SHILOH ROAD #44 CITY, STATE, ZIP TRAILER LIC. #	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
PHONE END DUMP BOTTOM DUMP	
	<u> </u>
(707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROUL-OFF(S) FLAT-BED VAN	DRUMS
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	DRUMS
98 21	DRUMS
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	22.09
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	22.09 ED BY FORWARD)
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	22.09 ED BY FORWARD)
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	22.09 ED BY FORWARD)
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	22.09 ED BY FORWARD)
SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ROLL-OFF(S) FLAT-BED VAN	22.09 ED BY FORWARD)
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE/OF AUTHORIZED AGENT DATE ROLL-OFF(S) FLAT-BED VAN CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETE DISPOSAL METHOD: SOIL SOIL NON-FRIABLE ASBESTOS WOOD	22.09 ED BY FORWARD)
SIGNATURE OF AUTHORIZED AGENT OR DRIVER TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on waste or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER CUBIC YARDS CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETE DISPOSE) DISPOSAL METHOD: SOIL SOIL SOIL NON-FRIABLE ASBESTOS WOOD	22.09 ED BY FORWARD)

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298

THANSPORTER COPY

MANIFEST # C 675623



JOB ACCEPTANCE NO.

III GIENEISTEIL	GENERATOR BITRICELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
197	* Tel proger Bertel From 17/12/98	
	WASTE TYPE	RECEIVING FACILITY
	SLUDGE SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE SLUDGE NON-FRIABLE ASBESTOS ASH OTHER	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336
	GENERATING FACILITY 4575 SAN PABLO AVE EMERYVILLE, CA	(209) 982-4298 PHONE (209) 982-1009 FAX
HAULERANGPORTABLETE	DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	TRACTOR LIC. # TRUCK NUMBER TRAILER LIC. # 1 U W 9 6 6 2 TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS
	* Seat Array 12/12/98	
FACILITY REQUIREMENTS	FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions. Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED/AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER



OB ACCEPTANCE NO.	698522
	0,0,0,0

GENERATIOR - RECUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOOGLES RESPIRATOR HARD HAT HARD HAT GLOVES GOOGLES RESPIRATOR HARD HAT TYVEK OTHER SPECIAL HANDLING PROCEDURES: SAN FRANCISCO, CA SAN FRANCISCO, CA CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE SPECIAL HANDLING PROCEDURES: WASTE TYPE SUDGE NON-FRIABLE ASBESTOS PORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-4298 PHONE (209) 982-4298 PHONE (209) 982-1009 FAX GENERATING FACILITY (209) 982-1009 FAX (209) 982-			070755
SPECIAL HANDLING PROCEDURES: SIGNATURE OF AUTHORIZED AGENT / TITLE, DATE DATE			☐GLOVES ☐GOGGLES ☐RESPIRATOR ☐HARD HAT
SAN FRANCISCO, CA PHONE SAN FRANCISCO, CA PHONE SAN FRANCISCO, CA PHONE OONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE WASTE TYPE SLUDGE NON-FRIABLE ASBESTOS SIGNATURE OF AUTHORIZED AGENT / TITLE SLUDGE NON-FRIABLE ASBESTOS SIGNATURE OF AUTHORIZED AGENT OR DRIVER SLUDGE NON-FRIABLE ASBESTOS SIGNATURE OF AUTHORIZED AGENT OR DRIVER FORWARD INC. LANDFILL STOCK PILE SIGNATURE OF AUTHORIZED AGENT OR DRIVER FORWARD INC. LANDFILL FORWARD INC. LANDFILL FORWARD INC. LANDFILL SIGNATURE OF AUTHORIZED AGENT OR DRIVER FORWARD INC. LANDFILL FORWARD INC. LANDFILL FORWARD INC. LANDFILL FORWARD INC. LANDFILL SIGNATURE OF AUTHORIZED AGENT OR DRIVER SIGNATURE OF AUTHORIZED AGENT OR DRIVER FORWARD FORWARD INC. LANDFILL FORWARD INC. LANDFIL			
SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE	7.01	SAN FRANCISCO, CA	•
# WASTE TYPE WASTE TYPE		CONTACT PERSON	
WASTE TYPE TREATMENT SOIL	THE !		
TREATMENT SOIL SLUDGE NON-FRIABLE ASBESTOS DISPOSAL SOIL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-4298 PHONE (209) 982-1009 FAX (209) 982-1	H		RECEIVING FACILITY
AST SAN PABLO AVE EMERYVILLE.CA NAME DENBESTE TRANSPORTATION ADDRESS 330 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (787) 333-1467 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE TORWARD INC. LANDFILL Forward shall have no obligation to accept the waste or if the waste or if the sale and effective disposal of the waste or if the waste or any reason. If Forward reliase to accept the waste for any reason. If Forward's reliase to accept the waste for any reason. If Forward the waste for any reason. If Forward's reliase to accept the waste for any reliase to accept the waste for any reliase to ac	CHERONINE THE	☐ SLUDGE ☐ TREATMENT SOIL ☐ NON-FRIABLE ASBESTOS ☐ DISPOSAL SOIL ☐ WOOD ☐ CONSTRUCTION SOIL ☐ ASH	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD
AMME NAME DENBESTE TRANSPORTATION ADDRESS 330 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) \$33-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste or if the waste reasonable efforts to promptly notify bisposer of its inability to accept the waste or waste for any reason. If Forward shall use reasonable efforts to promptly notify the Disposer when site the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE TRACTOR LIC. # TRUCK NUMBER TRACTOR LIC. # TRUCK NUMBER TRACTOR LIC. # TRACTOR LIC. # TRUCK NUMBER TRACTOR LIC. # TRACTOR LI		GENERATING FACILITY	(209) 982-4298 PHONE
AMME NAME DENBESTE TRANSPORTATION ADDRESS 330 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) \$33-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste or if the waste reasonable efforts to promptly notify bisposer of its inability to accept the waste or waste for any reason. If Forward shall use reasonable efforts to promptly notify the Disposer when site the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE TRACTOR LIC. # TRUCK NUMBER TRACTOR LIC. # TRUCK NUMBER TRACTOR LIC. # TRACTOR LIC. # TRUCK NUMBER TRACTOR LIC. # TRACTOR LI			(209) 982-1009 FAX
DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE TRAILER LIC. # WINDSOR, CA 95492 PHONE SIGNATURE OF AUTHORIZED AGENT OR DRIVER TOORIGINGS impairs the safe and effective disposal of the waste or if the waste impairs the safe and effective disposal of the waste or if the waste impairs the safe and effective disposal of the waste or if the waste impairs the safe and effective disposal of the waste or if the waste impairs the safe and effective disposal of the waste is based on effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste is based on accept the waste is based on accept the waste is based on accept the waste. THE WASTE OF AUTHORIZED AGENT DATE SIGNATURE OF AUTHORIZED AGENT DATE ASH MRT 52 TRAILER LIC. # // UW9 66 2 TRAILER LIC			(200) 302 1000 17 11
PHONE (707) 338-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE END DUMP BOTTOM DUMP TRANSFER ROLL-OFF(S) FLAT-BED VAN DRUMS CUBIC YARDS CUBIC YARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: SOIL SOIL SOIL SOIL NON-FRIABLE ASBESTOS NON-FRIABLE ASBESTOS ASH WOOD	ORITER COMPLETE	DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP	5R20608 TRAILER LIC. # 10w9662
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURÉ OF AUTHORIZED AGENT DATE CUBIC YARDS LICYARDS DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPLE OTHER WOOD NON-FRIABLE ASH	ER MISS	PHONE (787) 838-1407	
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURÉ OF AUTHORIZED AGENT DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) AERATE STOCKPILE OTHER WOOD WOOD AERATE STOCKPILE ONN-FRIABLE ASBESTOS NON-FRIABLE ASBESTOS ASH	HAI		ROLL-OFF(3) FEAT-BED WAT DISCHOOL
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURÉ OF AUTHORIZED AGENT DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) AERATE STOCKPILE OTHER WOOD SIGNATURÉ OF AUTHORIZED AGENT DATE	1		CURIC VARDS 1 /
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE ASBESTOS WOOD ASH		FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other	21.45
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE ASBESTOS WOOD ASH	MENTS	impairs the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on	DISPOSE BIO AERATE STOCKPILE OTHER
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE ASBESTOS WOOD ASH		weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept	1
FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE ASBESTOS WOOD ASH		ne waste. REMARKS	
SIGNATURÉ OF AUTHORIZED AGENT DATE	E	FACILITY TICKET NUMBER	□ ASBESTOS
1) DIVERSE	具		wood
★	T.	SIGNATURE OF AUTHORIZED AGENT	☐ ASH
		* 14 / 14000	OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298 FO1 (C9511NH) 6-96

TRANSPORTER COPY

MANIFEST # C 675633



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	698522
GENERATOR BERKELEY FARMS MAILING ADDRESS 2065 OAKDALE AVENUE CITY, STATE, ZIP SAN FRANCISCO, CA	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE ** DATE	
WASTE TYPE SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS ODISPOSAL SOIL CONSTRUCTION SOIL STOCK PILE GENERATING FACILITY 4575 SAN PABLO AVE EMERYVILLE, CA	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
NAME DENBESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 95492 PHONE (707) \$38-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE ** 12 - 9	TRACTOR LIC. # TRAILER LIC. # TRUCK NUMBER
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS FACILITY TICKET NUMBER SIGNATURE OF AUTHORIZED AGENT DATE	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD) DISPOSE BIO AERATE STOCKPILE OTHER SOIL SLUDGE NON-FRIABLE ASBESTOS WOOD ASH OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE. TO SCHEDULE CALL (209) 982-4298 FO1 (C951 1NH) 6-96 TRANSPORTER COPY



JOB ACCEPTANCE NO. 698522

		070.322
	GENERATOR BERKELEY FARMS MAILING ADDRESS	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER
	2065 OAKDALE AYENUE CITY, STATE, ZIP	SPECIAL HANDLING PROCEDURES:
FAIO	SAN FRANCISCO, CA PHONE	
E.	CONTACT PERSON	
SYTHE (SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
	WASTE TYPE	RECEIVING FACILITY
	☐ SLUDGE☐ NON-FRIABLE ASBESTOS☐ DISPOSAL SOIL☐ WOOD☐	FORWARD INC. LANDFILL
	CONSTRUCTION SOIL ASH	9999 SOUTH AUSTIN ROAD
	STOCK PILE OTHER	MANTECA, CALIFORNIA 95336
	GENERATING FACILITY	(209) 982-4298 PHONE
	4575 SAN PABLO AVE EMERYVILLE,CA	(209) 982-1009 FAX
	NAME	TRACTOR LIC. # TRUCK NUMBER
	DENBESTE TRANSPORTATION ADDRESS	TRAILER LIC. #
	930 SHILOH ROAD #44 CITY, STATE, ZIP	TRAILER LIC. #
	WINDSOR, CA 95492 PHONE	END DUMP BOTTOM DUMP TRANSFER
	(707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE	ROLL-OFF(S) FLAT-BED VAN DRUMS
	* Kick Shop 12-12-94	
	FORWARD INC. LANDFILL	CUBIC YARDS
	Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste	DISPOSAL METHOD: (TO BE COMPLETED BY FORWARD)
STATE STATE OF THE	impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on	DISPOSE BIO AERATE STOCKPILE OTHER
E	weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept	SOIL SOIL
	the waste. REMARKS	SLUDGE NON-FRIABLE
THE STATE OF	FACILITY TICKET NUMBER	ASBESTOS (EXTENSION ASSESTED A
FACILITY	SIGNATURE OF AUTHORIZED AGENT DATE	WOOD TO VE
2 3 6	1. 1/18. 162 will 12-1290	□ ASH
	* 1000	OTHER



JOB ACCEPTANCE NO. 598522 GENERATOR REQUIRED PERSONAL PROTECTIVE EQUIPMENT BERKELEY FARMS GLOVES GOGGLES RESPIRATOR HARD HAT MAILING ADDRESS TY-VEK **MOTHER** 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA PHONE CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE WASTE TYPE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL ☐ TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL ASH ☐ STOCK PILE **OTHER** MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE GENERATING FACILITY (209) 982-1009 FAX 4575 SAN PABLO AVE EMERYVILLE, CA NAME TRUCK NUMBER TRACTOR LIC. # DENBESTE TRANSPORTATION **ADDRESS** 930 SHILOH ROAD #44 CITY, STATE, ZIP WINDSOR, CA 35492 PHONE **BOTTOM DUMP** TRANSFER (707) 338-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER ROLL-OFF(S) FLAT-BED VAN **DRUMS** CUBIC, YARDS FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste DISPOSAL METHOD (TO BE COMPLETED BY FORWARD) impairs the safe and effective operation of the Landfill. Forward shall use DISPOSE BIO AERATE STOCKPILE OTHER reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on SOIL weather or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste. REMARKS NON-FRIABLE ASBESTOS FACILITY TICKET NUMBER ☐ WOOD SIGNATURE OF AUTHORIZED AGENT ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS A SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFOR TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 6756 49

OTHER



WASTE TREATMENT AND DISPOSAL FACILITY

JOB ACCEPTANCE NO.	698522
GENERATOR BERKELTY FARMS MAILING ADDRESS 2063 OAKDALE AVENUE	REQUIRED PERSONAL PROTECTIVE EQUIPMENT GLOVES GOGGLES RESPIRATOR HARD HAT TY-VEK OTHER SPECIAL HANDLING PROCEDURES:
CITY, STATE, ZIP SAN FRANCISCO, CA PHONE T	
CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE DATE	
WASTE TYPE	RECEIVING FACILITY
SLUDGE TREATMENT SOIL NON-FRIABLE ASBESTOS ODE WOOD CONSTRUCTION SOIL STOCK PILE OTHER GENERATING FACILITY 1575 SAN PABLO AVE	FORWARD INC. LANDFILL 9999 SOUTH AUSTIN ROAD MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE (209) 982-1009 FAX
EMERYVILLE,CA MINAME	TRACTOR LIC. # -/ 222 4 TRUCK NUMBER
DENEESTE TRANSPORTATION ADDRESS 930 SHILOH ROAD #44	TRACTOR LIC. # 51 333 4 TRUCK NUMBER 188
CITY, STATE, ZIP WINDSOR, CA 95492 PHONE	TRAILER LIC. # END DUMP BOTTOM DUMP TRANSFER
(707) 838-1407 SIGNATURE OF AUTHORIZED AGENT OR DRIVER DATE * 17.14.99	ROLL-OFF(S) FLAT-BED VAN DRUMS
FORWARD INC. LANDFILL Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use	CUBIC YARDS / PAGE COMPLETED BY FORWARD)
reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather or other site conditions, Forward shall notify the Disposer when site	OISPOSE BIO AERATE STOCKPILE OTHER
conditions are expected to change such that Forward will be able to accept the waste.	SLUDGE NON-FRIABLE
FACILITY, TICKET NUMBER	☐ WOOD
SIGNATURE OF AUTHORIZED AGENT DATE	□ ASH
* 1 00 (600 /100	☐ OTHER

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL • ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675624 MANIFEST # C 675624



JOB ACCEPTANCE NO. 698322 REQUIRED PERSONAL PROTECTIVE EQUIPMENT GENERATOR ☐GLOVES ☐GOGGLES ☐RESPIRATOR ☐HARD HAT BERKELEY FARMS TY-VEK OTHER MAILING ADDRESS 2065 OAKDALE AVENUE SPECIAL HANDLING PROCEDURES: CITY, STATE, ZIP SAN FRANCISCO, CA **PHONE** CONTACT PERSON SIGNATURE OF AUTHORIZED AGENT / TITLE RECEIVING FACILITY SLUDGE FORWARD INC. LANDFILL TREATMENT SOIL NON-FRIABLE ASBESTOS DISPOSAL SOIL WOOD 9999 SOUTH AUSTIN ROAD CONSTRUCTION SOIL **ASH** STOCK PILE OTHER MANTECA, CALIFORNIA 95336 (209) 982-4298 PHONE **GENERATING FACILITY** (209) 982-1009 FAX **4575 SAN PABLO AVE EMERYVILLE.CA** NAME TRACTOR LIC. # 407 / 15 TRUCK NUMBER DENBESTE TRANSPORTATION TRAILER LIC. # 🗂 🛴 🧻 **ADDRESS** the state of the state of 930 SHILOH ROAD #44 TRAILER LIC. # CITY, STATE, ZIP WINDSOR, CA 95492 END DUMP **BOTTOM DUMP** TRANSFER PHONE (707) 838-1407 DRUMS FLAT-BED SIGNATURE OF AUTHORIZED AGENT OR DRIVER ROLL-OFF(S) CUBIC YARDS FORWARD INC. LANDFILL

Forward shall have no obligation to accept the waste if weather or other conditions impair the safe and effective disposal of the waste or if the waste impairs the safe and effective operation of the Landfill. Forward shall use reasonable efforts to promptly notify Disposer of its inability to accept the waste for any reason. If Forward's refusal to accept the waste is based on weather-or other site conditions, Forward shall notify the Disposer when site conditions are expected to change such that Forward will be able to accept the waste.

REMARKS

FACILITY TICKET NUMBER

SIGNATURE OF AUTHORIZED AGENT

(TO BE COMPLETED BY DISPOSAL METHODS DISPOSE BIO AERATE STOCKPILE SOIL SLUDGE NON-FRIABLE **ASBESTOS** MOOD □ ASH

SCHEDULING MUST BE MADE PRIOR TO 4:00 P.M. THE DAY PRIOR TO EXPECTED ARRIVAL . ANY UNSCHEDULED LOADS ARE SUBJECT TO REFUSAL UPON ARRIVAL. ONGOING DAILY DELIVERIES MUST BE SCHEDULED WITH THE LANDFILL THE DAY BEFORE.

TO SCHEDULE CALL (209) 982-4298

TRANSPORTER COPY

MANIFEST # C 675645

```
10 . 42+
        13 . 9 2 +
        18 = 61 +
        20 - 19 +
        221924
        23 · 73 +
        25 4 4 4 +
        22+33+
        18 + 62 +
        22 - 25 +
          24 • 2 +
        23.06+
        24 + 43 +
        23 - 75+
        23 . 76 +
        21 + 83 +
        1115+
          20.24
        23 + 4 734
        19.06+
        17:95+
         24.56+
         20 . 75 +
         20-13+
         22.39+
         20.25+
         71 - 65 +
          20.3+
         16 · 76 t
TONNAGE
```

ATTACHMENT C

Vapor Barrier Specifications and Emplacement Record

COE CONSTRUCTION, INCORPORATED



Via Fax

January 28, 1999

Cliff Davenport Waterstone Environmental, LLC 2712 Rawson Street Oakland, CA 94619 Fax: (510) 533-7501

Re:

KFO

4501 San Pablo Ave. Emeryville, CA 94608

Dear Clif:

The report you requested is as follows. The liner at the bottom of excavation of the above referenced project was installed on Tuesday, December 29, 1998 with a "Paraseal" product supplied by "White Cap Supply". The installation started in the excavation 45" deep, 2" to 3" of engineered fill was laid in the bottom of the hole and rolled and compacted with a vibratory roller, the edges were compacted with a tamper. That layer was tight and smooth so no rocks would penetrate the liner. The liner was installed with 60 rolls 4 x 24 each, over lapped 6" to 8" all edges. Next layer consists of two layers of 10 mil. visqueen overlapped 6" and edges taped together. The second layer was alternated so seams were perpendicular to the first layer. Next was 2" of sand then engineered fill brought up in 6" lifts and compacted to 98% plus. At sub grade a 3" perforated flexible pipe mitigation system was installed. It was run in a system that ran around the inside of the foundation walls and snaked through inside of the perimeter walls. A total of 450 feet of perforated pipe was installed. That pipe was brought up inside of the wall to go to the outside of the building at the top of the roof. An Exhaust fan can be added in the future if needed. This should conclude that installation of liner, etc.

If you have any questions please fill free to give me a call in the Colorado office.

Sincerely

Rick R. Elam

Project Manager

(e-mail: r=lam@coe-const.com)

Cc:

Nick Kurz - Superintendent

Karen Belimi - Harman Management

/tc



PARASEAL GM WATERPROOFING & GAS MEMBE

PRODUCT NAME:
Parashal Galanti (Pat. # 4,693,923) A composite waterproofing
and gas men brane which combines the qualities of the two most effective waterproofing products and Para JT to form a dual membrane which is impervious to both water and gashs

MANUFACTURER

Paramount Technical Products, Inc. Spearfish, SD 17783 (800) 658-5500 FAX (216) 752-5005

PRODUCT DISCRIPTION:

Basic Use: Parasea GM is a pro-Dasin Uses flarasses GM is a product used to say proof and water proof structures below grade. It is excellent for ase on poured and block founds on walls. It has outstanding performance when used under conditions of high water head and with the presence of alighance gases. It may be installed prior to the concrete pour such as lagging, under floor stabs, elevator bits, etc. pits, etc.

Materials: Parespel GM is a taminate of the new longest lived waterproping procusts in common use. It is somposed of a layer of 20 mil thic tough high density polyethylens glaminated to an approximatel one pound per sq. ft. layer of openity boy tonice. These two materials acting in narmony, lett-sealing product produce 🎉 which will, in sile presence of water seal tightly to seet and any surface. h tauches.

A ges and waterproof joint is preated between the Paraseal GM sheets by use of Para JT joint seal-

TECHNICAL DATA:	Value	Test Method
Physical Properties:		
Cotor gray/black Pliability: 180° bend over 1" mandra @ -25° F Tensil Strength: Membrane (PSI) Resistance to micro organisms (bacteria, fungi, mold, yeast) Mil thickness of HDPE 16 Stongation-ultimate raisure of membrane Puncture resistance Resistance to hydrostatic head (ff of water)	10,000 4,000 PSI unaffected 20 + 1 mil 700% 95 lbs 150 ft	ASTM D146 ASTM D412 D638 Type 4 Dumbell FTMS 101B ASTM D751 Method A Footnate #4
Resistance to water migration under membrane water migration at or through joint rermeance: cc-efficient of permeability	150 ft/head zero leakage Instant seal/ no penetration 2.7x10 ⁻⁷² cm² / cm² / se	Footnote #1 Footnote #5 n Footnote #4
Cycling over 11/2" Joint	No deterioration 2000 cyc.	
Cycling over 14" crack	No deterioration	on Footnote#
installation temperatures	40°F to 130° Do not inges	st
Nan-toxic Freeze/thaw cycles: No effect before	e or after installa	tion.
Gas transmission rate of the composite, mL (aSTP) / d.m2.atm Permeability of HDPE and Para JT i	11.00	
"Berrier" 5		

10-10 mL (&STP) / cm2,sec.cm Hg

Life Expectancy. Both high density polyethlene and bentonite have life expectancy measurable in the thousands of years.

POOTNOTES FOR TECHNICAL DATA:

- 4. A 4" diameter hole was sut in the middle of a 31/6" diameter sample of Paraceal, Sample glamped 3" dismeter permeameter, 150" water head applied.
- 2. Membrans placed between 2 damps 1% apen, Temperature reduced to .25°F and clamps are pured spart to 21/2". Cycle repeated between 11/2" and 2 /4" - 20/10 times.
- Men brade blackd holwest 2 butting clamps. Clamps apread %" nt -25°F. Cycle
- Membrans applied to porous stone and placed in partitionmeter, Pressure increased to equivalent of 150 ft, mater head.
- s. Tas, same as side only partormed at joint.

aptP = Standard lamperature and pressure.

pa - united particulably normally used for homogeneous materials. The unit probably can be used to redicat the permachility of composite lisely if the ratio of the thickness of the two

The determination was made at 23°C and 40 pai methans pressure, the difference in the two sals of values projectly reflects the difference and irregularity in thickness.