



RECEIVED

9:05 am, Jun 05, 2012

Alameda County
Environmental Health

Mike Bauer
Project Manager
Marketing Business Unit

**Chevron Environmental
Management Company**
145 S. State College Blvd
Brea, CA 92821
Tel (714) 671-3200
Fax (714) 671-3440
mbauer@chevron.com

May 15, 2012

Mr. Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Former Signal Oil Marine Storage and Distribution Facility
(Former Chevron Bulk Plant 206127)
2301-2311 Blanding Avenue
Alameda, California
LOP Case RO0002466

Dear Mr. Wickham:

The purpose of this letter is to verify that as a representative for Chevron Environmental Management Company (Chevron), I reviewed, and concur with, the comments in the *Second Quarter 2012 Groundwater Monitoring and Sampling Report* for the referenced facility, prepared on behalf of Chevron by Conestoga-Rovers & Associates. I declare under penalty of perjury that the foregoing is true and correct.

Please feel free to contact me at (714) 671-3207 if you have any questions.

Sincerely,

A handwritten signature in blue ink that reads "Mike Bauer".

Mike Bauer
Project Manager



**CONESTOGA-ROVERS
& ASSOCIATES**

10969 Trade Center Drive
Rancho Cordova, California 95670
Telephone: (916) 889-8900 Fax: (916) 889-8999
<http://www.craworld.com>

May 15, 2012

Reference No. 631916

Mr. Jerry Wickham
Alameda County Environmental Health (ACEH)
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502-6577

Re: Second Quarter 2012
Groundwater Monitoring and Sampling Report
Former Signal Oil Marine Storage and Distribution Facility
(Chevron Bulk Plant 206127)
2301-2311 Blanding Avenue
Alameda, California
ACEH Case RO0002466

Dear Mr. Wickham:

Conestoga-Rovers & Associates (CRA) is submitting this *Second Quarter 2012 Groundwater Monitoring and Sampling Report* for the site referenced above (Figure 1) on behalf of Chevron Environmental Management Company. Groundwater monitoring and sampling was performed by Gettler-Ryan, Inc. (G-R) of Dublin, California. G-R's April 24, 2012 *Groundwater Monitoring and Sampling Data Package* is included as Attachment A. Current groundwater monitoring and sampling data are presented in Table 1 and well construction specifications are summarized in Table 2. Lancaster Laboratories' April 30, 2012 *Analytical Results* is included as Attachment B. Historical groundwater monitoring and sampling data are included as Attachment C.

RESULTS OF SECOND QUARTER 2012 EVENT

On April 19, 2012, G-R monitored and sampled the site wells per the established schedule.

Results of the current monitoring event indicate the following:

- Groundwater Flow Direction North-Northeast
- Hydraulic Gradient 0.02
- Depth to Water 3.16 to 8.33 feet below grade

Equal
Employment Opportunity
Employer



Results of the current sampling event are presented below in Table A.

TABLE A GROUNDWATER ANALYTICAL DATA						
Well ID	TPHd ¹ (µg/L)	TPHg (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
ESLs	100	100	1	40	30	20
MW-1RA	3,700/400	3,100	120	<5	<5	<5
MW-1RB	2,800/53	180	1	<0.5	<0.5	<0.5
MW-2	<50/<50	<50	<0.5	<0.5	<0.5	<0.5
MW-3	3,000/50	260	<0.5	<0.5	<0.5	<0.5
MW-4	360/<50	<50	<0.5	<0.5	0.5	<0.5
MW-5	3,600/310	2,000	87	5	1	5
MW-6	1,600/<50	290	7	0.6	<0.5	<0.5

ESL Environmental screening level
¹ TPHd without and with 10 gram silica gel cleanup
 Concentrations in **Bold** exceed their respective ESL.

CONCLUSIONS AND RECOMMENDATIONS

Results of this current quarterly monitoring and sampling of wells MW-1RA through MW-6 are consistent with results from past quarters and indicate the following:

- The highest TPHd, TPHg, and benzene concentrations in groundwater are in the area of the former fuel pumps, and north of the former aboveground storage tanks (Figures 3 through 5).
- Analysis of TPHd using a 10 gram silica gel column cleanup resulted in a significant reduction in dissolved TPHd concentrations as compared to samples analyzed without the silica gel cleanup. Only the samples from MW-1RA and MW-5 were above the ESL using the silica gel cleanup.
- Concentrations are generally stable in site wells where concentrations are detected above groundwater ESLs.

CRA recommends continuing quarterly monitoring and sampling to verify concentration trends over time.



**CONESTOGA-ROVERS
& ASSOCIATES**

May 15, 2012

Reference No. 631916

- 3 -

ANTICIPATED FUTURE ACTIVITIES

Groundwater Monitoring

G-R will monitor and sample site wells per the established schedule. CRA will submit a groundwater monitoring and sampling report.

Please contact Brian Silva at (916) 889-8908 if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Brian Silva

Greg Barclay, PG 6260



BS/aa/25

Encl.



**CONESTOGA-ROVERS
& ASSOCIATES**

May 15, 2012


Reference No. 631916

- 4 -

Figure 1	Vicinity Map
Figure 2	Groundwater Elevation Contour Map
Figure 3	TPHd Concentration Contour Map
Figure 4	TPHg Concentration Contour Map
Figure 5	Benzene Concentration Contour Map
Table 1	Groundwater Monitoring and Sampling Data
Table 2	Well Construction Specifications
Attachment A	Monitoring Data Package
Attachment B	Laboratory Analytical Report
Attachment C	Historical Groundwater Monitoring and Sampling Data

cc: Mr. Mike Bauer, Chevron (*electronic only*)
Ms. Julie Beck Ball
Mr. Peter Reinhold Beck
Mr. Monroe Wingate
Mr. Tom Foley

FIGURES



SOURCE: TOPOI MAPS.

Figure 1

VICINITY MAP
 FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY
 (CHEVRON FACILITY 206127)
 2301-2311 BLANDING AVENUE
 Alameda, California






Figure 2
GROUNDWATER ELEVATION CONTOUR MAP
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY (CHEVRON FACILITY 206127)
2301-2311 BLANDING AVENUE
Alameda, California
April 19, 2012

NOTE:
WELL LOCATIONS ARE BASED ON MAP PROVIDED BY MORROW SURVEYING (DWG NO.0857-149 ct, DATED 7-30-09). ALL OTHER LOCATIONS ARE APPROXIMATE.






Figure 3
TPHD CONCENTRATION CONTOUR MAP
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY (CHEVRON FACILITY 206127)
2301-2311 BLANDING AVENUE
Alameda, California
April 19, 2012

NOTE:
WELL LOCATIONS ARE BASED ON MAP PROVIDED BY MORROW SURVEYING (DWG NO.0857-149 ct, DATED 7-30-09). ALL OTHER LOCATIONS ARE APPROXIMATE.



KEY PLAN
SCALE: 1"=250'





HISTORICAL GROUNDWATER FLOW DIRECTION
FROM 2Q 2009 TO 2Q 2012

LEGEND

- MONITORING WELL LOCATION
- SHALLOW ZONE MONITORING WELL LOCATION
- 100 ———— TPHG CONCENTRATION CONTOUR LINE, DASHED WHERE INFERRED
- WELL** WELL DESIGNATION
- TPHG** TPHG CONCENTRATION IN GROUNDWATER IN MICROGRAMS PER LITER (µg/L)
- * NOT USED IN CONTOURING; CONSTRUCTED IN SHALLOW SAND ZONE
- SITE FEATURES NOTED ON SANBORN FIRE INSURANCE MAP, DATED 1932

NOTE:
WELL LOCATIONS ARE BASED ON MAP PROVIDED BY MORROW SURVEYING (DWG NO.0857-149 ct, DATED 7-30-09).
ALL OTHER LOCATIONS ARE APPROXIMATE.




- 2307 BLANDING AVE. SUITES:
- A. ENTERPRISE RENT-A-CAR
 - B. ALAMEDA COUNTY INDUSTRIAL DISPOSAL AND RECYCLING SERVICES
 - C. ELITE KICKS MARTIAL ARTS STUDIO
 - D. ALAMEDA ADVERTISING AND RECOGNITION
 - E. STORAGE
 - F. DREAM DINNERS
 - G. HANSEN RIGGING


- 2317 BLANDING AVE. SUITES:
- A,B,C. MARK'S PAINT
 - D. TRIC TRENCHLESS INSTALLATIONS

Figure 4
TPHG CONCENTRATION CONTOUR MAP
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY (CHEVRON FACILITY 206127)
2301-2311 BLANDING AVENUE
Alameda, California
April 19, 2012






KEY PLAN
SCALE: 1"=250'



HISTORICAL GROUNDWATER FLOW DIRECTION
FROM 2Q 2009 TO 2Q 2012

- LEGEND**
- MONITORING WELL LOCATION
 - SHALLOW ZONE MONITORING WELL LOCATION
 - 10 — BENZENE CONCENTRATION CONTOUR LINE, DASHED WHERE INFERRED
 - WELL**
BENZ WELL DESIGNATION
BENZENE CONCENTRATION IN GROUNDWATER IN MICROGRAMS PER LITER (µg/L)
 - * NOT USED IN CONTOURING; CONSTRUCTED IN SHALLOW SAND ZONE
 - SITE FEATURES NOTED ON SANBORN FIRE INSURANCE MAP, DATED 1932



- 2307 BLANDING AVE. SUITES:
- A. ENTERPRISE RENT-A-CAR
 - B. ALAMEDA COUNTY INDUSTRIAL DISPOSAL AND RECYCLING SERVICES
 - C. ELITE KICKS MARTIAL ARTS STUDIO
 - D. ALAMEDA ADVERTISING AND RECOGNITION
 - E. STORAGE
 - F. DREAM DINNERS
 - G. HANSEN RIGGING

- 2317 BLANDING AVE. SUITES:
- A,B,C. MARK'S PAINT
 - D. TRIC TRENCHLESS INSTALLATIONS

Figure 5
BENZENE CONCENTRATION CONTOUR MAP
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY (CHEVRON FACILITY 206127)
2301-2311 BLANDING AVENUE
Alameda, California
April 19, 2012

NOTE:
WELL LOCATIONS ARE BASED ON MAP PROVIDED BY MORROW SURVEYING (DWG NO.0857-149 ct, DATED 7-30-09).
ALL OTHER LOCATIONS ARE APPROXIMATE.

TABLES

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY
CHEVRON BULK PLANT 206127
2301-2311 BLANDING AVENUE
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS				
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260
					Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L
MW-1	07/21/2010	13.49	9.47	4.02	440	-	65 J	<0.5	<0.5	<0.5	<0.5	<0.5
MW-1	10/22/2010 ¹	13.49	-	-	-	-	-	-	-	-	-	-
MW-1RA	10/28/2010	13.02	9.23	3.79	-	4,000	6,400	830	22	65	20	-
MW-1RA	01/14/2011	13.02	7.20	5.82	-	1,500	790	160	2	1	1	-
MW-1RA	04/19/2011	13.02	7.42	5.60	-	3,000	3,800	600	9	18	9	-
MW-1RA	06/30/2011	13.02	7.51	5.51	-	3,700	6,800	780	13	36	13	-
MW-1RA	10/14/2011	13.02	7.96	5.06	6,900	360	6,800	1,300	19	51	14	-
MW-1RA	01/18/2012	13.02	7.34	5.68	4,300	1,400	6,400	1,300	17	38	12	-
MW-1RA	04/19/2012	13.02	5.23	7.79	3,700	400	3,100	120	<5	<5	<5	-
MW-1RB	10/28/2010	13.21	9.00	4.21	-	1,600	650	3	<0.5	0.8	<0.5	-
MW-1RB	01/14/2011	13.21	10.97	2.24	-	960	150	1	<0.5	<0.5	<0.5	-
MW-1RB	04/19/2011	13.21	12.11	1.10	-	1,200	190	6	<0.5	<0.5	<0.5	-
MW-1RB	06/30/2011	13.21	11.86	1.35	-	1,900	310	9	<0.5	<0.5	<0.5	-
MW-1RB	10/14/2011	13.21	12.14	1.07	4,000	57	300	15	<0.5	<0.5	<0.5	-
MW-1RB	01/18/2012	13.21	14.71	-1.50	2,400	260	340	11	<0.5	<0.5	<0.5	-
MW-1RB	04/19/2012	13.21	8.33	4.88	2,800	53	180	1	<0.5	<0.5	<0.5	-
MW-2	07/21/2010	10.63	4.12	6.51	65 J	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-2	10/22/2010	10.63	4.31	6.32	-	58	<50	<0.5	<0.5	<0.5	<0.5	-
MW-2	10/28/2010 ²	10.63	3.65	6.98	-	-	-	-	-	-	-	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY
CHEVRON BULK PLANT 206127
2301-2311 BLANDING AVENUE
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS				
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260
					Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L
MW-2	01/14/2011	10.63	3.12	7.51	-	68	<50	<0.5	<0.5	<0.5	<0.5	-
MW-2	04/19/2011	10.63	3.51	7.12	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-2	06/30/2011	10.63	3.74	6.89	-	120	<50	<0.5	<0.5	<0.5	<0.5	-
MW-2	10/14/2011	10.63	3.52	7.11	160	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-2	01/18/2012	10.63	3.85	6.78	140	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-2	04/19/2012	10.63	3.16	7.47	<50	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-3	07/21/2010	10.72	5.09	5.63	640	-	65 J	0.6 J	<0.5	<0.5	<0.5	-
MW-3	10/22/2010	10.72	5.32	5.40	-	570	73	<0.5	<0.5	<0.5	<0.5	-
MW-3	10/28/2010 ²	10.72	4.74	5.98	-	-	-	-	-	-	-	-
MW-3	01/14/2011	10.72	4.11	6.61	-	1,000	91	<0.5	<0.5	<0.5	<0.5	-
MW-3	04/19/2011	10.72	5.03	5.69	-	1,200	180	<0.5	<0.5	<0.5	<0.5	-
MW-3	06/30/2011	10.72	4.97	5.75	-	740	<50	<0.5	<0.5	<0.5	<0.5	-
MW-3	10/14/2011	10.72	4.52	6.20	1,800	<50	88	<0.5	<0.5	<0.5	<0.5	-
MW-3	01/18/2012	10.72	5.22	5.50	1,700	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-3	04/19/2012	10.72	4.63	6.09	3,000	50	260	<0.5	<0.5	<0.5	<0.5	-
MW-4	07/21/2010	11.40	6.72	4.68	<50	-	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	10/22/2010	11.40	6.87	4.53	-	91	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	10/28/2010 ²	11.40	6.38	5.02	-	-	-	-	-	-	-	-
MW-4	01/14/2011	11.40	5.32	6.08	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	04/19/2011	11.40	7.65	3.75	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY
CHEVRON BULK PLANT 206127
2301-2311 BLANDING AVENUE
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS				
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260
					Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L
MW-4	06/30/2011	11.40	6.93	4.47	-	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	10/14/2011	11.40	5.66	5.74	440	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	01/18/2012	11.40	8.36	3.04	330	<50	<50	<0.5	<0.5	<0.5	<0.5	-
MW-4	04/19/2012	11.40	6.40	5.00	360	<50	<50	<0.5	0.5	<0.5	<0.5	-
MW-5	07/21/2010	10.50	5.76	4.74	2,000	-	1,500	80	2	1	2	-
MW-5	10/22/2010	10.50	5.94	4.56	-	1,500	830	47	<0.5	1	<0.5	-
MW-5	10/28/2010 ²	10.50	5.17	5.33	-	-	-	-	-	-	-	-
MW-5	01/14/2011	10.50	4.40	6.10	-	1,800	2,100	61	4	1	6	-
MW-5	04/19/2011	10.50	5.69	4.81	-	2,000	2,200	73	4	1	6	-
MW-5	06/30/2011	10.50	5.82	4.68	-	3,200	2,900	99	6	1	7	-
MW-5	10/14/2011	10.50	4.51	5.99	4,600	89	2,300	76	5	1	5	-
MW-5	01/18/2012	10.50	5.98	4.52	3,700	460	3,500	140	7	2	10	-
MW-5	04/19/2012	10.50	5.40	5.10	3,600	310	2,000	87	5	1	5	-
MW-6	10/28/2010	12.98	8.35	4.63	-	300	620	7	<0.5	1	2	-
MW-6	01/14/2011	12.98	7.58	5.40	-	560	120	3	<0.5	<0.5	<0.5	-
MW-6	04/19/2011	12.98	9.90	3.08	-	590	240	7	<0.5	<0.5	<0.5	-
MW-6	06/30/2011	12.98	9.97	3.01	-	640	200	3	<0.5	<0.5	<0.5	-
MW-6	10/14/2011	12.98	7.40	5.58	1,700	<50	510	10	<0.5	<0.5	<0.5	-
MW-6	01/18/2012	12.98	9.82	3.16	1,300	<50	300	7	<0.5	<0.5	<0.5	-
MW-6	04/19/2012	12.98	8.02	4.96	1,600	<50	290	7	0.6	<0.5	<0.5	-

TABLE 1

**GROUNDWATER MONITORING AND SAMPLING DATA
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY
CHEVRON BULK PLANT 206127
2301-2311 BLANDING AVENUE
ALAMEDA, CALIFORNIA**

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS					
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260	
	Units	ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
QA	07/21/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA	10/22/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
QA	10/28/2010	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	01/14/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	04/19/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	06/30/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	10/14/2011	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	01/18/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-
QA	04/19/2012	-	-	-	-	-	<50	<0.5	<0.5	<0.5	<0.5	<0.5	-

Abbreviations and Notes:

TOC = Top of casing

DTW = Depth to water

GWE = Groundwater elevation

(ft-amsl) = Feet above mean sea level

ft = Feet

µg/L = Micrograms per liter

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

B = Benzene

T = Toluene

E = Ethylbenzene

TABLE 1

GROUNDWATER MONITORING AND SAMPLING DATA
 FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY
 CHEVRON BULK PLANT 206127
 2301-2311 BLANDING AVENUE
 ALAMEDA, CALIFORNIA

Location	Date	TOC	DTW	GWE	HYDROCARBONS			PRIMARY VOCS					
					TPH-DRO	TPH-DRO w/ Si Gel	TPH-GRO	B	T	E	X	MTBE by SW8260	
Units		ft	ft	ft-amsl	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L

X = Xylenes (Total)

MTBE = Methyl tert butyl ether

-- = Not available / not applicable

<x = Not detected above laboratory method detection limit

J = Estimated concentration

* TOC elevations for all wells were surveyed on July 30, 2009, by Morrow Surveying. Vertical Datum is NAVD 88 from GPS observations. TOC elevations were surveyed on January 25, 2001, by Virgil Chacez Land Surveying. The benchmark used for the survey was a City of Alameda benchmark being a cut square at the centerline return, south corner of Oak and Blanding, (Benchmark Elevation = 8.236 feet, NGVD 29).

1 Destroyed and re-installed as MW-1RB.

2 Monitored only for the 10/28/10 Special Event

**WELL CONSTRUCTION SPECIFICATIONS
FORMER SIGNAL OIL MARINE STORAGE AND DISTRIBUTION FACILITY
(CHEVRON BULK PLANT 206127)
2301-2311 BLANDING AVENUE
ALAMEDA, CALIFORNIA**

<i>Well ID</i>	<i>Date Installed</i>	<i>TOC</i>	<i>Total Depth (fbg)</i>	<i>Casing Diameter¹ (inches)</i>	<i>Slot Size (inches)</i>	<i>Screen Interval (fbg)</i>	<i>Filter Pack (fbg)</i>	<i>Status</i>
<u>Monitoring Wells</u>								
MW-1	8/15/1990	13.49	19.5	2	0.020	4-19	3-19.5	Replaced w/MW-1RB
MW-1RA	8/4/2010	13.02	13	2	0.020	8-13	7-13	Active
MW-1RB	8/4/2010	13.21	20	2	0.020	16.5-20	15.5-20	Active
MW-2	6/19/2009	10.63	18	2	0.020	10.5-15.5	10-16	Active
MW-3	6/19/2009	10.72	18.5	2	0.020	13.5-18.5	12.5-18.5	Active
MW-4	6/19/2009	11.40	20.5	2	0.020	15.5-20.5	14.5-20.5	Active
MW-5	6/23/2009	10.50	18	2	0.020	13-18	12-18	Active
MW-6	8/4/2010	12.98	20	2	0.020	16.5-20	15.5-20	Active
<u>Vapor Wells</u>								
VP-1	7/9/2008	NS	4.25	1	0.020	3.75-4.25	3.5-4.5	Vapor only
VP-2	7/9/2008	NS	4.75	1	0.020	4.25-4.75	4-5	Vapor only
VP-3	7/14/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
VP-4	7/14/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
VP-5	7/14/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
VP-6	7/9/2008	NS	5.75	1	0.020	5.25-5.75	5-6	Vapor only
<u>Sub-Slab Vapor Probes</u>								
VP-7	7/17/2009	NS	0.5	0.25	NA	NA	NA	Vapor only
VP-8	7/17/2009	NS	0.5	0.25	NA	NA	NA	Vapor only
VP-9	7/22/2009	NS	0.5	0.25	NA	NA	NA	Vapor only
VP-10	7/22/2009	NS	0.5	0.25	NA	NA	NA	Destroyed
VP-11	7/17/2009	NS	0.5	0.25	NA	NA	NA	Destroyed
VP-12	7/22/2009	NS	0.5	0.25	NA	NA	NA	Destroyed
VP-13	7/22/2009	NS	0.5	0.25	NA	NA	NA	Vapor only

Abbreviations/Notes

TOC = Top of casing elevation (feet above mean sea level)

¹ = Schedule 40 PVC casing material

fbg = Feet below grade

NA = Not applicable

NS = Not surveyed

ATTACHMENT A

MONITORING DATA PACKAGE




GETTLER-RYAN INC.



TRANSMITTAL

April 24, 2012
G-R #386498

TO: Mr. Brian Silva
Conestoga-Rovers & Associates
10969 Trade Center Drive, Suite 107
Rancho Cordova, California 95670

FROM: Deanna L. Harding
Project Coordinator
Gettler-Ryan Inc. 
6747 Sierra Court, Suite J
Dublin, California 94568

RE: **Chevron #206127**
2301-2337 Blanding Avenue
Alameda, California
(Former Signal Oil Marine Terminal)

WE HAVE ENCLOSED THE FOLLOWING:

COPIES	DESCRIPTION
VIA PDF	Groundwater Monitoring and Sampling Data Package Second Quarter Event of April 19, 2012

COMMENTS:

Pursuant to your request, we are providing you with copies of the above referenced data for your use.

Please provide us the updated historical data prior to the next monitoring and sampling event for our field use.

Please feel free to contact me if you have any comments/questions.

trans/206127

STANDARD OPERATING PROCEDURE - GROUNDWATER SAMPLING

Gettler-Ryan Inc. (GR) field personnel adhere to the following procedures for the collection and handling of groundwater samples prior to analysis by the analytical laboratory. All work is performed in accordance with the GR Health & Safety Plan and all client-specific programs. The scope of work and type of analysis to be performed is determined prior to commencing field work.

Prior to sampling, the presence or absence of free-phase hydrocarbons is determined using an interface probe. Product thickness, if present, is measured to the nearest 0.01 foot and is noted in the field notes. In addition, all depth to water level measurements are collected with a static water level indicator and are also recorded in the field notes, prior to purging and sampling any wells.

After water levels are collected and prior to sampling, if purging is to occur, each well is purged a minimum of three well casing volumes of water using pre-cleaned pumps (stack, peristaltic or Grundfos), or disposable bailers. Temperature, pH and electrical conductivity are measured a minimum of three times during the purging (additional parameters such as dissolved oxygen, oxidation reduction potential, turbidity may also be measured, depending on specific scope of work.). Purging continues until these parameters stabilize.

Groundwater samples are collected using disposable bailers. The water samples are transferred from the bailer into appropriate containers. Pre-preserved containers, supplied by analytical laboratories, are used. When pre-preserved containers are not available, the laboratory is instructed to preserve the sample as appropriate. Duplicate samples are collected for the laboratory to use in maintaining quality assurance/quality control standards, as directed by the scope of work. The samples are labeled to include the job number, sample identification, collection date and time, analysis, preservation (if any), and the sample collector's initials. The water samples are placed in a cooler, maintained at 4°C for transport to the laboratory. Once collected in the field, all samples are maintained under chain of custody until delivered to the laboratory.

The chain of custody document includes the job number, type of preservation, if any, analysis requested, sample identification, date and time collected, and the sample collector's name. The chain of custody is signed and dated (including time of transfer) by each person who receives or surrenders the samples, beginning with the field personnel and ending with the laboratory personnel.

A laboratory supplied trip blank accompanies each sampling set. The trip blank is analyzed for some or all of the same compounds as the groundwater samples.

As requested by Chevron Environmental Management Company, the purge water and decontamination water generated during sampling activities is transported by Clean Harbors Environmental Services to Evergreen Oil located in Newark, California.



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127
 Site Address: 2301-2337 Blanding Avenue
 City: Alameda, CA

Job Number: 386498
 Event Date: 4/19/12 (inclusive)
 Sampler: HAIG K

Well ID: MW-1RA

Date Monitored: 4/19/12

Well Diameter: 2
 Total Depth: 12.67 ft.
 Depth to Water: 5.23 ft.
7.44 xVF 0.17 = 1.26

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 6.71 x3 case volume = Estimated Purge Volume: 3.79 gal.

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started:	_____ (2400 hrs)
Time Completed:	_____ (2400 hrs)
Depth to Product:	_____ ft
Depth to Water:	_____ ft
Hydrocarbon Thickness:	<u>0</u> ft
Visual Confirmation/Description:	_____
Skimmer / Absorbant Sock (circle one)	_____
Amt Removed from Skimmer:	_____ gal
Amt Removed from Well:	_____ gal
Water Removed:	_____ gal

Start Time (purge): 1137
 Sample Time/Date: 1210, 4/19/12
 Approx. Flow Rate: _____ gpm.
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Weather Conditions: SUNNY
 Water Color: CLEAR Odor: YN STRONG
 Sediment Description: _____
 DTW @ Sampling: 6.08

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - ps)	Temperature (C) / (F)	D.O. (mg/L)	ORP (mV)
<u>1142</u>	<u>1.5</u>	<u>7.27</u>	<u>1416</u>	<u>18.5</u>	_____	_____
<u>1147</u>	<u>3</u>	<u>7.25</u>	<u>1440</u>	<u>18.9</u>	_____	_____
<u>1152</u>	<u>4</u>	<u>7.21</u>	<u>1433</u>	<u>18.6</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1RA</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN/TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498
 Site Address: 2301-2337 Blanding Avenue Event Date: 4/19/12 (inclusive)
 City: Alameda, CA Sampler: HAIG K

Well ID: MW-1RB Date Monitored: 4/19/12

Well Diameter: 2
 Total Depth: 19.96 ft.
 Depth to Water: 8.33 ft. Check if water column is less than 0.50 ft.

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.65
 xVF 0.17 = 1.97 x3 case volume = Estimated Purge Volume: 5.9 gal.

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1048 Weather Conditions: SUNNY
 Sample Time/Date: 1120/4/19/12 Water Color: LIGHT GRAY Odor: 0/N MODERATE
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 9.20

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - 25)	Temperature (C / F)	D.O (mg/L)	ORP (mV)
<u>1054</u>	<u>2</u>	<u>7.19</u>	<u>2330</u>	<u>19.1</u>		
<u>1058</u>	<u>4</u>	<u>7.15</u>	<u>2348</u>	<u>19.0</u>		
<u>1104</u>	<u>6</u>	<u>7.12</u>	<u>2358</u>	<u>19.0</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-1RB</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN/TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127
 Site Address: 2301-2337 Blanding Avenue
 City: Alameda, CA

Job Number: 386498
 Event Date: 4/19/12 (inclusive)
 Sampler: HARGIS

Well ID: MW-2
 Well Diameter: 2
 Total Depth: 15.60 ft.
 Depth to Water: 3.16 ft.
12.44 xVF 0.17 = 2.11

Date Monitored: 4/19/12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 5.64

Purge Equipment:

Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:

Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0712
 Sample Time/Date: 0740/4/19/12
 Approx. Flow Rate: _____ gpm.
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal.

Weather Conditions: SUNNY
 Water Color: ~ CLEAR Odor: Y / (N)
 Sediment Description: _____
 DTW @ Sampling: 4.30

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C) / (F)	D.O. (mg/L)	ORP (mV)
<u>0718</u>	<u>2.5</u>	<u>7.30</u>	<u>344</u>	<u>17.8</u>	_____	_____
<u>0723</u>	<u>4.5</u>	<u>7.26</u>	<u>348</u>	<u>18.0</u>	_____	_____
<u>0728</u>	<u>6.5</u>	<u>7.23</u>	<u>351</u>	<u>18.1</u>	_____	_____

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-2</u>	<u>26</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN/TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498
 Site Address: 2301-2337 Blanding Avenue Event Date: 4/19/12 (inclusive)
 City: Alameda, CA Sampler: HAIG R.

Well ID: MW-3 Date Monitored: 4/19/12

Well Diameter: 2
 Total Depth: 17.90 ft.

Volume Factor (VF)	3/4" = 0.02	1" = 0.04	2" = 0.17	3" = 0.38
	4" = 0.66	5" = 1.02	6" = 1.50	12" = 5.80

Depth to Water: 4.63 ft. Check if water column is less than 0.50 ft.
13.27 xVF 0.17 = 2.25 x3 case volume = Estimated Purge Volume: 6.7 gal.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.28

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0755 Weather Conditions: SUNNY
 Sample Time/Date: 0825/4/19/12 Water Color: CLEAR Odor: Y N SLIGHT
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 5.73

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C) / (F)	DO (mg/L)	ORP (mV)
<u>0801</u>	<u>2.5</u>	<u>7.22</u>	<u>686</u>	<u>18.2</u>		
<u>0806</u>	<u>4.5</u>	<u>7.19</u>	<u>687</u>	<u>18.3</u>		
<u>0812</u>	<u>6.5</u>	<u>7.15</u>	<u>677</u>	<u>18.5</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-3</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN/TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127 Job Number: 386498
 Site Address: 2301-2337 Blanding Avenue Event Date: 4/19/12 (inclusive)
 City: Alameda, CA Sampler: HAIG K

Well ID: MW-4 Date Monitored: 4/19/12
 Well Diameter: 2
 Total Depth: 20.20 ft.
 Depth to Water: 6.40 ft. Check if water column is less than 0.50 ft.

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 9.16
 $13.80 \times VF 0.17 = 2.34 \times 3 \text{ case volume} = \text{Estimated Purge Volume: } 7.0 \text{ gal.}$

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0.5 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0840 Weather Conditions: SUNNY
 Sample Time/Date: 0915/4/19/12 Water Color: CLEAR Odor: Y (N)
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 8.23

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C) / (F)	D.O (mg/L)	ORP (mV)
<u>0846</u>	<u>2.5</u>	<u>7.41</u>	<u>502</u>	<u>18.5</u>		
<u>0851</u>	<u>5</u>	<u>7.35</u>	<u>497</u>	<u>18.4</u>		
<u>0857</u>	<u>7</u>	<u>7.36</u>	<u>495</u>	<u>18.7</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW-4</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN/TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER - RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127
 Site Address: 2301-2337 Blanding Avenue
 City: Alameda, CA

Job Number: 386498
 Event Date: 4 / 19 / 12 (inclusive)
 Sampler: HAIG K

Well ID: MW- 5
 Well Diameter: 2
 Total Depth: 17.93 ft.
 Depth to Water: 5.40 ft.
12.53 xVF = 0.17 = 2.13 x3 case volume = Estimated Purge Volume: 6.39 gal.

Date Monitored: 4 / 19 / 12

Volume	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
Factor (VF)	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 7.90

Purge Equipment:
 Disposable Bailer
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: 0 ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 1012 Weather Conditions: SUNNY
 Sample Time/Date: 1035 4/19/12 Water Color: CLEAR Odor: (Y) N MODERATE
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? NO If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 6.28

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm / µS)	Temperature (C / F)	D.O (mg/L)	ORP (mV)
<u>1018</u>	<u>2.5</u>	<u>7.30</u>	<u>899</u>	<u>18.7</u>		
<u>1022</u>	<u>4.5</u>	<u>7.24</u>	<u>887</u>	<u>18.8</u>		
<u>1027</u>	<u>6.5</u>	<u>7.26</u>	<u>884</u>	<u>18.6</u>		

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
<u>MW- 5</u>	<u>6</u> x voa vial	<u>YES</u>	<u>HCL</u>	<u>LANCASTER</u>	<u>TPH-GRO(8015)/BTEX(8260)</u>
	<u>2</u> x 1 liter ambers	<u>YES</u>	<u>NP</u>	<u>LANCASTER</u>	<u>TPH-DRO w/sgc COLUMN/TPH-DRO (8015)</u>

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____



GETTLER-RYAN INC.

WELL MONITORING/SAMPLING FIELD DATA SHEET

Client/Facility#: Chevron #206127
 Site Address: 2301-2337 Blanding Avenue
 City: Alameda, CA

Job Number: 386498
 Event Date: 4 / 19 / 12 (inclusive)
 Sampler: HALG K

Well ID: MW- 6
 Well Diameter: 2
 Total Depth: 20.04 ft.
 Depth to Water: 8.02 ft.
12.02 xVF 0.17 = 2.0

Date Monitored: 4 / 19 / 12

Volume Factor (VF)	3/4"= 0.02	1"= 0.04	2"= 0.17	3"= 0.38
	4"= 0.66	5"= 1.02	6"= 1.50	12"= 5.80

Check if water column is less than 0.50 ft.

Depth to Water w/ 80% Recharge [(Height of Water Column x 0.20) + DTW]: 10.42

Purge Equipment:
 Disposable Bailer ✓
 Stainless Steel Bailer _____
 Stack Pump _____
 Suction Pump _____
 Grundfos _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Sampling Equipment:
 Disposable Bailer ✓
 Pressure Bailer _____
 Metal Filters _____
 Peristaltic Pump _____
 QED Bladder Pump _____
 Other: _____

Time Started: _____ (2400 hrs)
 Time Completed: _____ (2400 hrs)
 Depth to Product: _____ ft
 Depth to Water: _____ ft
 Hydrocarbon Thickness: Ø ft
 Visual Confirmation/Description: _____
 Skimmer / Absorbant Sock (circle one)
 Amt Removed from Skimmer: _____ gal
 Amt Removed from Well: _____ gal
 Water Removed: _____

Start Time (purge): 0930 Weather Conditions: SUNNY
 Sample Time/Date: 0955 / 4/19/12 Water Color: ~CLEAR Odor: (Y) / N MODERATE
 Approx. Flow Rate: _____ gpm. Sediment Description: _____
 Did well de-water? No If yes, Time: _____ Volume: _____ gal. DTW @ Sampling: 9.55

Time (2400 hr.)	Volume (gal.)	pH	Conductivity (µmhos/cm - µS)	Temperature (C / F)	D.O. (mg/L)	ORP (mV)
<u>0936</u>	<u>2</u>	<u>7.25</u>	<u>641</u>	<u>18.9</u>	<u>Ø</u>	<u>Ø</u>
<u>0941</u>	<u>4</u>	<u>7.23</u>	<u>636</u>	<u>19.0</u>	<u>Ø</u>	<u>Ø</u>
<u>0946</u>	<u>6</u>	<u>7.19</u>	<u>638</u>	<u>19.0</u>	<u>Ø</u>	<u>Ø</u>

LABORATORY INFORMATION

SAMPLE ID	(#) CONTAINER	REFRIG.	PRESERV. TYPE	LABORATORY	ANALYSES
MW- <u>6</u>	<u>6</u> x voa vial	YES	HCL	LANCASTER	TPH-GRO(8015)/BTEX(8260)
	<u>2</u> x 1 liter ambers	YES	NP	LANCASTER	TPH-DRO w/sgc COLUMN/TPH-DRO (8015)

COMMENTS: _____

Add/Replaced Lock: _____ Add/Replaced Plug: _____ Add/Replaced Bolt: _____

Chevron California Region Analysis Request/Chain of Custody



1L AMBER
041912-04

For Lancaster Laboratories use only

Acct. #: _____ Sample # _____ Group #: **020599**

Please forward the lab results directly to the Lead Consultant and cc: G-R.

Facility #: SS#206127-OML G-R#386498 Global ID#T06019744728 Site Address: 2301-2337 BLANDING AVENUE, ALAMEDA, CA Chevron PM: MB Lead Consultant: CRASB Silva Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: HAIG KEVORIK			Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes Total Number of Containers: 8021 <input checked="" type="checkbox"/> BTEX <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan Oxygenates Total Lead Method Dissolved Lead Method (TPH-DRO w/SGG) COLUMN										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits						
Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Oil	Air	Total Number of Containers	BTEX	TPH 8015 MOD GRO	TPH 8015 MOD DRO	8260 full scan	Oxygenates	Total Lead	Method	Dissolved Lead	Method	TPH-DRO w/SGG	COLUMN	Comments / Remarks
QA	4/19/12		X						8021	X	X	X	X	X	X	X	X	X	X	X	TPH-DRO WITH SILICA GEL REQUESTING 10 GRAM COLUMN CLEAN-UP WITH CAPRIC ACID REVERSE SURROGATE
MW-1RA		1210	X						X	X	X	X	X	X	X	X	X	X	X	X	
MW-1RB		1120	X						X	X	X	X	X	X	X	X	X	X	X	X	
MW-2		0740	X						X	X	X	X	X	X	X	X	X	X	X	X	
MW-3		0825	X						X	X	X	X	X	X	X	X	X	X	X	X	
MW-4		0915	X						X	X	X	X	X	X	X	X	X	X	X	X	
MW-5		1035	X						X	X	X	X	X	X	X	X	X	X	X	X	
MW-6	↓	0955	X						X	X	X	X	X	X	X	X	X	X	X	X	
Turnaround Time Requested (TAT) (please circle) STD. TAT 72 hour 48 hour 24 hour 4 day 5 day			Relinquished by: <i>[Signature]</i>		Date: 4/19/12	Time: 1315	Received by: <i>[Signature]</i>		Date: APR 12	Time: 1315											
Data Package Options (please circle if required) QC Summary Type I - Full EDF/EDD Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk			Relinquished by:		Date:	Time:	Received by:		Date:	Time:											
			Relinquished by Commercial Carrier:		UPS FedEx Other:		Received by:		Date:	Time:											
			Temperature Upon Receipt: _____ C°		Custody Seals Intact? Yes No																

ATTACHMENT B

LABORATORY ANALYTICAL REPORT

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Chevron
6001 Bollinger Canyon Rd L4310
San Ramon CA 94583

April 30, 2012

Project: 206127

Submittal Date: 04/20/2012
Group Number: 1303742
PO Number: 0015094797
Release Number: BAUER
State of Sample Origin: CAClient Sample DescriptionQA-T-120419 NA Water
MW-1RA-W-120419 Grab Water
MW-1RB-W-120419 Grab Water
MW-2-W-120419 Grab Water
MW-3-W-120419 Grab Water
MW-4-W-120419 Grab Water
MW-5-W-120419 Grab Water
MW-6-W-120419 Grab WaterLancaster Labs (LLI) #6624253
6624254
6624255
6624256
6624257
6624258
6624259
6624260

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO
ELECTRONIC COPY TO
CRA c/o Gettler-Ryan
Chevron c/o CRA
Chevron
CRA

Attn: Rachelle Munoz

Attn: Report Contact

Attn: Anna Avina

Attn: Brian Silva

Respectfully Submitted,



Jill M. Parker
Senior Specialist

(717) 556-7262

Sample Description: QA-T-120419 NA Water
 Facility# 206127 Job# 386498 GRD
 2301-2337 Blanding-Alameda T06019744728 QA

LLI Sample # WW 6624253
 LLI Group # 1303742
 Account # 10904

Project Name: 206127

Collected: 04/19/2012

Chevron

Submitted: 04/20/2012 15:50

6001 Bollinger Canyon Rd L4310

Reported: 04/30/2012 15:02

San Ramon CA 94583

BAAQA

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	N.D.	ug/l 0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	ug/l 50	1

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121153AA	04/24/2012 17:54	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121153AA	04/24/2012 17:54	Kevin A Sposito	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 14:23	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 14:23	Catherine J Schwarz	1

Sample Description: MW-1RA-W-120419 Grab Water
Facility# 206127 **Job#** 386498 GRD
 2301-2337 Blanding-Alameda T06019744728 MW-1RA

LLI Sample # WW 6624254
LLI Group # 1303742
Account # 10904

Project Name: 206127

Collected: 04/19/2012 12:10 by HK

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/20/2012 15:50

Reported: 04/30/2012 15:02

BAA1A

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles					
	SW-846 8260B		ug/l	ug/l	
10943	Benzene	71-43-2	120	5	10
10943	Ethylbenzene	100-41-4	N.D.	5	10
10943	Toluene	108-88-3	N.D.	5	10
10943	Xylene (Total)	1330-20-7	N.D.	5	10
GC Volatiles					
	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	3,100	50	1
GC Petroleum Hydrocarbons					
	SW-846 8015B		ug/l	ug/l	
08269	TPH-DRO water C10-C28	n.a.	3,700	50	1
GC Petroleum Hydrocarbons w/Si					
	SW-846 8015B		ug/l	ug/l	
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	400	50	1
	The reverse surrogate, capric acid, is present at <1%.				

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121153AA	04/24/2012 19:21	Kevin A Sposito	10
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121153AA	04/24/2012 19:21	Kevin A Sposito	10
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 18:03	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 18:03	Catherine J Schwarz	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	121140017A	04/24/2012 23:22	Tracy A Cole	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	121140018A	04/27/2012 12:39	Tracy A Cole	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	121140018A	04/24/2012 08:00	William H Saadeh	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	121140017A	04/24/2012 08:00	William H Saadeh	1

Sample Description: MW-1RB-W-120419 Grab Water
Facility# 206127 **Job#** 386498 GRD
 2301-2337 Blanding-Alameda T06019744728 MW-1RB

LLI Sample # WW 6624255
LLI Group # 1303742
Account # 10904

Project Name: 206127

Collected: 04/19/2012 11:20 by HK

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/20/2012 15:50

Reported: 04/30/2012 15:02

BAA1B

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	1	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	180	50	1
GC Petroleum Hydrocarbons SW-846 8015B					
08269	TPH-DRO water C10-C28	n.a.	2,800	50	1
GC Petroleum Hydrocarbons w/Si SW-846 8015B					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	53	50	1
The reverse surrogate, capric acid, is present at <1%.					

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121153AA	04/24/2012 18:16	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121153AA	04/24/2012 18:16	Kevin A Sposito	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 18:25	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 18:25	Catherine J Schwarz	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	121140017A	04/24/2012 21:28	Tracy A Cole	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	121140018A	04/27/2012 13:02	Tracy A Cole	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	121140018A	04/24/2012 08:00	William H Saadeh	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	121140017A	04/24/2012 08:00	William H Saadeh	1

Sample Description: MW-2-W-120419 Grab Water
Facility# 206127 Job# 386498 GRD
2301-2337 Blanding-Alameda T06019744728 MW-2

LLI Sample # WW 6624256
LLI Group # 1303742
Account # 10904

Project Name: 206127

Collected: 04/19/2012 07:40 by HK

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/20/2012 15:50

Reported: 04/30/2012 15:02

BAA02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons SW-846 8015B					
08269	TPH-DRO water C10-C28	n.a.	N.D.	50	1
GC Petroleum Hydrocarbons w/Si SW-846 8015B					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121153AA	04/24/2012 19:43	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121153AA	04/24/2012 19:43	Kevin A Sposito	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 18:47	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 18:47	Catherine J Schwarz	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	121140017A	04/24/2012 18:48	Tracy A Cole	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	121140018A	04/27/2012 13:25	Tracy A Cole	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	121140018A	04/24/2012 08:00	William H Saadeh	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	121140017A	04/24/2012 08:00	William H Saadeh	1

Sample Description: MW-3-W-120419 Grab Water
Facility# 206127 Job# 386498 GRD
2301-2337 Blanding-Alameda T06019744728 MW-3

LLI Sample # WW 6624257
LLI Group # 1303742
Account # 10904

Project Name: 206127

Collected: 04/19/2012 08:25 by HK

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/20/2012 15:50

Reported: 04/30/2012 15:02

BAA03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	N.D.	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	260	50	1
GC Petroleum Hydrocarbons SW-846 8015B					
08269	TPH-DRO water C10-C28	n.a.	3,000	50	1
GC Petroleum Hydrocarbons w/Si SW-846 8015B					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	50	50	1
The reverse surrogate, capric acid, is present at <1%.					

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121151AA	04/24/2012 07:28	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121151AA	04/24/2012 07:28	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 19:09	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 19:09	Catherine J Schwarz	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	121140017A	04/24/2012 23:45	Tracy A Cole	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	121140018A	04/27/2012 13:48	Tracy A Cole	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	121140018A	04/24/2012 08:00	William H Saadeh	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	121140017A	04/24/2012 08:00	William H Saadeh	1

Sample Description: MW-4-W-120419 Grab Water
Facility# 206127 Job# 386498 GRD
2301-2337 Blanding-Alameda T06019744728 MW-4

LLI Sample # WW 6624258
LLI Group # 1303742
Account # 10904

Project Name: 206127

Collected: 04/19/2012 09:15 by HK

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/20/2012 15:50

Reported: 04/30/2012 15:02

BAA04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	N.D.	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	0.5	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	N.D.	50	1
GC Petroleum SW-846 8015B					
Hydrocarbons					
08269	TPH-DRO water C10-C28	n.a.	360	50	1
GC Petroleum SW-846 8015B					
Hydrocarbons w/Si					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	N.D.	50	1
The reverse surrogate, capric acid, is present at <1%.					

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121152AA	04/24/2012 07:38	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121152AA	04/24/2012 07:38	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 19:31	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 19:31	Catherine J Schwarz	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	121140017A	04/24/2012 19:11	Tracy A Cole	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	121140018A	04/27/2012 14:11	Tracy A Cole	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	121140018A	04/24/2012 08:00	William H Saadeh	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	121140017A	04/24/2012 08:00	William H Saadeh	1

Sample Description: MW-5-W-120419 Grab Water
Facility# 206127 Job# 386498 GRD
2301-2337 Blanding-Alameda T06019744728 MW-5

LLI Sample # WW 6624259
LLI Group # 1303742
Account # 10904

Project Name: 206127

Collected: 04/19/2012 10:35 by HK

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/20/2012 15:50

Reported: 04/30/2012 15:02

BAA05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles SW-846 8260B					
10943	Benzene	71-43-2	87	0.5	1
10943	Ethylbenzene	100-41-4	1	0.5	1
10943	Toluene	108-88-3	5	0.5	1
10943	Xylene (Total)	1330-20-7	5	0.5	1
GC Volatiles SW-846 8015B					
01728	TPH-GRO N. CA water C6-C12	n.a.	2,000	50	1
GC Petroleum Hydrocarbons SW-846 8015B					
08269	TPH-DRO water C10-C28	n.a.	3,600	50	1
GC Petroleum Hydrocarbons w/Si SW-846 8015B					
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	310	50	1
The reverse surrogate, capric acid, is present at <1%.					

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121161AA	04/25/2012 15:19	Anita M Dale	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121161AA	04/25/2012 15:19	Anita M Dale	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 19:53	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 19:53	Catherine J Schwarz	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	121140017A	04/24/2012 21:51	Tracy A Cole	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	121140018A	04/27/2012 14:34	Tracy A Cole	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	121140018A	04/24/2012 08:00	William H Saadeh	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	121140017A	04/24/2012 08:00	William H Saadeh	1

Sample Description: MW-6-W-120419 Grab Water
Facility# 206127 **Job#** 386498 GRD
 2301-2337 Blanding-Alameda T06019744728 MW-6

LLI Sample # WW 6624260
LLI Group # 1303742
Account # 10904

Project Name: 206127

Collected: 04/19/2012 09:55 by HK

Chevron

6001 Bollinger Canyon Rd L4310
 San Ramon CA 94583

Submitted: 04/20/2012 15:50

Reported: 04/30/2012 15:02

BAA06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit	Dilution Factor
GC/MS Volatiles					
	SW-846 8260B		ug/l	ug/l	
10943	Benzene	71-43-2	7	0.5	1
10943	Ethylbenzene	100-41-4	N.D.	0.5	1
10943	Toluene	108-88-3	0.6	0.5	1
10943	Xylene (Total)	1330-20-7	N.D.	0.5	1
GC Volatiles					
	SW-846 8015B		ug/l	ug/l	
01728	TPH-GRO N. CA water C6-C12	n.a.	290	50	1
GC Petroleum Hydrocarbons					
	SW-846 8015B		ug/l	ug/l	
08269	TPH-DRO water C10-C28	n.a.	1,600	50	1
GC Petroleum Hydrocarbons w/Si					
	SW-846 8015B		ug/l	ug/l	
02216	TPH-DRO water C10-C28 w/Si Gel	n.a.	N.D.	50	1
	The reverse surrogate, capric acid, is present at <1%.				

General Sample Comments

State of California Lab Certification No. 2501

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10943	BTEX 8260B Water	SW-846 8260B	1	F121143AA	04/23/2012 18:39	Kevin A Sposito	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	F121143AA	04/23/2012 18:39	Kevin A Sposito	1
01728	TPH-GRO N. CA water C6-C12	SW-846 8015B	1	12114A20A	04/24/2012 20:16	Catherine J Schwarz	1
01146	GC VOA Water Prep	SW-846 5030B	1	12114A20A	04/24/2012 20:16	Catherine J Schwarz	1
08269	TPH-DRO water C10-C28	SW-846 8015B	1	121140017A	04/24/2012 19:34	Tracy A Cole	1
02216	TPH-DRO water C10-C28 w/Si Gel	SW-846 8015B	1	121140018A	04/27/2012 14:57	Tracy A Cole	1
11172	DRO by 8015 w/ Silica Gel Ext	SW-846 3510C	1	121140018A	04/24/2012 08:00	William H Saadeh	1
07003	Extraction - DRO (Waters)	SW-846 3510C	1	121140017A	04/24/2012 08:00	William H Saadeh	1

Quality Control Summary

Client Name: Chevron
Reported: 04/30/12 at 03:02 PM

Group Number: 1303742

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: F121143AA	Sample number(s): 6624260							
Benzene	N.D.	0.5	ug/l	90		77-121		
Ethylbenzene	N.D.	0.5	ug/l	88		79-120		
Toluene	N.D.	0.5	ug/l	94		79-120		
Xylene (Total)	N.D.	0.5	ug/l	91		77-120		
Batch number: F121151AA	Sample number(s): 6624257							
Benzene	N.D.	0.5	ug/l	93		77-121		
Ethylbenzene	N.D.	0.5	ug/l	89		79-120		
Toluene	N.D.	0.5	ug/l	94		79-120		
Xylene (Total)	N.D.	0.5	ug/l	91		77-120		
Batch number: F121152AA	Sample number(s): 6624258							
Benzene	N.D.	0.5	ug/l	96		77-121		
Ethylbenzene	N.D.	0.5	ug/l	92		79-120		
Toluene	N.D.	0.5	ug/l	96		79-120		
Xylene (Total)	N.D.	0.5	ug/l	94		77-120		
Batch number: F121153AA	Sample number(s): 6624253-6624256							
Benzene	N.D.	0.5	ug/l	94		77-121		
Ethylbenzene	N.D.	0.5	ug/l	91		79-120		
Toluene	N.D.	0.5	ug/l	96		79-120		
Xylene (Total)	N.D.	0.5	ug/l	92		77-120		
Batch number: F121161AA	Sample number(s): 6624259							
Benzene	N.D.	0.5	ug/l	90		77-121		
Ethylbenzene	N.D.	0.5	ug/l	87		79-120		
Toluene	N.D.	0.5	ug/l	96		79-120		
Xylene (Total)	N.D.	0.5	ug/l	89		77-120		
Batch number: 12114A20A	Sample number(s): 6624253-6624260							
TPH-GRO N. CA water C6-C12	N.D.	50.	ug/l	91	91	75-135	0	30
Batch number: 121140017A	Sample number(s): 6624254-6624260							
TPH-DRO water C10-C28	N.D.	32.	ug/l	88	88	56-122	0	20
Batch number: 121140018A	Sample number(s): 6624254-6624260							
TPH-DRO water C10-C28 w/Si Gel	N.D.	32.	ug/l	69	81	50-124	17	20

Sample Matrix Quality Control

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron Group Number: 1303742

Reported: 04/30/12 at 03:02 PM

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
Batch number: F121143AA	Sample number(s): 6624260 UNSPK: 6624260								
Benzene	99	98	72-134	0	30				
Ethylbenzene	96	94	71-134	2	30				
Toluene	99	96	80-125	3	30				
Xylene (Total)	97	94	79-125	3	30				
Batch number: F121151AA	Sample number(s): 6624257 UNSPK: 6624257								
Benzene	100	100	72-134	0	30				
Ethylbenzene	96	95	71-134	1	30				
Toluene	101	99	80-125	2	30				
Xylene (Total)	98	97	79-125	2	30				
Batch number: F121152AA	Sample number(s): 6624258 UNSPK: 6624258								
Benzene	99	99	72-134	0	30				
Ethylbenzene	93	95	71-134	2	30				
Toluene	97	99	80-125	1	30				
Xylene (Total)	95	98	79-125	3	30				
Batch number: F121153AA	Sample number(s): 6624253-6624256 UNSPK: 6624255								
Benzene	99	99	72-134	0	30				
Ethylbenzene	94	97	71-134	3	30				
Toluene	98	100	80-125	2	30				
Xylene (Total)	96	97	79-125	2	30				
Batch number: F121161AA	Sample number(s): 6624259 UNSPK: P625706								
Benzene	97	99	72-134	3	30				
Ethylbenzene	94	94	71-134	0	30				
Toluene	103	100	80-125	3	30				
Xylene (Total)	97	96	79-125	1	30				

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs by 8260B - Water

Batch number: F121143AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6624260	93	99	98	91
Blank	96	100	99	88
LCS	95	102	99	97
MS	95	101	97	95
MSD	94	100	97	94

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water

Batch number: F121151AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 04/30/12 at 03:02 PM

Group Number: 1303742

Surrogate Quality Control

6624257	94	101	97	93
Blank	95	102	99	87
LCS	94	100	97	94
MS	94	101	99	98
MSD	94	99	98	99

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water
Batch number: F121152AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6624258	96	103	98	87
Blank	97	101	97	86
LCS	93	98	95	93
MS	94	99	96	94
MSD	95	100	96	95

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water
Batch number: F121153AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6624253	99	102	98	87
6624254	93	96	99	93
6624255	96	101	97	94
6624256	95	100	99	93
Blank	97	102	98	88
LCS	95	100	98	97
MS	94	102	97	96
MSD	95	100	98	98

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs by 8260B - Water
Batch number: F121161AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6624259	88	97	102	99
Blank	92	102	113	90
LCS	93	101	99	97
MS	93	99	98	99
MSD	95	102	98	98

Limits: 80-116 77-113 80-113 78-113

Analysis Name: TPH-GRO N. CA water C6-C12
Batch number: 12114A20A

	Trifluorotoluene-F
6624253	84
6624254	199*
6624255	90
6624256	86
6624257	94
6624258	87

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Chevron
Reported: 04/30/12 at 03:02 PM

Group Number: 1303742

Surrogate Quality Control

6624259	143*
6624260	95
Blank	90
LCS	105
LCSD	103

Limits: 63-135

Analysis Name: TPH-DRO water C10-C28
Batch number: 121140017A
Orthoterphenyl

6624254	51
6624255	58
6624256	97
6624257	62
6624258	86
6624259	57
6624260	62
Blank	92
LCS	74
LCSD	77

Limits: 50-154

Analysis Name: TPH-DRO water C10-C28 w/Si Gel
Batch number: 121140018A
Orthoterphenyl

6624254	84
6624255	85
6624256	85
6624257	89
6624258	84
6624259	72
6624260	91
Blank	74
LCS	82
LCSD	92

Limits: 50-154

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Chevron California Region Analysis Request/Chain of Custody



**Lancaster
Laboratories**

1L AMBER
041912-04

For Lancaster Laboratories use only

Acct. #: 10904 Sample # 6624253-60 Group #: 020599

Please forward the lab results directly to the Lead Consultant and cc: G-R.

Facility #: SS#206127-OML G-R#386498 Global ID#T06019744728 Site Address: 2301-2337 BLANDING AVENUE, ALAMEDA, CA Chevron PM: MB Lead Consultant: CRASB Silva Consultant/Office: G-R, Inc., 6747 Sierra Court, Suite J, Dublin, CA 94568 Consultant Prj. Mgr.: Deanna L. Harding (deanna@grinc.com) Consultant Phone #: 925-551-7555 Fax #: 925-551-7899 Sampler: HAIG KEVORK				Matrix <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Air		Analyses Requested Preservation Codes: HH BTEX 8260 <input checked="" type="checkbox"/> 8021 <input type="checkbox"/> TPH 8015 MOD GRO <input type="checkbox"/> TPH 8015 MOD DRO <input type="checkbox"/> Silica Gel Cleanup 8260 full scan <input type="checkbox"/> Oxygenates <input type="checkbox"/> Total Lead Method <input type="checkbox"/> Dissolved Lead Method <input type="checkbox"/> (TPH-DRO w/SGC) COLUMN										Preservative Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other <input type="checkbox"/> J value reporting needed <input checked="" type="checkbox"/> Must meet lowest detection limits possible for 8260 compounds 8021 MTBE Confirmation <input type="checkbox"/> Confirm highest hit by 8260 <input type="checkbox"/> Confirm all hits by 8260 <input type="checkbox"/> Run ___ oxy's on highest hit <input type="checkbox"/> Run ___ oxy's on all hits			
Sample Identification		Date Collected	Time Collected	Grab	Composite	Total Number of Containers										Comments / Remarks TPH-DRO WITH SILICA GEL REQUESTING 10 GRAM COLUMN CLEAN-UP WITH CAPRIC ACID REVERSE SURROGATE			
		4/19/12	1210	X	X	X													
MW-1RA		↓	1120	X	X	X													
MW-1RB		↓	0740	X	X	X													
MW-2		↓	0825	X	X	X													
MW-3		↓	0915	X	X	X													
MW-4		↓	1035	X	X	X													
MW-5		↓	0955	X	X	X													
MW-6		↓		X	X	X													
Turnaround Time Requested (TAT) (please circle) <input checked="" type="checkbox"/> STD. TAT 72 hour 48 hour <input type="checkbox"/> 24 hour 4 day 5 day						Relinquished by: <i>[Signature]</i> Date: 4/19/12 Time: 1315		Received by: <i>[Signature]</i> Date: 19 APR 12 Time: 1315											
Data Package Options (please circle if required) QC Summary Type I - Full EDF/EDD Type VI (Raw Data) <input type="checkbox"/> Coelt Deliverable not needed WIP (RWQCB) Disk						Relinquished by: <i>[Signature]</i> Date: 4/19/12 Time: 1430		Received by: <i>[Signature]</i> Date: Date Time											
Relinquished by Commercial Carrier: UPS FedEx Other _____						Received by: <i>[Signature]</i> Date: 4/20/12 Time: 1850		Temperature Upon Receipt: 0.9" - 5.9" °C Custody Seals Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No											

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
µg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	L	liter(s)
m³	cubic meter(s)	µL	microliter(s)
		pg/L	picogram/liter
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers		Inorganic Qualifiers	
A	TIC is a possible aldol-condensation product	B	Value is $<$ CRDL, but \geq IDL
B	Analyte was also detected in the blank	E	Estimated due to interference
C	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of the instrument	S	Method of standard additions (MSA) used for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
P	Concentration difference between primary and confirmation columns $>25\%$	W	Post digestion spike out of control limits
U	Compound was not detected	*	Duplicate analysis not within control limits
X,Y,Z	Defined in case narrative	+	Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ATTACHMENT C

HISTORICAL GROUNDWATER MONITORING AND SAMPLING DATA

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron #206127 (Former Signal Oil Marine Terminal)
2301-2337 Blanding Avenue
Alameda, California

WELL ID/ DATE	TQC* (fL)	DTW (fL)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-1										
01/23/01 ¹	--	7.16	--	1,100 ^{2,3}	5,210 ⁴	868	<50.0	<50.0	<50.0	<250
04/09/01	10.62	8.12	2.50	1,200 ⁶	3,000 ⁵	920	<20	<20	<20	<100
07/30/01	10.62	9.15	1.47	550 ^{3,8}	2,000 ⁷	730	13	<5.0	<5.0	<25
10/08/01	10.62	7.86	2.76	2,200 ⁹	1,200	120	2.4	5.9	6.4	<2.5
01/13/02	10.62	7.02	3.60	3,300 ³	930	320	0.78	0.87	3.8	<2.5
04/08/02	10.62	9.60	1.02	1,200 ³	960	50	1.4	2.6	9.0	<2.5
07/31/02	10.62	9.27	1.35	2,800 ³	930	64	1.4	1.9	11	<5.0
10/15/02	10.62	8.00	2.62	1,000 ³	620	25	0.78	1.4	4.3	<2.5
01/14/03	10.62	7.05	3.57	960 ³	1,600	20	1.3	1.3	<1.5	<2.5
04/15/03	10.62	8.02	2.60	920 ³	870	56	1	1.4	3.1	<2.5
07/16/03 ¹⁰	10.62	10.08	0.54	1,400 ³	780	85	1	0.8	0.7	<0.5
10/18/03 ¹⁰	10.62	8.51	2.11	1,200 ³	640	42	0.8	<0.5	0.5	<0.5
01/22/04 ¹⁰	10.62	8.95	1.67	1,500 ³	440	18	<0.5	<0.5	<0.5	<0.5
04/23/04 ¹⁰	10.62	8.95	1.67	2,200 ³	410	10	<0.5	<0.5	<0.5	<0.5
07/23/04 ¹⁰	10.62	9.21	1.41	1,800 ³	400	6	<0.5	<0.5	<0.5	<0.5
10/22/04 ¹⁰	10.62	8.36	2.26	2,200 ³	150	2	<0.5	<0.5	<0.5	<0.5
01/28/05 ¹⁰	10.62	7.09	3.53	1,200 ³	55	8	<0.5	<0.5	<0.5	<0.5
04/26/05 ¹⁰	10.62	7.84	2.78	480 ³	<50	5	<0.5	<0.5	<0.5	<0.5
07/15/05 ¹⁰	10.62	8.12	2.50	610 ^{3,11}	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/14/05 ¹⁰	10.62	8.07	2.55	920 ^{3,12}	<50	10	<0.5	<0.5	<0.5	<0.5
01/12/06 ¹⁰	10.62	6.98	3.64	960 ^{3,12}	<50	6	<0.5	<0.5	<0.5	<0.5
04/13/06 ¹⁰	10.62	7.04	3.58	1,200 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 ¹⁰	10.62	7.13	3.49	1,200 ³	92	14	<0.5	<0.5	<0.5	<0.5
10/17/06 ¹⁰	10.62	7.64	2.98	990 ³	<50	3	<0.5	<0.5	<0.5	<0.5
01/16/07 ¹⁰	10.62	7.09	3.53	840 ³	83	4	<0.5	<0.5	<0.5	<0.5
04/17/07 ¹⁰	10.62	7.11	3.51	1,200 ³	57	<0.5	<0.5	<0.5	<0.5	<0.5
07/17/07 ¹⁰	10.62	7.41	3.21	1,100 ³	120	8	<0.5	<0.5	<0.5	<0.5
10/16/07 ¹⁰	10.62	7.55	3.07	750 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/08 ¹⁰	10.62	6.98	3.64	1,700 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/16/08 ¹⁰	10.62	7.36	3.26	1,100 ³	62	<0.5	<0.5	<0.5	<0.5	<0.5
07/16/08 ¹⁰	10.62	7.89	2.73	580 ³	93	3	<0.5	<0.5	<0.5	<0.5
10/15/08 ¹⁰	10.62	7.46	3.16	740 ³	56	0.7	<0.5	<0.5	0.8	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron #206127 (Former Signal Oil Marine Terminal)
 2301-2337 Blanding Avenue
 Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (ft.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-1 (cont)										
01/21/09 ¹⁰	10.62	7.19	3.43	390 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/15/09 ¹⁰	10.62	6.93	3.69	1,400 ³	80	0.7	<0.5	<0.5	<0.5	<0.5
07/03/09 ¹⁰	13.49	8.08	5.41	1,300 ³	51	<0.5	<0.5	<0.5	<0.5	<0.5
10/01/09 ¹⁰	13.49	9.52	3.97	1,500 ³	86	<0.5	<0.5	<0.5	<0.5	<0.5
01/19/10 ¹⁰	13.49	7.64	5.85	340 ^{3,15}	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/10 ¹⁶	13.49	9.20	4.29	820 ³	66	<0.5	<0.5	<0.5	<0.5	<0.5
MW-2										
06/30/09 ¹	10.63	3.80	6.83	--	--	--	--	--	--	--
07/03/09 ¹⁴	10.63	3.91	6.72	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	--
10/01/09 ¹⁴	10.63	4.11	6.52	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	--
01/19/10 ¹⁴	10.63	3.90	6.73	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/10 ¹⁴	10.63	4.08	6.55	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	--
MW-3										
06/30/09 ¹	10.72	4.61	6.11	--	--	--	--	--	--	--
07/03/09 ¹⁴	10.72	4.57	6.15	170 ³	310	1	<0.5	2	<0.5	--
10/01/09 ¹⁴	10.72	5.22	5.50	1,000 ³	52	<0.5	<0.5	<0.5	<0.5	--
01/19/10 ¹⁴	10.72	4.84	5.88	1,800 ³	120	2	<0.5	<0.5	<0.5	--
04/26/10 ¹⁴	10.72	4.86	5.86	1,700 ³	170	2	<0.5	<0.5	<0.5	--
MW-4										
06/30/09 ¹	11.40	6.02	5.38	--	--	--	--	--	--	--
07/03/09 ¹⁴	11.40	5.85	5.55	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	--
10/01/09 ¹⁴	11.40	6.95	4.45	370 ³	<50	<0.5	<0.5	<0.5	<0.5	--
01/19/10 ¹⁴	11.40	6.22	5.18	110 ³	<50	<0.5	<0.5	<0.5	<0.5	--
04/26/10 ¹⁴	11.40	6.61	4.79	210 ^{5,17}	<50	<0.5	<0.5	<0.5	<0.5	--

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron #206127 (Former Signal Oil Marine Terminal)
 2301-2337 Blanding Avenue
 Alameda, California

WELL ID/ DATE	TQC* (ft.)	DTW (ft.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
MW-5										
06/30/09 ¹	10.50	5.20	5.30	--	--	--	--	--	--	--
07/03/09 ¹⁴	10.50	5.17	5.33	110 ³	930	33	2	0.6	3	--
10/01/09 ¹⁴	10.50	5.66	4.84	2,500 ³	1,800	57	3	0.9	5	--
01/19/10 ¹⁴	10.50	5.48	5.02	2,600 ³	2,200	74	4	1	5	--
04/26/10 ¹⁴	10.50	5.91	4.59	1,700 ³	2,200	94	4	2	5	--
CS-2										
07/30/01	--	--	--	140 ^{3,5}	<50	<0.50	<0.50	<0.50	<0.50	<2.5
10/08/01	--	--	--	53 ⁹	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/13/02	--	--	--	<50 ³	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/08/02	--	--	--	77 ³	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/31/02	--	--	--	<50 ³	<50	<0.50	<0.50	<0.50	<1.5	<2.5
10/15/02	--	--	--	<50 ³	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/14/03	--	--	--	<50 ³	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/15/03	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<1.5	<2.5
07/16/03 ¹⁰	--	--	--	<50 ³	<50	<0.5	0.7	<0.5	0.6	<0.5
10/18/03 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/22/04 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/23/04 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/23/04 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/22/04 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/28/05 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/05 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/15/05 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/14/05 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/12/06 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/13/06 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 ¹⁰	--	--	--	140 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/17/06 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/07 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/17/07 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron #206127 (Former Signal Oil Marine Terminal)
 2301-2337 Blanding Avenue
 Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (fl.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
CS-2 (cont)										
07/17/07 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/16/07 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/08 ¹⁰	--	--	--	85 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/16/08 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/16/08 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/15/08 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/21/09 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/15/09 ¹⁰	--	--	--	86 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/03/09 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/01/09 ¹⁰	--	--	--	<50 ³	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/19/10 ¹⁰	--	--	--	210 ^{3,16}	<50	<0.5	<0.5	<0.5	<0.5	<0.5
TRIP BLANK										
TB-LB										
01/23/01	--	--	--	--	<50.0	<0.500	<0.500	<0.500	<0.500	<2.50
04/09/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
07/30/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<0.50	<2.5
QA										
10/08/01	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/13/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/08/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
07/31/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
10/15/02	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
01/14/03	--	--	--	--	<50	<0.50	<0.50	<0.50	<1.5	<2.5
04/15/03	--	--	--	--	<50	<0.5	<0.5	<0.5	<1.5	<2.5
07/16/03 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/18/03 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/22/04 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/23/04 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/23/04 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/22/04 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
 Chevron #206127 (Former Signal Oil Marine Terminal)
 2301-2337 Blanding Avenue
 Alameda, California

WELL ID/ DATE	TOC* (fl.)	DTW (ft.)	GWE (msl)	TPH-DRO (µg/L)	TPH-GRO (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	MTBE (µg/L)
QA (cont)										
01/28/05 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/05 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/15/05 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/14/05 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/12/06 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/13/06 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/13/06 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/17/06 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/07 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/17/07 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/17/07 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/16/07 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/16/08 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/16/08 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/16/08 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/15/08 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/21/09 ¹⁰	--	--	--	--	<50 ¹³	<0.5	<0.5	<0.5	<0.5	<0.5
04/15/09 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
07/03/09 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
10/01/09 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
01/19/10 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5
04/26/10 ¹⁰	--	--	--	--	<50	<0.5	<0.5	<0.5	<0.5	<0.5

Table 1
Groundwater Monitoring Data and Analytical Results
Chevron #206127 (Former Signal Oil Marine Terminal)
2301-2337 Blanding Avenue
Alameda, California

EXPLANATIONS:

TOC = Top of Casing
(ft.) = Feet

DTW = Depth to Water

GWE = Groundwater Elevation
(msl) = Mean sea level

TPH = Total Petroleum Hydrocarbons

DRO = Diesel Range Organics

GRO = Gasoline Range Organics

B = Benzene

T = Toluene

E = Ethylbenzene

X = Xylenes

MTBE = Methyl Tertiary Butyl Ether

(µg/L) = Micrograms per liter

-- = Not Measured/Not Analyzed

CS-2 = Creek Sample

QA = Quality Assurance/Trip Blank

* TOC elevations for all wells were surveyed on July 30, 2009, by Morrow Surveying. Vertical Datum is NAVD 88 from GPS observations. TOC elevations were surveyed on January 25, 2001, by Virgil Chavez Land Surveying. The benchmark used for the survey was a City of Alameda benchmark being a cut square at the centerline return, south corner of Oak and Blanding, (Benchmark Elevation = 8.236 feet, NGVD 29).

¹ Well development performed.

² Laboratory report indicates unidentified hydrocarbons <C16.

³ Analyzed with silica gel cleanup.

⁴ Laboratory report indicates weathered gasoline C6-C12.

⁵ Laboratory report indicates discrete peaks.

⁶ Laboratory report indicates diesel C9-C24 + unidentified hydrocarbons <C16.

⁷ Laboratory report indicates gasoline C6-C12.

⁸ Laboratory report indicates unidentified hydrocarbons C9-C24.

⁹ Analysis performed without silica gel cleanup although was requested on the Chain of Custody.

¹⁰ BTEX and MTBE by EPA Method 8260.

¹¹ Laboratory report indicates the observed sample pattern is not typical of #2 fuel/diesel. It elutes in the DRO range later than #2 fuel.

¹² Laboratory report indicates the observed sample pattern includes #2 fuel/diesel and an additional pattern which elutes later in the DRO range.

¹³ Laboratory report indicates the original analysis was performed on an instrument where the ending calibration standard failed the method criteria. The sample was originally analyzed approximately 60 minutes after the LCS/LCSD. The LCS/LCSD showed good GRO recovery and the surrogate recovery for this sample was 85%. The sample was reanalyzed from a vial with headspace since only 1 vial was submitted. The results for the original and the reanalysis were similar. The reanalysis was reported.

¹⁴ BTEX by EPA Method 8260.

¹⁵ Laboratory report indicates DRO was detected in the method blank at a concentration of 38 µg/L. Results from the reextraction are within limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. Similar results were obtained in both extracts.

¹⁶ Laboratory report indicates DRO was detected in the method blank at a concentration of 38 µg/L. Results from the reextraction are within limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. The DRO result for the reextract is 96 µg/L.

¹⁷ Laboratory report indicates DRO was detected in the method blank at a concentration of 47 µg/L. Results from the reextraction are within limits. The hold time had expired prior to the reextraction therefore, all results are reported from the original extract. Similar results were obtained in both extracts.

Table 2
Groundwater Analytical Results - Metals
 Chevron #206127 (Former Signal Oil Marine Terminal)
 2301-2337 Blanding Avenue
 Alameda, California

WELL ID/ DATE	Antimony (µg/L)	Arsenic (µg/L)	Barium (µg/L)	Beryllium (µg/L)	Cadmium (µg/L)	Chromium (µg/L)	Cobalt (µg/L)	Copper (µg/L)	Lead (µg/L)	Molybdenum (µg/L)	Nickel (µg/L)	Selenium (µg/L)	Silver (µg/L)	Thallium (µg/L)	Vanadium (µg/L)	Zinc (µg/L)	Mercury (µg/L)
MW-2 07/03/09	<9.7	<7.2	28.1	<1.4	<2.0	14.6	<2.1	<2.7	<6.9	<4.9	10.6	<8.9	<2.3	<14.0	12.6	11.6	<0.056
MW-3 07/03/09	<9.7	<7.2	143	<1.4	<2.0	8.5	<2.1	3.3	<6.9	<4.9	7.8	<8.9	<2.3	<14.0	13.8	18.8	<0.056
MW-4 07/03/09	<9.7	<7.2	83.5	<1.4	<2.0	10.0	<2.1	<2.7	<6.9	<4.9	4.5	<8.9	<2.3	<14.0	6.3	15.8	<0.056
MW-5 07/03/09	<9.7	32.7	148	<1.4	<2.0	<3.4	<2.1	3.1	<6.9	<4.9	3.6	<8.9	<2.3	<14.0	<2.5	19.2	<0.056

EXPLANATIONS

(µg/L) = Micrograms per liter

ANALYTICAL METHODS:

Metals analyzed by EPA Method SW-846 6010B
 Mercury analyzed by Method SW-7470A