

# LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL(510)939-1118

PROJECT: CHIC  
MATRIX: WATER DATE SAMPLE REC'D: 01/30/96 (ETS)  
DATE SAMPLED: 01/29/96 DATE ANALYZED: 01/31-02/05/96  
REPORTED TO: MR. DICK HERRING DATE REPORTED: 02/06/96  
MR. WALTER LOO/ETS (FAX:310-498-2479) (415)861-3269

-----  
SAMPLE I.D.: C-1 LAB I.D.: 960130-3  
-----

\*EPA 8015M FOR GASOLINE ANALYSIS; UNIT: UG/L (PPB)  
-----

PARAMETER SAMPLE RESULT DETECTION LIMIT

TPH as GASOLINE ND 50  
-----

Data Reviewed and Approved by: \_\_\_\_\_

CAL-DHS ELAP CERTIFICATE No.: 1555

LATHROP  
WELLS

# LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL (510) 939-1118

PROJECT: CHIC

MATRIX: WATER

DATE SAMPLED: 01/29/96

REPORTED TO: MR. DICK HERRING

MR. WALTER LOO/ETS (FAX: 310-498-2479) (415) 861-3269

DATE SAMPLE REC'D: 01/30/96 (ETS)

DATE ANALYZED: 01/31-02/05/96

DATE REPORTED: 02/06/96

SAMPLE I.D.: C-1

LAB I.D.: 960130-3

\*EPA 601 FOR PURGEABLE HALOCARBONS ANALYSIS; UNIT: UG/L (PPB)

<u>PARAMETER</u>	<u>SAMPLE RESULTD</u>	<u>DETECTION LIMIT X10</u>
Chloromethane	ND	5
Bromoethane	ND	5
Vinyl Chloride	ND	5
Chloroethane	ND	5
Methylene Chloride	ND	5
1,1-Dichloroethene	ND	1
1,1-Dichloroethane	ND	1
Trans-1,2-Dichloroethene	ND	1
Chloroform	ND	1
1,2-Dichloroethane	ND	1
1,1,1-Trichloroethane	ND	1
Carbon Tetrachloride	ND	1
Bromodichloromethane	ND	1
1,2-Dichloropropane	ND	1
Cis-1,3-Dichloropropene	ND	1
Trichloroethene	ND	1
Dibromochloromethane	ND	1
1,1,2-Trichloroethane	ND	1
Trans-1,3-dichloropropene	ND	1
2-Chloroethylvinylether	ND	1
Bromoform	ND	5
Tetrachloroethene	ND	5
1,1,2,2-Tetrachloroethane	ND	1
Chlorobenzene	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1
Dichlorodifluoromethane	ND	1
Trichlorofluoromethane	ND	5
	ND	5

ND = The concentration is below the detection limit or non-detected  
\* = Performed by GC/MS Method (EPA 8240)

Data Reviewed and Approved by: \_\_\_\_\_  
CAL-DHS ELAP CERTIFICATE No.: 1555

## LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL(510)939-1118

PROJECT: CHIC

MATRIX: WATER

DATE SAMPLED: 01/29/96

REPORTED TO: MR. DICK HERRING

DATE SAMPLE REC'D: 01/30/96 (ETS)

DATE ANALYZED: 01/31-02/05/96

DATE REPORTED: 02/06/96

MR. WALTER LOO/ETS (FAX:310-498-2479) (415)861-3269

SAMPLE I.D.: C-1

LAB I.D.: 960130-3

\*EPA 602 FOR PURGEABLE AROMATICS ANALYSIS; UNIT: UG/L (PPB)

<u>PARAMETER</u>	<u>SAMPLE RESULT</u>	<u>DETECTION LIMIT X10</u>
Benzene	ND	1
Chlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
Ethylbenzene	ND	1
Toluene	ND	1
Xylenes, Total	ND	2

### COMMENTS

ND = The concentration is below the detection limit or non-detected  
\* = Confirmed by GC/MS (EPA 624)

Data Reviewed and Approved by:         

CAL-DHS ELAP CERTIFICATE No.: 1555

## LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL(510)939-1118

PROJECT: CHIC

MATRIX: WATER

DATE SAMPLED: 01/29/96

DATE SAMPLE REC'D: 01/30/96 (ETS)

DATE ANALYZED: 01/31-02/05/96

REPORTED TO: MR. DICK HERRING

DATE REPORTED: 02/06/96

MR. WALTER LOO/ETS (FAX:310-498-2479) (415)861-3269

SAMPLE I.D.: C-2

LAB I.D.: 960130-4


\*EPA 8015M FOR GASOLINE ANALYSIS; UNIT: UG/L (PPB)

<u>PARAMETER</u>	<u>SAMPLE RESULT</u>	<u>DETECTION LIMIT</u>
------------------	----------------------	------------------------

TPH as GASOLINE

ND

50

Data Reviewed and Approved by: \_\_\_\_\_ 

CAL-DHS ELAP CERTIFICATE No.: 1555

## LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL (510) 939-1118

PROJECT: CHIC

MATRIX: WATER

DATE SAMPLED: 01/29/96

REPORTED TO: MR. DICK HERRING

DATE SAMPLE REC'D: 01/30/96 (ETS)

DATE ANALYZED: 01/31-02/05/96

DATE REPORTED: 02/06/96

MR. WALTER LOO/ETS (FAX: 310-498-2479) (415) 861-3269

SAMPLE I.D.: C-2

LAB I.D.: 960130-4

\*EPA 601 FOR PURGEABLE HALOCARBONS ANALYSIS; UNIT: UG/L (PPB)

PARAMETER	SAMPLE RESULTD	DETECTION LIMIT X10
Chloromethane	ND	5
Bromoethane	ND	5
Vinyl Chloride	ND	5
Chloroethane	ND	5
Methylene Chloride	ND	5
1,1-Dichloroethene	ND	1
1,1-Dichloroethane	ND	1
Trans-1,2-Dichloroethene	ND	1
Chloroform	ND	1
1,2-Dichloroethane	ND	1
1,1,1-Trichloroethane	ND	1
Carbon Tetrachloride	ND	1
Bromodichloromethane	ND	1
1,2-Dichloropropane	ND	1
Cis-1,3-Dichloropropene	ND	1
Trichloroethene	ND	1
Dibromochloromethane	ND	1
1,1,2-Trichloroethane	ND	1
Trans-1,3-dichloropropene	ND	1
2-Chloroethylvinylether	ND	5
Bromoform	ND	5
Tetrachloroethene	ND	1
1,1,2,2-Tetrachloroethane	ND	1
Chlorobenzene	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1
Dichlorodifluoromethane	ND	5
Trichlorofluoromethane	ND	5

ND = The concentration is below the detection limit or non-detected

\* = Performed by GC/MS Method (EPA 8240)

Data Reviewed and Approved by: \_\_\_\_\_  
CAL-DHS ELAP CERTIFICATE No.: 1555

## LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL(510)939-1118

PROJECT: CHIC  
MATRIX: WATER  
DATE SAMPLED: 01/29/96 DATE SAMPLE REC'D: 01/30/96 (ETS)  
DATE ANALYZED: 01/31-02/05/96  
REPORTED TO: MR. DICK HERRING DATE REPORTED: 02/06/96  
MR. WALTER LOO/ETS (FAX:310-498-2479) (415)861-3269

SAMPLE I.D.: C-2

LAB I.D.: 960130-4

\*EPA 602 FOR PURGEABLE AROMATICS ANALYSIS; UNIT: UG/L (PPB)

<u>PARAMETER</u>	<u>SAMPLE RESULT</u>	<u>DETECTION LIMIT X10</u>
Benzene	ND	1
Chlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
Ethylbenzene	ND	1
Toluene	ND	1
Xylenes, Total	ND	2

### COMMENTS

ND = The concentration is below the detection limit or non-detected  
\* = Confirmed by GC/MS (EPA 624)

Data Reviewed and Approved by: \_\_\_\_\_

CAL-DHS ELAP CERTIFICATE No.: 1555

## LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL(510)939-1118

PROJECT: CHIC  
MATRIX: WATER DATE SAMPLE REC'D: 01/30/96 (ETS)  
DATE SAMPLED: 01/29/96 DATE ANALYZED: 01/31-02/05/96  
REPORTED TO: MR. DICK HERRING DATE REPORTED: 02/06/96  
MR. WALTER LOO/ETS (FAX:310-498-2479) (415)861-3269

-----  
SAMPLE I.D.: C-3 LAB I.D.: 960130-5  
-----

\*EPA 8015M FOR GASOLINE ANALYSIS; UNIT: UG/L (PPB)  
-----

<u>PARAMETER</u>	<u>SAMPLE RESULT</u>	<u>DETECTION LIMIT</u>
TPH as GASOLINE	20,000	50

-----

Data Reviewed and Approved by: CE

CAL-DHS ELAP CERTIFICATE No.: 1555

# LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL(510) 939-1118

PROJECT: CHIC

MATRIX: WATER

DATE SAMPLED: 01/29/96

REPORTED TO: MR. DICK HERRING

MR. WALTER LOO/ETS (FAX: 310-498-2479) (415) 861-3269

DATE SAMPLE REC'D: 01/30/96 (ETS)

DATE ANALYZED: 01/31-02/05/96

DATE REPORTED: 02/06/96

SAMPLE I.D.: C-3

LAB I.D.: 960130-5

\*EPA 601 FOR PURGEABLE HALOCARBONS ANALYSIS; UNIT: UG/L (PPB)

PARAMETER	SAMPLE RESULTD	DETECTION LIMIT X10
Chloromethane	ND	5
Bromoethane	ND	5
Vinyl Chloride	ND	5
Chloroethane	ND	5
Methylene Chloride	ND	5
1,1-Dichloroethene	ND	1
1,1-Dichloroethane	ND	1
Trans-1,2-Dichloroethene	ND	1
Chloroform	ND	1
1,2-Dichloroethane	ND	1
1,1,1-Trichloroethane	ND	1
Carbon Tetrachloride	ND	1
Bromodichloromethane	ND	1
1,2-Dichloropropane	ND	1
Cis-1,3-Dichloropropene	ND	1
Trichloroethene	ND	1
Dibromochloromethane	ND	1
1,1,2-Trichloroethane	ND	1
Trans-1,3-dichloropropene	ND	1
2-Chloroethylvinylether	ND	5
Bromoform	ND	5
Tetrachloroethene	ND	1
1,1,2,2-Tetrachloroethane	ND	1
Chlorobenzene	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1
Dichlorodifluoromethane	ND	5
Trichlorofluoromethane	ND	5

ND = The concentration is below the detection limit or non-detected

\* = Performed by GC/MS Method (EPA 8240)

Data Reviewed and Approved by: \_\_\_\_\_

CAL-DHS ELAP CERTIFICATE No.: 1555



# LABORATORY REPORT

CUSTOMER: CROLEY & HERRING CO., 353 BEACON RIDGE LANE,  
WALNUT CREEK, CA 94596 TEL(510)939-1118

PROJECT: CHIC

MATRIX: WATER

DATE SAMPLED: 01/29/96

REPORTED TO: MR. DICK HERRING

MR. WALTER LOO/ETS (FAX:310-498-2479) (415)861-3269

DATE SAMPLE REC'D: 01/30/96 (ETS)

DATE ANALYZED: 01/31-02/05/96

DATE REPORTED: 02/06/96

SAMPLE I.D.: C-3

LAB I.D.: 960130-5

\*EPA 602 FOR PURGEABLE AROMATICS ANALYSIS; UNIT: UG/L (PPB)

<u>PARAMETER</u>	<u>SAMPLE RESULT</u>	<u>DETECTION LIMIT X10</u>
Benzene	3,600	1
Chlorobenzene	ND	1
1,2-Dichlorobenzene	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
Ethylbenzene	390	1
Toluene	550	1
Xylenes, Total	390	2

COMMENTS

ND = The concentration is below the detection limit or non-detected  
 \* = Confirmed by GC/MS (EPA 624)

Data Reviewed and Approved by: \_\_\_\_\_ 

CAL-DHS ELAP CERTIFICATE No.: 1555

**ENVIRO-CHEM, INC.  
LABORATORIES**

1214 E. Lexington Ave.  
Pomona, CA 91766  
(909) 590-5905 • Fax: (909) 590-5907

# CHAIN of CUSTODY RECORD

Lab Project # \_\_\_\_\_

CA-DHS ELAP CERTIFICATE # 1555

DATE: 1/30/96  
PAGE: 1 of 1

REPORT TO: <u>DICK HERRING</u>			PROJECT NAME: <u>CHIC</u>			TURN AROUND TIME DESIRED <input type="checkbox"/> Same Day <input type="checkbox"/> 24 Hour <input type="checkbox"/> 48 Hour		
STREET: <u>353 BEACON RIDGE LANE</u>			PROJECT CONTACT: <u>Walter Lou</u>			<input type="checkbox"/> 72 Hour <input checked="" type="checkbox"/> 1 Week <input type="checkbox"/> Standard (2 Weeks)		
CITY: <u>WALNUT CREEK</u>	STATE: <u>CA</u>	ZIP: <u>94596</u>	SAMPLER(S) SIGNATURE: <u>Ray T. Jun</u>			<input type="checkbox"/> Others: _____		
TEL: <u>(415) 861-0810</u>		FAX: <u>(415) 861-3269</u>	AFTER ANALYSES, SAMPLES ARE TO BE:			<input type="checkbox"/> DISPOSED OF <input type="checkbox"/> STORED (30 days) <input type="checkbox"/> RETURNED TO CLIENT <input type="checkbox"/> OTHER:		
SHIPPING INFORMATION:			RECEIVED BY: (Signature) <u>[Signature]</u>			DATE: <u>1/30/96</u>	TIME: <u>9:30 a.m.</u>	
RELINQUISHED BY: (Signature) <u>Ray T. Jun</u>			RECEIVED BY: (Signature) _____			DATE: _____	TIME: _____	
RELINQUISHED BY: (Signature) _____			RECEIVED BY: (Signature) _____			DATE: _____	TIME: _____	
RELINQUISHED BY: (Signature) _____			RECEIVED BY: (Signature) _____			DATE: _____	TIME: _____	
SAMPLE I.D.	LAB I.D.	SAMPLING DATE/TIME	MATRIX	No of Containers	ANALYSIS REQUESTED	SAMPLE RECEIVED CONDITION		Sample Stored Location
<u>EW-1</u>	<u>960130-1</u>	<u>1/29/96</u>	<u>Water</u>	<u>2</u>	<u>TPH as Gasoline, 601, 602</u>	<u>OK</u>		<u>R9</u>
<u>MW-4</u>	<u>960130-2</u>	<u>1/29/96</u>	<u>"</u>	<u>2</u>	<u>"</u>	↓		↓
<u>C-1</u>	<u>960130-3</u>	<u>"</u>	<u>"</u>	<u>2</u>	<u>"</u>			
<u>C-2</u>	<u>960130-4</u>	<u>"</u>	<u>"</u>	<u>2</u>	<u>"</u>			
<u>C-3</u>	<u>960130-5</u>	<u>"</u>	<u>"</u>	<u>2</u>	<u>"</u>			