

RECEIVED

2:29 pm, May 13, 2009

Alameda County
Environmental Health

May 11, 2009

Ms. Paresh C. Khatri and Ms. Donna Drogos
Hazardous Materials Specialist
Alameda County Health Care Services Agency
Department of Environmental Health – Local Oversight Program
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577

Subject: Documentation of Three Monitoring Well Closures:
Benner Automotive – 488 25th Street, Oakland, California
Alameda County Health Case No. RO002518
California GeoTracker Global ID T0600114301
ACPWA Well Registration Nos. 0964813, 0964814, and 0964815

Dear Ms. Paresh and Ms. Drogos:

INTRODUCTION AND WORK SUMMARY

Stellar Environmental Solutions, Inc. (SES) is pleased to provide you with this report documenting the closure of three groundwater monitoring wells. All three wells were located at the Benner Automotive facility located at 488 25th Street, Oakland, California. The work was performed in accordance with our proposal of March 23, 2009 to the responsible party and property owner, the Benner Family Trust, and the terms and conditions contained therein.

The project site is an active automobile service facility (Benner Automotive) at 488 25th Street, Oakland, Alameda County, California (site). The site is located in downtown Oakland on the north side of 25th Street, approximately 500 feet east of Telegraph Avenue. Figure 1 is a site location map. Figure 2 is a site plan showing the location of the former UFST.

Previous investigations are summarized as follows:

- **January 2003.** A 1,000-gallon gasoline UFST was removed from the subject site. Gasoline-range petroleum hydrocarbon contamination was detected in soil samples collected from the base of the tank excavation.

- **July 2003.** A preliminary borehole investigation was conducted to define the extent and type of contamination that resulted from the leaking UFST. Five boreholes were advanced to depths of 16 to 25 feet below ground surface (bgs); soil and groundwater samples collected from these boreholes indicated gasoline contamination beneath the former UFST and to the east and south, with minor to insignificant gasoline contamination to the west and northwest.
- **July 2004.** Six exploratory boreholes were drilled and sampled in the vicinity of the former UFST to further define the extent of groundwater and soil contamination. Additionally, a well search indicated no vicinity water wells that could intercept site-sourced groundwater contamination, except for an inactive groundwater monitoring well (installed to monitor a fuel release) at a property across the street. A preferential pathway survey was also conducted to identify underground utility trenches that may act as a preferential pathway for groundwater contamination. Only sanitary and storm sewer lines located approximately 150 feet west (crossgradient) of the subject property were potentially at the depth of groundwater. Based on the distance of these lines from the site, they are unlikely to intercept site-sourced groundwater and thus act as preferential contaminant migration pathways.
- **May 2005.** Three groundwater monitoring wells were installed, developed, surveyed, and sampled in May 2005 as the first quarterly groundwater monitoring event at the subject site.
- **August 2005 – March 2006.** Quarterly groundwater monitoring events were conducted.

From May 2005 to March 2006, no contaminants were detected in the monitoring wells above the Environmental Screening Limits for commercial/industrial sites where groundwater is a potential drinking water resource. Therefore, case closure was requested in March 2006. In a letter from the Alameda County Department of Environmental Health (ACDEH) dated March 3, 2009, it was concluded that no further action/remediation on the site is needed.

This letter report provides the final documentation of the monitoring well decommissioning. SES' scope of work to decommission the 3 site wells included:

- Obtaining the Alameda County Public Works Agency (ACPWA) water resources well closure permits and City of Oakland excavation permit, and acting as a liaison with ACPWA on the Benner Family Trust's behalf;
- Closing the three monitoring wells in accordance with ACPWA specifications;

- Preparing, and submitting to the ACPWA, the Department of Water Resources (DWR) Well Completion Form; and
- Completing this documentation report for the ACDEH and the Benner Family Trust.
- Submit a request to the City of Oakland to rescind the encroachment permit for the two wells that were located in 25th Street.

MONITORING WELLS DESCRIPTION AND SITE INSPECTIONS

The wells were originally installed on May 25, 2005 by SES and Vironex, Inc. under permit numbers W05-0366 through W05-0368. The wells IDs and specifications are summarized in Table 1. Copies of the original well completion reports and well closure reports are included in Appendix C.

Table 1: Monitoring Well Descriptions

Well ID	ACPWA ID	Well Depth (feet)	Well Casing (ID)
MW-1	0964813	25	3/4-inch PVC
MW-2	0964814	25	3/4-inch PVC
MW-3	0964815	25	3/4-inch PVC

WELL CLOSURE ACTIVITIES

Prior to well closure, we obtained the ACPWA well closure permit and scheduled the required ACPWA onsite inspection. In addition, an excavation permit was obtained from the City of Oakland for the two wells located in 25th Street. Copies of these two permits are included in Appendix A.

Our project team consisted of ECA Drilling, a licensed well driller (C-57 license number 695970), as required by ACPWA. The attached figure 2 shows the locations of the wells decommissioned. The decommissioning of the three wells occurred on May 11, 2009.

The first task was to drill through the PVC well casing to the depth of each well (25 feet) with hollow stem direct push 2-inch drilling rods. After the rods reached the desired depth, PVC

plastic rods were inserted inside the direct push rods which were then removed, and grout was poured through the PVC rods to the bottom of the well, creating a tremie grout (grouting from the bottom up). The rods were raised out of the ground as the grout filled the void, until approximately 5 feet below ground surface. At that time, the Christie box and metal sleeve were removed, as well as any remaining well casing PVC within the first 0-5 feet of the ground surface. The remaining void was then filled with fast drying concrete to surface. Ms. Vicky Hamlin of the ACPWA was onsite for the well closure inspections. There was no significant wastewater or soil generated during the well closures.

Attachment B contains photodocumentation of well closure activities. On the Benner Family Trust's behalf, SES prepared and submitted to the ACPWA [who submits copies to the Department of Water Resources (DWR)] the DWR Well Destruction Forms. A copy of those forms are included as Attachment C.

The conditions of the site closure have been met and the three monitoring wells closed under the oversight of the ACPWA. SES understands that this is the final step in achieving site closure, and subsequently the property owner (Benner Family Trust) can look forward to receiving the "No Further Action" letter from ACDEH and the Regional Water Quality Control Board (Water Board). Once the "No Further Action" letter is issued, the case is officially closed on the Water Board's public Geotracker database.

SES appreciates the opportunity to have provided the requested technical services to the Benner Family Trust. Please call us at 510-644-3123 if you have any questions.

Sincerely,



Teal N. Glass
Senior Environmental Scientist



Richard S. Makdisi, R.G., R.E.A.,
Principal

CC: Mr. Mike Benner, Trustee, Benner Family Trust



FIGURES



SITE LOCATION ON U.S.G.S. TOPOGRAPHIC MAP


488 25th Street
Oakland, CA

By: MJC

JANUARY 2003

Figure 1

★ Stellar Environmental Solutions
Geoscience & Engineering Consulting



2002-555-59

ATTACHMENT A

**Well Closure Permit
and ACDEH Letter**

ALAMEDA COUNTY
HEALTH CARE SERVICES
AGENCY
DAVID J. KEARS, Agency Director



ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

March 6, 2009

Michael Benner, Trustee
Benner Family Trust
488 25th Street
Oakland, CA 94612

Barbara Roberts, Trustee
Benner Family Trust
488 25th Street
Oakland, CA 94612

Subject: Monitoring Well Destruction for Case Closure of Fuel Leak Case No. RO0002518 and GeoTracker Global ID T0600114301, Benner Automotive, 488 25th Street, Oakland, CA 94612

Dear Mr. Benner & Ms. Roberts:

Alameda County Environmental Health (ACEH) and California Regional Water Quality Control Board staff have reviewed the fuel leak case file and case closure summary for the above-referenced site and concur that no further action related to the underground storage tank fuel release is required at this time. Prior to issuance of a remedial action completion certificate, the monitoring wells installed at the site are to be properly destroyed, per California Water Code.

ACEH is requesting that you contact Alameda County Public Works Agency at (510) 567-6791, obtain the necessary permits, destroy the wells, and electronically upload the monitoring well destruction report to ACEH's FTP server and the State Water Resources Control Board's GeoTracker website within ninety (90) days from the date of this letter (**June 4, 2009**). Electronic reporting is described in detail below. Upon our receipt of the report of well destruction, (and confirmation of investigation derived waste disposal) this office will issue you the remedial action completion certificate.

These reports are being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

ELECTRONIC SUBMITTAL OF REPORTS

ACEH's Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of reports in electronic form. The electronic copy replaces paper copies and is expected to be used for all public information requests, regulatory review, and compliance/enforcement activities. Instructions for submission of electronic documents to the Alameda County Environmental Cleanup Oversight Program FTP site are provided on the attached "Electronic Report Upload

Instructions." Submission of reports to the Alameda County FTP site is an addition to existing requirements for electronic submittal of information to the State Water Resources Control Board (SWRCB) Geotracker website. In September 2004, the SWRCB adopted regulations that require electronic submittal of information for all groundwater cleanup programs. For several years, *responsible parties* for cleanup of leaks from underground storage tanks (USTs) have been required to submit groundwater analytical data, surveyed locations of monitoring wells, and other data to the Geotracker database over the Internet. Beginning July 1, 2005, these same reporting requirements were added to Spills, Leaks, Investigations, and Cleanup (SLIC) sites. Beginning July 1, 2005, electronic submittal of a complete copy of all reports for all sites is required in Geotracker (in PDF format). Please visit the SWRCB website for more information on these requirements (http://www.swrcb.ca.gov/ust/electronic_submittal/report_rqmts.shtml).

PERJURY STATEMENT

All work plans, technical reports, or technical documents submitted to ACEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I declare, under penalty of perjury, that the information and/or recommendations contained in the attached document or report is true and correct to the best of my knowledge." This letter must be signed by an officer or legally authorized representative of your company. Please include a cover letter satisfying these requirements with all future reports and technical documents submitted for this fuel leak case.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6735, 6835, and 7835.1) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately registered or certified professional. For your submittal to be considered a valid technical report, you are to present site specific data, data interpretations, and recommendations prepared by an appropriately licensed professional and include the professional registration stamp, signature, and statement of professional certification. Please ensure all that all technical reports submitted for this fuel leak case meet this requirement.

UNDERGROUND STORAGE TANK CLEANUP FUND

Please note that delays in investigation, later reports, or enforcement actions may result in your becoming ineligible to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse you for the cost of cleanup.

AGENCY OVERSIGHT

If it appears as though significant delays are occurring or reports are not submitted as requested, we will consider referring your case to the Regional Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety

Mr. Benner & Ms. Roberts
RO0002518
March 6, 2009, Page 3

Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.

If you have any questions, please call me at (510) 777-2478 or send me an electronic mail message at paresh.khatri@acgov.org.

Sincerely,



Paresh C. Khatri
Hazardous Materials Specialist

Enclosure: ACEH Electronic Report Upload (ftp) Instructions

cc: Henry Pietropaoli, Stellar Environmental Solutions, Inc., 2198 Sixth Street, Suite 201, Berkeley,
CA 94710
Donna Drogos, ACEH
Paresh Khatri, ACEH
File

Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC)	ISSUE DATE: July 5, 2005
	REVISION DATE: December 16, 2005
	PREVIOUS REVISIONS: October 31, 2005
SECTION: Miscellaneous Administrative Topics & Procedures	SUBJECT: Electronic Report Upload (ftp) Instructions

Effective **January 31, 2006**, the Alameda County Environmental Cleanup Oversight Programs (LOP and SLIC) require submission of all reports in electronic form to the county's ftp site. Paper copies of reports will no longer be accepted. The electronic copy replaces the paper copy and will be used for all public information requests, regulatory review, and compliance/enforcement activities.

REQUIREMENTS

- Entire report including cover letter must be submitted to the ftp site as a **single portable document format (PDF) with no password protection**. (Please do not submit reports as attachments to electronic mail.)
- It is **preferable** that reports be converted to PDF format from their original format, (e.g., Microsoft Word) rather than scanned.
- Signature pages and perjury statements **must** be included and have either original or electronic signature.
- **Do not password protect the document**. Once indexed and inserted into the correct electronic case file, the document will be secured in compliance with the County's current security standards and a password. **Documents with password protection will not be accepted.**
- Each page in the PDF document should be rotated in the direction that will make it easiest to read on a computer monitor.
- Reports must be named and saved using the following naming convention:
RO#_Report Name_Year-Month-Date (e.g., RO#5555_WorkPlan_2005-06-14)

Additional Recommendations

- A separate copy of the tables in the document should be submitted by e-mail to your Caseworker in **Excel** format. These are for use by assigned Caseworker only.

Submission Instructions

- 1) Obtain User Name and Password:
 - a) Contact the Alameda County Environmental Health Department to obtain a User Name and Password to upload files to the ftp site.
 - i) Send an e-mail to dehloptoxic@acgov.org
or
 - ii) Send a fax on company letterhead to (510) 337-9335, to the attention of Alicia Lam-Finneke.
 - b) In the subject line of your request, be sure to include "**ftp PASSWORD REQUEST**" and in the body of your request, include the **Contact Information, Site Addresses**, and the **Case Numbers (RO# available in Geotracker) you will be posting for**.
- 2) Upload Files to the ftp Site
 - a) Using Internet Explorer (IE4+), go to <ftp://alcoftp1.acgov.org>
 - (i) Note: Netscape and Firefox browsers will not open the FTP site.
 - b) Click on File, then on Login As.
 - c) Enter your User Name and Password. (Note: Both are Case Sensitive.)
 - d) Open "My Computer" on your computer and navigate to the file(s) you wish to upload to the ftp site.
 - e) With both "My Computer" and the ftp site open in separate windows, drag and drop the file(s) from "My Computer" to the ftp window.
- 3) Send E-mail Notifications to the Environmental Cleanup Oversight Programs
 - a) Send email to dehloptoxic@acgov.org notify us that you have placed a report on our ftp site.
 - b) Copy your Caseworker on the e-mail. Your Caseworker's e-mail address is the entire first name then a period and entire last name at acgov.org. (e.g., firstname.lastname@acgov.org)
 - c) The subject line of the e-mail must start with the RO# followed by **Report Upload**. (e.g., Subject: RO1234 Report Upload)

Alameda County Public Works Agency - Water Resources Well Permit



399 Elmhurst Street
Hayward, CA 94544-1395
Telephone: (510)670-6633 Fax:(510)782-1939

Application Approved on: 04/27/2009 By jamesy

Permit Numbers: W2009-0320 to W2009-0322
Permits Valid from 05/11/2009 to 05/11/2009

Application Id: 1240613119978
Site Location: 488 25th Street
Project Start Date: 05/11/2009
Assigned Inspector: Contact Vicky Hamlin at (510) 670-5443 or vickyh@acpwa.org

City of Project Site:Oakland

Completion Date:05/11/2009

Applicant: Stellar Environmental Solutions, Inc. - Teal Glass
2198 6th Street, Suite 201, Berkeley, CA 94710
Property Owner: Joseph and Loretta Benner Family Trust
488 25th Street, Oakland, CA 94612
Client: ** same as Property Owner **
Contact: Teal Glass

Phone: 510-644-3123

Phone: --

Phone: 510-644-3123
Cell: 510-388-7955

Receipt Number: WR2009-0153	Total Due: \$1035.00	
Payer Name : Teal Glass	Total Amount Paid: \$1035.00	
	Paid By: VISA	PAID IN FULL

Works Requesting Permits:

Well Destruction-Monitoring - 3 Wells
Driller: ECA - Lic #: 695970 - Method: press

Work Total: \$1035.00

Specifications

Permit #	Issued Date	Expire Date	Owner Well Id	Hole Diam.	Casing Diam.	Seal Depth	Max. Depth	State Well #	Orig. Permit #	DWR #
W2009-0320	04/27/2009	08/09/2009	MW-1	3.25 in.	0.75 in.	9.00 ft	25.00 ft		W05-0366	0964813
W2009-0321	04/27/2009	08/09/2009	MW-2	3.25 in.	0.75 in.	9.00 ft	25.00 ft		W05-0367	0964814
W2009-0322	04/27/2009	08/09/2009	MW-3	3.25 in.	0.75 in.	9.00 ft	30.00 ft		W05-0368	0964815

Specific Work Permit Conditions

1. Drilling Permit(s) can be voided/ cancelled only in writing. It is the applicant's responsibility to notify Alameda County Public Works Agency, Water Resources Section in writing for an extension or to cancel the drilling permit application. No drilling permit application(s) shall be extended beyond ninety (90) days from the original start date. Applicants may not cancel a drilling permit application after the completion date of the permit issued has passed.

2. Prior to any drilling activities, it shall be the applicant's responsibility to contact and coordinate an Underground Service Alert (USA), obtain encroachment permit(s), excavation permit(s) or any other permits or agreements required for that Federal, State, County or City, and follow all City or County Ordinances. No work shall begin until all the permits and requirements have been approved or obtained. It shall also be the applicants responsibilities to provide to the Cities or to Alameda County an Traffic Safety Plan for any lane closures or detours planned. No work shall begin until all the permits and requirements have been approved or obtained.

3. Compliance with the well-sealing specifications shall not exempt the well-sealing contractor from complying with appropriate State reporting-requirements related to well construction or destruction (Sections 13750 through 13755 (Division 7, Chapter 10, Article 3) of the California Water Code). Contractor must complete State DWR Form 188 and mail original to the Alameda County Public Works Agency, Water Resources Section, within 60 days. Including permit

Alameda County Public Works Agency - Water Resources Well Permit

number and site map.

4. Applicant shall submit the copies of the approved encroachment permit to this office within 60 days.
5. Permittee shall assume entire responsibility for all activities and uses under this permit and shall indemnify, defend and save the Alameda County Public Works Agency, its officers, agents, and employees free and harmless from any and all expense, cost and liability in connection with or resulting from the exercise of this Permit including, but not limited to, property damage, personal injury and wrongful death.
6. Applicant shall contact Vicky Hamlin for an inspection time at 510-670-5443 or email to vickyh@acpwa.org at least five (5) working days prior to starting, once the permit has been approved. Confirm the scheduled date(s) at least 24 hours prior to drilling.
7. Permittee, permittee's contractors, consultants or agents shall be responsible to assure that all material or waters generated during drilling, boring destruction, and/or other activities associated with this Permit will be safely handled, properly managed, and disposed of according to all applicable federal, state, and local statutes regulating such. In no case shall these materials and/or waters be allowed to enter, or potentially enter, on or off-site storm sewers, dry wells, or waterways or be allowed to move off the property where work is being completed.
8. Remove the Christy box or similar structure.

Destroy well by grouting neat cement with a tremie pipe or pressure grouting (25 psi for 5min.) to the bottom of the well and by filling with neat cement to three (3-5) feet below surface grade. Allow the sealing material to spill over the top of the casing to fill any annular space between casing and soil.

After the seal has set, backfill the remaining hole with concrete or compacted material to match existing conditions.

9. Copy of approved drilling permit must be on site at all times. Failure to present or show proof of the approved permit application on site shall result in a fine of \$500.00.
-

CITY OF OAKLAND • Community and Economic Development Agency

250 Frank H. Ogawa Plaza, 2nd Floor, Oakland, CA 94612 • Phone (510) 238-3443 • Fax (510) 238-2263

Applications for which no permit is issued within 180 days shall expire by limitation. No refund after 180 days when expired.

Appl# X0900487 Job Site 488 25TH ST Parcel# 009 -0683-017-00

Descr Remove monitoring wells in 25th St HOLD FINAL PENDING Permit Issued 04/29/09
payment of rescission on ENMI05068 / ENMI09127

Work Type EXCAVATION-PRIVATE P

USA # Util Co. Job # Acctg#:
Util Fund #:

Owner BENNER JOSEPH L TR (510) 832-1244
Contractor ENVIRONMENTAL CONTROL ASSO X (831) 662-8178 695970 C57
Arch/Engr
Agent STELLAR ENVIRO/H. PIETROPAOLI (510) 926-9416
Applic Addr 3011 TWIN PALM DR, APTOS CA, 95003

JOB SITE


238-3651



\$419.99 TOTAL FEES PAID AT ISSUANCE
\$66.00 Applic \$300.00 Permit
\$.00 Process \$34.77 Rec Mgmt
\$.00 Gen Plan \$.00 Invstg
\$.00 Other \$19.22 Tech Enh

Permit Issued By [Signature] Date: 0

Finalized By _____ Date: _____



ADDRESS

DIST:

CITY OF OAKLAND

PAID
4/29/09 [Signature]

CITY OF OAKLAND • Community and Economic Development Agency

250 Frank H. Ogawa Plaza, 2nd Floor, Oakland, CA 94612 • Phone (510) 238-3443 • Fax (510) 238-2263

Applications for which no permit is issued within 180 days shall expire by limitation. No refund after 180 days when expired.

Permit No. X0900487 Parcel #: 009 -0683-017-00
Project Address: 488 25TH ST

Licensed Contractors' Declaration

I hereby affirm under penalty of perjury that I am licensed under provisions of Chapter 9 (commencing with Section 7000) of Division 3 of the Business and Professions Code, and my license is in full force and effect.

Construction Lending Agency Declaration

I hereby affirm under penalty of perjury that there is a construction-lending agency for the performance of the work for which this permit is issued, as provided by Section 3097 of the Business and Professions Code. N/A under Lender implies No Lending Agency.

Lender _____ Address _____

Workers' Compensation Declaration

I hereby affirm under penalty of perjury one of the following declarations:

[] I have and will maintain a certificate of consent to self-insure for workers' compensation, as provided for by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.

[] I have and will maintain workers' compensation insurance, as required by Section 3700 of the Labor Code, for the performance of the work for which this permit is issued.

CARRIER: _____ POLICY NO. _____

[] I certify that in the performance of the work for which this permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California, and agree that if I should become subject to the workers' compensation provisions of Section 3700 of the Labor Code, I shall forthwith comply with those provisions.

WARNING: FAILURE TO SECURE WORKERS' COMPENSATION COVERAGE IS UNLAWFUL, AND SHALL SUBJECT AN EMPLOYER TO CRIMINAL PENALTIES AND CIVIL FINES UP TO ONE HUNDRED THOUSAND DOLLARS, IN ADDITION TO THE COST OF COMPENSATION, DAMAGES AS PROVIDED FOR IN SECTION 3707 OF THE LABOR CODE, INTEREST, AND ATTORNEY'S FEES.

Hazardous Materials Declaration

I hereby affirm that the intended occupancy [] WILL WILL NOT use, handle or store any hazardous, or acutely hazardous, materials. (Checking "WILL" acknowledges that Sections 25505, 25533, & 25534 of the Health & Safety Code, as well as filing instructions, were made available to you.)

I HEREBY CERTIFY THE FOLLOWING: That I have read this document; that the above information is correct; and that I have truthfully affirmed all applicable declarations contained in this document. I agree to comply with all city and county ordinances and state laws relating to building construction, and hereby authorize representatives of this city to enter upon the above-mentioned property for inspection. I am fully authorized by the owner and to perform the work authorized by this permit.



PRINT NAME _____ Signature [] Contractor, or [] Agent _____ Date _____

ADDRESS:

DIST:

ATTACHMENT B

Photodocumentation



Subject: Drilling on MW-1.

Site: 488 25th Street, Oakland, California.

Date Taken: May 11, 2009

Project No.: SES 2009-16

Photographer: Teal Glass

Photo No.: 01



Subject: Tremie grouting on MW-1.

Site: 488 25th Street, Oakland, California.

Date Taken: May 11, 2009

Project No.: SES 2009-16

Photographer: Teal Glass

Photo No.: 02



Subject: Patching the concrete on MW-2.

Site: 488 25th Street, Oakland, California.

Date Taken: May 11, 2009

Project No.: SES 2009-16

Photographer: Teal Glass

Photo No.: 03



Subject: Completed concrete patch on MW-3.

Site: 488 25th Street, Oakland, California.

Date Taken: May 11, 2009

Project No.: SES 2009-16

Photographer: Teal Glass

Photo No.: 04

ATTACHMENT C

DWR Well Completion and Destruction Forms

CONFIDENTIAL

STATE OF CALIFORNIA DWR
WELL COMPLETION REPORT
(WELL LOGS)

REMOVED

CONFIDENTIAL

STATE OF CALIFORNIA DWR
WELL COMPLETION REPORT
(WELL LOGS)

REMOVED

CONFIDENTIAL

**STATE OF CALIFORNIA DWR
WELL COMPLETION REPORT
(WELL LOGS)**

REMOVED

CONFIDENTIAL

STATE OF CALIFORNIA DWR
WELL COMPLETION REPORT
(WELL LOGS)

REMOVED

CONFIDENTIAL

STATE OF CALIFORNIA DWR
WELL COMPLETION REPORT
(WELL LOGS)

REMOVED

CONFIDENTIAL

STATE OF CALIFORNIA DWR
WELL COMPLETION REPORT
(WELL LOGS)

REMOVED