

3/5/2015 4:25:38 PM

1 GROUND FLOOR PLAN
1/16" = 1'-0"

SAN PABLO AVENUE



39TH STREET

ADELINE STREET

APGAR STREET

W. MACARTHUR BOULEVARD

SHEET NOTES

1. THIS DRAWING DEPICTS COLD SHELL IMPROVEMENTS ONLY. TENANT IMPROVEMENTS NOT IN SCOPE.
2. GARAGE AND RESIDENTIAL STRUCTURE UNDER SEPARATE PERMITS - SHOWN FOR REFERENCE ONLY.
3. RAINGARDEN BY OTHERS, SHOWN FOR REFERENCE ONLY.


KEY NOTES

- 1 ELEVATOR
- 2 STAIR
- 3 ACCESSIBLE ENTRY/EXIT DOOR
- 4 CURB CUT RAMP
- 5 FIRE BARRIER BETWEEN COMMERCIAL BUILDING AND (N) GARAGE & RESIDENTIAL BLDG.
- 6 GAS METERS
- 7 BIKE RACKS
- 8 OUTDOOR SEATING AREA
- 9 RAINGARDEN, SLD
- 10 PLANTER, SLD
- 11 STREET TREE, SLD
- 12 DRIVEWAY
- 13 (N) PROPERTY LINE BETWEEN (E) COMMERCIAL BUILDING AND (N) GARAGE AND RESIDENTIAL BLDG.
- 14 STREET PARKING SPACE

KEY NOTES

- PROPERTY LINE
- > ACCESSIBLE PATH OF TRAVEL
- ACCESSIBLE PARKING SPACE
- STREET TREE
- NEW GARAGE & RESIDENTIAL BLDG. NOT IN SCOPE
- NEIGHBORING BUILDING
- LANDSCAPED AREA, SLD

SCALE: 1/16" = 1'




PROJECT NAME
**INTERSECTION
 COMMERCIAL
 SHELL**
**HOLLIDAY
 DEVELOPMENT**
 3800 SAN PABLO AVENUE
 EMERYVILLE, CA 94608

**NOT FOR
CONSTRUCTION**

CONSULTANT

CONSULTANT STAMP

NO.	DATE	ISSUES & REVISIONS	BY



DRAWN BY: DB
 PROJECT NUMBER: 14-003
 SHEET ISSUE DATE: 11/14/14


SHEET TITLE:
**GROUND LEVEL
SITE PLAN**

SHEET NUMBER

1


ALL DRAWINGS AND WRITTEN MATERIAL APPEARING HEREIN CONSTITUTE ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT AND MAY NOT BE DUPLICATED, USED OR DISCLOSED WITHOUT WRITTEN CONSENT OF THE ARCHITECT

TOPO! map printed on 04/03/07 from "California.tpo" and "Untitled.tpg"
 122°18.000' W 122°17.000' W WGS84 122°16.000' W




IN 15°
 0 1000 FEET 0 500 1000 METERS
 Printed from TOPO! ©2000 Wildflower Productions (www.topo.com)

DESIGNED BY:	CHECKED BY: JG	SITE VICINITY MAP	DATE: 03/20/2015	FIGURE: 1
DRAWN BY: MR	SCALE:		GRIBI	
PROJECT NO:				
		3800 SAN PABLO AVENUE EMERYVILLE, CALIFORNIA		




- - SOIL BORING (GRIBI ASSOCIATES)
- - SOIL BORING (ESTC, MAY 2007)
- ⊕ - OZONE INJECTION WELL (GRIBI, FEB 2013)
- ⊕ - GROUNDWATER MONITORING WELL



Depth: Boring depth
 TPH-D: Total Petroleum Hydrocarbons as Diesel
 TPH-G: Total Petroleum Hydrocarbons as Gasoline
 B: Benzene
 T: Toluene
 E: Ethylbenzene
 X: Xylenes
 OXY: Organohalides
 ND: Nondetect
 NA: Not analyzed
 Concentrations in milligrams per kilogram

DESIGNED BY:	CHECKED BY: JG	HISTORICAL SOIL HYDROCARBON RESULTS	DATE: 03/20/2015	FIGURE: 3
DRAWN BY: JG	SCALE:		GRIBI	
PROJECT NO:				





- - SOIL BORING (GRIBI ASSOCIATES)
- - SOIL BORING (ESTC, MAY 2007)
- ☐ - OZONE INJECTION WELL (GRIBI, FEB 2013)
- ⊕ - GROUNDWATER MONITORING WELL

DESIGNED BY:	CHECKED BY: JG
DRAWN BY: JG	SCALE:
PROJECT NO:	

**HISTORICAL GROUNDWATER
HYDROCARBON RESULTS**
3800 SAN PABLO AVENUE
EMERYVILLE, CALIFORNIA

DATE: 03/20/2015 FIGURE: 4






DESIGNED BY:	CHECKED BY: JG
DRAWN BY: MR	SCALE:
PROJECT NO:	

**GROUNDWATER ELEVATION
GRADIENT - 03/12/2015**

3800 SAN PABLO AVENUE
EMERYVILLE, CALIFORNIA

DATE: 03/20/2015	FIGURE: 5



	- SOIL GAS WELL
	- OZONE INJECTION WELL
	- GROUNDWATER MONITORING WELL


0 20 40

APPROXIMATE SCALE IN FEET





DESIGNED BY:	CHECKED BY: JG	GROUNDWATER HYDROCARBON CONCENTRATIONS - 03/12/2015	DATE: 03/20/2015	FIGURE: 6
DRAWN BY: MR	SCALE:			
PROJECT NO:	3800 SAN PABLO AVENUE EMERYVILLE, CALIFORNIA			

**PROJECT SITE
3800 SAN PABLO AVENUE**



- - NEW SOIL BORING LOCATION
- ▲ - NEW SUB-SLAB VAPOR SAMPLE LOCATION
- SOIL GAS WELL LOCATION
- ◆ - NEW SOIL GAS WELL LOCATION



DESIGNED BY:	CHECKED BY: JG
DRAWN BY: MR	SCALE:
PROJECT NO:	

**MARCH 2015 SAMPLE
LOCATIONS**

3800 SAN PABLO AVENUE
EMERYVILLE, CALIFORNIA

DATE: 03/20/2015	FIGURE: 7

Table 1

CUMULATIVE SOIL LABORATORY ANALYTICAL RESULTS

Former Maz Glass UST Site

Soil Concentration, in milligrams per kilogram (mg/kg)

Sample ID	Sample Depth	Soil Concentration, in milligrams per kilogram (mg/kg)							
		TPH-D	TPH-G	B	T	E	X	OXY	OTHER VOCs
UST Removal, Enviro Soil Tech Consultants, May 2002									
T-1-7-1	7.0 feet	280L	440	<0.130	<0.130	<0.130	<0.130	MTBE <0.130	0.910 Propylbenzene 0.260 Isopropylbenzene 0.490 n-Butylbenzene
T-1-10-2	10.0 feet	97L	26	<0.023	<0.023	<0.023	<0.023	MTBE <0.023	0.140 Propylbenzene 0.037 Isopropylbenzene 0.067 n-Butylbenzene
T-2-6.5-1	6.5 feet	29L	46	<0.025	<0.025	0.057	<0.025	MTBE <0.025	0.640 Propylbenzene 0.130 Isopropylbenzene 0.150 sec-Butylbenzene 0.130 Isopropyl Toluene 0.670 n-Butylbenzene
T-2-8.5-2	8.5 feet	24L	370	<0.130	<0.130	3.2	0.48	MTBE <0.130	2.8 Propylbenzene 0.650 Isopropylbenzene 0.380 sec-Butylbenzene 0.510 Isopropyl Toluene 1.9 n-Butylbenzene 0.370 1,3,5-Trimethylbenzene 0.250 Naphthalene
T-2-11-3	11.0 feet	18L	59	<0.013	<0.013	0.069	<0.013	MTBE <0.013	0.059 Acetone 0.036 2-Butanone 0.039 Propylbenzene 0.019 n-Butylbenzene
Soil Boring Investigation, Enviro Soil Tech Consultants, May 2007									
B-1-5	5.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-1-10	10.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-1-15	15.0 feet	<5	<0.5	0.030	<0.005	0.022	<0.010	NA	0.010 n-Propylbenzene
B-1-20	20.0 feet	7.7	7.7	0.085	<0.005	0.026	0.015	NA	0.019 1,2,4-Trimethylbenzene 0.0071 1,3,5-Trimethylbenzene 0.0055 n-Propylbenzene 0.014 Naphthalene
B-2-5	5.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-2-10	10.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-2-15	15.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-2-20	20.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-3-5	5.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-3-10	10.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-3-15	15.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-3-20	20.0 feet	<5	7.5	<0.005	<0.005	<0.005	<0.010	NA	0.110 Acetone

Table 1
CUMULATIVE SOIL LABORATORY ANALYTICAL RESULTS
Former Maz Glass UST Site

Sample ID	Sample Depth	Soil Concentration, in milligrams per kilogram (mg/kg)							
		TPH-D	TPH-G	B	T	E	X	OXY	OTHER VOCs
B-4-5	5.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-4-10	10.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-4-15	15.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-4-20	20.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-5-5	5.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-5-10	10.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-5-15	15.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-5-20	20.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-6-5	5.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-6-10	10.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-6-15	15.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	0.0086 n-Propylbenzene
B-6-20	20.0 feet	<5	1.1	0.0071	<0.005	0.068	<0.010	NA	0.0082 1,2,4-Trimethylbenzene 0.006 1,3,5-Trimethyl benzene 0.0083 Isopropylbenzene 0.013 n-Propyl benzene 0.0055 Naphthalene
B-7-5	5.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-7-10	10.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-7-15	15.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
B-7-20	20.0 feet	<5	<0.5	<0.005	<0.005	<0.005	<0.010	NA	ND
Soil Boring Investigation, Gribi Associates, December 2011									
B-8-6.0	6.0 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-8-9.0	9.0 feet	NA	4.0	<0.005	<0.005	<0.005	<0.010	NA	NA
B-8-14.0	14.0 feet	22	22	<0.005	<0.005	<0.005	<0.010	NA	NA
B-9-7.5	7.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-9-11.0	11.0 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-9-16.0	16.0 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-10-7.5	7.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-10-13.5	13.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-10-20.5	20.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-11-10.5	10.5 feet	26	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-11-15.0	15.0 feet	<10	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-11-20.0	20.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-12-7.5	7.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-12-10.5	10.5 feet	NA	1.2	<0.005	<0.005	<0.005	<0.010	NA	NA
B-12-17.5	17.5 feet	NA	2.9	<0.005	<0.005	<0.005	<0.010	NA	NA
B-12-22.0	22.0 feet	<10	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-13-7.5	7.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-13-12.5	12.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-13-14.5	14.5 feet	NA	2	<0.005	<0.005	<0.005	<0.010	NA	NA
B-13-20.0	20.0 feet	NA	3.9	<0.005	<0.005	0.07	<0.010	NA	NA

Table 1
CUMULATIVE SOIL LABORATORY ANALYTICAL RESULTS
Former Maz Glass UST Site

Sample ID	Sample Depth	Soil Concentration, in milligrams per kilogram (mg/kg)							
		TPH-D	TPH-G	B	T	E	X	OXY	OTHER VOCs
B-14-8.0	8.0 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-14-12.0	12.0 feet	NA	1.6	<0.005	<0.005	<0.005	<0.010	NA	NA
B-14-15.5	15.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-14-20.5	20.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
Remedial Investigation, Gribi Associates, May 2012									
B-15-12.0	12.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
B-16-13.5	13.5 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
B-17-11.5	11.5	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
B-18-13.0	13.0 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
B-18-19.0	19.0 feet	NA	1.4	<0.005	0.013	<0.005	<0.010	NA	NA
B-18-23.0	23.0 feet	NA	0.63	<0.005	<0.005	<0.005	<0.010	NA	NA
B-19-17.5	17.5 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
B-20-20.0	20.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
B-21-14.5	14.5 feet	NA	0.52	<0.005	<0.005	<0.005	<0.010	NA	NA
B-21-16.0	16.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
B-22-17.0	17.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
B-23-11.0	11.0 feet	NA	0.70	<0.005	<0.005	<0.005	<0.010	NA	NA
MW-1-10.5	10.5 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
MW-1-15.5	15.5 feet	NA	3.1	<0.005	0.017	0.013	0.0291	NA	NA
MW-1-20.0	20.0 feet	NA	4.7	0.032	0.013	0.12	<0.010	NA	NA
MW-1-23.0	23.0 feet	NA	2.8	0.025	0.0077	0.073	<0.010	NA	NA
MW-2-4.5	4.5 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
MW-2-8.0	8.0 feet	NA	35	<0.005	0.13	0.038	0.086	NA	NA
MW-2-17.5	17.5 feet	NA	69	0.14	0.14	0.22	0.148	NA	NA
MW-2-24.0	24.0 feet	NA	54	0.22	0.14	0.57	0.121	NA	NA
MW-3-8.0	8.0 feet	NA	25	<0.005	0.1	<0.005	0.101	NA	NA
MW-3-17.5	17.5 feet	NA	1.3	<0.005	0.0076	0.011	<0.010	NA	NA
MW-3-23.0	23.0 feet	NA	28	0.36	0.052	0.35	0.236	NA	NA
MW-4-7.0	7.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	NA
MW-4-12.0	12.0 feet	NA	1.3	<0.005	0.0055	0.0081	<0.010	NA	NA
MW-4-16.0	16.0 feet	NA	7.3	0.0069	0.028	0.034	0.0215	NA	NA
MW-4-23.0	23.0 feet	NA	22	0.026	0.064	0.062	0.085	NA	NA
South UST Removal, Gribi Associates, August 2012									
T-1-W	10.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.005	All ND	All ND
T-1-E	10.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.005	All ND	All ND
T-1-N	7.0 feet	<10	0.52	<0.005	<0.005	<0.005	<0.005	All ND	All ND
T-1-S	7.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.005	All ND	All ND

Table 1
CUMULATIVE SOIL LABORATORY ANALYTICAL RESULTS
Former Maz Glass UST Site

Sample ID	Sample Depth	Soil Concentration, in milligrams per kilogram (mg/kg)							
		TPH-D	TPH-G	B	T	E	X	OXY	OTHER VOCs
Remediation Pilot Test, Gribi Associates, February 2013									
B-24-9.0	9.0 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	All ND	NA
B-24-15.0	15.0 feet	NA	1.3	<0.005	<0.005	<0.005	<0.010	All ND	NA
B-27-7.0	7.0 feet	NA	25	<0.005	<0.005	<0.005	<0.010	All ND	NA
B-27-15.5	15.5 feet	NA	4.4	0.0056	<0.005	0.12	0.008	All ND	NA
B-28-7.5	7.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	All ND	NA
B-28-15.5	15.5 feet	NA	16	<0.005	<0.005	<0.005	<0.010	All ND	NA
OW-1-7.5	7.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	All ND	NA
OW-1-15.0	15.0 feet	NA	7.4	0.039	<0.005	0.19	0.013	All ND	NA
OW-1-17.0	17.0 feet	NA	18	0.013	<0.005	0.12	0.0074	All ND	NA
OW-1-25.0	25.0 feet	NA	6.5	0.014	<0.005	0.047	0.011	All ND	NA
OW-2-7.5	7.5 feet	NA	7.7	<0.005	<0.005	<0.005	<0.010	NA	NA
OW-2-15.5	15.5 feet	NA	2.5	<0.005	<0.005	0.0084	<0.010	NA	NA
OW-3-7.5	7.5 feet	NA	1.1	<0.005	<0.005	<0.005	<0.010	NA	NA
OW-3-15.5	15.5 feet	NA	<0.5	<0.005	<0.005	<0.005	<0.010	NA	NA
Soil, Water, & Vapor Investigation, Gribi Associates, August/September 2014									
B-29-20.0	20.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	<0.005 Naphthalene
B-30-20.0	20.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	NA	<0.005 Naphthalene
SG-2-2.5	2.5 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	<0.005 Naphthalene
SG-2-5.0	5.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	<0.005 Naphthalene
SG-5-2.5	2.5 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	<0.005 Naphthalene
SG-5-5.0	5.0 feet	NA	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	<0.005 Naphthalene
SS-1	1.0 foot	<10	<10	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SS-2	1.0 foot	<10	<10	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SS-3	1.0 foot	<10	<10	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SS-4	1.0 foot	<10	<10	<0.005	<0.005	<0.005	<0.010	All ND	All ND
Soil, Water, & Vapor Investigation, Gribi Associates, March 2015									
B-31-4.5	4.5 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	All ND
B-31-9.5	9.5 feet	<10	<0.50	<0.005	0.0084	<0.005	<0.010	All ND	All ND
B-32-4.5	4.5 feet	<10	<0.50	<0.005	0.0080	<0.005	<0.010	All ND	All ND
B-32-7.5	7.5 feet	<10	<0.50	<0.005	0.0080	<0.005	<0.010	All ND	All ND
B-32-12.5	12.5 feet	<10	4.8	<0.005	0.0083	<0.005	<0.010	All ND	All ND
B-32-17.5	17.5 feet	<10	9.8	0.016	<0.005	0.014	<0.010	All ND	All ND
B-32-19.5	19.5 feet	<10	<0.50	<0.005	0.0110	<0.005	<0.010	All ND	All ND
B-32-24.5	24.5 feet	<10	0.50	<0.005	0,0090	<0.005	<0.010	All ND	All ND
B-33-4.5	4.5 feet	<10	<0.50	<0.005	0.0086	<0.005	<0.010	All ND	All ND
B-33-7.5	7.5 feet	<10	<0.50	<0.005	0.0082	<0.005	<0.010	All ND	All ND
B-33-11.5	11.5 feet	<10	6.0	<0.005	0.0092	0.0050	<0.010	All ND	All ND
B-33-14.5	14.5 feet	<10	1.5	<0.005	0.0100	0.0056	<0.010	All ND	All ND
B-33-18.0	18.0 feet	<10	1.5	<0.005	0.0093	<0.005	<0.010	All ND	All ND

Table 1									
CUMULATIVE SOIL LABORATORY ANALYTICAL RESULTS									
Former Maz Glass UST Site									
Sample ID	Sample Depth	Soil Concentration, in milligrams per kilogram (mg/kg)							
		TPH-D	TPH-G	B	T	E	X	OXY	OTHER VOCs
B-34-7.5	7.5 feet	<10	<0.50	<0.005	0.0075	<0.005	<0.010	All ND	All ND
B-34-12.5	12.5 feet	<10	1.0	<0.005	0.0093	<0.005	<0.010	All ND	All ND
B-34-14.5	14.5 feet	<10	2.0	<0.005	0.0096	<0.005	<0.010	All ND	All ND
B-34-17.5	17.5 feet	<10	2.0	<0.005	<0.005	<0.005	<0.010	All ND	0.0063 Isopropylbenzene 0.0069 n-Propylbenzene
B-34-24.5	24.5 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SG-1A-3.0	3.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SG-2A-3.0	3.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SG-3A-3.0	3.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SG-4A-3.0	3.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	All ND
SG-5A-3.0	3.0 feet	<10	<0.50	<0.005	<0.005	<0.005	<0.010	All ND	All ND
ESL		100	100	0.044	2.9	3.3	2.3	8.4 MTBE	NL 1,2,4-Trimethyl benzene NL 1,3,5-Trimethyl benzene NL Isopropyl benzene NL n-Butylbenzene NL sec-Butylbenzene NL Isopropyl Toluene NL n-Propylbenzene 3.1 Naphthalene

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene,

T = Toluene

E = Ethylbenzene

X = Xylenes

OXY = Oxygenates, including Ter-Butanol (TBA), Di-isopropyl Ether (DIPE), Methyl Tertiary Butyl Ether (MTBE), Ethyl-t-butyl Ether (ETBE), and Tert-amyl Methyl Ether (TAME)

L = Lighter hydrocarbons contributed to the quantitation.

NA = Not analyzed for this analyte.

<0.5 = Not detected above the expressed detection level. ND = Not detected above laboratory detection limits

All ND = No detectable concentrations of full list of constituents

ESL = Environmental Screening Levels, as contained in Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, San Francisco Bay Regional Water Quality Control Board, May 2013.

Table 2									
CUMULATIVE GRAB GROUNDWATER LABORATORY ANALYTICAL RESULTS									
Former Maz Glass UST Site									
Sample ID	Sample Depth	Groundwater Concentration, in micrograms per liter (ug/L)							
		TPH-D	TPH-G	B	T	E	X	OXY	OTHER VOCs
Soil Boring Investigation, Enviro Soil Tech Consultants, May 2007									
B-1-W	20 feet	NA	54,000	6,700	120	3,000	2,300	NA	2.8 1,2,4-Trimethyl benzene 0.91 1,3,5-Trimethyl benzene 0.11 Isopropyl benzene
B-2-W	20 feet	<96	<50	<0.50	<0.50	<0.50	0.5	NA	All ND
B-3-W	20 feet	<54	4,500	7.5	<2.5	2.7	<2.5	NA	0.0026 1,2-Dichloroethane 0.055 Isopropylbenzene 0.031 n-Butylbenzene 0.071 n-Propylbenzene
B-4-W	20 feet	<120	<100	<0.50	<0.50	0.55	<0.50	NA	All ND
B-5-W	20 feet	<590	780,000	240	<50	1,400	640	NA	1.10 1,2,4-Trimethylbenzene 0.15 Isopropylbenzene 0.61 n-Propylbenzene
B-6-W	20 feet	<490	44,000	3,000	120	2,200	1,200	NA	2.2 1,2,4-Trimethylbenzene 0.72 1,3,5-Trimethylbenzene 0.11 Isopropylbenzene 0.52 n-Propylbenzene
B-7-W	20 feet	<56	<50	<0.50	<0.50	<0.50	<0.50	NA	0.0032 1,2-Dichloroethane
Soil Boring Investigation, Gribi Associates, December 2011									
B-8-W	(15-20')	NA	68	<0.50	<0.50	<0.50	<1.0	All ND	NA
B-9-W	(16-21')	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	NA
B-10-W	(16-21')	<50	<50	<0.50	<0.50	<0.50	<1.0	All ND	NA
B-11-W	(17-22')	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	NA
B-12-W	(18-23')	NA	3,200	46	0.96	12	<1.0	All ND	NA
B-13-W	(18-23')	1,400	9,100	270	4.0	390	52.4	All ND	NA
B-14-W	(18-23')	<50	0.094	<0.50	<1.0	<1.0	<1.0	All ND	NA
Remedial Investigation, Gribi Associates, May 2012									
B-15-W	(21-24 ft)	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	1.4 1,2-Dichloroethane
B-16-W	(24 ft)	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	1.0 1,2-Dichloroethane
B-17-W	(12 ft)	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	All ND
B-18-W	(13-24')	NA	560	<0.50	<0.50	<0.50	<1.0	All ND	1.6 Sec-Butylbenzene 2.5 Naphthalene 1.3 1,2,4-Trimethylbenzene
B-19-W	(13-24')	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	All ND
B-20-W	(17-23')	NA	<50	<0.50	<0.50	<0.50	<1.0	NA	NA
B-21-W	(15-23')	NA	<50	<0.50	<0.50	<0.50	<1.0	NA	NA
B-22-W	(24-31')	NA	<50	<0.50	<0.50	<0.50	<1.0	NA	NA
Remediation Pilot Test, Gribi Associates, February 2013									
B-24-W	(24')	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	NA
B-27-W	(24')	NA	7,900	1,100	99	1,500	1,169	All ND	NA

Table 2									
CUMULATIVE GRAB GROUNDWATER LABORATORY ANALYTICAL RESULTS									
Former Maz Glass UST Site									
Sample ID	Sample Depth	Groundwater Concentration, in micrograms per liter (ug/L)							
		TPH-D	TPH-G	B	T	E	X	OXY	OTHER VOCs
B-28-W	(20')	NA	910	<0.50	<0.50	<0.50	<1.0	All ND	NA
Soil, Water, & Vapor Investigation, Gribi Associates, August/September 2014									
B-29-W	20 feet	NA	<50	<0.50	0.72	<0.50	<1.0	All ND	<1.0 Naphthalene
B-30-W	20 feet	NA	<50	<0.50	<0.50	<0.50	<1.0	All ND	<1.0 Naphthalene
Soil, Water, & Vapor Investigation, Gribi Associates, March 2015									
B-32-GW	12.91 ft	<500	<50	<0.50	<0.50	1.2	<1.0	70 TBA	
B-33-GW	13.42 ft	720	<50	0.57	<0.50	2.0	<1.0	All ND	
B-34-GW	13.19 ft	700	<50	2.2	1.1	1.7	1.8	82 TBA	
ESL		100	100	27	9.50E+04	310	3.70E+04	Various	NL 1,2,4-Trimethyl benzene NL 1,3,5-Trimethyl benzene NL Isopropyl benzene 100 1,2-Dichloroethane NL Sec-Butylbenzene NL n-Butylbenzene 160 Naphthalene

Table Notes:

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-G = Total Petroleum Hydrocarbons as Gasoline

B = Benzene,

T = Toluene

E = Ethylbenzene

X = Xylenes

OXY = Oxygenates, including Ter-Butanol (TBA), Di-isopropyl Ether (DIPE), Methyl Tertiary Butyl Ether (MTBE), Ethyl-t-butyl Ether (ETBE), and Tert-amyl Methyl Ether (TAME)

NA = Not analyzed for this analyte.

<0.5 = Not detected above the expressed detection level.

ND = Not detected above laboratory detection limits

All ND = No detectable concentrations of full list of constituents

ESL = Environmental Screening Levels, as contained in Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater, San Francisco Bay Regional Water Quality Control Board, May 2013.

Table 3
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
Former Maz Glass UST Site

Well ID	Date	GW Depth	GW Elev.	Groundwater Concentration, in micrograms per liter (ug/L)													
				TPH-G	TPH-D	TPH-HO	B	T	E	X	OXY	Cr6	Br	N	SVOCs	Other VOCs	
MW-1 <38.96>	5/18/2012	8.42	30.54	17,000	-	-	1,300	29	770	260	All ND	-	-	-	-	-	
	9/13/2012	10.55	28.41	13,000	-	-	630	10	780	86.7	All ND	-	-	-	-	-	
	11/9/2012	9.72	29.24	15,000	-	-	1,200	21	1,100	283	All ND	-	-	-	-	-	
	2/20/2013	8.34	30.62	9,800	-	-	970	15	860	171.5	All ND	-	-	75	-	-	
	6/4/2013	9.39	29.57	8,600	-	-	880	15	770	121.2	All ND	-	-	74	-	-	
	Ozone Injection Started on September 9, 2013																
	9/26/2013	10.38	28.58	16,000	-	-	220	8.9	610	152.4	All ND	<0.20	0.091	120	-	-	
	12/30/2013	9.92	29.04	4,700	-	-	62	1.5	110	62.75	All ND	-	-	23	-	-	
	Ozone Injection Stopped on February 7, 2014																
	3/7/2014	6.56	32.40	5,600	-	-	320	8.4	370	89.7	All ND	<0.20	0.047	68	-	-	
	5/27/2014	9.77	29.19	2,900	-	-	180	4.3	290	38.51	All ND	-	-	24	-	-	
	Ozone Injection Resumed on August 5, 2014																
	9/29/2014	11.25	27.71	400	<500	960	<0.50	<0.50	1.1	1.3	38 TBA	-	-	<1.0	All ND	7.0 1,3,5-Trimethylbenzene 4.3 1,2,4-Trimethylbenzene	
	Ozone Injection Stopped on October 24, 2014																
	12/7/2014	6.01	32.95	12,000	-	-	250	2.8	270	54.51	All ND	-	-	-	-	-	
1/29/2015	8.91	30.05	15,000	-	-	240	3.6	210	59.51	All ND	-	-	-	-	-		
3/12/2015	8.28	30.68	3,700	1,300	-	210	2.3	120	63	All ND	-	-	19	-	8.5 b-Butylbenzene 2.9 sec-Butylbenzene 16 Isopropylbenzene 2.1 p-Isopropylbenzene 40 n-Propylbenzene 28 1,3,5-Trimethylbenzene 45 1,2,4-Trimethylbenzene		
MW-2 <38.96>	5/18/2012	8.78	30.18	10,000	-	-	610	26	340	69	All ND	-	-	-	-	-	
	9/13/2012	10.64	28.32	11,000	-	-	990	27	460	42.9	All ND	-	-	-	-	-	
	11/9/2012	9.57	29.39	17,000	-	-	750	19	280	64.9	All ND	-	-	-	-	-	
	2/20/2013	8.86	30.1	8,200	-	-	860	29	410	70	All ND	-	-	29	-	-	
	6/4/2013	9.86	29.1	12,000	-	-	870	23	410	43.8	All ND	-	-	46	-	-	
	Ozone Injection Started on September 9, 2013																
	9/26/2013	13.32	25.64	930	-	-	39	5.6	26	20	All ND	1.1	0.09	13	-	-	
	12/30/2013	10.33	28.63	270	-	-	7.9	<0.50	2.9	<1.0	20 TBA	-	-	<1.0	-	-	
	Ozone Injection Stopped on February 7, 2014																
	3/7/2014	6.95	32.01	440	-	-	41	0.91	4.2	2.9	All ND	<0.20	0.13	4.2	-	-	
	5/27/2014	9.95	29.01	1,200	-	-	250	5.9	34	14.2	All ND	-	-	8.1	-	-	
	Ozone Injection Resumed on August 5, 2014																
	9/29/2014	11.28	27.68	180	<500	<500	4.5	<0.50	0.73	<1.0	87 TBA	-	-	<1.0	ALL ND	ALL ND	
	Ozone Injection Stopped on October 24, 2014																

Table 3
CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS
Former Maz Glass UST Site

Well ID	Date	GW Depth	GW Elev.	Groundwater Concentration, in micrograms per liter (ug/L)													
				TPH-G	TPH-D	TPH-HO	B	T	E	X	OXY	Cr6	Br	N	SVOCs	Other VOCs	
	12/7/2014	6.15	32.81	430	-	-	41	1.1	4.3	3.4	25	TBA	-	-	-	-	-
	1/29/2015	8.63	30.33	6,900	-	-	180	5.4	37	19.2	All ND	-	-	-	-	-	
	3/12/2015	8.3	30.66	3,200	1,100	-	270	5.4	61	7.7	90	TBA	-	-	6.3	-	8.5 n-Butylbenzene 2.9 sec-Butylbenzene 16 Isopropylbenzene 2.1 p-Isopropylbenzene 40 n-Propylbenzene 28 1,3,5-Trimethylbenzene 45 1,2,4-Trimethylbenzene
MW-3	5/18/2012	8.61	30.23	13,000	-	-	1,400	36	350	378	All ND	-	-	-	-	-	
<38.84>	9/13/2012	10.3	28.54	12,000	-	-	1,800	25	680	565.5	All ND	-	-	-	-	-	
	11/9/2012	9.25	29.59	17,000	-	-	2,000	32	540	318.6	All ND	-	-	-	-	-	
	2/20/2013	8.8	30.04	12,000	-	-	1,400	15	330	43.9	All ND	-	-	8.4	-	-	
	6/4/2013	9.49	29.35	12,000	-	-	1,400	11	89	32.4	All ND	-	-	13	-	-	
	Ozone Injection Started on September 9, 2013																
	9/26/2013	10.89	27.95	5,500	-	-	190	2.8	42	27	All ND	<0.20	0.096	18	-	-	
	12/30/2013	14.59	24.25	380	-	-	8.3	<0.50	2.3	1.6	All ND	-	-	<1.0	-	-	
	Ozone Injection Stopped on February 7, 2014																
	3/7/2014	6.99	31.85	400	-	-	31	0.75	2.6	2.9	All ND	<0.20	0.083	1.9	-	-	
	5/27/2014	9.63	29.21	510	-	-	120	1.3	9.8	2.8	All ND	-	-	<1.0	-	-	
	Ozone Injection Resumed on August 5, 2014																
	9/29/2014	10.31	28.53	<50	<500	<500	2.3	<0.50	<0.50	<1.0	All ND	-	-	<1.0	ALL ND	ALL ND	
	Ozone Injection Stopped on October 24, 2014																
	12/7/2014	6.23	32.61	1,900	-	-	290	1.8	2.1	12.4	30	TBA	-	-	-	-	
	1/29/2015	8.97	29.87	3,100	-	-	110	0.57	9.1	1.3	22	TBA	-	-	-	-	
	3/12/2015	8.07	30.77	190	830	-	50	<0.50	2.7	<1.0	53	TBA	-	-	-	-	1.5 Isopropylbenzene 1.3 n-Propylbenzene 1.3 1,2,4-Trimethylbenzene
MW-4	5/18/2012	8.28	30.2	10,000	-	-	82	32	330	278	All ND	-	-	-	-	-	
<38.48>	9/13/2012	8.8	29.68	10,000	-	-	110	24	270	178.1	All ND	-	-	-	-	-	
	11/9/2012	8.06	30.42	11,000	-	-	110	13	170	124.4	All ND	-	-	-	-	-	
	2/20/2013	8.16	30.32	4,500	-	-	100	9.5	190	65.3	All ND	-	-	7.1	-	-	
	6/4/2013	8.73	29.75	6,300	-	-	72	6.2	61	48.4	All ND	-	-	12	-	-	
	Ozone Injection Started on September 9, 2013																
	9/26/2013	9.76	28.72	12,000	-	-	48	3.7	70	18.2	All ND	<0.20	0.056	13	-	-	
	12/30/2013	9.81	28.67	7,600	-	-	50	6.6	68	104.3	All ND	-	-	37	-	-	
	Ozone Injection Stopped on February 7, 2014																
	3/7/2014	6.76	31.72	3,100	-	-	38	4.3	51	76.5	All ND	<0.020	0.016	20	-	-	
	5/27/2014	9.11	29.37	2,900	-	-	47	3.5	68	68.6	All ND	-	-	<1.0	-	-	

Table 3 CUMULATIVE GROUNDWATER LABORATORY ANALYTICAL RESULTS Former Maz Glass UST Site																
Well ID	Date	GW Depth	GW Elev.	Groundwater Concentration, in micrograms per liter (ug/L)												
				TPH-G	TPH-D	TPH-HO	B	T	E	X	OXY	Cr6	Br	N	SVOCs	Other VOCs
Ozone Injection Resumed on August 5, 2014																
	9/29/2014	11.19	27.29	5,600	2,200	4,900	16	0.78	6.1	9.04	All ND	-	-	<1.0	All ND	1.3 sec-Butylbenzene 2.8 Isopropylbenzene 2.9 p-Isopropylbenzene 5.7 n-Propylbenzene 22 1,3,5-Trimethylbenzene 20 1,2,4-Trimethylbenzene
Ozone Injection Stopped on October 24, 2014																
	12/7/2014	5.82	32.66	5,700	-	-	28	2.9	30	23.2	All ND	-	-	-	-	-
	1/29/2015	7.70	30.78	43,000	-	-	50	7.7	70	79.5	All ND	-	-	-	-	-
	3/12/2015	7.04	31.44	2,700	1,500	-	41	7.7	52	41.2	All ND	-	-	18	-	6.4 n-Butylbenzene 3.1 sec-Butylbenzene 13 Isopropylbenzene 1.6 p-Isopropylbenzene 21 n-Propylbenzene 8.4 1,3,5-Trimethylbenzene 40 1,2,4-Trimethylbenzene
Environmental Screening Levels				100	110	NL	27	95,000	310	37,000	110 TBA	21	NL	160	Various	Various

TABLE NOTES

GW Elev = Groundwater mean sea level elevation
 TPH-G = Total Petroleum Hydrocarbons as gasoline

B = Benzene,
 T = Toluene

E = Ethylbenzene

TPH-D = Total Petroleum Hydrocarbons as Diesel

TPH-HO = Total Petroleum Hydrocarbons as Heating Oil

X = Xylenes

OXY = Oxygenates, including MTBE = Methyl-t-Butyl Ether, ter-Butanol (TBA), Di-isopropyl Ether (DIPE), Ethyl-t-butyl Ether (ETBE), and Tert-amyl Methyl Ether (TAME).

Cr6 = Hexavalent Chromium

Br = Bromate

N = Naphthalene.

<38.96> = Top of casing mean sea level elevation (Virgil Chavez Land Survey).

All ND = No detectable concentrations of all analytes.

-- = Not analyzed for this analyte.

SVOCs = semi-volatile organic compounds

VOCs = volatile organic compounds

<1.0 = Not detected above the expressed value.

ESL = Environmental Screening Levels, as contained in *Screening for Environmental Concerns at Sites with Contaminated Soil and Groundwater*, San Francisco Bay Regional Water Quality Control Board, December 2013, Table E-1, Groundwater to Indoor Air, fine grained soils, residential land use.

NL = Not Listed

Table 4
CUMULATIVE SOIL GAS LABORATORY ANALYTICAL RESULTS
Former Maz Glass UST Site

Sample ID	Date	Sample Depth	TPH-D (ug/m3)	TPH-G (ug/m3)	B (ug/m3)	T (ug/m3)	E (ug/m3)	X (ug/m3)	Other (ug/m3)	Methane (ppmv)	CO2 (%)	N (%)	O2 (%)	Helium (%)
SG-1	8/28/2014	5.5 ft	NA	<7,170	<3.3	<3.8	<4.4	<8.8	Heptane = 5.1	<8.1	<1.62	62.1	14.2	<1.62
	12/7/2014		Sucked water; did not sample											
	1/29/2015		Sucked water; did not sample											
SG-2	9/15/2014	5.5 ft	NA	7,600	<3.3	<3.8	<4.4	<8.8	Cyclohexane = 310 Heptane = 46 Hexane = 1,000 1,3,5-TMB = 56	170	3.87	51.0	13.2	<1.57
	9/25/2014	5.5 ft	NA	<7,170	<160	<190	<220	<220	Cyclohexane = 1,900 Hexane = 1,000	77	5.3	58.3	2.01	0.00
	12/7/2014		Sucked water; did not sample											
	1/29/2015		NA	<7,170	<3.3	<3.8	<4.4	<8.8	Cyclohexane = 53 Heptane = 14 Hexane = 42 TCE = 16	493	<1.75	59.2	2.11	0.00
SG-3	8/28/2014	5.5 ft	NA	<7,170	<3.3	<3.8	<4.4	<8.8	All ND	<7.6	<1.51	49.7	16.6	<1.51
	12/7/2014		Did not attempt to sample due to shallow groundwater depths											
	1/29/2015		Sucked water; did not sample											
SG-4 (Dup)	8/28/2014	5.5 ft	NA	<7,170	<3.3	<3.8	<4.4	<8.8	1,2,4-TMB = 13	240	<1.54	52.3	5.87	<1.54
	12/7/2014		Did not attempt to sample due to shallow groundwater depths											
	1/29/2015		NA	440,000	<160	<190	<220	<220	Cyclohexane = 52,000 Heptane = 9,800 Hexane = 26,000	121,176	6.49	64.5	<1.72	0.00
	3/11/2015		120,000 (A)	420,000	<160	<190	<220	<220	Cyclohexane = 35,000 Heptane = 150,000 Hexane = 9,700	380,000 (38 %)	8.01	68.5	2.08	0.00
	3/11/2015		NA	485,000	<160	<190	<220	<220	Cyclohexane = 48,000 Heptane = 37,000 Hexane = 20,000	430,000 (43 %)	8.64	70.9	<1.72	0.00
	3/18/2015		NA	NA	<10,000	<10,000	<10,000	<10,000	All ND	260,000 (26 %)	14.0	NA	0.93	0.00

**Table 4
CUMULATIVE SOIL GAS LABORATORY ANALYTICAL RESULTS**

Sample ID	Date	Sample Depth	Former Maz Glass UST Site							Other (ug/m3)	Methane (ppmv)	CO2 (%)	N (%)	O2 (%)	Helium (%)
			TPH-D (ug/m3)	TPH-G (ug/m3)	B (ug/m3)	T (ug/m3)	E (ug/m3)	X (ug/m3)							
SG-5 (Dup)	8/28/2014	5.5 ft	NA	<7,170	1,700	5,600	1,200	4,570	All ND	150	<1.53	49.7	12.5	<1.53	
	9/25/2014		NA	<7,170	<3.3	<3.8	<4.4	<8.8	All ND	18	2.01	54.7	9.28	0.00	
	9/25/2014		NA	<7,170	<3.3	<3.8	<4.4	<8.9	All ND	<7.9	2.01	53.5	10.8	0.00	
	12/7/2014		Sucked water; did not sample												
	1/29/2015		NA	<7,170	<3.3	<3.8	<4.4	<8.8	Tetrahydrofuran = 47 Tetrachloroethene = 8.7 2-Butanone (MEK) = 47	3,142	<1.54	41.9	2.1	0.00	
	3/11/2015		<1,000	<7,170	<3.3	<3.8	<4.4	<8.8	Heptane = 4.8 Hexane = 4.0 Tetrachloroethene = 39 1,1,2-Trichloroethane = 17 Trichloroethene = 11	1,700 (0.17 %)	<1.85	71.1	11	0.00	
SS-1	3/18/2015	0.5 ft	NA	NA	17	23	<22	<66	All ND	58,000 (5.8 %)	10.0	NA	1.0	0.00	
SS-2	3/18/2015	0.5 ft	NA	NA	<16	35	<22	130	Chloroform = 36 4-Ethyltoluene = 31 1,2,4-Trimethylbenzene = 140 1,3,5-Trimethylbenzene = 74	47 (0.0047 %)	3.2	NA	14.0	0.00	
SS-3	3/18/2015	0.5 ft	NA	NA	4.0	4.3	5.4	32	Chloroform = 27 4-Ethyltoluene = 6.3 MIBK = 5.1 Tetrachloroethene = 4.3 1,2,4-Trimethylbenzene = 19 1,3,5-Trimethylbenzene = 6.8	3.0 (0.0003 %)	9.6	NA	9.0	0.00	
Soil Gas ESL			2.5E+06	2.5E+06	420	1.3E+06	4,900	4.4E+05	Various	(LEL = 4.4 %)	--	--	--	--	

Table Notes

B = Benzene
T = Toluene
E = Ethylbenzene
X = Xylenes

1,2,4-TMB = 1,2,4-Trimethylbenzene
ug/m3 = micrograms per cubic meter
ppmv = parts per million by volume
% = Percent

Other = Other VOCs, includes approximately 47 individual VOC compounds
<7,170 = Not detected at or above the expressed value.
ND = Not detected above laboratory detection levels.
NA = Not analyzed for this analyte

(A) = The McCampbell Analytical report states: "Due to the high organic content observed in the sample, a quantification of the internal standards were unobtainable. The quantitated TPH-diesel and naphthalene concentrations are calculated using a modified TO-17 analytical procedure which includes an external calibration. The TPH-diesel and naphthalene results are estimated. It is noted that the majority of the calculated TPH-diesel concentration is derived from an observed lighter eluting TPH-gas range pattern."