



ENVIRONMENTAL MANAGEMENT, INC.

December 4, 2002  
KHM Project C81-4530 Las Positas

Mr. Scott Seery  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

Alameda County  
DEC 20 2002  
Environmental Health

**Re: SHELL GRASP MONITORING REPORT**  
**Shell Service Station**  
**4530 Las Positas Road**  
**Livermore, California 94550**


Dear Mr. Seery:


KHM Environmental Management, Inc. (KHM) on behalf of Equilon Enterprises LLC dba Shell Oil Products US (SHELL) has prepared the *Shell GRASP Monitoring Report* for the above referenced site.

GRASP (GRoundwater ASsessment Program) is a voluntary initiative by SHELL to install groundwater monitoring wells at numerous retail service stations nationwide that do not have any active release cases but have been identified to be in close proximity to one or more public water supply wells. The purpose of this program is to proactively monitor the groundwater beneath these sites and, in the event of a subsurface release, to respond quickly to protect public wells from this impact.

An Unauthorized Release Report was previously submitted for this site. If you have any questions regarding this site, please contact Lee Dooley (KHM) at (408) 224-4724, or Mr. Lynn Walker (SHELL GRASP Northern California Coordinator) at (925) 706-1559.

Sincerely,  
KHM Environmental Management, Inc.

  
R. Lee Dooley, CHG  
Senior Hydrogeologist



KHM Environmental Management, Inc

6284 San Ignacio Avenue, Suite E, San Jose, California 95119

PH. (408) 224-4724 FAX (408) 224-4518

**Alameda County**

**DEC 20 2002**

Date: December 17, 2002

**Environmental Health**

To: Mr. Scott Seery  
Alameda County Environmental Health Services  
1131 Harbor Bay Parkway  
Alameda, CA 94502-6577

We have enclosed:

Copies	Description
<u>1</u>	<u>4530 Las Positas Rd; Shell GRASP Monitoring Report 4Q02</u>
<u>1</u>	<u>318 S Livermore Ave; Shell GRASP Monitoring Report 4Q02</u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>

For your:     Use  
                  Approval

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_ R. Lee Dooley \_\_\_\_\_

Attachments: Shell GRASP Monitoring Report

CC: Isabel Mejia, Shell Oil Products US, P.O. Box 7869, Burbank, CA 91510-7869  
Lynn Walker, Shell Oil Products US (PDF by email)  
Karen Petryna, Shell Oil Products US (PDF by email)  
Chuck Headlee, Regional Water Quality Control Board, San Francisco Bay Region, 1515  
Clay Street, Suite 1400, Oakland, CA 94612  
Livermore-Pleasanton Fire Department, 4550 East Avenue, Livermore, CA 94550  
KHM GRASP file

December 4, 2002

## SHELL GRASP MONITORING REPORT

Station Address.: 4530 Las Positas Road  
Livermore, California 94550

SHELL GRASP Incident No. 97306793

KHM Project No. C81-4530 Las Positas

SHELL Environmental Engin./Phone No.: Karen Petryna / (559) 645-9306

KHM Project Manager/Phone No.: Lee Dooley / (408) 224-4724

Current Phase of Project: GRASP Groundwater monitoring

Frequency of Sampling: Quarterly

Frequency of Monitoring: Quarterly

Is Separate Phase Hydrocarbon Present On-site (Well #'s):  Yes  No

Cumulative SPH Recovered to Date : None

SPH Recovered This Quarter : None

Water Wells or Surface Waters within 2000 ft. Radius and Their Respective Directions: Nearest production well, California Water Service Company Well 17-01 (03S/02E-09L01 M), is approximately 7,500 feet southwest of site.

Approximate Depth to Groundwater: 11.17' to 13.42'

Groundwater Gradient: Southeast @ approximately 0.015 ft/ft

Summary of Unusual Activity: MTBE concentration in MW-4 decreased, from 470 ppb to 22 ppb

---

Lee Dooley  
Project Manager (KHM)

**ATTACHED:**

- Table 1 – Summary of Groundwater Data
- Figure 1 – Site Location Map
- Figure 2 – Groundwater Elevation Contour Map
- Figure 3 – TPH-G, Benzene, MTBE Concentrations Map
- Appendix A – Blaine Tech Services, Groundwater Monitoring and Sampling Report, November 20, 2002

**TABLE AND FIGURES**

**Table 1**  
**Summary of Groundwater Data**  
Shell Service Station  
4530 Las Positas Road  
Livermore, California

Well Designation	Date Sampled	TPH-g (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethylbenzene (ug/l)	Xylene (ug/l)	MTBE (ug/l)	TOC (MSL)	Depth to Water (ft.)	GW Elev. (MSL)
<b>MW-1</b>	9/20/2001	NA	<0.50	<0.50	<0.50	<0.50	<0.50	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.86	13.13	506.73
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.86	13.17	506.69
<b>MW-2</b>	9/20/2001	NA	<0.50	<0.50	<0.50	<0.50	<b>0.6</b>	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.50	12.41	506.09
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.50	12.34	506.16
<b>MW-3</b>	9/20/2001	NA	<0.50	<0.50	<0.50	<0.50	<0.50	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.93	11.58	507.35
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.93	11.17	507.76
<b>MW-4</b>	11/6/2001	NA	<0.50	<0.50	<0.50	<0.50	<b>16.0</b>	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	<b>470.0</b>	519.44	13.42	506.02
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<b>22</b>	519.44	13.42	506.02

**Notes:**


All analysis performed by EPA Method 8260B  
ug/l = micrograms per liter  
TPH-g = Total petroleum hydrocarbons as gasoline  
MTBE = Methyl tert-butyl ether  
TOC = Top of Well Casing  
NM = Not measured  
NA = Not analyzed

PROJECT NUMBER 830053

APPROVED BY

CHECKED BY

DRAWN BY 2-3-02



Printed from TOPOI ©2001 National Geographic Holdings (www.topo.com)




SHELL OIL PRODUCTS US

FIGURE 1  
SITE LOCATION MAP

4530 LAS POSITAS ROAD  
LIVERMORE, CALIFORNIA






**LEGEND**

- MW-2 ● **GROUNDWATER MONITORING WELL**
- (506.73) **GROUNDWATER ELEVATION (MSL), 10/25/02**
- 506.50 — **GROUNDWATER ELEVATION CONTOUR**
- ← 0.0159 ft/ft **APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT**
- **PLANTER**

**KHM**  
 ENVIRONMENTAL  
 MANAGEMENT,  
 INC.

<b>GROUNDWATER ELEVATION CONTOUR MAP, OCTOBER 25, 2002</b>		
<b>Shell-branded Service Station 4530 Las Positas Road Livermore, California</b>		
DATE 12/04/02	PROJECT C81-4530 Las Positas	FIGURE 2



**LEGEND**

- MW-2 ● **GROUNDWATER MONITORING WELL**
- **PLANTER**
- <math><50/<0.50/<0.50</math> **TPH-G/BENZENE/MTBE (UG/L), 10/25/02**

<p><b>KHM</b> ENVIRONMENTAL MANAGEMENT, INC.</p>	<p><b>TPH-G, BENZENE, MTBE CONCENTRATIONS MAP, OCTOBER 25, 2002</b></p>		
	<p><b>Shell-branded Service Station</b> 4530 Las Positas Road Livermore, California</p>		
	<p>DATE 12/04/02</p>	<p>PROJECT C81-4530 Las Positas</p>	<p>FIGURE 3</p>

**APPENDIX A**

**GROUNDWATER MONITORING AND SAMPLING REPORTS**

**BLAINE**  
TECH SERVICES INC.



1680 ROGERS AVENUE  
SAN JOSE, CA 95112-1105  
(408) 573-7771 FAX  
(408) 573-0555 PHONE  
CONTRACTOR'S LICENSE #746684  
www.blainetech.com

November 20, 2002

Lynn Walker  
Shell Oil Products US  
P.O. Box 7869  
Burbank, CA 91510-7869

Fourth Quarter 2002 Groundwater Monitoring at  
Shell-branded Service Station  
4530 Las Positas Road  
Livermore, CA

Monitoring performed on October 25, 2002

---

**Groundwater Monitoring Report 021025-DW-2**

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart  
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS  
Certified Analytical Report  
Field Data Sheets

cc: Debbie Arnold  
KHM Environmental  
6234 San Ignacio Avenue, Suite E  
San Jose, CA 95119

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**4530 Las Positas Road**  
**Livermore, CA**

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-1	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.86	13.13	506.73
MW-1	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.86	13.17	506.69
MW-2	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.50	12.41	506.09
MW-2	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.50	12.34	506.16
MW-3	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.93	11.58	507.35
MW-3	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.93	11.17	507.76
MW-4	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	470	519.44	13.42	506.02
MW-4	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	22	519.44	13.42	506.02

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B.

MTBE = Methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft = Feet

<n = Below detection limit

NA = Not applicable

**WELL CONCENTRATIONS**  
**Shell-branded Service Station**  
**4530 Las Positas Road**  
**Livermore, CA**

<b>Well ID</b>	<b>Date</b>	<b>TPPH</b> (ug/L)	<b>B</b> (ug/L)	<b>T</b> (ug/L)	<b>E</b> (ug/L)	<b>X</b> (ug/L)	<b>MTBE</b> <b>8260</b> (ug/L)	<b>TOC</b> (MSL)	<b>Depth to</b> <b>Water</b> (ft.)	<b>GW</b> <b>Elevation</b> (MSL)
----------------	-------------	-----------------------	--------------------	--------------------	--------------------	--------------------	--------------------------------------	---------------------	--	--

Notes:

Survey data provided by KHM Environmental Management, Inc.



Report Number : 29404

Date : 11/04/2002

Leon Gearhart  
Blaine Tech Services  
1680 Rogers Avenue  
San Jose, CA 95112-1105

Subject : 4 Water Samples  
Project Name : 4530 Las Positas Rd., Livermore  
Project Number : 021025-DW-2  
P.O. Number : 97306794

Dear Mr. Gearhart,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". The signature is written in a cursive style with a large initial "J".

Joel Kiff





Report Number : 29404

Date : 11/04/2002

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 021025-DW-2

Sample : MW-1

Matrix : Water

Lab Number : 29404-01

Sample Date :10/25/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Tert-Butanol	< 50	50	ug/L	EPA 8260B	10/29/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/29/2002
Toluene - d8 (Surr)	104		% Recovery	EPA 8260B	10/29/2002
4-Bromofluorobenzene (Surr)	92.2		% Recovery	EPA 8260B	10/29/2002

Approved By:  Joel Kiff



Report Number : 29404

Date : 11/04/2002

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 021025-DW-2

Sample : MW-2

Matrix : Water

Lab Number : 29404-02

Sample Date :10/25/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	10/30/2002
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	10/30/2002
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	10/30/2002
Tert-Butanol	< 50	50	ug/L	EPA 8260B	10/30/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/30/2002
Toluene - d8 (Surr)	101		% Recovery	EPA 8260B	10/30/2002
4-Bromofluorobenzene (Surr)	101		% Recovery	EPA 8260B	10/30/2002

Approved By:  Joel Kiff



Report Number : 29404

Date : 11/04/2002

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 021025-DW-2

Sample : MW-3

Matrix : Water

Lab Number : 29404-03

Sample Date :10/25/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/30/2002
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	10/30/2002
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	10/30/2002
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	10/30/2002
Tert-Butanol	< 50	50	ug/L	EPA 8260B	10/30/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/30/2002
Toluene - d8 (Surr)	100		% Recovery	EPA 8260B	10/30/2002
4-Bromofluorobenzene (Surr)	102		% Recovery	EPA 8260B	10/30/2002

Approved By:  Joel Kiff



Report Number : 29404

Date : 11/04/2002

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 021025-DW-2

Sample : MW-4

Matrix : Water

Lab Number : 29404-04

Sample Date :10/25/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	11/03/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	11/03/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	11/03/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	11/03/2002
Methyl-t-butyl ether (MTBE)	22	0.50	ug/L	EPA 8260B	11/03/2002
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	11/03/2002
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	11/03/2002
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	11/03/2002
Tert-Butanol	< 50	50	ug/L	EPA 8260B	11/03/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	11/03/2002
Toluene - d8 (Surr)	102		% Recovery	EPA 8260B	11/03/2002
4-Bromofluorobenzene (Surr)	98.7		% Recovery	EPA 8260B	11/03/2002

Approved By:  Joel Kiff

2795 2nd St., Suite 300 Davis, CA 95616 530-297-4800

Report Number : 29404

Date : 11/04/2002

**QC Report : Method Blank Data**

Project Name : **4530 Las Positas Rd., Livermore**

Project Number : **021025-DW-2**

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	11/02/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	11/02/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	11/02/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	11/02/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	11/02/2002
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	11/02/2002
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	11/02/2002
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	11/02/2002
Tert-Butanol	< 50	50	ug/L	EPA 8260B	11/02/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	11/02/2002
Toluene - d8 (Surr)	97.2		%	EPA 8260B	11/02/2002
4-Bromofluorobenzene (Surr)	89.3		%	EPA 8260B	11/02/2002
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Tert-Butanol	< 50	50	ug/L	EPA 8260B	10/29/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/29/2002
Toluene - d8 (Surr)	101		%	EPA 8260B	10/29/2002
4-Bromofluorobenzene (Surr)	102		%	EPA 8260B	10/29/2002

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Toluene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	10/29/2002
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	10/29/2002
Tert-Butanol	< 50	50	ug/L	EPA 8260B	10/29/2002
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	10/29/2002
Toluene - d8 (Surr)	102		%	EPA 8260B	10/29/2002
4-Bromofluorobenzene (Surr)	95.9		%	EPA 8260B	10/29/2002

Approved By: Joel Kiff

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Report Number : 29404

Date : 11/04/2002

**QC Report : Matrix Spike/ Matrix Spike Duplicate**

Project Name : **4530 Las Positas Rd.,**

Project Number : **021025-DW-2**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Recov. Limit	Relative Percent Diff. Limit
Benzene	29439-01	<0.50	20.0	20.0	21.8	21.3	ug/L	EPA 8260B	11/2/02	109	107	2.22	70-130	25
Toluene	29439-01	<0.50	20.0	20.0	20.3	20.2	ug/L	EPA 8260B	11/2/02	102	101	0.370	70-130	25
Tert-Butanol	29439-01	<5.0	99.8	99.8	101	99.2	ug/L	EPA 8260B	11/2/02	101	99.4	1.98	70-130	25
Methyl-t-Butyl Ether	29439-01	<0.50	20.0	20.0	20.3	20.7	ug/L	EPA 8260B	11/2/02	102	104	2.19	70-130	25
Benzene	29282-08	4.2	40.0	40.0	43.8	42.2	ug/L	EPA 8260B	10/29/02	99.1	95.1	4.14	70-130	25
Toluene	29282-08	20	40.0	40.0	60.1	59.0	ug/L	EPA 8260B	10/29/02	100	97.5	2.70	70-130	25
Tert-Butanol	29282-08	<5.0	200	200	188	194	ug/L	EPA 8260B	10/29/02	94.1	96.8	2.86	70-130	25
Methyl-t-Butyl Ether	29282-08	<0.50	40.0	40.0	41.6	42.6	ug/L	EPA 8260B	10/29/02	104	106	2.33	70-130	25
Benzene	29404-01	<0.50	40.0	40.0	39.7	39.0	ug/L	EPA 8260B	10/29/02	99.2	97.4	1.80	70-130	25
Toluene	29404-01	<0.50	40.0	40.0	41.9	40.5	ug/L	EPA 8260B	10/29/02	105	101	3.28	70-130	25
Tert-Butanol	29404-01	<5.0	200	200	213	211	ug/L	EPA 8260B	10/29/02	107	106	0.994	70-130	25
Methyl-t-Butyl Ether	29404-01	<0.50	40.0	40.0	40.8	41.6	ug/L	EPA 8260B	10/29/02	102	104	2.01	70-130	25

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By: Joel Kiff



Report Number : 29404

QC Report : Laboratory Control Sample (LCS)

Date : 11/04/2002

Project Name : 4530 Las Positas Rd.,

Project Number : 021025-DW-2

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	20.0	ug/L	EPA 8260B	11/2/02	108	70-130
Toluene	20.0	ug/L	EPA 8260B	11/2/02	99.6	70-130
Tert-Butanol	100	ug/L	EPA 8260B	11/2/02	96.5	70-130
Methyl-t-Butyl Ether	20.0	ug/L	EPA 8260B	11/2/02	97.2	70-130
Benzene	40.0	ug/L	EPA 8260B	10/29/02	103	70-130
Toluene	40.0	ug/L	EPA 8260B	10/29/02	103	70-130
Tert-Butanol	200	ug/L	EPA 8260B	10/29/02	96.6	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	10/29/02	103	70-130
Benzene	40.0	ug/L	EPA 8260B	10/29/02	95.8	70-130
Toluene	40.0	ug/L	EPA 8260B	10/29/02	101	70-130
Tert-Butanol	200	ug/L	EPA 8260B	10/29/02	100	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	10/29/02	102	70-130

KIFF ANALYTICAL, LLC

Approved By:  Joel Kiff

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

LAB: Kiff

# SHELL Chain Of Custody Record

Lab Identification (if necessary):

Address

City, State, Zip:

Shell Project Manager to be invoiced:

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- O&G- HOUSTON

Karen Petryna

29404

INCIDENT NUMBER (S/E ONLY)

9 7 3 0 6 7 9 4

SAP / CRMT NUMBER (TS/CRMT)

DATE: 10-25-02

PAGE: 1 of 1

SAMPLING COMPANY: <b>Blaine Tech Services</b>		LOG CODE: <b>BTSS</b>	SITE ADDRESS (Street and City): <b>4530 Las Positas Rd., Livermore</b>		GLOBAL ID NO.: <b>pending</b>
ADDRESS: <b>1680 Rogers Avenue, San Jose, CA 95112</b>		EDF DELIVERABLE TO (Responsible Party or Designee): <b>Debbie Arnold</b>		PHONE NO.: <b>(408)224-4724</b>	E-MAIL: <b>darnold@ktm1.com</b>
PROJECT CONTACT (Hardcopy or PDF Report to): <b>Leon Gearhart</b>		SAMPLER NAME(S) (Print): <b>Dave Walter</b>		CONSULTANT PROJECT NO: <b>02025-DW-2</b>	
TELEPHONE: <b>408-573-0555</b>	FAX: <b>408-573-7771</b>	E-MAIL: <b>lgearhart@blainetech.com</b>		LAB USE ONLY	

TURNAROUND TIME (BUSINESS DAYS):  
 10 DAYS  5 DAYS  72 HOURS  48 HOURS  24 HOURS  LESS THAN 24 HOURS

LA - RWQCB REPORT FORMAT  UST AGENCY:

GC/MS MTBE CONFIRMATION: HIGHEST \_\_\_\_\_ HIGHEST per BORING \_\_\_\_\_ ALL \_\_\_\_\_

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

### REQUESTED ANALYSIS

### FIELD NOTES:

Container/Preservative or PID Readings or Laboratory Notes

TEMPERATURE ON RECEIPT C°

LAB USE ONLY	Field Sample Identification		SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTEX	MTBE (4021B - 5ppb RL)	MTBE (4280B - 0.5ppb RL)	Oxygenates (5) by (4280B)										
	DATE	TIME	DATE	TIME																	
	MW-1		10-25	13:05	W	3	X	X			X									-01	
	MW-2		↓	12:44	↓	↓	X	X			X										-02
	MW-3		↓	13:32	↓	↓	X	X			X										-03
	MW-4		↓	13:22	↓	↓	X	X			X										-04

Relinquished by: (Signature) <i>David C. Holt</i>	Received by: (Signature) _____	Date: _____	Time: _____
Relinquished by: (Signature) _____	Received by: (Signature) _____	Date: _____	Time: _____
Relinquished by: (Signature) _____	Received by: (Signature) <i>John R. Kiff / Kiff Analytical</i>	Date: <i>10/28/02</i>	Time: <i>1146</i>



# WELLHEAD INSPECTION CHECKLIST

Page 1 of 1

Client Shell Date 10-25-02

Site Address 4530 Las Positas Rd Livermore

Job Number 021025-DW-2 Technician Dave Walter

Well ID	Well Inspected - No Corrective Action Required	Water Balled From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
MW-1	✓							
MW-2	✓							
MW-3	✓							
MW-4	✓							

NOTES: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

WELL GAUGING DATA

Project # 021025-DW-2 Date 10-25-02 Client Shell

Site 4530 Las Positas Rd Livermore

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or TOC
MW-1	2					13.17	22.77	
MW-2	2					12.34	22.85	
MW-3	2					11.17	22.34	
MW-4	2					13.42	22.73	

## SHELL WELL MONITORING DATA SHEET

BTS #: 021025-DW-2	Site: 4530 Las Positas Rd Livermore
Sampler: Dave Walter	Date: 10-25-02
Well I.D.: MW-1	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 22.77	Depth to Water (DTW): 13.17
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.09	

Purge Method: <input type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input checked="" type="checkbox"/> Middleburg <input type="checkbox"/> Electric Submersible	Water: <input type="checkbox"/> Peristaltic <input type="checkbox"/> Extraction Pump Other: _____	Sampling Method: <input checked="" type="checkbox"/> Bailer <input type="checkbox"/> Disposable Bailer <input type="checkbox"/> Extraction Port <input type="checkbox"/> Dedicated Tubing Other: _____
--	---	--

$1.5 \text{ (Gals.)} \times 3 = 4.5 \text{ Gals.}$	Well Diameter    Multiplier    Well Diameter    Multiplier	
1 Case Volume    Specified Volumes    Calculated Volume	1"    0.04    4"    0.65	
	2"    0.16    6"    1.47	
	3"    0.37    Other    radius <sup>2</sup> * 0.163	

Time	Temp (°F)	pH	Cond. (mS or µS)	Turbidity (NTUs)	Gals. Removed	Observations
12:55	65.4	7.2	1237	>200	1.5	Brown
12:57	67.3	7.2	1280	>200	3.0	
12:59	67.7	7.2	1286	>200	4.5	

Did well dewater? Yes  No  Gallons actually evacuated: 4.5

Sampling Date: 10-25-02 Sampling Time: 13:05 Depth to Water: 13.21

Sample I.D.: MW-1 Laboratory: (Kiff) SPL Other: \_\_\_\_\_

Analyzed for: (TPH-G BTEX) MTBE TPH-D Other: Oxygenates (5) by 8260

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

## SHELL WELL MONITORING DATA SHEET

BTS #: 021025-DW-2	Site: 4530 Las Positas Rd Livermore
Sampler: Dave Walter	Date: 10-25-02
Well I.D.: MW-2	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 22.85	Depth to Water (DTW): 12.34
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 14.44	

Purge Method:  Bailor  Disposable Bailor  Middleburg  Electric Submersible

Water:  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailor  Disposable Bailor  Extraction Port  Dedicated Tubing

Other: \_\_\_\_\_

$\frac{1.7}{1} \text{ (Gals.)} \times \frac{3}{\text{Specified Volume}} = \frac{5.1}{\text{Calculated Volume}} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or μS)	Turbidity (NTUs)	Gals. Removed	Observations
12:35	67.5	7.4	1115	> 200	1.7	Brown
12:37	68.3	7.3	1098	> 200	3.4	
12:39	68.0	7.3	1087	> 200	5.1	

Did well dewater? Yes  No  Gallons actually evacuated: 5.1

Sampling Date: 10-25-02 Sampling Time: 12:44 Depth to Water: 12.65

Sample I.D.: MW-2 Laboratory: (Kiff) SPL Other \_\_\_\_\_

Analyzed for: (TPH-G BTEX) MTBE TPH-D Other: Oxygenates (5) by 8260

EB I.D. (if applicable): @ \_\_\_\_\_ Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
-----------------------------	------	-------------	------

O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV
-------------------------------	----	-------------	----

## SHELL WELL MONITORING DATA SHEET

BTS #: 021025-DW-2	Site: 4530 Las Positas Rd Livermore
Sampler: Dave Walter	Date: 10-25-02
Well I.D.: MW-3	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 22.34	Depth to Water (DTW): 11.17
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 13.40	

Purge Method:  Bailor       Water      Sampling Method:  Bailor  
 Disposable Bailor       Peristaltic       Disposable Bailor  
 Middleburg       Extraction Pump       Extraction Port  
 Electric Submersible       Other \_\_\_\_\_       Dedicated Tubing

Other: \_\_\_\_\_

$\frac{1.9 \text{ (Gals.)} \times 3 \text{ Specified Volumes}}{1 \text{ Cnse Volume}} = 5.4 \text{ Gals. Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
12:22	67.6	7.5	1223	>200	2	Brown
12:24	68.4	7.6	1211	>200	4	
12:26	67.6	7.6	1205	>200	6	DTW = 18.85

Did well dewater? Yes  No  Gallons actually evacuated: 6

Sampling Date: 10-25-02 Sampling Time: 13:32 Depth to Water: (25) 12.02

Sample I.D.: MW-3 Laboratory: (Kitt) SPL Other \_\_\_\_\_

Analyzed for: (TPH-G BTEX) MTBE TPH-D Other: Oxygenates (5) by 8260

EB I.D. (if applicable): @ This Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
------------------	------------	------	-------------	------

O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV
--------------------	------------	----	-------------	----

## SHELL WELL MONITORING DATA SHEET

BTS #: 021025-DW-2	Site: 4530 Las Positas Rd Livermore
Sampler: Dave Walter	Date: 10-25-02
Well I.D.: MW-4	Well Diameter: (2) 3 4 6 8
Total Well Depth (TD): 22.73	Depth to Water (DTW): 13.42
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: (PVC) Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: 15.28	

Purge Method:  Bailer  Disposable Bailer  Middleburg  Electric Submersible

Water:  Peristaltic  Extraction Pump  Other \_\_\_\_\_

Sampling Method:  Bailer  Disposable Bailer  Extraction Port  Dedicated Tubing

Other: \_\_\_\_\_

$1.5 \text{ (Gals.)} \times 3 = 4.5 \text{ Gals.}$ <p>1 Case Volume      Specified Volumes      Calculated Volume</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius<sup>2</sup> * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius <sup>2</sup> * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius <sup>2</sup> * 0.163														

Time	Temp (°F)	pH	Cond. (mS or $\mu$ S)	Turbidity (NTUs)	Gals. Removed	Observations
12:10	68.0	7.4	1786	7.200	1.5	Brown
we'll dewatered @ 2 gal. DTW = 19.89						
13:22	70.1	7.2	1308	7.200	—	DTW = 13.42 cloudy

Did well dewater?  Yes  No      Gallons actually evacuated: 2

Sampling Date: 10-25-02      Sampling Time: 13:22      Depth to Water: 13.42

Sample I.D.: MW-4      Laboratory: (Kiff) SPL Other \_\_\_\_\_

Analyzed for: (TPH-G BTEX) MTBE TPH-D Other: Oxygenates (5) by 8260

EB I.D. (if applicable): @ Time Duplicate I.D. (if applicable):

Analyzed for: TPH-G BTEX MTBE TPH-D Other:

D.O. (if req'd): Pre-purge:	mg/L	Post-purge:	mg/L
O.R.P. (if req'd): Pre-purge:	mV	Post-purge:	mV