



ENVIRONMENTAL MANAGEMENT, INC.

Alameda County
MAY 26 2003
Environmental Health

March 19, 2003
KHM Project C81-4530 Las Positas

Mr. Scott Seery
Alameda County Environmental Health Services
1131 Harbor Bay Parkway
Alameda, CA 94502-6577

**Re: SHELL GRASP MONITORING REPORT
Shell Service Station
4530 Las Positas Road
Livermore, California 94550**

Dear Mr. Seery:

KHM Environmental Management, Inc. (KHM) on behalf of Equilon Enterprises LLC dba Shell Oil Products US (SHELL) has prepared the first quarter 2003 *Shell GRASP Monitoring Report* for the above referenced site.


GRASP (GRoundwater ASsessment Program) is a voluntary initiative by SHELL to install groundwater monitoring wells at numerous retail service stations nationwide that do not have any active release cases but have been identified to be in close proximity to one or more public water supply wells. The purpose of this program is to proactively monitor the groundwater beneath these sites and, in the event of a subsurface release, to respond quickly to protect public wells from this impact.

An Unauthorized Release Report was previously submitted for this site. If you have any questions regarding this site, please contact Lee Dooley (KHM) at (408) 224-4724, or Mr. Lynn Walker (SHELL GRASP Northern California Coordinator) at (925) 706-1559.

Sincerely,

KHM Environmental Management, Inc.

R. Lee Dooley, CHG
Senior Hydrogeologist



6284 SAN IGNACIO AVENUE, SUITE E • SAN JOSE, CALIFORNIA • 95119 • PHONE: (408) 224-4724 • FAX: (408) 224-4518

REDMOND, WASHINGTON • PORTLAND, OREGON • CROCKETT, CALIFORNIA • MONROVIA, CALIFORNIA
(425) 558-0134 (503) 233-4068 (510) 787-6756 (626) 256-6662

Attachments: Shell GRASP Monitoring Report

CC: Isabel Mejia, Shell Oil Products US, P.O. Box 7869, Burbank, CA 91510-7869
Lynn Walker, Shell Oil Products US (PDF by email)
Karen Petryna, Shell Oil Products US (PDF by email)
Chuck Headlee, Regional Water Quality Control Board, San Francisco Bay Region, 1515
Clay Street, Suite 1400, Oakland, CA 94612
Livermore-Pleasanton Fire Department, 4550 East Avenue, Livermore, CA 94550
KHM GRASP file

March 19, 2003

SHELL GRASP MONITORING REPORT

Station Address.: 4530 Las Positas Road
Livermore, California 94550
SHELL GRASP Incident No. 97306793
KHM Project No. C81-4530 Las Positas
SHELL Environmental Engin./Phone No.: Karen Petryna / (559) 645-9306
KHM Project Manager/Phone No.: Lee Dooley / (408) 224-4724

Current Phase of Project: GRASP Groundwater monitoring
Frequency of Sampling: Quarterly
Frequency of Monitoring: Quarterly
Is Separate Phase Hydrocarbon Present On-site (Well #'s): Yes No
Cumulative SPH Recovered to Date : None
SPH Recovered This Quarter : None
Water Wells or Surface Waters within 2000 ft. Radius and Their Respective Directions: Nearest identified production well, California Water Service Company Well 17-01 (03S/02E-09L01 M), is approximately 7,500 feet southwest of site.
Approximate Depth to Groundwater: 11.18' to 13.07'
Groundwater Gradient: Inward, northwest at 0.0018 ft/ft
Summary of Unusual Activity: None. Petroleum hydrocarbons or oxygenates not detected in any sample.

Lee Dooley
Project Manager (KHM)

ATTACHED:

- Table 1 – Summary of Groundwater Data
- Figure 1 – Site Location Map
- Figure 2 – Groundwater Elevation Contour Map
- Figure 3 – TPH-G, Benzene, MTBE Concentrations Map
- Appendix A – Blaine Tech Services, Groundwater Monitoring and Sampling Report, February 27, 2003



TABLE AND FIGURES

Table 1
Summary of Groundwater Data
 Shell Service Station
 4530 Las Positas Road
 Livermore, California

Well Designation	Date Sampled	TPH-g (ug/l)	Benzene (ug/l)	Toluene (ug/l)	Ethylbenzene (ug/l)	Xylene (ug/l)	MTBE (ug/l)	DIPE (ug/l)	ETBE (ug/l)	TAME (ug/l)	TBA (ug/l)	TOC (MSL)	Depth to Water (ft.)	GW Elev. (MSL)
MW-1	9/20/2001	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	519.86	13.13	506.73
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	519.86	13.17	506.69
	1/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	519.86	12.80	507.06
MW-2	9/20/2001	NA	<0.50	<0.50	<0.50	<0.50	0.6	<2.0	<2.0	<2.0	<50	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	518.50	12.41	506.09
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	518.50	12.34	506.16
	1/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	518.50	11.56	506.94
MW-3	9/20/2001	NA	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	518.93	11.58	507.35
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	518.93	11.17	507.76
	1/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	518.93	11.18	507.75
MW-4	11/6/2001	NA	<0.50	<0.50	<0.50	<0.50	16.0	<2.0	<2.0	<2.0	<50	NM	NM	NM
	7/9/2002	<50	<0.50	<0.50	<0.50	<0.50	470.0	<2.0	<2.0	<2.0	<50	519.44	13.42	506.02
	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	22	<2.0	<2.0	<2.0	<50	519.44	13.42	506.02
	1/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<2.0	<2.0	<2.0	<50	519.44	13.07	506.37

Notes:


All analysis performed by EPA Method 8260B
 ug/l = micrograms per liter
 TPH-g = Total petroleum hydrocarbons as gasoline
 MTBE = Methyl tert-butyl ether
 DIPE = Diisopropyl ether
 ETBE = Ethyl-t-butyl ether
 TAME = Tert-amyl methyl ether
 TBA = Tert-Butanol
 TOC = Top of Well Casing
 NM = Not measured
 NA = Not analyzed



Map Source: DeLorme, Yarmouth, ME 04096,
USGA Topo Map

KHM
ENVIRONMENTAL
MANAGEMENT,
INC.

SITE LOCATION MAP		
Shell-branded Service Station 4530 Las Positas Road Livermore, California		
DATE	PROJECT	FIGURE
3/12/03	C81-4530 Las Positas	1




LEGEND

- MW-2 ● **GROUNDWATER MONITORING WELL**
- (506.73) **GROUNDWATER ELEVATION (MSL), 1/24/03**
- 506.50 — **GROUNDWATER ELEVATION CONTOUR**
- ← 0.0018 ft/ft **APPROXIMATE GROUNDWATER FLOW DIRECTION AND GRADIENT**
- **PLANTER**

KHM
 ENVIRONMENTAL
 MANAGEMENT,
 INC.

GROUNDWATER ELEVATION CONTOUR MAP, JANUARY 24, 2003		
Shell-branded Service Station 4530 Las Positas Road Livermore, California		
DATE 3/12/03	PROJECT C81-4530 Las Positas	FIGURE 2



LEGEND	
MW-2 ●	GROUNDWATER MONITORING WELL
□	PLANTER
<math><50/<0.50/<0.50</math>	TPH-G/BENZENE/MTBE (UG/L), 1/24/03

KHM
 ENVIRONMENTAL
 MANAGEMENT,
 INC.

TPH-G, BENZENE, MTBE CONCENTRATIONS MAP, JANUARY 24, 2003		
Shell-branded Service Station 4530 Las Positas Road Livermore, California		
DATE 3/12/03	PROJECT C81-4530 Las Positas	FIGURE 3

APPENDIX A

GROUNDWATER MONITORING AND SAMPLING REPORTS

BLAINE
TECH SERVICES, INC.



1680 ROGERS AVENUE
SAN JOSE, CA 95112-1105
(408) 573-7771 FAX
(408) 573-0555 PHONE
CONTRACTOR'S LICENSE #746684
www.blainetech.com

February 27, 2003

Lynn Walker
Shell Oil Products US
P.O. Box 7869
Burbank, CA 91510-7869

First Quarter 2003 Groundwater Monitoring at
Shell-branded Service Station
4530 Las Positas Road
Livermore, CA

Monitoring performed on January 24, 2003

Groundwater Monitoring Report 030124-MT-1

This report covers the routine monitoring of groundwater wells at this Shell-branded facility. In accordance with standard procedures that conform to Regional Water Quality Control Board requirements, routine field data collection includes depth to water, total well depth, thickness of any separate immiscible layer, water column volume, calculated purge volume (if applicable), elapsed evacuation time (if applicable), total volume of water removed (if applicable), and standard water parameter instrument readings. Sample material is collected, contained, stored, and transported to the laboratory in conformance with EPA standards. Purgewater (if applicable) is, likewise, collected and transported to the Martinez Refining Company.

Basic field information is presented alongside analytical values excerpted from the laboratory report in the cumulative table of **WELL CONCENTRATIONS**. The full analytical report for the most recent samples and the field data sheets are attached to this report.

At a minimum, Blaine Tech Services, Inc. field personnel are certified on completion of a forty-hour Hazardous Materials and Emergency Response training course per 29 CFR 1910.120. Field personnel are also enrolled in annual eight-hour refresher courses.

Blaine Tech Services, Inc. conducts sampling and documentation assignments of this type as an independent third party. Our activities at this site consisted of objective data and sample collection only. No interpretation of analytical results, defining of hydrological conditions or formulation of recommendations was performed.

Please call if you have any questions.

Yours truly,

Leon Gearhart
Project Coordinator

LG/jt

attachments: Cumulative Table of WELL CONCENTRATIONS
Certified Analytical Report
Field Data Sheets

cc: Debbie Arnold
KHM Environmental
6234 San Ignacio Avenue, Suite E
San Jose, CA 95119

WELL CONCENTRATIONS
Shell-branded Service Station
4530 Las Positas Road
Livermore, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
MW-1	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.86	13.13	506.73
MW-1	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.86	13.17	506.69
MW-1	01/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.86	12.80	507.06
MW-2	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.50	12.41	506.09
MW-2	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.50	12.34	506.16
MW-2	01/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.50	11.56	506.94
MW-3	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.93	11.58	507.35
MW-3	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.93	11.17	507.76
MW-3	01/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	518.93	11.18	507.75
MW-4	07/09/2002	<50	<0.50	<0.50	<0.50	<0.50	470	519.44	13.42	506.02
MW-4	10/25/2002	<50	<0.50	<0.50	<0.50	<0.50	22	519.44	13.42	506.02
MW-4	01/24/2003	<50	<0.50	<0.50	<0.50	<0.50	<0.50	519.44	13.07	506.37

WELL CONCENTRATIONS
Shell-branded Service Station
4530 Las Positas Road
Livermore, CA

Well ID	Date	TPPH (ug/L)	B (ug/L)	T (ug/L)	E (ug/L)	X (ug/L)	MTBE 8260 (ug/L)	TOC (MSL)	Depth to Water (ft.)	GW Elevation (MSL)
---------	------	----------------	-------------	-------------	-------------	-------------	------------------------	--------------	----------------------------	--------------------------

Abbreviations:

TPPH = Total petroleum hydrocarbons as gasoline by EPA Method 8260B.

BTEX = Benzene, toluene, ethylbenzene, xylenes by EPA Method 8260B.

MTBE = Methyl-tertiary-butyl ether

TOC = Top of Casing Elevation

GW = Groundwater

ug/L = Parts per billion

MSL = Mean sea level

ft = Feet

<n = Below detection limit

NA = Not applicable

Notes:

Survey data provided by KHM Environmental Management, Inc.



Report Number : 31140

Date : 2/3/03

Leon Gearhart
Blaine Tech Services
1680 Rogers Avenue
San Jose, CA 95112-1105

Subject : 4 Water Samples
Project Name : 4530 Las Positas Rd., Livermore
Project Number : 030124-MT1
P.O. Number : 97306794

Dear Mr. Gearhart,

Chemical analysis of the samples referenced above has been completed. Summaries of the data are contained on the following pages. Sample(s) were received under documented chain-of-custody. US EPA protocols for sample storage and preservation were followed.

Kiff Analytical is certified by the State of California (# 2236). If you have any questions regarding procedures or results, please call me at 530-297-4800.

Sincerely,

A handwritten signature in black ink that reads "Joel Kiff". The signature is written in a cursive style with a large initial "J".

Joel Kiff



Report Number : 31140

Date : 2/3/03

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 030124-MT1

Sample : MW-1

Matrix : Water

Lab Number : 31140-01

Sample Date :1/24/03

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Toluene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-Butanol	< 50	50	ug/L	EPA 8260B	1/30/03
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	1/30/03
Toluene - d8 (Surr)	97.4		% Recovery	EPA 8260B	1/30/03
4-Bromofluorobenzene (Surr)	99.8		% Recovery	EPA 8260B	1/30/03

Approved By:  Joel Kiff



Report Number : 31140

Date : 2/3/03

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 030124-MT1

Sample : MW-2

Matrix : Water

Lab Number : 31140-02

Sample Date :1/24/03

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Toluene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-Butanol	< 50	50	ug/L	EPA 8260B	1/30/03
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	1/30/03
Toluene - d8 (Surr)	97.9		% Recovery	EPA 8260B	1/30/03
4-Bromofluorobenzene (Surr)	96.8		% Recovery	EPA 8260B	1/30/03

Approved By: Joel Kiff



Report Number : 31140

Date : 2/3/03

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 030124-MT1

Sample : MW-3

Matrix : Water

Lab Number : 31140-03

Sample Date :1/24/03

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Toluene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-Butanol	< 50	50	ug/L	EPA 8260B	1/30/03
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	1/30/03
Toluene - d8 (Surr)	98.3		% Recovery	EPA 8260B	1/30/03
4-Bromofluorobenzene (Surr)	95.1		% Recovery	EPA 8260B	1/30/03

Approved By:  Joel Kiff



Report Number : 31140

Date : 2/3/03

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 030124-MT1

Sample : MW-4

Matrix : Water

Lab Number : 31140-04

Sample Date :1/24/03

Parameter	Measured Value	Method Reporting Limit	Units	Analysis Method	Date Analyzed
Benzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Toluene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	1/30/03
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	1/30/03
Tert-Butanol	< 50	50	ug/L	EPA 8260B	1/30/03
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	1/30/03
Toluene - d8 (Surr)	97.4		% Recovery	EPA 8260B	1/30/03
4-Bromofluorobenzene (Surr)	97.0		% Recovery	EPA 8260B	1/30/03

Approved By:  Joel Kiff

Report Number : 31140

Date : 2/3/03

QC Report : Method Blank Data

Project Name : 4530 Las Positas Rd., Livermore

Project Number : 030124-MT1

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
Benzene	< 0.50	0.50	ug/L	EPA 8260B	1/29/03
Toluene	< 0.50	0.50	ug/L	EPA 8260B	1/29/03
Ethylbenzene	< 0.50	0.50	ug/L	EPA 8260B	1/29/03
Total Xylenes	< 0.50	0.50	ug/L	EPA 8260B	1/29/03
Methyl-t-butyl ether (MTBE)	< 0.50	0.50	ug/L	EPA 8260B	1/29/03
Diisopropyl ether (DIPE)	< 2.0	2.0	ug/L	EPA 8260B	1/29/03
Ethyl-t-butyl ether (ETBE)	< 2.0	2.0	ug/L	EPA 8260B	1/29/03
Tert-amyl methyl ether (TAME)	< 2.0	2.0	ug/L	EPA 8260B	1/29/03
Tert-Butanol	< 50	50	ug/L	EPA 8260B	1/29/03
TPH as Gasoline	< 50	50	ug/L	EPA 8260B	1/29/03
Toluene - d8 (Surr)	97.8		%	EPA 8260B	1/29/03
4-Bromofluorobenzene (Surr)	95.1		%	EPA 8260B	1/29/03

<u>Parameter</u>	<u>Measured Value</u>	<u>Method Reporting Limit</u>	<u>Units</u>	<u>Analysis Method</u>	<u>Date Analyzed</u>
------------------	-----------------------	-------------------------------	--------------	------------------------	----------------------

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By: Joel Kiff
Joel Kiff

Report Number : 31140

QC Report : Matrix Spike/ Matrix Spike Duplicate

Date : 2/3/03

Project Name : **4530 Las Positas Rd.,**

Project Number : **030124-MT1**

Parameter	Spiked Sample	Sample Value	Spike Level	Spike Dup. Level	Spiked Sample Value	Duplicate Spiked Sample Value	Units	Analysis Method	Date Analyzed	Spiked Sample Percent Recov.	Duplicate Spiked Sample Percent Recov.	Relative Percent Diff.	Spiked Sample Percent Recov. Limit	Relative Percent Diff. Limit
Benzene	31167-04	<0.50	40.0	40.0	39.7	39.2	ug/L	EPA 8260B	1/30/03	99.3	98.0	1.29	70-130	25
Toluene	31167-04	<0.50	40.0	40.0	39.4	39.0	ug/L	EPA 8260B	1/30/03	98.6	97.6	1.10	70-130	25
Tert-Butanol	31167-04	<5.0	200	200	206	210	ug/L	EPA 8260B	1/30/03	103	105	1.78	70-130	25
Methyl-t-Butyl Ether	31167-04	<0.50	40.0	40.0	39.5	38.2	ug/L	EPA 8260B	1/30/03	98.8	95.4	3.58	70-130	25

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:  Joel Kiff

Report Number : 31140

QC Report : Laboratory Control Sample (LCS)

Date : 2/3/03

Project Name : **4530 Las Positas Rd.,**

Project Number : **030124-MT1**

Parameter	Spike Level	Units	Analysis Method	Date Analyzed	LCS Percent Recov.	LCS Percent Recov. Limit
Benzene	40.0	ug/L	EPA 8260B	1/29/03	95.2	70-130
Toluene	40.0	ug/L	EPA 8260B	1/29/03	96.1	70-130
Tert-Butanol	200	ug/L	EPA 8260B	1/29/03	102	70-130
Methyl-t-Butyl Ether	40.0	ug/L	EPA 8260B	1/29/03	88.9	70-130

KIFF ANALYTICAL, LLC

2795 2nd St, Suite 300 Davis, CA 95616 530-297-4800

Approved By:  Joel Kiff

LAB: KIFF

SHELL Chain Of Custody Record

Lab Identification (if necessary):

Address:

City, State, Zip:

Shell Project Manager to be invoiced:

- SCIENCE & ENGINEERING
- TECHNICAL SERVICES
- CRMT-HOUSTON

Lynn Walker

31140

INCIDENT NUMBER (S&E ONLY)

9 7 3 0 6 7 9 4

SAP OF CRMT NUMBER (TS/CRMT)

DATE: 1-24-03

PAGE: 1 of 1

SAMPLING COMPANY Blaine Tech Services		LOG CODE BTSS	SITE ADDRESS (Street and City): 4530 Las Positas Rd., Livermore		GLOBAL ID NO.: pending
ADDRESS 1680 Rogers Avenue, San Jose, CA 95112		EDF DELIVERABLE TO (Responsible Party or Designee): Debbie Arnold		PHONE NO. (408)224-4724	E-MAIL: darnold@khm1.com
PROJECT CONTACT (Hardcopy or PDF Report to): Leon Gearhart		CONSULTANT PROJECT NO. 030124-471		BTS #	
TELEPHONE 408-573-0555	FAX 408-573-7771	E-MAIL lgearhart@blainetech.com	SAMPLER NAME(S) (Print) Michael Toll		LAB USE ONLY

TURNDOWN TIME (BUSINESS DAYS):
 10 DAYS 5 DAYS 72 HOURS 48 HOURS 24 HOURS LESS THAN 24 HOURS

LA - RWQCB REPORT FORMAT UST AGENCY:

GC/MS MTBE CONFIRMATION: HIGHEST _____ HIGHEST per BORING _____ ALL _____

SPECIAL INSTRUCTIONS OR NOTES: CHECK BOX IF EDD IS NOT NEEDED

REQUESTED ANALYSIS

FIELD NOTES:

Container/Preservative
or PID Readings
or Laboratory Notes

LAB USE ONLY	Field Sample Identification	SAMPLING		MATRIX	NO. OF CONT.	TPH - Gas, Purgeable	BTX	MTBE (8021B - 5ppb RL)	MTBE (8260B - 0.5ppb RL)	Oxygenates (5) by (8260B)	TEMPERATURE ON RECEIPT °C
		DATE	TIME								
✓	MW-1	1-24-03	0905	W	3	X	X			X	-01
✓	MW-2	1	1005		3	X	X			X	-02
✓	MW-3		0955		3	X	X			X	-03
✓	MW-4	X	0945	X	3	X	X			X	-04

Relinquished by: (Signature) <u>[Signature]</u>	Received by: (Signature) <u>[Signature]</u>	Date: <u>012903</u>	Time: <u>1131</u>
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature) <u>John Cutter/Kiff Analytical</u>	Date:	Time:

DISTRIBUTION White with final report, Green to File, Yellow and Pink to Client.

10/16/00 Revison

C&Q Graphic (714) 898-9702

WELLHEAD INSPECTION CHECKLIST

Client SHOLL Date 1/23/03

Site Address 4530 LAS POSITAS RD. LIVERMORE, CA.

Job Number ~~030123-55~~ 030124-14 Technician Scott M. Toll

Well ID	Well Inspected - No Corrective Action Required	Water Bailed From Wellbox	Wellbox Components Cleaned	Cap Replaced	Lock Replaced	Other Action Taken (explain below)	Well Not Inspected (explain below)	Repair Order Submitted
NW-1				✓	✓			
NW-2				✓	✓			
NW-3				✓	✓			
NW-4				✓	✓			

NOTES: _____

WELL GAUGING DATA

Project # D30124-UTI Date 01-24-03 Client 97306794

Site 4530 LAS Positas Rd, Livermore

Well ID	Well Size (in.)	Sheen / Odor	Depth to Immiscible Liquid (ft.)	Thickness of Immiscible Liquid (ft.)	Volume of Immiscibles Removed (ml)	Depth to water (ft.)	Depth to well bottom (ft.)	Survey Point: TOB or POB
MW-1	2					12.90	22.77	
MW-2	2					11.50	22.85	
MW-3	2					11.18	22.34	
MW-4	2					13.07	22.73	

SHIELD WELL MONITORING DATA SHEET

WTS #: <u>130124-MT1</u>	Site: <u>9306794</u>
Sampler: <u>M. TOLL</u>	Date: <u>01-24-03</u>
Well I.D.: <u>MW-1</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <u>22.77</u>	Depth to Water (DTW): <u>12.80</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>14.80</u>	

Purge Method: Bailor Disposable Bailor Middleburg Electric Submersible
 Water Peristaltic Extraction Pump Other _____
 Sampling Method: Bailor Disposable Bailor Extraction Port Dedicated Tubing
 Other: _____

Case Volume 1.6 (Gals.) X Specified Volumes 3 = Calculated Volume 4.8 Gals.

Well Diameter	Multiplier	Well Diameter	Multiplier
1"	0.04	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² * 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>0923</u>	<u>64.8</u>	<u>7.3</u>	<u>1347</u>	<u>>1000</u>	<u>1.6</u>	
<u>0925</u>	<u>64.7</u>	<u>7.3</u>	<u>1345</u>	<u>>1000</u>	<u>3.2</u>	
<u>0927</u>	<u>64.3</u>	<u>7.1</u>	<u>1346</u>	<u>>1000</u>	<u>4.8</u>	

Did well dewater? Yes No Gallons actually evacuated: 4.8

Sampling Date: 01-24-03 Sampling Time: 0935 Depth to Water: 12.80

Sample I.D.: MW-1 Laboratory: RTH SPL Other _____

Analyzed for: TPH-C BTEX MTBE TPH-D Other: _____

3B I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

WTS #: <u>130124-MTI</u>	Site: <u>9706794</u>
Sampler: <u>M. TOLL</u>	Date: <u>01-24-03</u>
Well I.D.: <u>MW-2</u>	Well Diameter: <u>2</u> 3 4 6 8
Total Well Depth (TD): <u>22.85</u>	Depth to Water (DTW): <u>11.50</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>13.92</u>	

Purge Method: <u>Bailer</u>	Waterm: <u>Peristaltic</u>	Sampling Method: <u>Bailer</u>
<u>Disposable Bailer</u>	<u>Extraction Pump</u>	<u>Disposable Bailer</u>
<u>Middisburg</u>	Other _____	<u>Extraction Port</u>
<u>Electric Submersible</u>		<u>Dedicated Tubing</u>
		Other: _____

$\frac{1.8 \text{ (Gals.)} \times 3 \text{ Specified Volumes}}{1} = 5.4 \text{ Gals. Calculated Volume}$	<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>0915</u>	<u>60.5</u>	<u>7.3</u>	<u>1169</u>	<u>>1000</u>	<u>1.8</u>	
<u>0917</u>	<u>60.6</u>	<u>7.2</u>	<u>1165</u>	<u>>1000</u>	<u>3.6</u>	
<u>0919</u>	<u>60.7</u>	<u>7.2</u>	<u>1164</u>	<u>>1000</u>	<u>5.4</u>	

Did well dewater? Yes No Gallons actually evacuated: 54

Sampling Date: 01-24-03 Sampling Time: 1005 Depth to Water: 11.56

Sample I.D.: MW-2 Laboratory: KIT SPL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

3B I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

WTS #: <u>D30124-MTI</u>	Site: <u>9706794</u>
Sampler: <u>M. TOLL</u>	Date: <u>01-24-03</u>
Well I.D.: <u>MW-3</u>	Well Diameter: <u>2</u> 3 4 6 8 _____
Total Well Depth (TD): <u>22.3A</u>	Depth to Water (DTW): <u>11.18</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>13.41</u>	

Purge Method: <u>Bailer</u>	Water: <u>Peristaltic</u>	Sampling Method: <u>Bailer</u>
<u>Disposable Bailer</u>	<u>Extraction Pump</u>	<u>Disposable Bailer</u>
<u>Middleburg</u>	Other _____	<u>Extraction Port</u>
<u>Electric Submersible</u>		<u>Dedicated Tubing</u>
		Other: _____

<u>1.8</u> (Gals.) X <u>3</u> = <u>5.4</u> Gals.	
Case Volume	Specified Volumes
Calculated Volume	

Well Diameter	Multplier	Well Diameter	Multplier
1"	0.09	4"	0.65
2"	0.16	6"	1.47
3"	0.37	Other	radius ² x 0.163

Time	Temp (°F)	pH	Cond. (mS or <u>µS</u>)	Turbidity (NTUs)	Gals. Removed	Observations
<u>0900</u>	<u>66.2</u>	<u>7.3</u>	<u>1267</u>	<u>>1000</u>	<u>1.8</u>	
<u>0902</u>	<u>66.2</u>	<u>7.3</u>	<u>1259</u>	<u>>1000</u>	<u>3.6</u>	
<u>0904</u>	<u>66.2</u>	<u>7.3</u>	<u>1259</u>	<u>>1000</u>	<u>5.4</u>	

Did well dewater? Yes No Gallons actually evacuated: 5.4

Sampling Date: 01-24-03 Sampling Time: 0955 Depth to Water: 12.53

Sample I.D.: MW-3 Laboratory: KHP SPL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

SB I.D. (if applicable): _____ @ _____ Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	mg/L	Post-purge:	mg/L
D.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV

SHELL WELL MONITORING DATA SHEET

BTS #: <u>030124-MT1</u>	Site: <u>9306794</u>
Sampler: <u>M. TOLL</u>	Date: <u>01-24-03</u>
Well I.D.: <u>MW-4</u>	Well Diameter: <u>(2)</u> 3 4 6 8 _____
Total Well Depth (TD): <u>22.73</u>	Depth to Water (DTW): <u>13.07</u>
Depth to Free Product:	Thickness of Free Product (feet):
Referenced to: <u>PVC</u> Grade	D.O. Meter (if req'd): YSI HACH
DTW with 80% Recharge [(Height of Water Column x 0.20) + DTW]: <u>15.00</u>	

Purge Method: <u>Boiler</u>	Water: <u>Peristaltic</u>	Sampling Method: <u>Boiler</u>
<u>Disposable Boiler</u>	<u>Extraction Pump</u>	<u>Disposable Boiler</u>
<u>Middleburg</u>	Other _____	<u>Extraction Port</u>
<u>Electric Submersible</u>		<u>Dedicated Tubing</u>

$\underline{1.5} \text{ (Gals.)} \times \underline{3} = \underline{4.5} \text{ Gals.}$	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Well Diameter</th> <th>Multiplier</th> <th>Well Diameter</th> <th>Multiplier</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>0.04</td> <td>4"</td> <td>0.65</td> </tr> <tr> <td>2"</td> <td>0.16</td> <td>6"</td> <td>1.47</td> </tr> <tr> <td>3"</td> <td>0.37</td> <td>Other</td> <td>radius² * 0.163</td> </tr> </tbody> </table>	Well Diameter	Multiplier	Well Diameter	Multiplier	1"	0.04	4"	0.65	2"	0.16	6"	1.47	3"	0.37	Other	radius ² * 0.163
Well Diameter	Multiplier	Well Diameter	Multiplier														
1"	0.04	4"	0.65														
2"	0.16	6"	1.47														
3"	0.37	Other	radius ² * 0.163														
I Case Volume	Specified Volumes	Calculated Volume															

Time	Temp (°F)	pH	Cond. (mS or μ S)	Turbidity (NTUs)	Gals. Removed	Observations
<u>0850</u>	<u>63.4</u>	<u>6.8</u>	<u>1327</u>	<u>>1000</u>	<u>1.5</u>	
		<u>Dewatered</u>				
<u>0945</u>	<u>62.7</u>	<u>6.9</u>	<u>1320</u>	<u>>1000</u>	<u>—</u>	

Did well dewater? Yes No Gallons actually evacuated: 1.5

Sampling Date: 01-24-03 Sampling Time: 0945 Depth to Water: 13.05

Sample I.D.: MW-4 Laboratory: KIT SPL Other _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

EB I.D. (if applicable): _____ @ _____ Time Duplicate I.D. (if applicable): _____

Analyzed for: TPH-G BTEX MTBE TPH-D Other: _____

D.O. (if req'd):	Pre-purge:	me/L	Post-purge:	me/L
O.R.P. (if req'd):	Pre-purge:	mV	Post-purge:	mV