

**RECEIVED**

By Alameda County Environmental Health at 3:11 pm, May 01, 2014

## Atlantic Richfield Company

**Chuck Carmel**

Remediation Management Project Manager

PO Box 1257  
San Ramon, CA 94583  
Phone: (925) 275-3804  
Fax: (925) 275-3815  
E-Mail: chuck.carmel@bp.com

April 30, 2014

Re: First Quarter 2014 Groundwater Monitoring Report  
Atlantic Richfield Company Station No. 2107  
3310 Park Boulevard, Oakland, California  
ACEH Case #RO0002526

"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct.

Submitted by,



Chuck Carmel

Remediation Management Project Manager

Attachment:

April 30, 2014

Project No. 06-88-614

Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, CA 94583  
Submitted via ENFOS

Attn.: Mr. Chuck Carmel


Re: First Quarter 2014 Monitoring Report, Atlantic Richfield Company Station No. 2107,  
3310 Park Boulevard, Oakland, California; ACEH Case #RO0002526


Dear Mr. Carmel:


Attached is the *First Quarter 2014 Monitoring Report* for Atlantic Richfield Company (a BP affiliated company) Station No. 2107 located at 3310 Park Boulevard in Oakland, Alameda County, California (the Site). This report presents results of groundwater monitoring conducted at the Site during the First Quarter 2014.

Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (707) 455-7290.

Sincerely,  
BROADBENT & ASSOCIATES

  
Sarah Jones  
Staff Geologist

  
Kristene Tidwell, P.G., C.H.G.  
Senior Geologist



Enclosures

cc: Mr. Jerry Wickham, Alameda County Environmental Health (Submitted via ACEH ftp site)  
Electronic copy uploaded to GeoTracker

**FIRST QUARTER 2014  
MONITORING REPORT  
ATLANTIC RICHFIELD COMPANY STATION No. 2107  
OAKLAND, CALIFORNIA**

Broadbent and Associates, Inc. (Broadbent) is pleased to present this *First Quarter 2014 Monitoring Report* on behalf of Atlantic Richfield Company (ARC, a BP affiliated company) for Station No. 2107 located at 3310 Park Boulevard in Oakland, Alameda County, California (the Site). Monitoring activities at the Site were performed in accordance with an agency directive issued by the Alameda County Environmental Health (ACEH). Details of work performed, discussion of results, and recommendations are provided below.

|                                     |   |
|-------------------------------------|---|
| Facility Name / Address:            | Station No. 2107 / 3310 Park Blvd., Oakland, California; Drawing 1        |
| Client Project Manager / Title:     | Mr. Chuck Carmel / Remediation Management Project Manager                 |
| Broadbent Contact:                  | Ms. Kristene Tidwell, (707) 455-7290                                      |
| Broadbent Project No.:              | 06-88-614   |
| Primary Regulatory Agency / ID No.: | ACEH / Case # RO0002526   |
| Current phase of project:           | Monitoring  |
| List of Acronyms / Abbreviations:   | See end of report text for list of acronyms/abbreviations used in report. |

**WORK PERFORMED THIS QUARTER (First Quarter 2014):**

1. Submitted *Fourth Quarter 2013 Status Report* on January 24, 2014
2. Conducted groundwater monitoring/sampling for First Quarter 2014 on March 6, 2014.
3. Conducted remaining offsite investigation activities as outlined in Work Plan Addendum.
4. Submitted report *Downgradient Groundwater Investigation, Updated Conceptual Site Model and Case Closure Request* on March 26, 2014.

**WORK SCHEDULED FOR NEXT QUARTER (Second Quarter 2014):**

1. Submit *First Quarter 2014 Monitoring Report* (contained herein).
2. Upon ACEH concurrence with the recently submitted closure request, well decommissioning activities will be carried out.
3. No other environmental work activities are scheduled for the Second Quarter 2014.

**QUARTERLY MONITORING PLAN SUMMARY:**

|  |   |                           |
|--|---|---------------------------|
| Groundwater level gauging:                     | MW-11A, MW-11B, MW-12A,<br>MW-12B, MW-13A, MW-13B | (Semi-Annually, 1Q & 3Q ) |
| Groundwater sample collection:                 | MW-11A, MW-11B, MW-12A,<br>MW-12B, MW-13A, MW-13B | (Semi-Annually, 1Q & 3Q)  |
| Biodegradation indicator parameter monitoring: | None  | (Quarterly)               |

**QUARTERLY RESULTS SUMMARY:**

**LNAPL**

|                               |      |          |
|-------------------------------|------|----------|
| LNAPL observed this quarter:  | No   | (yes\no) |
| LNAPL recovered this quarter: | None | (gal)    |
| Cumulative LNAPL recovered:   | None | (gal)    |

**Groundwater Elevation and Gradient:**

|                       |  |                     |
|-----------------------|--|---------------------|
| Depth to groundwater: | 3.36 ft (MW-13A)<br>to 13.53 ft (MW-11A) | (ft below TOC)      |
| Gradient direction:   | North-Northwest                          | (compass direction) |
| Gradient magnitude:   | 0.03                                     | (ft/ft)             |

Average change in elevation: -0.03 (ft since last measurement)

### Laboratory Analytical Data

#### Summary:

Analytical Results are as follows:

- GRO was detected in one well at a concentration of 160 µg/L in well MW-11A.
- Benzene was detected in one well at a concentration of 1.5 µg/L in well MW-11A.
- Toluene was detected in one well at a concentration of 4.0 µg/L in well MW-11A.
- Ethylbenzene was detected in one well at a concentration of 2.3 µg/L in well MW-11A.
- MTBE was detected in all six wells at a maximum concentration of 930 µg/L in well MW-12B.
- TBA was detected in one well at a concentration of 12 µg/L in well MW-13B.
- TAME was detected in one well at a concentration of 10 µg/L in well MW-12B.

### ACTIVITIES CONDUCTED & RESULTS:

First Quarter 2014 groundwater monitoring and sampling activities were conducted on March 6, 2014 by Broadbent personnel in accordance with the First Quarter monitoring plan. No irregularities were noted during gauging. Light Non-Aqueous Phase Liquid (LNAPL) was not present in the wells monitored during this event. Depth to groundwater ranged from 3.36 ft in MW-13A to 13.53 ft in MW-11A. As shown on Drawing 2, groundwater gradient on March 6, 2014 was 0.03 ft/ft in a north-northwest direction. The groundwater elevation from well MW-11A was not used for contouring because the data appears anomalous. Current and historic groundwater elevations and groundwater sample analytical data are provided in Tables 1 and 2. Historical groundwater gradient information is provided in Table 3. Drawing 2 presents a groundwater elevation contours and analytical summary map for March 6, 2014. Field procedures used during groundwater monitoring are provided in Appendix A. Field data sheets are included in Appendix B.

Groundwater samples were collected on March 6, 2014. No irregularities were reported during sampling. Samples were submitted to Test America Laboratories, Inc. (Test America) of Irvine, California for analyses of GRO, by EPA Method 8015B; for BTEX, MTBE, ETBE, TAME, DIPE, TBA, EDB, 1,2-DCA and ethanol by EPA Method 8260B. No irregularities were encountered during analysis of the samples. Laboratory analytical report and chain of custody record are provided in Appendix C. Groundwater monitoring data (GEO\_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation receipts are provided in Appendix D.

Results of the sampling event are included in the laboratory analytical data summary above. These results indicate that the highest concentrations of petroleum hydrocarbons are present in well MW-11A. The remaining analytes detected this quarter appear to be generally consistent with previous data. Further discussion of these results is presented below.

## **DISCUSSION:**

Review of historical groundwater gradient data indicates that levels were within historical limits for all wells. Groundwater elevations yielded a potentiometric groundwater gradient to the north-northwest at 0.03ft/ft, consistent with the historic gradient data presented in Table 3.

Review of historical groundwater results indicate that well MW-11A contains the highest residual petroleum compounds at the Site. The remaining monitoring wells onsite are located downgradient of well MW-11A and continue to indicate no detections of petroleum hydrocarbons, with the exception of MTBE, TAME and TBA. Comparison of analytical results over the last two sampling events indicate that MTBE has increased in monitoring wells: MW-11A (200 µg/L to 300 µg/L), MW-11B (19 µg/L to 27 µg/L), MW-12A (11 µg/L to 22 µg/L), MW-12B (2.9 µg/L to 930 µg/L), MW-13A (76 µg/L to 88 µg/L), MW-13B ( 45 µg/L to 90 µg/L); TBA has increased in monitoring well MW-13B (<10 µg/L to 12 µg/L) and decrease in monitoring well MW-11A (22 µg/L to <20 µg/L). TAME has increased in monitoring well MW-12B (<0.5 µg/L to 10 µg/L) and decreased in monitoring well MW-11A (3.5 µg/L to <1.0 µg/L). Comparison of analytical results over the last two sampling events indicate that GRO, benzene, toluene, ethylbenzene and total xylenes have decreased in monitoring well MW-11A (220 µg/L to 160 µg/L), (3.3 µg/L to 1.5 µg/L), (8.8 µg/L to 4.0 µg/L), (5.5µg/L to 2.3 µg/L), (1.0 µg/L to <2.0 µg/L), respectively. All other petroleum hydrocarbon constituents were detected below laboratory reporting limits during First Quarter 2014. Petroleum hydrocarbon concentrations from the First Quarter 2014 monitoring event were near historical ranges.

## **RECOMMENDATIONS:**

The next quarterly monitoring event is scheduled for the Third Quarter 2014. Report entitled *Downgradient Groundwater Investigation, Updated Conceptual Site Model and Case Closure Request*, was submitted during the First Quarter 2014. This report concluded the site should be closed. It is therefore recommended sampling be suspended during the ACEH closure review process.

## **LIMITATIONS:**

The findings presented in this report are based upon observations of field personnel, points investigated, results of laboratory tests performed by Test America, and our understanding of ACEH guidelines. Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of ARC. It is possible that variations in soil or groundwater conditions could exist beyond points explored in this investigation. Also, changes in Site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

**ATTACHMENTS:**

- Drawing 1: Site Location Map
- Drawing 2: Groundwater Elevation Contour and Analytical Summary Map, March, 2014
  
- Table 1: Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses
- Table 2: Summary of Fuel Additives Analytical Data
- Table 3: Historical Groundwater Gradient - Direction and Magnitude
  
- Appendix A: Field Methods
- Appendix B: Field Data Sheets
- Appendix C: Laboratory Report and Chain-of-Custody Documentation
- Appendix D: GeoTracker Upload Confirmation Receipts

**LIST OF COMMONLY USED ACRONYMS/ABBREVIATIONS:**

|           |   |        |                                 |
|-----------|---|--------|---------------------------------|
| ACEH      | Alameda County Environmental Health           | gal:   | gallons                         |
| ARC:      | Atlantic Richfield Company                    | GRO:   | Gasoline Range Organics (C6-12) |
| Broadbent | Broadbent & Associates                        | LNAPL: | Light Non-Aqueous Phase Liquid  |
| BTEX:     | Benzene, Toluene, Ethylbenzene, Total Xylenes | MTBE:  | Methyl Tertiary Butyl Ether     |
| 1,2-DCA:  | 1,2-Dichloroethane                            | TAME:  | Tert-Amyl Methyl Ether          |
| DIPE:     | Di-Isopropyl Ether                            | TBA:   | Tert-Butyl Alcohol              |
| EDB:      | 1,2-Dibromomethane                            | TOC:   | Top of Casing                   |
| EPA:      | Environmental Protection Agency               | µg/L:  | Micrograms Per Liter            |
| ETBE:     | Ethyl Tert-Butyl Ether                        | 1Q:    | First Quarter                   |
| ft:       | feet  | 3Q:    | Third Quarter                   |
| ft/ft:    | foot per foot                                 | ft bgs | Feet Below Ground Surface       |






IMAGE SOURCE: USGS



1370 Ridgewood Dr., Suite 5  
Chico, California 95973


Project No.: 06-88-614 Date: 10/08/2013

Station No.2107  
3310 Park Boulevard  
Oakland, California

Site Location Map

Drawing

1




|         |         |
|---------|---------|
| MW-13A  | MW-13B  |
| 111.19  | 111.23  |
| <50     | <50     |
| <0.50   | <0.50   |
| 84      | 90      |
| SA(1,3) | SA(1,3) |

|         |
|---------|
| MW-12A  |
| 111.50  |
| <50     |
| <0.50   |
| 22      |
| SA(1,3) |

|         |
|---------|
| MW-12B  |
| 111.29  |
| <50     |
| <0.50   |
| 930     |
| SA(1,3) |

|         |
|---------|
| MW-11B  |
| 113.59  |
| <50     |
| <0.50   |
| 27      |
| SA(1,3) |

|         |
|---------|
| MW-11A  |
| 107.32* |
| 160     |
| 1.5     |
| 300     |
| SA(1,3) |



**BROADBENT**  
 1370 Ridgewood Dr., Suite 5  
 Chico, California 95973  
 Project No.: 06-88-614 Date: 04/15/2014

Station No. 2107  
 3310 Park Boulevard  
 Oakland, California

Groundwater Elevation Contour and  
 Analytical Summary Map  
 March 6, 2014

Drawing  
**2**



Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses

ARCO Service Station #2107, 3310 Park Boulevard, Oakland, CA

| Well ID and Date Monitored | P/NP     | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet)   | Water Level Elevation (feet) | Concentrations in µg/L |                 |                 |                 |                |            | DO (mg/L)   | pH           | Footnote   |
|----------------------------|----------|------------|------------------------|---------------------------|--------------|------------------------------|------------------------|-----------------|-----------------|-----------------|----------------|------------|-------------|--------------|------------|
|                            |          |            |                        |                           |              |                              | GRO/TPHg               | Benzene         | Toluene         | Ethyl-Benzene   | Total Xylenes  | MTBE       |             |              |            |
| <b>MW-11A</b>              |          |            |                        |                           |              |                              |                        |                 |                 |                 |                |            |             |              |            |
| 3/9/2009                   | P        | 120.85     | 16.00                  | 20.00                     | 12.41        | 108.44                       | 1,000                  | 1.5             | <1.0            | 13              | 4.8            | 60         | 9.20        | 12.74        |            |
| 6/18/2009                  | P        |            | 16.00                  | 20.00                     | 14.58        | 106.27                       | 260                    | 11              | <5.0            | 6.8             | <5.0           | 280        | --          | 9.83         | a          |
| 9/1/2009                   | P        |            | 16.00                  | 20.00                     | 8.75         | 112.10                       | 1,400                  | 28              | 20              | 61              | 6.7            | 340        | 1.40        | 7.84         |            |
| 11/11/2009                 | --       |            | 16.00                  | 20.00                     | 10.40        | 110.45                       | --                     | --              | --              | --              | --             | --         | 1.55        | 12.5         |            |
| 2/19/2010                  | P        |            | 16.00                  | 20.00                     | 8.90         | 111.95                       | 1,300                  | 20              | 17              | 25              | <5.0           | 340        | 2.01        | 12.13        |            |
| 7/23/2010                  | P        |            | 16.00                  | 20.00                     | 8.37         | 112.48                       | 1,300                  | 20              | 22              | 23              | <5.0           | 350        | 1.11        | 12.0         |            |
| 3/10/2011                  | P        |            | 16.00                  | 20.00                     | --           | --                           | 250                    | <5.0            | 5.4             | <5.0            | <5.0           | 76         | 4.17        | 12.3         | b, c (GRO) |
| 8/8/2011                   | NP       |            | 16.00                  | 20.00                     | 14.88        | 105.97                       | 730                    | 7.3             | 16              | 11              | <5.0           | 310        | 1.47        | 12.1         |            |
| 1/16/2012                  | P        |            | 16.00                  | 20.00                     | 14.08        | 106.77                       | --                     | --              | --              | --              | --             | --         | 1.43        | 13.77        |            |
| 9/11/2012                  | P        |            | 16.00                  | 20.00                     | 14.91        | 105.94                       | 220                    | 4.4             | 11              | 6.4             | <2.0           | 280        | 1.36        | 12.76        |            |
| 3/26/2013                  | P        |            | 16.00                  | 20.00                     | 13.70        | 107.15                       | 260                    | <2.5            | 4.2             | <2.5            | <5.0           | 330        | 5.03        | 12.75        |            |
| 9/4/2013                   | P        |            | 16.00                  | 20.00                     | 13.85        | 107.00                       | 220                    | 3.3             | 8.8             | 5.5             | 1.0            | 200        | 1.21        | 12.35        |            |
| <b>3/6/2014</b>            | <b>P</b> |            | <b>16.00</b>           | <b>20.00</b>              | <b>13.53</b> | <b>107.32</b>                | <b>160</b>             | <b>1.5</b>      | <b>4.0</b>      | <b>2.3</b>      | <b>&lt;2.0</b> | <b>300</b> | <b>4.73</b> | <b>11.53</b> |            |
| <b>MW-11B</b>              |          |            |                        |                           |              |                              |                        |                 |                 |                 |                |            |             |              |            |
| 3/9/2009                   | P        | 121.31     | 26.00                  | 30.00                     | 7.33         | 113.98                       | 280                    | 1.3             | 1.3             | 7.6             | <0.50          | 240        | 9.56        | 7.14         |            |
| 6/18/2009                  | P        |            | 26.00                  | 30.00                     | 7.38         | 113.93                       | 130                    | <5.0            | <5.0            | <5.0            | <5.0           | 200        | --          | 6.96         | a          |
| 9/1/2009                   | P        |            | 26.00                  | 30.00                     | 7.66         | 113.65                       | 69                     | <5.0            | <5.0            | <5.0            | <5.0           | 210        | 1.01        | 7.01         |            |
| 11/11/2009                 | P        |            | 26.00                  | 30.00                     | 7.70         | 113.61                       | 55                     | <5.0            | <5.0            | <5.0            | <5.0           | 200        | 0.38        | 6.7          |            |
| 2/19/2010                  | P        |            | 26.00                  | 30.00                     | 7.59         | 113.72                       | 68                     | <2.5            | <2.5            | <2.5            | <2.5           | 180        | 2.38        | 7.44         |            |
| 7/23/2010                  | P        |            | 26.00                  | 30.00                     | 7.42         | 113.89                       | <50                    | <2.5            | <2.5            | <2.5            | <2.5           | 110        | 1.57        | 7.02         |            |
| 3/10/2011                  | P        |            | 26.00                  | 30.00                     | 7.25         | 114.06                       | <50                    | <1.0            | <1.0            | <1.0            | <1.0           | 58         | 1.86        | 6.8          |            |
| 8/8/2011                   | P        |            | 26.00                  | 30.00                     | 7.24         | 114.07                       | <50                    | <1.0            | <1.0            | <1.0            | <1.0           | 60         | 1.33        | 7.8          |            |
| 1/16/2012                  | P        |            | 26.00                  | 30.00                     | 7.96         | 113.35                       | <50                    | <1.0            | <1.0            | <1.0            | <1.0           | 47         | 4.33        | 8.8          |            |
| 9/11/2012                  | P        |            | 26.00                  | 30.00                     | 7.61         | 113.70                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 27         | 1.17        | 7.07         |            |
| 3/26/2013                  | P        |            | 26.00                  | 30.00                     | 7.57         | 113.74                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 26         | 1.95        | 6.85         |            |
| 9/4/2013                   | P        |            | 26.00                  | 30.00                     | 7.78         | 113.53                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 19         | 1.62        | 6.92         |            |
| <b>3/6/2014</b>            | <b>P</b> |            | <b>26.00</b>           | <b>30.00</b>              | <b>7.72</b>  | <b>113.59</b>                | <b>&lt;50</b>          | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;1.0</b> | <b>27</b>  | <b>3.12</b> | <b>6.14</b>  |            |
| <b>MW-12A</b>              |          |            |                        |                           |              |                              |                        |                 |                 |                 |                |            |             |              |            |
| 3/9/2009                   | P        | 120.64     | 13.00                  | 18.00                     | 8.70         | 111.94                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 41         | 4.62        | 6.76         |            |

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #2107, 3310 Park Boulevard, Oakland, CA**

| Well ID and Date Monitored | P/NP     | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet)  | Water Level Elevation (feet) | Concentrations in µg/L |                 |                 |                 |                |            | DO (mg/L)   | pH          | Footnote |
|----------------------------|----------|------------|------------------------|---------------------------|-------------|------------------------------|------------------------|-----------------|-----------------|-----------------|----------------|------------|-------------|-------------|----------|
|                            |          |            |                        |                           |             |                              | GRO/TPHg               | Benzene         | Toluene         | Ethyl-Benzene   | Total Xylenes  | MTBE       |             |             |          |
| <b>MW-12A Cont.</b>        |          |            |                        |                           |             |                              |                        |                 |                 |                 |                |            |             |             |          |
| 6/18/2009                  | P        | 120.64     | 13.00                  | 18.00                     | 8.58        | 112.06                       | <50                    | <1.0            | <1.0            | <1.0            | <1.0           | 40         | --          | 7.92        | a        |
| 9/1/2009                   | P        |            | 13.00                  | 18.00                     | 9.21        | 111.43                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 39         | 1.06        | 6.97        |          |
| 11/11/2009                 | P        |            | 13.00                  | 18.00                     | 9.15        | 111.49                       | <50                    | <1.0            | <1.0            | <1.0            | <1.0           | 41         | 0.51        | 6.2         |          |
| 2/19/2010                  | P        |            | 13.00                  | 18.00                     | 9.13        | 111.51                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 32         | 0.38        | 6.58        |          |
| 7/23/2010                  | P        |            | 13.00                  | 18.00                     | 9.18        | 111.46                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 34         | 0.68        | 7.6         |          |
| 3/10/2011                  | P        |            | 13.00                  | 18.00                     | 8.43        | 112.21                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 27         | 1.66        | 6.7         |          |
| 8/8/2011                   | P        |            | 13.00                  | 18.00                     | 8.33        | 112.31                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 32         | 3.40        | 7.5         |          |
| 1/16/2012                  | P        |            | 13.00                  | 18.00                     | 9.12        | 111.52                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 18         | 0.84        | 7.32        |          |
| 9/11/2012                  | P        |            | 13.00                  | 18.00                     | 8.95        | 111.69                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 22         | 1.20        | 6.99        |          |
| 3/26/2013                  | P        |            | 13.00                  | 18.00                     | 8.68        | 111.96                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 17         | 1.07        | 6.76        |          |
| 9/4/2013                   | P        |            | 13.00                  | 18.00                     | 9.14        | 111.50                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 11         | 2.91        | 6.85        |          |
| <b>3/6/2014</b>            | <b>P</b> |            | <b>13.00</b>           | <b>18.00</b>              | <b>9.14</b> | <b>111.50</b>                | <b>&lt;50</b>          | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;1.0</b> | <b>22</b>  | <b>1.23</b> | <b>6.11</b> |          |
| <b>MW-12B</b>              |          |            |                        |                           |             |                              |                        |                 |                 |                 |                |            |             |             |          |
| 3/9/2009                   | P        | 120.84     | 27.00                  | 30.00                     | 14.89       | 105.95                       | <50                    | <0.50           | 0.55            | <0.50           | <0.50          | 150        | 5.87        | 7.74        |          |
| 6/18/2009                  | P        |            | 27.00                  | 30.00                     | 13.51       | 107.33                       | 140                    | <2.5            | <2.5            | <2.5            | <2.5           | 380        | --          | 8.60        | a        |
| 9/1/2009                   | P        |            | 27.00                  | 30.00                     | 9.54        | 111.30                       | 89                     | <10             | <10             | <10             | <10            | 460        | 0.99        | 6.88        |          |
| 11/11/2009                 | P        |            | 27.00                  | 30.00                     | 11.53       | 109.31                       | <50                    | <5.0            | <5.0            | <5.0            | <5.0           | 600        | 1.00        | 6.46        |          |
| 2/19/2010                  | P        |            | 27.00                  | 30.00                     | 11.07       | 109.77                       | 52                     | <5.0            | <5.0            | <5.0            | <5.0           | 620        | 3.32        | 6.89        |          |
| 7/23/2010                  | P        |            | 27.00                  | 30.00                     | 10.75       | 110.09                       | <50                    | <10             | <10             | <10             | <10            | 510        | 1.70        | 7.54        |          |
| 3/10/2011                  | P        |            | 27.00                  | 30.00                     | 10.05       | 110.79                       | <50                    | <10             | <10             | <10             | <10            | 700        | 2.71        | 6.9         |          |
| 8/8/2011                   | P        |            | 27.00                  | 30.00                     | 9.35        | 111.49                       | <50                    | <10             | <10             | <10             | <10            | 510        | 1.70        | 6.9         |          |
| 1/16/2012                  | P        |            | 27.00                  | 30.00                     | 9.45        | 111.39                       | <50                    | <12             | <12             | <12             | <12            | 840        | 3.36        | 7.0         |          |
| 9/11/2012                  | P        |            | 27.00                  | 30.00                     | 9.31        | 111.53                       | <50                    | <5.0            | <5.0            | <5.0            | <10            | 790        | 1.13        | 7.13        |          |
| 3/26/2013                  | p        |            | 27.00                  | 30.00                     | 8.86        | 111.98                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 34         | 4.93        | 7.03        |          |
| 9/4/2013                   | P        |            | 27.00                  | 30.00                     | 9.52        | 111.32                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 2.9        | 2.96        | 6.97        |          |
| <b>3/6/2014</b>            | <b>P</b> |            | <b>27.00</b>           | <b>30.00</b>              | <b>9.55</b> | <b>111.29</b>                | <b>&lt;50</b>          | <b>&lt;5.0</b>  | <b>&lt;5.0</b>  | <b>&lt;5.0</b>  | <b>&lt;10</b>  | <b>930</b> | <b>3.51</b> | <b>6.21</b> |          |
| <b>MW-13A</b>              |          |            |                        |                           |             |                              |                        |                 |                 |                 |                |            |             |             |          |
| 3/9/2009                   | P        | 114.55     | 11.50                  | 16.50                     | 9.53        | 105.02                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 13         | 9.39        | 7.64        |          |
| 6/18/2009                  | P        |            | 11.50                  | 16.50                     | 2.88        | 111.67                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 23         | --          | 7.21        | a        |

**Table 1. Summary of Groundwater Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**ARCO Service Station #2107, 3310 Park Boulevard, Oakland, CA**

| Well ID and Date Monitored | P/NP     | TOC (feet) | Top of Screen (ft bgs) | Bottom of Screen (ft bgs) | DTW (feet)  | Water Level Elevation (feet) | Concentrations in µg/L |                 |                 |                 |                |           | DO (mg/L)   | pH          | Footnote |
|----------------------------|----------|------------|------------------------|---------------------------|-------------|------------------------------|------------------------|-----------------|-----------------|-----------------|----------------|-----------|-------------|-------------|----------|
|                            |          |            |                        |                           |             |                              | GRO/TPHg               | Benzene         | Toluene         | Ethyl-Benzene   | Total Xylenes  | MTBE      |             |             |          |
| <b>MW-13A Cont.</b>        |          |            |                        |                           |             |                              |                        |                 |                 |                 |                |           |             |             |          |
| 9/1/2009                   | P        | 114.55     | 11.50                  | 16.50                     | 3.31        | 111.24                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 34        | 0.96        | 6.90        |          |
| 11/11/2009                 | P        |            | 11.50                  | 16.50                     | 3.66        | 110.89                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 21        | 1.79        | 6.5         |          |
| 2/19/2010                  | P        |            | 11.50                  | 16.50                     | 3.43        | 111.12                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 15        | 0.92        | 6.69        |          |
| 7/23/2010                  | P        |            | 11.50                  | 16.50                     | 3.22        | 111.33                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 24        | 1.4         | 7.0         |          |
| 3/10/2011                  | P        |            | 11.50                  | 16.50                     | 2.57        | 111.98                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 12        | 0.76        | 6.7         |          |
| 8/8/2011                   | P        |            | 11.50                  | 16.50                     | 8.43        | 106.12                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 29        | 3.59        | 7.2         |          |
| 1/16/2012                  | P        |            | 11.50                  | 16.50                     | 3.11        | 111.44                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 37        | 1.25        | 7.08        |          |
| 9/11/2012                  | P        |            | 11.50                  | 16.50                     | 3.03        | 111.52                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 64        | 1.50        | 6.98        |          |
| 3/26/2013                  | p        |            | 11.50                  | 16.50                     | 2.74        | 111.81                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 51        | 1.19        | 6.76        |          |
| 9/4/2013                   | P        |            | 11.50                  | 16.50                     | 3.28        | 111.27                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 76        | 3.18        | 6.81        |          |
| <b>3/6/2014</b>            | <b>P</b> |            | <b>11.50</b>           | <b>16.50</b>              | <b>3.36</b> | <b>111.19</b>                | <b>&lt;50</b>          | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;1.0</b> | <b>84</b> | <b>1.41</b> | <b>6.16</b> |          |
| <b>MW-13B</b>              |          |            |                        |                           |             |                              |                        |                 |                 |                 |                |           |             |             |          |
| 3/9/2009                   | P        | 114.75     | 18.50                  | 22.50                     | 2.96        | 111.79                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 13        | 8.44        | 6.99        |          |
| 6/18/2009                  | P        |            | 18.50                  | 22.50                     | 2.85        | 111.90                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 12        | --          | 6.92        | a        |
| 9/1/2009                   | P        |            | 18.50                  | 22.50                     | 3.36        | 111.39                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 17        | 0.96        | 7.29        |          |
| 11/11/2009                 | P        |            | 18.50                  | 22.50                     | 3.49        | 111.26                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 21        | 2.45        | 6.39        |          |
| 2/19/2010                  | P        |            | 18.50                  | 22.50                     | 3.10        | 111.65                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 19        | 1.46        | 6.50        |          |
| 7/23/2010                  | P        |            | 18.50                  | 22.50                     | 2.74        | 112.01                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 15        | 1.16        | 7.19        |          |
| 3/10/2011                  | P        |            | 18.50                  | 22.50                     | 3.72        | 111.03                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 31        | 0.72        | 6.6         |          |
| 8/8/2011                   | P        |            | 18.50                  | 22.50                     | 2.48        | 112.27                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 32        | 1.51        | 6.8         |          |
| 1/16/2012                  | P        |            | 18.50                  | 22.50                     | 3.47        | 111.28                       | <50                    | <0.50           | <0.50           | <0.50           | <0.50          | 49        | 0.86        | 6.8         |          |
| 9/11/2012                  | P        |            | 18.50                  | 22.50                     | 3.15        | 111.60                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 63        | 1.62        | 7.05        |          |
| 3/26/2013                  | p        |            | 18.50                  | 22.50                     | 2.92        | 111.83                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 62        | 1.37        | 6.86        |          |
| 9/4/2013                   | P        |            | 18.50                  | 22.50                     | 3.42        | 111.33                       | <50                    | <0.50           | <0.50           | <0.50           | <1.0           | 45        | 3.41        | 7.07        |          |
| <b>3/6/2014</b>            | <b>P</b> |            | <b>18.50</b>           | <b>22.50</b>              | <b>3.52</b> | <b>111.23</b>                | <b>&lt;50</b>          | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;1.0</b> | <b>90</b> | <b>1.00</b> | <b>6.60</b> |          |

Symbols & Abbreviations:

-- = Not measured/applicable/analyzed/sampled

µg/L = Micrograms per liter

DO = Dissolved oxygen

DTW = Depth to water in ft below TOC

GRO = Gasoline range organics

mg/L = Milligrams per liter

MTBE = Methyl tert butyl ether

< = Not detected at or above specified laboratory reporting limit

NP = Well not purged prior to sampling

P = Well purged prior to sampling

TOC = Top of casing in ft above NAVD88 datum

Footnotes:

a = DO meter not working

b = Well full of water

c = Quantitation of unknown hydrocarbons(s) in sample based on gasoline

Notes:

Values for DO and pH were obtained through field measurements

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #2107, 3310 Park Boulevard, Oakland, CA**

| Well ID and<br>Date Monitored | Concentrations in µg/L |               |            |                 |                 |                 |                 |                 | Footnote |
|-------------------------------|------------------------|---------------|------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------|
|                               | Ethanol                | TBA           | MTBE       | DIPE            | ETBE            | TAME            | 1,2-DCA         | EDB             |          |
| <b>MW-11A</b>                 |                        |               |            |                 |                 |                 |                 |                 |          |
| 3/9/2009                      | --                     | <20           | 60         | <1.0            | <1.0            | <1.0            | --              | --              |          |
| 6/18/2009                     | <3,000                 | <100          | 280        | <5.0            | <5.0            | <5.0            | <5.0            | <5.0            |          |
| 9/1/2009                      | <3,000                 | <100          | 340        | <5.0            | <5.0            | 5.3             | <5.0            | <5.0            |          |
| 2/19/2010                     | <3,000                 | <100          | 340        | <5.0            | <5.0            | 6.1             | <5.0            | <5.0            |          |
| 7/23/2010                     | <3,000                 | <100          | 350        | <5.0            | <5.0            | 6.5             | <5.0            | <5.0            |          |
| 3/10/2011                     | <6,000                 | <100          | 76         | <5.0            | <5.0            | <5.0            | <5.0            | <5.0            |          |
| 8/8/2011                      | <3,000                 | <100          | 310        | <5.0            | <5.0            | <5.0            | <5.0            | <5.0            |          |
| 9/11/2012                     | <300                   | <20           | 280        | <1.0            | <1.0            | 4.1             | <1.0            | <1.0            |          |
| 3/26/2013                     | <750                   | <50           | 330        | <2.5            | <2.5            | 3.9             | <2.5            | <2.5            |          |
| 9/4/2013                      | <150                   | 22            | 200        | <0.50           | <0.50           | 3.5             | <0.50           | <0.50           |          |
| <b>3/6/2014</b>               | <b>&lt;300</b>         | <b>&lt;20</b> | <b>300</b> | <b>&lt;1.0</b>  | <b>&lt;1.0</b>  | <b>&lt;1.0</b>  | <b>&lt;1.0</b>  | <b>&lt;1.0</b>  |          |
| <b>MW-11B</b>                 |                        |               |            |                 |                 |                 |                 |                 |          |
| 3/9/2009                      | --                     | <10           | 240        | <0.50           | <0.50           | 3.1             | --              | --              |          |
| 6/18/2009                     | <3,000                 | <100          | 200        | <5.0            | <5.0            | <5.0            | <5.0            | <5.0            |          |
| 9/1/2009                      | <3,000                 | <100          | 210        | <5.0            | <5.0            | <5.0            | <5.0            | <5.0            |          |
| 11/11/2009                    | <3,000                 | <100          | 200        | <5.0            | <5.0            | <5.0            | <5.0            | <5.0            |          |
| 2/19/2010                     | <1,500                 | <50           | 180        | <2.5            | <2.5            | <2.5            | <2.5            | <2.5            |          |
| 7/23/2010                     | <1,500                 | <50           | 110        | <2.5            | <2.5            | <2.5            | <2.5            | <2.5            |          |
| 3/10/2011                     | <600                   | <20           | 58         | <1.0            | <1.0            | <1.0            | <1.0            | <1.0            |          |
| 8/8/2011                      | <600                   | <20           | 60         | <1.0            | <1.0            | <1.0            | <1.0            | <1.0            |          |
| 1/16/2012                     | <600                   | 33            | 47         | <1.0            | <1.0            | <1.0            | <1.0            | <1.0            |          |
| 9/11/2012                     | <150                   | <10           | 27         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 3/26/2013                     | <150                   | <10           | 26         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/4/2013                      | <150                   | <10           | 19         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| <b>3/6/2014</b>               | <b>&lt;150</b>         | <b>&lt;10</b> | <b>27</b>  | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> |          |
| <b>MW-12A</b>                 |                        |               |            |                 |                 |                 |                 |                 |          |
| 3/9/2009                      | --                     | <10           | 41         | <0.50           | <0.50           | <0.50           | --              | --              |          |
| 6/18/2009                     | <600                   | <20           | 40         | <1.0            | <1.0            | <1.0            | <1.0            | <1.0            |          |
| 9/1/2009                      | <300                   | <10           | 39         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 11/11/2009                    | <600                   | <20           | 41         | <1.0            | <1.0            | <1.0            | <1.0            | <1.0            |          |

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #2107, 3310 Park Boulevard, Oakland, CA**

| Well ID and<br>Date Monitored | Concentrations in µg/L |                |            |                 |                 |                 |                 |                 | Footnote |
|-------------------------------|------------------------|----------------|------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------|
|                               | Ethanol                | TBA            | MTBE       | DIPE            | ETBE            | TAME            | 1,2-DCA         | EDB             |          |
| <b>MW-12A Cont.</b>           |                        |                |            |                 |                 |                 |                 |                 |          |
| 2/19/2010                     | <300                   | <10            | 32         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 7/23/2010                     | <300                   | <10            | 34         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 3/10/2011                     | <300                   | <10            | 27         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 8/8/2011                      | <300                   | <10            | 32         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 1/16/2012                     | <300                   | 19             | 18         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/11/2012                     | <150                   | <10            | 22         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 3/26/2013                     | <150                   | <10            | 17         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/4/2013                      | <150                   | <10            | 11         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| <b>3/6/2014</b>               | <b>&lt;150</b>         | <b>&lt;10</b>  | <b>22</b>  | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> |          |
| <b>MW-12B</b>                 |                        |                |            |                 |                 |                 |                 |                 |          |
| 3/9/2009                      | --                     | <10            | 150        | <0.50           | <0.50           | <0.50           | --              | --              |          |
| 6/18/2009                     | <1,500                 | <50            | 380        | <2.5            | <2.5            | <2.5            | <2.5            | <2.5            |          |
| 9/1/2009                      | <6,000                 | <200           | 460        | <10             | <10             | <10             | <10             | <10             |          |
| 11/11/2009                    | <3,000                 | <100           | 600        | <5.0            | <5.0            | <5.0            | <5.0            | <5.0            |          |
| 2/19/2010                     | <3,000                 | <100           | 620        | <5.0            | <5.0            | 5.1             | <5.0            | <5.0            |          |
| 7/23/2010                     | <6,000                 | <200           | 510        | <10             | <10             | <10             | <10             | <10             |          |
| 3/10/2011                     | <6,000                 | <200           | 700        | <10             | <10             | <10             | <10             | <10             |          |
| 8/8/2011                      | <6,000                 | <200           | 510        | <10             | <10             | <10             | <10             | <10             |          |
| 1/16/2012                     | <7,500                 | 320            | 840        | <12             | <12             | <12             | <12             | <12             |          |
| 9/11/2012                     | <1,500                 | <100           | 790        | <5.0            | <5.0            | 8.7             | <5.0            | <5.0            |          |
| 3/26/2013                     | <150                   | <10            | 34         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/4/2013                      | <150                   | <10            | 2.9        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| <b>3/6/2014</b>               | <b>&lt;1,500</b>       | <b>&lt;100</b> | <b>930</b> | <b>&lt;5.0</b>  | <b>&lt;5.0</b>  | <b>10</b>       | <b>&lt;5.0</b>  | <b>&lt;5.0</b>  |          |
| <b>MW-13A</b>                 |                        |                |            |                 |                 |                 |                 |                 |          |
| 3/9/2009                      | --                     | <10            | 13         | <0.50           | <0.50           | <0.50           | --              | --              |          |
| 6/18/2009                     | <300                   | <10            | 23         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/1/2009                      | <300                   | <10            | 34         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 11/11/2009                    | <300                   | <10            | 21         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 2/19/2010                     | <300                   | <10            | 15         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 7/23/2010                     | <300                   | <10            | 24         | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |

**Table 2. Summary of Fuel Additives Analytical Data**  
**ARCO Service Station #2107, 3310 Park Boulevard, Oakland, CA**

| Well ID and<br>Date Monitored | Concentrations in µg/L |               |           |                 |                 |                 |                 |                 | Footnote |
|-------------------------------|------------------------|---------------|-----------|-----------------|-----------------|-----------------|-----------------|-----------------|----------|
|                               | Ethanol                | TBA           | MTBE      | DIPE            | ETBE            | TAME            | 1,2-DCA         | EDB             |          |
| <b>MW-13A Cont.</b>           |                        |               |           |                 |                 |                 |                 |                 |          |
| 3/10/2011                     | <300                   | <10           | 12        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 8/8/2011                      | <300                   | <10           | 29        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 1/16/2012                     | <300                   | 26            | 37        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/11/2012                     | <150                   | <10           | 64        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 3/26/2013                     | <150                   | <10           | 51        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/4/2013                      | <150                   | <10           | 76        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| <b>3/6/2014</b>               | <b>&lt;150</b>         | <b>&lt;10</b> | <b>84</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> |          |
| <b>MW-13B</b>                 |                        |               |           |                 |                 |                 |                 |                 |          |
| 3/9/2009                      | --                     | <10           | 13        | <0.50           | <0.50           | <0.50           | --              | --              |          |
| 6/18/2009                     | <300                   | <10           | 12        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/1/2009                      | <300                   | <10           | 17        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 11/11/2009                    | <300                   | <10           | 21        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 2/19/2010                     | <300                   | <10           | 19        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 7/23/2010                     | <300                   | <10           | 15        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 3/10/2011                     | <300                   | <10           | 31        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 8/8/2011                      | <300                   | <10           | 32        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 1/16/2012                     | <300                   | 19            | 49        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/11/2012                     | <150                   | <10           | 63        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 3/26/2013                     | <150                   | <10           | 62        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| 9/4/2013                      | <150                   | <10           | 45        | <0.50           | <0.50           | <0.50           | <0.50           | <0.50           |          |
| <b>3/6/2014</b>               | <b>&lt;150</b>         | <b>12</b>     | <b>90</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> | <b>&lt;0.50</b> |          |

Symbols & Abbreviations:

-- = Not analyzed/applicable/measurable

< = Not detected above reported detection limit

1,2-DCA = 1,2-Dichloroethane

µg/L = Micrograms per Liter

DIPE = Diisopropyl ether

EDB = 1, 2-Dibromoethane

ETBE = Ethyl tert-butyl ether

MTBE = Methyl tert-butyl ether

TAME = tert-Amyl methyl ether

TBA = tert-Butyl alcohol

Notes:

All volatile organic compounds analyzed using EPA Method 8260B



**Table 3. Summary of Groundwater Gradient - Direction and Magnitude**  
**ARCO Service Station #2107, 3310 Park Boulevard, Oakland, CA**

| <b>Date Measured</b> | <b>Approximate Gradient Direction</b> | <b>Approximate Gradient Magnitude (ft/ft)</b> |
|----------------------|---------------------------------------|---|
| 3/9/2009             | Northeast                             | 0.06  |
| 6/18/2009            | Northeast                             | 0.06  |
| 9/1/2009             | North-Northwest                       | 0.03  |
| 11/11/2009           | North                                 | 0.05  |
| 2/19/2010            | North                                 | 0.03  |
| 7/23/2010            | North                                 | 0.05  |
| 3/10/2011            | North-Northwest                       | 0.04  |
| 8/8/2011             | North                                 | 0.03  |
| 1/16/2012            | North-Northwest                       | 0.02  |
| 9/11/2012            | North-Northwest                       | 0.03  |
| 3/26/2013            | North-Northwest                       | 0.01  |
| 9/4/2013             | North-Northwest                       | 0.02  |
| <b>3/6/2014</b>      | <b>North-Northwest</b>                | <b>0.03</b>                                   |

**APPENDIX A**

FIELD METHODS

## **QUALITY ASSURANCE/QUALITY CONTROL FIELD METHODS**

Field methods discussed herein were implemented to provide for accuracy and reliability of field activities, data collection, sample collection, and handling. Discussion of these methods is provided below.

### **1.0 Equipment Calibration**

Equipment calibration was performed per equipment manufacturer specifications before use.

### **2.0 Depth to Groundwater and Light Non-Aqueous Phase Liquid Measurement**

Depth to groundwater was measured in wells identified for gauging in the scope of work using a decontaminated water level indicator. The depth to water measurement was taken from a cut notch or permanent mark at the top of the well casing to which the well head elevation was originally surveyed.

Once depth to water was measured, an oil/water interface meter or a new disposable bailer was utilized to evaluate the presence and, if present, to measure the “apparent” thickness of light non-aqueous phase liquid (LNAPL) in the well. If LNAPL was present in the well, groundwater purging and sampling were not performed, unless sampling procedures in the scope of work specified collection of samples in the presence of LNAPL. Otherwise, time allowing, LNAPL was bailed from the well using either a new disposable bailer, or the disposal bailer previously used for initial LNAPL assessment. Bailing of LNAPL continued until the thickness of LNAPL (or volume) stabilized in each bailer pulled from the well, or LNAPL was no longer present. After LNAPL thickness either stabilized or was eliminated, periodic depth to water and depth to LNAPL measurements were collected as product came back into the well to evaluate product recovery rate and to aid in further assessment of LNAPL in the subsurface. LNAPL thickness measurements were recorded as “apparent.” If a bailer was used for LNAPL thickness measurement, the field sampler noted the bailer entry diameter and chamber diameter to enable correction of thickness measurements. Recovered LNAPL was stored on-site in a labeled steel drum(s) or other appropriate container(s) prior to disposal.

### **3.0 Well Purging and Groundwater Sample Collection**

Well purging and groundwater sampling were performed in wells specified in the scope of work after measuring depth to groundwater and evaluating the presence of LNAPL. Purging and sampling were performed using one of the methods detailed below. The method used was noted in the field records. Purge water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal or on-site treatment (in cases where treatment using an on-site system is authorized).

### 3.1 Purging a Predetermined Well Volume

Purging a predetermined well volume is performed per ASTM International (ASTM) D4448-01. This purging method has the objective of removing a predetermined volume of stagnant water from the well prior to sampling. The volume of stagnant water is defined as either the volume of water contained within the well casing, or the volume within the well casing and sand/gravel in the annulus if natural flow through these is deemed insufficient to keep them flushed out.

This purging method involves removal of a minimum of three stagnant water volumes from the well using a decontaminated pump with new disposable plastic discharge or suction tubing, dedicated well tubing, or using a new disposable or decontaminated reusable bailer. If a new disposable bailer was used for assessment of LNAPL, that bailer may be used for purging. The withdrawal rate used is one that minimizes drawdown while satisfying time constraints.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity<sup>1</sup>. Parameters are considered stable when two (2) consecutive readings recorded three (3) minutes apart fall within ranges provided below in Table 1. In the event that the parameters have not stabilized and five (5) well casing volumes have been removed, purging activities will cease and be considered complete. Once the well is purged, a groundwater sample(s) is collected from the well using a new disposable bailer. If a new disposable bailer was used for purging, that bailer may be used to collect the sample(s). A sample is not collected if the well is inadvertently purged dry.

Table 1. Criteria for Defining Stabilization of Water-Quality Indicator Parameters

| Parameter                     | Stabilization Criterion                 |
|-------------------------------|---|
| Temperature                   | ± 0.2°C (± 0.36°F)                      |
| pH                            | ± 0.1 standard units                    |
| Conductivity                  | ± 3%                                    |
| Dissolved oxygen              | ± 10%                                   |
| Oxidation reduction potential | ± 10 mV                                 |
| Turbidity <sup>1</sup>        | ± 10% or 1.0 NTU (whichever is greater) |

### 3.2 Low-Flow Purging and Sampling

“Low-Flow”, “Minimal Drawdown”, or “Low-Stress” purging is performed per ASTM D6771-02. It is a method of groundwater removal from within a well’s screened interval that is intended to

<sup>1</sup> As stated in ASTM D6771-02, turbidity is not a chemical parameter and not indicative of when formation-quality water is being purged; however, turbidity may be helpful in evaluating stress on the formation during purging. Turbidity measurements are taken at the same time that stabilization parameter measurements are made, or, at a minimum, once when purging is initiated and again just prior to sample collection, after stabilization parameters have stabilized. To avoid artifacts in sample analysis, turbidity should be as low as possible when samples are collected. If turbidity values are persistently high, the withdrawal rate is lowered until turbidity decreases. If high turbidity persists even after lowering the withdrawal rate, the purging is stopped for a period of time until turbidity settles, and the purging process is then restarted. If this fails to solve the problem, the purging/sampling process for the well is ceased, and well maintenance or redevelopment is considered.

minimize drawdown and mixing of the water column in the well casing. This is accomplished by pumping the well using a decontaminated pump with new disposable plastic discharge or suction tubing or dedicated well tubing at a low flow rate while evaluating the groundwater elevation during pumping.

The low flow pumping rate is well specific and is generally established at a volume that is less than or equal to the natural recovery rate of the well. A pump with adjustable flow rate control is positioned with the intake at or near the mid-point of the submerged well screen. The pumping rate used during low-flow purging is low enough to minimize mobilization of particulate matter and drawdown (stress) of the water column. Low-flow purging rates will vary based on the individual well characteristics; however, the purge rate should not exceed 1.0 Liter per minute (L/min) or 0.25 gallon per minute (gal/min). Low-flow purging should begin at a rate of approximately 0.1 L/min (0.03 gal/min)<sup>2</sup>, or the lowest rate possible, and be adjusted based on an evaluation of drawdown. Water level measurements should be recorded at approximate one (1) to two (2) minute intervals until the low-flow rate has been established, and drawdown is minimized. As a general rule, drawdown should not exceed 25% of the distance between the top of the water column and the pump in-take.

To evaluate when purging is complete, one or more groundwater stabilization parameters are monitored and recorded during purging activities until stabilization is achieved. Most commonly, stabilization parameters include temperature, conductivity, and pH, but field procedures detailed in the scope of work may also include monitoring of dissolved oxygen concentrations, oxidation reduction potential, and/or turbidity<sup>1</sup>. The frequency between measurements will be at an interval of one (1) to three (3) minutes; however, if a flow cell is used, the frequency will be determined based on the time required to evacuate one cell volume. Stabilization is defined as three (3) consecutive readings recorded several minutes apart falling within ranges provided in Table 1. Samples will be collected by filling appropriate containers from the pump discharge tubing at a rate not to exceed the established pumping rate.

### 3.3 Minimal Purge, Discrete Depth, and Passive Sampling

Per ASTM D4448-01, sampling techniques that do not rely on purging, or require only minimal purging, may be used if a particular zone within a screened interval is to be sampled or if a well is not capable of yielding sufficient groundwater for purging. To properly use these sampling techniques, a water sample is collected within the screened interval with little or no mixing of the water column within the casing. These techniques include minimal purge sampling which uses a dedicated sampling pump capable of pumping rates of less than 0.1 L/min (0.03 gal/min)<sup>2</sup>, discrete depth sampling using a bailer that allows groundwater entry at a controlled depth (e.g. differential pressure bailer), or passive (diffusion) sampling. These techniques are based on certain studies referenced in ASTM D4448-01 that indicate that under certain conditions, natural groundwater flow is laminar and horizontal with little or no mixing within the well screen.

---

<sup>2</sup> According to ASTM D4448-01, studies have indicated that at flow rates of 0.1 L/min, low-density polyethylene (LDPE) and plasticized polypropylene tubing materials are prone to sorption. Therefore, TFE-fluorocarbon or other appropriate tubing material is used, particularly when tubing lengths of 50 feet or longer are used.

#### 4.0 Decontamination

Reusable groundwater sampling equipment were cleaned using a solution of Alconox or other acceptable detergent, rinsed with tap water, and finally rinsed with distilled water prior to use in each well. Decontamination water was stored on-site in labeled steel drum(s) or other appropriate container(s) prior to disposal.

#### 5.0 Sample Containers, Labeling, and Storage

Samples were collected in laboratory prepared containers with appropriate preservative (if preservative was required). Samples were properly labeled (site name, sample I.D., sampler initials, date, and time of collection) and stored chilled (refrigerator or ice chest with ice) until delivery to a certified laboratory, under chain of custody procedures.

#### 6.0 Chain of Custody Record and Procedure

The field sampler was personally responsible for care and custody of the samples collected until they were properly transferred to another party. To document custody and transfer of samples, a Chain of Custody Record was prepared. The Chain of Custody Record provided identification of the samples corresponding to sample labels and specified analyses to be performed by the laboratory. The original Chain of Custody Record accompanied the shipment, and a copy of the record was stored in the project file. When the samples were transferred, the individuals relinquishing and receiving them signed, dated, and noted the time of transfer on the record.

#### 7.0 Field Records

Daily Report and data forms were completed by staff personnel to provide daily record of significant events, observations, and measurements. Field records were signed, dated, and stored in the project file.

**APPENDIX B**

FIELD DATA SHEETS



DAILY REPORT

Page 1 of 1

Project: BP 2107 Project No.: 06-88-614

Field Representative(s): A. Martinez / J. Ramos Day: Thursday Date: 3/6/14

Time Onsite: From: 0730 To: 1100 ; From: To: ; From: To:

- Signed HASP Safety Glasses Hard Hat Steel Toe Boots Safety Vest
UST Emergency System Shut-off Switches Located Proper Gloves
Proper Level of Barricading Other PPE (describe)

Weather: Cloudy

Equipment In Use: Peristaltic pump, interface probe, US2 meter

Visitors: None

TIME:

WORK DESCRIPTION:

0730 Arrived onsite, conducted tailgate
0815 set up @ MW-13A/B
0905 set up @ MW-12A/B
0950 set up @ MW-11A/B
1100 Completed fieldwork cleaned up & offsite.

Signature: Alex [Signature]







# GROUNDWATER SAMPLING DATA SHEET

Page 2 of 7


Project: BD 2107 Project No.: 06-55-614 Date: 3/6/14  
 Field Representative: AM/SR  
 Well ID: Mw-11A Start Time: - End Time: - Total Time (minutes): -

PURGE EQUIPMENT  Disp. Bailer  120V Pump  Flow Cell  
 Disp. Tubing  12V Pump  Peristaltic Pump Other/ID#: \_\_\_\_\_

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments: \_\_\_\_\_  
 Good  Improvement Needed (circle one)

PURGING/SAMPLING METHOD Predetermined Well Volume  Low-Flow  Other: \_\_\_\_\_ (circle one)

| PREDETERMINED WELL VOLUME                                  |                |             |              |                | LOW-FLOW   |  |
|--|----------------|-------------|--------------|----------------|--|--|
| Casing Diameter   Unit Volume (gal/ft) (circle one)        |                |             |              |                | Previous Low-Flow Purge Rate: _____ (lpm)  |  |
| 1"   (0.04)  | 1.25"   (0.08) | 2"   (0.17) | 3"   (0.38)  | Other: _____   | Total Well Depth (a): <u>18.81</u> (ft)  |  |
| 4"   (0.66)  | 6"   (1.50)    | 8"   (2.60) | 12"   (5.81) | _____   (____) | Initial Depth to Water (b): <u>13.53</u> (ft)  |  |
| Total Well Depth (a): _____ (ft)                           |                |             |              |                | Pump In-take Depth = b + (a-b)/2: <u>16.17</u> (ft)  |  |
| Initial Depth to Water (b): _____ (ft)                     |                |             |              |                | Maximum Allowable Drawdown = (a-b)/8: <u>0.66</u> (ft)   |  |
| Water Column Height (WCH) = (a - b): _____ (ft)            |                |             |              |                | Low-Flow Purge Rate: <u>0.25</u> (Lpm)*  |  |
| Water Column Volume (WCV) = WCH x Unit Volume: _____ (gal) |                |             |              |                | Comments: _____  |  |
| Three Casing Volumes = WCV x 3: _____ (gal)                |                |             |              |                | *Low-flow purge rate should be within range of instruments used but should not exceed 0.25 gpm. Drawdown should not exceed Maximum Allowable Drawdown. |  |
| Five Casing Volumes = WCV x 5: _____ (gal)                 |                |             |              |                |  |  |
| Pump Depth (if pump used): _____ (ft)                      |                |             |              |                |  |  |



| Time (24:00) | Cumulative Vol. gal or L | Temperature °C | pH    | Conductivity µS or µS | DO mg/L | ORP mV | Turbidity NTU | NOTES Odor, color, sheen or other |
|--------------|--------------------------|----------------|-------|-----------------------|---------|--------|---------------|-----------------------------------|
| 1020         | 0.0                      | 20.17          | 8.93  | 8.15                  | 6.67    | 46     | 0.0           |                                   |
| 1022         | 0.5                      | 19.76          | 10.97 | 8.43                  | 5.59    | -47    | 0.0           |                                   |
| 1024         | 1.0                      | 19.76          | 11.39 | 8.46                  | 5.03    | -77    | 0.0           |                                   |
| 1026         | 1.5                      | 19.73          | 11.45 | 8.47                  | 4.83    | -89    | 0.0           |                                   |
| 1029         | 2.0                      | 19.71          | 11.53 | 8.71                  | 4.73    | -99    | 0.0           |                                   |

Previous Stabilized Parameters \_\_\_\_\_  
 PURGE COMPLETION RECORD  Low Flow & Parameters Stable  3 Casing Volumes & Parameters Stable  5 Casing Volumes  
 Other: \_\_\_\_\_

| SAMPLE COLLECTION RECORD   |   | GEOCHEMICAL PARAMETERS |      |             |
|--|---|------------------------|------|-------------|
| Depth to Water at Sampling: <u>15.29</u> (ft)  |   | Parameter              | Time | Measurement |
| Sample Collected Via: <input type="checkbox"/> Disp. Bailer <input type="checkbox"/> Dedicated Pump Tubing   |   | DO (mg/L)              |      |             |
| <input checked="" type="checkbox"/> Disp. Pump Tubing Other: _____   |   | Ferrous Iron (mg/L)    |      |             |
| Sample ID: <u>Mw-11A</u>   | Sample Collection Time: <u>1030</u> (24:00) | Redox Potential (mV)   |      |             |
| Containers (#): <u>6</u> VOA ( <input checked="" type="checkbox"/> preserved or <input type="checkbox"/> unpreserved) <input type="checkbox"/> Liter Amber |   | Alkalinity (mg/L)      |      |             |
| Other: _____   | Other: _____                                | Other:                 |      |             |
| Other: _____   | Other: _____                                | Other:                 |      |             |

Signature: Alan March







GROUNDWATER SAMPLING DATA SHEET

Project: BP 2107 Project No.: 06 88-614 Date: 3/6/14
Field Representative: AM/JR
Well ID: MW-128 Start Time: - End Time: - Total Time (minutes): -

PURGE EQUIPMENT: Disp. Bailer, 120V Pump, Flow Cell, Disp. Tubing, 12V Pump, Peristaltic Pump, Other/ID#:

WELL HEAD INTEGRITY (cap, lock, vault, etc.) Comments: Good Improvement Needed (circle one)

PURGING/SAMPLING METHOD: Predetermined Well Volume, Low-Flow, Other: (circle one)

PREDETERMINED WELL VOLUME and LOW-FLOW sections with tables for casing diameters, depths, and purge rates. Includes a well diagram with labels 'a' and 'b'.

GROUNDWATER STABILIZATION PARAMETER RECORD

Table with 9 columns: Time (24:00), Cumulative Vol. (gal or l), Temperature (°C), pH, Conductivity (µS or mS), DO (mg/L), ORP (mV), Turbidity (NTU), and NOTES (Odor, color, sheen or other). Contains handwritten data for 6 samples.

Previous Stabilized Parameters

PURGE COMPLETION RECORD: X Low Flow & Parameters Stable, 3 Casing Volumes & Parameters Stable, 5 Casing Volumes, Other:

SAMPLE COLLECTION RECORD and GEOCHEMICAL PARAMETERS sections. Includes fields for depth to water, sample collection time, and various chemical parameters like DO, Ferrous Iron, Redox Potential, and Alkalinity.

Signature: Alex Mackin









**APPENDIX C**

LABORATORY REPORT  
AND CHAIN-OF-CUSTODY DOCUMENTATION

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Irvine  
17461 Derian Ave  
Suite 100  
Irvine, CA 92614-5817  
Tel: (949)261-1022

TestAmerica Job ID: 440-72620-1  
TestAmerica Sample Delivery Group: 06-88-614  
Client Project/Site: ARCO 2107, Oakland

For:  
Broadbent & Associates, Inc.  
875 Cotting Lane  
Suite G  
Vacaville, California 95688

Attn: Kristene Tidwell



---

*Authorized for release by:*  
*3/21/2014 9:37:09 AM*  
Lena Davidkova, Project Manager II  
lena.davidkova@testamericainc.com

Designee for  
Kathleen Robb, Project Manager II  
(949)261-1022  
kathleen.robbs@testamericainc.com

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

1

2

3

4

5

6

7

8

9

10

11

12

13



# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 2  |
| Sample Summary . . . . .         | 3  |
| Case Narrative . . . . .         | 4  |
| Client Sample Results . . . . .  | 5  |
| Method Summary . . . . .         | 11 |
| Lab Chronicle . . . . .          | 12 |
| QC Sample Results . . . . .      | 14 |
| QC Association Summary . . . . . | 22 |
| Definitions/Glossary . . . . .   | 23 |
| Certification Summary . . . . .  | 24 |
| Chain of Custody . . . . .       | 25 |
| Receipt Checklists . . . . .     | 26 |

# Sample Summary

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 440-72620-1   | MW-11A           | Water  | 03/06/14 10:30 | 03/07/14 10:20 |
| 440-72620-2   | MW-11B           | Water  | 03/06/14 10:15 | 03/07/14 10:20 |
| 440-72620-3   | MW-12A           | Water  | 03/06/14 09:25 | 03/07/14 10:20 |
| 440-72620-4   | MW-12B           | Water  | 03/06/14 09:40 | 03/07/14 10:20 |
| 440-72620-5   | MW-13A           | Water  | 03/06/14 09:00 | 03/07/14 10:20 |
| 440-72620-6   | MW-13B           | Water  | 03/06/14 08:40 | 03/07/14 10:20 |

# Case Narrative

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

**Job ID: 440-72620-1**

**Laboratory: TestAmerica Irvine**

## Narrative

### Job Narrative 440-72620-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 3/7/2014 10:20 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.2° C.

#### GC/MS VOA

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: MW-11A (440-72620-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed and was confirmed.

Method(s) 8260B: The following sample(s) were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory, and corrective action was not possible: MW-11A (440-72620-1). pH=12.

No other analytical or quality issues were noted.

#### GC VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

#### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

# Client Sample Results

Client: Broadbent & Associates, Inc.  
 Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
 SDG: 06-88-614

**Client Sample ID: MW-11A**

**Lab Sample ID: 440-72620-1**

**Date Collected: 03/06/14 10:30**

**Matrix: Water**

**Date Received: 03/07/14 10:20**

**Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)**

| Analyte                            | Result     | Qualifier | RL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------------|------------|-----------|-----|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)            | ND         |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| 1,2-Dichloroethane                 | ND         |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| <b>Benzene</b>                     | <b>1.5</b> |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| Ethanol                            | ND         |           | 300 | ug/L |   |          | 03/15/14 01:34 | 2       |
| <b>Ethylbenzene</b>                | <b>2.3</b> |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| Ethyl-t-butyl ether (ETBE)         | ND         |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| Isopropyl Ether (DIPE)             | ND         |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| m,p-Xylene                         | ND         |           | 2.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| <b>Methyl-t-Butyl Ether (MTBE)</b> | <b>300</b> |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| o-Xylene                           | ND         |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| Tert-amyl-methyl ether (TAME)      | ND         |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| tert-Butyl alcohol (TBA)           | ND         |           | 20  | ug/L |   |          | 03/15/14 01:34 | 2       |
| <b>Toluene</b>                     | <b>4.0</b> |           | 1.0 | ug/L |   |          | 03/15/14 01:34 | 2       |
| Xylenes, Total                     | ND         |           | 2.0 | ug/L |   |          | 03/15/14 01:34 | 2       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 106       |           | 80 - 120 |          | 03/15/14 01:34 | 2       |
| Dibromofluoromethane (Surr) | 2         | LG        | 76 - 132 |          | 03/15/14 01:34 | 2       |
| Toluene-d8 (Surr)           | 104       |           | 80 - 128 |          | 03/15/14 01:34 | 2       |

**Method: 8015B/5030B - Gasoline Range Organics (GC)**

| Analyte             | Result     | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------|------------|-----------|----|------|---|----------|----------------|---------|
| <b>GRO (C6-C12)</b> | <b>160</b> |           | 50 | ug/L |   |          | 03/11/14 21:59 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 95        |           | 65 - 140 |          | 03/11/14 21:59 | 1       |

# Client Sample Results

Client: Broadbent & Associates, Inc.  
 Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
 SDG: 06-88-614

**Client Sample ID: MW-11B**

**Lab Sample ID: 440-72620-2**

**Date Collected: 03/06/14 10:15**

**Matrix: Water**

**Date Received: 03/07/14 10:20**

**Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)**

| Analyte                            | Result    | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------------|-----------|-----------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| 1,2-Dichloroethane                 | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| Benzene                            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| Ethanol                            | ND        |           | 150  | ug/L |   |          | 03/13/14 16:33 | 1       |
| Ethylbenzene                       | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| Ethyl-t-butyl ether (ETBE)         | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| Isopropyl Ether (DIPE)             | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| m,p-Xylene                         | ND        |           | 1.0  | ug/L |   |          | 03/13/14 16:33 | 1       |
| <b>Methyl-t-Butyl Ether (MTBE)</b> | <b>27</b> |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| o-Xylene                           | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| Tert-amyl-methyl ether (TAME)      | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| tert-Butyl alcohol (TBA)           | ND        |           | 10   | ug/L |   |          | 03/13/14 16:33 | 1       |
| Toluene                            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 16:33 | 1       |
| Xylenes, Total                     | ND        |           | 1.0  | ug/L |   |          | 03/13/14 16:33 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 111       |           | 80 - 120 |          | 03/13/14 16:33 | 1       |
| Dibromofluoromethane (Surr) | 113       |           | 76 - 132 |          | 03/13/14 16:33 | 1       |
| Toluene-d8 (Surr)           | 107       |           | 80 - 128 |          | 03/13/14 16:33 | 1       |

**Method: 8015B/5030B - Gasoline Range Organics (GC)**

| Analyte      | Result | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|----|------|---|----------|----------------|---------|
| GRO (C6-C12) | ND     |           | 50 | ug/L |   |          | 03/11/14 23:23 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 92        |           | 65 - 140 |          | 03/11/14 23:23 | 1       |

# Client Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

**Client Sample ID: MW-12A**

**Lab Sample ID: 440-72620-3**

**Date Collected: 03/06/14 09:25**

**Matrix: Water**

**Date Received: 03/07/14 10:20**

**Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)**

| Analyte                            | Result    | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------------|-----------|-----------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| 1,2-Dichloroethane                 | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| Benzene                            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| Ethanol                            | ND        |           | 150  | ug/L |   |          | 03/13/14 17:00 | 1       |
| Ethylbenzene                       | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| Ethyl-t-butyl ether (ETBE)         | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| Isopropyl Ether (DIPE)             | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| m,p-Xylene                         | ND        |           | 1.0  | ug/L |   |          | 03/13/14 17:00 | 1       |
| <b>Methyl-t-Butyl Ether (MTBE)</b> | <b>22</b> |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| o-Xylene                           | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| Tert-amyl-methyl ether (TAME)      | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| tert-Butyl alcohol (TBA)           | ND        |           | 10   | ug/L |   |          | 03/13/14 17:00 | 1       |
| Toluene                            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:00 | 1       |
| Xylenes, Total                     | ND        |           | 1.0  | ug/L |   |          | 03/13/14 17:00 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 112       |           | 80 - 120 |          | 03/13/14 17:00 | 1       |
| Dibromofluoromethane (Surr) | 117       |           | 76 - 132 |          | 03/13/14 17:00 | 1       |
| Toluene-d8 (Surr)           | 107       |           | 80 - 128 |          | 03/13/14 17:00 | 1       |

**Method: 8015B/5030B - Gasoline Range Organics (GC)**

| Analyte      | Result | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|----|------|---|----------|----------------|---------|
| GRO (C6-C12) | ND     |           | 50 | ug/L |   |          | 03/11/14 23:51 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 88        |           | 65 - 140 |          | 03/11/14 23:51 | 1       |



# Client Sample Results

Client: Broadbent & Associates, Inc.  
 Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
 SDG: 06-88-614

**Client Sample ID: MW-12B**

**Lab Sample ID: 440-72620-4**

**Date Collected: 03/06/14 09:40**

**Matrix: Water**

**Date Received: 03/07/14 10:20**

**Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)**

| Analyte                              | Result     | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------------------------------|------------|-----------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)              | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| 1,2-Dichloroethane                   | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| Benzene                              | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| Ethanol                              | ND         |           | 1500 | ug/L |   |          | 03/14/14 03:37 | 10      |
| Ethylbenzene                         | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| Ethyl-t-butyl ether (ETBE)           | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| Isopropyl Ether (DIPE)               | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| m,p-Xylene                           | ND         |           | 10   | ug/L |   |          | 03/14/14 03:37 | 10      |
| <b>Methyl-t-Butyl Ether (MTBE)</b>   | <b>930</b> |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| o-Xylene                             | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| <b>Tert-amyl-methyl ether (TAME)</b> | <b>10</b>  |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| tert-Butyl alcohol (TBA)             | ND         |           | 100  | ug/L |   |          | 03/14/14 03:37 | 10      |
| Toluene                              | ND         |           | 5.0  | ug/L |   |          | 03/14/14 03:37 | 10      |
| Xylenes, Total                       | ND         |           | 10   | ug/L |   |          | 03/14/14 03:37 | 10      |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 114       |           | 80 - 120 |          | 03/14/14 03:37 | 10      |
| Dibromofluoromethane (Surr) | 117       |           | 76 - 132 |          | 03/14/14 03:37 | 10      |
| Toluene-d8 (Surr)           | 107       |           | 80 - 128 |          | 03/14/14 03:37 | 10      |

**Method: 8015B/5030B - Gasoline Range Organics (GC)**

| Analyte      | Result | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|----|------|---|----------|----------------|---------|
| GRO (C6-C12) | ND     |           | 50 | ug/L |   |          | 03/13/14 09:41 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 84        |           | 65 - 140 |          | 03/13/14 09:41 | 1       |

# Client Sample Results

Client: Broadbent & Associates, Inc.  
 Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
 SDG: 06-88-614

**Client Sample ID: MW-13A**

**Lab Sample ID: 440-72620-5**

**Date Collected: 03/06/14 09:00**

**Matrix: Water**

**Date Received: 03/07/14 10:20**

**Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)**

| Analyte                            | Result    | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------------|-----------|-----------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| 1,2-Dichloroethane                 | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| Benzene                            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| Ethanol                            | ND        |           | 150  | ug/L |   |          | 03/13/14 17:27 | 1       |
| Ethylbenzene                       | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| Ethyl-t-butyl ether (ETBE)         | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| Isopropyl Ether (DIPE)             | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| m,p-Xylene                         | ND        |           | 1.0  | ug/L |   |          | 03/13/14 17:27 | 1       |
| <b>Methyl-t-Butyl Ether (MTBE)</b> | <b>84</b> |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| o-Xylene                           | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| Tert-amyl-methyl ether (TAME)      | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| tert-Butyl alcohol (TBA)           | ND        |           | 10   | ug/L |   |          | 03/13/14 17:27 | 1       |
| Toluene                            | ND        |           | 0.50 | ug/L |   |          | 03/13/14 17:27 | 1       |
| Xylenes, Total                     | ND        |           | 1.0  | ug/L |   |          | 03/13/14 17:27 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 110       |           | 80 - 120 |          | 03/13/14 17:27 | 1       |
| Dibromofluoromethane (Surr) | 117       |           | 76 - 132 |          | 03/13/14 17:27 | 1       |
| Toluene-d8 (Surr)           | 106       |           | 80 - 128 |          | 03/13/14 17:27 | 1       |

**Method: 8015B/5030B - Gasoline Range Organics (GC)**

| Analyte      | Result | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|----|------|---|----------|----------------|---------|
| GRO (C6-C12) | ND     |           | 50 | ug/L |   |          | 03/13/14 10:09 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 86        |           | 65 - 140 |          | 03/13/14 10:09 | 1       |

# Client Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

**Client Sample ID: MW-13B**

**Lab Sample ID: 440-72620-6**

**Date Collected: 03/06/14 08:40**

**Matrix: Water**

**Date Received: 03/07/14 10:20**

**Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)**

| Analyte                            | Result    | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------------|-----------|-----------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)            | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| 1,2-Dichloroethane                 | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| Benzene                            | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| Ethanol                            | ND        |           | 150  | ug/L |   |          | 03/14/14 02:44 | 1       |
| Ethylbenzene                       | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| Ethyl-t-butyl ether (ETBE)         | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| Isopropyl Ether (DIPE)             | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| m,p-Xylene                         | ND        |           | 1.0  | ug/L |   |          | 03/14/14 02:44 | 1       |
| <b>Methyl-t-Butyl Ether (MTBE)</b> | <b>90</b> |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| o-Xylene                           | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| Tert-amyl-methyl ether (TAME)      | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| <b>tert-Butyl alcohol (TBA)</b>    | <b>12</b> | <b>ID</b> | 10   | ug/L |   |          | 03/14/14 02:44 | 1       |
| Toluene                            | ND        |           | 0.50 | ug/L |   |          | 03/14/14 02:44 | 1       |
| Xylenes, Total                     | ND        |           | 1.0  | ug/L |   |          | 03/14/14 02:44 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 113       |           | 80 - 120 |          | 03/14/14 02:44 | 1       |
| Dibromofluoromethane (Surr) | 113       |           | 76 - 132 |          | 03/14/14 02:44 | 1       |
| Toluene-d8 (Surr)           | 108       |           | 80 - 128 |          | 03/14/14 02:44 | 1       |

**Method: 8015B/5030B - Gasoline Range Organics (GC)**

| Analyte      | Result | Qualifier | RL | Unit | D | Prepared | Analyzed       | Dil Fac |
|--------------|--------|-----------|----|------|---|----------|----------------|---------|
| GRO (C6-C12) | ND     |           | 50 | ug/L |   |          | 03/13/14 10:38 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 88        |           | 65 - 140 |          | 03/13/14 10:38 | 1       |

# Method Summary

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

| Method      | Method Description                 | Protocol | Laboratory |
|-------------|------------------------------------|----------|------------|
| 8260B/5030B | Volatile Organic Compounds (GC/MS) | SW846    | TAL IRV    |
| 8015B/5030B | Gasoline Range Organics (GC)       | SW846    | TAL IRV    |

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022



# Lab Chronicle

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

**Client Sample ID: MW-11A**

Date Collected: 03/06/14 10:30

Date Received: 03/07/14 10:20

**Lab Sample ID: 440-72620-1**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B/5030B  |     | 2          | 10 mL          | 10 mL        | 169303       | 03/15/14 01:34       | MP      | TAL IRV |
| Total/NA  | Analysis   | 8015B/5030B  |     | 1          | 10 mL          | 10 mL        | 168320       | 03/11/14 21:59       | AK      | TAL IRV |

**Client Sample ID: MW-11B**

Date Collected: 03/06/14 10:15

Date Received: 03/07/14 10:20

**Lab Sample ID: 440-72620-2**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B/5030B  |     | 1          | 10 mL          | 10 mL        | 168733       | 03/13/14 16:33       | SS      | TAL IRV |
| Total/NA  | Analysis   | 8015B/5030B  |     | 1          | 10 mL          | 10 mL        | 168320       | 03/11/14 23:23       | AK      | TAL IRV |

**Client Sample ID: MW-12A**

Date Collected: 03/06/14 09:25

Date Received: 03/07/14 10:20

**Lab Sample ID: 440-72620-3**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B/5030B  |     | 1          | 10 mL          | 10 mL        | 168733       | 03/13/14 17:00       | SS      | TAL IRV |
| Total/NA  | Analysis   | 8015B/5030B  |     | 1          | 10 mL          | 10 mL        | 168320       | 03/11/14 23:51       | AK      | TAL IRV |

**Client Sample ID: MW-12B**

Date Collected: 03/06/14 09:40

Date Received: 03/07/14 10:20

**Lab Sample ID: 440-72620-4**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B/5030B  |     | 10         | 10 mL          | 10 mL        | 168995       | 03/14/14 03:37       | LB      | TAL IRV |
| Total/NA  | Analysis   | 8015B/5030B  |     | 1          | 10 mL          | 10 mL        | 168629       | 03/13/14 09:41       | IM      | TAL IRV |

**Client Sample ID: MW-13A**

Date Collected: 03/06/14 09:00

Date Received: 03/07/14 10:20

**Lab Sample ID: 440-72620-5**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B/5030B  |     | 1          | 10 mL          | 10 mL        | 168733       | 03/13/14 17:27       | SS      | TAL IRV |
| Total/NA  | Analysis   | 8015B/5030B  |     | 1          | 10 mL          | 10 mL        | 168629       | 03/13/14 10:09       | IM      | TAL IRV |

**Client Sample ID: MW-13B**

Date Collected: 03/06/14 08:40

Date Received: 03/07/14 10:20

**Lab Sample ID: 440-72620-6**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260B/5030B  |     | 1          | 10 mL          | 10 mL        | 168995       | 03/14/14 02:44       | LB      | TAL IRV |

TestAmerica Irvine

# Lab Chronicle

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

**Client Sample ID: MW-13B**

**Lab Sample ID: 440-72620-6**

Date Collected: 03/06/14 08:40

Matrix: Water

Date Received: 03/07/14 10:20

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8015B/5030B  |     | 1          | 10 mL          | 10 mL        | 168629       | 03/13/14 10:38       | IM      | TAL IRV |

**Laboratory References:**

TAL IRV = TestAmerica Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# QC Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Method: 8260B/5030B - Volatile Organic Compounds (GC/MS)

**Lab Sample ID: MB 440-168733/4**

**Matrix: Water**

**Analysis Batch: 168733**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

| Analyte                       | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)       | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| 1,2-Dichloroethane            | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| Benzene                       | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| Ethanol                       | ND        |              | 150  | ug/L |   |          | 03/13/14 08:01 | 1       |
| Ethylbenzene                  | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| Isopropyl Ether (DIPE)        | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| m,p-Xylene                    | ND        |              | 1.0  | ug/L |   |          | 03/13/14 08:01 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| o-Xylene                      | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| Tert-amyl-methyl ether (TAME) | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| tert-Butyl alcohol (TBA)      | ND        |              | 10   | ug/L |   |          | 03/13/14 08:01 | 1       |
| Toluene                       | ND        |              | 0.50 | ug/L |   |          | 03/13/14 08:01 | 1       |
| Xylenes, Total                | ND        |              | 1.0  | ug/L |   |          | 03/13/14 08:01 | 1       |

| Surrogate                   | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 115          |              | 80 - 120 |          | 03/13/14 08:01 | 1       |
| Dibromofluoromethane (Surr) | 107          |              | 76 - 132 |          | 03/13/14 08:01 | 1       |
| Toluene-d8 (Surr)           | 105          |              | 80 - 128 |          | 03/13/14 08:01 | 1       |

**Lab Sample ID: LCS 440-168733/5**

**Matrix: Water**

**Analysis Batch: 168733**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| 1,2-Dibromoethane (EDB)       | 25.0        | 26.7       |               | ug/L |   | 107  | 70 - 130     |
| 1,2-Dichloroethane            | 25.0        | 26.0       |               | ug/L |   | 104  | 57 - 138     |
| Benzene                       | 25.0        | 25.5       |               | ug/L |   | 102  | 68 - 130     |
| Ethanol                       | 250         | 258        |               | ug/L |   | 103  | 50 - 149     |
| Ethylbenzene                  | 25.0        | 26.8       |               | ug/L |   | 107  | 70 - 130     |
| Ethyl-t-butyl ether (ETBE)    | 25.0        | 25.8       |               | ug/L |   | 103  | 60 - 136     |
| Isopropyl Ether (DIPE)        | 25.0        | 26.9       |               | ug/L |   | 108  | 58 - 139     |
| m,p-Xylene                    | 50.0        | 52.9       |               | ug/L |   | 106  | 70 - 130     |
| Methyl-t-Butyl Ether (MTBE)   | 25.0        | 25.9       |               | ug/L |   | 104  | 63 - 131     |
| o-Xylene                      | 25.0        | 27.0       |               | ug/L |   | 108  | 70 - 130     |
| Tert-amyl-methyl ether (TAME) | 25.0        | 26.6       |               | ug/L |   | 106  | 57 - 139     |
| tert-Butyl alcohol (TBA)      | 125         | 128        |               | ug/L |   | 103  | 70 - 130     |
| Toluene                       | 25.0        | 26.5       |               | ug/L |   | 106  | 70 - 130     |

| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 107           |               | 80 - 120 |
| Dibromofluoromethane (Surr) | 105           |               | 76 - 132 |
| Toluene-d8 (Surr)           | 107           |               | 80 - 128 |

TestAmerica Irvine

# QC Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-72604-D-23 MS

Matrix: Water

Analysis Batch: 168733

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte                       | Sample | Sample    | Spike | MS     | MS        | Unit | D | %Rec | %Rec.    |
|-------------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|
|                               | Result | Qualifier |       | Result | Qualifier |      |   |      |          |
| 1,2-Dibromoethane (EDB)       | ND     |           | 25.0  | 27.4   |           | ug/L |   | 110  | 70 - 131 |
| 1,2-Dichloroethane            | ND     |           | 25.0  | 27.1   |           | ug/L |   | 108  | 56 - 146 |
| Benzene                       | ND     |           | 25.0  | 25.5   |           | ug/L |   | 102  | 66 - 130 |
| Ethanol                       | ND     |           | 250   | 255    |           | ug/L |   | 102  | 54 - 150 |
| Ethylbenzene                  | ND     |           | 25.0  | 26.6   |           | ug/L |   | 106  | 70 - 130 |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 25.0  | 27.8   |           | ug/L |   | 111  | 70 - 130 |
| Isopropyl Ether (DIPE)        | ND     |           | 25.0  | 28.2   |           | ug/L |   | 113  | 64 - 138 |
| m,p-Xylene                    | ND     |           | 50.0  | 51.7   |           | ug/L |   | 103  | 70 - 133 |
| Methyl-t-Butyl Ether (MTBE)   | 2.0    |           | 25.0  | 29.8   |           | ug/L |   | 111  | 70 - 130 |
| o-Xylene                      | ND     |           | 25.0  | 26.7   |           | ug/L |   | 107  | 70 - 133 |
| Tert-amyl-methyl ether (TAME) | ND     |           | 25.0  | 29.0   |           | ug/L |   | 116  | 68 - 133 |
| tert-Butyl alcohol (TBA)      | 420    |           | 125   | 566    |           | ug/L |   | 119  | 70 - 130 |
| Toluene                       | ND     |           | 25.0  | 26.3   |           | ug/L |   | 105  | 70 - 130 |

| Surrogate                   | MS        | MS        | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 110       |           | 80 - 120 |
| Dibromofluoromethane (Surr) | 105       |           | 76 - 132 |
| Toluene-d8 (Surr)           | 106       |           | 80 - 128 |

Lab Sample ID: 440-72604-D-23 MSD

Matrix: Water

Analysis Batch: 168733

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte                       | Sample | Sample    | Spike | MSD    | MSD       | Unit | D | %Rec | %Rec.    | RPD | RPD |
|-------------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|-----|
|                               | Result | Qualifier |       | Result | Qualifier |      |   |      |          |     |     |
| 1,2-Dibromoethane (EDB)       | ND     |           | 25.0  | 27.7   |           | ug/L |   | 111  | 70 - 131 | 1   | 25  |
| 1,2-Dichloroethane            | ND     |           | 25.0  | 27.8   |           | ug/L |   | 111  | 56 - 146 | 2   | 20  |
| Benzene                       | ND     |           | 25.0  | 25.8   |           | ug/L |   | 103  | 66 - 130 | 1   | 20  |
| Ethanol                       | ND     |           | 250   | 281    |           | ug/L |   | 113  | 54 - 150 | 10  | 30  |
| Ethylbenzene                  | ND     |           | 25.0  | 26.1   |           | ug/L |   | 105  | 70 - 130 | 2   | 20  |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 25.0  | 28.6   |           | ug/L |   | 115  | 70 - 130 | 3   | 25  |
| Isopropyl Ether (DIPE)        | ND     |           | 25.0  | 29.4   |           | ug/L |   | 117  | 64 - 138 | 4   | 25  |
| m,p-Xylene                    | ND     |           | 50.0  | 51.1   |           | ug/L |   | 102  | 70 - 133 | 1   | 25  |
| Methyl-t-Butyl Ether (MTBE)   | 2.0    |           | 25.0  | 30.8   |           | ug/L |   | 115  | 70 - 130 | 3   | 25  |
| o-Xylene                      | ND     |           | 25.0  | 26.4   |           | ug/L |   | 106  | 70 - 133 | 1   | 20  |
| Tert-amyl-methyl ether (TAME) | ND     |           | 25.0  | 30.4   |           | ug/L |   | 122  | 68 - 133 | 5   | 30  |
| tert-Butyl alcohol (TBA)      | 420    |           | 125   | 568    |           | ug/L |   | 120  | 70 - 130 | 0   | 25  |
| Toluene                       | ND     |           | 25.0  | 26.5   |           | ug/L |   | 106  | 70 - 130 | 1   | 20  |

| Surrogate                   | MSD       | MSD       | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 109       |           | 80 - 120 |
| Dibromofluoromethane (Surr) | 112       |           | 76 - 132 |
| Toluene-d8 (Surr)           | 106       |           | 80 - 128 |

TestAmerica Irvine



# QC Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: MB 440-168995/4**

**Matrix: Water**

**Analysis Batch: 168995**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

| Analyte                       | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)       | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| 1,2-Dichloroethane            | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| Benzene                       | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| Ethanol                       | ND        |              | 150  | ug/L |   |          | 03/13/14 19:35 | 1       |
| Ethylbenzene                  | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| Isopropyl Ether (DIPE)        | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| m,p-Xylene                    | ND        |              | 1.0  | ug/L |   |          | 03/13/14 19:35 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| o-Xylene                      | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| Tert-amyl-methyl ether (TAME) | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| tert-Butyl alcohol (TBA)      | ND        |              | 10   | ug/L |   |          | 03/13/14 19:35 | 1       |
| Toluene                       | ND        |              | 0.50 | ug/L |   |          | 03/13/14 19:35 | 1       |
| Xylenes, Total                | ND        |              | 1.0  | ug/L |   |          | 03/13/14 19:35 | 1       |

| Surrogate                   | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 111          |              | 80 - 120 |          | 03/13/14 19:35 | 1       |
| Dibromofluoromethane (Surr) | 108          |              | 76 - 132 |          | 03/13/14 19:35 | 1       |
| Toluene-d8 (Surr)           | 105          |              | 80 - 128 |          | 03/13/14 19:35 | 1       |

**Lab Sample ID: LCS 440-168995/5**

**Matrix: Water**

**Analysis Batch: 168995**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| 1,2-Dibromoethane (EDB)       | 25.0        | 25.7       |               | ug/L |   | 103  | 70 - 130     |
| 1,2-Dichloroethane            | 25.0        | 26.0       |               | ug/L |   | 104  | 57 - 138     |
| Benzene                       | 25.0        | 24.8       |               | ug/L |   | 99   | 68 - 130     |
| Ethanol                       | 250         | 253        |               | ug/L |   | 101  | 50 - 149     |
| Ethylbenzene                  | 25.0        | 26.1       |               | ug/L |   | 105  | 70 - 130     |
| Ethyl-t-butyl ether (ETBE)    | 25.0        | 24.7       |               | ug/L |   | 99   | 60 - 136     |
| Isopropyl Ether (DIPE)        | 25.0        | 26.6       |               | ug/L |   | 106  | 58 - 139     |
| m,p-Xylene                    | 50.0        | 51.8       |               | ug/L |   | 104  | 70 - 130     |
| Methyl-t-Butyl Ether (MTBE)   | 25.0        | 24.8       |               | ug/L |   | 99   | 63 - 131     |
| o-Xylene                      | 25.0        | 26.1       |               | ug/L |   | 105  | 70 - 130     |
| Tert-amyl-methyl ether (TAME) | 25.0        | 24.5       |               | ug/L |   | 98   | 57 - 139     |
| tert-Butyl alcohol (TBA)      | 125         | 129        |               | ug/L |   | 103  | 70 - 130     |
| Toluene                       | 25.0        | 25.5       |               | ug/L |   | 102  | 70 - 130     |

| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 106           |               | 80 - 120 |
| Dibromofluoromethane (Surr) | 105           |               | 76 - 132 |
| Toluene-d8 (Surr)           | 106           |               | 80 - 128 |

TestAmerica Irvine

# QC Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 440-72948-B-11 MS

Matrix: Water

Analysis Batch: 168995

Client Sample ID: Matrix Spike

Prep Type: Total/NA

| Analyte                       | Sample | Sample    | Spike | MS     | MS        | Unit | D | %Rec | %Rec.    |
|-------------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|
|                               | Result | Qualifier | Added | Result | Qualifier |      |   |      |          |
| 1,2-Dibromoethane (EDB)       | ND     |           | 25.0  | 27.1   |           | ug/L |   | 108  | 70 - 131 |
| 1,2-Dichloroethane            | 1.9    |           | 25.0  | 30.4   |           | ug/L |   | 114  | 56 - 146 |
| Benzene                       | ND     |           | 25.0  | 24.7   |           | ug/L |   | 99   | 66 - 130 |
| Ethanol                       | ND     |           | 250   | 269    |           | ug/L |   | 107  | 54 - 150 |
| Ethylbenzene                  | ND     |           | 25.0  | 25.7   |           | ug/L |   | 103  | 70 - 130 |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 25.0  | 27.5   |           | ug/L |   | 110  | 70 - 130 |
| Isopropyl Ether (DIPE)        | ND     |           | 25.0  | 28.2   |           | ug/L |   | 113  | 64 - 138 |
| m,p-Xylene                    | ND     |           | 50.0  | 50.4   |           | ug/L |   | 101  | 70 - 133 |
| Methyl-t-Butyl Ether (MTBE)   | 3.6    |           | 25.0  | 31.9   |           | ug/L |   | 113  | 70 - 130 |
| o-Xylene                      | ND     |           | 25.0  | 26.0   |           | ug/L |   | 104  | 70 - 133 |
| Tert-amyl-methyl ether (TAME) | ND     |           | 25.0  | 28.2   |           | ug/L |   | 113  | 68 - 133 |
| tert-Butyl alcohol (TBA)      | ND     |           | 125   | 137    |           | ug/L |   | 110  | 70 - 130 |
| Toluene                       | ND     |           | 25.0  | 26.2   |           | ug/L |   | 105  | 70 - 130 |

| Surrogate                   | MS        | MS        | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 108       |           | 80 - 120 |
| Dibromofluoromethane (Surr) | 112       |           | 76 - 132 |
| Toluene-d8 (Surr)           | 107       |           | 80 - 128 |

Lab Sample ID: 440-72948-B-11 MSD

Matrix: Water

Analysis Batch: 168995

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

| Analyte                       | Sample | Sample    | Spike | MSD    | MSD       | Unit | D | %Rec | %Rec.    | RPD | RPD |
|-------------------------------|--------|-----------|-------|--------|-----------|------|---|------|----------|-----|-----|
|                               | Result | Qualifier | Added | Result | Qualifier |      |   |      |          |     |     |
| 1,2-Dibromoethane (EDB)       | ND     |           | 25.0  | 26.2   |           | ug/L |   | 105  | 70 - 131 | 3   | 25  |
| 1,2-Dichloroethane            | 1.9    |           | 25.0  | 29.3   |           | ug/L |   | 109  | 56 - 146 | 4   | 20  |
| Benzene                       | ND     |           | 25.0  | 24.5   |           | ug/L |   | 98   | 66 - 130 | 1   | 20  |
| Ethanol                       | ND     |           | 250   | 263    |           | ug/L |   | 105  | 54 - 150 | 2   | 30  |
| Ethylbenzene                  | ND     |           | 25.0  | 25.7   |           | ug/L |   | 103  | 70 - 130 | 0   | 20  |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 25.0  | 26.6   |           | ug/L |   | 106  | 70 - 130 | 3   | 25  |
| Isopropyl Ether (DIPE)        | ND     |           | 25.0  | 28.0   |           | ug/L |   | 112  | 64 - 138 | 0   | 25  |
| m,p-Xylene                    | ND     |           | 50.0  | 50.8   |           | ug/L |   | 102  | 70 - 133 | 1   | 25  |
| Methyl-t-Butyl Ether (MTBE)   | 3.6    |           | 25.0  | 30.8   |           | ug/L |   | 109  | 70 - 130 | 3   | 25  |
| o-Xylene                      | ND     |           | 25.0  | 26.4   |           | ug/L |   | 106  | 70 - 133 | 2   | 20  |
| Tert-amyl-methyl ether (TAME) | ND     |           | 25.0  | 27.4   |           | ug/L |   | 110  | 68 - 133 | 3   | 30  |
| tert-Butyl alcohol (TBA)      | ND     |           | 125   | 135    |           | ug/L |   | 108  | 70 - 130 | 1   | 25  |
| Toluene                       | ND     |           | 25.0  | 25.9   |           | ug/L |   | 104  | 70 - 130 | 1   | 20  |

| Surrogate                   | MSD       | MSD       | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 110       |           | 80 - 120 |
| Dibromofluoromethane (Surr) | 109       |           | 76 - 132 |
| Toluene-d8 (Surr)           | 108       |           | 80 - 128 |

TestAmerica Irvine

# QC Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 440-169303/3

Matrix: Water

Analysis Batch: 169303

Client Sample ID: Method Blank

Prep Type: Total/NA

| Analyte                       | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|-------------------------------|-----------|--------------|------|------|---|----------|----------------|---------|
| 1,2-Dibromoethane (EDB)       | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| 1,2-Dichloroethane            | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| Benzene                       | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| Ethanol                       | ND        |              | 150  | ug/L |   |          | 03/14/14 19:06 | 1       |
| Ethylbenzene                  | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| Ethyl-t-butyl ether (ETBE)    | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| Isopropyl Ether (DIPE)        | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| m,p-Xylene                    | ND        |              | 1.0  | ug/L |   |          | 03/14/14 19:06 | 1       |
| Methyl-t-Butyl Ether (MTBE)   | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| o-Xylene                      | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| Tert-amyl-methyl ether (TAME) | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| tert-Butyl alcohol (TBA)      | ND        |              | 10   | ug/L |   |          | 03/14/14 19:06 | 1       |
| Toluene                       | ND        |              | 0.50 | ug/L |   |          | 03/14/14 19:06 | 1       |
| Xylenes, Total                | ND        |              | 1.0  | ug/L |   |          | 03/14/14 19:06 | 1       |

| Surrogate                   | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 109          |              | 80 - 120 |          | 03/14/14 19:06 | 1       |
| Dibromofluoromethane (Surr) | 99           |              | 76 - 132 |          | 03/14/14 19:06 | 1       |
| Toluene-d8 (Surr)           | 105          |              | 80 - 128 |          | 03/14/14 19:06 | 1       |

Lab Sample ID: LCS 440-169303/4

Matrix: Water

Analysis Batch: 169303

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

| Analyte                       | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|-------------|------------|---------------|------|---|------|--------------|
| 1,2-Dibromoethane (EDB)       | 25.0        | 26.3       |               | ug/L |   | 105  | 70 - 130     |
| 1,2-Dichloroethane            | 25.0        | 26.0       |               | ug/L |   | 104  | 57 - 138     |
| Benzene                       | 25.0        | 25.5       |               | ug/L |   | 102  | 68 - 130     |
| Ethanol                       | 250         | 214        |               | ug/L |   | 85   | 50 - 149     |
| Ethylbenzene                  | 25.0        | 26.3       |               | ug/L |   | 105  | 70 - 130     |
| Ethyl-t-butyl ether (ETBE)    | 25.0        | 25.2       |               | ug/L |   | 101  | 60 - 136     |
| Isopropyl Ether (DIPE)        | 25.0        | 25.9       |               | ug/L |   | 104  | 58 - 139     |
| m,p-Xylene                    | 50.0        | 50.9       |               | ug/L |   | 102  | 70 - 130     |
| Methyl-t-Butyl Ether (MTBE)   | 25.0        | 26.0       |               | ug/L |   | 104  | 63 - 131     |
| o-Xylene                      | 25.0        | 25.9       |               | ug/L |   | 104  | 70 - 130     |
| Tert-amyl-methyl ether (TAME) | 25.0        | 24.8       |               | ug/L |   | 99   | 57 - 139     |
| tert-Butyl alcohol (TBA)      | 125         | 121        |               | ug/L |   | 96   | 70 - 130     |
| Toluene                       | 25.0        | 25.4       |               | ug/L |   | 101  | 70 - 130     |

| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 106           |               | 80 - 120 |
| Dibromofluoromethane (Surr) | 102           |               | 76 - 132 |
| Toluene-d8 (Surr)           | 105           |               | 80 - 128 |

TestAmerica Irvine

# QC Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Method: 8260B/5030B - Volatile Organic Compounds (GC/MS) (Continued)

**Lab Sample ID: 440-72948-B-8 MS**

**Matrix: Water**

**Analysis Batch: 169303**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

| Analyte                       | Sample |           | Spike Added | MS MS  |           | Unit | D | %Rec | %Rec. Limits |
|-------------------------------|--------|-----------|-------------|--------|-----------|------|---|------|--------------|
|                               | Result | Qualifier |             | Result | Qualifier |      |   |      |              |
| 1,2-Dibromoethane (EDB)       | ND     |           | 25.0        | 27.1   |           | ug/L |   | 108  | 70 - 131     |
| 1,2-Dichloroethane            | 28     |           | 25.0        | 54.7   |           | ug/L |   | 108  | 56 - 146     |
| Benzene                       | ND     |           | 25.0        | 26.4   |           | ug/L |   | 105  | 66 - 130     |
| Ethanol                       | ND     |           | 250         | 221    |           | ug/L |   | 88   | 54 - 150     |
| Ethylbenzene                  | ND     |           | 25.0        | 27.5   |           | ug/L |   | 110  | 70 - 130     |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 25.0        | 25.8   |           | ug/L |   | 103  | 70 - 130     |
| Isopropyl Ether (DIPE)        | ND     |           | 25.0        | 26.0   |           | ug/L |   | 104  | 64 - 138     |
| m,p-Xylene                    | ND     |           | 50.0        | 53.0   |           | ug/L |   | 106  | 70 - 133     |
| Methyl-t-Butyl Ether (MTBE)   | ND     |           | 25.0        | 25.6   |           | ug/L |   | 103  | 70 - 130     |
| o-Xylene                      | ND     |           | 25.0        | 27.0   |           | ug/L |   | 108  | 70 - 133     |
| Tert-amyl-methyl ether (TAME) | ND     |           | 25.0        | 25.8   |           | ug/L |   | 103  | 68 - 133     |
| tert-Butyl alcohol (TBA)      | 4200   | EY        | 125         | 4300   | BB EY     | ug/L |   | 80   | 70 - 130     |
| Toluene                       | ND     |           | 25.0        | 26.4   |           | ug/L |   | 105  | 70 - 130     |

| Surrogate                   | MS MS     |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 106       |           | 80 - 120 |
| Dibromofluoromethane (Surr) | 99        |           | 76 - 132 |
| Toluene-d8 (Surr)           | 105       |           | 80 - 128 |

**Lab Sample ID: 440-72948-B-8 MSD**

**Matrix: Water**

**Analysis Batch: 169303**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

| Analyte                       | Sample |           | Spike Added | MSD MSD |           | Unit | D | %Rec | %Rec. Limits | RPD |       |
|-------------------------------|--------|-----------|-------------|---------|-----------|------|---|------|--------------|-----|-------|
|                               | Result | Qualifier |             | Result  | Qualifier |      |   |      |              | RPD | Limit |
| 1,2-Dibromoethane (EDB)       | ND     |           | 25.0        | 26.8    |           | ug/L |   | 107  | 70 - 131     | 1   | 25    |
| 1,2-Dichloroethane            | 28     |           | 25.0        | 52.7    |           | ug/L |   | 100  | 56 - 146     | 4   | 20    |
| Benzene                       | ND     |           | 25.0        | 25.2    |           | ug/L |   | 101  | 66 - 130     | 5   | 20    |
| Ethanol                       | ND     |           | 250         | 202     |           | ug/L |   | 81   | 54 - 150     | 9   | 30    |
| Ethylbenzene                  | ND     |           | 25.0        | 26.2    |           | ug/L |   | 105  | 70 - 130     | 5   | 20    |
| Ethyl-t-butyl ether (ETBE)    | ND     |           | 25.0        | 24.7    |           | ug/L |   | 99   | 70 - 130     | 4   | 25    |
| Isopropyl Ether (DIPE)        | ND     |           | 25.0        | 25.3    |           | ug/L |   | 101  | 64 - 138     | 3   | 25    |
| m,p-Xylene                    | ND     |           | 50.0        | 51.2    |           | ug/L |   | 102  | 70 - 133     | 3   | 25    |
| Methyl-t-Butyl Ether (MTBE)   | ND     |           | 25.0        | 24.9    |           | ug/L |   | 100  | 70 - 130     | 3   | 25    |
| o-Xylene                      | ND     |           | 25.0        | 25.9    |           | ug/L |   | 104  | 70 - 133     | 4   | 20    |
| Tert-amyl-methyl ether (TAME) | ND     |           | 25.0        | 25.3    |           | ug/L |   | 101  | 68 - 133     | 2   | 30    |
| tert-Butyl alcohol (TBA)      | 4200   | EY        | 125         | 4330    | BB EY     | ug/L |   | 107  | 70 - 130     | 1   | 25    |
| Toluene                       | ND     |           | 25.0        | 25.1    |           | ug/L |   | 100  | 70 - 130     | 5   | 20    |

| Surrogate                   | MSD MSD   |           | Limits   |
|-----------------------------|-----------|-----------|----------|
|                             | %Recovery | Qualifier |          |
| 4-Bromofluorobenzene (Surr) | 109       |           | 80 - 120 |
| Dibromofluoromethane (Surr) | 99        |           | 76 - 132 |
| Toluene-d8 (Surr)           | 105       |           | 80 - 128 |

TestAmerica Irvine

# QC Sample Results

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Method: 8015B/5030B - Gasoline Range Organics (GC)

**Lab Sample ID: MB 440-168320/13**

**Matrix: Water**

**Analysis Batch: 168320**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

| Analyte                     | MB Result    | MB Qualifier | RL       | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|------|---|----------|----------------|---------|
| GRO (C6-C12)                | ND           |              | 50       | ug/L |   |          | 03/11/14 17:20 | 1       |
| Surrogate                   | MB %Recovery | MB Qualifier | Limits   |      |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 87           |              | 65 - 140 |      |   |          | 03/11/14 17:20 | 1       |

**Lab Sample ID: LCS 440-168320/12**

**Matrix: Water**

**Analysis Batch: 168320**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

| Analyte                     | Spike Added   | LCS Result    | LCS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|---------------|---------------|------|---|------|--------------|
| GRO (C4-C12)                | 800           | 678           |               | ug/L |   | 85   | 80 - 120     |
| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits        |      |   |      |              |
| 4-Bromofluorobenzene (Surr) | 86            |               | 65 - 140      |      |   |      |              |

**Lab Sample ID: 440-72604-A-24 MS**

**Matrix: Water**

**Analysis Batch: 168320**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

| Analyte                     | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit | D | %Rec | %Rec. Limits |
|-----------------------------|---------------|------------------|-------------|-----------|--------------|------|---|------|--------------|
| GRO (C4-C12)                | ND            |                  | 800         | 750       |              | ug/L |   | 94   | 65 - 140     |
| Surrogate                   | MS %Recovery  | MS Qualifier     | Limits      |           |              |      |   |      |              |
| 4-Bromofluorobenzene (Surr) | 96            |                  | 65 - 140    |           |              |      |   |      |              |

**Lab Sample ID: 440-72604-A-24 MSD**

**Matrix: Water**

**Analysis Batch: 168320**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

| Analyte                     | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit | D | %Rec | %Rec. Limits | RPD | RPD Limit |
|-----------------------------|---------------|------------------|-------------|------------|---------------|------|---|------|--------------|-----|-----------|
| GRO (C4-C12)                | ND            |                  | 800         | 721        |               | ug/L |   | 90   | 65 - 140     | 4   | 20        |
| Surrogate                   | MSD %Recovery | MSD Qualifier    | Limits      |            |               |      |   |      |              |     |           |
| 4-Bromofluorobenzene (Surr) | 93            |                  | 65 - 140    |            |               |      |   |      |              |     |           |

**Lab Sample ID: MB 440-168629/30**

**Matrix: Water**

**Analysis Batch: 168629**

**Client Sample ID: Method Blank**

**Prep Type: Total/NA**

| Analyte                     | MB Result    | MB Qualifier | RL       | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|------|---|----------|----------------|---------|
| GRO (C6-C12)                | ND           |              | 50       | ug/L |   |          | 03/13/14 01:06 | 1       |
| Surrogate                   | MB %Recovery | MB Qualifier | Limits   |      |   | Prepared | Analyzed       | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 100          |              | 65 - 140 |      |   |          | 03/13/14 01:06 | 1       |

TestAmerica Irvine



# QC Association Summary

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## GC/MS VOA

### Analysis Batch: 168733

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|--------------------|------------------------|-----------|--------|-------------|------------|
| 440-72604-D-23 MS  | Matrix Spike           | Total/NA  | Water  | 8260B/5030B |            |
| 440-72604-D-23 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B/5030B |            |
| 440-72620-2        | MW-11B                 | Total/NA  | Water  | 8260B/5030B |            |
| 440-72620-3        | MW-12A                 | Total/NA  | Water  | 8260B/5030B |            |
| 440-72620-5        | MW-13A                 | Total/NA  | Water  | 8260B/5030B |            |
| LCS 440-168733/5   | Lab Control Sample     | Total/NA  | Water  | 8260B/5030B |            |
| MB 440-168733/4    | Method Blank           | Total/NA  | Water  | 8260B/5030B |            |

### Analysis Batch: 168995

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|--------------------|------------------------|-----------|--------|-------------|------------|
| 440-72620-4        | MW-12B                 | Total/NA  | Water  | 8260B/5030B |            |
| 440-72620-6        | MW-13B                 | Total/NA  | Water  | 8260B/5030B |            |
| 440-72948-B-11 MS  | Matrix Spike           | Total/NA  | Water  | 8260B/5030B |            |
| 440-72948-B-11 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B/5030B |            |
| LCS 440-168995/5   | Lab Control Sample     | Total/NA  | Water  | 8260B/5030B |            |
| MB 440-168995/4    | Method Blank           | Total/NA  | Water  | 8260B/5030B |            |

### Analysis Batch: 169303

| Lab Sample ID     | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|-------------------|------------------------|-----------|--------|-------------|------------|
| 440-72620-1       | MW-11A                 | Total/NA  | Water  | 8260B/5030B |            |
| 440-72948-B-8 MS  | Matrix Spike           | Total/NA  | Water  | 8260B/5030B |            |
| 440-72948-B-8 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8260B/5030B |            |
| LCS 440-169303/4  | Lab Control Sample     | Total/NA  | Water  | 8260B/5030B |            |
| MB 440-169303/3   | Method Blank           | Total/NA  | Water  | 8260B/5030B |            |

## GC VOA

### Analysis Batch: 168320

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|--------------------|------------------------|-----------|--------|-------------|------------|
| 440-72604-A-24 MS  | Matrix Spike           | Total/NA  | Water  | 8015B/5030B |            |
| 440-72604-A-24 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8015B/5030B |            |
| 440-72620-1        | MW-11A                 | Total/NA  | Water  | 8015B/5030B |            |
| 440-72620-2        | MW-11B                 | Total/NA  | Water  | 8015B/5030B |            |
| 440-72620-3        | MW-12A                 | Total/NA  | Water  | 8015B/5030B |            |
| LCS 440-168320/12  | Lab Control Sample     | Total/NA  | Water  | 8015B/5030B |            |
| MB 440-168320/13   | Method Blank           | Total/NA  | Water  | 8015B/5030B |            |

### Analysis Batch: 168629

| Lab Sample ID      | Client Sample ID       | Prep Type | Matrix | Method      | Prep Batch |
|--------------------|------------------------|-----------|--------|-------------|------------|
| 440-72604-A-13 MS  | Matrix Spike           | Total/NA  | Water  | 8015B/5030B |            |
| 440-72604-A-13 MSD | Matrix Spike Duplicate | Total/NA  | Water  | 8015B/5030B |            |
| 440-72620-4        | MW-12B                 | Total/NA  | Water  | 8015B/5030B |            |
| 440-72620-5        | MW-13A                 | Total/NA  | Water  | 8015B/5030B |            |
| 440-72620-6        | MW-13B                 | Total/NA  | Water  | 8015B/5030B |            |
| LCS 440-168629/29  | Lab Control Sample     | Total/NA  | Water  | 8015B/5030B |            |
| MB 440-168629/30   | Method Blank           | Total/NA  | Water  | 8015B/5030B |            |

# Definitions/Glossary

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Qualifiers

### GC/MS VOA

| Qualifier | Qualifier Description  |
|-----------|--|
| LG        | LG=Surrogate recovery below the acceptance limits            |
| ID        | Analyte identified by RT & presence of single mass ion       |
| BB        | Sample > 4X spike concentration                              |
| EY        | Result exceeds normal dynamic range; reported as a min. est. |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CNF            | Contains no Free Liquid   |
| DER            | Duplicate error ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision level concentration  |
| MDA            | Minimum detectable activity   |
| EDL            | Estimated Detection Limit   |
| MDC            | Minimum detectable concentration  |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| NC             | Not Calculated  |
| ND             | Not detected at the reporting limit (or MDL or EDL if shown)  |
| PQL            | Practical Quantitation Limit  |
| QC             | Quality Control   |
| RER            | Relative error ratio  |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |



# Certification Summary

Client: Broadbent & Associates, Inc.  
Project/Site: ARCO 2107, Oakland

TestAmerica Job ID: 440-72620-1  
SDG: 06-88-614

## Laboratory: TestAmerica Irvine

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

| Authority                | Program                     | EPA Region | Certification ID  | Expiration Date |
|--------------------------|-----------------------------|------------|-------------------|-----------------|
| Alaska                   | State Program               | 10         | CA01531           | 06-30-14        |
| Arizona                  | State Program               | 9          | AZ0671            | 10-13-14        |
| California               | LA Cty Sanitation Districts | 9          | 10256             | 01-31-15        |
| California               | State Program               | 9          | 2706              | 06-30-14        |
| Guam                     | State Program               | 9          | Cert. No. 12.002r | 01-23-14 *      |
| Hawaii                   | State Program               | 9          | N/A               | 01-29-15 *      |
| Nevada                   | State Program               | 9          | CA015312007A      | 07-31-14        |
| New Mexico               | State Program               | 6          | N/A               | 01-31-14 *      |
| Northern Mariana Islands | State Program               | 9          | MP0002            | 01-31-14 *      |
| Oregon                   | NELAP                       | 10         | 4005              | 01-29-15        |
| USDA                     | Federal                     |            | P330-09-00080     | 06-06-14        |
| USEPA UCMR               | Federal                     | 1          | CA01531           | 01-31-15        |

\* Expired certification is currently pending renewal and is considered valid.

TestAmerica Irvine



Laboratory Management Program LaMP Chain of Custody Record

BP Site Node Path: \_\_\_\_\_ BP 2107

Req Due Date (mm/dd/yy): \_\_\_\_\_


Rush TAT: Yes \_\_\_ No \_\_\_

BP Facility No: \_\_\_\_\_ 2107

Lab Work Order Number: 440-22620

|   |  |  |
|---|--|--|
| Lab Name: Test America                                  | Facility Address: 3310 Park Blvd.  | Consultant/Contractor: Broadbent & Associates Inc.                   |
| Lab Address: 17461 Derian Avenue, Suite 100, Irvine, CA | City, State, ZIP Code: Oakland, California   | Consultant/Contractor Project No: 06-88-614                          |
| Lab PM: Pat Abe   | Lead Regulatory Agency: Alameda County Environmental Health                          | Address: 875 Cotting Ln., Suite G., Vacaville, California            |
| Lab Phone: 949-261-1022                                 | California Global ID No.: T06019734306   | Consultant/Contractor PM: Kristene Tidwell                           |
| Lab Shipping Acct: Fed ex#: 11103-6633-7                | Enfos Proposal No/ WR#:  | Phone: 707-455-7290/707-455-7295(F) Email: ktidwell@broadbentinc.com |
| Lab Bottle Order No:                                    | Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU ___ OOC-RM ___ | Email EDD To: ktidwell@broadbentinc.com and to lab.enfosdoc@bp.com   |
| Other Info:   | Stage: Execute (40) Activity: GWM (401)  | Invoice To: BP <input checked="" type="checkbox"/> Contractor ___    |

| Lab No. | Sample Description | Date   | Time | Matrix       |                |             |                          | No. Containers / Preservative |             |       |      |     |          |              |                         | Requested Analyses |                 |   |   |   |   |  |  | Report Type & QC Level                       |                       |  |         |
|---------|--------------------|--------|------|--------------|----------------|-------------|--------------------------|-------------------------------|-------------|-------|------|-----|----------|--------------|-------------------------|--------------------|-----------------|---|---|---|---|--|--|--|-----------------------|--|---------|
|         |                    |        |      | Soil / Solid | Water / Liquid | Air / Vapor | Is this location a well? | Total Number of Container     | Unpreserved | H2SO4 | HNO3 | HCl | Methanol | GRO by 8015M | BTEX/S FO + EDB by 8261 | 1,2 DCA by 8260    | Ethanol by 8260 |   |   |   |   |  |  | Standard <input checked="" type="checkbox"/> | Full Data Package ___ |  |         |
|         | MW-11A             | 3-5-14 | 1030 | x            |                | y           | 6                        |                               |             |       |      |     |          |              |                         |                    |                 | x | x | x | x |  |  |  |                       |  |         |
|         | MW-11B             |        | 1015 | x            |                | y           | 6                        |                               |             |       |      |     |          |              |                         |                    |                 | x | x | x | x |  |  |  |                       |  |         |
|         | MW-12A             |        | 0925 | x            |                | y           | 6                        |                               |             |       |      |     |          |              |                         |                    |                 | x | x | x | x |  |  |  |                       |  |         |
|         | MW-12B             |        | 0940 | x            |                | y           | 6                        |                               |             |       |      |     |          |              |                         |                    |                 | x | x | x | x |  |  |  |                       |  |         |
|         | MW-13A             |        | 0900 | x            |                | y           | 6                        |                               |             |       |      |     |          |              |                         |                    |                 | x | x | x | x |  |  |  |                       |  |         |
|         | MW-13B             |        | 0840 | x            |                | y           | 6                        |                               |             |       |      |     |          |              |                         |                    |                 | x | x | x | x |  |  |  |                       |  |         |
|         | TB -2107- 03062014 |        |      | x            |                | n           | 2                        |                               |             |       |      |     |          |              |                         |                    |                 |   |   |   |   |  |  |  |                       |  | ON HOLD |



|  |   |                          |                   |  |                     |                    |
|--|---|--------------------------|-------------------|--|---------------------|--------------------|
| Sampler's Name: <u>James Ramos / Alex Martinez</u>   | Relinquished By / Affiliation: <u>[Signature] / Broadbent</u> | Date: <u>3-5-14</u>      | Time: <u>1700</u> | Accepted By / Affiliation: <u>JuBauk TAI</u> | Date: <u>3/6/14</u> | Time: <u>10:20</u> |
| Sampler's Company: <u>Broadbent &amp; Associates</u> | Shipment Method: <u>Fedex</u>                                 | Ship Date: <u>3-6-14</u> |                   |  |                     |                    |
| Shipment Tracking No:                                |   |                          |                   |  |                     |                    |

Special Instructions: \_\_\_\_\_

THIS LINE - LAB USE ONLY: Custody Seals In Place  Yes / No  Temp Blank: Yes  No  Cooler Temp on Receipt: 3.4/2.2 °F/C Tmp Blank: Yes  No  MS/MSD Sample Submitted: Yes  No

IR-63 Fed: 8025 2344 1787

Page 25 of 26

02/14/2014



## Login Sample Receipt Checklist

Client: Broadbent & Associates, Inc.

Job Number: 440-72620-1

SDG Number: 06-88-614

**Login Number: 72620**

**List Number: 1**

**Creator: Chavez, Elizabeth**

**List Source: TestAmerica Irvine**

| Question  | Answer | Comment |
|---|--------|---------|
| Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.      | True   |         |
| The cooler's custody seal, if present, is intact.   | True   |         |
| Sample custody seals, if present, are intact.   | True   |         |
| The cooler or samples do not appear to have been compromised or tampered with.                      | True   |         |
| Samples were received on ice.   | True   |         |
| Cooler Temperature is acceptable.   | True   |         |
| Cooler Temperature is recorded.   | True   |         |
| COC is present.   | True   |         |
| COC is filled out in ink and legible.   | True   |         |
| COC is filled out with all pertinent information.   | True   |         |
| Is the Field Sampler's name present on COC?   | True   |         |
| There are no discrepancies between the containers received and the COC.                             | True   |         |
| Samples are received within Holding Time.   | True   |         |
| Sample containers have legible labels.  | True   |         |
| Containers are not broken or leaking.   | True   |         |
| Sample collection date/times are provided.  | True   |         |
| Appropriate sample containers are used.   | True   |         |
| Sample bottles are completely filled.   | True   |         |
| Sample Preservation Verified.   | N/A    |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs                    | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4"). | True   |         |
| Multiphasic samples are not present.  | True   |         |
| Samples do not require splitting or compositing.  | True   |         |
| Residual Chlorine Checked.  | N/A    |         |



**APPENDIX D**

**GEOTRACKER UPLOAD CONFIRMATION RECEIPTS**

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A EDF FILE

## SUCCESS

**Processing is complete. No errors were found!  
Your file has been successfully submitted!**

|                                    |   |
|------------------------------------|---|
| <b><u>Submittal Type:</u></b>      | <b>EDF</b>  |
| <b><u>Report Title:</u></b>        | <b>First Quarter 2014 Groundwater Monitoring Report</b> |
| <b><u>Report Type:</u></b>         | <b>Monitoring Report - Semi-Annually</b>                |
| <b><u>Facility Global ID:</u></b>  | <b>T06019734306</b>                                     |
| <b><u>Facility Name:</u></b>       | <b>ARCO #2107</b>                                       |
| <b><u>File Name:</u></b>           | <b>440-72620-1_21 Mar 14 1037_EDF.zip</b>               |
| <b><u>Organization Name:</u></b>   | <b>Broadbent &amp; Associates, Inc.</b>                 |
| <b><u>Username:</u></b>            | <b>BROADBENT-C</b>                                      |
| <b><u>IP Address:</u></b>          | <b>69.170.11.178</b>                                    |
| <b><u>Submittal Date/Time:</u></b> | <b>4/23/2014 2:57:02 PM</b>                             |
| <b><u>Confirmation Number:</u></b> | <b>6264008998</b>                                       |

[VIEW QC REPORT](#)

[VIEW DETECTIONS REPORT](#)

Copyright © 2014 State of California

STATE WATER RESOURCES CONTROL BOARD  
**GEOTRACKER ESI**

UPLOADING A GEO\_WELL FILE

## SUCCESS

Processing is complete. No errors were found!  
Your file has been successfully submitted!

|                                    |  |
|------------------------------------|--|
| <b><u>Submittal Type:</u></b>      | GEO_WELL   |
| <b><u>Report Title:</u></b>        | First Quarter 2014 Groundwater Monitoring Report |
| <b><u>Facility Global ID:</u></b>  | T06019734306                                     |
| <b><u>Facility Name:</u></b>       | ARCO #2107                                       |
| <b><u>File Name:</u></b>           | geo_well.zip                                     |
| <b><u>Organization Name:</u></b>   | Broadbent & Associates, Inc.                     |
| <b><u>Username:</u></b>            | BROADBENT-C                                      |
| <b><u>IP Address:</u></b>          | 69.170.11.178                                    |
| <b><u>Submittal Date/Time:</u></b> | 4/23/2014 3:13:35 PM                             |
| <b><u>Confirmation Number:</u></b> | <b>5899497330</b>                                |

Copyright © 2014 State of California