

RECEIVED

1:48 pm, Jun 08, 2009

Alameda County
Environmental Health

MPDS-UN5487-02
June 2, 1994

Unocal Corporation
 2000 Crow Canyon Place, Suite 400
 P.O. Box 5155
 San Ramon, California 94583

Attention: Mr. Tim Howard

RE: Quarterly Data Report
 Unocal Service Station #5487
 28250 Hesperian Boulevard
Hayward, California

FILE #	5487	SS	<input checked="" type="checkbox"/>	BP	<input type="checkbox"/>
RPT	<input type="checkbox"/>	QM	<input checked="" type="checkbox"/>	TRANSMITTAL	<input type="checkbox"/>
1	<input type="checkbox"/>	2	<input type="checkbox"/>	3	<input type="checkbox"/>
4	<input type="checkbox"/>	5	<input type="checkbox"/>	6	<input type="checkbox"/>

Dear Mr. Howard:

This data report presents the results of the most recent quarter of monitoring and sampling of the monitoring wells at the referenced site by MPDS Services, Inc.

RECENT FIELD ACTIVITIES

The monitoring wells that were monitored and sampled during this quarter are indicated in Table 1. Prior to sampling, the wells were checked for depth to water and the presence of free product or sheen. The monitoring data and the ground water elevations are summarized in Table 1. The ground water flow direction during the most recent quarter is shown on the attached Figure 1.

Ground water samples were collected on May 2, 1994. Prior to sampling, the wells were each purged of between 8.5 and 12.5 gallons of water. Samples were then collected using a clean Teflon bailer. The samples were decanted into clean VOA vials and/or one-liter amber bottles, as appropriate, which were then sealed with Teflon-lined screw caps, labeled, and stored in a cooler, on ice, until delivery to a state-certified laboratory. MPDS Services, Inc. transported the purged ground water to the Unocal Refinery located in Rodeo, California, for treatment and discharge to San Pablo Bay under NPDES permit.

ANALYTICAL RESULTS

The ground water samples were analyzed at Sequoia Analytical Laboratory and were accompanied by properly executed Chain of Custody documentation. The analytical results of the ground water samples collected to date are summarized in Table 2. The concentrations of Total Petroleum Hydrocarbons (TPH) as gasoline and benzene detected in the ground water samples collected this quarter

MPDS-UN5487-02
June 2, 1994
Page 2

are shown on the attached Figure 2. Copies of the laboratory analytical results and the Chain of Custody documentation are attached to this report.

DISTRIBUTION


A copy of this report should be sent to the Alameda County Health Care Services Agency, and the City of Hayward Fire Department.

If you have any questions regarding this report, please do not hesitate to call at (510) 602-5120.

Sincerely,

MPDS Services, Inc.


Sarkis A. Karkarian
Staff Engineer


Joel G. Greger, C.E.G.
Senior Engineering Geologist

License No. EG 1633
Exp. Date 6/30/94

/dlh

Attachments: Tables 1 & 2
Location Map
Figures 1 & 2
Laboratory Analyses
Chain of Custody documentation

cc: Mr. Thomas Berkins, Kaprealian Engineering, Inc.




TABLE 1

SUMMARY OF MONITORING DATA

Well #	Ground Water Elevation (feet)	Depth to Water (feet)◆	Product Thickness (feet)	Sheen	Water Purged (gallons)	Total Well Depth (feet)◆
--------	-------------------------------	------------------------	--------------------------	-------	------------------------	--------------------------

(Monitored and Sampled on May 2, 1994)

MW1*	5.46	6.27	0	--	0	27.35
MW2*	5.35	7.23	0	--	0	23.84
MW3*	5.37	6.62	0	--	0	23.98
MW4*	5.26	6.32	0	--	0	24.58
MW5	4.83	5.96	0	No	12.5	24.12
MW6	5.00	6.18	0	No	8.5	18.02

(Monitored and Sampled on February 7, 1994)

MW1*	5.47	6.26	0	--	0	27.23
MW2*	5.49	7.09	0	--	0	23.79
MW3*	5.41	6.58	0	--	0	23.93
MW4*	5.37	6.21	0	--	0	24.53
MW5	5.09	5.70	0	No	13	24.07
MW6	5.18	6.00	0	No	9	17.95

(Monitored and Sampled on November 5, 1993)

MW1*	4.75	6.98	0	--	0	
MW2*	4.61	7.97	0	--	0	
MW3*	4.64	7.35	0	--	0	
MW4*	4.51	7.07	0	--	0	
MW5	3.98	6.81	0	No	12	
MW6	4.16	7.02	0	No	7.5	

(Monitored and Sampled on August 5, 1993)

MW1	5.08	7.49	0	No	15	
MW2	4.92	7.97	0	No	11	
MW3	4.96	7.50	0	No	12	
MW4	4.81	7.28	0	No	13	
MW5	4.21	6.97	0	No	12	
MW6	4.42	7.05	0	No	8	

TABLE 1 (Continued)

SUMMARY OF MONITORING DATA

<u>Well #</u>	<u>Well Cover Elevation (feet)**</u>	<u>Well Casing Elevation (feet)***</u>
MW1	12.57	11.73
MW2	12.89	12.58
MW3	12.46	11.99
MW4	12.09	11.58
MW5	11.18	10.79
MW6	11.47	11.18

◆ The depth to water level and total well depth measurements were taken from the top of the well casings. Prior to November 5, 1993, the depth to water level and total well depth measurements were taken from the top of the well covers.

* Monitored only.

** The elevations of the top of the well covers have been surveyed relative to Mean Sea Level (MSL), per the City of Hayward Benchmark (elevation = 10.97 MSL).

*** Relative to MSL.

-- Sheen determination was not performed.

Note: Monitoring data prior to February 7, 1994, were provided by Kaprealian Engineering, Inc.

TABLE 2

SUMMARY OF LABORATORY ANALYSES
WATER

Date	Well #	TPH as Diesel	TPH as Gasoline	Benzene	Toluene	Ethyl-benzene	Xylenes
5/02/94	MW5	--	170♦	38	0.73	8.5	8.4
	MW6	--	440♦	20	4.2	11	26
2/07/94	MW5	--	180	22	ND	6.4	5.9
	MW6	--	1,100	130	14	13	130
11/05/93	MW5	--	110	12	ND	2.3	2.3
	MW6	--	100	1.8	ND	0.79	2.2
8/05/93	MW1	--	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	530	210	0.62	54	44
	MW6	--	230	25	1.6	12	29
5/03/93	MW5	--	260	35	ND	2.3	3.1
	MW6	--	520	47	2.6	33	48
2/02/93	MW5	--	77♦	5.0	ND	1.2	1.3
	MW6	--	400♦	66	5.5	32	13
11/05/92	MW5	--	120	16	ND	3.5	3.0
	MW6	--	300	16	2.3	14	14
8/04/92	MW1	--	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	80	13	ND	4.5	6.9
	MW6	--	540	12	7.9	35	110
5/05/92	MW5	--	170	45	0.48	9.0	6.8
2/05/92	MW5	--	120	20	ND	4.4	4.7

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES
WATER

Date	Well #	TPH as Diesel	TPH as Gasoline	Benzene	Toluene	Ethyl-benzene	Xylenes
11/07/91	MW1	--	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	700	43	1.7	29	24
8/02/91	MW1	--	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	100	43	0.33	12	5.2
5/10/91	MW1	--	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	ND	ND	ND	ND	ND
	MWD▲	--	ND	ND	ND	ND	ND
2/11/91	MW1*	ND	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	58	23	ND	2.9	1.3
11/15/90	MW1*	ND	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	ND	ND	ND	ND	0.47
8/29/90	MW1*	ND	ND	ND	ND	ND	0.74
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	0.52	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	ND	0.70	ND	0.57	1.1

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES
WATER

<u>Date</u>	<u>Well #</u>	<u>TPH as Diesel</u>	<u>TPH as Gasoline</u>	<u>Benzene</u>	<u>Toluene</u>	<u>Ethyl-benzene</u>	<u>Xylenes</u>
5/16/90	MW1*	ND	ND	ND	ND	ND	ND
	MW2*	ND	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	1,100	310	2.8	70	110
2/16/90	MW1*	ND	ND	ND	ND	ND	ND
	MW2	--	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	ND	ND	ND	ND	ND
11/14/89	MW1*	ND	ND	ND	ND	ND	ND
	MW2*	ND	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	73	4.7	0.97	2.9	16
8/31/89	MW5	--	910	120	7.1	50	53
8/16/89	MW1**	ND	ND	ND	ND	ND	ND
	MW2**	ND	ND	ND	ND	ND	ND
	MW3	--	ND	ND	ND	ND	ND
	MW4	--	ND	ND	ND	ND	ND
	MW5	--	4,400	1,400	84	200	950
4/26/89	MW1*	ND	ND	2.1	ND	ND	ND
	MW2*	ND	ND	ND	ND	ND	ND
	MW3*	ND	ND	ND	ND	ND	ND
	MW4*	ND	ND	0.33	ND	ND	ND
	MW5*	ND	ND	ND	ND	ND	ND

TABLE 2 (Continued)

SUMMARY OF LABORATORY ANALYSES
WATER


- ◆ Sequoia Analytical Laboratory reported that the hydrocarbons detected appear to be a gasoline and non-gasoline mixture.
- ▲ MWD was a quality assurance duplicate water sample collected from well MW5.
- * Total Oil & Grease (TOG) and all EPA method 8010 constituents were non-detectable.
- ** TOG for the samples collected from MW1 and MW2 were 23 milligrams per liter (mg/L) and 7.4 mg/L, respectively. All EPA method 8010 constituents were non-detectable for both samples.

ND = Non-detectable.


-- Indicates that analysis was not performed.

Results are in micrograms per liter ($\mu\text{g/L}$), unless otherwise indicated.

Note: Laboratory analyses data prior to February 7, 1994, were provided by Kaprealian Engineering, Inc.




Base modified from 7.5 minute U.S.G.S.
 Hayward & Newark Quadrangles
 (both photorevised 1980)




mpds SERVICES, INCORPORATED

**UNOCAL SERVICE STATION #5487
 28250 HESPERIAN BOULEVARD
 HAYWARD, CALIFORNIA**

**LOCATION
 MAP**



POTENTIOMETRIC SURFACE MAP FOR THE MAY 2, 1994 MONITORING EVENT



PETROLEUM HYDROCARBON CONCENTRATIONS IN GROUND WATER ON MAY 2, 1994



**Sequoia
Analytical**

680 Chesapeake Drive Redwood City, CA 94063
1900 Bates Avenue, Suite L Concord, CA 94520
819 Striker Avenue, Suite 8 Sacramento, CA 95834

(510) 364-9600
(510) 686-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 686-9689
FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 400
Concord, CA 94520
Attention: Avo Avedessian

Client Project ID: Unocal #5487, 28250 Hesperian Blvd.,
Sample Matrix: Water Hayward
Analysis Method: EPA 5030/8015/8020
First Sample #: 405-0205

Sampled: May 2, 1994
Received: May 2, 1994
Reported: May 13, 1994

TOTAL PURGEABLE PETROLEUM HYDROCARBONS with BTEX DISTINCTION

Analyte	Reporting Limit µg/L	Sample I.D. 405-0205 MW5*	Sample I.D. 405-0206 MW6*	Sample I.D. Matrix Blank
Purgeable Hydrocarbons	50	170	440	
Benzene	0.5	38	20	
Toluene	0.5	0.73	4.2	
Ethyl Benzene	0.5	8.5	11	
Total Xylenes	0.5	8.4	26	

Chromatogram Pattern:

Gasoline and Discrete Peak Gasoline and Discrete Peak

Quality Control Data

Report Limit Multiplication Factor:	1.0	2.0	1.0
Date Analyzed:	5/11/94	5/11/94	5/11/94
Instrument Identification:	HP-2	HP-2	HP-2
Surrogate Recovery, %: (QC Limits = 70-130%)	108	100	104

Purgeable Hydrocarbons are quantitated against a fresh gasoline standard.
Analytes reported as N.D. were not detected above the stated reporting limit.

SEQUOIA ANALYTICAL, #1271

Alan B. Kemp
Project Manager

Please Note:
* This sample appears to contain gasoline and a non-gasoline mixture. "Discrete Peak" refers to an unidentified peak in the MTBE range.





**Sequoia
Analytical**

880 Chesapeake Drive
1900 Bates Avenue, Suite L
819 Striker Avenue, Suite 8

Redwood City, CA 94063
Concord, CA 94520
Sacramento, CA 95834

(510) 364-9600
(510) 686-9600
(916) 921-9600

FAX (415) 364-9233
FAX (510) 686-9689
FAX (916) 921-0100

MPDS Services
2401 Stanwell Dr., Ste. 400
Concord, CA 94520
Attention: Avo Avedessian

Client Project ID: Unocal #5487, 28250 Hesperian Blvd., Hayward
Matrix: Liquid

QC Sample Group: 4050205-06

Reported: May 13, 1994

QUALITY CONTROL DATA REPORT

ANALYTE	Benzene	Toluene	Ethyl Benzene	Xylenes
Method:	EPA 8020	EPA 8020	EPA 8020	EPA 8020
Analyt:	J. Fontecha	J. Fontecha	J. Fontecha	J. Fontecha

MS/MSD Batch#:	4050321	4050321	4050321	4050321
Date Prepared:	5/11/94	5/11/94	5/11/94	5/11/94
Date Analyzed:	5/11/94	5/11/94	5/11/94	5/11/94
Instrument I.D.#:	HP-2	HP-2	HP-2	HP-2
Conc. Spiked:	20 µg/L	20 µg/L	20 µg/L	60 µg/L
Matrix Spike % Recovery:	80	100	105	105
Matrix Spike Duplicate % Recovery:	80	95	100	105
Relative % Difference:	0.0	5.1	4.9	0.0

LCS Batch#:	1LCS051194	1LCS051194	1LCS051194	1LCS051194
Date Prepared:	5/11/94	5/11/94	5/11/94	5/11/94
Date Analyzed:	5/11/94	5/11/94	5/11/94	5/11/94
Instrument I.D.#:	HP-2	HP-2	HP-2	HP-2
LCS % Recovery:	81	98	104	106

% Recovery Control Limits:	71-133	72-128	72-130	71-120
---------------------------------------	--------	--------	--------	--------

Please Note:

The LCS is a control sample of known, interferent-free matrix that is analyzed using the same reagents, preparation, and analytical methods employed for the samples. The matrix spike is an aliquot of sample fortified with known quantities of specific compounds and subjected to the entire analytical procedure. If the recovery of analytes from the matrix spike does not fall within specified control limits due to matrix interference, the LCS recovery is to be used to validate the batch.

SEQUOIA ANALYTICAL, #1271

Alan B. Kemp
Project Manager



M P D S Services, Inc.

2401 Stanwell Drive, Suite 400, Concord, CA 94520
Tel: (510) 602-5120 Fax: (510) 689-1918

CHAIN OF CUSTODY

SAMPLER VARTKES TASHDJIAN			UNOCAL SIS # <u>5487</u> CITY: <u>Hayward</u>				ANALYSES REQUESTED						TURN AROUND TIME: <u>Regular</u>	
WITNESSING AGENCY			ADDRESS: <u>28250 Hesperian Blvd.</u>				TPH-GAS BTEX	TPH-DIESEL	TOG	8010				REMARKS
SAMPLE ID NO.	DATE	TIME	(WATER)	(GRAB)	COMP	NO. OF CONT.								
MW 5	5/2/94	11:25 A.M.	X	X		2 VOAs	MW	X					40502054 ↓ 206	
MW 6	"	10:47 A.M.	X	X		"	"	X						

RELINQUISHED BY: <u>Vartkes Tashdjan</u>		DATE/TIME <u>5/2/94 12:25 PM</u>	RECEIVED BY: <u>R.O. Healy</u>	THE FOLLOWING <u>MUST BE</u> COMPLETED BY THE LABORATORY ACCEPTING SAMPLES FOR ANALYSES:	
(SIGNATURE)			(SIGNATURE)	1. HAVE ALL SAMPLES RECEIVED FOR ANALYSIS BEEN STORED ON ICE?	<u>Yes</u>
(SIGNATURE)		<u>050394 1100</u>	(SIGNATURE)	2. WILL SAMPLES REMAIN REFRIGERATED UNTIL ANALYZED?	<u>Yes</u>
(SIGNATURE)		<u>5-3</u>	(SIGNATURE)	3. DID ANY SAMPLES RECEIVED FOR ANALYSIS HAVE HEAD SPACE?	<u>No</u>
(SIGNATURE)			(SIGNATURE)	4. WERE SAMPLES IN APPROPRIATE CONTAINERS AND PROPERLY PACKAGED?	<u>Yes</u>
(SIGNATURE)			(SIGNATURE)	SIGNATURE:	<u>R. O. Healy</u>
				TITLE:	<u>Lead</u>
				DATE:	<u>5/2/94</u>