



Atlantic Richfield Company  
(a BP affiliated company)

P.O. Box 1257  
San Ramon, California 94583  
Phone: (925) 275-3801  
Fax: (925) 275-3815

9 April 2008

Re: First Quarter 2008 Ground-Water Monitoring Report  
Atlantic Richfield Company (a BP affiliated company) Station #276  
10600 MacArthur Boulevard  
Oakland, California  
ACEH Case #RO0002565

**RECEIVED**

3:14 pm, Apr 30, 2008

Alameda County  
Environmental Health



"I declare, that to the best of my knowledge at the present time, that the information and/or recommendations contained in the attached document are true and correct."

Submitted by:

Paul Supple  
Environmental Business Manager

**First Quarter 2008 Ground-Water Monitoring Report**  
Atlantic Richfield Company Station #276  
10600 MacArthur Boulevard  
Oakland, California

Prepared for

Mr. Paul Supple  
Environmental Business Manager  
Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, California 94583

Prepared by



1324 Mangrove Avenue, Suite 212  
Chico, California 95926  
(530) 566-1400  
[www.broadbentinc.com](http://www.broadbentinc.com)

9 April 2008

Project No. 06-08-601

9 April 2008

Project No. 06-08-601

Atlantic Richfield Company  
P.O. Box 1257  
San Ramon, California 94583  
Submitted via ENFOS

Attn.: Mr. Paul Supple

Re: First Quarter 2008 Report, Atlantic Richfield Company (a BP affiliated company)  
Station #276, 10600 MacArthur Boulevard, Oakland, Alameda County, California  
ACEH Case #RO0002565

Dear Mr. Supple:

Provided herein is the *First Quarter 2008 Ground-Water Monitoring Report* for Atlantic Richfield Company Station #276 located at 10600 MacArthur Boulevard, Oakland, Alameda County, California (Site). This report presents results of ground-water monitoring conducted at the Site during the First Quarter of 2008.


Should you have questions regarding the work performed or results obtained, please do not hesitate to contact us at (530) 566-1400.

Sincerely,


BROADBENT & ASSOCIATES, INC.



Thomas A. Venus, P.E.  
Senior Engineer



Robert H. Miller, P.G., C.HG.  
Principal Hydrogeologist



Enclosures

cc: Mr. Paresh Khatri, Alameda County Environmental Health (Submitted via ACEH ftp site)  
Electronic copy uploaded to GeoTracker

## STATION #276 QUARTERLY GROUND-WATER MONITORING REPORT

Facility: #276	Address:	10600 MacArthur Boulevard, Oakland, California
Environmental Business Manager:		Mr. Paul Supple
Consulting Co./Contact Persons:		Broadbent & Associates, Inc.(BAI)/Rob Miller & Tom Venus (530) 566-1400
Consultant Project No.:		06-08-601
Primary Agency/Regulatory ID No.:		Alameda County Environmental Health (ACEH) ACEH Case #RO0002565
Facility Permits/Permitting Agency:		NA

### WORK PERFORMED THIS QUARTER (First Quarter 2008):

1. Prepared and submitted Fourth Quarter 2007 Ground-Water Monitoring Report.
2. Conducted ground-water monitoring/sampling for First Quarter 2008. Work performed on 29 February 2008 by Stratus Environmental, Inc. (Stratus).

### WORK PROPOSED FOR NEXT QUARTER (Second Quarter 2008):

1. Prepared and submitted First Quarter 2008 Ground-Water Monitoring Report (contained herein).
2. Conduct quarterly ground-water monitoring/sampling for Second Quarter 2008.

### QUARTERLY RESULTS SUMMARY:

Current phase of project:	<b>Ground-water monitoring/sampling</b>
Frequency of ground-water monitoring:	<b>Quarterly = MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, RW-1, WGR-3</b>
Frequency of ground-water sampling:	<b>Quarterly = MW-2, MW-5, and MW-8 Semi-Annually (1Q and 3Q) = MW-6 and MW-7 Annually (1Q) = MW-1, MW-3, MW-4, WGR-3, and RW-1</b>
Is free product (FP) present on-site:	<b>No</b>
Current remediation techniques:	<b>NA</b>
Depth to ground water (below TOC):	<b>13.37 ft (MW-2) to 31.50 ft (MW-6)</b>
General ground-water flow direction:	<b>South-southwest</b>
Approximate hydraulic gradient:	<b>0.001 ft/ft</b>

### DISCUSSION:

First quarter 2008 ground-water monitoring and sampling was conducted at Station #276 on 29 February 2008 by Stratus. Consistent with the monitoring schedule, water levels were gauged in the ten wells at the Site. No irregularities were noted during water level gauging. Depth-to-water measurements ranged from 13.37 ft at MW-2 to 31.50 ft at MW-6. Resulting ground-water surface elevations ranged from 47.36 ft above mean sea level (msl) in well WGR-3 to 34.87 ft above msl in well MW-5. Water level elevations were between historic minimum and maximum ranges for each well, as summarized in Table 1. Water level elevations yielded a potentiometric ground-water flow direction and gradient to the south-southwest at approximately 0.001 ft/ft, consistent with historical data (see Table 3). Ground-water monitoring field data sheets are provided within Appendix A. Measured depths to ground water and respective ground-water elevations are summarized in Table 1. Potentiometric ground-water elevation contours are presented in Drawing 1.

Consistent with the current ground-water sampling schedule, water samples were collected from wells MW-1 through MW-8, RW-1, and WGR-3 on 29 February 2008. No irregularities were reported during sampling. Samples were submitted under chain-of-custody protocol to Calscience Environmental Laboratories, Inc. (Garden Grove, California), for analysis of Gasoline Range Organics (GRO, C6-12) by EPA Method 8015B; for Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX) by EPA Method 8260B; and tert-Amyl methyl ether (TAME), tert-Butyl alcohol (TBA), Di-isopropyl ether (DIPE), 1,2-Dibromomethane (EDB), 1,2-Dichloroethane (1,2-DCA), Ethanol, Ethyl tert-butyl ether (ETBE), Tetrachloroethene (PCE), and Methyl tert-butyl ether (MTBE) by EPA Method 8260B. The laboratory noted that the hydrocarbon pattern for GRO in the samples collected from wells MW-3 through MW-7 did not match that of the gasoline standard used to calculate results. The values reported for these samples are in part due to the PCE peak that falls within the GRO (C6-C12) window. No other significant irregularities were encountered during laboratory analysis of the samples. Ground-water sampling field data sheets and the laboratory analytical report, including chain-of-custody documentation, are provided in Appendix A.

Gasoline range organics (GRO) were detected above the laboratory reporting limits in five of the ten wells sampled at concentrations up to 110 micrograms per liter ( $\mu\text{g/L}$ ) in well MW-5. TAME was detected above the laboratory reporting limit in three of the ten wells sampled at concentrations up to 15  $\mu\text{g/L}$  in well MW-8. TBA was detected above the laboratory reporting limit in one of the ten wells sampled at a concentration of 10  $\mu\text{g/L}$  in well MW-8. DIPE was detected above the laboratory reporting limit in one of the ten wells sampled at a concentration of 0.59  $\mu\text{g/L}$  in well MW-5. 1,2-DCA was detected above the laboratory reporting limit in two of the ten wells sampled at concentrations up to 5.0  $\mu\text{g/L}$  in well MW-5. MTBE was detected above the laboratory reporting limit in six of the ten wells sampled at concentrations up to 300  $\mu\text{g/L}$  in well MW-8. PCE was detected above the laboratory reporting limit in seven of the ten wells sampled at concentrations up to 180  $\mu\text{g/L}$  in well MW-5. The remaining analytes were not detected above their laboratory reporting limits in the ten wells sampled this quarter.

Detected analyte concentrations were within the historic minimum and maximum ranges recorded for each well with the following exceptions: the GRO concentration in well MW-6 reached a historic minimum value of 72  $\mu\text{g/L}$ ; the TBA concentration in well MW-8 reached a historic maximum value of 10  $\mu\text{g/L}$ ; the MTBE concentrations in wells MW-3 and MW-7 reached historic maximum values of 0.54  $\mu\text{g/L}$  and 1.5  $\mu\text{g/L}$ , respectively; and the PCE concentration in well MW-1 reached a historic maximum value of 39  $\mu\text{g/L}$ . Historic laboratory analytical results are summarized in Table 1 and Table 2. The most recent GRO, Benzene, and MTBE concentrations are also presented in Drawing 1. A copy of the Laboratory Analytical Report, including chain-of-custody documentation is provided in Appendix A. Ground-water monitoring data (GEO\_WELL) and laboratory analytical results (EDF) were uploaded to the GeoTracker AB2886 database. Upload confirmation pages are provided in Appendix B.



## **CLOSURE:**

The findings presented in this report are based upon: observations of Stratus field personnel (see Appendix A), the points investigated, and results of laboratory tests performed by Calscience Environmental Laboratories, Inc. (Garden Grove, California). Our services were performed in accordance with the generally accepted standard of practice at the time this report was written. No other warranty, expressed or implied was made. This report has been prepared for the exclusive use of Atlantic Richfield Company. It is possible that variations in soil or ground-water conditions could exist beyond points explored in this investigation. Also, changes in site conditions could occur in the future due to variations in rainfall, temperature, regional water usage, or other factors.

**ATTACHMENTS:**

- Drawing 1. Ground-Water Elevation Contour and Analytical Summary Map, 29 February 2008, Station #276, 10600 MacArthur Boulevard, Oakland, California
- Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses, Station #276, 10600 MacArthur Blvd., Oakland, California
- Table 2. Summary of Fuel Additives Analytical Data, Station #276, 10600 MacArthur Blvd., Oakland, California
- Table 3. Historical Ground-Water Flow Direction and Gradient, Station #276, 10600 MacArthur Blvd., Oakland, California
- Appendix A. Stratus Ground-Water Sampling Data Package (Includes Field Data Sheets, Laboratory Analytical Report with Chain-of-Custody Documentation, and Field Procedures)
- Appendix B. GeoTracker Upload Confirmation





**BROADBENT & ASSOCIATES, INC.**  
 ENGINEERING, WATER RESOURCES & ENVIRONMENTAL  
 1324 Mangrove Ave. Suite 212, Chico, California  
 Project No.: 06-08-601 Date: 4/9/08

Station #276  
 10600 MacArthur Boulevard  
 Oakland, California

Ground-Water Elevation Contour  
 and Analytical Summary Map  
 29 February 2008

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-1</b>															
12/17/2000	--		55.92	23.50	28.50	29.16	26.76	5.09	--	--	--	--	--	--	--
12/28/2001	--		55.92	23.50	28.50	27.38	28.54	8.8	--	--	--	--	--	--	--
11/27/2002	NP		55.92	23.50	28.50	29.45	26.47	4.2	--	--	--	--	--	2.3	6.7
7/22/2003	NP		55.92	23.50	28.50	27.58	28.34	<50	<0.50	<0.50	<0.50	<0.50	<0.50	3.1	6.7
11/07/2003	NP		55.92	23.50	28.50	30.42	25.50	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.1	6.6
02/03/2004	NP		55.92	23.50	28.50	38.80	17.12	--	--	--	--	--	--	1.5	--
05/04/2004	NP	g	61.26	23.50	28.50	26.67	34.59	<50	<0.50	<0.50	<0.50	<0.50	<0.50	--	6.6
08/12/2004	NP		61.26	23.50	28.50	29.49	31.77	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.2	6.6
11/10/2004	NP		61.26	23.50	28.50	30.29	30.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.1	6.6
02/03/2005	NP		61.26	23.50	28.50	26.23	35.03	--	--	--	--	--	--	0.89	--
05/09/2005	--		61.26	23.50	28.50	22.93	38.33	--	--	--	--	--	--	--	--
08/11/2005	--		61.26	23.50	28.50	26.11	35.15	--	--	--	--	--	--	--	--
11/18/2005	--		61.26	23.50	28.50	29.14	32.12	--	--	--	--	--	--	--	--
02/01/2006	NP	i	61.26	23.50	28.50	24.15	37.11	53	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	6.7
5/30/2006	--		61.26	23.50	28.50	21.25	40.01	--	--	--	--	--	--	--	--
8/10/2006	--		61.26	23.50	28.50	24.70	36.56	--	--	--	--	--	--	--	--
11/2/2006	--		61.26	23.50	28.50	27.71	33.55	--	--	--	--	--	--	--	--
2/6/2007	NP		61.26	23.50	28.50	28.12	33.14	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.15	7.57
5/8/2007	--		61.26	23.50	28.50	27.27	33.99	--	--	--	--	--	--	--	--
8/14/2007	--		61.26	23.50	28.50	29.70	31.56	--	--	--	--	--	--	--	--
11/13/2007	--		61.26	23.50	28.50	30.92	30.34	--	--	--	--	--	--	--	--
<b>2/29/2008</b>	<b>NP</b>		<b>61.26</b>	<b>23.50</b>	<b>28.50</b>	<b>26.21</b>	<b>35.05</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>1.31</b>	<b>7.63</b>
<b>MW-2</b>															
12/17/2000	--		55.10	15.00	25.00	15.72	39.38	--	--	--	--	--	--	--	--
12/28/2001	--		55.10	15.00	25.00	27.38	27.72	--	--	--	--	--	--	--	--
11/27/2002	--		55.10	15.00	25.00	16.35	38.75	--	--	--	--	--	--	--	--
7/22/2003	--		55.10	15.00	25.00	16.20	38.90	--	--	--	--	--	--	--	--
11/07/2003	P		55.10	15.00	25.00	18.22	36.88	990	<5.0	<5.0	<5.0	<5.0	110	1.8	6.7
02/03/2004	P		55.10	15.00	25.00	13.63	41.47	180	<2.5	<2.5	2.6	4.1	55	1.8	6.5
05/04/2004	P	g	60.21	15.00	25.00	15.76	44.45	290	<2.5	<2.5	<2.5	<2.5	70	0.6	6.3



**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)					DO (mg/L)	pH	
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes			MTBE
<b>MW-2 Cont.</b>															
08/12/2004	P		60.21	15.00	25.00	17.21	43.00	<250	<2.5	<2.5	3.2	<2.5	49	1.6	6.6
11/10/2004	P		60.21	15.00	25.00	15.90	44.31	270	<1.0	<1.0	1.6	<1.0	90	0.9	6.2
02/03/2005	P		60.21	15.00	25.00	14.29	45.92	480	1.7	<0.50	2.0	1.4	37	1.53	6.5
05/09/2005	P		60.21	15.00	25.00	14.38	45.83	320	<0.50	<0.50	<0.50	0.64	56	0.57	6.5
08/11/2005	P		60.21	15.00	25.00	15.97	44.24	320	<0.50	<0.50	<0.50	<0.50	50	1.0	6.3
11/18/2005	P		60.21	15.00	25.00	17.66	42.55	990	3.2	0.64	3.8	1.6	49	3.23	6.5
02/01/2006	P		60.21	15.00	25.00	12.50	47.71	<50	<0.50	<0.50	<0.50	<0.50	3.1	1.0	6.4
5/30/2006	P		60.21	15.00	25.00	13.25	46.96	280	<0.50	<0.50	<0.50	<0.50	64	1.76	6.5
8/11/2006	P	Water Levels 8/10	60.21	15.00	25.00	15.90	44.31	210	<0.50	<0.50	<0.50	<0.50	28	0.63	6.4
11/2/2006	P		60.21	15.00	25.00	17.38	42.83	270	0.64	<0.50	<0.50	<0.50	40	1.41	6.82
2/6/2007	NP	i	60.21	15.00	25.00	15.48	44.73	110	<0.50	<0.50	<0.50	<0.50	39	0.67	6.95
5/8/2007	NP		60.21	15.00	25.00	15.40	44.81	140	<0.50	<0.50	<0.50	<0.50	25	0.84	6.85
8/14/2007	NP		60.21	15.00	25.00	17.40	42.81	190	<0.50	<0.50	<0.50	<0.50	19	0.71	6.75
11/13/2007	P		60.21	15.00	25.00	16.11	44.10	170	<0.50	<0.50	<0.50	<0.50	27	1.99	6.32
<b>2/29/2008</b>	<b>P</b>		<b>60.21</b>	<b>15.00</b>	<b>25.00</b>	<b>13.37</b>	<b>46.84</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>6.1</b>	<b>1.80</b>	<b>7.26</b>
<b>MW-3</b>															
12/17/2000	--		56.55	22.00	27.00	29.78	26.77	158	--	--	--	--	--	--	--
12/28/2001	--		56.55	22.00	27.00	27.95	28.60	310	20	1.5	13	--	--	--	--
11/27/2002	NP		56.55	22.00	27.00	30.10	26.45	110	--	--	--	--	--	2.0	7.2
7/22/2003	NP		56.55	22.00	27.00	28.32	28.23	120	<0.50	<0.50	<0.50	<0.50	<0.50	2.2	5.9
11/07/2003	NP		56.55	22.00	27.00	30.86	25.69	70	<0.50	<0.50	<0.50	<0.50	<0.50	2.8	6.5
02/03/2004	NP		56.55	22.00	27.00	27.65	28.90	<50	<0.50	<0.50	<0.50	<0.50	<0.50	2.1	6.7
05/04/2004	NP	g	61.89	22.00	27.00	27.57	34.32	<100	<1.0	<1.0	<1.0	<1.0	<1.0	1.6	6.4
08/12/2004	NP		61.89	22.00	27.00	30.31	31.58	52	<0.50	<0.50	<0.50	<0.50	<0.50	1.6	6.3
11/10/2004	NP		61.89	22.00	27.00	31.00	30.89	91	<0.50	<0.50	<0.50	<0.50	<0.50	2.6	6.7
02/03/2005	NP	i	61.89	22.00	27.00	26.85	35.04	180	<0.50	<0.50	<0.50	<0.50	<0.50	2.25	6.5
05/09/2005	--		61.89	22.00	27.00	23.72	38.17	--	--	--	--	--	--	--	--
08/11/2005	--		61.89	22.00	27.00	26.84	35.05	--	--	--	--	--	--	--	--
11/18/2005	--		61.89	22.00	27.00	29.82	32.07	--	--	--	--	--	--	--	--
02/01/2006	NP		61.89	22.00	27.00	24.80	37.09	<50	<0.50	<0.50	<0.50	<0.50	<0.50	1.4	6.4

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-3 Cont.</b>															
5/30/2006	--		61.89	22.00	27.00	21.77	40.12	--	--	--	--	--	--	--	--
8/10/2006	--		61.89	22.00	27.00	25.37	36.52	--	--	--	--	--	--	--	--
11/2/2006	--		61.89	22.00	27.00	28.43	33.46	--	--	--	--	--	--	--	--
2/6/2007	NP	i, k	61.86	22.00	27.00	28.85	33.01	50	<0.50	<0.50	<0.50	<0.50	<0.50	1.27	8.63
5/8/2007	--	k	61.86	22.00	27.00	27.98	33.88	--	--	--	--	--	--	--	--
8/14/2007	--	k	61.86	22.00	27.00	30.41	31.45	--	--	--	--	--	--	--	--
11/13/2007	--		61.86	22.00	27.00	31.63	30.23	--	--	--	--	--	--	--	--
<b>2/29/2008</b>	<b>NP</b>	<b>l</b>	<b>61.86</b>	<b>22.00</b>	<b>27.00</b>	<b>26.86</b>	<b>35.00</b>	<b>79</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>0.54</b>	<b>1.13</b>	<b>7.04</b>
<b>MW-4</b>															
12/17/2000	--		55.98	25.00	45.00	29.22	26.76	225	--	--	--	--	--	--	--
12/28/2001	--		55.98	25.00	45.00	27.37	28.61	160	1.2	--	--	--	--	--	--
11/27/2002	NP		55.98	25.00	45.00	29.55	26.43	95	--	--	--	--	--	3.7	6.7
7/22/2003	NP		55.98	25.00	45.00	27.73	28.25	130	<0.50	<0.50	<0.50	<0.50	<0.50	2.9	6.6
11/07/2003	NP		55.98	25.00	45.00	30.41	25.57	59	<0.50	<0.50	<0.50	<0.50	<0.50	2.6	6.5
02/03/2004	NP		55.98	25.00	45.00	27.01	28.97	<50	<0.50	<0.50	<0.50	<0.50	<0.50	4.2	7.1
05/04/2004	NP	g	61.30	25.00	45.00	26.91	34.39	<100	<1.0	<1.0	<1.0	<1.0	<1.0	2.1	6.5
08/12/2004	NP		61.30	25.00	45.00	29.76	31.54	58	<0.50	<0.50	<0.50	<0.50	<0.50	2.3	6.4
11/10/2004	NP		61.30	25.00	45.00	30.40	30.90	69	<0.50	<0.50	<0.50	<0.50	<0.50	2.4	6.6
02/03/2005	NP	i	61.30	25.00	45.00	26.28	35.02	51	<0.50	<0.50	<0.50	<0.50	<0.50	3.77	6.8
05/09/2005	--		61.30	25.00	45.00	23.14	38.16	--	--	--	--	--	--	--	--
08/11/2005	--		61.30	25.00	45.00	26.23	35.07	--	--	--	--	--	--	--	--
11/18/2005	--		61.30	25.00	45.00	29.24	32.06	--	--	--	--	--	--	--	--
02/01/2006	P	i	61.30	25.00	45.00	24.20	37.10	330	<0.50	<0.50	<0.50	<0.50	<0.50	1.7	7.0
5/30/2006	--		61.30	25.00	45.00	21.26	40.04	--	--	--	--	--	--	--	--
8/10/2006	--		61.30	25.00	45.00	24.62	36.68	--	--	--	--	--	--	--	--
11/2/2006	--		61.30	25.00	45.00	27.90	33.40	--	--	--	--	--	--	--	--
2/6/2007	NP	i	61.30	25.00	45.00	28.28	33.02	55	<0.50	<0.50	<0.50	<0.50	<0.50	1.21	8.28
5/8/2007	--		61.30	25.00	45.00	27.40	33.90	--	--	--	--	--	--	--	--
8/14/2007	--		61.30	25.00	45.00	29.88	31.42	--	--	--	--	--	--	--	--
11/13/2007	--		61.30	25.00	45.00	31.05	30.25	--	--	--	--	--	--	--	--

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**  
**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-4 Cont.</b>															
<b>2/29/2008</b>	<b>NP</b>	<b>1</b>	<b>61.30</b>	<b>25.00</b>	<b>45.00</b>	<b>26.30</b>	<b>35.00</b>	<b>81</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>3.57</b>	<b>7.44</b>
<b>MW-5</b>															
12/17/2000	--		55.43	23.50	31.50	28.82	26.61	1,040	--	--	--	--	--	--	--
12/28/2001	--		55.43	23.50	31.50	26.91	28.52	3,200	190	2/4/1900	140	1.9/3.2/2.0	--	--	--
11/27/2002	P		55.43	23.50	31.50	29.15	26.28	110	--	--	--	--	--	1.4	6.4
7/22/2003	P		55.43	23.50	31.50	27.43	28.00	160	<1.0	<1.0	<1.0	<1.0	110	1.5	6.6
11/07/2003	P		55.43	23.50	31.50	29.99	25.44	<250	<2.5	<2.5	<2.5	<2.5	120	0.6	6.2
02/03/2004	P		55.43	23.50	31.50	26.55	28.88	85	<2.5	<2.5	<2.5	<2.5	71	1.7	6.7
05/04/2004	P	g	60.73	23.50	31.50	26.47	34.26	<250	<2.5	<2.5	<2.5	<2.5	150	0.9	6.2
08/12/2004	P		60.73	23.50	31.50	29.49	31.24	<250	<2.5	<2.5	<2.5	<2.5	140	1.8	6.3
11/10/2004	P		60.73	23.50	31.50	30.15	30.58	170	<1.0	<1.0	<1.0	<1.0	150	1.0	6.3
02/03/2005	P		60.73	23.50	31.50	25.85	34.88	100	<0.50	<0.50	<0.50	<0.50	16	1.65	6.5
05/09/2005	P		60.73	23.50	31.50	22.85	37.88	340	<2.5	<2.5	<2.5	<2.5	140	0.87	6.3
08/11/2005	P		60.73	23.50	31.50	26.05	34.68	<250	<2.5	<2.5	<2.5	<2.5	160	1.6	6.3
11/18/2005	P		60.73	23.50	31.50	29.07	31.66	<250	<2.5	<2.5	<2.5	<2.5	120	1.98	6.3
02/01/2006	P	i	60.73	23.50	31.50	23.70	37.03	520	<1.2	<1.2	<1.2	<1.2	100	0.4	6.4
5/30/2006	P		60.73	23.50	31.50	21.03	39.70	220	<2.5	<2.5	<2.5	<2.5	230	1.32	6.3
8/11/2006	P	Water Levels 8/10	60.73	23.50	31.50	24.77	35.96	150	<2.5	<2.5	<2.5	<2.5	170	0.68	6.1
11/2/2006	P		60.73	23.50	31.50	27.65	33.08	100	<1.0	<1.0	<1.0	<1.0	160	1.43	6.52
2/6/2007	NP	i	60.73	23.50	31.50	28.00	32.73	150	<1.0	<1.0	<1.0	<1.0	120	1.19	7.33
5/8/2007	NP	i	60.73	23.50	31.50	27.12	33.61	130	<1.0	<1.0	<1.0	<1.0	180	0.82	6.42
8/14/2007	NP	i	60.73	23.50	31.50	29.62	31.11	110	<0.50	<0.50	<0.50	<0.50	150	1.32	6.97
11/13/2007	NP		60.73	23.50	31.50	30.77	29.96	950	<0.50	<0.50	<0.50	<0.50	110	1.83	6.50
<b>2/29/2008</b>	<b>NP</b>	<b>1</b>	<b>60.73</b>	<b>23.50</b>	<b>31.50</b>	<b>25.86</b>	<b>34.87</b>	<b>110</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>120</b>	<b>1.04</b>	<b>7.21</b>
<b>MW-6</b>															
12/17/2000	--		61.21	37.50	56.00	34.61	26.60	--	--	--	--	--	--	--	--
12/28/2001	--		61.21	37.50	56.00	32.80	28.41	--	--	--	--	--	--	--	--
11/27/2002	--		61.21	37.50	56.00	35.00	26.21	--	--	--	--	--	--	--	--
7/22/2003	--		61.21	37.50	56.00	33.17	28.04	--	--	--	--	--	--	--	--

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-6 Cont.</b>															
11/07/2003	P	d, e	61.21	37.50	56.00	35.70	25.51	<500	<5.0	<5.0	<5.0	<5.0	<5.0	2.7	6.9
02/03/2004	P		61.21	37.50	56.00	32.17	29.04	84	<2.5	<2.5	<2.5	<2.5	<2.5	1.9	7.0
05/04/2004	P	g	66.65	37.50	56.00	32.07	34.58	<250	<2.5	<2.5	<2.5	<2.5	<2.5	2.0	6.7
08/12/2004	P		66.65	37.50	56.00	34.90	31.75	660	<0.50	<0.50	<0.50	<0.50	0.81	1.4	6.9
11/10/2004	P		66.65	37.50	56.00	35.70	30.95	640	<0.50	<0.50	<0.50	<0.50	0.89	2.6	6.8
02/03/2005	P	i	66.65	37.50	56.00	31.48	35.17	77	<0.50	<0.50	<0.50	<0.50	<0.50	1.73	7.0
05/09/2005	--		66.65	37.50	56.00	28.37	38.28	--	--	--	--	--	--	--	--
08/11/2005	P		66.65	37.50	56.00	31.40	35.25	630	<0.50	<0.50	<0.50	<0.50	0.77	1.9	6.3
11/18/2005	--		66.65	37.50	56.00	34.50	32.15	--	--	--	--	--	--	--	--
02/01/2006	P	i	66.65	37.50	56.00	29.40	37.25	760	<5.0	<5.0	<5.0	<5.0	<5.0	2.1	6.9
5/30/2006	--		66.65	37.50	56.00	26.51	40.14	--	--	--	--	--	--	--	--
8/11/2006	P	Water Levels 8/10	66.65	37.50	56.00	30.10	36.55	790	<5.0	<5.0	<5.0	<5.0	<5.0	1.32	6.7
11/2/2006	--		66.65	37.50	56.00	33.12	33.53	--	--	--	--	--	--	--	--
2/6/2007	P	i	66.65	37.50	56.00	33.53	33.12	510	<0.50	<0.50	<0.50	<0.50	0.80	0.68	6.84
5/8/2007	--		66.65	37.50	56.00	32.65	34.00	--	--	--	--	--	--	--	--
8/14/2007	P	i	66.65	37.50	56.00	35.10	31.55	510	<0.50	<0.50	<0.50	<0.50	0.91	1.60	7.10
11/13/2007	--		66.65	37.50	56.00	36.31	30.34	--	--	--	--	--	--	--	--
<b>2/29/2008</b>	<b>P</b>	<b>l</b>	<b>66.65</b>	<b>37.50</b>	<b>56.00</b>	<b>31.50</b>	<b>35.15</b>	<b>72</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>4.41</b>	<b>7.77</b>
<b>MW-7</b>															
12/17/2000	--		58.22	17.50	37.5	19.94	38.28	--	--	--	--	--	--	--	--
12/28/2001	--		58.22	17.50	37.5	17.29	40.93	--	--	--	--	--	--	--	--
11/27/2002	--		58.22	17.50	37.5	21.30	36.92	--	--	--	--	--	--	--	--
7/22/2003	--		58.22	17.50	37.5	21.36	36.86	--	--	--	--	--	--	--	--
11/07/2003	P	d	58.22	17.50	37.5	23.76	34.46	3,200	15	<2.5	130	11	53	2.2	6.8
02/03/2004	P		58.22	17.50	37.5	17.74	40.48	53	<0.50	<0.50	<0.50	0.54	32	1.9	6.4
02/03/2005	P		63.54	17.50	37.5	18.13	45.41	61	<0.50	<0.50	<0.50	<0.50	14	3.39	6.5
05/09/2005	--		63.54	17.50	37.5	18.39	45.15	--	--	--	--	--	--	--	--
08/11/2005	P		63.54	17.50	37.5	21.47	42.07	1,500	1.8	<1.0	4.2	1.2	21	2.0	6.3
11/18/2005	--		63.54	17.50	37.5	22.41	41.13	--	--	--	--	--	--	--	--
02/01/2006	P		63.54	17.50	37.5	16.65	46.89	<50	<0.50	<0.50	<0.50	<0.50	1.8	1.3	6.3

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>MW-7 Cont.</b>															
5/30/2006	--		63.54	17.50	37.50	19.22	44.32	--	--	--	--	--	--	--	--
8/11/2006	P	Water Levels 8/10	63.54	17.50	37.50	21.28	42.26	1,800	1.3	0.55	5.0	1.4	41	1.22	6.4
11/2/2006	--		63.54	17.50	37.50	22.61	40.93	--	--	--	--	--	--	--	--
2/6/2007	NP		63.54	17.50	37.50	19.79	43.75	530	<0.50	<0.50	<0.50	<0.50	8.4	0.93	7.23
5/8/2007	--		63.54	17.50	37.50	19.62	43.92	--	--	--	--	--	--	--	--
8/14/2007	NP		63.54	17.50	37.50	22.72	40.82	1,900	1.2	<0.50	2.7	1.3	9.8	0.94	7.5
11/13/2007	--		63.54	17.50	37.50	20.92	42.62	--	--	--	--	--	--	--	--
<b>2/29/2008</b>	<b>P</b>	<b>l</b>	<b>63.54</b>	<b>17.50</b>	<b>37.50</b>	<b>17.40</b>	<b>46.14</b>	<b>64</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>1.5</b>	<b>1.23</b>	<b>7.35</b>
<b>MW-8</b>															
12/17/2000	--		53.65	29.00	49.00	27.02	26.63	--	--	--	--	--	--	--	--
12/28/2001	--		53.65	29.00	49.00	24.99	28.66	--	--	--	--	--	--	--	--
11/27/2002	--		53.65	29.00	49.00	27.45	26.20	--	--	--	--	--	--	--	--
7/22/2003	--		53.65	29.00	49.00	25.74	27.91	--	--	--	--	--	--	--	--
11/07/2003	P		53.65	29.00	49.00	28.27	25.38	<500	<5.0	<5.0	<5.0	<5.0	440	2.6	6.5
02/03/2004	P	f	53.65	29.00	49.00	24.80	28.85	170	<12	<12	<12	<12	470	3.0	6.7
05/04/2004	P	g	58.96	29.00	49.00	24.81	34.15	<1,000	<10	<10	<10	<10	700	3.8	6.4
08/12/2004	P		58.96	29.00	49.00	27.72	31.24	<2,500	<25	<25	<25	<25	400	3.4	6.5
11/10/2004	P		58.96	29.00	49.00	28.41	30.55	<500	<5.0	<5.0	<5.0	<5.0	480	3.4	6.3
02/03/2005	P		58.96	29.00	49.00	24.01	34.95	<50	<0.50	<0.50	<0.50	<0.50	45	1.43	6.4
05/09/2005	P	i	58.96	29.00	49.00	21.07	37.89	640	<5.0	<5.0	<5.0	<5.0	440	1.06	6.4
08/11/2005	P		58.96	29.00	49.00	24.32	34.64	<500	<5.0	<5.0	<5.0	<5.0	420	5.0	6.1
11/18/2005	P		58.96	29.00	49.00	27.35	31.61	<500	<5.0	<5.0	<5.0	<5.0	390	3.51	6.4
02/01/2006	P	i	58.96	29.00	49.00	22.00	36.96	520	<5.0	<5.0	<5.0	<5.0	600	0.5	6.3
5/30/2006	P		58.96	29.00	49.00	19.25	39.71	310	<5.0	<5.0	<5.0	<5.0	480	1.35	6.3
8/11/2006	P	Water Levels 8/10	58.96	29.00	49.00	22.95	36.01	320	<0.50	<0.50	<0.50	<0.50	630	0.65	6.2
11/2/2006	P		58.96	29.00	49.00	25.98	32.98	370	<2.5	<2.5	<2.5	<2.5	660	1.46	6.61
2/6/2007	P	i	58.96	29.00	49.00	26.27	32.69	66	<0.50	<0.50	<0.50	<0.50	60	0.65	6.64
5/8/2007	P	i, j (MTBE)	58.96	29.00	49.00	25.35	33.61	440	<0.50	<0.50	<0.50	<0.50	490	1.35	6.60
8/14/2007	P		58.96	29.00	49.00	27.92	31.04	250	<0.50	<0.50	<0.50	<0.50	510	2.80	6.88
11/13/2007	P		58.96	29.00	49.00	29.05	29.91	290	<2.5	<2.5	<2.5	<2.5	400	3.14	6.38

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH	
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE			
<b>MW-8 Cont.</b>																
<b>2/29/2008</b>	<b>P</b>		<b>58.96</b>	<b>29.00</b>	<b>49.00</b>	<b>24.03</b>	<b>34.93</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>300</b>	<b>1.54</b>	<b>7.21</b>
<b>RW-1</b>																
12/17/2000	--		56.32	36.00	51.00	29.57	26.75	--	--	--	--	--	--	--	--	--
12/28/2001	--		56.32	36.00	51.00	27.64	28.68	--	--	--	--	--	--	--	--	--
11/27/2002	--		56.32	36.00	51.00	29.93	26.39	--	--	--	--	--	--	--	--	--
7/22/2003	--		56.32	36.00	51.00	28.09	28.23	--	--	--	--	--	--	--	--	--
11/07/2003	P		56.32	36.00	51.00	30.64	25.68	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	3.1	7.0
02/03/2004	P		56.32	36.00	51.00	27.28	29.04	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	6.7	7.1
05/04/2004	P	g	61.65	36.00	51.00	27.16	34.49	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	4.4	6.8
08/12/2004	P		61.65	36.00	51.00	30.10	31.55	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	2.2	7.1
11/10/2004	P		61.65	36.00	51.00	30.79	30.86	<100	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	5.7	6.9
02/03/2005	P		61.65	36.00	51.00	26.61	35.04	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	1.57	7.1
05/09/2005	--		61.65	36.00	51.00	23.51	38.14	--	--	--	--	--	--	--	--	--
08/11/2005	--		61.65	36.00	51.00	26.60	35.05	--	--	--	--	--	--	--	--	--
11/18/2005	--		61.65	36.00	51.00	29.65	32.00	--	--	--	--	--	--	--	--	--
02/01/2006	P		61.65	36.00	51.00	24.65	37.00	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	1.5	7.0
5/30/2006	--		61.65	36.00	51.00	21.69	39.96	--	--	--	--	--	--	--	--	--
8/10/2006	--		61.65	36.00	51.00	25.31	36.34	--	--	--	--	--	--	--	--	--
11/2/2006	--		61.65	36.00	51.00	28.28	33.37	--	--	--	--	--	--	--	--	--
2/6/2007	NP		61.65	36.00	51.00	28.63	33.02	<50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	2.21	6.92
5/8/2007	--		61.65	36.00	51.00	27.77	33.88	--	--	--	--	--	--	--	--	--
8/14/2007	--		61.65	36.00	51.00	30.23	31.42	--	--	--	--	--	--	--	--	--
11/13/2007	--		61.65	36.00	51.00	31.41	30.24	--	--	--	--	--	--	--	--	--
<b>2/29/2008</b>	<b>NP</b>		<b>61.65</b>	<b>36.00</b>	<b>51.00</b>	<b>26.65</b>	<b>35.00</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>6.16</b>	<b>9.94</b>
<b>WGR-3</b>																
12/17/2000	--		--	--	--	19.21	--	--	--	--	--	--	--	--	--	--
12/28/2001	--	h	--	--	--	--	--	--	--	--	--	--	--	--	--	--
11/27/2002	--		--	--	--	20.60	--	--	--	--	--	--	--	--	--	--
7/22/2003	--		--	--	--	20.77	--	--	--	--	--	--	--	--	--	--

**Table 1. Summary of Ground-Water Monitoring Data: Relative Water Elevations and Laboratory Analyses**

**Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	P/NP	Comments	TOC (feet msl)	Top of Screen (ft bgs)	Bottom of Screen (ft bgs)	DTW (feet bgs)	Water Level Elevation (feet msl)	Concentrations in (µg/L)						DO (mg/L)	pH
								GRO/TPHg	Benzene	Toluene	Ethyl-Benzene	Total Xylenes	MTBE		
<b>WGR-3 Cont.</b>															
05/04/2004	P	g	63.27	--	--	19.53	43.74	<50	<0.50	<0.50	<0.50	<0.50	11	1.8	6.5
08/12/2004	P		63.27	--	--	22.20	41.07	<50	<0.50	<0.50	<0.50	<0.50	35	2.0	--
11/10/2004	P		63.27	--	--	19.98	43.29	<50	<0.50	<0.50	<0.50	<0.50	5.6	0.3	6.3
02/03/2005	P		63.27	--	--	16.91	46.36	<50	<0.50	<0.50	<0.50	<0.50	1.1	2.04	6.5
05/09/2005	--		63.27	--	--	17.29	45.98	--	--	--	--	--	--	--	--
08/11/2005	--		63.27	--	--	20.88	42.39	--	--	--	--	--	--	--	--
11/18/2005	--		63.27	--	--	22.15	41.12	--	--	--	--	--	--	--	--
02/01/2006	P		63.27	--	--	14.90	48.37	<50	<0.50	<0.50	<0.50	<0.50	2.3	2.0	6.5
5/30/2006	--		63.27	--	--	18.39	44.88	--	--	--	--	--	--	--	--
8/10/2006	--		63.27	--	--	20.63	42.64	--	--	--	--	--	--	--	--
11/2/2006	--		63.27	--	--	20.32	42.95	--	--	--	--	--	--	--	--
2/6/2007	P		63.27	--	--	18.52	44.75	<50	<0.50	<0.50	<0.50	<0.50	4.4	0.89	6.87
5/8/2007	--		63.27	--	--	18.41	44.86	--	--	--	--	--	--	--	--
8/14/2007	--		63.27	--	--	22.38	40.89	--	--	--	--	--	--	--	--
11/13/2007	--		63.27	--	--	19.95	43.32	--	--	--	--	--	--	--	--
<b>2/29/2008</b>	<b>P</b>		<b>63.27</b>	<b>--</b>	<b>--</b>	<b>15.91</b>	<b>47.36</b>	<b>&lt;50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>1.4</b>	<b>1.03</b>	<b>7.35</b>



SYMBOLS & ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available  
< = Not detected at or above laboratory reporting limit  
BTEX = Benzene, toluene, ethylbenzene and xylenes  
DO = Dissolved oxygen  
DTW = Depth to water in ft bgs  
ft bgs = Feet below ground surface  
ft MSL = Feet above mean sea level  
GRO = Gasoline range organics  
GWE = Groundwater elevation measured in ft MSL  
mg/L = Milligrams per liter  
MTBE = Methyl tert butyl ether  
NP = Not purged prior to sampling  
P = Purged prior to sampling  
TOC = Top of casing measured in ft MSL  
TPH-g = Total petroleum hydrocarbons as gasoline  
µg/L = Micrograms per liter

FOOTNOTES:

a = 1,1 DCE; this footnote is no longer applicable.  
b = 1,2 DCA; this footnote is no longer applicable.  
c = Chlorobenzene; this footnote is no longer applicable.  
d = Sample was originally analyzed within the EPA recommended hold time. Re-analysis for confirmation or dilution was performed past the recommended hold time. Results may still be used for intended purpose.  
e = The sample was diluted due to the presence of high levels of non-target analytes resulting in elevated reporting limits.  
f = Discrete peak @ C5 for GRO/TPH-g.  
g = Site was re-surveyed to NAVD' 88 on January 26, 2004.  
h = Well was dry.  
i = Hydrocarbon result for GRO partly due to individual peak(s) in quantitative range.  
j = Initial analysis within holding time but required dilution.  
k = TOC recorded incorrectly (61.86 instead of 61.89).  
l = The hydrocarbon pattern for GRO in the sample does not match that of the gasoline standard used to calculate results. The values reported for these samples are in part due to the PCE peak that falls within the GRO (C6-C12) window.

NOTES:

Beginning in the fourth quarter 2003, the laboratory modified the reported analyte list. TPH-g was changed to GRO. The resulting data may be impacted by the potential of non-TPH-g analytes within the requested fuel range resulting in a higher concentration being reported.

Beginning in the second quarter 2004, the carbon range for GRO was changed from C6-C10 to C4-C12.

Groundwater samples were analyzed by EPA method 8015B for GRO and EPA method 8260B for BTEX, fuel oxygenates, ethanol, and PCE.

Values for pH and DO levels are field measurements.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 2. Summary of Fuel Additives Analytical Data  
Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)														Footnotes
	Ethanol	TBA	MtBE	DIPE	EtBE	TAME	1,2-DCA	EDB	trans-1,2	cis-1,2	VOC	Oxygen	PCE	TCE	
<b>MW-1</b>															
12/17/2000	--	--	--	--	--	--	--	--	--	--	--	--	5.09	--	
12/28/2001	--	--	--	--	--	--	--	--	--	--	--	--	8.8	--	
11/27/2002	--	--	--	--	--	--	--	--	--	--	--	--	4.2	--	
7/22/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	6.0	--	
11/07/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	3.0	--	
02/03/2004	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
05/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	34	--	
08/12/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	4.5	--	
11/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	4.9	--	
02/03/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	e
05/09/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/11/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/01/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	38	--	e
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
8/11/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
11/2/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
2/6/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--	--	<b>39</b>	--	
<b>MW-2</b>															
11/07/2003	<1,000	<200	110	<5.0	<5.0	28	--	--	--	--	--	--	<5.0	--	
02/03/2004	<500	<100	55	<5.0	<5.0	16	<2.5	<2.5	--	--	--	--	<2.5	--	
05/04/2004	<500	<100	70	<2.5	<2.5	15	<2.5	<2.5	--	--	--	--	<2.5	--	
08/12/2004	<500	<100	49	<2.5	<2.5	14	<2.5	<2.5	--	--	--	--	<0.50	--	
11/10/2004	<200	<40	90	<1.0	<1.0	19	<1.0	<1.0	--	--	--	--	<1.0	--	
02/03/2005	<100	<20	37	<0.50	<0.50	13	<0.50	<0.50	--	--	--	--	<0.50	--	e
05/09/2005	<100	<20	56	<0.50	<0.50	17	<0.50	<0.50	--	--	--	--	<0.50	--	e
08/11/2005	<100	<20	50	<0.50	<0.50	8.5	<0.50	<0.50	--	--	--	--	<0.50	--	
11/18/2005	<100	<20	49	<0.50	<0.50	11	<0.50	<0.50	--	--	--	--	<0.50	--	f
02/01/2006	<300	<20	3.1	<0.50	<0.50	0.52	<0.50	<0.50	--	--	--	--	<0.50	--	e
5/30/2006	<300	<20	64	<0.50	<0.50	12	<0.50	<0.50	--	--	--	--	<0.50	--	

**Table 2. Summary of Fuel Additives Analytical Data  
Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)														Footnotes
	Ethanol	TBA	MtBE	DIPE	EtBE	TAME	1,2-DCA	EDB	trans-1,2	cis-1,2	VOC	Oxygen	PCE	TCE	
<b>MW-2 Cont.</b>															
8/11/2006	<300	<20	28	<0.50	<0.50	5.9	<0.50	<0.50	--	--	--	--	<0.50	--	
11/2/2006	<300	<20	40	<0.50	<0.50	7.9	<0.50	<0.50	--	--	--	--	<0.50	--	
2/6/2007	<300	<20	39	<0.50	<0.50	9.2	<0.50	<0.50	--	--	--	--	--	--	
5/8/2007	<300	<20	25	<0.50	<0.50	5.4	<0.50	<0.50	--	--	--	--	<0.50	--	
8/14/2007	<300	<20	19	<0.50	<0.50	3.4	<0.50	<0.50	--	--	--	--	<0.50	--	
11/13/2007	<300	<20	27	<0.50	<0.50	5.1	<0.50	<0.50	--	--	--	--	<0.50	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>6.1</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>1.2</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>&lt;0.50</b>	<b>--</b>	
<b>MW-3</b>															
12/17/2000	--	--	--	--	--	--	--	--	--	--	--	--	158	--	
12/28/2001	--	--	--	--	--	--	--	--	1.5	13	--	--	310	20	
11/27/2002	--	--	--	--	--	--	--	--	--	--	--	--	110	--	
7/22/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	80	--	
11/07/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	80	--	
02/03/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	--	--	--	--	110	--	
05/04/2004	<200	<40	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	--	--	--	--	110	--	
08/12/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	61	--	
11/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	99	--	
02/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	160	-- e	
05/09/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/11/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/01/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	110	-- e	
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	-- g	
8/11/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	-- g	
11/2/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	-- g	
2/6/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>0.54</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>--</b>	<b>160</b>	<b>--</b>	
<b>MW-4</b>															
12/17/2000	--	--	--	--	--	--	--	--	--	--	--	--	225	--	
12/28/2001	--	--	--	--	--	--	--	--	--	--	--	--	160	1.2	

**Table 2. Summary of Fuel Additives Analytical Data  
Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)														Footnotes
	Ethanol	TBA	MtBE	DIPE	EtBE	TAME	1,2-DCA	EDB	trans-1,2	cis-1,2	VOC	Oxygen	PCE	TCE	
<b>MW-4 Cont.</b>															
11/27/2002	--	--	--	--	--	--	--	--	--	--	--	--	95	--	
7/22/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	94	--	
11/07/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	68	--	
02/03/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	--	--	--	--	83	--	
05/04/2004	<200	<40	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	--	--	--	--	81	--	
08/12/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	59	--	
11/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	78	--	
02/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	61	-- e	
05/09/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
08/11/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
11/18/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/01/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	320	-- e	
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	-- g	
8/11/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	-- g	
11/2/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	-- g	
2/6/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--	--	<b>170</b>	--	
<b>MW-5</b>															
12/17/2000	--	--	--	--	--	--	--	--	--	--	--	--	1,040	--	
12/28/2001	--	--	--	--	--	--	--	--	36	140	1.9, 3.2, 2.0	--	3,200	190 a,b,c	
11/27/2002	--	--	--	--	--	--	--	--	--	--	--	--	110	--	
7/22/2003	<200	<40	110	1.4	<1.0	3.2	12	<1.0	--	--	--	--	55	--	
11/07/2003	<500	<100	120	<2.5	<2.5	6.6	--	--	--	--	--	--	42	--	
02/03/2004	<500	<100	71	<5.0	<5.0	<5.0	12	<2.5	--	--	--	--	130	--	
05/04/2004	<500	<100	150	<2.5	<2.5	5.9	8.8	<2.5	--	--	--	--	36	--	
08/12/2004	<500	<100	140	<2.5	<2.5	10	10	<2.5	--	--	--	--	37	--	
11/10/2004	<200	<40	150	1.1	<1.0	9.5	9.8	<1.0	--	--	--	--	50	--	
02/03/2005	<100	<20	16	<0.50	<0.50	0.54	2.7	<0.50	--	--	--	--	480	-- e	
05/09/2005	<500	<100	140	<2.5	<2.5	9.2	10	<2.5	--	--	--	--	78	-- e	
08/11/2005	<500	<100	160	<2.5	<2.5	10	9.6	<2.5	--	--	--	--	27	--	
11/18/2005	<500	<100	120	<2.5	<2.5	9.2	10	<2.5	--	--	--	--	19	-- f	

**Table 2. Summary of Fuel Additives Analytical Data  
Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)														Footnotes
	Ethanol	TBA	MtBE	DIPE	EtBE	TAME	1,2-DCA	EDB	trans-1,2	cis-1,2	VOC	Oxygen	PCE	TCE	
<b>MW-5 Cont.</b>															
02/01/2006	<750	<50	100	<1.2	<1.2	5.1	7.4	<1.2	--	--			470	--	e
5/30/2006	<1,500	<100	230	<2.5	<2.5	11	11	<2.5	--	--	--	--	48	--	
8/11/2006	<1,500	<100	170	<2.5	<2.5	14	9.2	<2.5	--	--	--	--	24	--	
11/2/2006	<600	<40	160	<1.0	<1.0	12	7.8	<1.0	--	--	--	--	9.8	--	
2/6/2007	<600	<40	120	<1.0	<1.0	13	4.6	<1.0	--	--	--	--	--	--	
5/8/2007	<600	<40	180	<1.0	<1.0	16	8.6	<1.0	--	--	--	--	9.0	--	
8/14/2007	<300	<20	150	0.73	<0.50	14	5.4	<0.50	--	--	--	--	5.6	--	
11/13/2007	<300	<20	110	0.60	<0.50	12	5.2	<0.50	--	--	--	--	1,500	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>120</b>	<b>0.59</b>	<b>&lt;0.50</b>	<b>10</b>	<b>5.0</b>	<b>&lt;0.50</b>	--	--	--	--	<b>180</b>	--	
<b>MW-6</b>															
11/07/2003	<1,000	<200	<5.0	<5.0	<5.0	<5.0	--	--	--	--			560	--	
02/03/2004	<500	<100	<2.5	<5.0	<5.0	<5.0	<2.5	<2.5	--	--			220	--	
05/04/2004	<500	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	--	--			210	--	
08/12/2004	<100	<20	0.81	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			750	--	
11/10/2004	<100	<20	0.89	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			530	--	
02/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			85	--	e
05/09/2005	--	--	--	--	--	--	--	--	--	--			--	--	
08/11/2005	<100	<20	0.77	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			610	--	
11/18/2005	--	--	--	--	--	--	--	--	--	--			--	--	
02/01/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	--	--			690	--	e
8/11/2006	<3,000	<200	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	--	--	--	--	880	--	
2/6/2007	<300	<20	0.80	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	
8/14/2007	<300	<20	0.91	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	640	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--	--	<b>120</b>	--	
<b>MW-7</b>															
11/07/2003	<500	<100	53	<2.5	<2.5	13	--	--	--	--			<2.5	--	
02/03/2004	<100	<20	32	<1.0	<1.0	7.4	<0.50	<0.50	--	--			0.74	--	
02/03/2005	<100	<20	14	<0.50	<0.50	3.9	<0.50	<0.50	--	--			1.6	--	e
05/09/2005	--	--	--	--	--	--	--	--	--	--			--	--	
08/11/2005	<200	<40	21	<1.0	<1.0	4.7	<1.0	<1.0	--	--			1.0	--	e

**Table 2. Summary of Fuel Additives Analytical Data  
Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)														Footnotes
	Ethanol	TBA	MtBE	DIPE	EtBE	TAME	1,2-DCA	EDB	trans-1,2	cis-1,2	VOC	Oxygen	PCE	TCE	
<b>MW-7 Cont.</b>															
11/18/2005	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
02/01/2006	<300	<20	1.8	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	0.71	--	e
8/11/2006	<300	<20	41	<0.50	<0.50	9.0	<0.50	<0.50	--	--	--	--	<0.50	--	
2/6/2007	<300	<20	8.4	<0.50	<0.50	2.2	<0.50	<0.50	--	--	--	--	<0.50	--	
8/14/2007	<300	<20	9.8	<0.50	<0.50	1.8	<0.50	<0.50	--	--	--	--	<0.50	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>1.5</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--	--	<b>&lt;0.50</b>	--	
<b>MW-8</b>															
11/07/2003	<1,000	<200	440	<5.0	<5.0	18	--	--	--	--	--	--	<5.0	--	
02/03/2004	<2,500	<500	470	<25	<25	<25	<12	<12	--	--	--	--	<12	--	
05/04/2004	<2,000	<400	700	<10	<10	21	<10	<10	--	--	--	--	12	--	
08/12/2004	<5,000	<1,000	400	<25	<25	<25	<25	<25	--	--	--	--	1.1	--	
11/10/2004	<1,000	<200	480	<5.0	<5.0	21	<5.0	<5.0	--	--	--	--	8.9	--	
02/03/2005	<100	<20	45	<0.50	<0.50	1.9	<0.50	<0.50	--	--	--	--	0.59	--	e
05/09/2005	<1,000	<200	440	<5.0	<5.0	21	<5.0	<5.0	--	--	--	--	<5.0	--	e
08/11/2005	<1,000	<200	420	<5.0	<5.0	24	<5.0	<5.0	--	--	--	--	<0.50	--	e
11/18/2005	<1,000	<200	390	<5.0	<5.0	23	<5.0	<5.0	--	--	--	--	4.2	--	f
02/01/2006	<3,000	<200	600	<5.0	<5.0	21	<5.0	<5.0	--	--	--	--	<0.50	--	e
5/30/2006	<3,000	<200	480	<5.0	<5.0	25	<5.0	<5.0	--	--	--	--	<5.0	--	
8/11/2006	<300	<20	630	<0.50	<0.50	37	1.2	<0.50	--	--	--	--	<0.50	--	
11/2/2006	<1,500	<100	660	<2.5	<2.5	43	<2.5	<2.5	--	--	--	--	<2.5	--	
2/6/2007	<300	<20	60	<0.50	<0.50	4.8	<0.50	<0.50	--	--	--	--	0.72	--	
5/8/2007	<300	<20	490	<0.50	<0.50	35	1.9	<0.50	--	--	--	--	9.0	--	h (MTBE)
8/14/2007	<300	<20	510	<0.50	<0.50	39	1.5	<0.50	--	--	--	--	12	--	
11/13/2007	<1,500	<100	400	<2.5	<2.5	18	<2.5	<2.5	--	--	--	--	17	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>10</b>	<b>300</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>15</b>	<b>1.1</b>	<b>&lt;0.50</b>	--	--	--	--	<b>3.5</b>	--	
<b>RW-1</b>															
11/07/2003	<100	<20	<0.50	<0.50	<0.50	<0.50	--	--	--	--	--	--	3.1	--	
02/03/2004	<100	<20	<0.50	<1.0	<1.0	<1.0	<0.50	<0.50	--	--	--	--	0.76	--	
05/04/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	1.8	--	
08/12/2004	330/<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	2.9	--	d

**Table 2. Summary of Fuel Additives Analytical Data  
Station #276, 10600 MacArthur Blvd., Oakland, CA**

Well and Sample Date	Concentrations in (µg/L)														Footnotes
	Ethanol	TBA	MtBE	DIPE	EtBE	TAME	1,2-DCA	EDB	trans-1,2	cis-1,2	VOC	Oxygen	PCE	TCE	
<b>RW-1 Cont.</b>															
11/10/2004	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			5.2	--	
02/03/2005	<100	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			1.7	--	e
05/09/2005	--	--	--	--	--	--	--	--	--	--			--	--	
08/11/2005	--	--	--	--	--	--	--	--	--	--			--	--	
11/18/2005	--	--	--	--	--	--	--	--	--	--			--	--	
02/01/2006	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			1.7	--	e
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
8/11/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
11/2/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
2/6/2007	<300	<20	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	--	--	--	--	15	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--	--	<b>1.4</b>	--	
<b>WGR-3</b>															
05/04/2004	<100	<20	11	<0.50	<0.50	2.4	<0.50	<0.50	--	--			<0.50	--	
08/12/2004	<100	<20	35	<0.50	<0.50	7.5	<0.50	<0.50	--	--			<0.50	--	
11/10/2004	<100	<20	5.6	<0.50	<0.50	1.3	<0.50	<0.50	--	--			<0.50	--	
02/03/2005	<100	<20	1.1	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			<0.50	--	e
05/09/2005	--	--	--	--	--	--	--	--	--	--			--	--	
08/11/2005	--	--	--	--	--	--	--	--	--	--			--	--	
11/18/2005	--	--	--	--	--	--	--	--	--	--			--	--	
02/01/2006	<300	<20	2.3	<0.50	<0.50	<0.50	<0.50	<0.50	--	--			<0.50	--	e
5/30/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
8/11/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
11/2/2006	--	--	--	--	--	--	--	--	--	--	--	--	--	--	g
2/6/2007	<300	<20	4.4	<0.50	<0.50	0.58	<0.50	<0.50	--	--	--	--	<0.50	--	
<b>2/29/2008</b>	<b>&lt;300</b>	<b>&lt;10</b>	<b>1.4</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	<b>&lt;0.50</b>	--	--	--	--	<b>&lt;0.50</b>	--	



SYMBOLS & ABBREVIATIONS:

-- = Not analyzed/applicable/measured/available  
< = Not detected at or above the laboratory reporting limit  
1,2-DCA = 1,2-Dichloroethane  
cis-1,2-DCE = cis-1,2-Dichloroethene  
DIPE = Di-isopropyl ether  
EDB = 1,2-Dibromoethane  
ETBE = Ethyl tert-butyl ether  
MTBE = Methyl tert-butyl ether  
PCE = Tetrachloroethene  
TAME = tert-Amyl methyl ether  
TBA = tert-Butyl alcohol  
TCE = Trichloroethene  
trans-1,2-DCE = trans 1,2-Dichloroethene  
VOC = Volatile organic compounds  
µg/L = Micrograms per Liter  
BTEX = Benzene, toluene, ethylbenzene and xylenes

FOOTNOTES:

a = VOC 1,1 DCE detected at a concentration of 1.9 ug/L.  
b = VOC 1,2 DCA detected at a concentration of 3.2 ug/L.  
c = VOC Chlorobenzene detected at a concentration of 2.0 ug/L.  
d = Ethanol was re-analyzed two days out of holding time and was not detected above a laboratory reporting limit of 100 ug/L.  
e = Calibration verification for ethanol was within method limits but outside contract limits.  
f = Sample for PCE analyzed after holding time expired.  
g = Well sampled annually.  
h = Initial analysis within holding time but required dilution.

NOTES:

PCE was analyzed using EPA Method 8260B. Samples were analyzed by EPA method 8015B for GRO and EPA method 8260B for BTEX, fuel oxygenates, ethanol, and PCE.

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**Table 3. Historical Ground-Water Flow Direction and Gradient  
Station #276, 10600 MacArthur Blvd., Oakland, CA**

<b>Date Sampled</b>	<b>Approximate Flow Direction</b>	<b>Approximate Hydraulic Gradient</b>
12/17/2000	South-Southeast	0.003
12/28/2001	Southeast	0.002
11/27/2002	South-Southeast	0.003
7/22/2003	South	0.007
11/7/2003	Southwest	0.002
2/3/2004	South-Southwest	0.002
5/4/2004	South-Southwest	0.003
8/12/2004	South	0.004
11/10/2004	Southwest	0.004
2/3/2005	Southwest	0.003
5/9/2005	South-Southwest	0.004
8/11/2005	South-Southwest	0.007
11/18/2005	Southwest	0.005
2/1/2006	Southwest	0.002
5/30/2006	South-Southwest	0.007
8/10/2006	South-Southwest	0.004
11/2/2006	South-Southwest	0.004
2/6/2007	South-Southwest	0.005
5/8/2007	South-Southwest	0.005
8/14/2007	South-Southwest	0.004
11/13/2007	South-Southwest	0.003
<b>2/29/2008</b>	<b>South-Southwest</b>	<b>0.001</b>

Note: The data within this table collected prior to April 2006 was provided to Broadbent & Associates, Inc. by Atlantic Richfield Company and their previous consultants. Broadbent & Associates, Inc. has not verified the accuracy of this information.

**APPENDIX A**

**STRATUS GROUND-WATER SAMPLING DATA PACKAGE  
(INCLUDES FIELD DATA SHEETS, LABORATORY ANALYTICAL REPORT WITH  
CHAIN-OF-CUSTODY DOCUMENTATION, AND FIELD PROCEDURES)**



3330 Cameron Park Drive, Ste 550  
Cameron Park, California 95682  
(530) 676-6004 ~ Fax: (530) 676-6005

March 18, 2008

Mr. Rob Miller  
Broadbent & Associates, Inc.  
2000 Kirman Avenue  
Reno, NV 89502

Re: Groundwater Sampling Data Package, BP Service Station No. 276, located at  
10600 MacArthur Boulevard, Oakland, California.

### **General Information**

*Data Submittal Prepared / Reviewed by:* Becky Carroll / Jay Johnson

*Phone Number:* (530) 676-6000

*On-Site Supplier Representative:* Roberto Heimlich

*Sampling Date:* February 29, 2008

*Arrival:* 6:45      *Departure:* 12:00

*Weather Conditions:* Clear

*Unusual Field Conditions:* None

*Scope of Work Performed:* Quarterly monitoring and sampling


*Variations from Work Scope:* None

This submittal presents the tabulation of data collected in association with routine groundwater monitoring. The attachments include field data sheets, non-hazardous waste data form, chain of custody documentation, certified analytical results, and field procedures for groundwater sampling documentation. The information is being provided to BP-ARCO's Scoping Supplier for use in preparing a report for regulatory submittal. This submittal is limited to presentation of collected data and does not include data interpretation or conclusions or recommendations. Any questions concerning this submittal should be addressed to the Preparer/Reviewer identified above.

Sincerely,

**STRATUS ENVIRONMENTAL, INC.**

Jay R. Johnson, P.G.  
Project Manager



**Attachments:**

- Field Data Sheets
- Non-Hazardous Waste Data Form
- Chain of Custody Documentation
- Certified Analytical Results
- Field Procedures for Groundwater Sampling

cc: Mr. Paul Supple, BP/ARCO



**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: MW-1  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-1  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 NP START (2400hr) 8:30 END (2400hr) 8:40  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 8:37  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" ~~3"~~ 4" 5" 6" 8" Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = \_\_\_\_\_ CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = \_\_\_\_\_ CALCULATED PURGE (gal) = \_\_\_\_\_  
 WATER COLUMN HEIGHT (feet) = \_\_\_\_\_ ACTUAL PURGE (gal) = NO PURGE

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>8:32</u>	<u>0</u>	<u>17.4</u>	<u>2164</u>	<u>7.63</u>	<u>clear</u>	_____
<u>✓</u>	<u>8:33</u>	<u>✓</u>	_____	_____	_____	<u>↓</u>	_____
_____	<u>8:34</u>	<u>✓</u>	_____	_____	_____	_____	_____
_____	_____	<u>NO</u>	_____	<u>PURGE</u>	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 26.21 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWO  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 12 VOAS HCL

**PURGING EQUIPMENT**  
 Bladder Pump  Bailor (Teflon)  
 Centrifugal Pump  Bailor (PVC)  
 Submersible Pump  Bailor (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: NP

**SAMPLING EQUIPMENT**  
 Bladder Pump  Bailor (Teflon)  
 Centrifugal Pump  Bailor (  PVC or  disposable)  
 Submersible Pump  Bailor (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 1.31

SIGNATURE: [Signature] Page \_\_\_\_\_ of \_\_\_\_\_



**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL ID.: MW-2  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-2  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 START (2400hr) 9:16 END (2400hr) 9:37  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 9:35  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4" 4 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 25.11 CASING VOLUME (gal) = 7.8  
 DEPTH TO WATER (feet) = 13.37 CALCULATED PURGE (gal) = 23.5  
 WATER COLUMN HEIGHT (feet) = 11.74 ACTUAL PURGE (gal) = 24

**FIELD MEASUREMENTS**

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>9:20</u>	<u>8</u>	<u>16.8</u>	<u>390.1</u>	<u>7.55</u>	<u>clear</u>	
<u>✓</u>	<u>9:23</u>	<u>17</u>	<u>17.1</u>	<u>376.0</u>	<u>7.56</u>	<u>✓</u>	
<u>✓</u>	<u>9:26</u>	<u>24</u>	<u>17.4</u>	<u>379.6</u>	<u>7.26</u>	<u>✓</u>	

SAMPLE DEPTH TO WATER: 15.07 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWO  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOLES INCL

**PURGING EQUIPMENT**

Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer (PVC)  
 Submersible Pump  Bailer (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: 25

**SAMPLING EQUIPMENT**

Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer ( \_\_\_\_\_ PVC or \_\_\_\_\_ disposable)  
 Submersible Pump  Bailer (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: NA

REMARKS: 00 1.80

SIGNATURE: [Signature] Page    of

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: MW-3  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-3  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 NP START (2400hr) 7:51 END (2400hr) 7:58  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 7:56  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2"  3" \_\_\_\_\_ 4" \_\_\_\_\_ 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = \_\_\_\_\_ CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = \_\_\_\_\_ CALCULATED PURGE (gal) = \_\_\_\_\_  
 WATER COLUMN HEIGHT (feet) = \_\_\_\_\_ ACTUAL PURGE (gal) = NO PURGE

**FIELD MEASUREMENTS**

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>7:52</u>	<u>0</u>	<u>16.2</u>	<u>930</u>	<u>7.04</u>	<u>clear</u>	_____
<u>✓</u>	_____	_____	_____	_____	_____	<u>✓</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 26.86 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWD  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / HCL

**PURGING EQUIPMENT**

**SAMPLING EQUIPMENT**

Bladder Pump \_\_\_\_\_ Bailer (Teflon) \_\_\_\_\_  
 Centrifugal Pump \_\_\_\_\_ Bailer (PVC) \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel) \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: NP

Bladder Pump \_\_\_\_\_ Bailer (Teflon) \_\_\_\_\_  
 Centrifugal Pump \_\_\_\_\_ Bailer (  PVC or  disposable) \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel) \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO. 1.13

SIGNATURE: [Signature] Page \_\_\_\_ of \_\_\_\_

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: MW-4  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-4  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 NP START (2400hr) 8:03 END (2400hr) 8:10  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 8:08  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" ✓ 3" \_\_\_\_\_ 4" \_\_\_\_\_ 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = \_\_\_\_\_ CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = \_\_\_\_\_ CALCULATED PURGE (gal) = \_\_\_\_\_  
 WATER COLUMN HEIGHT (feet) = \_\_\_\_\_ ACTUAL PURGE (gal) = NO PURGE

FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>8:04</u>	_____	<u>16.4</u>	<u>718</u>	<u>7.44</u>	<u>clear</u>	_____
<u>✓</u>	_____	_____	_____	_____	_____	<u>↓</u>	_____
_____	_____	<u>NO</u>	<u>PURGE</u>	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 26.30 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE: YES NO ANALYSES: SWO  
 ODOR: NA SAMPLE VESSEL / PRESERVATIVE: 6 VOAS HCL

PURGING EQUIPMENT

\_\_\_\_ Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_ Centrifugal Pump \_\_\_\_\_ Bailer (PVC)  
 \_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_

Other: \_\_\_\_\_  
 Pump Depth: NP

SAMPLING EQUIPMENT

\_\_\_\_ Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_ Centrifugal Pump \_\_\_\_\_ Bailer (\_\_\_\_ PVC or  disposable)  
 \_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_

Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 3.57

SIGNATURE: [Signature]

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: MW-5  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-5  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 ND START (2400hr) 10:00 END (2400hr) 10:09  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 10:07  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4" ~~\_\_\_\_\_~~ 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 46.60 CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = 25.86 CALCULATED PURGE (gal) = \_\_\_\_\_  
 WATER COLUMN HEIGHT (feet) = \_\_\_\_\_ ACTUAL PURGE (gal) = NO PURGE

**FIELD MEASUREMENTS**

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>10:02</u>	<u>0</u>	<u>16.8</u>	<u>744</u>	<u>7.21</u>	<u>clear</u>	_____
<u>✓</u>	_____	<u>✓</u>	_____	_____	_____	<u>✓</u>	_____
<u>ND</u>	_____	<u>✓</u>	<u>✓</u>	<u>✓</u>	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 25.86 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ND ANALYSES: SWD  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / IACG

**PURGING EQUIPMENT**

\_\_\_\_\_ Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_\_ Centrifugal Pump \_\_\_\_\_ Bailer (PVC)  
 \_\_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: NP

**SAMPLING EQUIPMENT**

\_\_\_\_\_ Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_\_ Centrifugal Pump  Bailer ( \_\_\_\_\_ PVC or  disposable)  
 \_\_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: 6000 LOCK#: MASTER

REMARKS: DO 1.04

SIGNATURE: [Signature]

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: MW-6  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-6  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 START (2400hr) 8:46 END (2400hr) 9:00  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 8:58  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2"  3" \_\_\_\_\_ 4" \_\_\_\_\_ 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 48.20 CASING VOLUME (gal) = 2.8  
 DEPTH TO WATER (feet) = 31.50 CALCULATED PURGE (gal) = 8.5  
 WATER COLUMN HEIGHT (feet) = 16.7 ACTUAL PURGE (gal) = 9

**FIELD MEASUREMENTS**

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>8:48</u>	<u>3</u>	<u>17.0</u>	<u>1454</u>	<u>8.06</u>	<u>clear</u>	_____
<u>✓</u>	<u>8:50</u>	<u>6</u>	<u>17.3</u>	<u>1552</u>	<u>7.79</u>	<u>✓</u>	_____
<u>✓</u>	<u>8:52</u>	<u>9</u>	<u>20.6</u>	<u>1542</u>	<u>7.77</u>	<u>✓</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 32.31 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWO  
 ODOR: NA SAMPLE VESSEL / PRESERVATIVE: 6 VOAS HCL

**PURGING EQUIPMENT**  
 Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer (PVC)  
 Submersible Pump  Bailer (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: 48

**SAMPLING EQUIPMENT**  
 Bladder Pump  Bailer (Teflon)  
 Centrifugal Pump  Bailer ( \_\_\_\_\_ PVC or \_\_\_\_\_ disposable)  
 Submersible Pump  Bailer (Stainless Steel)  
 Peristaltic Pump  Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO-4.41

SIGNATURE: [Signature] Page \_\_\_\_\_ of \_\_\_\_\_

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: MW-7  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-7  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 START (2400hr) 9:35 END (2400hr) 9:47  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 9:45  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" ✓ 3" \_\_\_\_\_ 4" \_\_\_\_\_ 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 36.63 CASING VOLUME (gal) = 3.2  
 DEPTH TO WATER (feet) = 17.40 CALCULATED PURGE (gal) = 9.8  
 WATER COLUMN HEIGHT (feet) = 19.23 ACTUAL PURGE (gal) = 10

**FIELD MEASUREMENTS**

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>9:37</u>	<u>3</u>	<u>17.1</u>	<u>459.0</u>	<u>7.56</u>	<u>clear</u>	
<u>✓</u>	<u>9:39</u>	<u>6.5</u>	<u>18.2</u>	<u>450.1</u>	<u>7.27</u>	<u>✓</u>	
<u>✓</u>	<u>9:41</u>	<u>10</u>	<u>18.4</u>	<u>448.6</u>	<u>7.35</u>	<u>✓</u>	

SAMPLE DEPTH TO WATER: 18.68 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWO  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / NCL

**PURGING EQUIPMENT**

**SAMPLING EQUIPMENT**

Bladder Pump \_\_\_\_\_ Bailer (Teflon) \_\_\_\_\_  
 Centrifugal Pump \_\_\_\_\_ Bailer (PVC) \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel) \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: 26

Bladder Pump \_\_\_\_\_ Bailer (Teflon) \_\_\_\_\_  
 Centrifugal Pump \_\_\_\_\_ Bailer (PVC or disposable) \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel) \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 1.23

SIGNATURE: [Signature]

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: MW-8  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: MW-8  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 START (2400hr) 9:44 END (2400hr) 10:09  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 10:07  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4" X 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 47.78 CASING VOLUME (gal) = 15.9  
 DEPTH TO WATER (feet) = 24.03 CALCULATED PURGE (gal) = 47.7  
 WATER COLUMN HEIGHT (feet) = 23.75 ACTUAL PURGE (gal) = 48

**FIELD MEASUREMENTS**

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>9:50</u>	<u>15</u>	<u>18.4</u>	<u>662</u>	<u>7.23</u>	<u>clear</u>	
	<u>9:55</u>	<u>30</u>	<u>19.7</u>	<u>665</u>	<u>7.22</u>	<u>J</u>	
	<u>10:00</u>	<u>48</u>	<u>20.3</u>	<u>612</u>	<u>7.21</u>	<u>J</u>	

SAMPLE DEPTH TO WATER: 26.36 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWD  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / HCL

**PURGING EQUIPMENT**

\_\_\_\_ Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_ Centrifugal Pump \_\_\_\_\_ Bailer (PVC)  
 Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: 47

**SAMPLING EQUIPMENT**

\_\_\_\_ Bladder Pump \_\_\_\_\_ Bailer (Teflon)  
 \_\_\_\_ Centrifugal Pump \_\_\_\_\_ Bailer (\_\_\_\_ PVC or \_\_\_\_ disposable)  
 \_\_\_\_ Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel)  
 \_\_\_\_ Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: 600D LOCK#: NA

REMARKS: DO 1.54

SIGNATURE: [Signature]

**BP ALAMEDA PORTFOLIO**  
**WATER SAMPLE FIELD DATA SHEET**

PROJECT #: 276 PURGED BY: RH WELL I.D.: RW-1  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: RW-1  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/29/08 NP START (2400hr) 8:15 END (2400hr) 8:22  
 DATE SAMPLED 2/29/08 SAMPLE TIME (2400hr) 8:20  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4" \_\_\_\_\_ 5" \_\_\_\_\_ 6" ~~\_\_\_\_\_~~ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = \_\_\_\_\_ CASING VOLUME (gal) = \_\_\_\_\_  
 DEPTH TO WATER (feet) = \_\_\_\_\_ CALCULATED PURGE (gal) = \_\_\_\_\_  
 WATER COLUMN HEIGHT (feet) = \_\_\_\_\_ ACTUAL PURGE (gal) = NO PURGE

**FIELD MEASUREMENTS**

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/29/08</u>	<u>8:16</u>	_____	<u>16.5</u>	<u>273.7</u>	<u>9.94</u>	<u>clear</u>	_____
<u>✓</u>	_____	_____	_____	_____	_____	<u>✓</u>	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

SAMPLE DEPTH TO WATER: 26.65 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE:  YES  NO ANALYSES: SWO  
 ODOR: NA SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / HCL

**PURGING EQUIPMENT**

**SAMPLING EQUIPMENT**

Bladder Pump \_\_\_\_\_ Bailer (Teflon) \_\_\_\_\_  
 Centrifugal Pump \_\_\_\_\_ Bailer (PVC) \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel) \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: NP

Bladder Pump \_\_\_\_\_ Bailer (Teflon) \_\_\_\_\_  
 Centrifugal Pump \_\_\_\_\_ Bailer (  PVC or  disposable) \_\_\_\_\_  
 Submersible Pump \_\_\_\_\_ Bailer (Stainless Steel) \_\_\_\_\_  
 Peristaltic Pump \_\_\_\_\_ Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: NA

REMARKS: DD 6.16

SIGNATURE: [Signature]



# BP ALAMEDA PORTFOLIO

## WATER SAMPLE FIELD DATA SHEET

PROJECT #: 276 PURGED BY: RH WELL I.D.: WGR-3  
 CLIENT NAME: \_\_\_\_\_ SAMPLED BY: RH SAMPLE I.D.: WGR-3  
 LOCATION: Oakland - 10600 MacArthur Blvd. QA SAMPLES: \_\_\_\_\_

DATE PURGED 2/6/08 START (2400hr) 9:11 END (2400hr) 9:28  
 DATE SAMPLED 2/19/08 SAMPLE TIME (2400hr) 9:26  
 SAMPLE TYPE: Groundwater  Surface Water \_\_\_\_\_ Treatment Effluent \_\_\_\_\_ Other \_\_\_\_\_

CASING DIAMETER: 2" \_\_\_\_\_ 3" \_\_\_\_\_ 4" ✓ 5" \_\_\_\_\_ 6" \_\_\_\_\_ 8" \_\_\_\_\_ Other \_\_\_\_\_  
 Casing Volume: (gallons per foot) (0.17) (0.38) (0.67) (1.02) (1.50) (2.60) ( )

DEPTH TO BOTTOM (feet) = 26.82 CASING VOLUME (gal) = 7.3  
 DEPTH TO WATER (feet) = 15.91 CALCULATED PURGE (gal) = 21.9  
 WATER COLUMN HEIGHT (feet) = 10.91 ACTUAL PURGE (gal) = 22

### FIELD MEASUREMENTS

DATE	TIME (2400hr)	VOLUME (gal)	TEMP. (degrees F)	CONDUCTIVITY (umhos/cm)	pH (units)	COLOR (visual)	TURBIDITY (NTU)
<u>2/6/08</u>	<u>9:13</u>	<u>7.5</u>	<u>17.5</u>	<u>482.2</u>	<u>7.92</u>	<u>clear</u>	
<u>✓</u>	<u>9:16</u>	<u>15</u>	<u>18.5</u>	<u>469.1</u>	<u>7.60</u>	<u>✓</u>	
<u>✓</u>	<u>9:19</u>	<u>22</u>	<u>19.6</u>	<u>468.6</u>	<u>7.25</u>	<u>✓</u>	

SAMPLE DEPTH TO WATER: 17.09 SAMPLE INFORMATION SAMPLE TURBIDITY: clear

80% RECHARGE: ✓ YES   NO ANALYSES: SWC  
 ODOR: NO SAMPLE VESSEL / PRESERVATIVE: 6 VOAS / HCL

### PURGING EQUIPMENT

### SAMPLING EQUIPMENT

Bladder Pump                       Bailer (Teflon)  
 Centrifugal Pump                 Bailer (PVC)  
 Submersible Pump                 Bailer (Stainless Steel)  
 Peristaltic Pump                    Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_  
 Pump Depth: \_\_\_\_\_

Bladder Pump                       Bailer (Teflon)  
 Centrifugal Pump                 Bailer ( \_\_\_\_\_ PVC or \_\_\_\_\_ disposable)  
 Submersible Pump                 Bailer (Stainless Steel)  
 Peristaltic Pump                    Dedicated \_\_\_\_\_  
 Other: \_\_\_\_\_

WELL INTEGRITY: GOOD LOCK#: MASTER

REMARKS: DO 1.03

SIGNATURE: [Signature]



NO. 668561

# NON-HAZARDOUS WASTE DATA FORM

SITE:

EPA I.D. NO.

NOT REQUIRED

NAME BP WEST COAST PRODUCTS LLC ARCO # 276  
ADDRESS P.O. BOX 80249  
RANCHO SANTA MARGARITA  
CITY, STATE, ZIP CA 92688

PROFILE NO.

PHONE NO. \_\_\_\_\_

CONTAINERS: No. \_\_\_\_\_ VOLUME 113 WEIGHT \_\_\_\_\_

TYPE:  TANK TRUCK  DUMP TRUCK  DRUMS  CARTONS  OTHER \_\_\_\_\_

WASTE DESCRIPTION: NON-HAZARDOUS WATER GENERATING PROCESS: WELL PURGING/DECON WATER

COMPONENTS OF WASTE		PPM	%	COMPONENTS OF WASTE		PPM	%
1.	<u>WATER</u>	<u>99-100%</u>		5.			
2.	<u>TDH</u>	<u>&lt;1%</u>		6.			
3.				7.	<u>BESI#</u>		
4.				8.			

PROPERTIES: 7-10  SOLID  LIQUID  SLUDGE  SLURRY  OTHER \_\_\_\_\_

HANDLING INSTRUCTIONS: WEAR ALL APPROPRIATE PROTECTIVE CLOTHING

THE GENERATOR CERTIFIES THAT THE WASTE AS DESCRIBED IS 100% NON-HAZARDOUS.

Larry McArthur BESI for BP  
TYPED OR PRINTED FULL NAME & SIGNATURE DATE 2/22/07

TO BE COMPLETED BY GENERATOR

TRANSPORTER

NAME Transporter #1 STRATUS ENVIRONMENTAL EPA I.D. NO. \_\_\_\_\_

ADDRESS 3330 CAMERON PARK DR SERVICE ORDER NO. \_\_\_\_\_

CITY, STATE, ZIP CAMERON PARK, CA 95582 PICK UP DATE \_\_\_\_\_

PHONE NO. 530-676-2031

TRUCK UNIT I.D. NO. \_\_\_\_\_ TYPED OR PRINTED FULL NAME & SIGNATURE ROBERTO NEIMLICH DATE 2/22/07

TSD FACILITY

NAME INSTRAAT, INC EPA I.D. NO. \_\_\_\_\_

ADDRESS 1105 AIRPORT RD #C DISPOSAL METHOD  LANDFILL  OTHER \_\_\_\_\_

CITY, STATE, ZIP RIO VISTA, CA 94571

PHONE NO. 530-753-1829

TYPED OR PRINTED FULL NAME & SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_

GEN	OLD/NEW	L	A	TONS
TRANS		S	B	
OC		RTCG	KWDF	NONE

DISCREPANCY



bp  
A BP affiliated company

### Chain of Custody Record

Project Name: BP 276  
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > CA > Alameda-276  
 State or Lead Regulatory Agency: \_\_\_\_\_  
 Requested Due Date (mm/dd/yy): \_\_\_\_\_

On-site Time: <u>6:45</u>	Temp: <u>65</u>
Off-site Time: <u>12:00</u>	Temp: <u>67</u>
Sky Conditions: <u>clear</u>	
Meteorological Events: <u>N/A</u>	
Wind Speed: <u>0</u>	Direction: <u>000</u>

Lab Name: <u>Calscience</u>	BP/AR Facility No.: <u>276</u>	Consultant/Contractor: <u>Status Environmental, Inc.</u>
Address: <u>7440 Lincoln Way Garden Grove, CA 92841</u>	BP/AR Facility Address: <u>10600 MacArthur Blvd., Oakland</u>	Address: <u>3330 Cameron Park Drive, Suite 550 Cameron Park, CA 95682</u>
Lab PM: <u>Linda Scharpenberg</u>	California Global ID #: <u>T0600108312</u>	Consultant/Contractor Project No.: <u>E276-04</u>
Tele/Fax: <u>714-893-5494 714-895-7501(fax)</u>	Enfos Project No.: <u>G0C20-0020</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Provision or RCOP (circle one) <u>Provision</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150 San Ramon, CA</u>	Phase/WBS: <u>04-Monitoring</u>	Report Type & QC Level: <u>Level 1 with EDF</u>
Tele/Fax: <u>925-275-3506</u>	Sub Phase/Task: <u>03-Analytical</u>	E-mail EDD To: <u>cjewitt@stratusinc.net</u>
	Cost Element: <u>01-Contractor labor</u>	Invoice to: <u>Atlantic Richfield Co.</u>

Item No.	Sample Description	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis						Sample Point Lat/Long and Comments		
				Soil/Solid	Water/Liquid	Air			Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	BTEX/Oxy* by 8260	EDH	1,2 DCA	Ethanol by 8260	GRO by 8015m	PCE by 8010			
1	MW-1	8:37	2/27/08	X				12			X			X	X	X	X	X	X			
2	MW-2	9:35		X				6			X			X	X	X	X	X	X			
3	MW-3	7:56		X							X			X	X	X	X	X	X			
4	MW-4	8:08		X							X			X	X	X	X	X	X			
5	MW-5	10:07		X							X			X	X	X	X	X	X			
6	MW-6	8:58		X							X			X	X	X	X	X	X			
7	MW-7	9:45		X							X			X	X	X	X	X	X			
8	MW-8	10:07		X							X			X	X	X	X	X	X			
9	RW-1	8:20		X							X			X	X	X	X	X	X			
10	WGR-3	9:26	N	X							X			X	X	X	X	X	X			

Sampler's Name: <u>Roberto HEIMLICH</u>	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time
Sampler's Company: <u>DOUGLAS ENV</u>						
Shipment Date:						
Shipment Method:						
Shipment Tracking No:						

Special Instructions: Please cc results to: rmiller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



**Calscience**  
**Environmental**  
**Laboratories, Inc.**

March 17, 2008

Jay Johnson  
Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Subject: **Calscience Work Order No.: 08-03-0143**  
Client Reference: **BP 276**

Dear Client:

Enclosed is an analytical report for the above-referenced project. The samples included in this report were received 3/4/2008 and analyzed in accordance with the attached chain-of-custody.

Unless otherwise noted, all analytical testing was accomplished in accordance with the guidelines established in our Quality Systems Manual, applicable standard operating procedures, and other related documentation. The original report of subcontracted analysis, if any, is provided herein, and follows the standard Calscience data package. The results in this analytical report are limited to the samples tested and any reproduction thereof must be made in its entirety.

If you have any questions regarding this report, please do not hesitate to contact the undersigned.

Sincerely,



Calscience Environmental  
Laboratories, Inc.  
Linda Scharpenberg  
Project Manager

**CASE NARRATIVE – 08-03-0143**

**Data Qualifiers - EPA 8260:**

Batch 080311S01:

The % recovery for ethanol was bias high and the RPD was outside acceptance criteria in the MS/MSD. The % recoveries were within acceptance criteria in the LCS/LCSD. The MS/MSD has been flagged “3,4” within the report.

“3” = LM, AY

“4” = BA, AY

BA = Relative percent difference out of control

LM = MS and/or MSD below acceptance limits. See Blank Spike (LCS).

AY = Matrix interference suspected

**Data Qualifiers - EPA 8015 – Gasoline:**

Samples 3, 4, 5, 6 & 7:

The hydrocarbon pattern in the sample does not match that of the gasoline standard used to calculate results. The values reported for these samples are in part due to the tetrachloroethene peak that falls within the GRO (C6 – C12) window. The data has been flagged “LW”.



**Analytical Report**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861

Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)

Project: BP 276

Page 1 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-03-0143-1-G	02/29/08 08:37	Aqueous	GC 29	03/06/08	03/06/08 22:19	080305B03

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	62	38-134			

MW-2	08-03-0143-2-D	02/29/08 09:35	Aqueous	GC 29	03/06/08	03/06/08 00:00	080305B03
------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	62	38-134			

MW-3	08-03-0143-3-D	02/29/08 07:56	Aqueous	GC 29	03/06/08	03/07/08 00:34	080305B03
------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Comment(s): -LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	79	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	48	38-134			

MW-4	08-03-0143-4-D	02/29/08 08:08	Aqueous	GC 29	03/06/08	03/07/08 01:08	080305B03
------	----------------	-------------------	---------	-------	----------	-------------------	-----------

Comment(s): -LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	81	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	72	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



**Analytical Report**

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/04/08  
Work Order No: 08-03-0143  
Preparation: EPA 5030B  
Method: EPA 8015B (M)

Project: BP 276

Page 2 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-5	08-03-0143-5-D	02/29/08 10:07	Aqueous	GC 29	03/06/08	03/07/08 01:42	080305B03

Comment(s): -LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	110	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	66	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-6	08-03-0143-6-D	02/29/08 08:58	Aqueous	GC 29	03/06/08	03/07/08 02:15	080305B03

Comment(s): -LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	72	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	70	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-7	08-03-0143-7-D	02/29/08 09:45	Aqueous	GC 29	03/06/08	03/07/08 02:49	080305B03

Comment(s): -LW = Quantitation of unknown hydrocarbon(s) in sample based on gasoline.

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	64	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	69	38-134			

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-8	08-03-0143-8-D	02/29/08 10:07	Aqueous	GC 29	03/06/08	03/07/08 03:23	080305B03

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	53	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861

Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)

Project: BP 276

Page 3 of 3

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW-1	08-03-0143-9-D	02/29/08 08:20	Aqueous	GC 29	03/06/08	03/07/08 03:57	080305B03

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	66	38-134			

WGR-3	08-03-0143-10-D	02/29/08 09:26	Aqueous	GC 29	03/06/08	03/07/08 04:31	080305B03
-------	-----------------	-------------------	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	64	38-134			

Method Blank	099-12-695-51	N/A	Aqueous	GC 29	03/06/08	03/06/08 20:37	080305B03
--------------	---------------	-----	---------	-------	----------	-------------------	-----------

Parameter	Result	RL	DF	Qual	Units
Gasoline Range Organics (C6-C12)	ND	50	1		ug/L
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	
1,4-Bromofluorobenzene	66	38-134			

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861

Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B  
 Units: ug/L

Project: BP 276

Page 1 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-1	08-03-0143-1-A	02/29/08 08:37	Aqueous	GC/MS Z	03/08/08	03/09/08 06:34	080308L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	39	5.0	10		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	120	73-157			Dibromofluoromethane	130	82-142		
Toluene-d8	95	82-112			1,4-Bromofluorobenzene	82	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-2	08-03-0143-2-A	02/29/08 09:35	Aqueous	GC/MS Z	03/08/08	03/09/08 07:04	080308L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	6.1	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	1.2	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	118	73-157			Dibromofluoromethane	125	82-142		
Toluene-d8	96	82-112			1,4-Bromofluorobenzene	88	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-3	08-03-0143-3-A	02/29/08 07:56	Aqueous	GC/MS Z	03/08/08	03/09/08 07:35	080308L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	0.54	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	160	10	20		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	109	73-157			Dibromofluoromethane	119	82-142		
Toluene-d8	97	82-112			1,4-Bromofluorobenzene	79	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/04/08  
Work Order No: 08-03-0143  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: BP 276

Page 2 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-4</b>	<b>08-03-0143-4-A</b>	<b>02/29/08 08:08</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/08/08</b>	<b>03/09/08 08:05</b>	<b>080308L02</b>

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	170	50	100		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	108	73-157			Dibromofluoromethane	120	82-142		
Toluene-d8	97	82-112			1,4-Bromofluorobenzene	78	75-105		


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-5</b>	<b>08-03-0143-5-A</b>	<b>02/29/08 10:07</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/08/08</b>	<b>03/09/08 08:35</b>	<b>080308L02</b>

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	120	50	100	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	5.0	0.50	1		Diisopropyl Ether (DIPE)	0.59	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	180	50	100		Tert-Amyl-Methyl Ether (TAME)	10	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	109	73-157			Dibromofluoromethane	120	82-142		
Toluene-d8	90	82-112			1,4-Bromofluorobenzene	76	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>MW-6</b>	<b>08-03-0143-6-A</b>	<b>02/29/08 08:58</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/08/08</b>	<b>03/09/08 09:06</b>	<b>080308L02</b>

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	120	50	100		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	109	73-157			Dibromofluoromethane	117	82-142		
Toluene-d8	96	82-112			1,4-Bromofluorobenzene	80	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



**Analytical Report**

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/04/08  
Work Order No: 08-03-0143  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: BP 276

Page 3 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-7	08-03-0143-7-A	02/29/08 09:45	Aqueous	GC/MS Z	03/08/08	03/09/08 09:36	080308L02

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.5	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	113	73-157			Dibromofluoromethane	120	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	87	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
MW-8	08-03-0143-8-A	02/29/08 10:07	Aqueous	GC/MS Z	03/11/08	03/11/08 19:47	080311L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	300	5.0	10	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	10	10	1	
1,2-Dichloroethane	1.1	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	3.5	0.50	1		Tert-Amyl-Methyl Ether (TAME)	15	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	96	73-157			Dibromofluoromethane	105	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	96	75-105		

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
RW-1	08-03-0143-9-C	02/29/08 08:20	Aqueous	GC/MS Z	03/11/08	03/11/08 17:46	080311L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	1.4	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	97	73-157			Dibromofluoromethane	104	82-142		
Toluene-d8	100	82-112			1,4-Bromofluorobenzene	96	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers

**Analytical Report**

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/04/08  
Work Order No: 08-03-0143  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: BP 276

Page 4 of 5

Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
WGR-3	08-03-0143-10-A	02/29/08 09:26	Aqueous	GC/MS Z	03/11/08	03/11/08 20:16	080311L01

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	1.4	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	110	73-157			Dibromofluoromethane	115	82-142		
Toluene-d8	101	82-112			1,4-Bromofluorobenzene	97	75-105		

<b>Method Blank</b>	<b>099-12-703-81</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/08/08</b>	<b>03/09/08 00:02</b>	<b>080308L02</b>
---------------------	----------------------	------------	----------------	----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	122	73-157			Dibromofluoromethane	124	82-142		
Toluene-d8	95	82-112			1,4-Bromofluorobenzene	85	75-105		

<b>Method Blank</b>	<b>099-12-703-84</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC/MS Z</b>	<b>03/11/08</b>	<b>03/11/08 17:16</b>	<b>080311L01</b>
---------------------	----------------------	------------	----------------	----------------	-----------------	-----------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
Surrogates:	REC (%)	Control Limits		Qual	Surrogates:	REC (%)	Control Limits		Qual
1,2-Dichloroethane-d4	106	73-157			Dibromofluoromethane	103	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	97	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



**Analytical Report**

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861

Date Received: 03/04/08  
Work Order No: 08-03-0143  
Preparation: EPA 5030B  
Method: EPA 8260B  
Units: ug/L

Project: BP 276

Page 5 of 5


Client Sample Number	Lab Sample Number	Date/Time Collected	Matrix	Instrument	Date Prepared	Date/Time Analyzed	QC Batch ID
<b>Method Blank</b>	<b>099-12-703-87</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC/MS BB</b>	<b>03/12/08</b>	<b>03/12/08 14:36</b>	<b>080312L01</b>

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	106	73-157			Dibromofluoromethane	104	82-142		
Toluene-d8	99	82-112			1,4-Bromofluorobenzene	91	75-105		

<b>Method Blank</b>	<b>099-12-703-89</b>	<b>N/A</b>	<b>Aqueous</b>	<b>GC/MS BB</b>	<b>03/13/08</b>	<b>03/13/08 14:18</b>	<b>080313L01</b>
---------------------	----------------------	------------	----------------	-----------------	-----------------	---------------------------	------------------

Parameter	Result	RL	DF	Qual	Parameter	Result	RL	DF	Qual
Benzene	ND	0.50	1		Methyl-t-Butyl Ether (MTBE)	ND	0.50	1	
1,2-Dibromoethane	ND	0.50	1		Tert-Butyl Alcohol (TBA)	ND	10	1	
1,2-Dichloroethane	ND	0.50	1		Diisopropyl Ether (DIPE)	ND	0.50	1	
Ethylbenzene	ND	0.50	1		Ethyl-t-Butyl Ether (ETBE)	ND	0.50	1	
Tetrachloroethene	ND	0.50	1		Tert-Amyl-Methyl Ether (TAME)	ND	0.50	1	
Toluene	ND	0.50	1		Ethanol	ND	300	1	
Xylenes (total)	ND	0.50	1						
<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>	<u>Surrogates:</u>	<u>REC (%)</u>	<u>Control Limits</u>		<u>Qual</u>
1,2-Dichloroethane-d4	108	73-157			Dibromofluoromethane	107	82-142		
Toluene-d8	98	82-112			1,4-Bromofluorobenzene	91	75-105		

RL - Reporting Limit , DF - Dilution Factor , Qual - Qualifiers



**Quality Control - Spike/Spike Duplicate**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)

Project BP 276


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
MW-1	Aqueous	GC 29	03/06/08	03/06/08	080305S03

<u>Parameter</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>%REC CL</u>	<u>RPD</u>	<u>RPD CL</u>	<u>Qualifiers</u>
Gasoline Range Organics (C6-C12)	101	93	38-134	8	0-25	

RPD - Relative Percent Difference , CL - Control Limit







Quality Control - Spike/Spike Duplicate

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B


Project BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-03-0130-2	Aqueous	GC/MS Z	03/08/08	03/09/08	080308S02

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	93	97	86-122	3	0-8	
Carbon Tetrachloride	92	92	78-138	0	0-9	
Chlorobenzene	100	101	90-120	2	0-9	
1,2-Dibromoethane	95	94	70-130	1	0-30	
1,2-Dichlorobenzene	94	97	89-119	3	0-10	
1,1-Dichloroethene	104	105	52-142	1	0-23	
Ethylbenzene	98	101	70-130	3	0-30	
Toluene	96	98	85-127	2	0-12	
Trichloroethene	91	94	78-126	3	0-10	
Vinyl Chloride	80	77	56-140	4	0-21	
Methyl-t-Butyl Ether (MTBE)	88	90	64-136	2	0-28	
Tert-Butyl Alcohol (TBA)	103	109	27-183	3	0-60	
Diisopropyl Ether (DIPE)	95	94	78-126	1	0-16	
Ethyl-t-Butyl Ether (ETBE)	90	91	67-133	2	0-21	
Tert-Amyl-Methyl Ether (TAME)	92	94	63-141	1	0-21	
Ethanol	92	93	11-167	0	0-64	

RPD - Relative Percent Difference , CL - Control Limit





**Quality Control - Spike/Spike Duplicate**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B


Project BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
RW-1	Aqueous	GC/MS Z	03/11/08	03/11/08	080311S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	95	86-122	4	0-8	
Carbon Tetrachloride	92	95	78-138	3	0-9	
Chlorobenzene	92	95	90-120	3	0-9	
1,2-Dibromoethane	86	89	70-130	3	0-30	
1,2-Dichlorobenzene	91	95	89-119	4	0-10	
1,1-Dichloroethene	88	89	52-142	1	0-23	
Ethylbenzene	92	92	70-130	1	0-30	
Toluene	92	96	85-127	4	0-12	
Trichloroethene	90	92	78-126	3	0-10	
Vinyl Chloride	99	107	56-140	8	0-21	
Methyl-t-Butyl Ether (MTBE)	93	102	64-136	10	0-28	
Tert-Butyl Alcohol (TBA)	128	145	27-183	13	0-60	
Diisopropyl Ether (DIPE)	98	109	78-126	11	0-16	
Ethyl-t-Butyl Ether (ETBE)	92	103	67-133	11	0-21	
Tert-Amyl-Methyl Ether (TAME)	88	93	63-141	6	0-21	
Ethanol	270	128	11-167	72	0-64	3,4

RPD - Relative Percent Difference , CL - Control Limit





**Quality Control - Spike/Spike Duplicate**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B

Project BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-03-0269-1	Aqueous	GC/MS BB	03/12/08	03/12/08	080312S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	92	88	86-122	5	0-8	
Carbon Tetrachloride	80	82	78-138	2	0-9	
Chlorobenzene	90	90	90-120	0	0-9	
1,2-Dibromoethane	86	87	70-130	1	0-30	
1,2-Dichlorobenzene	93	91	89-119	2	0-10	
1,1-Dichloroethene	76	84	52-142	10	0-23	
Ethylbenzene	93	90	70-130	4	0-30	
Toluene	92	86	85-127	7	0-12	
Trichloroethene	87	86	78-126	0	0-10	
Vinyl Chloride	83	85	56-140	2	0-21	
Methyl-t-Butyl Ether (MTBE)	89	92	64-136	3	0-28	
Tert-Butyl Alcohol (TBA)	97	89	27-183	9	0-60	
Diisopropyl Ether (DIPE)	96	99	78-126	3	0-16	
Ethyl-t-Butyl Ether (ETBE)	94	96	67-133	2	0-21	
Tert-Amyl-Methyl Ether (TAME)	91	92	63-141	1	0-21	
Ethanol	115	83	11-167	33	0-64	

RPD - Relative Percent Difference, CL - Control Limit



**Quality Control - Spike/Spike Duplicate**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: 03/04/08  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B


Project BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	MS/MSD Batch Number
08-03-1083-4	Aqueous	GC/MS BB	03/13/08	03/13/08	080313S01

Parameter	MS %REC	MSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	89	90	86-122	1	0-8	
Carbon Tetrachloride	92	94	78-138	2	0-9	
Chlorobenzene	91	92	90-120	1	0-9	
1,2-Dibromoethane	88	90	70-130	3	0-30	
1,2-Dichlorobenzene	89	91	89-119	2	0-10	
1,1-Dichloroethene	79	80	52-142	0	0-23	
Ethylbenzene	91	91	70-130	0	0-30	
Toluene	87	87	85-127	0	0-12	
Trichloroethene	88	89	78-126	1	0-10	
Vinyl Chloride	90	92	56-140	2	0-21	
Methyl-t-Butyl Ether (MTBE)	88	91	64-136	4	0-28	
Tert-Butyl Alcohol (TBA)	106	104	27-183	2	0-60	
Diisopropyl Ether (DIPE)	96	96	78-126	1	0-16	
Ethyl-t-Butyl Ether (ETBE)	91	92	67-133	1	0-21	
Tert-Amyl-Methyl Ether (TAME)	88	90	63-141	3	0-21	
Ethanol	101	125	11-167	21	0-64	

RPD - Relative Percent Difference , CL - Control Limit





**Quality Control - LCS/LCS Duplicate**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: N/A  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8015B (M)


Project: BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-695-51	Aqueous	GC 29	03/06/08	03/06/08	080305B03

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Gasoline Range Organics (C6-C12)	101	98	78-120	3	0-20	

RPD - Relative Percent Difference , CL - Control Limit





**Quality Control - LCS/LCS Duplicate**

Stratus Environmental, inc.  
3330 Cameron Park Drive, Suite 550  
Cameron Park, CA 95682-8861


Date Received: N/A  
Work Order No: 08-03-0143  
Preparation: EPA 5030B  
Method: EPA 8260B


Project: BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-703-81	Aqueous	GC/MS Z	03/08/08	03/08/08	080308L02

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	98	97	87-117	1	0-7	
Carbon Tetrachloride	93	95	78-132	2	0-8	
Chlorobenzene	101	99	88-118	1	0-8	
1,2-Dibromoethane	100	103	80-120	2	0-20	
1,2-Dichlorobenzene	97	99	88-118	2	0-8	
1,1-Dichloroethene	92	86	71-131	6	0-14	
Ethylbenzene	100	100	80-120	0	0-20	
Toluene	97	97	85-127	0	0-7	
Trichloroethene	96	99	85-121	4	0-11	
Vinyl Chloride	78	80	64-136	1	0-10	
Methyl-t-Butyl Ether (MTBE)	96	95	67-133	1	0-16	
Tert-Butyl Alcohol (TBA)	96	94	34-154	2	0-19	
Diisopropyl Ether (DIPE)	94	94	80-122	0	0-8	
Ethyl-t-Butyl Ether (ETBE)	93	92	73-127	0	0-11	
Tert-Amyl-Methyl Ether (TAME)	98	100	69-135	1	0-12	
Ethanol	97	89	34-124	8	0-44	

RPD - Relative Percent Difference , CL - Control Limit





Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: N/A  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B

Project: BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-703-84	Aqueous	GC/MS Z	03/11/08	03/11/08	080311L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	89	88	87-117	2	0-7	
Carbon Tetrachloride	94	90	78-132	4	0-8	
Chlorobenzene	92	90	88-118	2	0-8	
1,2-Dibromoethane	93	91	80-120	2	0-20	
1,2-Dichlorobenzene	93	90	88-118	4	0-8	
1,1-Dichloroethene	87	84	71-131	4	0-14	
Ethylbenzene	93	90	80-120	3	0-20	
Toluene	90	89	85-127	1	0-7	
Trichloroethene	93	89	85-121	4	0-11	
Vinyl Chloride	99	98	64-136	1	0-10	
Methyl-t-Butyl Ether (MTBE)	88	89	67-133	0	0-16	
Tert-Butyl Alcohol (TBA)	111	118	34-154	6	0-19	
Diisopropyl Ether (DIPE)	88	87	80-122	1	0-8	
Ethyl-t-Butyl Ether (ETBE)	87	89	73-127	1	0-11	
Tert-Amyl-Methyl Ether (TAME)	89	88	69-135	2	0-12	
Ethanol	100	86	34-124	15	0-44	

RPD - Relative Percent Difference , CL - Control Limit



**Quality Control - LCS/LCS Duplicate**

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: N/A  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B

Project: BP 276


Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-703-87	Aqueous	GC/MS BB	03/12/08	03/12/08	080312L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	88	88	87-117	1	0-7	
Carbon Tetrachloride	87	86	78-132	1	0-8	
Chlorobenzene	89	89	88-118	0	0-8	
1,2-Dibromoethane	93	91	80-120	2	0-20	
1,2-Dichlorobenzene	91	90	88-118	1	0-8	
1,1-Dichloroethene	78	79	71-131	2	0-14	
Ethylbenzene	87	88	80-120	1	0-20	
Toluene	86	87	85-127	0	0-7	
Trichloroethene	86	86	85-121	0	0-11	
Vinyl Chloride	90	88	64-136	2	0-10	
Methyl-t-Butyl Ether (MTBE)	91	88	67-133	3	0-16	
Tert-Butyl Alcohol (TBA)	88	96	34-154	9	0-19	
Diisopropyl Ether (DIPE)	92	88	80-122	4	0-8	
Ethyl-t-Butyl Ether (ETBE)	89	86	73-127	3	0-11	
Tert-Amyl-Methyl Ether (TAME)	89	86	69-135	4	0-12	
Ethanol	101	102	34-124	1	0-44	

RPD - Relative Percent Difference , CL - Control Limit







Quality Control - LCS/LCS Duplicate

Stratus Environmental, inc.  
 3330 Cameron Park Drive, Suite 550  
 Cameron Park, CA 95682-8861


Date Received: N/A  
 Work Order No: 08-03-0143  
 Preparation: EPA 5030B  
 Method: EPA 8260B

Project: BP 276

Quality Control Sample ID	Matrix	Instrument	Date Prepared	Date Analyzed	LCS/LCSD Batch Number
099-12-703-89	Aqueous	GC/MS BB	03/13/08	03/13/08	080313L01

Parameter	LCS %REC	LCSD %REC	%REC CL	RPD	RPD CL	Qualifiers
Benzene	90	91	87-117	1	0-7	
Carbon Tetrachloride	93	93	78-132	0	0-8	
Chlorobenzene	92	93	88-118	1	0-8	
1,2-Dibromoethane	90	93	80-120	3	0-20	
1,2-Dichlorobenzene	92	93	88-118	0	0-8	
1,1-Dichloroethene	82	89	71-131	9	0-14	
Ethylbenzene	92	92	80-120	0	0-20	
Toluene	89	90	85-127	2	0-7	
Trichloroethene	90	91	85-121	0	0-11	
Vinyl Chloride	91	90	64-136	0	0-10	
Methyl-t-Butyl Ether (MTBE)	89	90	67-133	0	0-16	
Tert-Butyl Alcohol (TBA)	105	101	34-154	5	0-19	
Diisopropyl Ether (DIPE)	91	91	80-122	0	0-8	
Ethyl-t-Butyl Ether (ETBE)	90	90	73-127	0	0-11	
Tert-Amyl-Methyl Ether (TAME)	88	89	69-135	1	0-12	
Ethanol	105	98	34-124	7	0-44	


RPD - Relative Percent Difference , CL - Control Limit



Work Order Number: 08-03-0143

---

<u>Qualifier</u>	<u>Definition</u>
*	See applicable analysis comment.
1	Surrogate compound recovery was out of control due to a required sample dilution, therefore, the sample data was reported without further clarification.
2	Surrogate compound recovery was out of control due to matrix interference. The associated method blank surrogate spike compound was in control and, therefore, the sample data was reported without further clarification.
3	Recovery of the Matrix Spike (MS) or Matrix Spike Duplicate (MSD) compound was out of control due to matrix interference. The associated LCS and/or LCSD was in control and, therefore, the sample data was reported without further clarification.
4	The MS/MSD RPD was out of control due to matrix interference. The LCS/LCSD RPD was in control and, therefore, the sample data was reported without further clarification.
5	The PDS/PDSD associated with this batch of samples was out of control due to a matrix interference effect. The associated batch LCS/LCSD was in control and, hence, the associated sample data was reported with no further corrective action required.
A	Result is the average of all dilutions, as defined by the method.
B	Analyte was present in the associated method blank.
C	Analyte presence was not confirmed on primary column.
E	Concentration exceeds the calibration range.
H	Sample received and/or analyzed past the recommended holding time.
J	Analyte was detected at a concentration below the reporting limit and above the laboratory method detection limit. Reported value is estimated.
N	Nontarget Analyte.
ND	Parameter not detected at the indicated reporting limit.
Q	Spike recovery and RPD control limits do not apply resulting from the parameter concentration in the sample exceeding the spike concentration by a factor of four or greater.
U	Undetected at the laboratory method detection limit.
X	% Recovery and/or RPD out-of-range.
Z	Analyte presence was not confirmed by second column or GC/MS analysis.







bp  
A BP affiliated company

### Chain of Custody Record

Project Name: BP 276  
 BP BU/AR Region/Enfos Segment: BP > Americas > West > Retail > CA > Alameda > 276  
 State or Lead Regulatory Agency: \_\_\_\_\_  
 Requested Due Date (mm/dd/yy): \_\_\_\_\_

0143

On-site Time:	<u>6:45</u>	Temp:	<u>65</u>
Off-site Time:	<u>12:00</u>	Temp:	<u>67</u>
Sky Conditions:	<u>clear</u>		
Meteorological Events:	<u>N/A</u>		
Wind Speed:	<u>0</u>	Direction:	<u>N/A</u>


Lab Name: <u>Calscience</u>	BP/AR Facility No.: <u>276</u>	Consultant/Contractor: <u>Stratus Environmental, Inc.</u>
Address: <u>7440 Lincoln Way</u> <u>Garden Grove, CA 92841</u>	BP/AR Facility Address: <u>10600 MacArthur Blvd., Oakland</u>	Address: <u>3330 Cameron Park Drive, Suite 550</u> <u>Cameron Park, CA 95682</u>
Lab PM: <u>Linda Scharpenberg</u>	California Global ID #: <u>T0600108312</u>	Consultant/Contractor Project No.: <u>E276-04</u>
Tele/Fax: <u>714-895-5494 714-895-7501(fax)</u>	Enfos Project No.: <u>GOC20-0020</u>	Consultant/Contractor PM: <u>Jay Johnson</u>
BP/AR PM Contact: <u>Paul Supple</u>	Provision or RCOP (circle one) <u>Provision</u>	Tele/Fax: <u>(530) 676-6000 / (530) 676-6005</u>
Address: <u>2010 Crow Canyon Place, Suite 150</u> <u>San Ramon, CA</u>	Phase/WBS: <u>04-Monitoring</u>	Report Type & QC Level: <u>Level 1 with EDF</u>
Tele/Fax: <u>925-275-3506</u>	Sub Phase/Task: <u>03-Analytical</u>	E-mail EDD To: <u>cjewitt@stratusinc.net</u>
	Cost Element: <u>01-Contractor labor</u>	Invoice to: <u>Atlantic Richfield Co.</u>

Lab Bottle Order No:				Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis					Sample Point Lat/Long and Comments			
Item No.	Sample Description	Time	Date	Soil/Solid	Water/Liquid	Air			Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	Methanol	GRO/BTEX/Oxy*	EDB	1,2 DCA	Ethanol by 8260	PCE by 8010				
1	TB 276 2/29/08-6:00	6:00	2/29/08		X			3			X											hold
2																						
3																						
4																						
5																						
6																						
7																						
8																						
9																						
10																						

Sampler's Name: <u>ROBERTO HEIMLICH</u>	Relinquished By / Affiliation: <u>GSO</u>	Date:	Time:	Accepted By / Affiliation: <u>Heather Morda CFC</u>	Date: <u>3/4/08</u>	Time: <u>1030</u>
Sampler's Company: <u>DOULOS ENV.</u>						
Shipment Date:						
Shipment Method:						
Shipment Tracking No:						

Special Instructions: Please cc results to: rmiller@broadbentinc.com

Custody Seals In Place: Yes / No | Temp Blank: Yes / No | Cooler Temp on Receipt: °F/C | Trip Blank: Yes / No | MS/MSD Sample Submitted: Yes / No



WORK ORDER #: 08 - 03 - 0143

Cooler 1 of 1

### SAMPLE RECEIPT FORM

CLIENT: Stratus

DATE: 03/04/08

#### TEMPERATURE - SAMPLES RECEIVED BY:

##### CALSCIENCE COURIER:

- Chilled, cooler with temperature blank provided.
- Chilled, cooler without temperature blank.
- Chilled and placed in cooler with wet ice.
- Ambient and placed in cooler with wet ice.
- Ambient temperature.
- °C Temperature blank.

##### LABORATORY (Other than Calscience Courier):

- 1.6 °C Temperature blank.
- °C IR thermometer.
- Ambient temperature.

Initial: ku

#### CUSTODY SEAL INTACT:

Sample(s): \_\_\_\_\_ Cooler: \_\_\_\_\_ No (Not Intact) : \_\_\_\_\_ Not Present:

Initial: ku

#### SAMPLE CONDITION:

	Yes	No	N/A
Chain-Of-Custody document(s) received with samples.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sampler's name indicated on COC.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container label(s) consistent with custody papers.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sample container(s) intact and good condition.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Correct containers and volume for analyses requested.....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper preservation noted on sample label(s).....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
VOA vial(s) free of headspace. ....	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tedlar bag(s) free of condensation.....	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Initial: ku

#### COMMENTS:

---

---

---

---

---

---

---

## ATTACHMENT

### FIELD PROCEDURES FOR GROUNDWATER SAMPLING

---

The sampling procedures for groundwater monitoring events are contained in this appendix.

#### **Equipment Calibration**

Standard groundwater sampling equipment – pH/Conductivity/Temperature meter, and dissolved oxygen (DO) meters are calibrated prior to all field work. All calibration is conducted in accordance with equipment manufacturer's recommended procedure and buffer solutions. MSDS for all buffer solutions are maintained in Stratus vehicles. Calibration is completed everyday prior to field work and also once a week. The pH probe is calibrated for a pH of 7.0 daily and for 4.0, 7.0 and 10.0 weekly. The conductivity probe is calibrated for 1413  $\mu\text{s}$  daily and 1413  $\mu\text{s}$  and 447  $\mu\text{s}$  weekly. The temperature probe is calibrated weekly with a NIST-traceable thermometer. The DO probe is calibrated for 100% oxygen daily and 0% and 100% oxygen weekly. All calibration logs are maintained in the Stratus office.

#### **Groundwater and Liquid-Phase Petroleum Hydrocarbon Depth Assessment**

Prior to measuring the depth to liquid in the well, the well caps are removed and the liquid level allowed to stabilize. A water/hydrocarbon interface probe is used to assess the liquid-phase petroleum hydrocarbon (LPH) thickness, if present, and a water level indicator is used to measure the groundwater depth in monitoring wells that do not contain LPH. Depth to groundwater or LPH is measured from a datum point at the top of each monitoring well casing. The datum point is typically a notch cut in the north side of the casing edge. If a water level indicator is used, the tip is subjectively analyzed for hydrocarbon sheen.

#### **Subjective Analysis of Groundwater**

Prior to purging, a water sample is collected from the monitoring well for subjective assessment. The sample is retrieved by gently lowering a clean, disposable bailer to approximately one-half the bailer length past the air/liquid interface. The bailer is then retrieved, and the sample contained within the bailer is examined for floating LPH and the appearance of a LPH sheen.

#### **Monitoring Well Sampling**

In many cases, determining whether to purge or not to purge wells prior to sample collection is made in the field and is often based on depth to water relative to the screen interval of the well. Site-specific field data sheets present details associated with the purge method and equipment used.

Monitoring wells, when purged, use a pump or bailer until pH, temperature, and conductivity of the purge water has stabilized and a minimum of three well volumes of water has been removed. Field measuring equipment is calibrated and maintained according to the manufacturer's instructions. If three well volumes cannot be removed in one half hour's time the well is allowed to recharge to 80% of original level. After recharging, a groundwater sample is then collected from each of the wells using disposable bailers.

A Teflon bailer, electric submersible or bladder pump will be the only equipment used for well sampling. When samples for volatile organic analysis are being collected, the pump flow will be regulated at approximately 100 milliliters per minute to minimize pump effluent turbulence and aeration. Glass bottles of at least 40-milliliters volume and fitted with Teflon-lined septa will be used in sampling for volatile organics. These bottles will be filled completely to prevent air accumulation in the bottle. A positive meniscus forms when the bottle is completely full. A convex Teflon septum will be placed over the positive meniscus to eliminate air. After the bottle is capped, it is inverted and tapped to verify that it contains no air bubbles. The sample containers for other parameters will be filled, filtered as required, and capped. Glass and plastic bottles used by Stratus to collect groundwater samples are supplied by the laboratory.

### **Groundwater Sample Labeling and Preservation**

Samples are collected in appropriate containers supplied by the laboratory. All required chemical preservation is added to the bottles prior to delivery to Stratus. Sample label information includes a unique sample identification number, job identification number, date, and time. After labeling, all groundwater samples are placed in a Ziploc<sup>®</sup> type bag and placed in an ice chest cooled to approximately 4° Celsius. Upon arriving at Stratus' office the samples are transferred to a locked refrigerator cooled to approximately 4° Celsius. Chemical preservation is controlled by the required analysis and is noted on the chain-of-custody form. Trip and temperature blanks supplied by the laboratory accompany the groundwater sample containers and groundwater samples.

### **Sample Identification and Chain-of-Custody Procedures**

Sample identification and chain-of-custody procedures document sample possession from the time of collection to ultimate disposal. Each sample container submitted for analysis has a label affixed to identify the job number, sampler, date and time of sample collection, and a sample number unique to that sample. This information, in addition to a description of the sample, field measurements made, sampling methodology, names of on-site personnel, and any other pertinent field observations, is recorded in the field records. The samples are analyzed by a California-certified laboratory.

A chain-of-custody form is used to record possession of the sample from time of collection to its arrival at the laboratory. When the samples are shipped, the person in custody of them relinquishes the samples by signing the chain-of-custody form and noting the time. The sample-control officer at the laboratory verifies sample integrity and confirms that the samples are collected in the proper containers, preserved correctly, and

contain adequate volumes for analysis. These conditions are noted on a Laboratory Sample Receipt Checklist that becomes part of the laboratory report upon request.

If these conditions are met, each sample is assigned a unique log number for identification throughout analysis and reporting. The log number is recorded on the chain-of-custody form and in the legally-required log book maintained by the laboratory. The sample description, date received, client's name, and other relevant information is also recorded.

### **Equipment Cleaning**

All reusable sampling equipments are cleaned using phosphate-free detergents and rinsed with de-ionized water.



**APPENDIX B**

**GEOTRACKER UPLOAD CONFIRMATION**

# Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

## UPLOADING A GEO\_WELL FILE

Processing is complete. No errors were found!  
Your file has been successfully submitted!

<b>Submittal Title:</b>	1Q08 GEO_WELL 276
<b>Facility Global ID:</b>	T0600100082
<b>Facility Name:</b>	ARCO #0276
<b>Submittal Date/Time:</b>	3/27/2008 1:19:27 PM
<b>Confirmation Number:</b>	<b>5136443197</b>

[Back to Main Menu](#)

Logged in as BROADBENT-C  
(CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).

# Electronic Submittal Information

[Main Menu](#) | [View/Add Facilities](#) | [Upload EDD](#) | [Check EDD](#)

Your EDF file has been successfully uploaded!

**Confirmation Number:** 9416835188

**Date/Time of Submittal:** 3/27/2008 3:10:42 PM

**Facility Global ID:** T0600100082

**Facility Name:** ARCO #0276

**Submittal Title:** 1Q08 GW Monitoring

**Submittal Type:** GW Monitoring Report

[Click here](#) to view the detections report for this upload.

**ARCO #0276**  
10600 MACARTHUR  
OAKLAND, CA 94605

**Regional Board - Case #: 01-0089**  
SAN FRANCISCO BAY RWQCB (REGION 2)  
**Local Agency (lead agency) - Case #: RO0000831**  
ALAMEDA COUNTY LOP - (BC)

**NOTE: THIS DATA WAS SUBMITTED AFTER THE SITE WAS CLOSED**

<b>CONF #</b>	<b>TITLE</b>	<b>QUARTER</b>
9416835188	1Q08 GW Monitoring	Q1 2008
<b>SUBMITTED BY</b>	<b>SUBMIT DATE</b>	<b>STATUS</b>
Broadbent & Associates, Inc.	3/27/2008	PENDING REVIEW

## **SAMPLE DETECTIONS REPORT**

# FIELD POINTS SAMPLED	10
# FIELD POINTS WITH DETECTIONS	10
# FIELD POINTS WITH WATER SAMPLE DETECTIONS ABOVE MCL	5
SAMPLE MATRIX TYPES	WATER

## **METHOD QA/QC REPORT**

METHODS USED	M8015,SW8260B
TESTED FOR REQUIRED ANALYTES?	Y
LAB NOTE DATA QUALIFIERS	Y

## **QA/QC FOR 8021/8260 SERIES SAMPLES**

TECHNICAL HOLDING TIME VIOLATIONS	0
METHOD HOLDING TIME VIOLATIONS	0
LAB BLANK DETECTIONS ABOVE REPORTING DETECTION LIMIT	0
LAB BLANK DETECTIONS	0
DO ALL BATCHES WITH THE 8021/8260 SERIES INCLUDE THE FOLLOWING?	
- LAB METHOD BLANK	Y
- MATRIX SPIKE	N
- MATRIX SPIKE DUPLICATE	N
- BLANK SPIKE	Y
- SURROGATE SPIKE	Y

## **WATER SAMPLES FOR 8021/8260 SERIES**

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135%	N
MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30%	Y
SURROGATE SPIKES % RECOVERY BETWEEN 85-115%	N

BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% Y

**SOIL SAMPLES FOR 8021/8260 SERIES**

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) % RECOVERY BETWEEN 65-135% n/a

MATRIX SPIKE / MATRIX SPIKE DUPLICATE(S) RPD LESS THAN 30% n/a

SURROGATE SPIKES % RECOVERY BETWEEN 70-125% n/a

BLANK SPIKE / BLANK SPIKE DUPLICATES % RECOVERY BETWEEN 70-130% n/a

**FIELD QC SAMPLES**

<u>SAMPLE</u>	<u>COLLECTED</u>	<u>DETECTIONS &gt; REPD</u>
QCTB SAMPLES	N	0
QCEB SAMPLES	N	0
QCAB SAMPLES	N	0

Logged in as BROADBENT-C (CONTRACTOR)

CONTACT SITE [ADMINISTRATOR](#).