

October 29, 2009

RECEIVED

2:00 pm, Oct 30, 2009

Alameda County
Environmental Health

GROUNDWATER MONITORING REPORT
2nd Semester, 2009

10700 MacArthur Boulevard
Oakland, California

AEI Project No. 261829
Toxics Case No. RO0002580

Prepared For

Jay-Phares Corporation
Attn: John Jay
10700 MacArthur Boulevard, Suite 200
Oakland, CA 94605

Prepared By

AEI Consultants
2500 Camino Diablo Blvd.
Walnut Creek, CA 94597
(925) 746-6000

AEI



2500 Camino Diablo, Walnut Creek, CA 94597
tel 800-801-3224
fax 925-944-2895

ENVIRONMENTAL & ENGINEERING SERVICES

www.aeiconsultants.com

October 29, 2009

Jay-Phares Corporation
Attn: John Jay
10700 MacArthur Blvd.
Oakland, CA 94605

**Subject: Semiannual Groundwater Monitoring Report
 2nd Semester, 2009**
10700 MacArthur Boulevard
Oakland, California
AEI Project No. 261829
Toxics Case No. RO0002580

Dear Mr. Jay:

AEI Consultants (AEI) has prepared this groundwater monitoring report on behalf of The Jay-Phares Corporation, the manager of the Foothill Square Shopping Center (Figure 1: Site Location Map). The documentation of groundwater quality beneath and around the site was performed to monitor the stability of the chlorinated volatile organic compound (VOC) plume beneath the property.

This report was prepared in accordance with the requirements of the Alameda County Health Care Services Agency (ACHCSA). This report summarizes the activities and results of the semi-annual monitoring activities conducted on October 2, 2009.

Site Description and Background

The subject property (hereinafter referred to as the site or property) is located at 10700 MacArthur Boulevard (Figure 1). The site is approximately 13.5 acres in size and is currently developed with the Foothill Square Shopping Center. The shopping center consists of five buildings, together totaling approximately 155,600 square feet. The area of concern is the former Youngs Cleaners, located on the north side of the property.

The site is situated in a mixed commercial and residential area of Oakland. The site is bound by MacArthur Boulevard to the west, Foothill Boulevard to the east, and 108th Avenue to the south. An ARCO gasoline station is located adjacent to the northwest and residences to the north. Refer to Figure 2 for a site plan of the western section of the Foothill Square Shopping Center property.

Extensive site assessment activities have been conducted to date including the installation of multiple monitoring wells, soil borings, and soil vapor borings, as well as source removal excavation. The most recent investigation included additional soil vapor borings which completed vapor phase contaminate delineation for the site. An approval for pilot study site mitigation activities has been obtained from the ACHCSA, however the pilot study has yet to commence. For a complete history of previous site investigation activities as well as planned pilot study details, please refer to AEI's *Supplemental Soil Vapor Investigation Report* dated June 25, 2008.

The remainder of this report documents the activities and results of the recent groundwater sampling event.

Summary of Activities

On October 2, 2009, AEI gauged the groundwater levels in twelve of the thirteen active groundwater monitoring wells at the site and groundwater samples were collected from ten of the wells (AMW-1, AMW-4, AMW-5, AMW-6, AMW-8, AMW-9, MW-6, MW-7, FHS MW-10, and WGR MW-4) in accordance with the approved sampling schedule. A car was parked over well FHS MW-11 while AEI personnel was onsite, therefore FHS MW-11 was gauged and sampled on October 5, 2009. Wells were first opened and water levels allowed to equilibrate with atmospheric pressure. The depth to water from the top of the well casings was measured prior to sampling with an electric water level indicator. The wells were then purged of at least three well volumes using a battery powered submersible pump. Field data sheets are included in Appendix A.

Temperature, pH, specific conductivity, dissolved oxygen, and oxidation-reduction potential (ORP) were measured and the turbidity was visually noted during the purging of the wells. Once the above parameters had stabilized, and the wells were allowed to recharge to a minimum of 90% of their original water volume, a water sample was collected. Groundwater samples were collected from each well using clean, disposable plastic bailers.

Groundwater samples were collected from each well to be sampled into three 40 ml volatile organic analysis (VOA) vials. The samples were capped so that neither head space nor air bubbles were visible within the sample containers. Samples were labeled with unique identifiers, stored over water ice, and placed under chain of custody. The samples were transported to McCampbell Analytical, Inc. of Pittsburg, California (Department of Health Services Certification #1644).

Field Results

Generally, the wells at the site are categorized as being screened either in a shallow water bearing zone or a deeper water bearing zone. Shallow zone wells (AMW-1, AMW-4, AMW-5, AMW-6, WGR MW2, WGR MW3, and MW-7) are screened from approximately 15 to 35 feet

below ground surface (bgs), and deeper wells (AMW-8, AMW-9, WGR MW4, MW-6, and FHS MW-10 and FHS MW-11) are generally in the 35 to 60 feet bgs range. Screen intervals, where known, are presented in Table 1.

Groundwater levels in the shallow aquifer ranged from 36.04 to 50.88 feet above mean sea level (amsl) on October 2, 2009. Groundwater was determined to flow to the west at a hydraulic gradient of 0.04 feet per foot, both consistent with previous episodes. Groundwater levels in the deeper, apparently confined/semi-confined aquifer, ranged from 23.26 to 44.80 feet above msl on October 2, 2009. Groundwater flow in the deep aquifer was toward the southwest at a hydraulic gradient of 0.04 feet per foot, consistent with previous findings.

Groundwater measurement data are summarized in Table 1. The groundwater elevation contours are shown in Figures 3 and 4. Refer to Appendix A for Groundwater Monitoring Well Field Sampling Forms.

Groundwater Quality

The highest concentrations of tetrachloroethene (PCE), trichloroethylene (TCE), and cis-1,2 dichloroethylene (cis-1,2 DCE) detected in groundwater from the shallow wells was from well AMW-6 (240 µg/L, 44 µg/L, and 55 µg/L respectively). The concentrations of VOCs in this well are significantly lower than historical concentrations, however, similar to concentrations detected during the last several groundwater monitoring events. The highest concentrations of PCE, TCE, and cis-1,2 DCE in the deeper zone were found in well MW-6 at 410 µg/L, 29 µg/L, and 22 µg/L, respectively. These concentrations are also lower than historical results but consistent with concentration ranges over the last several monitoring events.

A summary of groundwater quality data, including historical results, is presented in Table 2. Laboratory results and chain of custody documents are included in Appendix B. Refer to Figure 5 for a summary of VOC concentrations in the wells sampled during this event.

Summary

In general, chlorinated VOC concentrations beneath the site appear relatively stable and were consistent with concentrations detected during the previous sampling event. The ACHCSA, in a letter dated July 10, 2008, concurred that no further characterization is necessary to investigate shallow soil vapor beneath the site and AEI may commence with the pilot testing activities at the site. The pilot testing activities are currently scheduled to take place in conjunction with site remodeling activities, which have not yet been scheduled due to extended site planning and redevelopment issues. However, tenants in the vicinity of the proposed pilot study activities have since been relocated and the tenant spaces are currently empty. Furthermore, the units will remain empty and not be occupied until pilot study activities have been completed. Although the pilot study was due on October 16, 2009, site development delays continue, and due to the lack of occupancy, AEI would like to request an additional six months to complete the pilot study activities. Again, tenant spaces will remain vacant pending the results of the pilot study activities, and the new due date for the pilot study activities would be April 16, 2010. The ACHCSA will be notified once a pilot study schedule has been established. The monitoring well network will continue to be sampled by AEI in accordance with the approved sampling schedule, with the next sampling event scheduled during April 2010.

Report Limitations and Signatures



This report presents a summary of work completed by AEI Consultants. The completed work includes observations and descriptions of site conditions encountered. Where appropriate, it includes analytical results for samples taken during the course of the work. The number and location of samples are chosen to provide the required information, but it cannot be assumed that they are representative of areas not sampled. All conclusions and/or recommendations are based on these analyses and observations, and the governing regulations. Conclusions beyond those stated and reported herein should not be inferred from this document.

These services were performed in accordance with generally accepted practices, in the environmental engineering and construction field, which existed at the time and location of the work. If you have any questions regarding our investigation, please do not hesitate to contact either of the undersigned at (925) 746-6000.

Sincerely,
AEI Consultants



Jeremy Smith
Senior Project Manager



Peter McIntyre, PG, REA
Senior Project Geologist

Figures

- Figure 1 Site Location Map
- Figure 2 Extended Site Map
- Figure 3 Groundwater Elevation Map – Shallow Wells
- Figure 4 Groundwater Elevation Map – Deep Wells
- Figure 5 Groundwater Analytical Data

Tables

- Table 1 Groundwater Level Data
- Table 2 Groundwater Sample Analytical Data


Appendices

- Appendix A Groundwater Monitoring Well Field Sampling Forms
- Appendix B Laboratory Analyses With Chain of Custody Documentation


Distribution

Mr. Jerry Wickham, Alameda County Health Care Services Agency, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502 (electronic copy)
Jay-Phares Corporation, Attn: John Jay, 10700 MacArthur Blvd., Oakland, California 94605
Geotracker electronic upload

FIGURES





TN \star MN
15 $\frac{1}{2}$ $^{\circ}$



Printed from TOPO! ©2001 National Geographic Holdings (www.topo.com)

AEI CONSULTANTS 2500 Camino Diablo, Suite 200, Walnut Creek, CA 94597	
SITE LOCATION MAP	
10700 MACARTHUR BLVD OAKLAND, CALIFORNIA	FIGURE 1 PROJECT No. 261829



KEY

EB-1 ●	Soil Boring - Kaldveer 1988
B-1 ●	Soil Boring - Augeas 1994
HP-8 ◊	CPT Boring/HydroPunch Sample - PES 1997
MW-4 ●	Groundwater Monitoring Well
⊕	Soil Vapor Sample
⊙	Soil Boring - AEI 2006


	Excavated to depth of 5 to 7 feet bgs
	Excavated to depth of 8 to 13 feet bgs
	Excavated to depth of 14 to 18 feet bgs
	Abandoned Monitoring Well



	On Site Storm Drain
	Off Site Storm Drain
	On Site Sanitary Sewer
	Off Site Sanitary Sewer
	On Site Underground Power
	On Site Gas Line

Scale: 1" = 60'


Drafted 6/30/05 - RFF on Dirk Slooten base
Revised 05/08 by J.SMITH

AEI CONSULTANTS	
2500 CAMINO DIABLO, WALNUT CREEK, CA	
SITE PLAN	
10700 MACARTHUR BLVD. OAKLAND, CALIFORNIA	FIGURE 2 PROJECT NO. 261829





- KEY**
-  Groundwater Monitoring Well
 - MW4
 - (49.91) = Groundwater Elevation (feet)
 -  Groundwater Contour in 2 foot intervals

AEI CONSULTANTS	
2500 CAMINO DIABLO, WALNUT CREEK, CA	
Groundwater Elevation Map - Shallow Wells	
10700 MACARTHUR BLVD. OAKLAND, CALIFORNIA	FIGURE 3 PROJECT NO. 261829



KEY

-  Groundwater Monitoring Well
- MW4 (49.91) = Groundwater Elevation (feet)
-  Groundwater Contour in 2 foot intervals

AEI CONSULTANTS



2500 CAMINO DIABLO, WALNUT CREEK, CA

**Groundwater Elevation Map -
Deep Wells**

10700 MACARTHUR BLVD.
OAKLAND, CALIFORNIA

FIGURE 4
PROJECT NO. 261829

106 th AVENUE



FHS MW-10		ug/L	
PCE	ND<0.5	TCE	ND<0.5
cis-DCE	ND<0.5		

MW-5		ug/L	
PCE	ND<0.5	TCE	ND<0.5
cis-DCE	ND<0.5		

ARCO Station

MW-7		ug/L	
PCE	ND<0.5	TCE	ND<0.5
cis-DCE	ND<0.5		

MW-6		ug/L	
PCE	410	TCE	29
cis-DCE	22		

AMW-8		ug/L	
PCE	1.4	TCE	ND<0.5
cis-DCE	ND<0.5		

AMW-1		ug/L	
PCE	ND<0.5	TCE	ND<0.5
cis-DCE	ND<0.5		

AMW-6		ug/L	
PCE	240	TCE	44
cis-DCE	55		

AMW-9		ug/L	
PCE	140	TCE	ND<2.5
cis-DCE	ND<2.5		

AMW-5		ug/L	
PCE	31	TCE	1.4
cis-DCE	0.87		

AMW-4		ug/L	
PCE	4.3	TCE	0.89
cis-DCE	11		

WGR MW-4		ug/L	
PCE	ND<0.5	TCE	ND<0.5
cis-DCE	ND<0.5		

FHS MW-11		ug/L	
PCE	32	TCE	0.70
cis-DCE	ND<0.5		

KEY

Groundwater Monitoring Well
MW4

PCE = tetrachloroethene
TCE = trichloroethene
cis-DCE = cis 1,2-Dichloroethene
ug/L = micrograms per liter (ppb)
NS = not sampled

AEI CONSULTANTS

2500 CAMINO DIABLO, WALNUT CREEK, CA

Groundwater Analytical Data (10/2/09 & 10/5/09)

10700 MACARTHUR BLVD.
OAKLAND, CALIFORNIA

FIGURE 5
PROJECT NO. 261829

TABLES

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
AMW-1 (Shallow)	1/29/1999	24-34	64.51	23.01	41.50
	5/5/1999		64.51	21.25	43.26
	10/9/1999		64.51	24.14	40.37
	1/20/2000		64.51	24.66	39.85
	8/8/2000		64.51	23.30	41.21
	2/15/2001		64.51	23.22	41.29
	8/29/2001		64.51	24.38	40.13
	3/12/2002		64.51	21.29	43.22
	9/27/2002		64.51	23.62	40.89
	3/25/2003		64.51	22.45	42.06
	10/2/2003		64.51	24.31	40.20
	10/17/2006		64.51	22.91	41.60
	5/3/2007		64.51	18.61	45.90
	10/17/2007		64.51	23.97	40.54
	4/1/2008		64.51	22.02	42.49
	10/2/2008		64.51	24.21	40.30
	4/2/2009		64.51	22.49	42.02
	10/2/2009		64.51	24.38	40.13
AMW-4 (Shallow)	1/29/1999	15-25	64.79	11.51	53.28
	5/5/1999		64.79	10.14	54.65
	10/9/1999		64.79	12.04	52.75
	1/20/2000		64.79	13.50	51.29
	8/8/2000		64.79	11.74	53.05
	2/15/2001		64.79	12.32	52.47
	8/29/2001		64.79	12.40	52.39
	3/12/2002		64.79	10.13	54.66
	9/27/2002		64.79	12.14	52.65
	3/25/2003		64.79	11.03	53.76
	10/2/2003		64.79	12.33	52.46
	10/17/2006		64.79	12.76	52.03
	5/3/2007		64.79	11.11	53.68
	10/17/2007		64.79	12.64	52.15
	4/1/2008		64.79	11.49	53.30
	10/2/2008		64.79	13.34	51.45
	4/2/2009		64.79	12.21	52.58
	10/2/2009		64.79	13.91	50.88
AMW-5 (Shallow)	1/29/1999	20-30	64.97	13.87	51.10
	5/5/1999		64.97	12.83	52.14
	10/9/1999		64.97	14.25	50.72
	1/20/2000		64.97	14.91	50.06
	8/8/2000		64.97	14.14	50.83
	2/15/2001		64.97	14.32	50.65
	8/29/2001		64.97	14.72	50.25
	3/12/2002		64.97	13.12	51.85
	9/27/2002		64.97	14.62	50.35
	3/25/2003		64.97	13.45	51.52
	10/2/2003		64.97	14.74	50.23
	10/17/2006		64.97	14.15	50.82
	5/3/2007		64.97	13.92	51.05
	10/17/2007		64.97	15.06	49.91
	4/1/2008		64.97	14.14	50.83
	10/2/2008		64.97	15.72	49.25
	4/2/2009		64.97	14.62	50.35
	10/2/2009		64.97	16.18	48.79
AMW-6 (Shallow)	1/29/1999	? - 25	65.10	12.74	52.36
	5/5/1999		65.10	11.30	53.80
	10/9/1999		65.10	13.29	51.81
	1/20/2000		65.10	14.21	50.89
	8/8/2000		65.10	12.95	52.15
	2/15/2001		65.10	12.64	52.46
	8/29/2001		65.10	13.65	51.45
	3/12/2002		65.10	11.41	53.69
	9/27/2002		65.10	13.25	51.85
	3/25/2003		65.10	12.22	52.88
	10/2/2003		65.10	14.74	50.36
	10/17/2006		65.10	11.46	53.64
	5/3/2007		65.10	13.04	52.06
	10/17/2007		65.10	13.87	51.23
	4/1/2008		65.10	12.64	52.46
	10/2/2008		65.10	14.54	50.56
	4/2/2009		65.10	13.38	51.72
	10/2/2009		65.10	16.03	49.07
AMW-7 (Shallow)	1/29/1999	Unknown	64.24	14.91	49.33
	5/5/1999		Well Covered during construction		
AMW-8 (Deep)	1/29/1999	? - 45	64.55	16.86	47.69
	5/5/1999		64.55	14.46	50.09
	10/9/1999		64.55	17.10	47.45
	1/20/2000		64.55	18.51	46.04
	8/8/2000		64.55	16.71	47.84
	2/15/2001		64.55	17.31	47.24
	8/29/2001		64.55	18.30	46.25
	3/12/2002		64.55	16.03	48.52
	9/27/2002		64.55	18.03	46.52
	3/25/2003		64.55	17.31	47.24
	10/2/2003		64.55	21.54	43.01
	10/17/2006		64.55	16.05	48.5
	5/3/2007		64.55	23.01	41.54
	10/17/2007		64.55	18.34	46.21
	4/1/2008		64.55	17.49	47.06
	10/2/2008		64.55	19.10	45.45
	4/2/2009		64.55	18.18	46.37
	10/2/2009		64.55	19.75	44.80

Table 1: Continued

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)		
AMW-9 (Deep)	1/29/1999	? - 55	63.48	23.22	40.26		
	5/5/1999		63.48	21.40	42.08		
	10/9/1999		63.48	23.74	39.74		
	1/20/2000		63.48	24.92	38.56		
	8/8/2000		63.48	23.01	40.47		
	2/15/2001		63.48	21.20	42.28		
	8/29/2001		63.48	22.59	40.89		
	3/12/2002		63.48	21.94	41.54		
	9/27/2002		63.48	24.16	39.32		
	3/25/2003		63.48	23.00	40.48		
	10/2/2003		63.48	23.80	39.68		
	10/17/2006		63.48	23.07	40.41		
	5/3/2007		63.48	23.17	40.31		
	10/17/2007		63.48	24.97	38.51		
	4/1/2008		63.48	22.97	40.51		
	10/2/2008		63.48	25.65	37.83		
	4/2/2009		63.48	23.80	39.68		
	10/2/2009		63.48	25.98	37.50		
	WGR MW-2 (Shallow)		1/29/1999	23-28	63.18	23.41	39.77
			5/5/1999		63.18	21.41	41.77
10/9/1999		63.18	24.62		38.56		
1/20/2000		63.18	25.24		37.94		
8/8/2000		63.18	23.41		39.77		
8/29/2001		63.18	25.09		38.09		
3/12/2002		63.18	21.86		41.32		
9/27/2002		63.18	24.69		38.49		
3/25/2003		63.18	23.71		39.47		
10/2/2003		63.18	25.13		38.05		
10/17/2006		63.18	23.91		39.27		
5/3/2007		63.18	24.11		39.07		
10/17/2007		63.18	NA		NA		
4/1/2008		63.18	22.83		40.35		
10/2/2008		63.18	25.53		37.65		
4/2/2009		63.18	23.23		39.95		
10/2/2009	63.18	25.70	37.48				
WGR MW-3 (Shallow)	1/29/1999	22-27	58.34	15.81	42.53		
	5/5/1999		58.34	18.43	39.91		
	10/9/1999		58.34	21.38	36.96		
	1/20/2000		58.34	19.76	38.58		
	8/8/2000		58.34	20.88	37.46		
	8/29/2001		58.34	21.22	37.12		
	3/12/2002		58.34	14.80	43.54		
	9/27/2002		58.34	22.32	36.02		
	3/25/2003		58.34	18.07	40.27		
	10/2/2003		58.34	22.22	36.12		
	10/17/2006		58.34	21.85	36.49		
	5/3/2007		58.34	18.37	39.97		
	10/17/2007		58.34	NA	NA		
	4/1/2008		58.34	18.74	39.60		
	10/2/2008		58.34	23.62	34.72		
	4/2/2009		58.34	17.89	40.45		
10/2/2009	58.34	22.16	36.18				
WGR MW-4 (Deep)	1/29/1999	23-45	60.02	26.23	33.79		
	5/5/1999		60.02	23.80	36.22		
	10/9/1999		60.02	27.73	32.29		
	1/20/2000		60.02	27.97	32.05		
	8/8/2000		60.02	26.00	34.02		
	2/15/2001		60.02	26.55	33.47		
	8/29/2001		60.02	27.14	32.88		
	3/12/2002		60.02	24.90	35.12		
	9/27/2002		60.02	27.09	32.93		
	3/25/2003		60.02	25.75	34.27		
	10/2/2003		60.02	27.41	32.61		
	10/17/2006		60.02	26.31	33.71		
	5/3/2007		60.02	26.13	33.89		
	10/17/2007		60.02	28.33	31.69		
	4/1/2008		60.02	25.91	34.11		
	10/2/2008		60.02	28.85	31.17		
4/2/2009	60.02	25.77	34.25				
10/2/2009	60.02	28.81	31.21				
FHS MW-10 (Deep)	1/29/1999	42-52	52.34	23.91	28.43		
	5/5/1999		52.34	20.55	31.79		
	10/9/1999		52.34	25.00	27.34		
	1/20/2000		52.34	27.23	25.11		
	8/8/2000		52.34	24.06	28.28		
	2/15/2001		52.34	24.16	28.18		
	8/29/2001		52.34	26.11	26.23		
	3/12/2002		52.34	23.94	28.40		
	9/27/2003		52.34	25.86	26.48		
	3/25/2003		52.34	23.20	29.14		
	10/6/2003		52.34	26.39	25.95		
	10/17/2006		52.34	24.35	27.99		
	5/3/2007		52.34	23.97	28.37		
	10/17/2007		52.34	27.71	24.63		
	4/1/2008		52.34	23.79	28.55		
	10/2/2008		52.34	28.40	23.94		
4/2/2009	52.34	23.80	28.54				
10/2/2009	52.34	28.51	23.83				

Table 1: Continued

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)		
FHS MW-11 (Deep)	1/29/1999	59-64	54.06	26.38	27.68		
	5/5/1999		54.06	22.72	31.34		
	10/9/1999		54.06	27.42	26.64		
	1/20/2000		54.06	29.31	24.75		
	8/8/2000		54.06	26.11	27.95		
	2/15/2001		54.06	26.43	27.63		
	8/29/2001		54.06	28.28	25.78		
	3/12/2002		54.06	21.61	32.45		
	9/27/2002		54.06	27.93	26.13		
	3/25/2003		54.06	45.21	8.85		
	10/2/2003				Well Inaccessible		
	10/17/2006		54.06	26.54	27.52		
	5/3/2007		54.06	26.25	27.81		
	10/17/2007		54.06	29.88	24.18		
	4/1/2008		54.06	26.02	28.04		
	10/2/2008		54.06	30.61	23.45		
	4/2/2009		54.06	26.09	27.97		
	10/5/2009*		54.06	30.80	23.26		
	MW-6 (Deep)		1/29/1999	37.5-56	61.78	32.87	28.91
			5/5/1999		61.78	29.41	32.37
9/10/1999		61.78	33.98		27.80		
1/20/2000		61.78	36.02		25.76		
8/8/2000		61.78	32.73		29.05		
2/15/2001		61.78	33.34		28.44		
8/29/2001		61.78	34.98		26.80		
3/12/2002		61.78	30.72		31.06		
9/27/2002		61.78	34.50		27.28		
3/25/2003		61.78	32.08		29.70		
10/2/2003		61.78	34.86		26.92		
10/17/2006		61.78	32.58		29.20		
5/3/2007		61.78	32.54		29.24		
10/17/2007		61.78	36.20		25.58		
4/1/2008		61.78	32.39		29.39		
10/2/2008		61.78	36.86		24.92		
4/2/2009		61.78	32.67		29.11		
10/2/2009	61.78	36.98	24.80				
MW-7 (Shallow)	1/20/2000	17.5-37.5	58.64	20.32	38.32		
	8/8/2000		58.64	20.50	38.14		
	2/15/2001		58.64	16.95	41.69		
	8/29/2001		58.64	21.61	37.03		
	3/12/2002		58.64	17.03	41.61		
	9/27/2002		58.64	22.73	35.91		
	3/25/2003		58.64	19.09	39.55		
	10/2/2003		58.64	22.46	36.18		
	10/17/2006		58.64	22.19	36.45		
	5/3/2007		58.64	19.52	39.12		
	10/17/2007		58.64	21.49	37.15		
	4/1/2008		58.64	19.73	38.91		
	10/2/2008		58.64	24.64	34.00		
	4/2/2009		58.64	18.60	40.04		
10/2/2009	58.64	22.60	36.04				

Notes: All well elevations are measured from the top of casing not from the ground surface.
ft msl = feet above mean sea level
* = Car parked over well, reading taken 3 days later than other wells.

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aquifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
AMW-1 (shallow)	3/23/95	Augeus	-	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	6/21/95	Augeus	-	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/11/95	Augeus	-	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	7/17/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/23/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/29/97	PES	NS	NS	NS	NS	NS
	1/20/00	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/8/00	AEI	NS	NS	NS	NS	NS
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	1.8	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	2.2	ND<0.5	ND<RL
	5/2/07	AEI	ND<0.5	ND<0.5	ND<0.5	0.69	ND<RL
	10/17/07	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/1/08	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/2/08	AEI	ND<0.5	ND<0.5	0.60	ND<0.5	ND<RL
4/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
AMW-4 (shallow)	5/15/95	Augeus	NR	ND<50	2400	ND<50	NR
	6/21/95	Augeus	NR	ND<50	2500	ND<50	NR
	9/13/95	Augeus	NR	ND<25	1100	ND<25	NR
	4/16/96	PES	ND<10	ND<10	1200	10	NR
	7/17/96	PES	ND<10	ND<10	860	ND<10	NR
	10/23/96	PES	ND<0.5	ND<0.5	22	0.5	NR
	9/29/97	PES	ND<3	ND<3	340	3	NR
	1/29/99	AEI	ND<3	ND<3	100	ND<3	ND<3
	5/5/99	AEI	ND<5	ND<5	210	ND<5	ND<5
	9/10/99	AEI	10	ND<5	240	18	ND<5
	1/20/00	AEI	46	ND<2.5	97	6.2	ND<2.5
	8/8/00	AEI	ND<5	ND<5	440	8	ND<5
	2/15/01	AEI	ND<2.5	ND<2.5	81	2.6	ND<2.5
	8/29/01	AEI	ND<2.5	ND<2.5	230	4.6	ND<2.5
	3/12/02	AEI	ND<5.0	ND<5.0	190	ND<5.0	ND<5.0
	9/27/02	AEI	ND<5.0	ND<5.0	220	ND<5.0	10***
	3/25/03	AEI	1.2	ND<1.0	22	1.9	ND<1.0
	10/2/03	AEI	2.8	ND<0.5	50	2.8	ND<0.5
	10/17/06	AEI	9.9	ND<0.5	6.5	ND<0.5	ND<RL
	5/3/07	AEI	2.7	ND<0.5	5.1	1.2	ND<RL**
10/17/07	AEI	4.0	ND<0.5	6.2	ND<0.5	ND<RL	
4/1/08	AEI	3.3	ND<0.5	5.8	2.6	0.85**	
10/2/08	AEI	11.0	ND<1.0	34	2.9	ND<RL ³	
4/2/09	AEI	2.8	ND<0.5	8.0	0.76	ND<RL ⁴	
10/2/09	AEI	11	ND<0.5	4.3	0.89	ND<RL⁵	
AMW-5 (shallow)	5/15/95	Augeus	NR	ND<0.5	1.2	ND<0.5	NR
	6/21/95	Augeus	NR	ND<0.5	ND<0.5	ND<0.5	NR
	9/13/95	Augeus	NR	ND<0.5	ND<0.5	ND<0.5	NR
	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NR
	7/17/96	PES	ND<0.5	ND<0.5	0.6	ND<0.5	NR
	10/23/96	PES	ND<0.5	ND<0.5	0.8	ND<0.5	NR
	9/29/97	PES	ND<0.5	ND<0.5	13	ND<0.5	NR
	1/29/99	AEI	NA	NA	NA	NA	NA
	5/5/99	AEI	ND<1	ND<1	36	ND<1	ND<1
	9/10/99	AEI	ND<1	ND<1	35	ND<1	ND<1
	1/20/00	AEI	ND<1	ND<1	36	ND<1	ND<1
	8/8/00	AEI	ND<0.5	ND<0.5	50	0.72	ND<0.5
	2/15/01	AEI	ND<0.5	ND<0.5	26	0.76	ND<0.5
	8/29/01	AEI	ND<0.5	ND<0.5	28	0.87	ND<0.5
	3/12/02	AEI	ND<0.5	ND<0.5	25	0.75	ND<0.5
	9/27/02	AEI	ND<0.5	ND<0.5	17	ND<0.5	ND<0.5
	3/25/03	AEI	ND<1.0	ND<1.0	23	ND<1.0	ND<1.0
	10/2/03	AEI	ND<0.5	ND<0.5	20	0.58	ND<0.5
	10/17/06	AEI	0.68	ND<0.5	22	0.88	ND<RL
	5/3/07	AEI	0.91	ND<0.5	42	2.0	ND<RL
10/17/07	AEI	1.2	ND<0.5	42	2.0	ND<RL	
4/1/08	AEI	1.7	ND<0.5	50	2.8	ND<RL	
10/2/08	AEI	1.5	ND<1.0	46	2.3	ND<RL	
4/2/09	AEI	ND<1.7	ND<1.7	56	2.9	ND<RL	
10/2/09	AEI	0.87	ND<0.5	31	1.4	ND<RL	

Well (aquifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
AMW-6 (shallow)	9/13/95	Augeus	NR	ND<25	930	ND<25	NR
	4/16/96	PES	20	ND<10	1900	110	NR
	7/17/96	PES	ND<30	ND<30	3300	280	NR
	10/23/96	PES	ND<30	ND<30	2900	140	NR
	9/29/97	PES	220	70	4600	580	NR
	1/29/99	AEI	270	77	2400	390	ND<63
	5/5/99	AEI	370	110	2700	470	ND<71
	9/10/99	AEI	190	49	1400	250	ND<36
	1/20/00	AEI	210	ND<35	1600	270	ND<35
	8/8/00	AEI	150	56	1100	180	ND<25
	2/15/01	AEI	190	40	930	200	ND<25
	8/29/01	AEI	77	17	780	110	ND<10
	3/12/02	AEI	150	37	1300	170	ND<25
	9/27/02	AEI	67	ND<17	490	91	ND<17
	3/25/2003	AEI	94	ND<33	740	110	ND<33
	10/2/2003	AEI	66	13	440	60	ND<10
	10/17/2006	AEI	32	4.9	98	14	ND<RL
	5/3/2007	AEI	32	ND<5.0	120	22	ND<RL
	10/17/2007	AEI	48	8.4	140	27	ND<RL ²
	4/1/2008	AEI	39	6.2	140	24	ND<RL
10/2/2008	AEI	43	7.1	130	26	ND<RL	
4/2/2009	AEI	50	8.1	250	37	ND<RL	
10/2/2009	AEI	55	11	240	44	ND<RL⁶	
AMW-7 (shallow)	9/13/95	Augeus	NR	ND<25	2350	340	NR
	4/16/96	PES	2200	60	2300	500	NR
	7/17/96	PES	2100	ND<30	2400	530	NR
	10/23/96	PES	3100	50	3400	610	NR
	9/29/97	PES	33	20	520	100	NR
	1/29/99	AEI	22	ND<3	95	12	ND<3
	5/5/99	AEI			Well Covered During Construction		
AMW-8 (deep)	9/13/95	Augeus	-	ND<25	95	ND<25	ND<25
	4/16/96	PES	ND<0.5	ND<0.5	0.8	ND<0.5	ND<0.5
	7/17/96	PES	ND<0.5	ND<0.5	1.6	ND<0.5	ND<0.5
	10/23/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/29/97	PES	ND<0.5	ND<0.5	0.7	ND<0.5	ND<0.5
	1/20/00	AEI	ND<0.5	ND<0.5	0.73	ND<0.5	ND<0.5
	8/8/00	AEI	NS	NS	NS	NS	NS
	2/15/01	AEI	ND<0.5	ND<0.5	1.7	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	7.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	ND<0.5	ND<0.5	1.6	ND<0.5	ND<RL
	4/1/08	AEI	NS	NS	NS	NS	NS
10/2/08	AEI	ND<0.5	ND<0.5	1.3	ND<0.5	ND<RL	
4/2/09	AEI	NS	NS	NS	NS	NS	
10/2/09	AEI	ND<0.5	ND<0.5	1.4	ND<0.5	ND<RL	
AMW-9 (deep)	9/13/95	Augeus	NR	ND<25	170	ND<25	NR
	4/16/96	PES	7	ND<3	170	4	NR
	7/17/96	PES	ND<3	ND<3	190	4	NR
	10/23/96	PES	ND<3	ND<3	190	ND<3	NR
	9/29/97	PES	ND<3	ND<3	110	ND<3	NR
	1/29/99	AEI	ND<4	ND<4	90	ND<4	ND<4
	5/5/99	AEI	ND<2.5	ND<2.5	94	ND<2.5	ND<2.5
	9/10/99	AEI	ND<2.1	ND<2.1	99	ND<2.1	ND<2.1
	1/20/00	AEI	ND<0.5	ND<0.5	100	ND<0.5	ND<0.5
	8/8/00	AEI	ND<2.5	ND<2.5	130	ND<2.5	ND<2.5
	2/15/01	AEI	ND<1.0	ND<1.0	69	ND<1.0	ND<1.0
	8/29/01	AEI	ND<2.5	ND<2.5	98	ND<2.5	ND<2.5
	3/12/02	AEI	ND<2.5	ND<2.5	100	ND<2.5	ND<2.5
	9/27/02	AEI	ND<5.0	ND<5.0	80	ND<5.0	ND<5.0
	3/25/03	AEI	4.1	ND<2.5	48	ND<2.5	ND<2.5
	10/2/03	AEI	4.8	<0.5	36	1.1	ND<0.5
	10/17/06	AEI	ND<1.7	ND<1.7	73	ND<1.7	ND<RL
	5/3/07	AEI	ND<2.5	ND<2.5	86	ND<2.5	ND<RL
	10/17/07	AEI	ND<2.5	ND<2.5	130	ND<2.5	ND<RL
	4/1/08	AEI	ND<2.5	ND<2.5	130	ND<2.5	ND<RL
10/2/08	AEI	ND<2.5	ND<2.5	110	ND<2.5	ND<RL	
4/2/09	AEI	ND<2.5	ND<2.5	180	ND<2.5	ND<RL	
10/2/09	AEI	ND<2.5	ND<2.5	140	ND<2.5	ND<RL	

Well (aquifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L	
FHS MW-10 (deep)	10/9/97	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NR	
	1/29/99	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	
	5/5/99	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	
	9/10/99	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	
	1/20/00	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	
	8/8/00	AEI	NS	NS	NS	NS	NS	
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	
	8/29/01	AEI	NS	NS	NS	NS	NS	
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5	
	9/27/02	AEI	NS	NS	NS	NS	NS	
	3/25/03	AEI	1.7	ND<1.0	18	2.5	5.0**	
	10/6/03	AEI	ND<0.5	ND<0.5	1.4	ND<0.5	1.0**	
	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
	5/3/2007 ¹	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
	10/17/07	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
	4/1/08	AEI	ND<0.5	ND<0.5	0.88	ND<0.5	ND<RL	
	10/2/08	AEI	ND<0.5	ND<0.5	3.4	ND<0.5	1.4**	
	4/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
	10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
	FHS MW-11 (deep)	9/29/97	PES	ND<0.5	ND<0.5	4	ND<0.5	NR
1/29/99		AEI	ND<0.5	ND<0.5	7	ND<0.5	ND<0.5	
5/5/99		AEI	ND<0.5	ND<0.5	7.1	ND<0.5	ND<0.5	
9/10/99		AEI	ND<0.5	ND<0.5	7.5	ND<0.5	ND<0.5	
1/20/00		AEI	ND<0.5	ND<0.5	7.5	ND<0.5	ND<0.5	
8/8/00		AEI	ND<0.5	ND<0.5	38	ND<0.5	ND<0.5	
2/15/01		AEI	ND<0.5	ND<0.5	18	ND<0.5	ND<0.5	
8/29/01		AEI	ND<0.5	ND<0.5	16	ND<0.5	ND<0.5	
3/12/02		AEI	ND<0.5	ND<0.5	13	ND<0.5	0.77**	
9/27/02		AEI	ND<1	ND<1	13	ND<1	6.4** 1.1***	
3/25/03		AEI	0.78	ND<0.5	12	0.88	4.0** 1.0****	
10/2/03				Well Inaccessible				
10/17/06		AEI	ND<0.5	ND<0.5	20	ND<0.5	ND<RL	
5/3/2007 ¹		AEI	ND<0.5	ND<0.5	25	1.1	ND<RL	
10/17/07		AEI	ND<0.5	ND<0.5	31	0.71	ND<RL	
4/1/08		AEI	ND<0.5	ND<0.5	26	0.61	ND<RL	
10/2/08		AEI	ND<0.5	ND<0.5	31	0.74	ND<RL	
4/2/09		AEI	ND<0.5	ND<0.5	32	0.71	ND<RL	
10/5/09		AEI	ND<0.5	ND<0.5	32	0.70	ND<RL	
MW-6 (deep)		3/11/95	EMCON	ND<20	ND<0.5	1300	ND<20	NR
	6/5/95	EMCON	ND<20	ND<20	2000	ND<20	NR	
	8/29/95	EMCON	ND<20	ND<20	1300	ND<20	NR	
	9/11/95	Augelus	NR	ND<50	2000	ND<50	NR	
	11/16/95	EMCON	ND<20	ND<20	1300	ND<20	NR	
	2/28/96	EMCON	ND<20	ND<20	960	ND<20	NR	
	4/16/96	PES	10	10	1400	10	NR	
	5/28/96	EMCON	ND<20	ND<20	970	ND<20	NR	
	7/17/96	PES	ND<5	ND<5	590	ND<5	NR	
	8/19/96	EMCON	ND<20	ND<20	820	ND<20	NR	
	10/23/96	PES	ND<5	ND<5	680	ND<5	NR	
	11/21/96	EMCON	ND<20	ND<20	680	ND<20	NR	
	3/26/97	EMCON	ND<40	ND<40	830	ND<40	NR	
	5/20/97	EMCON	ND<5	ND<5	270	ND<5	NR	
	9/29/97	PES	ND<10	ND<10	670	ND<10	NR	
	1/29/99	AEI	1.4	ND<1.3	49	3	ND<1.3	
	5/5/99	AEI	19	ND<11	530	38	ND<11	
	9/10/99	AEI	27	ND<12	560	53	ND<12	
	1/20/00	AEI	18	ND<8.5	660	31	ND<8.5	
	8/8/00	AEI	98	16	1700	170	ND<5	
	2/15/01	AEI	64	ND<10	650	87	ND<10	
	8/29/01	AEI	19	ND<5.0	550	38	ND<5.0	
	3/12/02	AEI	61	ND<20	1200	99	ND<20	
	9/27/02	AEI	ND<12	ND<12	300	27	ND<12	
	3/25/03	AEI	2.6	ND<2.5	49	3.8	ND<2.5	
	10/2/03	AEI	13	ND<5.0	340	21	ND<5.0	
10/17/06	AEI	16	ND<5.0	320	18	ND<RL		
5/3/07	AEI	0.92	ND<0.5	39	2.1	ND<RL		
10/17/07	AEI	10	ND<5.0	310	18	ND<RL		
4/1/08	AEI	6.8	ND<1.7	76	9.2	ND<RL		
10/2/08	AEI	21	ND<12	380	33	ND<RL		
4/2/09	AEI	17	ND<10	420	28	ND<RL		
10/2/09	AEI	22	ND<10	410	29	ND<RL		

Well (aquifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
MW-7 (shallow)	3/11/95	EMCON	NS	NS	NS	NS	NS
	6/5/95	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	8/29/95	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	9/11/95	Augeus	85	ND<50	-	ND<50	ND<50
	11/16/95	EMCON	ND<20	ND<20	ND<20	ND<20	ND<20
	2/28/96	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	5/28/96	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	7/17/96	PES	0.6	ND<0.5	ND<0.5	0.6	ND<0.5
	8/19/96	EMCON	ND<1	ND<1	ND<1	ND<1	ND<1
	10/23/96	PES	0.6	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	11/21/96	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	3/26/97	EMCON	ND<20	ND<20	ND<20	ND<20	ND<20
	5/20/97	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	9/29/97	PES	ND<10	ND<10	ND<10	ND<10	ND<10
	1/20/00	AEI	ND<6.5	ND<6.5	ND<6.5	ND<6.5	ND<6.5
	8/8/00	AEI	NS	NS	NS	NS	NS
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL*****
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	ND<10	ND<10	ND<10	ND<10	ND<RL
	4/1/08	AEI	NS	NS	NS	NS	NS
10/2/08	AEI	ND<1.0	ND<1.0	2.2	ND<1.0	ND<RL	
4/2/09	AEI	NS	NS	NS	NS	NS	
10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	
WGR MW-2 (Shallow)	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	NS	NS	NS	NS	NS
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	NS	NS	NS	NS	NS
	4/2/09	AEI	NS	NS	NS	NS	NS
	10/2/09	AEI	NS	NS	NS	NS	NS
WGR MW-3 (Shallow)	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	NS	NS	NS	NS	NS
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	NS	NS	NS	NS	NS
	4/2/09	AEI	NS	NS	NS	NS	NS
	10/2/09	AEI	NS	NS	NS	NS	NS
WGR MW-4 (deep)	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	7/17/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/23/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/29/97	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	0.62	ND<0.5	ND<RL
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	ND<0.5	ND<0.5	0.55	ND<0.5	ND<RL
4/2/09	AEI	NS	NS	NS	NS	NS	
10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL	

Table 2 Notes:

Please refer to the Laboratory Analytical Data for further detailed lab information including Reporting Limits and Dilution Factors

*VHCs = All other chemicals by EPA method 601/8010 or 8260

** Chloroform (trichloromethane)

*** Dibromochloromethane

**** Methylene Chloride

***** bromodichloromethane

cis 1,2-Dichloroethene (cis 1,2 DCE)

trans 1,2-Dichloroethene (trans 1,2 DCE)

¹ = Reported by laboratroy without letters FHS as prefix

² = Vinyl Chloride detected at a concentration of 1.9 ug/L

³ = Vinyl Chloride detected at a concentration of 2.0 ug/L

⁴ = Vinyl Chloride detected at a concentration of 0.66 ug/L

⁵ = Vinyl Chloride detected at a concentration of 4.0 ug/L

⁶ = Vinyl Chloride detected at a concentration of 11 ug/L

* Available data from AMW-7 is presented although this well was covered during 1999 construction activities

RL = Reporting Limit

NS = Well not sampled

NR = Not Reported

µg/L = micrograms per liter (parts per billion)

Tetrachloroethene (PCE)

Trichloroethene (TCE)

APPENDIX A

**GROUNDWATER MONITORING WELL
FIELD SAMPLING FORMS**

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-1

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	64.51		
Depth of Well	45.00		
Depth to Water (from top of casing)	24.38		
Water Elevation (feet above msl)	40.13		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	9.9		
Actual Volume Purged (gallons)	10.0		
Appearance of Purge Water	Mostly clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3-VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
9:22	1	18.43	6.40	1394	2.36	24.4	Clear
	2	18.62	6.43	1367	1.44	24.9	Clear
	3	18.62	6.42	1381	1.72	50.3	Clear
	4	18.75	6.40	1496	1.00	33.6	Clear
	5	18.79	6.43	1380	0.71	11.1	Clear
	6	18.81	6.44	1384	0.63	7.7	Clear
	7	18.83	6.45	1390	0.58	5.6	Clear
9:48	8	18.98	6.59	1456	6.30	-8.0	Light Brown
	9	18.84	6.55	1440	5.14	6.8	Clear
	10	18.85	6.54	1388	3.80	8.2	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well Dry right before 7 gallons, recharged at 9:48
--

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-4

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	64.79		
Depth of Well	25.00		
Depth to Water (from top of casing)	13.91		
Water Elevation (feet above msl)	50.88		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	5.3		
Actual Volume Purged (gallons)	6.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
11:55	1	20.01	6.78	1305	2.15	-62.5	Clear
	2	19.74	6.66	1312	0.99	-61.5	Clear
	3	19.73	6.54	1307	0.85	-56.0	Clear
	4	19.74	6.49	1303	0.72	-54.1	Clear
	5	19.72	6.47	1301	0.64	-54.3	Clear
12:02	6	19.72	6.46	1302	0.57	-54.5	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-5

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	64.97		
Depth of Well	30.00		
Depth to Water (from top of casing)	16.18		
Water Elevation (feet above msl)	48.79		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	6.6		
Actual Volume Purged (gallons)	7.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
12:10	1	19.34	6.54	1403	1.40	-19.6	Clear
	2	19.45	6.46	1405	1.24	-19.5	Clear
	3	19.61	6.43	1408	1.35	-18.2	Clear
	4	19.55	6.43	1407	0.97	-21.6	Clear
	5	19.56	6.43	1410	0.88	-23.8	Clear
	6	19.54	6.44	1409	0.66	-28.1	Clear
12:18	7	19.53	6.44	1413	0.62	-29.5	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-6

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	65.10		
Depth of Well	25.00		
Depth to Water (from top of casing)	16.03		
Water Elevation (feet above msl)	49.07		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	4.3		
Actual Volume Purged (gallons)	5.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
13:00	1	18.78	6.74	1414	1.13	-32.7	Clear
	2	18.76	6.62	1423	0.86	-30.3	Clear
	3	18.77	6.57	1429	0.71	-29.4	Clear
	4	18.72	6.49	1429	0.73	-22.9	Clear
13:06	5	18.78	6.46	1430	0.79	-26.6	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-8

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	64.55		
Depth of Well	45.00		
Depth to Water (from top of casing)	19.75		
Water Elevation (feet above msl)	44.80		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	12.1		
Actual Volume Purged (gallons)	12.0		
Appearance of Purge Water	Mostly light brown		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size							
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
10:01	1	18.62	7.09	312	2.80	-24.9	Cloudy
	2	18.63	7.05	312	1.56	-29.8	Light Brown
	3	18.64	7.06	312	0.93	-35.5	Light Brown
	4	18.65	7.06	312	0.75	-38.3	Light Brown
	5	18.67	7.06	312	0.60	-42.1	Light Brown
	6	18.72	7.06	313	0.50	-47.0	Clear
	7	18.78	7.08	313	0.45	-51.3	Clear
	8	18.76	7.11	313	0.39	-54.4	Light Brown
	9	18.75	7.13	313	0.36	-55.9	Light Brown
	10	18.75	7.14	314	0.29	-57.8	Light Brown
	12	18.77	7.13	317	0.28	-59.2	Light Brown

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

--

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-9

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	63.48		
Depth of Well	54.30		
Depth to Water (from top of casing)	25.98		
Water Elevation (feet above msl)	37.50		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	13.6		
Actual Volume Purged (gallons)	14.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
12:26	1	20.74	6.49	1852	1.93	7.1	Clear
	2	20.80	6.52	1861	1.75	-7.3	Clear
	3	20.77	6.69	1855	2.59	-21.8	Clear
	4	20.72	6.65	1853	2.72	-20.5	Clear
	5	20.77	6.59	1850	2.87	-17.1	Clear
	6	20.84	6.59	1808	2.82	-14.7	Clear
	8	20.84	6.47	1788	1.97	-13.8	Clear
12:52	10	20.77	6.45	1858	3.17	-20.5	Clear
	12	20.77	6.46	1861	3.31	-7.0	Clear
	14	20.82	6.45	1862	4.67	-14.5	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Pump went out at 3 gallons, new battery pack obtained.

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: WGR MW-2

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK ▼		
Elevation of Top of Casing (feet above msl)	63.18		
Depth of Well	28.00		
Depth to Water (from top of casing)	25.70		
Water Elevation (feet above msl)	37.48		
Well Volumes Purged	NA		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	NA		
Actual Volume Purged (gallons)	Not sampled		
Appearance of Purge Water	--		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size							
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well not sampled in accordance with sampling schedule

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: WGR MW-3

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	58.34		
Depth of Well	27.00		
Depth to Water (from top of casing)	22.16		
Water Elevation (feet above msl)	36.18		
Well Volumes Purged	NA		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	NA		
Actual Volume Purged (gallons)	Not sampled		
Appearance of Purge Water			
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size							
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well not sampled in accordance with sampling schedule

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: WGR MW-4

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	60.02		
Depth of Well	44.96		
Depth to Water (from top of casing)	28.81		
Water Elevation (feet above msl)	31.21		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	31.0		
Actual Volume Purged (gallons)	32.0		
Appearance of Purge Water	Initially light brown, clearing by 2 gallons		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size							
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
8:24	1	21.23	5.59	1034	2.47	1.6	Light Brown
	2	21.34	5.7	1034	2.75	3.0	Clear
	3	21.4	5.84	1035	2.76	0.7	Clear
	4	21.51	5.95	993	1.58	-2.1	Clear
	8	21.58	5.94	948	1.37	-0.6	Clear
	12	21.63	5.93	939	1.19	0.1	Clear
	16	21.71	5.93	953	0.94	-0.1	Clear
	20	21.72	5.94	968	0.71	-4.2	Clear
8:42	24	21.72	5.94	976	0.64	-5.4	Clear
	28	21.72	5.85	987	0.58	-7.0	Clear
	32	21.71	5.96	1006	0.51	-9.3	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

--

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: FHS MW-10

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	52.34		
Depth of Well	51.94		
Depth to Water (from top of casing)	28.51		
Water Elevation (feet above msl)	23.83		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	11.2		
Actual Volume Purged (gallons)	12.0		
Appearance of Purge Water	Initially light brown, clearing by 3 gallons		
Free Product Present?	n/a	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
10:53	1	19.00	6.48	525	2.37	23.7	Light Brown
	2	19.00	6.32	503	2.72	32.2	Light Brown
	3	19.00	6.20	529	2.30	34.9	Clear
	4	19.02	6.10	542	1.03	33.4	Clear
	5	19.03	6.07	546	0.94	32.6	Clear
	6	19.03	6.05	547	0.79	29.7	Clear
	7	19.03	6.03	548	0.69	26.0	Clear
	8	19.04	6.03	548	0.66	24.7	Clear
	9	19.04	6.02	548	0.63	23.0	Clear
	10	19.04	6.02	547	0.62	22.0	Clear
	11	19.04	6.02	547	0.57	18.1	Clear
	12	19.04	6.03	547	0.54	15.5	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

--

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: FHS MW-11

Project Name:	Foothill Square	Date of Sampling:	10/5/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	54.06		
Depth of Well	64.07		
Depth to Water (from top of casing)	30.80		
Water Elevation (feet above msl)	23.26		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	16.0		
Actual Volume Purged (gallons)	16.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs				
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments	
7:39	1	19.10	7.56	724	4.00	5.6	Clear	
	2	19.21	6.63	744	1.37	15.1	Clear	
	3	19.23	6.47	744	1.32	15.2	Clear	
	4	19.24	6.41	746	1.27	13.8	Clear	
	5	19.25	6.38	746	1.22	12.7	Clear	
	6	19.26	6.32	747	1.19	12.1	Clear	
	8	19.27	6.26	747	1.16	11.2	Clear	
	10	19.27	6.24	746	1.13	10.4	Clear	
	12	19.28	6.21	744	1.13	10.1	Clear	
	14	19.28	6.20	744	1.12	9.8	Clear	
	7:51	16	19.28	6.19	743	1.11	9.4	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

--

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-6

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	61.78		
Depth of Well	48.69		
Depth to Water (from top of casing)	36.98		
Water Elevation (feet above msl)	24.80		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	5.6		
Actual Volume Purged (gallons)	8.0		
Appearance of Purge Water	Initially light brown, clearing by 2 gallons		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
13:51	1	18.86	6.63	1395	1.33	-32.1	Light Brown
	2	18.79	6.53	1390	1.12	-29.8	Clear
	3	18.75	6.42	1383	0.94	-25.6	Clear
	4	18.73	6.32	1375	0.79	-22.7	Clear
	5	18.73	6.29	1371	0.73	-23.3	Clear
	6	18.74	6.28	1367	0.66	-24.4	Clear
	7	18.71	6.27	1364	0.69	-25.0	Clear
14:00	8	18.70	6.27	1363	0.62	-25.4	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS
GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: MW-7

Project Name:	Foothill Square	Date of Sampling:	10/2/2009
Job Number:	261829	Name of Sampler:	A. Nieto
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK ▼		
Elevation of Top of Casing (feet above msl)	58.64		
Depth of Well	38.00		
Depth to Water (from top of casing)	22.60		
Water Elevation (feet above msl)	36.04		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	7.4		
Actual Volume Purged (gallons)	8.0		
Appearance of Purge Water	Initially light brown, clearing by 3 gallons		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size				3 VOAs			
Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (μ sec/cm)	DO (mg/L)	ORP (meV)	Comments
8:58	1	18.96	6.14	518	2.30	-91.5	Light Brown
	2	19.29	6.11	519	1.37	-86.8	Light Brown
	3	19.51	6.06	524	1.24	-87.5	Clear
	4	19.60	6.02	525	1.09	-87.6	Clear
	5	19.61	5.99	525	0.92	-85.7	Clear
	6	19.61	5.97	525	0.76	-82.3	Clear
	7	19.60	5.96	524	0.74	-82.0	Clear
9:05	8	19.58	5.96	523	0.63	-79.4	Clear

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

APPENDIX B

**LABORATORY ANALYTICAL REPORT WITH CHAIN OF
CUSTODY DOCUMENTATION**



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

AEI Consultants 2500 Camino Diablo, Ste. #200 Walnut Creek, CA 94597	Client Project ID: #261829; Foothill Square	Date Sampled: 10/02/09
		Date Received: 10/02/09
	Client Contact: Jeremy Smith	Date Reported: 10/07/09
	Client P.O.: #WC081995	Date Completed: 10/06/09

WorkOrder: 0910055

October 07, 2009

Dear Jeremy:

Enclosed within are:

- 1) The results of the **10** analyzed samples from your project: **#261829; Foothill Square,**
- 2) A QC report for the above samples,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McC Campbell Analytical, Inc.

McC Campbell Analytical, Inc.



1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0910055

ClientCode: AEL

WaterTrax
 WriteOn
 EDF
 Excel
 Fax
 Email
 HardCopy
 ThirdParty
 J-flag

Report to:	Jeremy Smith	Email: jasmith@aeiconsultants.com	Bill to:	Denise Mockel	Requested TAT: 5 days
	AEI Consultants	cc:		AEI Consultants	Date Received: 10/02/2009
	2500 Camino Diablo, Ste. #200	PO: #WC081995		2500 Camino Diablo, Ste. #200	Date Printed: 10/02/2009
	Walnut Creek, CA 94597	ProjectNo: #261829; Foothill Square		Walnut Creek, CA 94597	
	(925) 283-6000 FAX (925) 944-2895			dmockel@aeiconsultants.com	

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0910055-001	AMW-1	Water	10/2/2009 10:15	<input type="checkbox"/>	A	A											
0910055-002	AMW-4	Water	10/2/2009 13:20	<input type="checkbox"/>	A												
0910055-003	AMW-5	Water	10/2/2009 13:25	<input type="checkbox"/>	A												
0910055-004	AMW-6	Water	10/2/2009 13:30	<input type="checkbox"/>	A												
0910055-005	AMW-8	Water	10/2/2009 10:30	<input type="checkbox"/>	A												
0910055-006	AMW-9	Water	10/2/2009 13:40	<input type="checkbox"/>	A												
0910055-007	MW-6	Water	10/2/2009 14:20	<input type="checkbox"/>	A												
0910055-008	MW-7	Water	10/2/2009 9:45	<input type="checkbox"/>	A												
0910055-009	FHS MW-10	Water	10/2/2009 11:15	<input type="checkbox"/>	A												
0910055-010	WGR MW-4	Water	10/2/2009 9:35	<input type="checkbox"/>	A												

Test Legend:

1	8010BMS_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

Prepared by: Ana Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **AEI Consultants** Date and Time Received: **10/2/2009 5:39:15 PM**
Project Name: **#261829; Foothill Square** Checklist completed and reviewed by: **Ana Venegas**
WorkOrder N°: **0910055** Matrix Water Carrier: Client Drop-In

Chain of Custody (COC) Information

Chain of custody present? Yes No
Chain of custody signed when relinquished and received? Yes No
Chain of custody agrees with sample labels? Yes No
Sample IDs noted by Client on COC? Yes No
Date and Time of collection noted by Client on COC? Yes No
Sampler's name noted on COC? Yes No

Sample Receipt Information

Custody seals intact on shipping container/cooler? Yes No NA
Shipping container/cooler in good condition? Yes No
Samples in proper containers/bottles? Yes No
Sample containers intact? Yes No
Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes No
Container/Temp Blank temperature Cooler Temp: 5.8°C NA
Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
Sample labels checked for correct preservation? Yes No
Metal - pH acceptable upon receipt (pH<2)? Yes No NA
Samples Received on Ice? Yes No

(Ice Type: WET ICE)

* NOTE: If the "No" box is checked, see comments below.

Client contacted: Date contacted: Contacted by:

Comments:



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

AEI Consultants 2500 Camino Diablo, Ste. #200 Walnut Creek, CA 94597	Client Project ID: #261829; Foothill Square	Date Sampled: 10/02/09
	Client Contact: Jeremy Smith	Date Received: 10/02/09
	Client P.O.: #WC081995	Date Extracted: 10/03/09-10/07/09
		Date Analyzed: 10/03/09-10/07/09

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0910055

Lab ID	0910055-001A	0910055-002A	0910055-003A	0910055-004A	Reporting Limit for DF =1	
Client ID	AMW-1	AMW-4	AMW-5	AMW-6	S	W
Matrix	W	W	W	W		
DF	1	1	1	10		

Compound	Concentration				µg/kg	µg/L
Bromodichloromethane	ND	ND	ND	ND<5.0	NA	0.5
Bromoform	ND	ND	ND	ND<5.0	NA	0.5
Bromomethane	ND	ND	ND	ND<5.0	NA	0.5
Carbon Tetrachloride	ND	ND	ND	ND<5.0	NA	0.5
Chlorobenzene	ND	ND	ND	ND<5.0	NA	0.5
Chloroethane	ND	ND	ND	ND<5.0	NA	0.5
Chloroform	ND	ND	ND	ND<5.0	NA	0.5
Chloromethane	ND	ND	ND	ND<5.0	NA	0.5
Dibromochloromethane	ND	ND	ND	ND<5.0	NA	0.5
1,2-Dibromoethane (EDB)	ND	ND	ND	ND<5.0	NA	0.5
1,2-Dichlorobenzene	ND	ND	ND	ND<5.0	NA	0.5
1,3-Dichlorobenzene	ND	ND	ND	ND<5.0	NA	0.5
1,4-Dichlorobenzene	ND	ND	ND	ND<5.0	NA	0.5
Dichlorodifluoromethane	ND	ND	ND	ND<5.0	NA	0.5
1,1-Dichloroethane	ND	ND	ND	ND<5.0	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND	ND	ND	ND<5.0	NA	0.5
1,1-Dichloroethene	ND	ND	ND	ND<5.0	NA	0.5
cis-1,2-Dichloroethene	ND	11	0.87	55	NA	0.5
trans-1,2-Dichloroethene	ND	ND	ND	11	NA	0.5
1,2-Dichloropropane	ND	ND	ND	ND<5.0	NA	0.5
cis-1,3-Dichloropropene	ND	ND	ND	ND<5.0	NA	0.5
trans-1,3-Dichloropropene	ND	ND	ND	ND<5.0	NA	0.5
Freon 113	ND	ND	ND	ND<100	NA	10
Methylene chloride	ND	ND	ND	ND<5.0	NA	0.5
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND<5.0	NA	0.5
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND<5.0	NA	0.5
Tetrachloroethene	ND	4.3	31	240	NA	0.5
1,1,1-Trichloroethane	ND	ND	ND	ND<5.0	NA	0.5
1,1,2-Trichloroethane	ND	ND	ND	ND<5.0	NA	0.5
Trichloroethene	ND	0.89	1.4	44	NA	0.5
Trichlorofluoromethane	ND	ND	ND	ND<5.0	NA	0.5
Vinyl Chloride	ND	4.0	ND	11	NA	0.5

Surrogate Recoveries (%)

%SS1:	72	73	72	73	
%SS2:	96	94	87	92	
%SS3:	98	97	71	94	

Comments

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

b1) aqueous sample that contains greater than ~1 vol. % sediment



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

AEI Consultants 2500 Camino Diablo, Ste. #200 Walnut Creek, CA 94597	Client Project ID: #261829; Foothill Square	Date Sampled: 10/02/09
	Client Contact: Jeremy Smith	Date Received: 10/02/09
	Client P.O.: #WC081995	Date Extracted: 10/03/09-10/07/09
		Date Analyzed: 10/03/09-10/07/09

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0910055

Lab ID	0910055-005A	0910055-006A	0910055-007A	0910055-008A	Reporting Limit for DF =1	
Client ID	AMW-8	AMW-9	MW-6	MW-7	S	W
Matrix	W	W	W	W		
DF	1	5	20	1		

Compound	Concentration				µg/kg	µg/L
Bromodichloromethane	ND	ND<2.5	ND<10	ND	NA	0.5
Bromoform	ND	ND<2.5	ND<10	ND	NA	0.5
Bromomethane	ND	ND<2.5	ND<10	ND	NA	0.5
Carbon Tetrachloride	ND	ND<2.5	ND<10	ND	NA	0.5
Chlorobenzene	ND	ND<2.5	ND<10	ND	NA	0.5
Chloroethane	ND	ND<2.5	ND<10	ND	NA	0.5
Chloroform	ND	ND<2.5	ND<10	ND	NA	0.5
Chloromethane	ND	ND<2.5	ND<10	ND	NA	0.5
Dibromochloromethane	ND	ND<2.5	ND<10	ND	NA	0.5
1,2-Dibromoethane (EDB)	ND	ND<2.5	ND<10	ND	NA	0.5
1,2-Dichlorobenzene	ND	ND<2.5	ND<10	ND	NA	0.5
1,3-Dichlorobenzene	ND	ND<2.5	ND<10	ND	NA	0.5
1,4-Dichlorobenzene	ND	ND<2.5	ND<10	ND	NA	0.5
Dichlorodifluoromethane	ND	ND<2.5	ND<10	ND	NA	0.5
1,1-Dichloroethane	ND	ND<2.5	ND<10	ND	NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND	ND<2.5	ND<10	ND	NA	0.5
1,1-Dichloroethene	ND	ND<2.5	ND<10	ND	NA	0.5
cis-1,2-Dichloroethene	ND	ND<2.5	22	ND	NA	0.5
trans-1,2-Dichloroethene	ND	ND<2.5	ND<10	ND	NA	0.5
1,2-Dichloropropane	ND	ND<2.5	ND<10	ND	NA	0.5
cis-1,3-Dichloropropene	ND	ND<2.5	ND<10	ND	NA	0.5
trans-1,3-Dichloropropene	ND	ND<2.5	ND<10	ND	NA	0.5
Freon 113	ND	ND<50	ND<200	ND	NA	10
Methylene chloride	ND	ND<2.5	ND<10	ND	NA	0.5
1,1,1,2-Tetrachloroethane	ND	ND<2.5	ND<10	ND	NA	0.5
1,1,2,2-Tetrachloroethane	ND	ND<2.5	ND<10	ND	NA	0.5
Tetrachloroethene	1.4	140	410	ND	NA	0.5
1,1,1-Trichloroethane	ND	ND<2.5	ND<10	ND	NA	0.5
1,1,2-Trichloroethane	ND	ND<2.5	ND<10	ND	NA	0.5
Trichloroethene	ND	ND<2.5	29	ND	NA	0.5
Trichlorofluoromethane	ND	ND<2.5	ND<10	ND	NA	0.5
Vinyl Chloride	ND	ND<2.5	ND<10	ND	NA	0.5

Surrogate Recoveries (%)

%SS1:	72	92	72	75	
%SS2:	95	109	96	85	
%SS3:	95	101	92	105	

Comments b1

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

b1) aqueous sample that contains greater than ~1 vol. % sediment



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

AEI Consultants 2500 Camino Diablo, Ste. #200 Walnut Creek, CA 94597	Client Project ID: #261829; Foothill Square	Date Sampled: 10/02/09
	Client Contact: Jeremy Smith	Date Received: 10/02/09
	Client P.O.: #WC081995	Date Extracted: 10/03/09-10/07/09
		Date Analyzed: 10/03/09-10/07/09

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0910055

Lab ID	0910055-009A	0910055-010A			Reporting Limit for DF =1	
Client ID	FHS MW-10	WGR MW-4				
Matrix	W	W			S	W
DF	1	1				

Compound	Concentration				µg/kg	µg/L
Bromodichloromethane	ND	ND			NA	0.5
Bromoform	ND	ND			NA	0.5
Bromomethane	ND	ND			NA	0.5
Carbon Tetrachloride	ND	ND			NA	0.5
Chlorobenzene	ND	ND			NA	0.5
Chloroethane	ND	ND			NA	0.5
Chloroform	ND	ND			NA	0.5
Chloromethane	ND	ND			NA	0.5
Dibromochloromethane	ND	ND			NA	0.5
1,2-Dibromoethane (EDB)	ND	ND			NA	0.5
1,2-Dichlorobenzene	ND	ND			NA	0.5
1,3-Dichlorobenzene	ND	ND			NA	0.5
1,4-Dichlorobenzene	ND	ND			NA	0.5
Dichlorodifluoromethane	ND	ND			NA	0.5
1,1-Dichloroethane	ND	ND			NA	0.5
1,2-Dichloroethane (1,2-DCA)	ND	ND			NA	0.5
1,1-Dichloroethene	ND	ND			NA	0.5
cis-1,2-Dichloroethene	ND	ND			NA	0.5
trans-1,2-Dichloroethene	ND	ND			NA	0.5
1,2-Dichloropropane	ND	ND			NA	0.5
cis-1,3-Dichloropropene	ND	ND			NA	0.5
trans-1,3-Dichloropropene	ND	ND			NA	0.5
Freon 113	ND	ND			NA	10
Methylene chloride	ND	ND			NA	0.5
1,1,1,2-Tetrachloroethane	ND	ND			NA	0.5
1,1,1,2,2-Tetrachloroethane	ND	ND			NA	0.5
Tetrachloroethene	ND	ND			NA	0.5
1,1,1-Trichloroethane	ND	ND			NA	0.5
1,1,2-Trichloroethane	ND	ND			NA	0.5
Trichloroethene	ND	ND			NA	0.5
Trichlorofluoromethane	ND	ND			NA	0.5
Vinyl Chloride	ND	ND			NA	0.5

Surrogate Recoveries (%)

%SS1:	76	76		
%SS2:	90	89		
%SS3:	82	80		

Comments

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or surrogate coelutes with another peak.

b1) aqueous sample that contains greater than ~1 vol. % sediment



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 46202

WorkOrder: 0910055

Analyte	Extraction SW5030B			Spiked Sample ID: 0910036-002A					Acceptance Criteria (%)			
	Sample µg/L	Spiked µg/L	MS % Rec.	MSD % Rec.	MS-MSD % RPD	LCS % Rec.	LCSD % Rec.	LCS-LCSD % RPD	MS / MSD	RPD	LCS/LCSD	RPD
Chlorobenzene	ND	10	102	102	0	101	101	0	70 - 130	30	70 - 130	30
1,2-Dibromoethane (EDB)	ND	10	109	107	1.70	105	104	0.383	70 - 130	30	70 - 130	30
1,2-Dichloroethane (1,2-DCA)	ND	10	101	101	0	97.7	97.4	0.328	70 - 130	30	70 - 130	30
1,1-Dichloroethene	1.8	10	115	109	5.14	110	104	5.66	70 - 130	30	70 - 130	30
Trichloroethene	ND	10	118	115	3.23	112	108	3.69	70 - 130	30	70 - 130	30
%SS1:	96	25	90	90	0	95	93	2.36	70 - 130	30	70 - 130	30
%SS2:	98	25	96	98	1.45	96	94	1.60	70 - 130	30	70 - 130	30
%SS3:	107	2.5	97	98	1.76	100	92	8.67	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 46202 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0910055-001A	10/02/09 10:15 AM	10/05/09	10/05/09 5:11 PM	0910055-002A	10/02/09 1:20 PM	10/05/09	10/05/09 5:54 PM
0910055-003A	10/02/09 1:25 PM	10/03/09	10/03/09 4:26 AM	0910055-004A	10/02/09 1:30 PM	10/05/09	10/05/09 6:37 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and freon 113 may occasionally appear in the method blank at low levels.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 46224

WorkOrder: 0910055

Analyte	Extraction SW5030B			Spiked Sample ID: 0910055-010A								
	Sample µg/L	Spiked µg/L	MS % Rec.	MSD % Rec.	MS-MSD % RPD	LCS % Rec.	LCSD % Rec.	LCS-LCSD % RPD	Acceptance Criteria (%)			
Chlorobenzene	ND	10	101	97.7	3.25	87.1	87	0.0796	70 - 130	30	70 - 130	30
1,2-Dibromoethane (EDB)	ND	10	101	105	3.67	99.3	102	2.59	70 - 130	30	70 - 130	30
1,2-Dichloroethane (1,2-DCA)	ND	10	95.4	98.6	3.33	109	115	4.77	70 - 130	30	70 - 130	30
1,1-Dichloroethene	ND	10	111	105	6.24	106	106	0	70 - 130	30	70 - 130	30
Trichloroethene	ND	10	114	112	1.42	101	105	3.65	70 - 130	30	70 - 130	30
%SS1:	76	25	90	94	3.78	122	127	3.60	70 - 130	30	70 - 130	30
%SS2:	89	25	101	99	1.68	95	96	0.894	70 - 130	30	70 - 130	30
%SS3:	80	2.5	104	103	1.46	94	102	8.59	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 46224 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0910055-005A	10/02/09 10:30 AM	10/05/09	10/05/09 7:19 PM	0910055-006A	10/02/09 1:40 PM	10/07/09	10/07/09 3:16 AM
0910055-007A	10/02/09 2:20 PM	10/05/09	10/05/09 9:12 PM	0910055-008A	10/02/09 9:45 AM	10/05/09	10/05/09 9:59 PM
0910055-009A	10/02/09 11:15 AM	10/05/09	10/05/09 10:43 PM	0910055-010A	10/02/09 9:35 AM	10/05/09	10/05/09 11:27 PM

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

Laboratory extraction solvents such as methylene chloride and freon 113 may occasionally appear in the method blank at low levels.



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

AEI Consultants 2500 Camino Diablo, Ste. #200 Walnut Creek, CA 94597	Client Project ID: #281829; Foothill Square	Date Sampled: 10/05/09
		Date Received: 10/05/09
	Client Contact: Jeremy Smith	Date Reported: 10/08/09
	Client P.O.: #WC081995	Date Completed: 10/08/09

WorkOrder: 0910094

October 08, 2009

Dear Jeremy:

Enclosed within are:

- 1) The results of the **1** analyzed sample from your project: **#281829; Foothill Square,**
- 2) A QC report for the above sample,
- 3) A copy of the chain of custody, and
- 4) An invoice for analytical services.

All analyses were completed satisfactorily and all QC samples were found to be within our control limits.

If you have any questions or concerns, please feel free to give me a call. Thank you for choosing

McC Campbell Analytical Laboratories for your analytical needs.

Best regards,

Angela Rydelius
Laboratory Manager
McC Campbell Analytical, Inc.

McC Campbell Analytical, Inc.



1534 Willow Pass Rd
 Pittsburg, CA 94565-1701
 (925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 0910094

ClientCode: AEL

WaterTrax
 WriteOn
 EDF
 Excel
 Fax
 Email
 HardCopy
 ThirdParty
 J-flag

Report to:	Jeremy Smith	Email: jasmith@aeiconsultants.com	Bill to:	Denise Mockel	Requested TAT:	5 days
	AEI Consultants	cc:		AEI Consultants	Date Received:	10/05/2009
	2500 Camino Diablo, Ste. #200	PO: #WC081995		2500 Camino Diablo, Ste. #200	Date Printed:	10/05/2009
	Walnut Creek, CA 94597	ProjectNo: #281829; Foothill Square		Walnut Creek, CA 94597		
	(925) 283-6000 FAX (925) 944-2895			dmockel@aeiconsultants.com		

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)												
					1	2	3	4	5	6	7	8	9	10	11	12	
0910094-001	FHS MW-11	Water	10/5/2009 8:15	<input type="checkbox"/>	A	A											

Test Legend:

1	8260B_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

Prepared by: Ana Venegas

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
 Hazardous samples will be returned to client or disposed of at client expense.



Sample Receipt Checklist

Client Name: **AEI Consultants** Date and Time Received: **10/5/2009 5:50:55 PM**
 Project Name: **#281829; Foothill Square** Checklist completed and reviewed by: **Ana Venegas**
 WorkOrder N°: **0910094** Matrix Water Carrier: Client Drop-In

Chain of Custody (COC) Information

Chain of custody present? Yes No
 Chain of custody signed when relinquished and received? Yes No
 Chain of custody agrees with sample labels? Yes No
 Sample IDs noted by Client on COC? Yes No
 Date and Time of collection noted by Client on COC? Yes No
 Sampler's name noted on COC? Yes No

Sample Receipt Information

Custody seals intact on shipping container/cooler? Yes No NA
 Shipping container/cooler in good condition? Yes No
 Samples in proper containers/bottles? Yes No
 Sample containers intact? Yes No
 Sufficient sample volume for indicated test? Yes No

Sample Preservation and Hold Time (HT) Information

All samples received within holding time? Yes No
 Container/Temp Blank temperature Cooler Temp: 7.6°C NA
 Water - VOA vials have zero headspace / no bubbles? Yes No No VOA vials submitted
 Sample labels checked for correct preservation? Yes No
 Metal - pH acceptable upon receipt (pH<2)? Yes No NA
 Samples Received on Ice? Yes No
 (Ice Type: WET ICE)

* NOTE: If the "No" box is checked, see comments below.

Client contacted: Date contacted: Contacted by:

Comments:



McC Campbell Analytical, Inc.

"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Web: www.mcccampbell.com E-mail: main@mcccampbell.com
Telephone: 877-252-9262 Fax: 925-252-9269

AEI Consultants 2500 Camino Diablo, Ste. #200 Walnut Creek, CA 94597	Client Project ID: #281829; Foothill Square	Date Sampled: 10/05/09
	Client Contact: Jeremy Smith	Date Received: 10/05/09
	Client P.O.: #WC081995	Date Extracted: 10/07/09
		Date Analyzed: 10/07/09

Volatile Organics by P&T and GC/MS (Basic Target List)*

Extraction Method: SW5030B

Analytical Method: SW8260B

Work Order: 0910094

Lab ID	0910094-001A
Client ID	FHS MW-11
Matrix	Water

Compound	Concentration *	DF	Reporting Limit	Compound	Concentration *	DF	Reporting Limit
Acetone	ND	1.0	10	tert-Amyl methyl ether (TAME)	ND	1.0	0.5
Benzene	ND	1.0	0.5	Bromobenzene	ND	1.0	0.5
Bromochloromethane	ND	1.0	0.5	Bromodichloromethane	ND	1.0	0.5
Bromoform	ND	1.0	0.5	Bromomethane	ND	1.0	0.5
2-Butanone (MEK)	ND	1.0	2.0	t-Butyl alcohol (TBA)	ND	1.0	2.0
n-Butyl benzene	ND	1.0	0.5	sec-Butyl benzene	ND	1.0	0.5
tert-Butyl benzene	ND	1.0	0.5	Carbon Disulfide	ND	1.0	0.5
Carbon Tetrachloride	ND	1.0	0.5	Chlorobenzene	ND	1.0	0.5
Chloroethane	ND	1.0	0.5	Chloroform	ND	1.0	0.5
Chloromethane	ND	1.0	0.5	2-Chlorotoluene	ND	1.0	0.5
4-Chlorotoluene	ND	1.0	0.5	Dibromochloromethane	ND	1.0	0.5
1,2-Dibromo-3-chloropropane	ND	1.0	0.2	1,2-Dibromoethane (EDB)	ND	1.0	0.5
Dibromomethane	ND	1.0	0.5	1,2-Dichlorobenzene	ND	1.0	0.5
1,3-Dichlorobenzene	ND	1.0	0.5	1,4-Dichlorobenzene	ND	1.0	0.5
Dichlorodifluoromethane	ND	1.0	0.5	1,1-Dichloroethane	ND	1.0	0.5
1,2-Dichloroethane (1,2-DCA)	ND	1.0	0.5	1,1-Dichloroethene	ND	1.0	0.5
cis-1,2-Dichloroethene	ND	1.0	0.5	trans-1,2-Dichloroethene	ND	1.0	0.5
1,2-Dichloropropane	ND	1.0	0.5	1,3-Dichloropropane	ND	1.0	0.5
2,2-Dichloropropane	ND	1.0	0.5	1,1-Dichloropropene	ND	1.0	0.5
cis-1,3-Dichloropropene	ND	1.0	0.5	trans-1,3-Dichloropropene	ND	1.0	0.5
Diisopropyl ether (DIPE)	ND	1.0	0.5	Ethylbenzene	ND	1.0	0.5
Ethyl tert-butyl ether (ETBE)	ND	1.0	0.5	Freon 113	ND	1.0	10
Hexachlorobutadiene	ND	1.0	0.5	Hexachloroethane	ND	1.0	0.5
2-Hexanone	ND	1.0	0.5	Isopropylbenzene	ND	1.0	0.5
4-Isopropyl toluene	ND	1.0	0.5	Methyl-t-butyl ether (MTBE)	ND	1.0	0.5
Methylene chloride	ND	1.0	0.5	4-Methyl-2-pentanone (MIBK)	ND	1.0	0.5
Naphthalene	ND	1.0	0.5	n-Propyl benzene	ND	1.0	0.5
Styrene	ND	1.0	0.5	1,1,1,2-Tetrachloroethane	ND	1.0	0.5
1,1,1,2-Tetrachloroethane	ND	1.0	0.5	Tetrachloroethene	32	1.0	0.5
Toluene	ND	1.0	0.5	1,2,3-Trichlorobenzene	ND	1.0	0.5
1,2,4-Trichlorobenzene	ND	1.0	0.5	1,1,1-Trichloroethane	ND	1.0	0.5
1,1,2-Trichloroethane	ND	1.0	0.5	Trichloroethene	0.70	1.0	0.5
Trichlorofluoromethane	ND	1.0	0.5	1,2,3-Trichloropropane	ND	1.0	0.5
1,2,4-Trimethylbenzene	ND	1.0	0.5	1,3,5-Trimethylbenzene	ND	1.0	0.5
Vinyl Chloride	ND	1.0	0.5	Xylenes	ND	1.0	0.5

Surrogate Recoveries (%)

%SS1:	89	%SS2:	99
%SS3:	92		

Comments:

* water and vapor samples are reported in µg/L, soil/sludge/solid samples in mg/kg, product/oil/non-aqueous liquid samples and all TCLP & SPLP extracts are reported in mg/L, wipe samples in µg/wipe.

ND means not detected above the reporting limit; N/A means analyte not applicable to this analysis.

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.



QC SUMMARY REPORT FOR SW8260B

W.O. Sample Matrix: Water

QC Matrix: Water

BatchID: 46224

WorkOrder 0910094

EPA Method SW8260B	Extraction SW5030B								Spiked Sample ID: 0910055-010A			
	Analyte	Sample	Spiked	MS	MSD	MS-MSD	LCS	LCSD	LCS-LCSD	Acceptance Criteria (%)		
	µg/L	µg/L	% Rec.	% Rec.	% RPD	% Rec.	% Rec.	% RPD	MS / MSD	RPD	LCS/LCSD	RPD
tert-Amyl methyl ether (TAME)	ND	10	80.8	89.9	10.6	89.9	92.6	2.99	70 - 130	30	70 - 130	30
Benzene	ND	10	102	101	1.46	90.3	93.5	3.48	70 - 130	30	70 - 130	30
t-Butyl alcohol (TBA)	ND	50	74.7	89.1	17.6	99.7	95.8	4.01	70 - 130	30	70 - 130	30
Chlorobenzene	ND	10	101	97.7	3.25	87.1	87	0.0796	70 - 130	30	70 - 130	30
1,2-Dibromoethane (EDB)	ND	10	101	105	3.67	99.3	102	2.59	70 - 130	30	70 - 130	30
1,2-Dichloroethane (1,2-DCA)	ND	10	95.4	98.6	3.33	109	115	4.77	70 - 130	30	70 - 130	30
1,1-Dichloroethene	ND	10	111	105	6.24	106	106	0	70 - 130	30	70 - 130	30
Diisopropyl ether (DIPE)	ND	10	97.4	103	5.22	100	103	3.07	70 - 130	30	70 - 130	30
Ethyl tert-butyl ether (ETBE)	ND	10	91.3	98.9	7.97	101	104	2.88	70 - 130	30	70 - 130	30
Methyl-t-butyl ether (MTBE)	ND	10	92.1	102	10.2	98.1	99.9	1.77	70 - 130	30	70 - 130	30
Toluene	ND	10	108	102	6.07	90.1	90.2	0.112	70 - 130	30	70 - 130	30
Trichloroethene	ND	10	114	112	1.42	101	105	3.65	70 - 130	30	70 - 130	30
%SS1:	76	25	90	94	3.78	122	127	3.60	70 - 130	30	70 - 130	30
%SS2:	89	25	101	99	1.68	95	96	0.894	70 - 130	30	70 - 130	30
%SS3:	80	2.5	104	103	1.46	94	102	8.59	70 - 130	30	70 - 130	30

All target compounds in the Method Blank of this extraction batch were ND less than the method RL with the following exceptions:
NONE

BATCH 46224 SUMMARY

Lab ID	Date Sampled	Date Extracted	Date Analyzed	Lab ID	Date Sampled	Date Extracted	Date Analyzed
0910094-001A	10/05/09 8:15 AM	10/07/09	10/07/09 3:33 PM				

MS = Matrix Spike; MSD = Matrix Spike Duplicate; LCS = Laboratory Control Sample; LCSD = Laboratory Control Sample Duplicate; RPD = Relative Percent Deviation.

% Recovery = 100 * (MS-Sample) / (Amount Spiked); RPD = 100 * (MS - MSD) / ((MS + MSD) / 2).

MS / MSD spike recoveries and / or %RPD may fall outside of laboratory acceptance criteria due to one or more of the following reasons: a) the sample is inhomogenous AND contains significant concentrations of analyte relative to the amount spiked, or b) the spiked sample's matrix interferes with the spike recovery.

N/A = not enough sample to perform matrix spike and matrix spike duplicate.

NR = analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix or sample diluted due to high matrix or analyte content.

surrogate diluted out of range or coelutes with another peak; &) low surrogate due to matrix interference.

Laboratory extraction solvents such as methylene chloride and acetone may occasionally appear in the method blank at low levels.