December 23, 2013

Mr. Jerry Wickham
Alameda County Environmental Health
1131 Harbor Bay Parkway, Suite 250
Alameda, California 94502

Subject: **Perjury Statement and Report Transmittal**
Groundwater Monitoring Report – 2nd Semester 2013
10700 MacArthur Blvd.
Oakland, California
AEI Project # 261829
Toxics Case No. RO0002580

Dear Mr. Wickham:

I declare under penalty of perjury, that the information and/or recommendations contained in the attached report for the above-referenced site are true and correct to the best of my knowledge.

If you have any questions or need additional information, please do not hesitate to call me at (510) 562-9500, or Mr. Peter McIntyre at AEI Consultants, (925) 746-6004.

Sincerely,

MACARTHUR BOULEVARD ASSOCIATES
(a California limited partnership)

BY: JAY-PHARES CORPORATION, a California Corporation
(Its Management Agent)

2/3/14

By:
John Jay, Executive Vice President

cc: Mr. Peter McIntyre, AEI Consultants, 2500 Camino Diablo, Walnut Creek, CA 94597

December 23, 2013

GROUNDWATER MONITORING REPORT- 2nd SEMESTER 2013

Property Identification:
10700 MacArthur Boulevard
Oakland, California 94605

AEI Project No. 261829
Toxics Case No. RO0002580

Prepared for:
Jay-Phares Corporation
Attn: Mr. John Jay
10700 MacArthur Blvd., Suite 200
Oakland, CA 94605

Prepared by:
AEI Consultants
2500 Camino Diablo
Walnut Creek, CA 94597
(925) 746-6000

AEI Consultants
Environmental & Engineering Services
2500 Camino Diablo, Walnut Creek, CA 94597
Tel: 925.746.6000 Fax: 925.746.6099

December 23, 2013

Jay-Phares Corporation
Attn: Mr. John Jay
10700 MacArthur Blvd., Suite 200
Oakland, CA 94605

Subject: **Groundwater Monitoring Report – 2nd Semester, 2013**
10700 MacArthur Boulevard
Oakland, California 94605
AEI Project No. 261829
Toxics Case No. RO0002580

Dear Mr. Jay:

AEI Consultants (AEI) has prepared this groundwater monitoring report on behalf of The Jay-Phares Corporation, the manager of the Foothill Square Shopping Center (Figure 1: Site Location Map). The documentation of groundwater quality beneath and around the site was performed to monitor the stability of the chlorinated volatile organic compound (VOC) plume beneath the property.

This report was prepared in accordance with the requirements of the Alameda County Health Care Services Agency (ACHCSA). This report summarizes the activities and results of the semi-annual monitoring activities conducted on October 11, 2013.

Background

The subject property (hereinafter referred to as the site or property) is located at 10700 MacArthur Boulevard (Figure 1). The site is approximately 13.5 acres in size and is currently developed with the Foothill Square Shopping Center. The shopping center consists of five buildings, together totaling approximately 155,600 square feet. The area of concern is the former Young's Cleaners, located on the north side of the property.

The site is situated in a mixed commercial and residential area of Oakland. The site is bound by MacArthur Boulevard to the west, Foothill Boulevard to the east, and 108th Avenue to the south. An ARCO gasoline station is located adjacent to the northwest and residences to the north. Refer to Figure 2 for a site plan of the western section of the Foothill Square Shopping Center property.

Extensive site assessment activities have been conducted to date including the installation of multiple monitoring wells, soil borings, and soil vapor borings, as well as source removal excavation. The most recent investigation included additional soil vapor borings which completed vapor phase contaminant delineation for the site. An approval for pilot study site

mitigation activities has been obtained from the ACHCSA, however the pilot study has yet to commence. For a complete history of previous site investigation activities as well as planned pilot study details, please refer to AEI's *Supplemental Soil Vapor Investigation Report* dated June 25, 2008.

Summary of Monitoring Activities

On October 11, 2013, AEI gauged the groundwater levels in each of the accessible active groundwater monitoring wells at the site (AMW-1, AMW-6R, AMW-8, AMW-9, WGR MW-2, FHS MW-10, and FHS MW-11) and groundwater samples were collected from six of the wells (AMW-1, AMW-6R, AMW-8, AMW-9, FHS MW-10, and FHS MW-11) in accordance with the approved sampling schedule. Well WGR MW-4 was not gauged or sampled as the well appears to have been destroyed during site redevelopment activities. All accessible wells were first opened and water levels allowed to equilibrate with atmospheric pressure. The depth to water from the top of the well casings was measured prior to sampling with an electric water level indicator. The wells to be sampled were then purged of at least three well volumes either using a battery powered submersible pump or bailed by hand. Field data sheets are included in Appendix A.

Temperature, pH, specific conductivity, dissolved oxygen, and oxidation-reduction potential (ORP) were measured and the turbidity was visually noted during the purging of the wells. Once the above parameters had stabilized, and the wells were allowed to recharge to a minimum of 90% of their original water volume, a water sample was collected. Groundwater samples were collected from each well using clean, disposable plastic bailers.

Groundwater samples were collected from each well to be sampled into three 40 ml volatile organic analysis (VOA) vials. The samples were capped so that neither head space nor air bubbles were visible within the sample containers. Samples were labeled with unique identifiers, stored over water ice, and placed under chain of custody. The samples were transported to McCampbell Analytical, Inc. of Pittsburg, California (Department of Health Services Certification #1644). Groundwater samples were analyzed for halogenated volatile organic compounds (HVOCs) using EPA Method 8260.

Field Results

Generally, the wells at the site are categorized as being screened either in a shallow water bearing zone or a deeper water bearing zone. Shallow zone wells (AMW-1, AMW-6R, and WGR MW2) are screened between approximately 13 to 34 feet bgs, and deeper wells (AMW-8, AMW-9, and FHS MW-10 and FHS MW-11) are generally screened in the 35 to 64 feet bgs range. Screen intervals, where known, are presented in Table 1.

Overall, groundwater levels at the site since the last monitoring event decreased approximately 0.5 to 3.5 feet. Groundwater levels in the shallow aquifer were reported at 37.46 feet above mean sea level (amsl) in WGR MW-2 and 40.14 feet amsl in AMW-1. With the destruction of shallow wells AMW-4 and AMW-5, insufficient data was available to calculate a groundwater flow direction for the shallow wells. Historically, groundwater in the shallow wells flows towards the west. Groundwater levels in the deeper, apparently confined/semi-confined aquifer, ranged from 23.12 to 45.44 feet amsl. Groundwater flow in the deep aquifer was calculated toward the

southwest at a hydraulic gradient of approximately 0.04 feet per foot, relatively consistent with previous findings.

Groundwater measurement data are summarized in Table 1. The groundwater elevation contours for deep wells are shown in Figure 3. Refer to Appendix A for Groundwater Monitoring Well Field Sampling Forms.

Groundwater Quality

Tetrachloroethene (PCE), trichloroethylene (TCE), cis-1,2 dichloroethylene (cis-1,2 DCE), and trans-1,2 dichloroethane (trans-1,2 DCE) were detected in groundwater from the shallow well AMW-6R at 540 micrograms per liter (μg/L), 110 μg/L, 100 μg/L, and 15 μg/L respectively. These concentrations were relatively consistent with recent data; however, they were well below historic concentration ranges seen in well MW-6. PCE was detected in AMW-1 at a concentration of 0.62 μg/L. No other HVOCs were detected in the groundwater monitoring well (AMW-1) at or above the laboratory detection limits. PCE was detected in two of the deeper zone wells (AMW-9 and FHS MW-11) at concentrations of 18 μg/L and 26 μg/L, respectively, which represents a slight increase from the last sampling event but well below historical concentrations found in AMW-1. PCE has not been detected in well FHS MW-10 since 2008. TCE and 1,2-DCE were not detected at or above the laboratory detection limit in any of the deep groundwater samples.

A summary of groundwater quality data, including historical results, is presented in Table 2. Laboratory results and chain of custody documents are included in Appendix B. Refer to Figure 4 for a summary of VOC concentrations in the wells sampled during this event.

Summary

The report presents the findings of the second semester groundwater monitoring event at the site, conducted during the 4th Quarter 2013. Overall, findings are relatively consistent with prior events.

The ACHCSA, in a letter dated July 10, 2008, concurred that no further characterization is necessary to investigate shallow soil vapor beneath the site and AEI may commence with the pilot testing activities at the site. Construction work for the implementation of the pilot study activities commenced in July 2012. This included the installation of the horizontal extraction piping, conveyance piping, and soil vapor extraction well. Implementation of the pilot study is expected to continue in the next several months. AEI is currently waiting for the completion of certain construction work in the area of the former dry cleaning facility prior to continuing with pilot study installations. Tenants in the vicinity of the proposed pilot study activities have since been relocated and the tenant spaces are currently empty and undergoing remodeling activities. The units will remain empty and not be occupied until pilot study extraction has begun.

The pilot study was previously due on April 16, 2010; however, the remodeling activities have not been completed. A new date has not been established for the pilot study; however, tenant spaces will remain vacant pending the results of the pilot study activities. The ACHCSA will be notified once a pilot study schedule has been established. The monitoring well network will

Report Limitations and signatures

This report presents a summary of work completed by AEI Consultants. The completed work includes observations and descriptions of site conditions encountered. Where appropriate, it includes analytical results for samples taken during the course of the work. The number and location of samples are chosen to provide the requested information, but it cannot be assumed that they are representative of areas not sampled. All conclusions and/or recommendations are based on these analyses and observations, and the governing regulations. Conclusions beyond those stated and reported herein should not be inferred from this document.

These services were performed in accordance with generally accepted practices, in the environmental engineering and consulting field, which existed at the time and location of the work. If you have any questions regarding our investigation, please do not hesitate to contact one of us at (925) 746-6000.

Sincerely,
AEI Consultants

Jeremy Smith
Senior Project Manager

Peter J. McIntyre, P.G.
Executive Vice President
Principal Geologist

REGISTERED GEOLOGIST
PETER J. MCINTYRE
Exp. 5/31/14
No. 7702
STATE OF CALIFORNIA

Figures

Figure 1: Site Location Map
Figure 2: Site Plan
Figure 3: Groundwater Elevation Map – Deep Wells
Figure 4: Groundwater Analytical Data

Tables

Table 1: Groundwater Level Data
Table 2: Groundwater Sample Analytical Data

Appendix A: Groundwater Monitoring Well Field Sampling Forms
Appendix B: Laboratory Analyses with Chain of Custody Documentation

Distribution:
Mr. Jerry Wickham, Alameda County Health Care Services Agency, 1131 Harbor Bay Parkway, Suite 250, Alameda, CA 94502 (electronic copy)
Jay-Phares Corporation, Attn; John Jay, 10700 MacAurther Blvd., Oakland, California 94605
Geotracker electronic upload

FIGURES



AEI CONSULTANTS

2500 Camino Diablo, Suite 200, Walnut Creek, CA 94597

SITE LOCATION MAP

10700 MACARTHUR BLVD
OAKLAND, CALIFORNIA

FIGURE 1
PROJECT NO. 261829

106 th AVENUE

ARCO Station

GAS STATION

CONC. RETAINING WALL

RETAINING WALL

LOADING DOCK

ELEC. SHED

Former Grocery Store

Former Young's Dry Cleaners

Utility Trench 4-5' deep

Utility Trench 5-7' deep

MACARTHUR BOULEVARD

MYERS STREET

HP-0 HP-1 HP-4 HP-5 HP-7 HP-9

MW-2 MW-3 MW-4 MW-5 MW-6 MW-7 MW-8

RW-1

VB-1 VB-2 VB-3 VB-4 VB-5 VB-6 VB-7 VB-8 VB-9 VB-10 VB-11 VB-12 VB-13 VB-14 VB-15 VB-16 VB-17 VB-18 VB-19 VB-20 VB-21 VB-22 VB-23 VB-24 VB-25 VB-26 VB-27 VB-28 VB-29

EB-1 EB-2 EB-3 EB-4 EB-5 EB-15

SB-1 SB-2

WGR-MW2 WGR-MW3

AMW-1 AMW-2 AMW-3 AMW-4 AMW-5 AMW-6 AMW-6R AMW-7 AMW-8 AMW-9

B-1 B-2 B-3 B-4 B-5 B-6 B-7

Scale: 1" = 60'

0 50 75 100

KEY

EB-1 Soil Boring - Kaldveer 1988

B-1 Soil Boring - Augeas 1994

HP-8 CPT Boring/HydroPunch Sample - PES 1997

MW4 Groundwater Monitoring Well

Soil Vapor Sample

Soil Boring - AEI 2006

Excavated to depth of 5 to 7 feet bgs

Excavated to depth of 8 to 13 feet bgs

Excavated to depth of 14 to 18 feet bgs

Abandoned Monitoring Well

On Site Storm Drain

Off Site Storm Drain

On Site Sanitary Sewer

Off Site Sanitary Sewer

On Site Underground Power

On Site Gas Line

Drafted 6/30/05 - RFF on Dirk Slooten base
Revised 05/08 by J.SMITH

AEI CONSULTANTS

2500 CAMINO DIABLO, WALNUT CREEK, CA

SITE PLAN

10700 MACARTHUR BLVD.
OAKLAND, CALIFORNIA

FIGURE 2
PROJECT NO. 261829

106 th AVENUE

FHS MW-10
(23.51)

25

30

ARCO Station

GAS STATION

35

40

CONC. RETAINING WALL

ELEC. SHED

RETAINING WALL

LOADING DOCK

45

WGR-MW2

AMW-1

AMW-8
(45.44)

AMW-6R

Former Grocery Store

Former Young's Dry Cleaners

AMW-5

AMW-4

AMW-9
(38.15)

MACARTHUR BOULEVARD

AC PAVEMENT

SIDEWALK

RETAINING WALL TYP.

PLANTER

107 th AVENUE

FHS MW-11
(23.12)

MYERS STREET

Approximate Deep Groundwater
Flow Direction on 10/11/2013
Groundwater Gradient = 0.04 ft/ft

WGR-MW4

0 50 75 100

Scale: 1" = 70'

KEY

MW4 Groundwater Monitoring Well

(49.91) = Groundwater Elevation (feet)

Groundwater Contour in 5 foot intervals

AEI CONSULTANTS

2500 CAMINO DIABLO, WALNUT CREEK, CA

Groundwater Elevation Map - Deep Wells

10700 MACARTHUR BLVD.
OAKLAND, CALIFORNIA

FIGURE 3
PROJECT NO. 261829



KEY

Abandoned Monitoring Well

Groundwater Monitoring Well

PCE = tetrachloroethene
TCE = trichloroethene
cis-DCE = cis 1,2-Dichloroethene
ug/L = micrograms per liter (ppb)
NS = not sampled

AEI CONSULTANTS

2500 CAMINO DIABLO, WALNUT CREEK, CA

Groundwater Analtyical Data (10/11/13)

10700 MACARTHUR BLVD.
OAKLAND, CALIFORNIA

FIGURE 4
PROJECT NO. 261829

TABLES

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
AMW-1	1/29/1999	24-34	64.51	23.01	41.50
(Shallow)	5/5/1999		64.51	21.25	43.26
	10/9/1999		64.51	24.14	40.37
	1/20/2000		64.51	24.66	39.85
	8/8/2000		64.51	23.30	41.21
	2/15/2001		64.51	23.22	41.29
	8/29/2001		64.51	24.38	40.13
	3/12/2002		64.51	21.29	43.22
	9/27/2002		64.51	23.62	40.89
	3/25/2003		64.51	22.45	42.06
	10/2/2003		64.51	24.31	40.20
	10/17/2006		64.51	22.91	41.60
	5/3/2007		64.51	18.61	45.90
	10/17/2007		64.51	23.97	40.54
	4/1/2008		64.51	22.02	42.49
	10/2/2008		64.51	24.21	40.30
	4/2/2009		64.51	22.49	42.02
	10/2/2009		64.51	24.38	40.13
	4/9/2010		64.51	21.68	42.83
	11/10/2010		64.51	24.11	40.40
	5/27/2011		64.51	20.98	43.53
	10/19/2011		64.51	23.41	41.10
	4/30/2012		64.51	22.19	42.32
	10/29/2012		64.51	24.31	40.20
	4/26/2013		64.51	22.39	42.12
	10/11/2013		**64.51**	**24.37**	**40.14**
AMW-4	1/29/1999	15-25	64.79	11.51	53.28
(Shallow)	5/5/1999		64.79	10.14	54.65
	10/9/1999		64.79	12.04	52.75
	1/20/2000		64.79	13.50	51.29
	8/8/2000		64.79	11.74	53.05
	2/15/2001		64.79	12.32	52.47
	8/29/2001		64.79	12.40	52.39
	3/12/2002		64.79	10.13	54.66
	9/27/2002		64.79	12.14	52.65
	3/25/2003		64.79	11.03	53.76
	10/2/2003		64.79	12.33	52.46
	10/17/2006		64.79	12.76	52.03
	5/3/2007		64.79	11.11	53.68
	10/17/2007		64.79	12.64	52.15
	4/1/2008		64.79	11.49	53.30
	10/2/2008		64.79	13.34	51.45
	4/2/2009		64.79	12.21	52.58
	10/2/2009		64.79	13.91	50.88
	4/9/2010		64.79	11.23	53.56
	11/10/2010		64.79	12.85	51.94
	5/27/2011		64.79	10.25	54.54
	10/19/2011		64.79	12.42	52.37
	4/30/2012		64.79	11.49	53.30
	10/29/2012		Well Destroyed during Construction		

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
AMW-5	1/29/1999	20-30	64.97	13.87	51.10
(Shallow)	5/5/1999		64.97	12.83	52.14
	10/9/1999		64.97	14.25	50.72
	1/20/2000		64.97	14.91	50.06
	8/8/2000		64.97	14.14	50.83
	2/15/2001		64.97	14.32	50.65
	8/29/2001		64.97	14.72	50.25
	3/12/2002		64.97	13.12	51.85
	9/27/2002		64.97	14.62	50.35
	3/25/2003		64.97	13.45	51.52
	10/2/2003		64.97	14.74	50.23
	10/17/2006		64.97	14.15	50.82
	5/3/2007		64.97	13.92	51.05
	10/17/2007		64.97	15.06	49.91
	4/1/2008		64.97	14.14	50.83
	10/2/2008		64.97	15.72	49.25
	4/2/2009		64.97	14.62	50.35
	10/2/2009		64.97	16.18	48.79
	4/9/2010		64.97	13.98	50.99
	11/10/2010		64.97	15.78	49.19
	5/27/2011		64.97	13.65	51.32
	10/19/2011		64.97	14.68	50.29
	4/30/2012		64.97	14.87	50.10
	10/29/2012		Well Destroyed during Construction		
AMW-6	1/29/1999	? - 25	65.10	12.74	52.36
(Shallow)	5/5/1999		65.10	11.30	53.80
	10/9/1999		65.10	13.29	51.81
	1/20/2000		65.10	14.21	50.89
	8/8/2000		65.10	12.95	52.15
	2/15/2001		65.10	12.64	52.46
	8/29/2001		65.10	13.65	51.45
	3/12/2002		65.10	11.41	53.69
	9/27/2002		65.10	13.25	51.85
	3/25/2003		65.10	12.22	52.88
	10/2/2003		65.10	14.74	50.36
	10/17/2006		65.10	11.46	53.64
	5/3/2007		65.10	13.04	52.06
	10/17/2007		65.10	13.87	51.23
	4/1/2008		65.10	12.64	52.46
	10/2/2008		65.10	14.54	50.56
	4/2/2009		65.10	13.38	51.72
	10/2/2009		65.10	16.03	49.07
	4/9/2010		65.10	12.75	52.35
	11/10/2010		65.10	14.56	50.54
	5/27/2011		Well Destroyed and Replaced with AMW-6R		
AMW-6R	5/27/2011	13-23	NA	14.70	NA
(Shallow)	10/19/2011		NA	14.50	NA
	4/30/2012		NA	15.94	NA
	10/29/2012		NA	14.54	NA
	4/26/2013		NA	14.18	NA
	10/11/2013		**NA**	**14.58**	**NA**

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
AMW-7	1/29/1999	Unknown	64.24	14.91	49.33
(Shallow)	5/5/1999			Well Covered during consturction	
AMW-8	1/29/1999	? - 45	64.55	16.86	47.69
(Deep)	5/5/1999		64.55	14.46	50.09
	10/9/1999		64.55	17.10	47.45
	1/20/2000		64.55	18.51	46.04
	8/8/2000		64.55	16.71	47.84
	2/15/2001		64.55	17.31	47.24
	8/29/2001		64.55	18.30	46.25
	3/12/2002		64.55	16.03	48.52
	9/27/2002		64.55	18.03	46.52
	3/25/2003		64.55	17.31	47.24
	10/2/2003		64.55	21.54	43.01
	10/17/2006		64.55	16.05	48.5
	5/3/2007		64.55	23.01	41.54
	10/17/2007		64.55	18.34	46.21
	4/1/2008		64.55	17.49	47.06
	10/2/2008		64.55	19.10	45.45
	4/2/2009		64.55	18.18	46.37
	10/2/2009		64.55	19.75	44.80
	4/9/2010		64.55	17.76	46.79
	11/10/2010		64.55	19.41	45.14
	5/27/2011		64.55	15.92	48.63
	10/19/2011		64.55	17.15	47.40
	4/30/2012		64.55	17.16	47.39
	10/29/2012		64.55	18.72	45.83
	4/26/2013		64.55	17.61	46.94
	10/11/2013		**64.55**	**19.11**	**45.44**
AMW-9	1/29/1999	? - 55	63.48	23.22	40.26
(Deep)	5/5/1999		63.48	21.40	42.08
	10/9/1999		63.48	23.74	39.74
	1/20/2000		63.48	24.92	38.56
	8/8/2000		63.48	23.01	40.47
	2/15/2001		63.48	21.20	42.28
	8/29/2001		63.48	22.59	40.89
	3/12/2002		63.48	21.94	41.54
	9/27/2002		63.48	24.16	39.32
	3/25/2003		63.48	23.00	40.48
	10/2/2003		63.48	23.80	39.68
	10/17/2006		63.48	23.07	40.41
	5/3/2007		63.48	23.17	40.31
	10/17/2007		63.48	24.97	38.51
	4/1/2008		63.48	22.97	40.51
	10/2/2008		63.48	25.65	37.83
	4/2/2009		63.48	23.80	39.68
	10/2/2009		63.48	25.98	37.50
	4/9/2010		63.48	22.80	40.68
	11/10/2010		63.48	25.36	38.12
	5/27/2011		63.48	21.73	41.75
	10/19/2011		63.48	24.07	39.41
	4/30/2012		63.48	22.90	40.58
	10/29/2012		63.48	25.49	37.99
	4/26/2013		63.48	23.49	39.99
	10/11/2013		**63.48**	**25.33**	**38.15**

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
WGR MW-2	1/29/1999	23-28	63.18	23.41	39.77
(Shallow)	5/5/1999		63.18	21.41	41.77
	10/9/1999		63.18	24.62	38.56
	1/20/2000		63.18	25.24	37.94
	8/8/2000		63.18	23.41	39.77
	8/29/2001		63.18	25.09	38.09
	3/12/2002		63.18	21.86	41.32
	9/27/2002		63.18	24.69	38.49
	3/25/2003		63.18	23.71	39.47
	10/2/2003		63.18	25.13	38.05
	10/17/2006		63.18	23.91	39.27
	5/3/2007		63.18	24.11	39.07
	10/17/2007		63.18	NA	NA
	4/1/2008		63.18	22.83	40.35
	10/2/2008		63.18	25.53	37.65
	4/2/2009		63.18	23.23	39.95
	10/2/2009		63.18	25.70	37.48
	4/9/2010		63.18	22.36	40.82
	11/10/2010		63.18	24.79	38.39
	5/27/2011		63.18	21.56	41.62
	10/19/2011		63.18	24.06	39.12
	4/30/2012		63.18	NA	NA
	10/29/2012		63.18	29.05	34.13
	4/26/2013		63.18	23.54	39.64
	10/11/2013		**63.18**	**25.72**	**37.46**
WGR MW-3	1/29/1999	22-27	58.34	15.81	42.53
(Shallow)	5/5/1999		58.34	18.43	39.91
	10/9/1999		58.34	21.38	36.96
	1/20/2000		58.34	19.76	38.58
	8/8/2000		58.34	20.88	37.46
	8/29/2001		58.34	21.22	37.12
	3/12/2002		58.34	14.80	43.54
	9/27/2002		58.34	22.32	36.02
	3/25/2003		58.34	18.07	40.27
	10/2/2003		58.34	22.22	36.12
	10/17/2006		58.34	21.85	36.49
	5/3/2007		58.34	18.37	39.97
	10/17/2007		58.34	NA	NA
	4/1/2008		58.34	18.74	39.60
	10/2/2008		58.34	23.62	34.72
	4/2/2009		58.34	17.89	40.45
	10/2/2009		58.34	22.16	36.18
	4/9/2010		58.34	15.71	42.63
	11/10/2010		58.34	21.75	36.59
	5/27/2011	Well Destroyed by ARCO; Case Closure at 10600 MacArthur Blvd.			

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
WGR MW-4	1/29/1999	23-45	60.02	26.23	33.79
(Deep)	5/5/1999		60.02	23.80	36.22
	10/9/1999		60.02	27.73	32.29
	1/20/2000		60.02	27.97	32.05
	8/8/2000		60.02	26.00	34.02
	2/15/2001		60.02	26.55	33.47
	8/29/2001		60.02	27.14	32.88
	3/12/2002		60.02	24.90	35.12
	9/27/2002		60.02	27.09	32.93
	3/25/2003		60.02	25.75	34.27
	10/2/2003		60.02	27.41	32.61
	10/17/2006		60.02	26.31	33.71
	5/3/2007		60.02	26.13	33.89
	10/17/2007		60.02	28.33	31.69
	4/1/2008		60.02	25.91	34.11
	10/2/2008		60.02	28.85	31.17
	4/2/2009		60.02	25.77	34.25
	10/2/2009		60.02	28.81	31.21
	4/9/2010		60.02	25.01	35.01
	11/10/2010		60.02	28.14	31.88
	5/27/2011		60.02	24.51	35.51
	10/19/2011		60.02	26.97	33.05
	4/30/2012		60.02	24.48	35.54
	10/29/2012		60.02	28.23	31.79
	4/26/2013		**Well Destroyed during Construction**		
FHS MW-10	1/29/1999	42-52	52.34	23.91	28.43
(Deep)	5/5/1999		52.34	20.55	31.79
	10/9/1999		52.34	25.00	27.34
	1/20/2000		52.34	27.23	25.11
	8/8/2000		52.34	24.06	28.28
	2/15/2001		52.34	24.16	28.18
	8/29/2001		52.34	26.11	26.23
	3/12/2002		52.34	23.94	28.40
	9/27/2003		52.34	25.86	26.48
	3/25/2003		52.34	23.20	29.14
	10/6/2003		52.34	26.39	25.95
	10/17/2006		52.34	24.35	27.99
	5/3/2007		52.34	23.97	28.37
	10/17/2007		52.34	27.71	24.63
	4/1/2008		52.34	23.79	28.55
	10/2/2008		52.34	28.40	23.94
	4/2/2009		52.34	23.80	28.54
	10/2/2009		52.34	28.51	23.83
	4/9/2010		52.34	22.04	30.30
	11/10/2010		52.34	NA	NA
	5/27/2011		52.34	21.28	31.06
	10/19/2011		52.34	24.18	28.16
	4/30/2012		52.34	22.41	29.93
	10/29/2012		52.34	25.25	27.09
	4/26/2013		52.34	25.49	26.85
	10/11/2013		**52.34**	**28.83**	**23.51**

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
FHS MW-11	1/29/1999	59-64	54.06	26.38	27.68
(Deep)	5/5/1999		54.06	22.72	31.34
	10/9/1999		54.06	27.42	26.64
	1/20/2000		54.06	29.31	24.75
	8/8/2000		54.06	26.11	27.95
	2/15/2001		54.06	26.43	27.63
	8/29/2001		54.06	28.28	25.78
	3/12/2002		54.06	21.61	32.45
	9/27/2002		54.06	27.93	26.13
	3/25/2003		54.06	45.21	8.85
	10/2/2003			Well Inaccessible	
	10/17/2006		54.06	26.54	27.52
	5/3/2007		54.06	26.25	27.81
	10/17/2007		54.06	29.88	24.18
	4/1/2008		54.06	26.02	28.04
	10/2/2008		54.06	30.61	23.45
	4/2/2009		54.06	26.09	27.97
	10/5/2009*		54.06	30.80	23.26
	4/9/2010		54.06	21.51	32.55
	11/10/2010		54.06	NA	NA
	5/27/2011		54.06	23.38	30.68
	10/19/2011		54.06	27.23	26.83
	4/30/2012		54.06	24.60	29.46
	10/29/2012		54.06	28.29	25.77
	4/26/2013		54.06	29.02	25.04
	10/11/2013		**54.06**	**30.94**	**23.12**
MW-6	1/29/1999	37.5-56	61.78	32.87	28.91
(Deep)	5/5/1999		61.78	29.41	32.37
	9/10/1999		61.78	33.98	27.80
	1/20/2000		61.78	36.02	25.76
	8/8/2000		61.78	32.73	29.05
	2/15/2001		61.78	33.34	28.44
	8/29/2001		61.78	34.98	26.80
	3/12/2002		61.78	30.72	31.06
	9/27/2002		61.78	34.50	27.28
	3/25/2003		61.78	32.08	29.70
	10/2/2003		61.78	34.86	26.92
	10/17/2006		61.78	32.58	29.20
	5/3/2007		61.78	32.54	29.24
	10/17/2007		61.78	36.20	25.58
	4/1/2008		61.78	32.39	29.39
	10/2/2008		61.78	36.86	24.92
	4/2/2009		61.78	32.67	29.11
	10/2/2009		61.78	36.98	24.80
	4/9/2010		61.78	30.09	31.69
	11/10/2010		61.78	35.87	25.91
	5/27/2011	Well Destroyed by ARCO; Case Closure at 10600 MacArthur Blvd.			

Table 1
Groundwater Level Data
10700 MacArthur Blvd., Oakland, California

Well ID (Aquifer zone)	Date	Screen Interval (ft bgs)	Well Elevation (ft msl)	Depth to Water (ft)	Groundwater Elevation (ft msl)
MW-7	1/20/2000	17.5-37.5	58.64	20.32	38.32
(Shallow)	8/8/2000		58.64	20.50	38.14
	2/15/2001		58.64	16.95	41.69
	8/29/2001		58.64	21.61	37.03
	3/12/2002		58.64	17.03	41.61
	9/27/2002		58.64	22.73	35.91
	3/25/2003		58.64	19.09	39.55
	10/2/2003		58.64	22.46	36.18
	10/17/2006		58.64	22.19	36.45
	5/3/2007		58.64	19.52	39.12
	10/17/2007		58.64	21.49	37.15
	4/1/2008		58.64	19.73	38.91
	10/2/2008		58.64	24.64	34.00
	4/2/2009		58.64	18.60	40.04
	10/2/2009		58.64	22.60	36.04
	4/9/2010		58.64	17.57	41.07
	11/10/2010		58.64	22.16	36.48
	5/27/2011	Well Destroyed by ARCO; Case Closure at 10600 MacArthur Blvd.			

Notes: All well elevations are measured from the top of casing not from the ground surface.
ft msl = feet above mean sea level
* = Car parked over well, reading taken 3 days later then other wells.
NA = not available

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
AMW-1	3/23/95	Augeus	-	ND<0.5	ND<0.5	ND<0.5	ND<0.5
(shallow)	6/21/95	Augeus	-	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/11/95	Augeus	-	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	7/17/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/23/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/29/97	PES	NS	NS	NS	NS	NS
	1/20/00	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/8/00	AEI	NS	NS	NS	NS	NS
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	1.8	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	2.2	ND<0.5	ND<RL
	5/2/07	AEI	ND<0.5	ND<0.5	ND<0.5	0.69	ND<RL
	10/17/07	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/1/08	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/2/08	AEI	ND<0.5	ND<0.5	0.60	ND<0.5	ND<RL
	4/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/9/10	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/25/10	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/27/11	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/19/11	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/30/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/29/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	04/26/13	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/11/13	**AEI**	**ND<0.5**	**ND<0.5**	**0.62**	**ND<0.5**	**ND<RL**
AMW-4	5/15/95	Augeus	NR	ND<50	2400	ND<50	NR
(shallow)	6/21/95	Augeus	NR	ND<50	2500	ND<50	NR
	9/13/95	Augeus	NR	ND<25	1100	ND<25	NR
	4/16/96	PES	ND<10	ND<10	1200	10	NR
	7/17/96	PES	ND<10	ND<10	860	ND<10	NR
	10/23/96	PES	ND<0.5	ND<0.5	22	0.5	NR
	9/29/97	PES	ND<3	ND<3	340	3	NR
	1/29/99	AEI	ND<3	ND<3	100	ND<3	ND<3
	5/5/99	AEI	ND<5	ND<5	210	ND<5	ND<5
	9/10/99	AEI	10	ND<5	240	18	ND<5
	1/20/00	AEI	46	ND<2.5	97	6.2	ND<2.5
	8/8/00	AEI	ND<5	ND<5	440	8	ND<5
	2/15/01	AEI	ND<2.5	ND<2.5	81	2.6	ND<2.5
	8/29/01	AEI	ND<2.5	ND<2.5	230	4.6	ND<2.5
	3/12/02	AEI	ND<5.0	ND<5.0	190	ND<5.0	ND<5.0
	9/27/02	AEI	ND<5.0	ND<5.0	220	ND<5.0	10***
	3/25/03	AEI	1.2	ND<1.0	22	1.9	ND<1.0
	10/2/03	AEI	2.8	ND<0.5	50	2.8	ND<0.5
	10/17/06	AEI	9.9	ND<0.5	6.5	ND<0.5	ND<RL
	5/3/07	AEI	2.7	ND<0.5	5.1	1.2	ND<RL**
	10/17/07	AEI	4.0	ND<0.5	6.2	ND<0.5	ND<RL
	4/1/08	AEI	3.3	ND<0.5	5.8	2.6	0.85**
	10/2/08	AEI	11.0	ND<1.0	34	2.9	ND<RL [3]
	4/2/09	AEI	2.8	ND<0.5	8.0	0.76	ND<RL [4]
	10/2/09	AEI	11	ND<0.5	4.3	0.89	ND<RL [5]
	4/9/10	AEI	1.9	ND<0.5	11	1.6	ND<RL [7]
	10/22/10	AEI	ND<0.5	ND<0.5	0.76	0.53	ND<RL
	5/27/11	AEI	ND<0.5	ND<0.5	1.9	0.75	ND<RL
	10/19/11	AEI	6.0	ND<0.5	1.2	0.68	ND<RL
	4/30/12	AEI	0.73	ND<0.5	1.0	0.82	ND<RL
	10/29/12	Well Destroyed During Construction					

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
AMW-5	5/15/95	Augeus	NR	ND<0.5	1.2	ND<0.5	NR
(shallow)	6/21/95	Augeus	NR	ND<0.5	ND<0.5	ND<0.5	NR
	9/13/95	Augeus	NR	ND<0.5	ND<0.5	ND<0.5	NR
	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NR
	7/17/96	PES	ND<0.5	ND<0.5	0.6	ND<0.5	NR
	10/23/96	PES	ND<0.5	ND<0.5	0.8	ND<0.5	NR
	9/29/97	PES	ND<0.5	ND<0.5	13	ND<0.5	NR
	1/29/99	AEI	NA	NA	NA	NA	NA
	5/5/99	AEI	ND<1	ND<1	36	ND<1	ND<1
	9/10/99	AEI	ND<1	ND<1	35	ND<1	ND<1
	1/20/00	AEI	ND<1	ND<1	36	ND<1	ND<1
	8/8/00	AEI	ND<0.5	ND<0.5	50	0.72	ND<0.5
	2/15/01	AEI	ND<0.5	ND<0.5	26	0.76	ND<0.5
	8/29/01	AEI	ND<0.5	ND<0.5	28	0.87	ND<0.5
	3/12/02	AEI	ND<0.5	ND<0.5	25	0.75	ND<0.5
	9/27/02	AEI	ND<0.5	ND<0.5	17	ND<0.5	ND<0.5
	3/25/03	AEI	ND<1.0	ND<1.0	23	ND<1.0	ND<1.0
	10/2/03	AEI	ND<0.5	ND<0.5	20	0.58	ND<0.5
	10/17/06	AEI	0.68	ND<0.5	22	0.88	ND<RL
	5/3/07	AEI	0.91	ND<0.5	42	2.0	ND<RL
	10/17/07	AEI	1.2	ND<0.5	42	2.0	ND<RL
	4/1/08	AEI	1.7	ND<0.5	50	2.8	ND<RL
	10/2/08	AEI	1.5	ND<1.0	46	2.3	ND<RL
	4/2/09	AEI	ND<1.7	ND<1.7	56	2.9	ND<RL
	10/2/09	AEI	0.87	ND<0.5	31	1.4	ND<RL
	4/9/10	AEI	ND<1.0	ND<1.0	35	2.1	ND<RL
	10/22/10	AEI	0.93	ND<1.0	29	2.0	ND<RL
	5/27/11	AEI	0.76	ND<0.5	23	1.9	ND<RL
	10/19/11	AEI	ND<0.5	ND<0.5	20	1.5	ND<RL
	4/30/12	AEI	0.59	ND<0.5	8.1	1.2	ND<RL
	10/29/12	Well Destroyed During Construction					
AMW-6	9/13/95	Augeus	NR	ND<25	930	ND<25	NR
(shallow)	4/16/96	PES	20	ND<10	1900	110	NR
	7/17/96	PES	ND<30	ND<30	3300	280	NR
	10/23/96	PES	ND<30	ND<30	2900	140	NR
	9/29/97	PES	220	70	4600	580	NR
	1/29/99	AEI	270	77	2400	390	ND<63
	5/5/99	AEI	370	110	2700	470	ND<71
	9/10/99	AEI	190	49	1400	250	ND<36
	1/20/00	AEI	210	ND<35	1600	270	ND<35
	8/8/00	AEI	150	56	1100	180	ND<25
	2/15/01	AEI	190	40	930	200	ND<25
	8/29/01	AEI	77	17	780	110	ND<10
	3/12/02	AEI	150	37	1300	170	ND<25
	9/27/02	AEI	67	ND<17	490	91	ND<17
	3/25/2003	AEI	94	ND<33	740	110	ND<33
	10/2/2003	AEI	66	13	440	60	ND<10
	10/17/2006	AEI	32	4.9	98	14	ND<RL
	5/3/2007	AEI	32	ND<5.0	120	22	ND<RL
	10/17/2007	AEI	48	8.4	140	27	ND<RL [2]
	4/1/2008	AEI	39	6.2	140	24	ND<RL
	10/2/2008	AEI	43	7.1	130	26	ND<RL
	4/2/2009	AEI	50	8.1	250	37	ND<RL
	10/2/2009	AEI	55	11	240	44	ND<RL [6]
	4/9/2010	AEI	56	ND<25	530	61	ND<RL
	10/22/2010	AEI	48	10	260	42	ND<RL
	5/27/2011	Destroyed and Replaced with Well AMW-6R					

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
AMW-6R	5/27/2011	AEI	54	7.5	210	45	ND<RL
(shallow)	10/19/2011	AEI	86	ND<12	570	86	ND<RL
	4/30/2012	AEI	74	8.6	220	65	ND<RL
	10/29/12	AEI	93	14	520	92	ND<RL
	04/26/13	AEI	92	<25	410	98	ND<RL
	10/11/13	AEI	**100**	**15**	**540**	**110**	ND<RL
AMW-7	9/13/95	Augeus	NR	ND<25	2350	340	NR
(shallow)	4/16/96	PES	2200	60	2300	500	NR
	7/17/96	PES	2100	ND<30	2400	530	NR
	10/23/96	PES	3100	50	3400	610	NR
	9/29/97	PES	33	20	520	100	NR
	1/29/99	AEI	22	ND<3	95	12	ND<3
	5/5/99	AEI	Well Covered During Construction				
AMW-8	9/13/95	Augeus	-	ND<25	95	ND<25	ND<25
(deep)	4/16/96	PES	ND<0.5	ND<0.5	0.8	ND<0.5	ND<0.5
	7/17/96	PES	ND<0.5	ND<0.5	1.6	ND<0.5	ND<0.5
	10/23/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/29/97	PES	ND<0.5	ND<0.5	0.7	ND<0.5	ND<0.5
	1/20/00	AEI	ND<0.5	ND<0.5	0.73	ND<0.5	ND<0.5
	8/8/00	AEI	NS	NS	NS	NS	NS
	2/15/01	AEI	ND<0.5	ND<0.5	1.7	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	7.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	ND<0.5	ND<0.5	1.6	ND<0.5	ND<RL
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	ND<0.5	ND<0.5	1.3	ND<0.5	ND<RL
	4/2/09	AEI	NS	NS	NS	NS	NS
	10/2/09	AEI	ND<0.5	ND<0.5	1.4	ND<0.5	ND<RL
	4/9/10	AEI	NS	NS	NS	NS	NS
	10/25/10	AEI	ND<0.5	ND<0.5	2.2	ND<0.5	ND<RL
	5/27/11	AEI	NS	NS	NS	NS	NS
	10/19/11	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/30/12	AEI	NS	NS	NS	NS	NS
	10/29/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	04/26/13	AEI	NS	NS	NS	NS	NS
	10/11/13	**AEI**	**ND<0.5**	**ND<0.5**	**ND<0.5**	**ND<0.5**	**ND<RL**

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
AMW-9	9/13/95	Augeus	NR	ND<25	170	ND<25	NR
(deep)	4/16/96	PES	7	ND<3	170	4	NR
	7/17/96	PES	ND<3	ND<3	190	4	NR
	10/23/96	PES	ND<3	ND<3	190	ND<3	NR
	9/29/97	PES	ND<3	ND<3	110	ND<3	NR
	1/29/99	AEI	ND<4	ND<4	90	ND<4	ND<4
	5/5/99	AEI	ND<2.5	ND<2.5	94	ND<2.5	ND<2.5
	9/10/99	AEI	ND<2.1	ND<2.1	99	ND<2.1	ND<2.1
	1/20/00	AEI	ND<0.5	ND<0.5	100	ND<0.5	ND<0.5
	8/8/00	AEI	ND<2.5	ND<2.5	130	ND<2.5	ND<2.5
	2/15/01	AEI	ND<1.0	ND<1.0	69	ND<1.0	ND<1.0
	8/29/01	AEI	ND<2.5	ND<2.5	98	ND<2.5	ND<2.5
	3/12/02	AEI	ND<2.5	ND<2.5	100	ND<2.5	ND<2.5
	9/27/02	AEI	ND<5.0	ND<5.0	80	ND<5.0	ND<5.0
	3/25/03	AEI	4.1	ND<2.5	48	ND<2.5	ND<2.5
	10/2/03	AEI	4.8	<0.5	36	1.1	ND<0.5
	10/17/06	AEI	ND<1.7	ND<1.7	73	ND<1.7	ND<RL
	5/3/07	AEI	ND<2.5	ND<2.5	86	ND<2.5	ND<RL
	10/17/07	AEI	ND<2.5	ND<2.5	130	ND<2.5	ND<RL
	4/1/08	AEI	ND<2.5	ND<2.5	130	ND<2.5	ND<RL
	10/2/08	AEI	ND<2.5	ND<2.5	110	ND<2.5	ND<RL
	4/2/09	AEI	ND<2.5	ND<2.5	180	ND<2.5	ND<RL
	10/2/09	AEI	ND<2.5	ND<2.5	140	ND<2.5	ND<RL
	4/9/10	AEI	ND<5.0	ND<5.0	160	ND<5.0	ND<RL
	10/22/10	AEI	ND<1.7	ND<1.7	93	ND<1.7	ND<RL
	5/27/11	AEI	ND<1.2	ND<1.2	53	ND<1.2	ND<RL
	10/19/11	AEI	ND<0.5	ND<0.5	30	ND<0.5	ND<RL
	4/30/12	AEI	ND<0.5	ND<0.5	3.4	ND<0.5	ND<RL
	10/29/12	AEI	ND<0.5	ND<0.5	14	ND<0.5	ND<RL
	04/26/13	AEI	ND<0.5	ND<0.5	6.9	ND<0.5	ND<RL
	10/11/13	**AEI**	**ND<0.5**	**ND<0.5**	**18**	**ND<0.5**	**ND<RL**
FHS MW-10	10/9/97	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	NR
(deep)	1/29/99	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	5/5/99	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/10/99	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	1/20/00	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/8/00	AEI	NS	NS	NS	NS	NS
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	1.7	ND<1.0	18	2.5	5.0**
	10/6/03	AEI	ND<0.5	ND<0.5	1.4	ND<0.5	1.0**
	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/3/2007 [1]	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/17/07	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/1/08	AEI	ND<0.5	ND<0.5	0.88	ND<0.5	ND<RL
	10/2/08	AEI	ND<0.5	ND<0.5	3.4	ND<0.5	1.4**
	4/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/9/10	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/22/10	AEI	NS	NS	NS	NS	NS
	5/27/11	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/19/11	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL [8]
	4/30/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/29/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	04/26/13	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/11/13	**AEI**	**ND<0.5**	**ND<0.5**	**ND<0.5**	**ND<0.5**	**ND<RL**

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
FHS MW-11	9/29/97	PES	ND<0.5	ND<0.5	4	ND<0.5	NR
(deep)	1/29/99	AEI	ND<0.5	ND<0.5	7	ND<0.5	ND<0.5
	5/5/99	AEI	ND<0.5	ND<0.5	7.1	ND<0.5	ND<0.5
	9/10/99	AEI	ND<0.5	ND<0.5	7.5	ND<0.5	ND<0.5
	1/20/00	AEI	ND<0.5	ND<0.5	7.5	ND<0.5	ND<0.5
	8/8/00	AEI	ND<0.5	ND<0.5	38	ND<0.5	ND<0.5
	2/15/01	AEI	ND<0.5	ND<0.5	18	ND<0.5	ND<0.5
	8/29/01	AEI	ND<0.5	ND<0.5	16	ND<0.5	ND<0.5
	3/12/02	AEI	ND<0.5	ND<0.5	13	ND<0.5	0.77**
	9/27/02	AEI	ND<1	ND<1	13	ND<1	6.4** 1.1***
	3/25/03	AEI	0.78	ND<0.5	12	0.88	4.0** 1.0****
	10/2/03			Well Inaccessible			
	10/17/06	AEI	ND<0.5	ND<0.5	20	ND<0.5	ND<RL
	5/3/2007 [1]	AEI	ND<0.5	ND<0.5	25	1.1	ND<RL
	10/17/07	AEI	ND<0.5	ND<0.5	31	0.71	ND<RL
	4/1/08	AEI	ND<0.5	ND<0.5	26	0.61	ND<RL
	10/2/08	AEI	ND<0.5	ND<0.5	31	0.74	ND<RL
	4/2/09	AEI	ND<0.5	ND<0.5	32	0.71	ND<RL
	10/5/09	AEI	ND<0.5	ND<0.5	32	0.70	ND<RL
	4/9/10	AEI	ND<1.0	ND<1.0	32	ND<1.0	ND<RL
	10/22/10	AEI	NS	NS	NS	NS	NS
	5/27/11	AEI	ND<1.7	ND<1.7	63	1.9	NS
	10/19/11	AEI	ND<1.0	ND<1.0	49	ND<1.0	ND<RL
	4/30/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/29/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	04/26/13	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	10/11/13	**AEI**	**ND<0.5**	**ND<0.5**	**26**	**ND<0.5**	**ND<RL**

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
MW-6	3/11/95	EMCON	ND<20	ND<0.5	1300	ND<20	NR
(deep)	6/5/95	EMCON	ND<20	ND<20	2000	ND<20	NR
	8/29/95	EMCON	ND<20	ND<20	1300	ND<20	NR
	9/11/95	Augeus	NR	ND<50	2000	ND<50	NR
	11/16/95	EMCON	ND<20	ND<20	1300	ND<20	NR
	2/28/96	EMCON	ND<20	ND<20	960	ND<20	NR
	4/16/96	PES	10	10	1400	10	NR
	5/28/96	EMCON	ND<20	ND<20	970	ND<20	NR
	7/17/96	PES	ND<5	ND<5	590	ND<5	NR
	8/19/96	EMCON	ND<20	ND<20	820	ND<20	NR
	10/23/96	PES	ND<5	ND<5	680	ND<5	NR
	11/21/96	EMCON	ND<20	ND<20	680	ND<20	NR
	3/26/97	EMCON	ND<40	ND<40	830	ND<40	NR
	5/20/97	EMCON	ND<5	ND<5	270	ND<5	NR
	9/29/97	PES	ND<10	ND<10	670	ND<10	NR
	1/29/99	AEI	1.4	ND<1.3	49	3	ND<1.3
	5/5/99	AEI	19	ND<11	530	38	ND<11
	9/10/99	AEI	27	ND<12	560	53	ND<12
	1/20/00	AEI	18	ND<8.5	660	31	ND<8.5
	8/8/00	AEI	98	16	1700	170	ND<5
	2/15/01	AEI	64	ND<10	650	87	ND<10
	8/29/01	AEI	19	ND<5.0	550	38	ND<5.0
	3/12/02	AEI	61	ND<20	1200	99	ND<20
	9/27/02	AEI	ND<12	ND<12	300	27	ND<12
	3/25/03	AEI	2.6	ND<2.5	49	3.8	ND<2.5
	10/2/03	AEI	13	ND<5.0	340	21	ND<5.0
	10/17/06	AEI	16	ND<5.0	320	18	ND<RL
	5/3/07	AEI	0.92	ND<0.5	39	2.1	ND<RL
	10/17/07	AEI	10	ND<5.0	310	18	ND<RL
	4/1/08	AEI	6.8	ND<1.7	76	9.2	ND<RL
	10/2/08	AEI	21	ND<12	380	33	ND<RL
	4/2/09	AEI	17	ND<10	420	28	ND<RL
	10/2/09	AEI	22	ND<10	410	29	ND<RL
	4/9/10	AEI	5.5	ND<5.0	160	10	ND<RL
	10/25/10	AEI	26	ND<10	400	30	ND<RL
	5/27/11	Well Destroyed by ARCO; Case Closure at 10600 MacArthur Blvd.					

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
MW-7	3/11/95	EMCON	NS	NS	NS	NS	NS
(shallow)	6/5/95	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	8/29/95	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	9/11/95	Augeus	85	ND<50	-	ND<50	ND<50
	11/16/95	EMCON	ND<20	ND<20	ND<20	ND<20	ND<20
	2/28/96	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	5/28/96	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	7/17/96	PES	0.6	ND<0.5	ND<0.5	0.6	ND<0.5
	8/19/96	EMCON	ND<1	ND<1	ND<1	ND<1	ND<1
	10/23/96	PES	0.6	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	11/21/96	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	3/26/97	EMCON	ND<20	ND<20	ND<20	ND<20	ND<20
	5/20/97	EMCON	ND<10	ND<10	ND<10	ND<10	ND<10
	9/29/97	PES	ND<10	ND<10	ND<10	ND<10	ND<10
	1/20/00	AEI	ND<6.5	ND<6.5	ND<6.5	ND<6.5	ND<6.5
	8/8/00	AEI	NS	NS	NS	NS	NS
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL*****
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	ND<10	ND<10	ND<10	ND<10	ND<RL
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	ND<1.0	ND<1.0	2.2	ND<1.0	ND<RL
	4/2/09	AEI	NS	NS	NS	NS	NS
	10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/9/10	AEI	NS	NS	NS	NS	NS
	10/22/10	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/27/11	Well Destroyed by ARCO; Case Closure at 10600 MacArthur Blvd.					
WGR MW-2	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
(Shallow)	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	NS	NS	NS	NS	NS
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	NS	NS	NS	NS	NS
	4/2/09	AEI	NS	NS	NS	NS	NS
	10/2/09	AEI	NS	NS	NS	NS	NS
	4/9/10	AEI	NS	NS	NS	NS	NS
	10/22/10	AEI	NS	NS	NS	NS	NS
	5/27/11	AEI	NS	NS	NS	NS	NS
	10/19/11	AEI	NS	NS	NS	NS	NS
	4/30/12	AEI	NS	NS	NS	NS	NS
	4/26/13	AEI	NS	NS	NS	NS	NS
	10/11/13	AEI	NS	NS	NS	NS	NS

Table 2
Groundwater Sample Analytical Data
10700 MacArthur Blvd., Oakland, California

Well (aguifer zone)	Date	Consultant	cis 1,2 DCE µg/L	trans 1,2 DCE µg/L	PCE µg/L	TCE µg/L	VHCs* µg/L
WGR MW-3	10/17/06	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
(Shallow)	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	NS	NS	NS	NS	NS
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	NS	NS	NS	NS	NS
	4/2/09	AEI	NS	NS	NS	NS	NS
	10/2/09	AEI	NS	NS	NS	NS	NS
	4/9/10	AEI	NS	NS	NS	NS	NS
	10/22/10	AEI	NS	NS	NS	NS	NS
	5/27/11	Well Destroyed by ARCO; Case Closure at 10600 MacArthur Blvd.					
WGR MW-4	4/16/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
(deep)	7/17/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/23/96	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/29/97	PES	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	2/15/01	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	8/29/01	AEI	NS	NS	NS	NS	NS
	3/12/02	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	9/27/02	AEI	NS	NS	NS	NS	NS
	3/25/03	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<0.5
	10/2/03	AEI	NS	NS	NS	NS	NS
	10/17/06	AEI	ND<0.5	ND<0.5	0.62	ND<0.5	ND<RL
	5/3/07	AEI	NS	NS	NS	NS	NS
	10/17/07	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/1/08	AEI	NS	NS	NS	NS	NS
	10/2/08	AEI	ND<0.5	ND<0.5	0.55	ND<0.5	ND<RL
	4/2/09	AEI	NS	NS	NS	NS	NS
	10/2/09	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/9/10	AEI	NS	NS	NS	NS	NS
	10/22/10	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	5/27/11	AEI	NS	NS	NS	NS	NS
	10/19/11	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	4/30/12	AEI	NS	NS	NS	NS	NS
	10/29/12	AEI	ND<0.5	ND<0.5	ND<0.5	ND<0.5	ND<RL
	04/26/13	AEI	Well Destroyed During Onsite Construction Activities				

Table 2 Notes:

Please refer to the Laboratory Analytical Data for further detailed lab information including Reporting Limits and Dilution Factors

*VHCs = All other chemicals by EPA method 601/8010 or 8260

** Chloroform (trichloromethane)

*** Dibromochloromethane

**** Methylene Chloride

***** bromodichloromethane

cis 1,2-Dichloroethene (cis 1,2 DCE)

trans 1,2-Dichloroethene (trans 1,2 DCE)

NS = Well not sampled

NR = Not Reported

µg/L = micrograms per liter (parts per billion)

Tetrachloroethene (PCE)

Trichloroethene (TCE)

[1] = Reported by laboratroy without letters FHS as prefix

[2] = Vinyl Chloride detected at a concentration of 1.9 ug/L

[3] = Vinyl Chloride detected at a concentration of 2.0 ug/L

[4] = Vinyl Chloride detected at a concentration of 0.66 ug/L

[5] = Vinyl Chloride detected at a concentration of 4.0 ug/L

[6] = Vinyl Chloride detected at a concentration of 11 ug/L

[7] = Chloroform detected at a concentration of 0.69 ug/L

[8] = Chloroform detected at a concentration of 0.64 ug/L

* Available data from AMW-7 is presented although this well was covered during 1999 construction activities

RL = Reporting Limit

APPENDIX A

MONITORING WELL FIELD SAMPLING FORMS

AEI CONSULTANTS

GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-1

Project Name:	Foothill Square	Date of Sampling:	10/11/2013
Job Number:	261829	Name of Sampler:	J. Sigg
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	64.51		
Depth of Well	45.00		
Depth to Water (from top of casing)	24.37		
Water Elevation (feet above msl)	40.14		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	**9.9**		
Actual Volume Purged (gallons)	10.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size: 3-VOAs

Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µ sec/cm)	DO (mg/L)	ORP (meV)	Comments
7:37	3	20.74	7.58	1,284	2.62	-108.9	
	6	20.81	7.62	1,277	1.71	-104.2	
7:46	10	20.77	7.60	1,263	1.34	-99.8	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS

GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-6R

Project Name:	Foothill Square	Date of Sampling:	10/11/2013
Job Number:	261829	Name of Sampler:	J. Sigg
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)			
Depth of Well	23.00		
Depth to Water (from top of casing)	14.58		
Water Elevation (feet above msl)	8.42		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	**4.0**		
Actual Volume Purged (gallons)	4.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size: 3 VOAs

Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µ sec/cm)	DO (mg/L)	ORP (meV)	Comments
8:45	1	20.72	7.65	928	2.85	185.4	
	2	20.70	7.63	922	2.17	180.1	
	3	20.66	7.60	917	1.88	177.2	
8:50	4	20.62	7.60	904	1.26	170.3	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Depth to water measurement is an estimation

AEI CONSULTANTS

GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-8

Project Name:	Foothill Square	Date of Sampling:	10/11/2013
Job Number:	261829	Name of Sampler:	J. Sigg
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	64.55		
Depth of Well	45.00		
Depth to Water (from top of casing)	19.11		
Water Elevation (feet above msl)	45.44		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	**12.4**		
Actual Volume Purged (gallons)	12.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size: 3 VOAs

Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µ sec/cm)	DO (mg/L)	ORP (meV)	Comments
6:55	3	20.82	7.52	1,217	3.07	-133.8	
	6	20.85	7.47	1,204	2.52	-128.2	
	8	20.87	7.50	1,192	1.97	-117.4	
7:04	12	20.85	7.53	1,189	1.34	-105.1	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS

GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: AMW-9

Project Name:	Foothill Square	Date of Sampling:	10/11/2013
Job Number:	261829	Name of Sampler:	J. Sigg
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	63.48		
Depth of Well	54.30		
Depth to Water (from top of casing)	25.33		
Water Elevation (feet above msl)	38.15		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	**13.9**		
Actual Volume Purged (gallons)	14.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size: 3 VOAs

Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µ sec/cm)	DO (mg/L)	ORP (meV)	Comments
8:10	3	20.75	7.74	1,182	3.24	202.4	
	6	20.82	7.72	1,174	2.65	212.7	
	9	20.80	7.70	1,163	2.07	211.8	
	12	20.79	7.70	1,155	1.73	209.7	
8:21	14	20.78	7.71	1,142	1.52	207.2	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS

GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: WGR MW-2

Project Name:	Foothill Square	Date of Sampling:	10/11/2013
Job Number:	261829	Name of Sampler:	J. Sigg
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	4		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	63.18		
Depth of Well	28.00		
Depth to Water (from top of casing)	25.72		
Water Elevation (feet above msl)	37.46		
Well Volumes Purged	NA		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	**NA**		
Actual Volume Purged (gallons)	Not sampled		
Appearance of Purge Water	--		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size

Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µ sec/cm)	DO (mg/L)	ORP (meV)	Comments

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

Well not sampled in accordance with sampling schedule

AEI CONSULTANTS

GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: FHS MW-10

Project Name:	Foothill Square	Date of Sampling:	10/11/2013
Job Number:	261829	Name of Sampler:	J. Sigg
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	52.34		
Depth of Well	51.94		
Depth to Water (from top of casing)	28.83		
Water Elevation (feet above msl)	23.51		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	**11.1**		
Actual Volume Purged (gallons)	11.0		
Appearance of Purge Water	Clear		
Free Product Present?	n/a	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size: 3 VOAs

Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µ sec/cm)	DO (mg/L)	ORP (meV)	Comments
5:37	3	20.28	7.67	902	6.82	-154.8	
	6	20.26	7.64	895	6.05	-150.1	
	9	20.23	7.66	887	4.42	-147.3	
5:50	11	20.23	7.65	881	2.71	-144.2	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

AEI CONSULTANTS

GROUNDWATER MONITORING WELL FIELD SAMPLING FORM

Monitoring Well Number: FHS MW-11

Project Name:	Foothill Square	Date of Sampling:	10/11/2013
Job Number:	261829	Name of Sampler:	J. Sigg
Project Address:	10700 MacArthur Blvd., Oakland		

MONITORING WELL DATA

Well Casing Diameter (2"/4"/6")	2		
Wellhead Condition	OK		
Elevation of Top of Casing (feet above msl)	54.06		
Depth of Well	64.07		
Depth to Water (from top of casing)	30.94		
Water Elevation (feet above msl)	23.12		
Well Volumes Purged	3		
Gallons Purged: formula valid only for casing sizes of 2" (.16 gal/ft), 4" (.65 gal/ft), and 6" (1.44 gal/ft)	**15.9**		
Actual Volume Purged (gallons)	16.0		
Appearance of Purge Water	Clear		
Free Product Present?	na	Thickness (ft):	-

GROUNDWATER SAMPLES

Number of Samples/Container Size: 3 VOAs

Time	Vol Removed (gal)	Temperature (deg C)	pH	Conductivity (µ sec/cm)	DO (mg/L)	ORP (meV)	Comments
6:15	3	21.32	7.63	1022	5.17	-122.8	
	6	21.17	7.52	1014	4.23	-130.7	
	9	21.08	7.52	997	3.54	-128.5	
	12	20.85	7.50	982	2.82	-122.3	
6:31	16	20.73	7.50	973	2.67	-118.4	

COMMENTS (i.e., sample odor, well recharge time & percent, etc.)

APPENDIX B

LABORATORY ANALYTICAL REPORTS
W/ CHAIN OF CUSOTDY DOCUMENTATION

McCampbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 1310446

Report Created for: AEI Consultants
2500 Camino Diablo, Ste.#200
Walnut Creek, CA 94597

Project Contact: Jeremy Smith
Project P.O.: #WC084402
Project Name: #261829; Foothill Square

Project Received: 10/11/2013

Analytical Report reviewed & approved for release on 10/17/2013 by:

Question about your data?

Click here to email McCampbell

Angela Rydelius,
Laboratory Manager

1534 Willow Pass Rd. Pittsburg, CA 94565 ♦ TEL: (877) 252-9262 ♦ FAX: (925) 252-9269 ♦ www.mccampbell.com
NELAP: 12283CA ♦ ELAP: 1644 ♦ ISO/IEC: 17025:2005 ♦ WSDE: C972-11 ♦ ADEC: UST-098 ♦ UCMR3

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Glossary of Terms & Qualifier Definitions

Client: AEI Consultants
Project: #261829; Foothill Square
WorkOrder: 1310446

Glossary Abbreviation	Description
95% Interval	95% Confident Interval
DF	Dilution Factor
DUP	Duplicate
LCS	Laboratory Control Sample
MB	Method Blank
MB % Rec	% Recovery of Surrogate in Method Blank, if applicable
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
ND	Not detected at or above the indicated MDL or RL
NR	Analyte concentration in sample exceeds spike amount for soil matrix or exceeds 2x spike amount for water matrix; or sample diluted due to high matrix or analyte content.
RD	Relative Difference
RL	Reporting Limit
RPD	Relative Percent Deviation
SPK Val	Spike Value
SPKRef Val	Spike Reference Value

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Project:	#261829; Foothill Square	**Extraction Method**	SW5030B
Date Received:	10/11/13 20:38	**Analytical Method:**	SW8260B
Date Prepared:	10/12/13-10/14/13	**Unit:**	µg/L

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
AMW-1	**1310446-001A**	**Water**	**10/11/2013 07:46**	**GC18**	**82832**

Analytes	Result	RL	DF	Date Analyzed
Bromodichloromethane	ND	0.50	1	10/12/2013 15:40
Bromoform	ND	0.50	1	10/12/2013 15:40
Bromomethane	ND	0.50	1	10/12/2013 15:40
Carbon Tetrachloride	ND	0.50	1	10/12/2013 15:40
Chlorobenzene	ND	0.50	1	10/12/2013 15:40
Chloroethane	ND	0.50	1	10/12/2013 15:40
Chloroform	ND	0.50	1	10/12/2013 15:40
Chloromethane	ND	0.50	1	10/12/2013 15:40
Dibromochloromethane	ND	0.50	1	10/12/2013 15:40
1,2-Dibromoethane (EDB)	ND	0.50	1	10/12/2013 15:40
1,2-Dichlorobenzene	ND	0.50	1	10/12/2013 15:40
1,3-Dichlorobenzene	ND	0.50	1	10/12/2013 15:40
1,4-Dichlorobenzene	ND	0.50	1	10/12/2013 15:40
Dichlorodifluoromethane	ND	0.50	1	10/12/2013 15:40
1,1-Dichloroethane	ND	0.50	1	10/12/2013 15:40
1,2-Dichloroethane (1,2-DCA)	ND	0.50	1	10/12/2013 15:40
1,1-Dichloroethene	ND	0.50	1	10/12/2013 15:40
cis-1,2-Dichloroethene	ND	0.50	1	10/12/2013 15:40
trans-1,2-Dichloroethene	ND	0.50	1	10/12/2013 15:40
1,2-Dichloropropane	ND	0.50	1	10/12/2013 15:40
cis-1,3-Dichloropropene	ND	0.50	1	10/12/2013 15:40
trans-1,3-Dichloropropene	ND	0.50	1	10/12/2013 15:40
Freon 113	ND	10	1	10/12/2013 15:40
Methylene chloride	ND	0.50	1	10/12/2013 15:40
1,1,1,2-Tetrachloroethane	ND	0.50	1	10/12/2013 15:40
1,1,2,2-Tetrachloroethane	ND	0.50	1	10/12/2013 15:40
Tetrachloroethene	**0.62**	0.50	1	10/12/2013 15:40
1,1,1-Trichloroethane	ND	0.50	1	10/12/2013 15:40
1,1,2-Trichloroethane	ND	0.50	1	10/12/2013 15:40
Trichloroethene	ND	0.50	1	10/12/2013 15:40
Trichlorofluoromethane	ND	0.50	1	10/12/2013 15:40
Vinyl Chloride	ND	0.50	1	10/12/2013 15:40

Surrogates	REC (%)	Limits	
Dibromofluoromethane	103	70-130	10/12/2013 15:40
Toluene-d8	101	70-130	10/12/2013 15:40
4-BFB	100	70-130	10/12/2013 15:40

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Project:	#261829; Foothill Square	**Extraction Method**	SW5030B
Date Received:	10/11/13 20:38	**Analytical Method:**	SW8260B
Date Prepared:	10/12/13-10/14/13	**Unit:**	µg/L

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
AMW-6R	**1310446-002A**	**Water**	**10/11/2013 08:50**	**GC10**	**82832**

Analytes	Result	RL	DF	Date Analyzed
Bromodichloromethane	ND	12	25	10/14/2013 21:30
Bromoform	ND	12	25	10/14/2013 21:30
Bromomethane	ND	12	25	10/14/2013 21:30
Carbon Tetrachloride	ND	12	25	10/14/2013 21:30
Chlorobenzene	ND	12	25	10/14/2013 21:30
Chloroethane	ND	12	25	10/14/2013 21:30
Chloroform	ND	12	25	10/14/2013 21:30
Chloromethane	ND	12	25	10/14/2013 21:30
Dibromochloromethane	ND	12	25	10/14/2013 21:30
1,2-Dibromoethane (EDB)	ND	12	25	10/14/2013 21:30
1,2-Dichlorobenzene	ND	12	25	10/14/2013 21:30
1,3-Dichlorobenzene	ND	12	25	10/14/2013 21:30
1,4-Dichlorobenzene	ND	12	25	10/14/2013 21:30
Dichlorodifluoromethane	ND	12	25	10/14/2013 21:30
1,1-Dichloroethane	ND	12	25	10/14/2013 21:30
1,2-Dichloroethane (1,2-DCA)	ND	12	25	10/14/2013 21:30
1,1-Dichloroethene	ND	12	25	10/14/2013 21:30
cis-1,2-Dichloroethene	**100**	12	25	10/14/2013 21:30
trans-1,2-Dichloroethene	**15**	12	25	10/14/2013 21:30
1,2-Dichloropropane	ND	12	25	10/14/2013 21:30
cis-1,3-Dichloropropene	ND	12	25	10/14/2013 21:30
trans-1,3-Dichloropropene	ND	12	25	10/14/2013 21:30
Freon 113	ND	250	25	10/14/2013 21:30
Methylene chloride	ND	12	25	10/14/2013 21:30
1,1,1,2-Tetrachloroethane	ND	12	25	10/14/2013 21:30
1,1,2,2-Tetrachloroethane	ND	12	25	10/14/2013 21:30
Tetrachloroethene	**540**	12	25	10/14/2013 21:30
1,1,1-Trichloroethane	ND	12	25	10/14/2013 21:30
1,1,2-Trichloroethane	ND	12	25	10/14/2013 21:30
Trichloroethene	**110**	12	25	10/14/2013 21:30
Trichlorofluoromethane	ND	12	25	10/14/2013 21:30
Vinyl Chloride	ND	12	25	10/14/2013 21:30

Surrogates	REC (%)	Limits	
Dibromofluoromethane	109	70-130	10/14/2013 21:30
Toluene-d8	98	70-130	10/14/2013 21:30
4-BFB	99	70-130	10/14/2013 21:30

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Project:	#261829; Foothill Square	**Extraction Method**	SW5030B
Date Received:	10/11/13 20:38	**Analytical Method:**	SW8260B
Date Prepared:	10/12/13-10/14/13	**Unit:**	µg/L

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
AMW-8	**1310446-003A**	**Water**	**10/11/2013 07:04**	**GC10**	**82832**

Analytes	Result	RL	DF	Date Analyzed
Bromodichloromethane	ND	0.50	1	10/14/2013 22:12
Bromoform	ND	0.50	1	10/14/2013 22:12
Bromomethane	ND	0.50	1	10/14/2013 22:12
Carbon Tetrachloride	ND	0.50	1	10/14/2013 22:12
Chlorobenzene	ND	0.50	1	10/14/2013 22:12
Chloroethane	ND	0.50	1	10/14/2013 22:12
Chloroform	ND	0.50	1	10/14/2013 22:12
Chloromethane	ND	0.50	1	10/14/2013 22:12
Dibromochloromethane	ND	0.50	1	10/14/2013 22:12
1,2-Dibromoethane (EDB)	ND	0.50	1	10/14/2013 22:12
1,2-Dichlorobenzene	ND	0.50	1	10/14/2013 22:12
1,3-Dichlorobenzene	ND	0.50	1	10/14/2013 22:12
1,4-Dichlorobenzene	ND	0.50	1	10/14/2013 22:12
Dichlorodifluoromethane	ND	0.50	1	10/14/2013 22:12
1,1-Dichloroethane	ND	0.50	1	10/14/2013 22:12
1,2-Dichloroethane (1,2-DCA)	ND	0.50	1	10/14/2013 22:12
1,1-Dichloroethene	ND	0.50	1	10/14/2013 22:12
cis-1,2-Dichloroethene	ND	0.50	1	10/14/2013 22:12
trans-1,2-Dichloroethene	ND	0.50	1	10/14/2013 22:12
1,2-Dichloropropane	ND	0.50	1	10/14/2013 22:12
cis-1,3-Dichloropropene	ND	0.50	1	10/14/2013 22:12
trans-1,3-Dichloropropene	ND	0.50	1	10/14/2013 22:12
Freon 113	ND	10	1	10/14/2013 22:12
Methylene chloride	ND	0.50	1	10/14/2013 22:12
1,1,1,2-Tetrachloroethane	ND	0.50	1	10/14/2013 22:12
1,1,2,2-Tetrachloroethane	ND	0.50	1	10/14/2013 22:12
Tetrachloroethene	ND	0.50	1	10/14/2013 22:12
1,1,1-Trichloroethane	ND	0.50	1	10/14/2013 22:12
1,1,2-Trichloroethane	ND	0.50	1	10/14/2013 22:12
Trichloroethene	ND	0.50	1	10/14/2013 22:12
Trichlorofluoromethane	ND	0.50	1	10/14/2013 22:12
Vinyl Chloride	ND	0.50	1	10/14/2013 22:12

Surrogates	REC (%)	Limits	
Dibromofluoromethane	109	70-130	10/14/2013 22:12
Toluene-d8	94	70-130	10/14/2013 22:12
4-BFB	88	70-130	10/14/2013 22:12

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Project:	#261829; Foothill Square	**Extraction Method**	SW5030B
Date Received:	10/11/13 20:38	**Analytical Method:**	SW8260B
Date Prepared:	10/12/13-10/14/13	**Unit:**	µg/L

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
AMW-9	**1310446-004A**	**Water**	**10/11/2013 08:21**	**GC18**	**82832**

Analytes	Result	RL	DF	Date Analyzed
Bromodichloromethane	ND	0.50	1	10/12/2013 17:35
Bromoform	ND	0.50	1	10/12/2013 17:35
Bromomethane	ND	0.50	1	10/12/2013 17:35
Carbon Tetrachloride	ND	0.50	1	10/12/2013 17:35
Chlorobenzene	ND	0.50	1	10/12/2013 17:35
Chloroethane	ND	0.50	1	10/12/2013 17:35
Chloroform	ND	0.50	1	10/12/2013 17:35
Chloromethane	ND	0.50	1	10/12/2013 17:35
Dibromochloromethane	ND	0.50	1	10/12/2013 17:35
1,2-Dibromoethane (EDB)	ND	0.50	1	10/12/2013 17:35
1,2-Dichlorobenzene	ND	0.50	1	10/12/2013 17:35
1,3-Dichlorobenzene	ND	0.50	1	10/12/2013 17:35
1,4-Dichlorobenzene	ND	0.50	1	10/12/2013 17:35
Dichlorodifluoromethane	ND	0.50	1	10/12/2013 17:35
1,1-Dichloroethane	ND	0.50	1	10/12/2013 17:35
1,2-Dichloroethane (1,2-DCA)	ND	0.50	1	10/12/2013 17:35
1,1-Dichloroethene	ND	0.50	1	10/12/2013 17:35
cis-1,2-Dichloroethene	ND	0.50	1	10/12/2013 17:35
trans-1,2-Dichloroethene	ND	0.50	1	10/12/2013 17:35
1,2-Dichloropropane	ND	0.50	1	10/12/2013 17:35
cis-1,3-Dichloropropene	ND	0.50	1	10/12/2013 17:35
trans-1,3-Dichloropropene	ND	0.50	1	10/12/2013 17:35
Freon 113	ND	10	1	10/12/2013 17:35
Methylene chloride	ND	0.50	1	10/12/2013 17:35
1,1,1,2-Tetrachloroethane	ND	0.50	1	10/12/2013 17:35
1,1,2,2-Tetrachloroethane	ND	0.50	1	10/12/2013 17:35
Tetrachloroethene	**18**	0.50	1	10/12/2013 17:35
1,1,1-Trichloroethane	ND	0.50	1	10/12/2013 17:35
1,1,2-Trichloroethane	ND	0.50	1	10/12/2013 17:35
Trichloroethene	ND	0.50	1	10/12/2013 17:35
Trichlorofluoromethane	ND	0.50	1	10/12/2013 17:35
Vinyl Chloride	ND	0.50	1	10/12/2013 17:35

Surrogates	REC (%)	Limits	
Dibromofluoromethane	107	70-130	10/12/2013 17:35
Toluene-d8	97	70-130	10/12/2013 17:35
4-BFB	103	70-130	10/12/2013 17:35

(Cont.)

CDPH ELAP 1644 ♦ NELAP 12283CA

BB Analyst's Initial


Angela Rydelius, Lab Manager

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Project:	#261829; Foothill Square	**Extraction Method**	SW5030B
Date Received:	10/11/13 20:38	**Analytical Method:**	SW8260B
Date Prepared:	10/12/13-10/14/13	**Unit:**	µg/L

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
FHS MW-10	**1310446-005A**	**Water**	**10/11/2013 05:50**	**GC18**	**82832**

Analytes	Result	RL	DF	Date Analyzed
Bromodichloromethane	ND	0.50	1	10/12/2013 18:13
Bromoform	ND	0.50	1	10/12/2013 18:13
Bromomethane	ND	0.50	1	10/12/2013 18:13
Carbon Tetrachloride	ND	0.50	1	10/12/2013 18:13
Chlorobenzene	ND	0.50	1	10/12/2013 18:13
Chloroethane	ND	0.50	1	10/12/2013 18:13
Chloroform	ND	0.50	1	10/12/2013 18:13
Chloromethane	ND	0.50	1	10/12/2013 18:13
Dibromochloromethane	ND	0.50	1	10/12/2013 18:13
1,2-Dibromoethane (EDB)	ND	0.50	1	10/12/2013 18:13
1,2-Dichlorobenzene	ND	0.50	1	10/12/2013 18:13
1,3-Dichlorobenzene	ND	0.50	1	10/12/2013 18:13
1,4-Dichlorobenzene	ND	0.50	1	10/12/2013 18:13
Dichlorodifluoromethane	ND	0.50	1	10/12/2013 18:13
1,1-Dichloroethane	ND	0.50	1	10/12/2013 18:13
1,2-Dichloroethane (1,2-DCA)	ND	0.50	1	10/12/2013 18:13
1,1-Dichloroethene	ND	0.50	1	10/12/2013 18:13
cis-1,2-Dichloroethene	ND	0.50	1	10/12/2013 18:13
trans-1,2-Dichloroethene	ND	0.50	1	10/12/2013 18:13
1,2-Dichloropropane	ND	0.50	1	10/12/2013 18:13
cis-1,3-Dichloropropene	ND	0.50	1	10/12/2013 18:13
trans-1,3-Dichloropropene	ND	0.50	1	10/12/2013 18:13
Freon 113	ND	10	1	10/12/2013 18:13
Methylene chloride	ND	0.50	1	10/12/2013 18:13
1,1,1,2-Tetrachloroethane	ND	0.50	1	10/12/2013 18:13
1,1,2,2-Tetrachloroethane	ND	0.50	1	10/12/2013 18:13
Tetrachloroethene	ND	0.50	1	10/12/2013 18:13
1,1,1-Trichloroethane	ND	0.50	1	10/12/2013 18:13
1,1,2-Trichloroethane	ND	0.50	1	10/12/2013 18:13
Trichloroethene	ND	0.50	1	10/12/2013 18:13
Trichlorofluoromethane	ND	0.50	1	10/12/2013 18:13
Vinyl Chloride	ND	0.50	1	10/12/2013 18:13

Surrogates	REC (%)	Limits	
Dibromofluoromethane	104	70-130	10/12/2013 18:13
Toluene-d8	99	70-130	10/12/2013 18:13
4-BFB	102	70-130	10/12/2013 18:13

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Analytical Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Project:	#261829; Foothill Square	**Extraction Method**	SW5030B
Date Received:	10/11/13 20:38	**Analytical Method:**	SW8260B
Date Prepared:	10/12/13-10/14/13	**Unit:**	µg/L

Halogenated Volatile Organics by P&T and GC-MS (8010 Basic Target List)

Client ID	Lab ID	Matrix/ExtType	Date Collected	Instrument	Batch ID
FHS MW-11	**1310446-006A**	**Water**	**10/11/2013 06:31**	**GC10**	**82832**

Analytes	Result	RL	DF	Date Analyzed
Bromodichloromethane	ND	1.2	2.5	10/14/2013 22:54
Bromoform	ND	1.2	2.5	10/14/2013 22:54
Bromomethane	ND	1.2	2.5	10/14/2013 22:54
Carbon Tetrachloride	ND	1.2	2.5	10/14/2013 22:54
Chlorobenzene	ND	1.2	2.5	10/14/2013 22:54
Chloroethane	ND	1.2	2.5	10/14/2013 22:54
Chloroform	ND	1.2	2.5	10/14/2013 22:54
Chloromethane	ND	1.2	2.5	10/14/2013 22:54
Dibromochloromethane	ND	1.2	2.5	10/14/2013 22:54
1,2-Dibromoethane (EDB)	ND	1.2	2.5	10/14/2013 22:54
1,2-Dichlorobenzene	ND	1.2	2.5	10/14/2013 22:54
1,3-Dichlorobenzene	ND	1.2	2.5	10/14/2013 22:54
1,4-Dichlorobenzene	ND	1.2	2.5	10/14/2013 22:54
Dichlorodifluoromethane	ND	1.2	2.5	10/14/2013 22:54
1,1-Dichloroethane	ND	1.2	2.5	10/14/2013 22:54
1,2-Dichloroethane (1,2-DCA)	ND	1.2	2.5	10/14/2013 22:54
1,1-Dichloroethene	ND	1.2	2.5	10/14/2013 22:54
cis-1,2-Dichloroethene	ND	1.2	2.5	10/14/2013 22:54
trans-1,2-Dichloroethene	ND	1.2	2.5	10/14/2013 22:54
1,2-Dichloropropane	ND	1.2	2.5	10/14/2013 22:54
cis-1,3-Dichloropropene	ND	1.2	2.5	10/14/2013 22:54
trans-1,3-Dichloropropene	ND	1.2	2.5	10/14/2013 22:54
Freon 113	ND	25	2.5	10/14/2013 22:54
Methylene chloride	ND	1.2	2.5	10/14/2013 22:54
1,1,1,2-Tetrachloroethane	ND	1.2	2.5	10/14/2013 22:54
1,1,2,2-Tetrachloroethane	ND	1.2	2.5	10/14/2013 22:54
Tetrachloroethene	**26**	1.2	2.5	10/14/2013 22:54
1,1,1-Trichloroethane	ND	1.2	2.5	10/14/2013 22:54
1,1,2-Trichloroethane	ND	1.2	2.5	10/14/2013 22:54
Trichloroethene	ND	1.2	2.5	10/14/2013 22:54
Trichlorofluoromethane	ND	1.2	2.5	10/14/2013 22:54
Vinyl Chloride	ND	1.2	2.5	10/14/2013 22:54

Surrogates	REC (%)	Limits	
Dibromofluoromethane	110	70-130	10/14/2013 22:54
Toluene-d8	96	70-130	10/14/2013 22:54
4-BFB	99	70-130	10/14/2013 22:54

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Date Prepared:	10/11/13 - 10/14/13	**BatchID:**	82832
Date Analyzed:	10/12/13	**Extraction Method**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	#261829; Foothill Square	**Sample ID:**	MB/LCS-82832 1310446-001AMS/MSD

QC SUMMARY REPORT FOR SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Acetone	ND	-	10	-	-	-	-
tert-Amyl methyl ether (TAME)	ND	-	0.50	-	-	-	-
Benzene	ND	-	0.50	-	-	-	-
Bromobenzene	ND	-	0.50	-	-	-	-
Bromochloromethane	ND	-	0.50	-	-	-	-
Bromodichloromethane	ND	-	0.50	-	-	-	-
Bromoform	ND	-	0.50	-	-	-	-
Bromomethane	ND	-	0.50	-	-	-	-
2-Butanone (MEK)	ND	-	2.0	-	-	-	-
t-Butyl alcohol (TBA)	ND	-	2.0	-	-	-	-
n-Butyl benzene	ND	-	0.50	-	-	-	-
sec-Butyl benzene	ND	-	0.50	-	-	-	-
tert-Butyl benzene	ND	-	0.50	-	-	-	-
Carbon Disulfide	ND	-	0.50	-	-	-	-
Carbon Tetrachloride	ND	-	0.50	-	-	-	-
Chlorobenzene	ND	18.29	0.50	20	-	91.5	70-130
Chloroethane	ND	-	0.50	-	-	-	-
Chloroform	ND	-	0.50	-	-	-	-
Chloromethane	ND	-	0.50	-	-	-	-
2-Chlorotoluene	ND	-	0.50	-	-	-	-
4-Chlorotoluene	ND	-	0.50	-	-	-	-
Dibromochloromethane	ND	-	0.50	-	-	-	-
1,2-Dibromo-3-chloropropane	ND	-	0.20	-	-	-	-
1,2-Dibromoethane (EDB)	ND	20.96	0.50	20	-	105	70-130
Dibromomethane	ND	-	0.50	-	-	-	-
1,2-Dichlorobenzene	ND	-	0.50	-	-	-	-
1,3-Dichlorobenzene	ND	-	0.50	-	-	-	-
1,4-Dichlorobenzene	ND	-	0.50	-	-	-	-
Dichlorodifluoromethane	ND	-	0.50	-	-	-	-
1,1-Dichloroethane	ND	-	0.50	-	-	-	-
1,2-Dichloroethane (1,2-DCA)	ND	19.9	0.50	20	-	99.5	70-130
1,1-Dichloroethene	ND	17.09	0.50	20	-	85.4	70-130
cis-1,2-Dichloroethene	ND	-	0.50	-	-	-	-
trans-1,2-Dichloroethene	ND	-	0.50	-	-	-	-
1,2-Dichloropropane	ND	-	0.50	-	-	-	-
1,3-Dichloropropane	ND	-	0.50	-	-	-	-
2,2-Dichloropropane	ND	-	0.50	-	-	-	-
1,1-Dichloropropene	ND	-	0.50	-	-	-	-
cis-1,3-Dichloropropene	ND	-	0.50	-	-	-	-
trans-1,3-Dichloropropene	ND	-	0.50	-	-	-	-

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Date Prepared:	10/11/13 - 10/14/13	**BatchID:**	82832
Date Analyzed:	10/12/13	**Extraction Method**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	#261829; Foothill Square	**Sample ID:**	MB/LCS-82832 1310446-001AMS/MSD

QC SUMMARY REPORT FOR SW8260B

Analyte	MB Result	LCS Result	RL	SPK Val	MB SS %REC	LCS %REC	LCS Limits
Diisopropyl ether (DIPE)	ND	-	0.50	-	-	-	-
Ethylbenzene	ND	-	0.50	-	-	-	-
Ethyl tert-butyl ether (ETBE)	ND	-	0.50	-	-	-	-
Freon 113	ND	-	0.50	-	-	-	-
Hexachlorobutadiene	ND	-	0.50	-	-	-	-
Hexachloroethane	ND	-	0.50	-	-	-	-
2-Hexanone	ND	-	0.50	-	-	-	-
Isopropylbenzene	ND	-	0.50	-	-	-	-
4-Isopropyl toluene	ND	-	0.50	-	-	-	-
Methyl-t-butyl ether (MTBE)	ND	-	0.50	-	-	-	-
Methylene chloride	ND	-	0.50	-	-	-	-
4-Methyl-2-pentanone (MIBK)	ND	-	0.50	-	-	-	-
Naphthalene	ND	-	0.50	-	-	-	-
n-Propyl benzene	ND	-	0.50	-	-	-	-
Styrene	ND	-	0.50	-	-	-	-
1,1,1,2-Tetrachloroethane	ND	-	0.50	-	-	-	-
1,1,2,2-Tetrachloroethane	ND	-	0.50	-	-	-	-
Tetrachloroethene	ND	-	0.50	-	-	-	-
Toluene	ND	-	0.50	-	-	-	-
1,2,3-Trichlorobenzene	ND	-	0.50	-	-	-	-
1,2,4-Trichlorobenzene	ND	-	0.50	-	-	-	-
1,1,1-Trichloroethane	ND	-	0.50	-	-	-	-
1,1,2-Trichloroethane	ND	-	0.50	-	-	-	-
Trichloroethene	ND	18.67	0.50	20	-	93.4	70-130
Trichlorofluoromethane	ND	-	0.50	-	-	-	-
1,2,3-Trichloropropane	ND	-	0.50	-	-	-	-
1,2,4-Trimethylbenzene	ND	-	0.50	-	-	-	-
1,3,5-Trimethylbenzene	ND	-	0.50	-	-	-	-
Vinyl Chloride	ND	-	0.50	-	-	-	-
Surrogate Recovery							
Dibromofluoromethane	26.78	25.8		25	107	103	70-130
Toluene-d8	23.9	25.31		25	96	101	70-130
4-BFB	2.694	2.552		2.5	108	102	70-130

(Cont.)

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Quality Control Report

Client:	AEI Consultants	**WorkOrder:**	1310446
Date Prepared:	10/11/13 - 10/14/13	**BatchID:**	82832
Date Analyzed:	10/12/13	**Extraction Method**	SW5030B
Instrument:	GC18	**Analytical Method:**	SW8260B
Matrix:	Water	**Unit:**	µg/L
Project:	#261829; Foothill Square	**Sample ID:**	MB/LCS-82832 1310446-001AMS/MSD

QC SUMMARY REPORT FOR SW8260B

Analyte	MS Result	MSD Result	SPK Val	SPKRef Val	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD Limit
Chlorobenzene	18.56	17.39	20	ND	92.8	87	70-130	6.49	20
1,2-Dibromoethane (EDB)	21.54	20.3	20	ND	108	102	70-130	5.91	20
1,2-Dichloroethane (1,2-DCA)	21.6	20.14	20	ND	108	101	70-130	7.02	20
1,1-Dichloroethene	16.51	15.65	20	ND	82.5	78.3	70-130	5.33	20
Trichloroethene	18.79	17.55	20	ND	94	87.8	70-130	6.81	20
Surrogate Recovery									
Dibromofluoromethane	25.84	25.62	25		103	102	70-130	0.854	20
Toluene-d8	25.17	25.3	25		101	101	70-130	0	20
4-BFB	2.478	2.545	2.5		99	102	70-130	2.67	20

McCampbell Analytical, Inc.
1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

CHAIN-OF-CUSTODY RECORD

WorkOrder: 1310446 **ClientCode: AEL**

☐ WaterTrax ☐ WriteOn ☑ EDF ☐ Excel ☐ EQuIS ☑ Email ☐ HardCopy ☐ ThirdParty ☐ J-flag

Report to:
Jeremy Smith
AEI Consultants
2500 Camino Diablo, Ste.#200
Walnut Creek, CA 94597
(925) 283-6000 FAX: (925) 283-6121

Email: jasmith@aeiconsultants.com
cc:
PO: #WC084402
ProjectNo: #261829; Foothill Square

Bill to:
Sara Guerin
AEI Consultants
2500 Camino Diablo, Ste. #200
Walnut Creek, CA 94597
AccountsPayable@AEIConsultants.co

Requested TAT: 5 days

Date Received: **10/11/2013**
Date Printed: **10/11/2013**

Lab ID	Client ID	Matrix	Collection Date	Hold	Requested Tests (See legend below)											
					1	2	3	4	5	6	7	8	9	10	11	12
1310446-001	AMW-1	Water	10/11/2013 7:46	☐	A	A										
1310446-002	AMW-6R	Water	10/11/2013 8:50	☐	A											
1310446-003	AMW-8	Water	10/11/2013 7:04	☐	A											
1310446-004	AMW-9	Water	10/11/2013 8:21	☐	A											
1310446-005	FHS MW-10	Water	10/11/2013 5:50	☐	A											
1310446-006	FHS MW-11	Water	10/11/2013 6:31	☐	A											

Test Legend:

1	8010BMS_W	2	PREDF REPORT	3		4		5	
6		7		8		9		10	
11		12							

Prepared by: Zoraida Cortez

Comments:

NOTE: Soil samples are discarded 60 days after results are reported unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.

1310446

McCAMPBELL ANALYTICAL INC.

1534 Willow Pass Road
Pittsburg, CA 94565
Telephone: (925) 252-9262 Fax: (925) 252-9269

CHAIN OF CUSTODY RECORD

TURN AROUND TIME ☐ RUSH ☐ 24 HR ☐ 48 HR ☐ 72 HR ☑ 5 DAY

EDF Required? ☑ Yes ☐ No

Report To: Jeremy Smith Bill To: same P.O. # WC084402

Company: AEI Consultants

2500 Camino Diablo, Suite 200

Walnut Creek, CA 94597 E-Mail: jasmith@aeiconsultants.com

Tele: (925) 746-6000 Fax: (925) 746-6099

Project #: 261829 Project Name: Foothill Square

Project Location: 10700 MacArthur Blvd, Oakland, CA

Sampler Signature:

SAMPLE ID (Field Point Name)	LOCATION	SAMPLING Date	SAMPLING Time	# Containers	Type Containers	MATRIX Water	Soil	Air	Sludge	Other	METHOD PRESERVED Ice	HCl	HNO_3	Other
AMW-1		10-11-13	0746	3	VOA	X					X	X		
AMW-6R			0850	3	VOA	X					X	X		
AMW-8			0704	3	VOA	X					X	X		
AMW-9			0821	3	VOA	X					X	X		
FHS MW-10			0550	3	VOA	X					X	X		
FHS MW-11			0631	3	VOA	X					X	X		

Analysis Request																Other	Comments
BTEX & TPH as Gas (602/8020 + 8015)/MTBE	TPH as Diesel (8015) w/silica Gel Cleanup	Total Petroleum Oil & Grease (5520 E&F/B&F)	Total Petroleum Hydrocarbons (418.1)	HVOCs EPA 8260	BTEX ONLY (EPA 602 / 8020)	EPA 608 / 8080	EPA 608 / 8080 PCB's ONLY	EPA 624 / 8260	EPA 625 / 8270	PAH's / PNA's by EPA 625 / 8270 / 8310	CAM-17 Metals	LUFT 5 Metals	Lead (7240/7421/239.2/6010)	RCI			
				X													
				X													
				X													
				X													
				X													
				X													

Relinquished By:	Date:	Time:	Received By:
	10-11-13	1200	
Relinquished By:	Date:	Time:	Received By:
Relinquished By:	Date:	Time:	Received By:

ICE/t° 3.2
GOOD CONDITION
HEAD SPACE ABSENT
DECHLORINATED IN LAB

PRESERVATION APPROPRIATE CONTAINERS	VOAS	O&G	METALS	OTHER
PERSERVED IN LAB				

McCampbell Analytical, Inc.
"When Quality Counts"

1534 Willow Pass Road, Pittsburg, CA 94565-1701
Toll Free Telephone: (877) 252-9262 / Fax: (925) 252-9269
http://www.mccampbell.com / E-mail: main@mccampbell.com

Sample Receipt Checklist

Client Name: **AEI Consultants**
Date and Time Received: **10/11/2013 8:38:56 PM**

Project Name: **#261829; Foothill Square**
LogIn Reviewed by: Zoraida Cortez

WorkOrder N°: **1310446** Matrix: Water
Carrier: Client Drop-In

Chain of Custody (COC) Information

Chain of custody present?	Yes ☑	No ☐
Chain of custody signed when relinquished and received?	Yes ☑	No ☐
Chain of custody agrees with sample labels?	Yes ☑	No ☐
Sample IDs noted by Client on COC?	Yes ☑	No ☐
Date and Time of collection noted by Client on COC?	Yes ☑	No ☐
Sampler's name noted on COC?	Yes ☑	No ☐

Sample Receipt Information

Custody seals intact on shipping container/cooler?	Yes ☐	No ☐	NA ☑
Shipping container/cooler in good condition?	Yes ☑	No ☐	
Samples in proper containers/bottles?	Yes ☑	No ☐	
Sample containers intact?	Yes ☑	No ☐	
Sufficient sample volume for indicated test?	Yes ☑	No ☐	

Sample Preservation and Hold Time (HT) Information

All samples received within holding time?	Yes ☑	No ☐	
Container/Temp Blank temperature	Cooler Temp: 3.2°C		NA ☐
Water - VOA vials have zero headspace / no bubbles?	Yes ☑	No ☐	No VOA vials submitted ☐
Sample labels checked for correct preservation?	Yes ☑	No ☐	
Metal - pH acceptable upon receipt (pH<2)?	Yes ☐	No ☐	NA ☑
Samples Received on Ice?	Yes ☑	No ☐	

(Ice Type: WET ICE)

** NOTE: If the "No" box is checked, see comments below.*

Comments: