



ENVIRONMENTAL HEALTH SERVICES
ENVIRONMENTAL PROTECTION
1131 Harbor Bay Parkway, Suite 250
Alameda, CA 94502-6577
(510) 567-6700
FAX (510) 337-9335

June 7, 2016

Mr. Robert Tuck
Atlas Heating and Air Conditioning Company
1451 32nd Street
Oakland, CA, 94608

Subject: Fuel Leak Case No. RO0002592 and GeoTracker Global ID T0600105911, Atlas Heating and Air Conditioning Company, 1451 32nd Street, Oakland, CA 94601

Dear Mr. Tuck:

Alameda County Environmental Health (ACEH) staff has reviewed the case file. The State Water Resources Control Board (SWRCB) adopted the Low Threat Underground Storage Tank Case Closure Policy (LTCP) in August 2012 for the purpose of establishing consistent statewide case closure criteria for low-threat petroleum Underground Storage Tank (UST) sites. I am your case worker and would like to set up a meeting with you at our office to discuss a review of the site's status in comparison with the LTCP and to develop a path to closure for your case. Please call or send me an e-mail by July 11, 2016 with three dates and times in July or August that you and your consultant would be available to meet with us. ACEH staff will coordinate selection of a meeting date and time from your list to arrange the meeting. Please provide your email address so that we can correspond with you quickly and efficiently regarding your case.

If you have any questions, please call me at (510) 567-6708 or send me an electronic mail message karel.detterman@acgov.org. Online case files are available for review at the following website: <http://www.acgov.org/aceh/index.htm>.

Sincerely,

Karel Detterman, PG
Hazardous Materials Specialist

cc: Dilan Roe, ACEH (Sent via E-mail to: dilan.roe@acgov.org)
Karel Detterman, ACEH (Sent via E-mail to: karel.detterman@acgov.org)
GeoTracker, e-file