

ALAMEDA COUNTY  
**HEALTH CARE SERVICES  
AGENCY**

COLLEEN CHAWLA, DIRECTOR



DEPARTMENT OF ENVIRONMENTAL HEALTH  
LOCAL OVERSIGHT PROGRAM (LOP)  
For Hazardous Materials Releases  
1131 HARBOR BAY PARKWAY, SUITE 250  
ALAMEDA, CA 94502  
(510) 567-6700  
FAX (510) 337-9335

June 19, 2018

Mr. Robert Tuck  
Atlas Heating and Air Conditioning Company  
1451 32<sup>nd</sup> Street  
Oakland, CA, 94608 (Sent via email to: [btuck@atlasheating.com](mailto:btuck@atlasheating.com))

**NOTICE OF VIOLATION**

Subject: Notice of Violation Letter for Fuel Leak Case No. RO0002592 and GeoTracker Global ID T0600105911, Atlas Heating and Air Conditioning Company, 1451 32nd Street, Oakland, CA 94601

Dear Mr. Tuck:

A review of the case file for the above-referenced site indicates that your case is currently in not in compliance with Alameda County Department of Environmental Health's (ACDEH's) January 11, 2017 Directive Letter, which required the submittal of a Site Conceptual Model (SCM) and Data Gap Work Plan by March 17, 2017. It has been 15 months since the report was due, and no submittals have been received by ACDEH or uploaded to Geotracker.

Implementation of site characterization and/or cleanup at this site is crucial to be protective of human health and the environment and to move this case towards completion and closure. Please note that as Responsible Parties, you are required by California Code of Regulations, Title 23, Division 3, Chapter 16, Article 11, §2720 through §2728 to characterize the site and implement corrective action.

In order to regain compliance, please contact ACDEH as described below. Failure to contact ACDEH by the required date may result in enforcement action by the District Attorney. Pursuant to Chapter 6.7, California Health and Safety code, civil penalties up to \$10,000 for each UST for each day of violation may be imposed. Please note that civil penalties for non-compliance are assessed from the original due date of March 17, 2017 for the SCM and Data Gap Work Plan.

**MEETING/ CONFERENCE CALL REQUEST**

We invite you to attend a meeting at ACDEH's office to discuss your case and identify steps to closure. Please send me an e-mail ([karel.detterman@acgov.org](mailto:karel.detterman@acgov.org)) by June 29, 2018 with your meeting time/date choice from the following two choices:

- **10:00 AM to noon, Friday July 20, 2018: Meeting**
- **10:00 AM to noon, Friday July 27, 2018: Meeting**

This meeting is being requested pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party in response to an unauthorized release from a petroleum UST system, and require your compliance with this request.

Thank you for your cooperation. If you have any questions, please call me at (510) 567-6708 or send me an electronic mail message [karel.detterman@acgov.org](mailto:karel.detterman@acgov.org). Online case files are available for review at the following website: <http://www.acgov.org/aceh/index.htm>.

Mr. Robert Tuck  
RO0002592  
June 19, 2018  
Page 2

Sincerely,

Karel Detterman, PG 5628  
Senior Hazardous Materials Specialist

Enclosures: Attachment 1 - Responsible Party(ies) Legal Requirements/Obligations ACDEH  
Electronic Report Upload (ftp) Instructions

cc: Dilan Roe, ACDEH (Sent via E-mail to: [dilan.roe@acgov.org](mailto:dilan.roe@acgov.org))  
Karel Detterman, ACDEH (Sent via E-mail to: [karel.detterman@acgov.org](mailto:karel.detterman@acgov.org))  
Paresh Khatri, ACDEH (Sent via E-mail to: [paresh.khatri@acgov.org](mailto:paresh.khatri@acgov.org))  
GeoTracker, eFile

<b>Alameda County Environmental Cleanup Oversight Programs (LOP and SCP)</b>	<b>REVISION DATE:</b> December 14, 2017
	<b>ISSUE DATE:</b> July 25, 2012
	<b>PREVIOUS REVISIONS:</b> September 17, 2013, May 15, 2014, December 12, 2016
<b>SECTION:</b> ACDEH Procedures	<b>SUBJECT:</b> Responsible Party(ies) Legal Requirements / Obligations

REPORT & DELIVERABLE REQUESTS

Alameda County Department of Environmental Health (ACDEH) Cleanup Oversight Programs, Local Oversight Program (LOP) and Site Cleanup Program (SCP) require submission of all reports in electronic form to the State Water Board's (SWB) GeoTracker website in accordance with California Code of Regulations, Chapter 30, Division 3, Title 23 and Division 3, Title 27.

Leaking Underground Fuel Tank (LUFT) Cases

Reports and deliverable requests are pursuant to California Health and Safety Code Section 25296.10. 23 CCR Sections 2652 through 2654, and 2721 through 2728 outline the responsibilities of a responsible party (RP) in conjunction with an unauthorized release from a petroleum underground storage tank (UST) system.

Site Cleanup Program (SCP) Cases

For non-petroleum UST cases, reports and deliverables requests are pursuant to California Health and Safety Code Section 101480.

ELECTRONIC SUBMITTAL OF REPORTS

A complete report submittal includes the PDF report and all associated electronic data files, including but not limited to GEO\_MAP, GEO\_XY, GEO\_Z, GEO\_BORE, GEO\_WELL, and laboratory analytical data in Electronic Deliverable Format™ (EDF). Additional information on these requirements is available on the State Water Board's website ([http://www.waterboards.ca.gov/water\\_issues/programs/ust/electronic\\_submittal/](http://www.waterboards.ca.gov/water_issues/programs/ust/electronic_submittal/))

- Do not upload draft reports to GeoTracker
- Rotate each page in the PDF document in the direction that will make it easiest to read on a computer monitor.

GEOTRACKER UPLOAD CERTIFICATION

Each report submittal is to include a GeoTracker Upload Summary Table with GeoTracker valid values<sup>1</sup> as illustrated in the example below to facilitate ACDEH review and verify compliance with GeoTracker requirements.

**GeoTracker Upload Table Example**

Report Title	Sample Period	PDF Report	GEO_MAPS	Sample ID	Matrix	GEO_Z	GEO_XY	GEO_BORE	GEO_WELL	EDF
<b>2016 Subsurface Investigation Report</b>	2016 S1	✓	✓	Effluent	SO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	✓
<b>2012 Site Assessment Work Plan</b>	2012	✓	✓			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>2010 GW Investigation Report</b>	2008 Q4	✓	✓	SB-10	W	✓	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	✓
				SB-10-6	SO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	✓
				MW-1	WG	✓	✓	✓	✓	✓
				SW-1	W	✓	✓	✓	✓	✓

<sup>1</sup> GeoTracker Survey XYZ, Well Data, and Site Map Guidelines & Restrictions, CA State Water Resources Control Board, April 2005

<b>Alameda County Environmental Cleanup Oversight Programs (LOP and SCP)</b>	<b>REVISION DATE:</b> NA
	<b>ISSUE DATE:</b> December 14, 2017
	<b>PREVIOUS REVISIONS:</b> September 17, 2013, May 15, 2014, December 12, 2016
<b>SECTION:</b> ACDEH Procedures	<b>SUBJECT:</b> Responsible Party(ies) Legal Requirements / Obligations

ACKNOWLEDGEMENT STATEMENT

All work plans, technical reports, or technical documents submitted to ACDEH must be accompanied by a cover letter from the responsible party that states, at a minimum, the following: "I have read and acknowledge the content, recommendations and/or conclusions contained in the attached document or report submitted on my behalf to the State Water Board's GeoTracker website." This letter must be signed by the Responsible Party, or legally authorized representative of the Responsible Party.

PROFESSIONAL CERTIFICATION & CONCLUSIONS/RECOMMENDATIONS

The California Business and Professions Code (Sections 6731, 6735, and 7835) requires that work plans and technical or implementation reports containing geologic or engineering evaluations and/or judgments be performed under the direction of an appropriately licensed or certified professional and include the professional registration stamp, signature, and statement of professional certification. Additional information is available on the Board of Professional Engineers, Land Surveyors, and Geologists website at: <http://www.bpelsg.ca.gov/laws/index.shtml>.

UNDERGROUND STORAGE TANK CLEANUP FUND

For LUFT cases, RP's non-compliance with these regulations may result in ineligibility to receive grant money from the state's Underground Storage Tank Cleanup Fund (Senate Bill 2004) to reimburse the cost of cleanup. Additional information is available on the internet at: [https://www.waterboards.ca.gov/water\\_issues/programs/ustcf/](https://www.waterboards.ca.gov/water_issues/programs/ustcf/)

AGENCY OVERSIGHT

Significant delays in conducting site assessment/cleanup or report submittals may result in referral of the case to the Regional Water Board or other appropriate agency, including the County District Attorney, for possible enforcement actions. California Health and Safety Code, Section 25299.76 authorizes enforcement including administrative action or monetary penalties of up to \$10,000 per day for each day of violation.